PARTS AND ACCESSORIES
CATALOG

Chevrolet

1929-1957

PASSENGER
CAR

CORVETTE

LIGHT AND
MEDIUM TRUCKS

NOTE: *This Thumb Index is for your convenience. How INDEX operates:*

Bend book backward to locate black spots appearing on the first page of each group section. These spots are in the same relative position as this GROUP INDEX.

PARTS AND ACCESSORIES CATALOG

FOR

CHEVROLET

MODELS—1929-1957

Effective March 1, 1957

Supersedes Parts Catalog effective April 1, 1956 (P & A 30)

PARTS ORDERS TO BE PLACED BY CHEVROLET DEALERS WITH

GENERAL MOTORS PARTS DIVISION

GENERAL MOTORS CORPORATION

WAREHOUSES CONVENIENTLY LOCATED AT THE FOLLOWING POINTS:

▲*Atlanta, Georgia
*Baltimore, Md.
Birmingham, Ala.
▲*Bloomfield, N. J.
Boston, Mass.
Buffalo, N. Y.
Charlotte, N. C.
*Chicago, Ill.
Cleveland, Ohio
*Dallas, Texas
Denver, Colo.
Des Moines, Ia.
*Detroit, Mich.
El Paso, Texas
Fargo, N. D.
#▲Flint, Mich.
Great Falls, Mont.
Houston, Texas
Indianapolis, Ind.
Jacksonville, Fla.
*Kansas City, Mo.
Long Island City, N. Y.
Louisville, Ky.
Memphis, Tenn.
Milwaukee, Wis.
*Minneapolis, Minn.
New Orleans, La.
Norwood, Ohio
▲*Oakland, Cal.
Oklahoma City, Okla.
Omaha, Nebr.
Philadelphia, Pa.
Pittsburgh, Pa.
*Portland, Oregon
Richmond, Virginia
▲St. Louis, Mo.
Salt Lake City, Utah
San Antonio, Texas
Scranton, Pa.
Shreveport, La.
*Van Nuys, Calif.
Wichita, Kansas

*Master Warehouses. ▲Major Supply Depots. #Factory Warehouse.

CHEVROLET MOTOR DIVISION

GENERAL MOTORS CORPORATION

DETROIT 2, MICH.

All illustrations and specifications contained in this literature are based on the latest product information available at the time of publication approval. The right is reserved to make changes at any time without notice in prices, colors, materials, equipment, specifications and models, and also to discontinue models.

The "List Prices" shown in this catalog are suggested prices for sales to consumers.

INDEX

Alphabetical Index

Engine—0.000
Clutch—0.787

Cooling—1.062
Oiling—1.426

Electrical
2.004—2.906

Fuel System
3.001
Carburetor—3.725
Pump—3.900

Transmission
4.003—4.495

Brakes
4.589—5.188

Rear Axle—Propeller Shaft
5.387—5.545

Universal Joint—Brake Drums
5.548—5.810

Front Axle—6.005
Knee Action
6.351

Steering
6.507—6.886

Frames—Shock Absorbers
7.003—7.401

Springs
7.412—7.535

Tire Carrier—7.629
Bumpers—7.792

Chassis Sheet Metal—8.000
Standard Parts
8.899

Air Cond. Misc.
9.008—9.810

©—1957
Chevrolet Motor Division
General Motors Corporation

P & A 30 Revised
March 1, 1957
Litho in U. S. A.

GENERAL INFORMATION

Complete familiarity with the information contained on these pages as well as the general lay-out of the book will prove helpful in locating and ordering the desired parts. The Chevrolet Parts and Accessories Catalog is arranged in sections as follows:

General Information
G. M. Telegraphic Code
New Parts Or Accessories Returned For Credit
Alphabetical Index
General Illustrations
Chassis Parts Listing—groups 0.000 to 9.999 inclusive
Passenger Body Parts Listing—groups 10.000 to 15.999 inclusive
Commercial Body Parts Listing—groups 16.000 to 17.999 inclusive
Supplementary Data
Parts History Index

The Group System of listing parts has been retained and briefly is as follows:
Main units of the car are identified by the Numeral preceding the Decimal, i.e.,

Engine ..... 0.
Cooling and Oiling ..... 1.
Electrical ..... 2.
Fuel System ..... 3.

Individual Parts are assigned a Group Number, the first Numeral identifying the main unit it is affiliated with, and following the Decimal is the Sub-Group Number under which all Parts of the same name and function are listed. For instance: Group 0.033: "0." indicates that it is an Engine Part, ".033" is the Location where all Part Numbers of Cylinder Blocks now being serviced may be found.

For convenience, List Price is shown where the Part is listed. An exception to this occurs when a Part is also listed elsewhere than in its original or "prime" Group, and in such listings the "prime" Group is indicated in parentheses in place of Price. This procedure is necessary as a part can have but one identifying Group Number for ordering or bin location. For example, under Group Number 3.751, Part Number 342146 is listed as Carburetor Choke Valve Screw, and in its price column is shown (3.761) which refers to the "prime" Group of that part. The Price may be obtained by referring to that Group, or to the Dealer Parts and Accessories Price Schedule.

When using the dimensions and other data shown in the Specifications Column the parts manager should be guided by the following:

1. "length overall" refers to the total length of a part measured over the longest dimension. An irregular shaped piece is measured over the longest dimension regardless of contours and bends.
2. "dev. length" refers to the total length of a part such as a tail pipe or gas pipe measured as though the part were straightened out. This measurement can be taken on formed pipes by using a string to follow the contours of the pipe and then measuring the length of string used.
3. "I.D." refers to inside diameter; "O.D." refers to outside diameter; "O.S." refers to oversize; "U.S." refers to undersize.

To locate the listing of a Part, refer to the Book under the Group Number identifying it, which may be determined by using any of the following three methods:

1. Consult Alphabetical Index, at front of book, which lists Parts by noun and descriptive names and refers to the exact Group Number where all Parts of similar kind may be found. More than one Group Number will be given where the same kind of part is shown in both Passenger and Commercial Body sections. If Name of desired Part is not readily found in the Index, a correlated Part Name will suggest approximate location.
2. Consult Illustrations throughout book, on which Group Numbers and Noun Name are shown, which will refer to the Part or Assembly wanted.
3. Consult Dealer Parts and Accessories Price Schedule if a Part Number is known, and use its Group Number to locate a similar Part, or be directed to the approximate location of correlated Parts.

The column headed "No. Used" indicates the number of pieces required. The term "A.R." means "As Required."

If Body is not of Chevrolet manufacture place orders direct with the manufacturer whose name appears on the Body Name Plate.

G. M. TELEGRAPHIC CODE

Revised telegraph regulations now make it possible to specify actual part number digits at code word cost when ordering parts by telegram. Therefore it will not be necessary to use the G. M. Numerical Code for sending part numbers in telegrams.

The Numerical Code should be used in decoding phrases which are always prefixed XL.

G	M	P	R	O	D	U	C	T	S
1	2	3	4	5	6	7	8	9	0

COMMONLY USED PHRASES—CODING TABULATION

101	Refer order	**XLGSG**
102	Refer to our wire (of)	**XLGSM**
103	Refer to our letter (of)	**XLGSP**
105	Wire answer to our wire (of)	**XLGSO**
109	Refer to your wire (of)	**XLGST**
110	Refer to your letter (of)	**XLGGS**
115	Wire answer	**XLGGO**
116	Wire advice	**XLGGD**
132	Wire if unable to ship today	**XLGPM**
134	Ship today	**XLGPR**
135	Urgent car tied up	**XLGPO**
141	Check and advise by wire	**XLGRG**
151	Ship by express	**XLGOG**
152	Ship by freight	**XLGOM**
154	Ship by truck	**XLGOR**
157	Ship by air mail	**XLGOU**
158	Ship by air express	**XLGOC**
159	Ship by parcel post	**XLGOT**
160	Ship by parcel post special delivery	**XLGDS**
170	Cancel our order of	**XLGUS**
174	Cancel following items our order	**XLGUR**
181	Add to our order	**XLGCG**
190	Wire shipping date our order	**XLGTS**
191	Wire full forwarding information	**XLGTG**
253	How and when did you ship?	**XLMOP**
296	Expect to ship your order	**XLMTD**
301	Shipped by express	**XLPSG**
302	Shipped by freight	**XLPSM**
303	Shipped by truck	**XLPSP**
306	Shipped by air mail	**XLPSD**
307	Shipped by air express	**XLPSU**
308	Shipped by parcel post	**XLPSC**
325	Shipped by parcel post special delivery	**XLPMO**
337	Cannot locate your order number....date	**XLPPU**
338	Do not understand your telegram	**XLPPC**
346	Cancelled as per your request	**XLPRD**
351	Material shipped; cannot cancel as requested	**XLPOG**
368	Advise Body Style, paint combination numbers for parts your order number	**XLPDC**
371	Wire part number	**XLPUG**
372	Advise engine number for parts your order number	**XLPUM**
373	Advise Body and job number for parts, your order	**XLPUP**
385	No record part number	**XLPCO**
399	Part number and description do not agree	**XLPTT**
462	Refer to parts release and change notice number	**XLRDM**
463	Refer to dealer service department bulletin	**XLRDP**
513	Change our order.....to read as follows	**XLOGP**
514	Change shipping instructions on our order to read	**XLOGR**
517	Incorrect parts received on our order	**XLOGU**
519	Advise which is correct	**XLOGT**
609	URGENT—Car Inoperative	**XLDST**

CODE PHRASES CLASSIFIED

REFERENCE
See Code Nos. 101, 102, 103, 109, 110, 462 & 463

SPECIFICATIONS AND INSTRUCTIONS
See Code Nos. 338, 368, 371, 372, 373, 385, 399 & 519

CANCELLATION
See Code Nos. 170, 174, 346 & 351

ADDITIONS, CHANGES, SUBSTITUTIONS & ERRORS
See Code Nos. 181, 513, 514 & 517

SHIP OR SEND
See Code Nos. 132, 134, 151, 152, 154, 157, 158, 159 & 160

SHIPPED OR SENT
See Code Nos. 301, 302, 303, 306, 307, 308, 325 & 351

SHIPPING
See Code No. 296

INQUIRIES ON SHIPMENTS
See Code Nos. 190, 191, 253 & 337

REPLY
See Code Nos. 105, 115, 116, 141, 190 & 191

URGENCY
See Code Nos. 135, 609

NEW PARTS OR ACCESSORIES RETURNED FOR CREDIT

Instructions for Dealers

A. New material returnable for credit is of six general classifications:

1. PARTS RETURNABLE UNDER 90 DAY RETURN CLAUSE OF SELLING AGREEMENT INCLUDING MATERIAL SHIPPED IN ERROR
2. ACCESSORIES RETURNABLE UNDER 30 DAY RETURN CLAUSE OF SELLING AGREEMENT, INCLUDING MATERIAL ORDERED OR SHIPPED IN ERROR
3. DEFECTIVE NEW PARTS
4. DEFECTIVE NEW ACCESSORIES
5. SURPLUS STOCK
6. 4% UNSALEABLE PARTS RETURN PLAN

Parts and Accessories returnable in accordance with the Selling Agreement should be written on separate PC 659, application for "Authorization to Return New Material." Parts of only one of the above classifications should be written on one application. When items of more than one classification are to be returned, a separate application should be used for each group listed above. Form GSD-17C should be used as outlined in paragraph C(2) when returning defective accessories.

B. Material returnable under 90 or 30 day return clause of selling agreement, including material ordered or shipped in error.

(1) It is necessary that form PC 659 be prepared in three copies in order to properly identify returned parts or accessories and thereby expedite the issuance of credit to your account. By showing the required information on this form, it not only serves as a packing slip, to identify the shipment, but also as an invoice from you to Chevrolet Motor Division for the materials returned.

PC 659 should show:

(A) Date;
(B) Normal Shipping GMPD Warehouse;
(C) GMPD Warehouse Address;
(D) Dealer Name and Address;
(E) Part Number;
(F) Name of Part;
(G) Quantity to Return;
(H) Packing Slip Number;
(I) Warehouse Received From (Shipping Warehouse);
(J) Date Received;
(K) Reason for Return.

(2) When returning material, shipment should be made as follows:

(A) Tag one of each part with GSD 43, Return Goods Tag, showing:
1. Quantity
2. Part Number
3. Description
4. PC 659 Number

(B) Mail No. 1 copy of PC 659 to General Motors Parts Division Warehouse to which you normally forward your parts orders;

(C) Pack material carefully for safe shipment, using the No. 2 copy of PC 659 application as a packing slip;

1. NOTE: On Parcel Post shipments packing slip is to be enclosed in an envelope bearing first class postage. Attach envelope to package.

(D) Retain the number 3 copy of PC 659 as your record of shipment;

(E) Ship the material PREPAID to the General Motors Parts Division Warehouse, to which you normally forward your parts orders;

(F) When returning new Parts and Accessories to GMPD Warehouse via prepaid express, which were originally "shipped in error" by GMPD, attach a copy of the paid express receipt to the No. 1 copy of PC-659 and credit for normal transportation expense will be allowed.

C. Defective New Parts

(1) New parts found to be defective **before** installation has occurred, are to be returned by you to the Parts Warehouse on Form PC 659.

The following information should appear on PC 659:

(A) Date;
(B) Normal Shipping GMPD Warehouse;
(C) GMPD Warehouse Address;
(D) Dealer's Name and Address;
(E) Part No.;
(F) Name of Part;
(G) Quantity to be Returned;
(H) Reason for Return and Nature of the Defect.

When returning material, shipment should be made as outlined in Paragraph B. (2).

(2) New parts found to be defective **after** installation are to be handled on GSD-17C, L. & M. R. in the same manner as if the part had been installed in production.

Each part should be tagged with GSD 43, Return Goods Tag, showing:

(A) Quantity;
(B) Part Number;
(C) Description;
(D) GSD-17C Number;
(E) Nature of Defect.

Material should be packed carefully and shipped PREPAID to General Motors Parts Division Warehouse, to which you normally return defective service material.

(3) Copies #1 thru #6 of GSD-17C are to be mailed to the Zone Service Manager. The number 7 copy retained as your record of shipment, GSD-17T Listing Tag, is to be used as a packing slip for the material shipped.

D. Defective New Accessories.

(1) New accessories found to be defective **before** or **after** installation are to be handled in the same manner as a new parts policy adjustment as outlined in Paragraph C. (2).

E. After 90 days have expired on parts or 30 days on accessories, dealer may apply for authorization to return such goods as "Surplus Stock."

(1) Application should be completed on Form PC-659 as in C. (1) except the reason for return should show "Surplus Stock" and all three copies should be mailed to the Zone Office and material held by you for disposition.

(2) The numbers 2 and 3 copies of the application will be returned to you showing disposition to be made of the material.

(3) On receipt of the numbers 2 and 3 copies, you should handle the return of items coded "R" in accordance with procedure outlined in Paragraph B. (2) (A,C,D,E).

F. Your Parts and Accessories Merchandising Manager will furnish detailed instructions pertaining to the return of parts under the 4% Unsaleable Parts Return Plan.

NOTE: Paid receipts are not required on other than prepaid express returns for material "shipped in error."

ABBREVIATIONS

Abs.	Absorber
A.C.	Automatic Choke
Accel.	Accelerator
Adj.	Adjustable / Adjusting
Amp.	Ampere
A.R.	As Required
ASed	Aero Sedan
Assy.	Assembly
A.T.	ALL Automatic Transmissions
Aux.	Auxiliary
Batt.	Battery
Bind.	Binding
B-A	Bel Air
Blk.	Black
Brg.	Bearing
Brk.	Brake
Brkt.	Bracket
Brn.	Brown
Bpr.	Bumper
Bshg.	Bushing
Btry.	Battery
Cad.	Cadmium
C/Shaft	Camshaft
Can. Exp.	Canopy Express
Capill.	Capillary
C.A.C.	Car Air Conditioning
Carb.	Carburetor
Carr.	Carrier
Ch.	Chassis
Chnl.	Channel
Chr.	Chrome
Cl.	Clutch
Ck/C	Crankcase
Ck/Shaft	Crankshaft
Coa.	Coach
C.T.C.	Continental Tire Carrier
C'bore	Counterbore
COE	Cab Over Engine
Comb.	Combination
Comm.	Commercial
Comp.	Compressor
Compt.	Compartment
Compr.	Compression
Conn.	Connecting
Conv.	Convertible
Cpe.	Coupe
Cplg.	Coupling
CPU	Coupe Pick-up
Ctr./S.	Countershaft
C'sunk	Countersunk
Ctr.	Center
Cush.	Cushion
Cyl.	Cylinder
Dbl.	Double
Detach	Detachable
Defl.	Deflector
Def.	Defroster
Dev.	Developed
Diaph.	Diaphragm
Dia.	Diameter
Diff.	Differential
Distr.	Distributor
Div.	Division
Dr.	Door
Drld.	Drilled
D-D / Dubl-Duti	Forward Control Chassis
Econ.	Economy
Emerg.	Emergency
Eng.	Engine
Equ.	Equipment
Escn.	Escutcheon
Exc.	Except
Exch.	Exchange
Exh.	Exhaust
Expan.	Expansion
Ext.	External
Extn.	Extension
E. H. D.	Extra Heavy Duty
Fcg.	Facing
FFC	Flat Face Cowl
Fill.	Fillister
Flwhl.	Flywheel
Flex.	Flexible
Fltln.	Fleetline
Flg.	Flange
Fldg.	Folding
Frgd.	Forged
4BC	Four Barrel Carburetor
Frt.	Front
Gal.	Gallon
Garn.	Garnish
Gen.	Generator
Gov.	Governor
Gskt.	Gasket
Hex.	Hexagon
Hdle.	Handle
Hd.	Head
Hdlng.	Headlining
Hdlp.	Headlamp
H.L.	High Lift
Hsg.	Housing
H.T.	Truck Hydramatic Transmission
Htr.	Heater
Hvy.	Heavy
Hy.	Hyatt
Hyd.	Hydraulic
ID	Inside Diameter
Ident.	Identification
Ign.	Ignition
Imit.	Imitation
Incl.	Includes
Ind.	Indicator
Inl.	Inlet
Instr.	Instrument
Ins.	Insulator
Int.	Internal / Intake

Inter.	Intermediate
K/Pin	King Pin
Lea.	Leather
L.	Left
LCF	Low Cab Forward
L.H.	Left Hand
Lg.	Long
Lwr.	Lower
Max.	Maximum
Mkd.	Marked
Mas.	Master
Matl.	Material
Mech.	Mechanical
Med.	Medium
Mbr.	Member
Min.	Minimum
Mfld.	Manifold
Mldg.	Moulding
Mtg.	Mounting
Mtr. Rod	Metering Rod
ND	New Departure
NL	Not Listed
No.	Number
NP	Nickel Plated
NSS	Not Serviced Separately
O.C.	Oil Cooler
OD	Outside Diameter
O/D	Overdrive
OL	Overall Length
Oper.	Operating
Opg.	Opening
Ornam.	Ornament
OS	Oversize
O.S.R.V.	Outside Rear View
Pack.	Packing
P.R.W.	Panoramic Rear Window
Pnl.	Panel
Park.	Parkerized
Pass.	Passenger
P.B.	Power Brake
P.G.	Powerglide
P/S	Power Steering
Phae.	Phaeton
Pit.	Pitman
Pkg.	Package
Pl.	Plain
Pltfm.	Platform
Press.	Pressure
Prop.	Propeller
Pt.	Part
Qt.	Quart
Qtr.	Quarter
R.	Right
Rad.	Radiator
Rd.	Round
Recir.	Recirculating
Rect.	Rectangular
Reg.	Regulator
Reg. Prod.	Regular Production
Ret.	Retainer
R.H.	Right Hand
Rkr.	Rocker
Rnfct.	Reinforcement
Roch.	Rochester
Run/Bd.	Running Board
Rr.	Rear
SBC Sch. Bus Ch.	School Bus Chassis
Sed.	Sedan
Sdl.	Sedan Delivery
Serv.	Service
Sgl.	Single
Shk./Abs.	Shock Absorber
Shldr.	Shoulder
Sltd.	Slotted
Span.	Spanish
Spd.	Speed
Spec.	Special
Speedo.	Speedometer
Spg.	Spring
Sq.	Square
SSed.	Sport Sedan
St. Steel	Stainless Steel
Staty.	Stationary
Sta. Wag.	Station Wagon
Std.	Standard
Stmpd.	Stamped
Strg.	Steering
Sub.	Suburban Carryall
Supt.	Support
Syncro.	Synchronizing
T.	Teeth
Temp.	Temperature
Ter.	Terminal
T.G.	Turboglide
Thd.	Thread
Therm.	Thermostat
Trans.	Transmission
TSed.	Town Sedan
U-joint	Universal Joint
US	Undersize
Univ.	Universal
U/Pan	Underpan
Upr.	Upper
Util.	Utility
Vac.	Vacuum
Vent.	Ventilator
W.G.T.	Warner Gear Transmission
W/	With
W/A.C.	Automatic Choke Carburetor
W/O	Without
W/Pump	Water Pump
WB	Wheelbase
W/Cord	Weathercord
Whlhse.	Wheelhouse
Wind.	Window
W/S	Windshield
W/Strip	Weatherstrip

CAR MODEL SERIAL IDENTIFICATION

1929

Series	Wheelbase	Type of Vehicle
AC	107	Passenger—½ Ton Truck—Sedan Delivery
LQ	131	Utility—1½ Ton Truck

1930

Series	Wheelbase	Type of Vehicle
AD	107	Passenger—½ Ton Truck—Sedan Delivery
LR	131	Utility—1½ Ton Truck—First Half
LS	131	Utility—1½ Ton Truck—Second Half

1931

Series	Wheelbase	Type of Vehicle
AE	109	Passenger—½ Ton Truck—Sedan Delivery
LT	131-157	Utility—1½ Ton Truck—Single and Dual Wheels—First Half
MA	131	Utility—1½ Ton Truck—Single Wheels—Second Half
MB	131	Utility—1½ Ton Truck—Dual Wheels—Second Half
MC	157	Utility—1½ Ton Truck—Single Wheels—Second Half
MD	157	Utility—1½ Ton Truck—Dual Wheels—Second Half

1932

Series	Wheelbase	Type of Vehicle
BA	109	Passenger
BB	109	½ Ton Truck—Sedan Delivery
NA	131	Utility—1½ Ton Truck—Single Wheels
NB	131	Utility—1½ Ton Truck—Dual Wheels
NC	157	Utility—1½ Ton Truck—Single Wheels
ND	157	Utility—1½ Ton Truck—Dual Wheels

1933

Series	Wheelbase	Type of Vehicle
CA	110	Passenger (Eagle)
CC	107	Passenger (Standard)
CB	109	½ Ton Truck—Sedan Delivery
OA	131	Utility—1½ Ton Truck—Single Wheels
OB	131	Utility—1½ Ton Truck—Dual Wheels
OC	157	Utility—1½ Ton Truck—Single Wheels
OD	157	Utility—1½ Ton Truck—Dual Wheels

1934

Series	Wheelbase	Type of Vehicle
DA	112	Passenger and Sedan Delivery (Master) with Knee Action (Enclosed Type)
DC	107	Passenger (Standard)
DB	112	½ Ton Truck
PA	131	Utility—1½ Ton Truck—Single Wheels
PB	131	Utility—1½ Ton Truck—Dual Wheels
PC	157	Utility—1½ Ton Truck—Single Wheels
PD	157	Utility—1½ Ton Truck—Dual Wheels

1935

Series	Wheelbase	Type of Vehicle
EA	113	Passenger (Master De Luxe) with Knee Action (Enclosed Type)
ED	113	Passenger (Master De Luxe) less Knee Action
EC	107	Passenger and Sedan Delivery (Standard)
EB	112	½ Ton Truck
QA	131	Utility—1½ Ton Truck—Single Wheels
QB	131	Utility—1½ Ton Truck—Dual Wheels
QC	157	Utility—1½ Ton Truck—Single Wheels
QD	157	Utility—1½ Ton Truck—Dual Wheels

1936

Series	Wheelbase	Type of Vehicle
FA	113	Passenger (Master De Luxe) with Knee Action (Enclosed Type)
FD	113	Passenger (Master De Luxe) less Knee Action
FC	109	Passenger and Sedan Delivery (Standard)
FB	112	Commercial—½ Ton Truck
RA	131	Utility—1½ Ton Truck—Single Wheels
RB	131	Utility—1½ Ton Truck—Dual Wheels
RC	157	Utility—1½ Ton Truck—Single Wheels
RD	157	Utility—1½ Ton Truck—Dual Wheels

1937

Series	Wheelbase	Type of Vehicle
GA	112¼	Passenger (Master De Luxe) with Knee Action (Enclosed Type)
GB	112¼	Passenger and Sedan Delivery (Master)
GC	112	Commercial—½ Ton Truck
GD	122¼	Commercial—¾ Ton Truck—11 in. Brakes
GE	122¼	Commercial—1 Ton Truck—14 in. Brakes
SA	131½	Utility—1½ Ton Truck—Single Wheels
SB	131½	Utility—1½ Ton Truck—Dual Wheels
SC	157	Utility—1½ Ton Truck—Single Wheels
SD	157	Utility—1½ Ton Truck—Dual Wheels

1938

Series	Wheelbase	Type of Vehicle
HA	112¼	Passenger (Master De Luxe) with Knee Action (Enclosed Type)
HB	112¼	Passenger and Sedan Delivery (Master)
HC	112	Commercial—½ Ton Truck
HD	122¼	Commercial—¾ Ton Truck—11 in. Brakes
HE	122¼	Commercial—1 Ton Truck—14 in. Brakes
TA	131½	Utility—1½ Ton Truck—Single Wheels
TB	131½	Utility—1½ Ton Truck—Dual Wheels
TC	157	Utility—1½ Ton Truck—Single Wheels
TD	157	Utility—1½ Ton Truck—Dual Wheels

1939

Series	Wheelbase	Type of Vehicle
JA	112¼	Passenger (De Luxe Master) with Knee Action (Open Spring Type)
JB	112¼	Passenger and Sedan Delivery (Master "85")
JC	113½	Commercial—½ Ton Truck
JD	123¾	Commercial—¾ Ton Truck—with 11 in. Brakes
JE	123¾	Commercial—¾ Ton Truck—with 14 in. Brakes (Heavy Duty)
VA	133	Utility—1½ Ton Truck—Single Wheels
VB	133	Utility—1½ Ton Truck—Dual Wheels
VC	158½	Utility—1½ Ton Truck—Single Wheels
VD	158½	Utility—1½ Ton Truck—Dual Wheels
VE	107⅝	Utility—Cab Over Engine—Single Wheels
VF	107⅝	Utility—Cab Over Engine—Dual Wheels
VG	131⅛	Utility—Cab Over Engine—Single Wheels
VH	131⅛	Utility—Cab Over Engine—Dual Wheels
VM	156⅝	Utility—Cab Over Engine—Single Wheels
VN	156⅝	Utility—Cab Over Engine—Dual Wheels

CAR MODEL SERIAL IDENTIFICATION

1940

Series	Wheelbase	Type of Vehicle
KA	113	Passenger (Special De Luxe) with Knee Action (Open Spring Type)
KH	113	Passenger (Master De Luxe) with Knee Action (Open Spring Type)
KB	113	Passenger and Sedan Delivery (Master "85") Conventional Front Axle
KC	113½	Commercial—½ Ton Truck
KD	123¾	Commercial—¾ Ton Truck—with 11 in. Brakes
KE	123¾	Commercial—¾ Ton Truck—with 14 in. Brakes (Heavy Duty)
KF	133	Commercial—1 Ton Truck
WA	133	Utility—1½ Ton Truck—Single or Dual Wheels
WB	158½	Utility—1½ Ton Truck—Single or Dual Wheels
WC	193⅝	Utility—School Bus Chassis—Dual Wheels
WD	107⅝	Utility—Cab Over Engine
WE	131⅛	Utility—Cab Over Engine
WF	156⅝	Utility—Cab Over Engine

1941

Series	Wheelbase	Type of Vehicle
AH	116	Passenger (Special De Luxe) with Knee Action (Open Spring Type)
AG	116	Passenger and Sedan Delivery (Master De Luxe) with Knee Action (Open Spring Type)
AK	115	Commercial—½ Ton Truck
AL	125¼	Commercial—¾ Ton Truck—with 11 in. Brakes
AM	125¼	Commercial—¾ Ton Truck—with 14 in. Brakes (Heavy Duty)
AN	134½	Commercial—1 Ton Truck
YR	134½	Utility—1½ Ton Truck—Single or Dual Wheels
YS	160	Utility—1½ Ton Truck—Single or Dual Wheels
YT	195	Utility—School Bus Chassis—Dual Wheels
YU	109	Utility—Cab Over Engine
YV	132½	Utility—Cab Over Engine
YW	158	Utility—Cab Over Engine

1942

Series	Wheelbase	Type of Vehicle
BH	116	Passenger (Special De Luxe)
BG	116	Passenger and Sedan Delivery (Master De Luxe)
BK	115	Commercial—½ Ton Truck
BL	125¼	Commercial—¾ Ton Truck—with 11 in. Brakes
BM	125¼	Commercial—¾ Ton Truck—with 14 in. Brakes (Heavy Duty)
BN	134½	Commercial—1 Ton Truck
MR	134½	Utility—1½ Ton Truck—Single or Dual Wheels
MS	160	Utility—1½ Ton Truck—Single or Dual Wheels
MY	160	Utility—School Bus Chassis
MT	195	Utility—School Bus Chassis
MU	109	Utility—Cab Over Engine
MV	132½	Utility—Cab Over Engine
MW	158	Utility—Cab Over Engine

1946

Series			
First Design	Second Design	Wheelbase	Type of Vehicle
DK		116	Passenger (Fleetmaster and Fleetline)
DJ		116	Passenger (Stylemaster)
CK	DP	115	Commercial—½ Ton Truck
	DR	125¼	Commercial—¾ Ton Truck
	DS	134½	Commercial—1 Ton Truck
OR	PJ	134½	Utility—1½ Ton Truck
OS	PK	160	Utility—1½ Ton Truck
OW	PL	160	Utility—School Bus Chassis
OY		195	Utility—School Bus Chassis
OE	PV	134½	Utility—2 Ton Truck
OF	PW	160	Utility—2 Ton Truck
OG	PX	195	Utility—School Bus Chassis
OH	PP	109	Utility—2 Ton—Cab Over Engine
OI	PR	132½	Utility—2 Ton—Cab Over Engine
OJ	PS	158	Utility—2 Ton—Cab Over Engine

1947

Series	Wheelbase	Type of Vehicle
EK	116	Passenger (Fleetmaster and Fleetline)
EJ	116	Passenger (Stylemaster)
EP	116	Commercial—½ Ton Truck
ER	125¼	Commercial—¾ Ton Truck
ES	137	Commercial—1 Ton Truck
QJ	137	Utility—1½ Ton Truck
QK	161	Utility—1½ Ton Truck
QL	161	Utility—School Bus Chassis
QV	137	Utility—2 Ton Truck
QW	161	Utility—2 Ton Truck
QX	199	Utility—School Bus Chassis
QP	110	Utility—2 Ton—Cab Over Engine
QR	134	Utility—2 Ton—Cab Over Engine
QS	158	Utility—2 Ton—Cab Over Engine

1948

Series	Wheelbase	Type of Vehicle
FK	116	Passenger (Fleetmaster and Fleetline)
FJ	116	Passenger (Stylemaster)
FP	116	Commercial—½ Ton Truck
FR	125¼	Commercial—¾ Ton Truck
FT	125¼	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
FS	137	Commercial—1 Ton Truck
FU	137	Commercial—1 Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
RJ	137	Utility—1½ Ton Truck
RK	161	Utility—1½ Ton Truck
RL	161	Utility—School Bus Chassis
RV	137	Utility—2 Ton Truck
RW	161	Utility—2 Ton Truck
RX	199	Utility—School Bus Chassis
RP	110	Utility—2 Ton—Cab Over Engine
RR	134	Utility—2 Ton—Cab Over Engine
RS	158	Utility—2 Ton—Cab Over Engine

1949

Series		Wheelbase	Type of Vehicle
GK	2100	115	Passenger (DeLuxe) (Styleline and Fleetline)
GJ	1500	115	Passenger (Special) (Styleline and Fleetline)
GP	3100	116	Commercial—½ Ton Truck
GR	3600	125¼	Commercial—¾ Ton Truck
GT	3700	125¼	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
GS	3800	137	Commercial—1 Ton Truck
GU	3900	137	Commercial—1 Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
SJ	4100	137	Utility—1½ Ton Truck
SK	4400	161	Utility—1½ Ton Truck
SL	4500	161	Utility—School Bus Chassis
SV	6100	137	Utility—2 Ton Truck
SW	6400	161	Utility—2 Ton Truck
SX	6700	199	Utility—School Bus Chassis
SP	5100	110	Utility—2 Ton—Cab Over Engine
SR	5400	134	Utility—2 Ton—Cab Over Engine
SS	5700	158	Utility—2 Ton—Cab Over Engine

CAR MODEL SERIAL IDENTIFICATION

1950

Series		Wheel-base	Type of Vehicle
HK	2100	115	Passenger (DeLuxe) (Styleline and Fleetline)
HJ	1500	115	Passenger (Special) (Styleline and Fleetline)
HP	3100	116	Commercial—½ Ton Truck
HR	3600	125¼	Commercial—¾ Ton Truck
HT	3700	125¼	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
HS	3800	137	Commercial—1 Ton Truck
HU	3900	137	Commercial—1 Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
TJ	4100	137	Utility—1½ Ton Truck
TK	4400	161	Utility—1½ Ton Truck
TL	4500	161	Utility—School Bus Chassis
TV	6100	137	Utility—2 Ton Truck
TW	6400	161	Utility—2 Ton Truck
TY	6500	179	Utility—2 Ton Truck
TX	6700	199	Utility—School Bus Chassis
TP	5100	110	Utility—2 Ton—Cab Over Engine
TR	5400	134	Utility—2 Ton—Cab Over Engine
TS	5700	158	Utility—2 Ton—Cab Over Engine

1951

JK	2100	115	Passenger (DeLuxe) (Styleline and Fleetline)
JJ	1500	115	Passenger (Special) (Styleline and Fleetline)
JP	3100	116	Commercial—½ Ton Truck
JR	3600	125¼	Commercial—¾ Ton Truck
JT	3700	125¼	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
JS	3800	137	Commercial—1 Ton Truck
JU	3900	137	Commercial—1 Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
UJ	4100	137	Utility—1½ Ton Truck
UK	4400	161	Utility—1½ Ton Truck
UL	4500	161	Utility—School Bus Chassis
UV	6100	137	Utility—2 Ton Truck
UW	6400	161	Utility—2 Ton Truck
UY	6500	179	Utility—2 Ton Truck
UX	6700	199	Utility—School Bus Chassis
UP	5100	110	Utility—2 Ton—Cab Over Engine
UR	5400	134	Utility—2 Ton—Cab Over Engine
US	5700	158	Utility—2 Ton—Cab Over Engine

1952

KK	2100	115	Passenger (DeLuxe) (Styleline and Fleetline)
KJ	1500	115	Passenger (Special) (Styleline)
KP	3100	116	Commercial—½ Ton Truck
KR	3600	125¼	Commercial—¾ Ton Truck
KT	3700	125¼	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
KS	3800	137	Commercial—1 Ton Truck
KU	3900	137	Commercial—1 Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
VJ	4100	137	Utility—1½ Ton Truck
VK	4400	161	Utility—1½ Ton Truck
VL	4500	161	Utility—1½ Ton School Bus Chassis
VV	6100	137	Utility—2 Ton Truck
VW	6400	161	Utility—2 Ton Truck
VY	6500	179	Utility—2 Ton Truck
VX	6700	199	Utility—2 Ton School Bus Chassis
VZ	6800	212	Utility—2 Ton School Bus Chassis
VP	5100	110	Utility—2 Ton—Cab Over Engine
VR	5400	134	Utility—2 Ton—Cab Over Engine
VS	5700	158	Utility—2 Ton—Cab Over Engine

1953-55

A	1500	115	Passenger (One Fifty) (exc. 1508)
B	2100	115	Passenger (Two-Ten)
C	2400	115	Passenger (Bel Air)
D	1508	115	Sedan Delivery
E	2934	102	Corvette
H	★ 3100	116	Commercial—½ Ton Truck
J	★ 3600	125¼	Commercial—¾ Ton Truck
K	★ 3700	125¼	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
L	★ 3800	137	Commercial—1 Ton Truck
M	★ 3900	137	Commercial—1 Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
N	★ 4100	137	Utility—1½ Ton Truck
P	★ 4400	161	Utility—1½ Ton Truck
R	★ 4500	161	Utility—School Bus Chassis
S	★ 5100	110	Utility—2 Ton—Cab Over Engine
T	★ 5400	134	Utility—2 Ton—Cab Over Engine
U	★ 5700	158	Utility—2 Ton—Cab Over Engine
V	★ 6100	137	Utility—2 Ton Truck
W	★ 6400	161	Utility—2 Ton Truck
X	★ 6500	179	Utility—2 Ton Truck
Y	★ 6700	199	Utility—School Bus Chassis
Z	★ 6800	212	Utility—School Bus Chassis

★NOTE: 1955 Production (1st Series only)

1955 (2nd Series)

H	3100	116	Commercial—½ Ton Truck
H	3124	114	Commercial—½ Ton Truck (Suburban Pick-Up)
M	3200	123¼	Commercial—½ Ton Truck
F	3400	104	Commercial—¾ Ton Truck (Dubl.-Duti) (Forward Control Delivery Chassis)
G	3500	125	Commercial—¾ Ton Truck (Dubl.-Duti) (Forward Control Delivery Chassis)

CAR MODEL SERIES IDENTIFICATION

1955 (2nd Series)—Cont.

	Series	Wheelbase	Type of Vehicle
J	3600	123¼	Commercial—¾ Ton Truck
K	3700	137	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
L	3800	135	Commercial—1 Ton Truck
N	4100	130	Utility—1½ Ton Truck
P	4400	154	Utility—1½ Ton Truck
R	4500	154	Utility—1½ Ton Truck (School Bus Chassis)
V	6100	130	Utility—2 Ton Truck
W	6400	154	Utility—2 Ton Truck
X	6500	172	Utility—2 Ton Truck
Y	6700	194	Utility—2 Ton Truck (School Bus Chassis)
Z	6800	220	Utility—2 Ton Truck (School Bus Chassis)

1956

A	1500	115	Passenger (One Fifty) (exc. 1508)
B	2100	115	Passenger (Two-Ten)
C	2400	115	Passenger (Bel Air)
D	1508	115	Sedan Delivery
E	2934	102	Corvette
3A	3100	114	Commercial—½ Ton Truck
3A	3124	114	Commercial—½ Ton Truck (Suburban Pick-Up)
3B	3200	123¼	Commercial—½ Ton Truck
3C	3400	104	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
3D	3500	125	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
3E	3600	123¼	Commercial—¾ Ton Truck
3F	3700	137	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
3G	3800	135	Commercial—1 Ton Truck
4A	4100	130	Utility—1½ Ton Truck
4B	4400	154	Utility—1½ Ton Truck
4C	4500	154	Utility—1½ Ton Truck (School Bus Chassis)
6A	6100	130	Utility—2 Ton Truck
6B	6400	154	Utility—2 Ton Truck
6C	6500	172	Utility—2 Ton Truck
6D	6700	194	Utility—2 Ton Truck (School Bus Chassis)
6E	6800	220	Utility—2 Ton Truck (School Bus Chassis)

1957

	Series	Wheelbase	Type of Vehicle
A	1500	115	Passenger (One Fifty) (exc. 1508)
B	2100	115	Passenger (Two-Ten)
C	2400	115	Passenger (Bel Air)
D	1508	115	Sedan Delivery
E	2934	102	Corvette
3A	3100	114	Commercial—½ Ton Truck
3A	3124	114	Commercial—½ Ton Truck (Suburban Pick-Up)
3B	3200	123¼	Commercial—½ Ton Truck
3C	3400	104	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
3D	3500	125	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
3E	3600	123¼	Commercial—¾ Ton Truck
3F	3700	137	Commercial—¾ Ton Truck (Dubl-Duti) (Forward Control Delivery Chassis)
3G	3800	135	Commercial—1 Ton Truck
4A	4100	132½	Utility—1½ Ton Truck
4B	4400	156½	Utility—1½ Ton Truck
4C	4500	156½	Utility—1½ Ton Truck (School Bus Chassis)
6A	6100	132½	Utility—2 Ton Truck
6J	6200	129⅝	Utility—2 Ton Truck (Forward Control Chassis)
6B	6400	156½	Utility—2 Ton Truck
6C	6500	174½	Utility—2 Ton Truck
6K	6600	153⅝	Utility—2 Ton Truck (Forward Control Chassis)
6D	6700	196½	Utility—2 Ton Truck (School Bus Chassis)
6E	6800	222½	Utility—2 Ton Truck (School Bus Chassis)

NOTE: The 235 cu. in. engine can be distinguished from the 216 engine by the engine serial number prefix as follows:
1941 AG or AL
1942 BG or BL
1946 BG or BL (First Design)
1946 DDA, DDM, DEA or DEM (Second Design)
1947 EDA, EDM, EEA or EEM
1948 FDA, FDM, FEA, FEM, FCF or FCS
1949 GDA, GDM, GEA, GEM, GCF or GCS
1950 HDA, HDM, HEA, HEM, HCF, or HCS
1951 JDA, JDM, JEA, JEM, JCF, or JCS
1952 KDA, KDM, KEA, KEM, KCF or KCS
1953 LDA, LDM, LEA, LEM, LCF or LCS

NOTE: The 261 cu. in. engine can be distinguished from the 235 engine by the engine serial number suffix as follows:
1954 5000 Series F54Q, T54Q
1954 6000 Series F54N, T54N
1955 5000 1st Series F55Q or F54Q55
1955 6000 1st Series F55N or F54N55
1955 6000 2nd Series F255N, T255N
1956 6000 Series F56TA or F56TD (P.T.)
F = Source (F—Flint, T—Tonawanda)
54-56 = Model Year
N = Type Designation

NOTE: Heavy Duty front axles which are regular production on 2-Ton, C.O.E. and School Bus chassis are special equipment on series YR, YS, MR, MS, OR, OS, and may be identified by the front wheel hub cap. This cap is attached to the hub with six ¼—20 x ⅞ hex hd. bolts on a 3⅞ dia. bolt circle.

NOTE: All 2-Ton Utility Models with an (S) added to the series identification plate are identical with regular 2-Ton Jobs with the exception of tires.

NOTE: After October 1, 1956, past model service engines will show the latest year of application immediately preceding the source letter.

ENGINE SERIAL NUMBER AND SUFFIX CHART

1956

MODEL	DESCRIPTION	TYPE DESIGNATION
15-21-2400	Regular "235"—6 Cylinder	Z
15-21-2400	Regular "235"—6 Cylinder with H.D. Clutch	ZC
15-21-2400	"235"—6 Cylinder Powerglide	Y
15-21-2400	8 Cylinder with 3-Speed Transmission	G
15-21-2400	8 Cylinder with Overdrive	GC
15-21-2400	8 Cylinder with Air Conditioning and Overdrive	GQ
15-21-2400	8 Cylinder with Power Pack and Overdrive	GE
15-21-2400	8 Cylinder with 3-Speed and Air Conditioning	GF
15-21-2400	8 Cylinder with H.D. Clutch	GJ
15-21-2400	8 Cylinder with H.D. Clutch and Air Conditioning	GK
15-21-2400	8 Cylinder with Power Pack	GL
15-21-2400	8 Cylinder with Power Pack and Air Conditioning	GM
15-21-2400	8 Cylinder with Power Pack, Overdrive and Air Conditioning	GN
CORVETTE	8 Cylinder with 3-Speed Transmission	GR
15-21-2400	8 Cylinder with Powerglide	F
15-21-2400	8 Cylinder with Powerglide and Power Pack	FB
15-21-2400	8 Cylinder with Powerglide and Air Conditioning	FC
15-21-2400	8 Cylinder with Powerglide, Air Conditioning and Power Pack	FD
CORVETTE	8 Cylinder with Powerglide	FG
31-32-36-3800	Thriftmaster "235"	X*
31-32-36-3800-4000	Thriftmaster "235" with Hydramatic Transmission	XG*
34-35-3700	Thiftmaster "235"—Updraft Carburetor—Forward Control	W
34-35-3700	Thiftmaster "235"—Updraft Carburetor with Hydramatic Transmission—Forward Control	WA
31-32-36-3800-4000	Thiftmaster "235" H.D. Clutch	V**
4000-6000	Loadmaster "235"	U***
4000	Loadmaster "235" with Hydramatic Transmission	UD
6000	Jobmaster "261"—6 Cylinder	TA
31-32-36-3800-4000	8 Cylinder Regular	A*
31-32-36-3800-4000	8 Cylinder Hydramatic Transmission	B*
31-32-36-3800-4000	8 Cylinder H.D. Clutch	M*
34-35-3700	8 Cylinder Forward Control	D
34-35-3700	8 Cylinder Forward Control Hydramatic	DA
34-35-3700	8 Cylinder Forward Control—H.D. Clutch	DB

*"A" stamped following suffix when this engine is used in 3600 Series and "B" when used in 3800 Series and "C" if used in 4000 Series.

**"A" stamped following suffix when this engine is used in 3600 Series and "B" if used in 3800 Series and "C" if used in 3100 and 3200 Series.

***"A" stamped following suffix when this engine is used in 4000 Series.

Six cylinder and 8 cylinder are numbered separately with each type engine numbered in sequence starting with 0001001. "F" will designate Flint engine. "T" will designate Tonawanda engine.

EXAMPLE I:
The 50th 2100 Series regular production "235" 6-cylinder engine built at Flint carries Serial No. 0001050 F56Z; if built at Tonawanda, 0001050 T56Z.

EXAMPLE II:	0001025 F56U		
(0001025)	(F)	(56)	(U)
Serial Number	Flint Plant	1956	Loadmaster "235" 6000 Series

1957

MODEL	DESCRIPTION	TYPE DESIGNATION
15-21-2400	Regular "235"—6 cylinder	A
15-21-2400	Regular "235"—6 cylinder with H.D. Clutch	AD
15-21-2400	"235"—6 cylinder Powerglide	B
15-21-2400	"265"—8 cylinder with 3 Speed Transmission	C
15-21-2400	"265"—8 cylinder with Overdrive	CD
15-21-2400	"265" 8 cylinder with H.D. Clutch	CE

15-21-2400	"283" 8 cylinder with 4BC	E
15-21-2400	"283" 8 cylinder with Dual 4BC	EA
15-21-2400	"283" 8 cylinder with Dual 4BC and Hi Lift Cam	EB
15-21-2400	"283" 8 cylinder with Overdrive and 4BC	EC
15-21-2400	"283" 8 cylinder with Powerglide	F
15-21-2400	"283" 8 cylinder with Powerglide and 4BC	FC
15-21-2400	"283" 8 cylinder with Powerglide and Dual 4BC	FD
15-21-2400	"283" 8 cylinder with Powerglide and Air Cond	FA
15-21-2400	"283" 8 cylinder with Powerglide, Air Cond and 4BC	FE
15-21-2400	"283" 8 cylinder with Powerglide and Fuel Injection	FJ
15-21-2400	"283" 8 cylinder with Turboglide	G
15-21-2400	"283" 8 cylinder with Turboglide and 4BC	GC
15-21-2400	"283" 8 cylinder with Turboglide and Dual 4BC	GD
15-21-2400	"283" 8 cylinder with Turboglide and Fuel Injection	GF
15-21-2400	"283" 8 cylinder with Fuel Injection	EJ
15-21-2400	"283" 8 cylinder with Fuel Injection and Hi Lift Cam	EK
CORVETTE	"283" 8 cylinder with 3 Speed Transmission and 4BC	EF
CORVETTE	"283" 8 cylinder with Dual 4BC	EH
CORVETTE	"283" 8 cylinder with Dual 4BC and Hi Lift Cam	EG
CORVETTE	"283" 8 cylinder with Powerglide and Dual 4BC	FG
CORVETTE	"283" 8 cylinder with Powerglide	FH
CORVETTE	"283" 8 cylinder with 3 Speed Transmission and Fuel Injection	EM
CORVETTE	"283" 8 cylinder with 3 Speed Transmission, Fuel Injection and Hi Lift Cam	EL
CORVETTE	"283" 8 cylinder with Powerglide and Fuel Injection	FK
31-32-36-3800	Thiftmaster "235"	H
31-32-36-3800-4000	Thriftmaster "235" with Hydramatic Transmission	HD
31-32-36-3800-4000	Thriftmaster "235" with H.D. Clutch	HE
34-35-3700	Thriftmaster "235"—Up-draft	J
34-35-3700	Thriftmaster "235"—Updraft and Hydramatic	JA
6000	Jobmaster "261"	K
31-32-36-3800-4000	Trademaster "265"	L
4000	Trademaster "265" with Hydramatic	LA
31-32-36-3800-4000	Trademaster "265" with H.D. Clutch	LB
34-35-3700	8 cylinder—Dubl-Duti	M

Note: The continuous engine serial number has been eliminated. The engine plants now stamp a source, production date and type on serial pad.

Example: T101A

(T)	(1)	(01)	(A)
Tonawanda Plant	Month January	Day First	Standard 6 cyl. "235" Models 15-21-2400

ALPHABETICAL INDEX

Part Name	Group No.
A	
Absorber, Front shock with upper arm	6.162
Absorber, License plate moisture	12.181
Absorber, Shock	7.345
Accel. and carb. control lever pin.	3.585
Accelerator bell crank	3.579
Accelerator bellcrank brckt.	3.579
Accelerator, frt. rod bushing	3.425
Accelerator, frt. rod swivel	3.425
Accelerator lever rod	3.430
Accelerator lever shaft	3.585
Accelerator pedal and cover	3.451
Accelerator rod lever	3.579
Accelerator rod toe board grommet	3.469
Accelerator rod toe board seal	3.469
Accelerator rod toe board washer	3.469
Accelerator spring and pin	3.459
Actuator, Transmission parking lock	4.220
Adapter assy., Car heater	9.208
Adapter assy., Rear bumper face bar	7.829
Adapter assy., Strg. gear hydraulic	6.550
Adapter, Car heater air inlet cowl.	9.786
Adapter, Elec w/s wiper coordinator	16.065
Adapter, Governor	3.870
Adapter, Horn Blowing	2.817
Adapter, Hot water heater	8.845, 8.857
Adapter, Safetylight	9.773
Adapter, Seat belt	14.875, 16,714
Adapter, Speedometer	4.329
Adapter, Steering gear hyd. cyl.	6.584
Adapter, Tachometer	9.750
Adapter, Trans. overdrive	4.455
Adapter unit, Fuel filter	3.890
Adapter unit, Radio antenna	9.645
Adapter, Vac. brake hyd. cyl. pipe fitting	4.957
Adapter, W/shield. wiper Coordinator	10.157
Adapter, Windshield wiper motor	16.065
Adjuster assy., Front seat	11.561, 16.682
Adjuster, Pitman shaft lash	6.822
Adjuster, Steering gear worm bearing	6.830
Adjuster, Strg. worm thrust brg.	6.527
Aiming Tool, headlamp	2.727
Air cleaner element	3.410
Air cleaner, Gearshift vac. cylinder	4.058
Air cleaner hose support	3.407
Air cleaner pipe	3.407
Air cleaner oil reservoir and gasket	3.406
Air cleaner, Rocker arm cover	0.386
Air cleaner support	3.403
Air cleaner to carburetor pipe hose	3.407
Air cleaner top cover	3.410
Air cond. evaporator blower motor.	9.215
Air Deflector, Radiator grille	1.266
Air flow adapter	9.786
Air flow control rod and tube	9.787
Air flow duct baffle	9.784
Air flow duct elbow assy	9.782
Air flow duct hose coupling	9.786
Air flow heater control	9.795
Air flow heater temp. control rod	9.806
Air flow ventilator valve assy.	9.810
Air horn, Carburetor	3.730
Ammeter	2.515
Ammeter insulator	2.521
Anchor assy., Door window and vent	10.657
Anchor, Differential shifter sleeve	5.512
Anchor, Frt. stabilizer shaft	7.242
Anchor plate, Rear shock absorber	7.370
Anchor, Reverse brake band	4.246
Anchor, Trans. lo or reverse brake band strut	4.233, 4.246
Anchor, Trans. parking brake	4.294
Antenna unit, Radio	9.645
Anti-freeze, Radiator	1.175
Anti-squeak, Accel. pedal rod	3.452
Anti-squeak, Front Fender	8.154
Anti-squeak, Hood ledge cowl	9.127
Anti-squeak, Rear fender	8.205
Anti-squeak, Running board	8.205
Apron, Running board	8.228
Arm and brkt. assy., End gate supt.	12.203
Arm assy., Strg. idler and 3rd	6.179
Arm assy., Windshield wiper	10.147
Arm, Brake	4.625
Arm, Carb. idler vapor vent actuating	3.852
Arm, Carb. metering rod	3.807
Arm, Carb. pump	3.845
Arm, Carb. throttle shaft	3.762
Arm, Clutch pedal	0.832
Arm, Distributor vac. control clamp	2.414
Arm, Generator brush	2.291
Arm, Pitman	6.859
Arm, Prop. shaft brake	5.606
Arm, Rear view mirror	16.068
Arm rest ash tray	12.045
Arm rest cover trim, Rear quarter	15.110
Arm rest, Front door	14.686, 16.155
Arm rest, Rear quarter	15.108
Arm rest trim retainer	14.690
Arm, Steering and third	6.103
Arm, Strg. gear hyd. pump idler	6.665
Arm, Steering knuckle	6.103
Arm, Strg. knuckle supt. with seat	6.168
Arm, Vac. pwr. brake cyl.	4.928
Arm, Valve rocker	0.333
Arm, Windshield wiper	10.147, 16.063
Armature, Door window motor	10.783
Armature, Generator	2.279
Armature, Horizontal seat motor	11.556
Armature, Quarter window motor	11.041
Armature, Starting motor	2.043
Armature assy., w/s wiper motor	10.150
Ash receiver mtg. pivot pin	12.016
Ash receiver retainer	12.016
Ash receiver tray	12.013, 16.120
Ash receiver unit	12.009
Ash receptacle	12.030
Ash receptacle knob	12.036
Ash tray anti-rattle spring	12.050
Ash tray escutcheon	12.048
Ash tray handle	16.120
Ash tray mounting plate	12.016
Ash tray snuffer	12.014, 16.120
Assist handle, Body side	16.450
Assist strap	15.390
Assist strap escutcheon	15.394
Assist strap to body spring and retainer	15.392
Attaching bar, Bumper	7.836
Attaching parts, Door and quarter moulding	12.118
Automatic choke adapter unit	3.750
Automatic headlamp control bracket pad	2.463
Automatic transmission fluid	4.101
Autronic eye unit	2.459
Auxiliary lamp and parts	9.774
Auxiliary seat	16.670
Auxiliary seat, Attaching parts	16.674
Axle bracket, Shock absorber	7.380
Axle filler plug	5.400
Axle "I" beam Front	6.008
Axle shaft	5.420
Axle shaft bearing	5.855
Axle shaft bearing retainer	5.816
Axle shaft lock	5.422
Axle shaft nut lock	5.830
Axle shaft spacer	5.422
Axle shaft stud	5.422
B	
Back assembly, Front seat	11.358, 16.680
Back body opening facing	12.968
Back body opening panel	12.968
Back, Center seat	14.974
Back curtain	13.389, 17.274
Back curtain glass frame	13.393
Back curtain zipper	13.392
Back door	10.390, 16.160
Back door hinge	10.461, 16.320
Back dr. inside lock handle	16.333
Back dr. opening finishing moulding	10.393
Back, Front seat	11.358
Back, Rear seat	14.998
Back-up lamp unit	2.697
Back window garnish molding	11.120
Back window glass reveal mldg.	11.208
Back window inner panel	12.964
Baffle, Air flow duct	9.784
Baffle, Crankcase vent. tube	1.750
Baffle, Differential bearing	5.537
Baffle, Front fender	8.164
Baffle, Hood panel	8.010
Baffle, Oil filler	1.750
Baffle, Radiator shell	1.285
Baffle, Rear fender	12.944
Baffle, Trans. overdrive	4.455
Bag assy., Door window storage	13.450
Bag, Top dust boot retainer	13.450
Bail and screw, Fuel pump bowl	3.906
Bail, Fldg. top hyd. motor and pump	14.486
Balancer, Crankshaft harmonic	0.659

Ball, Carburetor check valve....3.825, 3.826, 3.862
Ball, Clutch fork.... 0.796
Ball, Comp. Clutch Actuating.... 9.188
Ball, Gear shift locating.... 4.311
Ball, Oil pump valve.... 1.671
Ball, Steel.... 8.899
Ball, Steering gear.... 6.844
Ball, Universal joint.... 5.564
Ball, Valve rocker arm.... 0.429
Band assy., Trans. brake.... 4.251
Band assy., Distributor governor.. 2.365
Band, Generator commutator cover 2.299
Band, Prop. shaft brake.... 5.615
Band, Start. motor commutator cover.... 2.070
Band, Strg. gear pressure hose... 6.672
Band, Trans low or reverse brake. 4.251
Bank, Automatic hdlp. control.... 2.463
Bar, Bumper attaching.... 7.836
Bar, Bumper face.... 7.831
Bar, Frame to bumper.... 7.836
Bar, Parking brake pedal latch... 4.603
Bar, Radiator.... 1.266
Bar, Radiator support.... 1.271
Bar, Rear cross....12.986
Bar, Rear guard cross.... 7.828
Bar, Transmission gear shift..... 4.305
Bar, Wheel carrier.... 7.782
Base, Air cleaner.... 3.410
Base, Auto jack.... 8.820
Base, Door arm rest unit....16.155
Battery cable, Starting switch..... 2.342
Battery, Elect. storage.... 2.332
Battery filler plug.... 2.345
Battery ground cable & strap..... 2.341
Battery hanger.... 2.333
Battery hanger bolt and nut..... 2.334
Battery hanger bottom plate..... 2.333
Battery hanger brace.... 2.333
Battery hanger bracket.... 2.333
Battery hanger support.... 2.333
Battery inspection cover....16.547
Battery retainer.... 2.333
Battery shield.... 2.333
Battery strap assy.... 2.333
Battery terminal washer.... 2.345
Bead, Door window garnish moulding....11.086, 11.101
Bead, Qtr. window garnish mldg...11.113
Bearing assy., Front wheel inner.. 6.311
Bearing assy., Front wheel outer.. 6.313
Bearing assy., Steering gear..... 6.521
Bearing assy., Strg. gear hyd. pump idler.... 6.665
Bearing, Axle shaft.... 5.855
Bearing, Camshaft 0.539, 0.543, 0.546 0.549
Bearing, Camshaft thrust.... 0.533
Bearing, Clutch throwout.... 0.799
Bearing, Compressor Pully..... 9.181
Bearing, C/Shaft....0.096, 0.101, 0.103, 0.106
Bearing, Crankshaft clutch pilot.. 0.649
Bearing, Differential.... 5.515
Bearing, Differential side.... 5.536
Bearing, Double reduction pinion. 5.462
Bearing, Drive shaft pinion..... 5.484
Bearing, Generator.... 2.306
Bearing, Gen. comm. end frame.. 2.298
Bearing, King pin thrust.... 6.210
Bearing kit, Steering gear shaft... 6.534
Bearing, Mast jacket.... 6.521
Bearing, Oil supply pump..... 4.203
Bearing, Pinion shaft front..... 5.447
Bearing, Pinion shaft rear..... 5.484
Bearing, Pitman shaft needle..... 6.786
Bearing, Propeller shaft.... 5.436
Bearing, Strg. gear worm...6.806, 6.826
Bearing, Strg. gear worm thrust....6.530
Bearing. Strg. gear hyd. pump drive shaft....6.615
Bearing, Transmission converter.. 4.115
Bearing, Trans. countershaft.....4.422
Bearing, Transmission front planet carrier.... 4.161
Bearing, Transmission low sun gear and clutch.... 4.162
Bearing, Transmission clutch..... 4.164
Bearing, Transmission planet carrier.... 4.176
Bearing, Trans. rear ring carrier.. 4.187
Bearing, Trans. main drive gear....4.352, 4.355
Bearing, Trans. main shaft rear....4.408
Bearing, Trans. rear oil pump.....4.203
Bearing, Trans. spline shaft pilot...4.352
Bearing unit, Connecting rod.....0.616
Bearing unit, Crankshaft center... 0.101
Bearing unit, Crankshaft frt.....0.096
Bearing unit, Crankshaft frt. interm..0.099
Bearing unit, Crankshaft rear.....0.106
Bearing unit, Crankshaft rear interm.....0.103
Bearing, Universal joint yoke.....5.566
Bell crank, Accelerator rod.....3.579
Bellows, Gearshift linkage.....5.623
Bellows, Starter pedal.....2.014
Belt, Compressor drive.....9.185
Belt, Fan and generator.....1.066
Belt, Strg. gear hyd. pump drive...6.660
Belt unit, Seat.....14.875, 16.714
Bezel, Car heater switch.....8.852
Bezel, Cigarette lighter..... 9.709
Bezel, Heater controls..... 8.852
Bezel, Ignition lock.....2.198
Bezel, Instrument case.....9.746
Bezel, Lighting switch rod..... 2.487
Bezel, Muffler tail pipe.....3.705
Bezel, Rear license lamp.....9.777
Bezel, Windshield wiper control...10.164
Binding assy., Fldg. top bow.....15.539
Binding, Headlining finish.....14.650
Binding, Hidem.....15.534
Blade, Fan.....1.064
Blade, Stator..... 4.117
Blade, Windshield wiper..10.146, 16.062
Blind nut.....8.919
Block assembly, Cylinder.....0.033
Block assembly, Partial cylinder...0.033
Block, Fuse and junction.....2.483
Block, Headlamp wire junction....2.560
Board, Front seat bottom.....11.360
Board, Front seat back.....11.360
Board, Rear compartment division.12.584
Board, Running.....8.299
Board, Spare tire cover.....12.579
Body and stud, Oil filter.....1.837
Body assembly.....10.001
Body assy., Air cond. compressor...9.170
Body assy., Carburetor 3.729
Body assy., Headlamp.....2.726
Body assy., Rear license plate lamp.2.705
Body assy., Strg. gear hydraulic...6.550
Body assy., Trans. frt. servo.....4.226
Body assy.,Trans. frt. servo over run..4.227
Body assy., Trans. rr. servo.....4.239
Body assy., Trans. rr. servo accumulator.....4.250
Body assy., Trans. valve....4.216, 4.265
Body back lower panel.....12.966
Body bracket.....7.330
Body, Carburetor throttle.....3.729
Body center pillar trim assy.....14.730
Body floor moulding.....11.370
Body front end panel.....17.455
Body hinge pillar panel.....16.578
Body hold down bolt.....9.008
Body, Hydraulic modulator..... 4.208
Body, Instrument case.....9.746
Body lining deadener felt.....15.492
Body lock piller.....12.491, 16.520
Body lock pillar moulding, Rear...12.496
Body lock pillar panel, Rear.....12.496
Body lock pillar w/cord.....14.735
Body lower panel, Rear.....17.166
Body mounting bracket, shackle and bushing.....9.009
Body, Oil filter.....1.837
Body, Parking lamp.....2.586
Body polish, Cleaner, wax and cream .8.800
Body side assy.....17.110, 17.505
Body side washer.....17.110
Body sill extension panel.....8.307
Body sill moulding.....8.304
Body sill moulding bolt.....8.309
Body sill moulding clip.....8.309
Body, Steering gear hyd. pump....6.608
Body, Tail and stop lamp.....2.680
Body transfer, Exterior.....10.354
Body, Transmission main..... 4.216
Body undercoat.....8.800
Body, Vacuum modulator valve... 4.205
Body, Vac. pwr. brake cyl.....4.906
Body, Vac. pwr. brake cyl. valve...4.940
Body, Vac. shift selector valve.....5.640
Body wiring harness 13.090
Bolt, Auxiliary seat hinge.....16.674
Bolt, Axle shaft.....5.422
Bolt, Back window glass reveal moulding.....11.209
Bolt, Battery cable terminals.....2.343
Bolt, Battery hanger.....2.334
Bolt, Body hold down.....9.008
Bolt, Body sill moulding.....8.309
Bolt, Brake cable.....4.833
Bolt, Brake flange plate.....5.002
Bolt, Brake pedal pull rod and adj...4.637
Bolt, Brake rod.....4.823
Bolt, Bumper..... 7.874
Bolt, Bumper guard..... 7.829
Bolt, Camshaft sprocket..... 0.738
Bolt, Carburetor body..... 3.741
Bolt, Carriage..... 8.903

Bolt, Clutch cover and press. plate . 0.870
Bolt, Clutch pedal adjusting 0.841
Bolt, Clutch pedal lock 0.834
Bolt, Clutch press. plate retracting . 0.864
Bolt assy, Clutch release lever 0.873
Bolt, Clutch spring retainer 0.866
Bolt, Compressor bracket pivot 9.173
Bolt, Connecting rod bearing cap . 0.623
Bolt, Connecting rod clamp 0.609
Bolt, Cowl vent. adj. link bracket . . 16.135
Bolt, Crankshaft bearing cap 0.056
Bolt, Crankshaft front end cover . . . 0.206
Bolt, Cylinder head 0.293
Bolt, Differential carrier cap 5.506
Bolt, Differential case 5.510
Bolt, Differential shifter sleeve anchor 5.512
Bolt, Door glass run channel 10.701
Bolt, Door hinge to hinge pillar 10.463, 16.325
Bolt, Double reduction gear 5.479
Bolt, Engine mounting 0.002
Bolt, Exhaust manifold 3.275
Bolt, Fillister slotted head 8.907
Bolt, Flat slotted head 8.908
Bolt, Flange plate 5.002
Bolt, Fldg. seat upper to lower hinge 11.380
Bolt, Fldg. top guide 14.090
Bolt, Fldg. top header 14.080
Bolt, Fldg. top hinge 14.320
Bolt, Fldg. top hydraulic mtr. pump 14.486
Bolt, Fldg. top No. 1 bow . . 14.225, 14.250
Bolt, Fldg. top No. 1 bow link 14.300
Bolt, Fldg. top side rail control link . 14.155
Bolt Fldg. top side roof rail 14.110, 14.180
Bolt, Fluid coupling cover 4.118
Bolt, Flywheel to crankshaft 0.669
Bolt, Flywheel underpan 0.679
Bolt, Front door glass run channel . 10.701
Bolt, Front fender 8.133
Bolt, Front or rear bumper bar 7.874
Bolt, Front propeller shaft bearing . 5.432
Bolt, Front spring eye 7.428
Bolt, Front stabilizer link 7.238
Bolt, Gas tank strap 3.023
Bolt, Gearshift crankshaft 4.016
Bolt, Gearshift operating lever 4.044
Bolt, Gearshift lever link 4.006
Bolt, Generator bracket 2.277
Bolt, Generator through 2.316
Bolt, Hexagon head 8.900
Bolt, Hood catch lock plate 8.085
Bolt, Hood hinge cowl bracket 8.016
Bolt, Horn bracket 2.845
Bolt, Hub 5.812
Bolt, Hyd. brake cyl. connector . . . 4.686
Bolt, Hyd. Steering 6.575
Bolt, Instrument case 9.744
Bolt, Main cylinder outlet fitting . . . 4.661
Bolt, Manifold 3.275
Bolt, Muffler strap 3.704
Bolt, Muffler support insulator 3.707
Bolt, Oil filter center 1.837
Bolt, Oil pan attaching 1.428
Bolt, Oil pump screen cover 1.664
Bolt, Oval slotted head 8.909
Bolt, Parking brake 4.765
Bolt, Parking brake lever anchor . . 5.158
Bolt, Parking brake outer shoe adj. 5.610
Bolt, Parking brake pedal lock bar . 4.595
Bolt, Pinion bearing retainer 5.476
Bolt, Pitman arm stop 6.863
Bolt, Pitman shaft housing adj. 6.788
Bolt, Platform mounting 17.447
Bolt, Prop. shaft brake adjusting . . 5.615
Bolt, Quarter belt moulding 12.118
Bolt, Quarter window hinge pivot . . 11.057
Bolt, Quarter window reveal moulding 11.031
Bolt, Radiator baffle 1.285, 1.286
Bolt, Radiator mounting 1.270
Bolt, Radius rod bracket 5.012
Bolt, Rear axle 5.387
Bolt, Rear compt. emblem 12.246
Bolt, Rear door window guide 10.728
Bolt, Rear fender 8.206
Bolt, Rear fender moulding 12.118
Bolt, Rear spring seat 5.404
Bolt, Rear spring shackle 7.529
Bolt, Ring gear 5.531, 5.510
Bolt, Round slotted head 8.906
Bolt, Seat cushion frame 16.679
Bolt, Shock absorber 7.395
Bolt, Shock absorber link 7.356
Bolt, Spring center 7.506
Bolt, Spring shackle 7.428, 7.529
Bolt, Starting motor 2.077
Bolt, Steering gear to frame 6.509
Bolt, Strg. gear hyd. pump reservoir 6.635
Bolt, Strg. gear hydr. valve pipe to cyl. 6.679
Bolt, Strg. idler and 3rd arm brkt. attach. 6.186
Bolt, Steering idler lever 6.896
Bolt, Strg. knuckle 6.009
Bolt, Strg. knuckle supt. lwr. arm shaft 6.172
Bolt, Strg. knuckle supt. lwr. pivot arm 6.174
Bolt, Strg. knuckle supt. upr. control arm 6.163, 6.164
Bolt, Step 8.902
Bolt, Tachometer 9.744
Bolt, Tail pipe bracket 3.709
Bolt, Throttle rod cable eye 3.425
Bolt, Torque conv. cover to flywheel 4.115
Bolt, Torque conv. cover to housing 4.115
Bolt, Torque conv. primary 4.115
Bolt, Trans. case side pan 4.105
Bolt, Trans. case to housing 4.104
Bolt, Trans. front servo 4.226
Bolt, Trans. main dr. gear brg. ret. . 4.356
Bolt, Trans. oil pump 4.203
Bolt, Trans. parking brake 4.294
Bolt, Trans. rear brg. ret. attach. . . 4.317
Bolt, Trans. to "U" joint attach. . . . 4.405
Bolt, Trans. turbine 4.115
Bolt, Trans. valve body attaching . . 4.217
Bolt, U/J flange to park brake drum 5.586
Bolt, U/Joint yoke trunnion bearing 5.586
Bolt, Vac. power brake cyl. hook . . 4.906
Bolt, Valve rocker cover 0.413
Bolt, Valve rocker shaft support . . . 0.366
Bolt, Wheel carrier 7.632
Bolt, Wheel hub front and rear . . . 5.812
Boot, Carburetor 3.838
Boot, Clutch fork 0.797
Boot, Gearshift operating lever 4.044
Boot, Main cylinder rubber 4.659
Boot, Spark Plug 2.258
Boot, Starting motor plunger 2.113
Boot, Top dust 13.450
Boot, Wheel brake cylinder 4.670
Bow, Fldg. top auxiliary 14.130
Bow, Fldg. top No. 1 . . . . . 14.215, 14.240, 14.340
Bow, Fldg. top rear 14.340
Bow, Roof 12.952
Bow, Top 16.745
Bowl, Carburetor float 3.734
Bowl, Fuel pump 3.903
Bowl, Gas filter 3.890
Box assy., Front door 10.450, 10.454
Box assy., Rear door 10.456
Box, Instrument panel compt. 10.260, 16.100
Box, Rear compartment lid hinge . . 12.184
Brace, Air cond. compressor 9.171
Brace, Battery hanger 2.333
Brace, Body 17.505
Brace, Cowl vent. adjuster 10.313
Brace, Cross member 7.039
Brace, Dash 12.650
Brace, Door opening step 8.148
Brace, Engine mounting 0.029
Brace, Engine rear support 7.228
Brace, assy. Fldg top side rail 14.340
Brace, Frame to bumper attaching 7.836
Brace, Front body hinge 16.507
Brace, Front fender 8.144
Brace, Front fender cap 8.133
Brace, Front fender skirt 8.155
Brace, Generator 2.317
Brace, Hinge pillar to floor 12.659
Brace, Hood panel center 8.009
Brace, Hood panel diagonal 8.015
Brace, Inside rear view mirror 10.187
Brace, Instr. panel to cowl . 12,657, 16.085
Brace, Lock pillar to floor 12.684
Brace, Quarter side inner and wheelhouse 12.941
Brace, Rad. tie bar to baffle 1.286
Brace, Rear body panel 12.121
Brace, Rear compartment gutter . . 12.996
Brace, Rear fender 8.212
Brace, Rear seat back compt. panel 12.768, 12.958
Brace, Rear shelf panel 12.958
Brace, Roof rail to wheelhouse 12.956, 12.957
Brace, Running board mat 8.315
Brace, Running board step 8.228
Brace, Starting motor 2.077
Brace, Vacuum brake cylinder . . . 4.898
Brace, Wheel carrier 7.782
Brace, Windshield wiper motor . . . 16.065
Bracket, Accel. rod hand 3.579
Bracket, Accel. control wire 3.483
Bracket, Accel. pedal 3.452
Bracket, Air cleaner 3.403
Bracket, Air cond. compressor 9.171

Bracket assy., Airflow control..... 9.787
Bracket assy., Fldg. top compt. switch.....14.483
Bracket assy., Strg. idler and 3rd arm..... 6.186
Bracket assy., Trans. parking brake..... 4.290
Bracket, Auxiliary seat back.....16.674
Bracket, Auxiliary spring..... 7.526
Bracket, Battery hanger..... 2.333
Bracket, Body..... 7.330
Bracket, Body mounting..... 9.009
Bracket, Body side.....16.551
Bracket, Brake cable..... 4.829
Bracket, Brake cable pulley..... 4.833
Bracket, Brake cross shaft..... 4.803
Bracket, Brake flange radius rod . 5.004
Bracket, Brake hose..... 4.681
Bracket, Brake idler lever parking 4.797
Bracket, Brake pedal and main cyl. 4.648
Bracket, Brake pedal bumper.... 0.829
Bracket, Brake pull back..... 4.827
Bracket, Car heater and evaporator..... 9.264
Bracket, Carburetor choke tube... 3.733
Bracket, Clutch pedal bumper.... 0.829
Bracket, Clutch pedal pull back spring..... 0.846
Bracket, Clutch pedal shaft..... 0.847
Bracket, Clutch shaft frame..... 0.852
Bracket, Condenser..... 2.893
Bracket, Crankcase vent. tube.... 1.762
Bracket, Defroster air duct mtg... 9.779
Bracket, Dist. condenser..... 2.393
Bracket, Door check.....16.440
Bracket, Door window and vent.....10.657, 10.687
Bracket, Drivers seat adj.....16.686
Bracket, Elec. seat adjuster.....11.556
Bracket, End gate chain.....17.635
Bracket, End gate hinge.....17.625
Bracket, End gate lock.....12.233
Bracket, Engine mtg..... 0.029
Bracket, Exhaust pipe..... 3.616
Bracket, Fldg. top hinge.....14.310
Bracket, Flr. panel to dash and toe panel.....16.545
Bracket, Frame to bpr. attach. bar 7.836
Bracket, Front and rear bumper.. 7.869
Bracket, Front fender skirt..... 8.155
Bracket, Front fender support..... 8.145
Bracket, Front license plate..... 7.796
Bracket, Front spring bumper..... 7.421
Bracket, Front stabilizer shaft..... 7.242
Bracket, Front stabilizer supt. link. 7.245
Bracket, Gas tank..... 3.015
Bracket, Gearshift lever..... 4.006
Bracket, Gearshift lever shaft..... 4.022
Bracket, Gearshift latch rod..... 4.030
Bracket, Gearshift vac. cyl. support..... 4.046
Bracket, Generator..... 2.277
Bracket, Heater blower mtg..... 8.857
Bracket, Heater control plate..... 8.852
Bracket, Hood catch control rod tube..... 8.077
Bracket, Hood hinge..... 8.013
Bracket, Hood or shell catch..... 8.007
Bracket, Hood panel..... 8.015
Bracket, Hood supt. and dash hinge rod..... 8.058
Bracket, Horn..... 2.845
Bracket, Hyd. strg. cyl. tie rod.... 6.575
Bracket, Instrument panel to dash. 12.657
Bracket, Ignition coil mounting... 2.183
Bracket, License and tail lamp.....2.662, 2.670
Bracket, Muffler..... 3.704
Bracket, Muffler tail pipe..... 3.706
Bracket, Oil filter..... 1.840
Bracket, Parking brake cable pulley..... 4.800
Bracket, Prkg. brake pull back spring..... 4.827
Bracket, Parking brake release rod 4.594
Bracket, Parking lamp housing mounting..... 2.587
Bracket, Prop. shaft brake..5.606, 5.615
Bracket, Radiator auxiliary tank.. 1.210
Bracket, Radiator baffle support.. 1.286
Bracket, Radiator core..... 1.270
Bracket, Radiator support..... 1.271
Bracket, Rear axle rebound strap. 5.390
Bracket, Rear fender brace..... 8.212
Bracket, Rear license lamp..... 2.705
Bracket, Rear license plate..... 2.670
Bracket, Rear panel mldg.....12.121
Bracket, Rear spring..... 7.535
Bracket, Rear view mirror 10.187, 16.068
Bracket, Roof panel mtg.....14.080
Bracket, Shock absorber axle..... 7.380
Bracket, Shock absorber frame... 7.395
Bracket, Starter pedal..... 2.008
Bracket, Strg. column..... 6.760
Bracket, Strg. gear hyd. cyl..... 6.575
Bracket, Strg. gear hyd. pump.....6.606, 6.665
Bracket, Strg. gear mounting frame 6.797
Bracket, Strg. knuckle control arm. 6.177
Bracket, Sunshade.....10.219
Bracket, Tail lamp.....2.662, 2.664
Bracket, Tire compt. clamp bolt... 7.629
Bracket, Turret Top roof.....12.810
Bracket, Trans. control idler..... 4.040
Bracket, Trans. overdrive..... 4.495
Bracket, Transmission parking lock reaction..... 4.220
Bracket, Trans. support mounting. 4.083
Bracket unit, Mud flap..... 8.214
Bracket unit, Spot lamp adapter.. 9.773
Bracket, Vac. brake cylinder..... 4.898
Bracket, Vac. shift selector valve cable..... 5.636
Bracket, Wheel carrier..... 7.751
Bracket, Wheel carrier strap..... 7.780
Bracket, Wheel carrier track..... 7.780
Bracket, Windshield regulator....16.045
Bracket, W/shield washer jar.... 8.798
Bracket, Windshield wiper motor..16.065
Bracket, W/shield wiper trans. support.....10.160
Brake arm..... 4.625
Brake band assy., Trans..... 4.251
Brake cable..... 4.826
Brake cable bellows and seal.... 4.834
Brake cable bolt and pulley..... 4.833
Brake cable bracket..... 4.829
Brake cable to flange plate clamp 4.833
Brake camshaft hole spring and cover..... 5.188
Brake camshaft lever rod housing. 5.135
Brake clevis pin..... 4.823
Brake cross shaft..... 4.788
Brake cross shaft bracket and supt. 4.803
Brake cross shaft lever..... 4.792
Brake cross shaft spring..... 4.796
Brake cyl. pipe clip..... 4.686
Brake cyl. wheel boot..... 4.670
Brake drum..... 5.809
Brake drum deflector..... 6.323
Brake drum gasket..... 5.811
Brake drum retaining nut..... 5.810
Brake drum shield unit..... 5.810
Brake drum spring..... 5.810
Brake facing rivet..... 5.019
Brake flange plate assembly..... 5.001
Brake flange plate bolt and spacer 5.002
Brake flange plate rivet..... 5.002
Brake flange radius rod bracket.. 5.004
Brake fluid..... 4.683
Brake idler lever bracket, Parking. 4.797
Brake hose assembly..... 4.680
Brake hose bracket..... 4.681
Brake hose connector..... 4.686
Brake inlet connector washer..... 4.671
Brake lever anchor bolt..... 5.158
Brake lever extension spring..... 5.151
Brake lever pull rod yoke..... 4.824
Brake lever seal, Parking..... 4.612
Brake lever seal plate, Parking... 4.615
Brake lever spacer, Parking..... 4.605
Brake lever support, Parking..... 4.606
Brake lever support spacer..... 4.634
Brake main cyl. adjusting clevis.. 4.662
Brake main cyl. cover..... 4.663
Brake main cyl. inspection cover..12.541
Brake main cyl. outlet nut..... 4.652
Brake main cyl. pipe connector bolt 4.661
Brake main cyl. piston return spring 4.655
Brake main cyl. piston stop plate . 4.656
Brake main cyl. push rod..... 4.658
Brake main cyl. repair kit..... 4.649
Brake main cyl. rubber boot..... 4.659
Brake main cyl. valve seat washer. 4.657
Brake parts, Prop. shaft (Drum type)..... 5.615
Brake parts, Prop. shaft (Dual-Shoe)..... 5.610
Brake parts, Prop. shaft (Tru-Stop). 5.606
Brake parts repair kit..... 5.026
Brake pawl rod grip, Parking..... 4.600
Brake pedal..... 4.625
Brake pedal and main cyl. bracket. 4.648
Brake pedal and main cyl. lever.. 4.634
Brake pedal bushing..... 4.626
Brake pedal link..... 4.634
Brake pedal pad..... 4.630
Brake pedal pivot bolt..... 4.634
Brake pedal pull rod bolt..... 4.637
Brake pedal shaft..... 0.833
Brake pedal shaft parts..... 0.837
Brake pipe clip.....4.686, 8.950
Brake pull back spring pin..... 5.026
Brake pull rod..... 4.826

Brake pull rod adjustment clevis.. 4.824
Brake pull rod brkt., supt. & guide. 4.820
Brake rod..... 4.625
Brake rod bolt..... 4.823
Brake shoe adj. screw..... 5.110
Brake shoe adj. screw lock spring. 5.111
Brake shoe adj. screw nut..... 5.111
Brake shoe adj. screw socket..... 5.111
Brake shoe anchor pin..... 5.055
Brake shoe anchor pin lock..... 5.057
Brake shoe anchor pin washer.... 5.056
Brake shoe anchor plate..... 5.075
Brake shoe facing..... 5.018
Brake shoe friction pin lock..... 5.030
Brake shoe friction spring..... 5.028
Brake shoe guide plate..... 5.045
Brake shoe hold down pin unit.... 5.043
Brake shoe link..... 5.036
Brake shoe link pin..... 5.034
Brake shoe pivot..... 5.020
Brake shoe spring..... 5.026
Brake shoes with facings..... 5.017
Brake unit, Vacuum power..... 4.898
Brake wheel cyl. and repair kit... 4.665
Brake wheel cyl. adj. gear and cover..... 4.674
Brake wheel cyl. adj. screw..... 4.672
Brake wheel cyl. bleeder valve.... 4.666
Brake wheel cyl. boot..... 4.670
Brake wheel cyl. piston cup..... 4.667
Brake wheel cyl. piston spring.... 4.669
Brake wheel cyl. shield..... 4.670
Brake wheel cyl. to brake shoe thrust rod..... 4.675
Breaker assy., Fldg. top circuit....14.490
Breaker, Elec. window lift.....10.777
Breaker, Generator circuit..... 2.319
Breather, Air cleaner..... 3.402
Brush, Fldg. top motor.....14.482
Brush, Generator..... 2.285
Brush holder, Starting motor..... 2.052
Brush, Starting motor..... 2.051
Bulb, Dome lamp.....11.928
Bulb, Lamp..... 8.991
Bumper attaching bar..... 7.836
Bumper, Body mounting supt..... 9.009
Bumper, Body pillar to door.....10.587
Bumper bolt..... 7.874
Bumper, Brake pedal..... 0.829
Bumper, Clutch pedal floor board. 0.829
Bumper, Cowl ventilator.....10.331
Bumper deflector and parts, Rear. 7.833
Bumper, Door.....16.400
Bumper, Door check link cushion..16.437
Bumper, Door dovetail....10,574, 16.405
Bumper, Door garnish moulding...11.139
Bumper, Door glass sash channel..16.190
Bumper, Door side.....10.587
Bumper, Door window glass roller.....10.726, 11.187
Bumper, Fldg. seat back support..11.380
Bumper, Fldg. top bow.....14.270
Bumper, Fldg. top rear bow.....14.360
Bumper, Fldg. top side rail cont. link.....14.200
Bumper, Fldg. top side roof rail...14.110
Bumper, Front..... 7.831
Bumper, Frt. door vent.....10.670
Bumper, Front door window stop..10.716
Bumper, Front seat back..11,373, 11.381
Bumper, Front spring..... 7.422
Bumper, Gas tank filler door.....12.944
Bumper, Gearshift control shaft... 4.016
Bumper grille guard support..... 7.829
Bumper guard..... 7.828
Bumper, Hood..... 8.024
Bumper, Horn blowing ring..... 2.837
Bumper, Instr. panel compt. dr.....16.110, 10.263
Bumper jack..... 8.820
Bumper pad, Rear..... 7.865
Bumper, Quarter window glass.....11.012, 11.013
Bumper, Radiator grille lower panel..... 1.286
Bumper, Rear axle..... 5.395
Bumper, Rear compt. lid.....12.212
Bumper, Rear door lock rod to link. 10.506
Bumper, Rear door window frame.10.768
Bumper, Rear license plate..... 2.670
Bumper, Rear spring..... 7.535
Bumper, Seat separator compt. door.....14.685
Bumper shim.....7.865, 9.023
Bumper, Strg. knuckle supt. arm.. 6.176
Bumper, Vacuum power brake plunger..... 4.658
Bumper, Vacuum power brake cylinder..... 4.911
Bumper, Wire wheel trim ring.... 5.864
Bushing assy., Fldg. top control valve.....14.467
Bushing, Body mounting..... 9.009
Bushing, Brake pedal..... 4.626
Bushing, Clutch control lever..... 0.851
Bushing, Clutch pedal..... 0.831
Bushing, Compressor pulley..... 9.181
Bushing, Differential shifter sleeve anchor..... 5.512
Bushing, Distributor mtg..... 2.363
Bushing, Distributor terminal..... 2.401
Bushing, Door hinge.....10.464, 16.323
Bushing, Drivers seat back hinge link.....16.686
Bushing, Engine rear mounting... 0.027
Bushing, Fldg. top cover.....13.352
Bushing, Fldg. top female hinge...14.320
Bushing, Fldg. top lift link pin....14.140
Bushing, Folding top side rail control.....14.140
Bushing, Fldg. top side rail cont. link.....14.155
Bushing, Fldg. top side roof rail.....14,110, 14.180, 14.340
Bushing, Fldg. top No. 1 bow.....14.225, 14.250
Bushing, Fldg. top No. 1 bow link..14.300
Bushing, Frt. spring eye..... 7.413
Bushing, Frt. spring shackle brkt..... 7.104, 7.524
Bushing, Frt. stabilizer link bolt... 7.244
Bushing, Frt. stabilizer shaft..... 7.243
Bushing, Gearshift control...4016, 4.007
Bushing, Gearshift selector cont. lever..... 4.021
Bushing, Generator bracket..... 2.277
Bushing, Generator end frame.... 2.298
Bushing, Hyd. strg. control valve.. 6.552
Bushing, Horn blowing ring..... 2.819
Bushing, Mast jacket..... 6.521
Bushing, Piston pin..... 0.633
Bushing, Pitman arm..... 6.862
Bushing, Pitman arm shaft..... 6.786
Bushing, Prop. shaft housing..... 5.451
Bushing, Push button switch..... 2.100
Bushing, Qtr. window hinge pivot.11.053
Bushing, Rear spring..... 7.524
Bushing, Rear spring eye..... 7.504
Bushing, Shock abs. arm..... 7.377
Bushing, Shock abs. arm link..... 7.357
Bushing, Shock abs. link..... 7.388
Bushing, Spring hanger and horn. 7.104
Bushing, Starter motor housing... 2.083
Bushing, Strg. col. gearshift cont. shaft..... 4.015
Bushing, Strg. idler and 3rd arm shaft..... 6.181
Bushing, Steering idler lever..... 6.897
Bushing, Steering knuckle king pin 6.021
Bushing, Strg. knuckle support upr. & lower arm shaft...6.164, 6.170
Bushing, Throttle and accel. lever. 3.582
Bushing, Throttle control rod..... 3.425
Bushing, Torque converter cover hub..... 4.115
Bushing, Trans. case, rear..... 4.104
Bushing, Transmission front drive. 4.158
Bushing, Transmission oil pump... 4.200
Bushing, Trans. overdrive case... 4.455
Bushing, Trans. reverse idler gear. 4.431
Bushing, Trans. third speed..... 4.399
Bushing, Trans. torque conv. turbine..... 4.115
Bushing, Universal joint yoke..... 5.566
Bushing, Vac. brk. cyl. piston push rod..... 4.924
Bushing, Water temp. (Dash Unit)..... 1.150, 8.963
Button assy., Frt. & Rr. seat back..14.804
Button, Door handle push.10,529, 16.353
Button, Horn..... 2.817
Button, Starter pedal..... 2.012
Button, Top hold down strap.....13.426

C

Cab assy., Conversion kit.....16.000
Cab body.....16.000
Cable, Air cond. eng. idle..... 3.481
Cable and casing assy., Speedometer..... 4.342
Cable and clamp, Parking brake. 4.826
Cable assy., Seat adjuster.....16.682
Cable, assy., Defroster inlet control 9.787
Cable assy., Parking brake..... 4.826
Cable, Battery to starter switch... 2.342
Cable, Battery ground..... 2.341
Cable, End gate support..12.203, 17.222
Cable, Gearshift reverse latch.... 4.030
Cable, Lighting..... 2.530
Cable, Rear axle gear shift..... 5.623
Cable, Spark plug..... 2.241
Cable, Trans. overdrive..... 4.495
Cable, Vac. shift selector valve... 5.636
Cage, Pinion shaft bearing..... 5.453

Cage, Transmission overdrive 4.467, 4.470
Cam, Carburetor fast idle 3.766
Cam, Direction signal cancelling . 2.895
Cam, Distributor 2.381
Cam, Door window regulator 10.792
Cam, Door window reg. upper guide 16.261
Cam, Frt. door glass lwr. sash chnl. 10.687
Cam, Gear shift detent 4.311
Cam, Prop. shaft brake operating . 5.615
Cam, Quarter window regulator .. 11.046
Cam, Rear door sash channel 10.748, 11.007
Cam, Stator over run 4.117
Cam, Transmission overdrive 4.465
Camshaft 0.519
Camshaft bearing hole plug 0.553
Camshaft brgs. 0.539, 0.543, 0.546, 0.549
Camshaft thrust bearing 0.533
Camshaft timing gear 0.736
Cap assy., Hyd. pump reservoir ... 6.635
Cap, Body center pillar 14.730
Cap, Brake main cyl. filler 4.651
Cap, Carb. idle vapor vent 3.852
Cap, Compressor valve 9.226
Cap, Crankcase ventilator .. 1.516, 1.745
Cap, Crankshaft center bearing .. 0.100
Cap, Crankshaft front bearing 0.095
Cap, Crankshaft front inter. brg. .. 0.098
Cap, Crankshaft rear bearing 0.105
Cap, Crankshaft rear inter brg. .. 0.102
Cap, Distributor 2.367
Cap, Door handle push button 10.552, 16.370
Cap, Engine mounting 0.002
Cap, Front door ventilator 10.656
Cap, Frt. dr. wind. glass run chnl. 10.702
Cap, Front fender 8.131
Cap, Front stabilizer shaft 7.242
Cap, Gas tank filler 3.028
Cap, Gearshift lever 4.015
Cap, Horn blowing 2.817
Cap, Horn button 2.820
Cap, Hub and grease 5.858
Cap, Instrument panel end 10.230
Cap, Lock pillar finishing 10.353
Cap, Lower end gate 12.195
Cap, Oil distributor valve 1.789
Cap, Oil filler tube 1.516
Cap, Push button lock 12.249
Cap, Radiator filler 1.203
Cap, Rear door window garnish .. 11.089
Cap, Strg. column bracket 6.760
Cap, Strg. gear mtg. bracket 6.797
Cap, Strg. wheel hub 2.820
Cap, Suction and discharge valve . 9.226
Cap, Trans. low & drive reg. valve . 4.265
Cap, Valve rocker cover oil filler .. 0.386
Cap, Valve spring 0.309
Cap, Valve stem 0.310, 5.875
Cap, Wheel hub 5.858
Cap, Windshield division, Outer .. 16.017
Cap, Windshield reveal moulding . 16.041
Cap, Windshield wiper motor auxiliary 10.157
Cap, Windshield wiper motor 16.065
Carburetor assy. 3.725
Carb. check valve spring and guide 3.825
Carb. choke heater strap 3.750
Carb. choke housing assy. 3.750
Carb. choke hsg. screw 3.750
Carb. choke hsg. to air horn gasket 3.750
Carb. choke piston 3.752
Carb. choke piston pin 3.752
Carb. choke rod clip 3.752
Carb. choke shaft assy. 3.752
Carb. choke suction tube 3.750
Carb. choke suction tube packing . 3.750
Carb. choke trip lever 3.752
Carb. choke trip lever spacer 3.752
Carb. choke tube brkt. 3.733
Carb. fast idle cam screw 3.767
Carb. fast idle, Lever, Spring, Cam 3.766
Carb. idle adjusting screw 3.822
Carb. idle adjusting screw spring . 3.823
Carb. intake needle 3.814
Carb. nozzle screw gasket 3.776
Carb. nozzle vent 3.777
Carb. power valve check 3.862
Carb. pump cylinder gasket 3.844
Carb. replacement gasket unit 3.724
Carb. step-up piston 3.858
Carb. step-up power jet 3.863
Carb. therm. baffle plate 3.750
Carb. therm. hsg. cover gasket ... 3.750
Carb. therm. hsg. cover plate 3.750
Carb. therm. hsg. cover retainer .. 3.750
Carb. throttle shaft adj. screw 3.761
Carb. to accel. lever rod att. clip .. 3.425
Carburetor air cleaner 3.402
Carburetor air horn 3.730
Carburetor air horn gasket 3.731
Carburetor assembly 3.725
Carburetor body 3.729
Carburetor body bolt 3.741
Carburetor body gasket 3.735
Carburetor boot 3.838
Carburetor bowl cover gasket 3.738
Carburetor choke rod 3.752
Carburetor choke shaft 3.752
Carburetor choke spring 3.753
Carburetor choke valve 3.751
Carburetor flange stud nut 3.288
Carburetor float 3.745
Carburetor float bowl 3.734
Carburetor, Float gage 3.745
Carburetor governor 3.865
Carburetor governor seal 3.870
Carburetor inlet valve check assy. 3.826
Carburetor insert 3.734
Carburetor intake needle unit 3.814
Carburetor jet 3.844
Carburetor link 3.768
Carburetor low speed jet assembly 3.798
Carburetor metering rod 3.806
Carbureter metering rod cover 3.807
Carburetor metering rod jet 3.792
Carburetor metering rod spring ... 3.810
Carburetor nozzle 3.774
Carburetor outlet valve check assy. 3.825
Carburetor plunger 3.838
Carburetor plunger leather 3.840
Carburetor power jet 3.863
Carburetor pump 3.838
Carburetor pump arm 3.845
Carburetor pump connector link .. 3.843
Carburetor pump lever 3.845
Carburetor pump plunger spg. ret. 3.841
Carburetor repair kit 3.725
Carburetor shaft and lever assy. .. 3.759
Carburetor step-up valve spring ... 3.862
Carburetor strainer screen 3.841
Carburetor thermostat cover 3.750
Carburetor throttle & pump rod & lever 3.762
Carburetor throttle return check .. 3.440
Carburetor throttle valve 3.758
Carburetor to accelerator lever rod 3.430
Carburetor to manifold gasket 3.726
Carburetor to manifold insulator .. 3.726
Carburetor valve check ball 3.862
Caroma 8.800
Carpet, Front floor 15.300
Carpet, Rear floor 15.306
Carriage bolt 8.903
Carrier and cap assy., Differential 5.505
Carrier bracket, Wheel 7.751
Carrier centering plate, Wheel ... 7.783
Carrier, Differential 5.505, 5.504
Carrier roller, Wheel 7.780
Carrier strap, Wheel 7.778
Carrier track assy., Wheel 7.779
Carrier track bracket, Wheel 7.780
Carrier track member, Wheel 7.782
Carrier, Trans. planet . 4.161, 4.175, 4.192
Carrier, Wheel 7.629
Case assembly, instrument 9.743
Case, Deck lid lock cyl. 12.249
Case, Differential & planet support 5.510
Case, Door window motor 10.783
Case, Horizontal seat motor 11.556
Case, Hot water heater core 8.854
Case, Quarter window motor 11.041
Case, Tire lock 7.679
Case, Transmission 4.103
Case, Transmission overdrive 4.455
Case, w/s wiper motor 10.150
Casing assy., Lower end gate 12.195
Casing, Door check link hold open . 10.602
Casing, Door dovetail bumper 10.574, 16.405
Castellated nut 8.917
Catalyst, Plastic hardener plate ... 12.800
Catch assembly, Hood 8.028
Catch, End gate lock 17.198
Catch, Front door ventilator 10.659
Catch plate, Hood lower 8.080
Catch plate, Hood upper 8.083
Catch, Rear door ventilator 10.824
Center body pillar 12.491
Center body qtr. panel lwr. filler .. 12.491
Center bolt, Spring 7.506
Center pillar moulding 12.113
Center pillar strip 12.492
Center pillar trim assy. 14.730
Center seat attaching screw 11.608
Center seat back and cushion trim 14.976
Center seat grab rail 11.612
Center seat side panel trim assy. .. 14.976
Center tail lamp assembly 2.700
Chain and cover, End gate 17.222
Chain assembly, End gate 17.635
Chain, Camshaft timing 0.724

Chain, End gate 17.222
Chain, Wheel carrier door check .. 7.629
Channel, Back door window glass . 11.187
Channel, Back window glass rubber 11.207
Channel, Back window glass and reveal moulding 11.207
Channel, Door glass division 10.686, 10.829, 16.190
Channel, Door glass run 10.701, 10.759, 11.021, 11.223, 16.200
Channel Door glass sash 10.685, 10.689, 10.747, 10.763, 16.910
Channel, Frt. dr. vent 16.175
Channel, Frt. dr. vent. glass 10.655
Channel, Qtr. wind. division 11.008
Channel, Qtr. wind. glass, rubber. 11.015
Channel Qtr. wind. glass run 11.021
Channel, Qtr. wind. sash .. 11.005, 11.007
Channel, Rear door vent. glass ... 10.826
Channel, Rear door window lwr. sash 10.747
Channel, Rear door window upr. sash 10.763
Channel, Side window 17.136
Channel, Upper end gate glass ... 12.180
Channel, Windshield glass & rubber 10.009, 10.092, 16.010
Chassis wiring harness 2.555
Check assy., Carb. inlet valve 3.826
Check assy., Carb. outlet valve ... 3.825
Check, Carburetor power valve ... 3.862
Check, Carb. throttle return 3.440
Check, Door 16.430
Check, Inst. panel compt. door 16.115
Check nut 8.916
Check valve assy., Vac. shift and power brake 5.644
Check valve parts, Vac. shift and power brake 5.645
Choke rod 3.521
Chrome protective sealer 8.800
Chromium cleaner 8.800
Cigarette lighter and parts 9.709
Circuit breaker and cover 2.319
Circuit breaker, Folding top 14.490
Clamp, Air cond. terminal lead ... 9.186
Clamp, Axle gearshift vac. hose .. 5.638
Clamp, Brake cable to flange 4.833
Clamp, Car heater and evaporator 9.281
Clamp, Crankcase vent. tube 1.750
Clamp, Distributor mounting 2.363
Clamp, Expansion valve 9.214
Clamp, Front door ventilator 10.669
Clamp, Gas tank filler neck 3.008
Clamp, Gearshift control shaft hsg. 4.022
Clamp, Gearshift lever control rod . 4.017
Clamp, Heater control cable 9.767
Clamp, Hose 9.242, 1.166
Clamp, Hydraulic steering pump .. 6.672
Clamp, Manifold 3.273
Clamp, Muffler tail pipe 3.708
Clamp, Pwr. strg. contl. valve to relay rod 6.550
Clamp, Radiator grille 1.286
Clamp, Radiator grille moulding .. 1.269
Clamp, Rear license plate 2.670
Clamp ring, Front hub 6.308
Clamp, Strg. connecting rod 6.870
Clamp, Strg. column 6.760
Clamp, Strg. column gearshift control 4.018
Clamp, Strg. gear ball return guide 6.843
Clamp, Strg. jacket horn wire 2.859
Clamp, Tie rod end 6.234
Clamp, Trans. throttle valve cont. lever 4.041
Clamp, Wheel carrier 7.629
Clamp, W/S washer motor valve . 8.798
Clamp and Parts, Steering column . 6.760
Cleaner, Body 8.800
Cleaner, Carburetor air 3.402
Cleaner, Chromium 8.800
Cleaner, Leather 8.800
Cleaner, Gearshift vacuum cyl. air 4.058
Cleaner, Glass 8.800
Cleaner, Radiator 8.800
Cleaner, Sponge 8.800
Cleaner, Upholstery and whitewall 8.800
Cleaner, Vac. brake cyl. air 4.913
Clevis 8.946
Clevis, Accel. pedal to lever rod .. 3.425
Clevis, Brake pull rod adj. 4.824
Clevis, Clutch fork control 0.854
Clevis, Main cylinder adj. 4.662
Clevis pin 8.942
Clevis, Prop. shaft brake adj. 5.606
Clevis, Rear axle gearshift rod 5.623
Clip, Accelerator spring 3.459
Clip, Air distribution duct valve rod 9.281
Clip, Ash tray mounting plate 12.016
Clip assy., Fender shield att. 12.116, 12.118
Clip, Back wind. glass reveal mldg. 11.209
Clip, Back window mldg. 16.475
Clip, Body sill moulding 8.309
Clip, Carb. choke rod 3.752
Clip, Carburetor pump 3.842
Clip, Carb. to accel. lever rod attch. 3.425
Clip, Clutch pedal pull back spring 0.846
Clip, Compressor coil 9.186
Clip, Control wire and tube 3.483
Clip, Cowl belt moulding 12.110
Clip, Direction signal lamp 2.892
Clip, Distributor contact points 2.387
Clip, Dist. to rocker shaft oil pipe ... 1.519
Clip, Door and quarter mouldings . 12.118
Clip, Door handle push button 10.529
Clip, Door inside locking rod 10.565
Clip, Door lock remote control conn. rod 10.506
Clip, Door weatherstrip 10.695
Clip, Door weatherstrip retainer ... 16.231
Clip, Door window reveal mldg. .. 10.708
Clip, Door window weatherstrip ... 10.712
Clip, Endgate bottom seal 12.269
Clip, Fender moulding 8.133
Clip, Fender section moulding 12.114
Clip, Fldg. seat cushion support ... 11.380
Clip, Fldg. top compt. lid lift assy. . 14.472
Clip, Fldg. top hyd. hose 14.486
Clip, Front door opening retaining 16.225
Clip, Front door outer panel moulding 12.118B
Clip, Frt. dr. vent. regulator spring 10.661
Clip, Frt. fender emblem 8.147
Clip, Garnish moulding 11.133
Clip, Gasoline feed pipe 3.162
Clip, Gas tank filler neck compt. ... 12.944
Clip, Gearshift operating 4.044
Clip, Gearshift operating shaft 4.107
Clip, Gearshift selector control 4.020
Clip, Headlamp lens ret. ring 2.736
Clip, Headlamp wire junction block 2.559
Clip, Headlining 12.954
Clip, Hidem binding 15.534
Clip, Hood catch control rod tube . 8.077
Clip, Hydraulic brake pipe 4.686
Clip, Hydraulic steering pump hose 6.672
Clip, Instrument panel grille 10.256
Clip, Instrument panel mldg. 10.253, 16.082
Clip, Instrument panel retaining .. 14.655
Clip, Lighting switch fuse 2.489
Clip, Name plate 12.183
Clip, Outside air control cable 9.281
Clip, Parking brake pawl rod 4.594
Clip, Pipe 8.950
Clip, P/S cont. valve to cyl. hose ... 6.672
Clip, Quarter window reveal mldg. 11.031
Clip, Radiator core 1.269
Clip, Radio grille 10.256
Clip, Rear compt. emblem 12.246
Clip, Rear door fender shield rear .. 12.118
Clip, Rear door outer panel 12.114, 12.116
Clip, Rear door window glass retainer 11.187
Clip, Rear dr. window guide retaining 10.728
Clip, Rear quarter outer panel moulding 12.118D
Clip, Rear fender crown moulding 12.118E
Clip, Refrigerant liquid line 9.244
Clip, Rocker arm shaft oil 1.928
Clip, Roof header w/strip 14.060
Clip, Roof inner moulding 14.652
Clip, Roof panel header w/strip .. 14.060
Clip, Seat adj. spring 11.582
Clip, Side door trim panel 16.166
Clip, Spare tire cover 12.579
Clip, Spark plug wire 2.249
Clip, Spring leaf, frt. or rear 7.513
Clip, Starter pedal lever pull back spring 2.029
Clip, Tail and stop lamp 2.664
Clip, Top binding end plate 13.342
Clip, Transmission control 4.038
Clip, Transmission overdrive 4.495
Clip, Upper end gate 12.180
Clip, Vacuum power brake cylinder 4.930
Clip, Vac. pwr. brake pipe conn. .. 4.931
Clip, Window & body reveal moulding 16.185, 17.136
Clip, Window glass retainer 11.187, 12.180
Clip, Windshield garnish mldg. 10.050, 16.013
Clip, Windshield gutter drain hose . 10.344
Clip, Windshield lwr. reveal mldg. . 10.096
Clip, Windshield side finish mldg. .. 10.051
Clip, Wire wheel trim ring 5.864
Clip, Wiring harness 2.559

Clock, Electric 9.772
Clock hole cover plate 10.272
Clock housing 9.772
Clock lens 9.772
Clock unit 9.772
Clock wire 9.772
Cloth, Polishing 8.800
Cloth, Seat cushion, side facing ... 16.717
Cloth, Woven fiberous glass 12.800
Clutch and brake shaft lock spring . 0.837
Clutch and ring assembly, Synchro 4.383
Clutch assy., Trans. 4.164
Clutch cover and spring 0.861
Clutch cover & pressure plate bolt . . 0.870
Clutch disc 0.886
Clutch fork ball 0.796
Clutch fork ball spring 0.823
Clutch fork brg. spring 0.805
Clutch fork control clevis, link & rod 0.854
Clutch fork offset rod 0.787
Clutch fork screw 0.796
Clutch gear synchronizer cone 4.384
Clutch housing 0.683
Clutch hsg. inspection hole cover . . 0.686
Clutch hsg. to cyl. block dowel 0.685
Clutch hub retaining ring 4.384
Clutch key, 3rd. and 4th. speed ... 4.384
Clutch key spring, 3rd. and 4th. speed 4.384
Clutch pedal 0.830
Clutch pedal adj. bolt 0.841
Clutch pedal adj. nut 0.841
Clutch pedal arm 0.832
Clutch pedal bushing 0.831
Clutch pedal floor board bumper . . 0.829
Clutch pedal lever 0.832
Clutch pedal pull back spring 0.844
Clutch pedal pull back spring bracket 0.846
Clutch pedal pull back spring clip . 0.846
Clutch pedal pull rod 0.854
Clutch pedal push rod 0.832
Clutch pedal shaft 0.833
Clutch pedal shaft bracket 0.847
Clutch pedal shaft parts 0.837
Clutch press. plate retracting spg . . 0.864
Clutch press. plate retracting spg. bolt 0.864
Clutch pressure lever 0.874
Clutch pressure lever spring 0.878
Clutch pressure plate 0.863
Clutch release fork 0.795
Clutch spring 0.865
Clutch spring pivot ring 0.866
Clutch spring retainer bolt 0.866
Clutch throwout bearing 0.799
Clutch throwout bearing plate 0.800
Clutch throwout brg. plate spring . . 0.814
Clutch, Trans. 2nd-3rd and 3rd-4th speed 4.380
Clutch, Trans. synchronizing 4.384
Coat hook 15.388
Cock, Shut-off 8.951
Coil assy., Evaporator 9.210
Coil, Compressor clutch actuating . 9.186
Coil, Generator field 2.310
Coil, Ignition 2.170
Coil, Starting motor field 2.049
Coil unit, Air cond. heat and evaporator 9.210
Collar, Cowl side 12.804
Collar, Fldg. seat support retainer . 11.380
Collar, Generator drive brg. 2.307
Collar, Starting motor thrust 2.063
Collar, Universal joint ball 5.565
Collector, Trans. case chip 4.105
Compartment door key 2.187
Compartment, Instr. panel . 10.260, 16.100
Compartment lid hinge link 12.187
Compartment lid lock cover, Rear . 12.241
Compartment lining, Luggage 15.222
Compartment mat, Rear 15.294
Compass unit, Auto 8.873
Compound, Rubbing 8.800
Condenser assy., air cond. refrigerant 9.190
Condenser, Distributor 2.393
Condenser, Electrolytic, automatic headlamp control 2.461
Conditioner unit, Air 9.169
Conduit, Front door window 10.783
Conduit, Rear door window 10.791
Cone, Clutch gear synchronizer ... 4.384
Cone, Differential side bearing 5.536
Cone, Drive shaft pinion rear 5.484
Cone, Front wheel inner bearing . . 6.314
Cone, Front wheel outer bearing 6.315, 6.319
Cone, Gear synchronizer 3rd. speed 4.384
Cone, Pinion shaft front 5.447
Cone, Trans. forward and neutral clutch 4.142
Cone, Transmission reverse clutch . 4.189
Connecting rod 0.603
Connecting rod bearing cap bolt . . 0.623
Connecting rod bearing shim unit . 0.619
Connecting rod bearing unit 0.616
Connecting rod bolt nut 0.626
Connecting rod clamp bolt and L/washer 0.609
Connecting rod dipper 0.604
Connections, Hot water heater 8.866
Connector, Air conditioning wire . . 9.276
Connector, Carb. fuel inlet 3.740
Connector, Crankcase oil 1.745
Connector, Door locking rod 10.500
Connector, Electrical 2.530
Connector, Expansion valve equalizer 9.214
Connector, Fldg. top elbow 14.473
Connector, Heater control 8.852
Connector, Horn wire 2.819
Connector, Hydraulic brake 4.686
Connector, Lighting 2.530
Connector, Manifold wiper and power brake 3.278
Connector, Rocker arm shaft oil ... 1.928
Connector, Starting motor 2.102
Connector, Strg. gear hyd. valve hose 6.673
Connector, Transmission oil pan . . 4.195
Connector, Vac. brake manifold . . 3.278
Connector, Vac. pwr. brake cyl. & pipe 4.931
Connector, Windshield wiper 10.154, 16.066
Contact, Horn button 2.819
Contact, Starting motor switch 2.102
Control assy., Heater evaporator . . 9.275
Control assy., Heater temperature . 9.795
Control assy., Transmission 4.004
Control assembly, Windshield wiper 16.067
Control, Air flow heater 9.795
Control, Car heater & evaporator . 8.852
Control, Distributor vacuum 2.410
Control, Door lock remote . 10.500, 16.341
Control, End gate 17.198
Control, Headlamp dimmer 2.459
Control, Heater 8.852
Control, Hot water heater ... 8.852, 9.275
Control parts, Rear window wiper . 11.253
Control parts, Windshield wiper . . 10.163
Control, Speedometer adapter 4.329
Control, Starterator vacuum 2.017
Control unit, Headlamp dimmer ... 2.459
Control, Windshield wiper . 10.163, 16.067
Control wire and tube clip 3.483
Conversion kit, Cab assy. 16.000
Conversion unit, Radiator support . 1.270
Coordinator, W/shield washer 8.798
Cooler, Transmission oil 4.128, 4.195
Copper-Asbestos gasket 8.955
Copper tubing 8.964
Cord, Front seat back robe 11.898
Core, Comp. oil test 9.177
Core, Heater 8.854
Core, Radiator 1.219
Cotter pin 8.938
Countergear rear brg. retainer ... 4.422
Countergear rear brg. ret. lock plate 4.422
Countershaft gear 4.421
Countershaft, Transmission 4.428
Coupling, Air flow duct 9.782
Coupling assy., Refrigerant 9.196
Coupling, Carb. shaft 3.585
Coupling, Distributor vac. control . 2.420
Coupling, Propeller shaft 5.454
Coupling, Radiator drain 1.229
Courtesy lamp 10.275
Cover, Accelerator pedal 3.451
Cover, Air cleaner 3.410
Cover, Ash receiver mounting 12.016
Cover assy., Continental tire 7.629
Cover assy., Dome lamp 11.929
Cover assy., Fluid coupling 4.118
Cover assy., Strg. wheel hub 6.512
Cover, Automatic choke thermostat control 3.750
Cover, Auto. choke valve therm. housing 3.750
Cover, Axle housing 5.398
Cover, Back up lamp 2.697
Cover, Battery inspection 16.547
Cover, Body center pillar trim 14.730
Cover, Brake camshaft hole 5.188
Cover, Brake flange plate adj. hole 5.188

Cover, Brake main cylinder.....16.547
Cover, Brake main cyl. inspection.12.541
Cover, Carburetor dust..... 3.732
Cover, Carburetor governor..... 3.870
Cover, Carburetor metering rod... 3.807
Cover, Carburetor thermostat..... 3.750
Cover, Clock hole..... 9.772
Cover, Clutch..... 0.861
Cover, Clutch hsg. inspection hole. 0.686
Cover, Cowl side inner panel.....16.551
Cover, Cowl ventilator...10.307, 16.125
Cover, Crankcase front end..... 0.206
Cover, Dash panel instr. inspec. hole.....12.802
Cover, Distributor weight and cam. 2.390
Cover, Door arm rest.....14.688
Cover, Door inner panel.....16.167
Cover, Door outisde handle snap on.....10.551
Cover, Door rocker.....12.934
Cover, Double reduction pinion... 5.462
Cover, Electric window lift.....10.777
Cover, Elec. w/s wiper motor switch.....10.163
Cover, End gate hinge.....12.184
Cover, Engine.....16.549
Cover, Engine manifold..... 3.602
Cover, Evaporator case..... 9.211
Cover, Fldg. seat back retainer...11.380
Cover, Fldg. top front roof rail....14.080
Cover, Flywheel..... 0.679
Cover, Folding top.....14.483
Cover, Fldg. top header.....13.337
Cover, Fuse and junction block... 2.483
Cover, Gas tank filler neck.....12.944, 16.587
Cover, Gearshift control shaft hsg.. 4.022
Cover, Hood louver..... 8.005
Cover, Hydraulic steering valve... 6.554
Cover, Instrument case..... 9.746
Cover, Instr. panel.....10.252
Cover, Instr. panel control hole... 8.852
Cover, Inst. panel radio control...10.256
Cover, King pin bearing..... 6.223
Cover, Lower end gate finishing..12.195
Cover, Main cylinder..... 4.663
Cover, Main cyl. mtg. plate..... 4.648
Cover, Oil distributor..... 1.786
Cover, Oil filler inspection.....16.547
Cover, Oil filter cavity..... 1.837
Cover, Oil pump..... 1.723
Cover, Oil pump suction screen... 1.662
Cover panel, Rear wheel..... 8.175
Cover, Parking brake floor hole...16.547
Cover, Parking lamp..... 2.586
Cover, Prop. shaft brake..... 5.606
Cover, Radiator inspection..... 1.286
Cover, Rear axle housing..... 5.398
Cover, Rear compt. lid and end gate.....12.180, 12.184, 12.241
Cover, Rear license plate..... 9.777
Cover, Rear license plate lamp... 2.706
Cover, Seat..... 9.550
Cover, Seat adjuster track.11.573, 16.682
Cover, Spare tire.....12.579
Cover, Starting motor switch..... 2.102
Cover, Strg. column and clutch pedal..... 6.758
Cover, Strg. connecting rod..... 6.886
Cover, Strg. gear housing..... 6.807
Cover, Strg. gear housing end.... 6.824
Cover, Strg. gear hydraulic pump. 6.609
Cover, Strg. gear hyd. pump reservoir..... 6.635
Cover, Strg. gear housing end.... 6.824
Cover, Strg. gear jacket..... 9.746
Cover, Strg. gear toe pan.....16.547
Cover, Tie rod dust..... 6.111
Cover, Tool box.....17.230
Cover, Trans. case..... 4.105
Cover, Trans. control upper support 4.038
Cover, Trans. floor pan.....16.547
Cover, Trans. governor..... 4.256
Cover, Trans. inspection.....12.541
Cover, Trans. low band adj. screw. 4.253
Cover, Transmission oil pump..... 4.203
Cover, Trans. oil supply pump.... 4.203
Cover, Trans. power take off..... 4.439
Cover, Trans. servo..... 4.212
Cover, Trans. vacuum modulator.. 4.205
Cover, Upper end gate finish.....12.180, 12.195
Cover, Vac. power brake air cleaner..... 4.913
Cover, Vac. power brake cyl. 4.922, 4.924
Cover, Vac. shift selector valve.....5.636, 5.640
Cover, Valve push rod..... 0.439
Cover, Valve rocker arm..... 0.386
Cover, Valve spring cap..... 0.308
Cover, Wheelhouse access hole...12.944
Cover, Wheel..... 5.871
Cover, Wheel hub..... 5.858
Cover, Wheel side appearance... 5.871
Cover, W/S wiper motor..10.157, 16.065
Cover unit, Seat..... 9.550
Cover assembly, Steering wheel hub..... 6.512
Cover assembly, Tire..... 7.629
Cowl and dash assy.....12.803, 16.550
Cowl belt moulding & retainer....12.110
Cowl belt nut.....12.110
Cowl belt washer.....12.110
Cowl panel reinforcement.....12.805
Cowl side inner panel cover & seal.16.551
Cowl side panel.....12.804, 16.551
Cowl trim pad.....14.630
Cowl vent. adj. hdle. and lower link.....10.313, 16.130
Cowl vent. adjusting parts.....16.135
Cowl vent. cover.....16.125
Cowl vent. cover gasket.....10.331
Cowl vent. drain hose....10.344, 16.127
Cowl vent. handle.....16.130
Cowl vent. weatherstrip.....16.140
Crank, Accelerator rod..... 3.579
Crank hole cover..... 1.274
Crank, Parking brake bell..... 4.800
Crank, Starting..... 0.239
Crank, Trans. contl. rod idler..... 4.040
Crankcase frt. cover gasket..... 0.207
Crankcase frt. end cover..... 0.206
Crankcase frt. end cover seal.... 0.213
Crankcase frt. end cover bolt lock. 0.206
Crankcase oil filler..... 1.745
Crankcase ventilator assy..... 1.745
Crankcase ventilator tube bracket. 1.762
Crankcase ventilator valve..... 1.745
Crankshaft..... 0.646
Crankshaft bearing cap bolt..... 0.056
Crankshaft bearing dowel..... 0.107
Crankshaft bearing seal..... 0.137
Crankshaft bearing unit..0.096, 0.099, 0.101, 0.103, 0.106
Crankshaft brg. cap bolt lock & washer..... 0.060
Crankshaft center brg. cap..... 0.100
Crankshaft clutch pilot brg..... 0.649
Crankshaft clutch pilot brg. ret.... 0.650
Crankshaft frt. bearing cap..... 0.095
Crankshaft frt. end cover bolt & lock 0.206
Crankshaft frt. inter. brg. cap.... 0.098
Crankshaft harmonic balancer... 0.659
Crankshaft rear brg. cap..... 0.105
Crankshaft rear inter. brg. cap... 0.102
Crankshaft shim units.0.143, 0.146, 0.153
Crankshaft timing gear..... 0.728
Crankshaft to flywheel bolt..... 0.669
Cream, Body porcelainize wash... 8.800
Cross bar, Rear guard..... 7.828
Cross member brace..... 7.039
Cross member, Frame ext..... 7.009
Cross member, Frame front..... 7.010
Cross member, Frame second..... 7.011
Cross member, Frame third..... 7.012
Cross member, Frame 4th. and 5th. 7.013
Cross member, Frame rear..... 7.014
Cup assy., Vac. power brake check valve..... 4.657
Cup, Brake wheel cylinder piston.. 4.667
Cup, Distributor lubricating..... 2.364
Cup, Door arm rest finish.....14.688
Cup, Drive shaft pinion rear..... 5.484
Cup, Front wheel cylinder..... 4.667
Cup, Front wheel inner bearing... 6.316
Cup, Front wheel outer bearing... 6.317
Cup, Gearshift lever spring..... 4.027
Cup, Horn blowing ring contact... 2.819
Cup, Main cylinder piston..... 4.654
Cup, Pinion shaft front..... 5.447
Cup, Vac. brake cyl. piston..... 4.916
Cup, Vac. brake main cyl...4.910, 4.916
Cup, Vac. power brake cyl. relay valve..... 4.935
Curtain assy., Side.....17.270
Curtain, Back.....13.389, 17.274
Curtain roll up strap.....17.278
Cushion assy., Driver's seat.....14.928
Cushion assy., Passenger seat....14.968
Cushion, Center seat trimmed.....14.974, 16.715
Cushion, Direction signal lamp switch ring..... 2.895
Cushion, Distributor governor..... 2.365
Cushion, Door check link.....10.613
Cushion, Door dovetail bumper...10.582
Cushion, Door window stop adjusting..10.176, 11.013, 11.085
Cushion, Driver's seat.....14.928
Cushion, Engine mounting..... 0.027
Cushion, Engine side support..... 0.027
Cushion, Front seat.....14.878, 16.715
Cushion, Front seat back.....14.799
Cushion, Front seat trimmed.....14.878

Cushion, Rear seat trimmed 15.033
Cushion, Gearshift vac. power cyl. 4.046
Cushion, Horn blowing ring 2.816
Cushion, Propeller shaft bearing .. 5.439
Cushion protector, Glamour glide . 9.550
Cushion, Radiator support 1.270
Cushion, Rear seat 15.033
Cushion, Seat 16.715
Cushion, Seat back 16.720
Cushion assembly, Driver's seat ... 14.928
Cushion assembly, Passenger seat . 14.968
Cushion trim, Driver's seat 14.930
Cushion trim, Front seat .. 14.880, 16.717
Cushion trim, Passenger seat 14.970
Cushion unit, Bumper 7.828
Cylinder and parts, Door safety lock 16.328
Cylinder assy., Fldg. top vacuum .. 14.475
Cylinder assembly, Hydraulic brake main 4.650
Cylinder assy., Strg. gear hydraulic 6.576
Cylinder assy., Vacuum power brake 4.901
Cylinder assy., Vac. power gearshift 4.045
Cylinder assembly, Wheel brake .. 4.665
Cylinder block assy. 0.033
Cylinder, Door lock outside handle 10.550, 16.365
Cylinder, Door safety lock . 10.550, 16.328
Cylinder, Electrolock 2.188
Cylinder head 0.269
Cylinder head bolt 0.293
Cylinder head gasket 0.289
Cylinder, Hydraulic brake main ... 4.650
Cylinder, Ignition switch 2.188
Cylinder lock, seat separator 11.358
Cylinder, Rear comp. lid lock 12.248
Cylinder, Tire lock 7.680
Cylinder, Transmission servo 4.225
Cylinder, Vac. power brake 4.901
Cylinder, Wheel brake 4.665

D

Dash and cowl 12.803, 16.550
Dash brace 12.650
Dash panel instr. inspec. hole parts 12.802
Dash panel mat 15.280, 16.802
Dash panel mat fastener .. 15.282, 16.802
Dash panel P.B. reinforcement 4.648
Dash to frame reinforcement 12.650
Deck compartment floor pan 12.981
Deck front panel & rnfct. 12.971
Deck lid lock cyl. case 12.249
Deck lid lock handle key 12.251
Declene, Hydraulic brake 4.683
Deflector, Door panel water 10.471
Deflector, Door vent rain .. 10.670, 16.179
Deflector, Frt. door rain 10.674
Deflector, Frt. fdr. to cowl side panel 8.162
Deflector, Frt. hub or drum oil 6.323
Deflector, Gravel quarter panel ... 12.944
Deflector, Parking brake drum oil .. 5.610
Deflector, Prop. shaft and brg. 5.438
Deflector, Prop. shaft pinion 5.545
Deflector, Radiator 1.266
Deflector, Rad. grille air 1.266
Deflector, Rear axle housing oil ... 5.392
Deflector, Rear bumper 7.833
Deflector, Rear door vent. air 10.832
Deflector, Rear wheel hub oil 5.815
Deflector, Trans. countergear rear brg. oil 4.422
Deflector, Trans. main dr. gear brg. oil 4.374
Deflector, Ventilator air 9.784
Defroster and parts, Windshield ... 9.779
Defroster hose 9.779
Dial, Heater & evap. control face 8.852, 9.279
Dial, Heater controls 8.852
Dial, Ignition lock indicator 2.198
Dial, Trans. control indicator 4.038
Diaphragm assy., Vac. shift 2-spd. axle 5.635
Diaphragm, Carburetor governor .. 3.870
Diaphragm, Fuel pump pulsator 3.910, 3.904
Diaphragm, Trans. vacuum modulator 4.205
Diaphragm unit, Fuel pump 3.925
Diaphragm, Vac. brake relay control valve 4.947
Diaphragm, Vac. power brake cyl. 4.922
Diaphragm unit, Fuel and vacuum pump 3.925
Differential brg. adjusting nut 5.537
Differential brg. adjusting nut lock . 5.539
Differential carrier and cap assy... 5.505
Differential carrier assy. and prop. shaft hsg. 5.504
Differential carrier cap dowel & screw 5.506
Differential carrier gasket to axle hsg. 5.508
Differential case 5.510
Differential pinion gear 5.526
Differential pinion shaft 5.517
Differential pinion thrust washer ... 5.542
Differential side bearing 5.536
Differential side bearing cone 5.536
Differential side bearing cup 5.536
Differential side gear 5.528
Differential side gear thrust washer 5.543
Differential spider 5.520
Dimmer switch 2.459
Dipper, Connecting rod 0.604
Directional signal 2.880
Directional signal cancelling cam . 2.895
Direction signal lamp flasher socket 2.892
Directional signal lamp switch assy. 2.895
Directional signal lamp switch roller assy. 2.906
Direction signal lamp wedge 6.512
Directional signal lens 2.899
Disc assy., Prop. shaft brake 5.606
Disc, Carb. metering rod 3.811
Disc, Clutch 0.886
Disc unit, Wheel 5.871
Disc, Vac. shift selector 5.640
Dispenser, Tissue 8.891
Distributor and spark plug wire unit 2.239
Distributor breaker plate 2.385
Distributor cam 2.381
Distributor cap 2.367
Distributor cap spring 2.368
Distributor cap spring support 2.369
Distributor condenser 2.393
Distributor gear 2.374
Distributor gear attaching pin 2.379
Distributor, Heater air 9.786
Distributor, Ignition 2.361
Distributor point clamp screw 2.387
Distributor point unit 2.384
Distributor rotor 2.382
Distributor shaft 2.372
Distributor spring 2.364
Distributor terminal parts ... 2.400, 2.401
Distributor vacuum control 2.410
Distributor vac. control clamp arm . 2.414
Distributor vac. control coupling ... 2.420
Distributor vac. control cplg. gskt.. 2.421
Distributor vac. control diaphragm spring 2.416
Distributor vac. control screw 2.417
Distributor vac. control suction pipe 2.420
Distributor weight 2.388
Distributor weight and cam cover . 2.390
Distributor weight and cam plate .. 2.390
Distributor weight spring 2.389
Distributor wick 2.364
Division channel, Front door glass 10.686, 16.190
Dome lamp 11.925, 16.494
Dome lamp body assembly 11.927
Dome lamp bulb 11.928
Dome lamp cover assembly 11.929
Dome lamp door jamb switch 11.950
Dome lamp door jamb switch gasket 11.951
Dome lamp lens 11.928, 16.495
Dome lamp reflector 11.927
Dome lamp rim 11.928
Dome lamp switch 11.935
Dome lamp switch lever 11.965
Dome lamp switch plate 11.938
Door & qtr. mldg. attaching parts .. 12.118
Door arm rest, Front 14.686, 16.155
Door arm rest pad 16.155
Door assy., Parking lamp 2.593
Door, Back 10.390, 16.160
Door, Back-up lamp 2.697
Door belt moulding, Back 12.120
Door belt moulding, Front and rear 12.112, 12.114
Door bumper 16.400
Door bumper casing and screw ... 10.574
Door check link 10.606, 16.430
Door check link cushion 10.613
Door check link hold open casing .. 10.602
Door check link support 10.608
Door cover inner panel 16.167
Door dovetail bumper packing 10.578
Door dovetail bumper shoe 10.581
Door dovetail bumper spg. & cushion 10.582
Door, Frame stiffener bolt 10.379
Door, Front 10.351, 16.150
Door garn. moulding bumper 11.139
Door garn. mldg. finish mldg. and bead 11.086, 11.101
Door, Gas tank filler 12.944

Door glass division channel and stud, Rear 10.829
Door glass, Front 10.681, 16.180
Door glass lwr. sash chnl. cam, Front 10.687
Door glass lwr. sash chnl. filler and w/strip 10.696
Door glass, Rear 10.741
Door glass run channel retainer .. 10.703
Door glass sash channel 10.689
Door glass sash channel bumper 10.716, 16.190
Door glass sash channel washer .. 16.190
Door glass weatherstrip ... 16.183, 16.470
Door handle gasket 16.353
Door handle lock sleeve 16.370
Door handle outside, Non-locking .. 16.360
Door handle push button and parts 10.529, 16.353
Door header weatherstrip 16.223
Door, Headlamp 2.728
Door hinge cover plate, Front 10.469
Door hinge, Front . 10.450, 10.454, 16.320
Door hinge, Rear 10.456, 10.460
Door, Ignition, Glove box, Trunk, Gas tank cap, Tire lock, Key ... 2.187
Door inside lock lever screw 16.392
Door inside lock to knob rod 10.563
Door inside locking control lever .. 10.556
Door inside locking rod knob 10.559
Door inside locking rod clip & washer 10.565
Door inside trim panel 16.165
Door, Instr. panel compt. . 10.261, 16.110
Door, License lamp 2.706
Door lock 10.470, 10.473, 16.330
Door lock, Back 10.479, 16.330
Door lock cyl. to handle clip 16.375
Door lock cyl. tumbler unit 10.553
Door lock handle lock shaft 10.554
Door lock inside handle ... 10.512, 16.333
Door lock inside handle escutcheon 10.515
Door lock inside handle escn. spring 10.516
Door lock inside handle ret. & spring 10.513
Door lock panel assy. 10.355
Door lock remote control conn. link, rod, and clip 10.506
Door lock remote control handle ... 16.345
Door lock remote control spacer ... 16.345
Door lock remote control spring 16.341
Door lock remote control washer ... 16.345
Door lock striker 10.569, 16.335
Door lock striker adj. & anchor plate 10.571
Door locking handle cylinder 10.550, 16.365
Door lower trim pad 14.685, 14.760
Door opening finishing mldg., Back 10.393
Door opening step mat 15.290
Door opening weathercord assy. 14.665, 14.735
Door opening weatherstrip and ret. 10.694, 16.225, 16.230
Door outside handle ferrule, gskt. and grommet . . 10.537, 10.538, 16.353
Door outside handle, Plain 10.534
Door outside handle safety screw . . 10.540
Door outside lock handle 10.527, 16.350
Door outside lock handle pawl 10.531, 16.385
Door outside lock handle pin 10.551, 16.385
Door outside lock handle spacer . . 16.385
Door outside handle gskt. unit 10.538
Door outside handle ret. and parts . 10.551
Door, Package compartment 10.359
Door panel water deflector 10.471
Door, Parking lamp 2.593
Door rain deflector, Front 10.674
Door, Rear 10.373
Door, Rear license lamp 2.706
Door rocker panel 12.934
Door rocker panel extension 12.934
Door rocker panel filler 12.934
Door safety lock cyl. parts 16.328
Door safety lock cylinder 10.550
Door safety lock retainer and parts. 10.551
Door sash channel cam, Rear 10.748
Door sash channel stud, Rear 10.749
Door side bumper 10.587
Door sill panel 16.603
Door sill plate 11.175, 11.179
Door, Tail and stop lamp 2.681
Door trim finish moulding, Front ... 14.691
Door trim finish moulding, Rear 14.764
Door trim pad replacement tab & clip 14.683
Door trim panel mldg., Side 16.166
Door upholstery 15.500
Dr. vent. div. upr. glass run chnl. rivet 10.829
Dr. vent div. chnl. weatherstrip ... 10.829
Door vent. hndle. escn. plate, Front. 10.665
Door vent. hdle. escn. spring, Front . 10.666
Door vent. lock & parts, Front 10.659, 10.660
Door vent. pivot and clamp, Front .. 10.669
Door vent. regulator handle, Front . 10.664
Door vent. reg. handle catch, Rear . 10.824
Door vent. weatherstrip, Front 10.652
Door ventilator air deflector, Rear .. 10.832
Door ventilator assy., Front 10.650
Door ventilator frame, Front 10.656
Door ventilator glass channel, Front 10.655
Door ventilator glass, Front 10.658
Door ventilator glass, Rear 10.827
Door ventilator tee shaft 10.657
Door ventilator rain deflector 16.179
Door ventilator, Rear 10.820
Door ventilator weatherstrip, Rear . 10.822
Door ventilator stop and shaft, Rear 10.825
Door weathercord 15.520
Door weatherstrip clip, fastener, stud and screw 10.695
Door window division chnl. stud ... 10.704
Door window garnish mldg. weatherstrip ... 11.084, 11.102, 16.290
Door window glass frame 16.181
Door window glass roller bumper .. 10.726
Door window glass run chnl., Rear . 10.759
Door window guide 10.728
Door window reg. . 10.783, 10.791, 16.260
Door window reg. handle . 10.797, 16.270
Door window regulator cam 10.792
Door window regulator coil spring . 10.794
Door window regulator handle escn 10.805
Door wind. reveal mldg. clip 10.708
Door window weatherstrip, Rear ... 10.774
Double reduction gear bolt 5.479
Double reduction gear with pinion . 5.478
Double reduction pinion 5.461
Double reduction pin. brg. & cover . 5.462
Double reduction pin. brg. cov. gskt. 5.463
Double reduction pin. brg. cover shim 5.464
Double reduction shifter sleeve 5.492
Double reduction shifter yoke 5.490
Dowel, Clutch hsg. to cyl. block 0.685
Dowel, Crankshaft bearing 0.107
Dowel, Diff. carrier cap 5.506
Dowel, Differential shifter sleeve anchor 5.512
Dowel, Flywheel 0.669
Dowel, Propeller shaft hsg. bshg 5.450
Drain cock 8.951
Drain cock, Radiator 1.229
Dripless oil, Penetrating 8.800
Drive assy., Starter motor 2.086
Drive assy., W/S wiper motor aux. . 10.157
Drive gear, Speedometer 4.337
Drive plate, Transmission clutch . . 4.163
Driven plate, Transmission clutch . . 4.163
Driver seat adjuster and parts 16.682
Driver seat assy., Adjustable 14.896
Driver seat attaching plate 16.686
Driver seat back hinge link 16.686
Driver seat back hinge link bushing 16.686
Driver seat back hinge link washer. 16.686
Driver seat cushion valve 16.715
Driver seat support bracket 16.686
Drum assy., Brake 5.809
Drum assy., Trans. brake 4.187
Drum assy., Trans. clutch 4.184
Drum, Front and rear brake 5.809
Drum, Planet reverse 4.190
Drum, Prop. shaft brake 5.615
Drum, Prop. shaft prkg. brake (dual) 5.610
Drum, Trans. clutch 4.162, 4.169
Duct, Air cleaner 3.407
Duct assy., Air distribution 9.262
Duct, Air flow 9.786
Duct, Heater and defroster . . 9.779, 9.786
Duct, Muffler tail pipe 3.705

E

Eccentric, Trans, reverse shifter lever 4.302
Elbow, Air cleaner 3.704
Elbow assy., Air flow duct 9.782
Elbow assy., Vacuum power brake cylinder 4.931
Elbow, Axle gearshift vac. hose 5.638
Elbow, Carburetor fast idle 3.766
Elbow, Fldg. top vacuum tube 14.473
Elbow, Gas filter, Sixty degree 3.890
Elbow, Oil filter fitting 1.855
Elbow, Power brake 3.278

Elbow, Strg. gear hyd. valve pipe to cyl. 6.679
Elbow, Vac. power brake cyl. 4.931
Electrolock assy. 2.188
Electrolyte fluid, Battery 2.332
Element, Air cleaner 3.410
Element, Cigarette lighter heating 9.709
Element, Expansion valve filter 9.214
Element, Gas filter 3.890
Element, Oil Filter 1.836
Emblem, Fender 8.147, 12.114
Emblem, Hood front 8.055
Emblem, Horn button 2.820
Emblem, Insert, End gate 17.615
Emblem, Instrument panel 10.252
Emblem, Radiator 1.303
Emblem, Radio grille 10.256
Emblem, Rear compartment 12.246
Emblem, Rear compartment lid 12.182
Emblem, Rear door outer panel 12.116
Emblem, Rear fender rear section 12.116
Emblem, Rear quarter outer panel 12.116C
End, Accel. control rod 3.430
End, Door window reveal moulding 10.708
End gate assy. 12.179, 17.185, 17.615
End gate cable retainer 17.222
End gate chain assy. 17.635
End gate chain bracket 17.635
End gate chain eye 17.635
End gate control 17.198
End gate finish cover, Upper 12.195
End gate frame assy., Upper 12.178
End gate glass 12.180, 17.190
End gate glass channel 12.180
End gate handle escutcheon 12.250
End gate handle, Less cyl. 12.246
End gate hdle., w/cyl. & keys 12.247, 17.204
End gate handle ring 12.250
End gate hinge 12.184, 17.208
End gate hinge bracket 17.625
End gate hinge parts 17.208
End gate hinge trunnion 17.625
End gate inner transfer 12.195
End gate lock 12.242, 17.198
End gate lock bracket 12.233
End gate lock catch 17.198
End gate lock cover 12.241
End gate lock handle parts 17.204
End gate lock striker 12.237, 17.200
End gate moulding 12.180, 12.195
End gate plate 12.237
End gate skid strip 12.195
End gate spring 17.198, 17.202
End gate supt. arm & bracket assy 12.203
End gate support bracket knob 12.205
End gate support cable 17.222
End gate support reel 17.222, 17.635
End gate weatherstrip 12.269, 17.185, 17.190
End, Steering connecting rod 6.870
End, Tie rod 6.233
End unit, Side member extension 7.009
Engine assy. 0.000
Engine block assy., Partial 0.033
Engine cover 16.549
Engine exhaust manifold lock 3.601
Engine exhaust muffler 3.701
Engine front mounting plate 0.004
Engine front mounting plate gasket 0.005
Engine front mounting top plate 0.027
Engine gasket unit 0.010
Engine ground strap 2.348
Engine mounting bolt lock 0.003
Engine mounting bolt, Nut & washer 0.002
Engine mounting brace 0.029
Engine mounting parts 0.002, 0.027
Engine rear support 7.229
Engine rear support brace 7.228
Engine side support bracket 0.027
Engine shield 1.287
Equalizer, Parking brake 4.765
Escutcheon, Ash tray 12.048
Escutcheon, Assist strap 15.394
Escutcheon, Auxiliary top 13.393
Escutcheon, Back window garn. mldg. 11.133
Escutcheon, Back window glass reveal moulding 11.209
Escutcheon, Body floor 11.370
Escutcheon, Cigarette 9.709
Escutcheon, Defroster opening 10.252
Escutcheon, Door lock inside handle 10.515
Escutcheon, Door outside handle 10.536
Escutcheon, Door window reg. handle 10.805
Escutcheon, Elec. window lift 10.777
Escutcheon, End gate handle 12.250
Escutcheon, End gate hinge 12.184
Escutcheon, Folding seat back 14.818
Escutcheon, Frt. door trim finish mldg. 14.691
Escutcheon, Frt. seat adjusting 11.562, 11.589
Escutcheon, Gearshift 4.015
Escutcheon, Instr. panel compt. door knob 10.267
Escutcheon, Lighting switch rod 2.487
Escutcheon, Quarter window garnish moulding 11.133
Escutcheon, Moulding side rail 14.651
Escutcheon, Lighting switch rod 2.487
Escutcheon, Qtr. window reg. handle 11.047
Escutcheon, Qtr. window reveal mldg. 11.031
Escutcheon, Rear compt. lid lock 12.249
Escutcheon, Rear quarter trim 15.101
Escutcheon, Robe cord 11.878
Escutcheon, Roof panel header 12.810
Escutcheon, Side trim panel mldg. 15.264
Escutcheon, W/S division outer 10.052
Escutcheon, W/S garn. mldg. 10.050
Escutcheon, W/S upper reveal moulding 10.096
Escutcheon, Windshield wiper control 10.164
Escutcheon, W/S wiper trans. 10.160
Exhaust manifold 3.601
Exhaust mfld. cover 3.602
Exhaust mfld. valve shaft weight 3.655
Exhaust mfld. heat control therm. 3.640
Exhaust mfld. heat cont. valve shaft 3.650
Exhaust mfld. to exh. pipe flange stud 3.275
Exhaust pipe bracket 3.616
Exhaust pipe packing 3.611
Exhaust pipe ring 3.611
Exhaust pipe support spring 3.616
Exhaust pipe "U" bolt 3.708
Exhaust unit, R.H. installation 3.609
Exhaust valve 0.297
Exhaust valve rotator assy. 0.309
Exhaust valve stem guide 0.283, 0.286
Expansion plug 0.034, 8.970
Extension, Chassis wiring 2.555
Extension, Clutch hsg. 0.679
Extension, Door opening carpet 11.176
Extension, Door rocker outer panel 12.934
Extension, Floor pan 12.980
Extension, Flywheel underpan 0.679
Extension, Frame 7.009
Extension, Frt. body hinge pillar 12.840
Extension, Frt. fender 8.131, 8.153, 8.164
Extension, Frt. fender side moulding 8.132
Extension, Frt. seat 11.358, 11.362
Extension, Frt. seat back w/springs 11.373
Extension, Hand brake lever 5.150
Extension, Muffler tail pipe 3.705
Extension, Prkg. brake pull back spring 4.827
Extension, Qtr. window glass run 11.021
Extension, Rad. grille baffle 1.286
Extension, Rad. grille filler panel 1.287
Extension, Rear body lock pillar 12.944
Extension, Rear compt. floor pan 12.981
Extension, Rear door shield 12.114
Extension, Rear quarter side inner 12.941
Extension, Roof panel 12.810
Extension, Seat back partition panel 11.373
Extension, Side roof inner 12.957
Extension, Trans. rear bearing 4.317
Extension, Turret top roof outer 12.810
Extension, Wheel carrier clamp bolt 7.632
Eye, Brake adjusting rod end 5.615
Eye, Brake pull rod 4.824
Eye, End gate chain 17.635
Eye unit, Autronic 2.459
Eyelet, Door panel 14.685
Eyelet, Top hold down strap 13.426

F

Fabric, Coated (vinyl) 15.506
Face bar, Bumper 7.831
Face, Clock 9.772
Face, Instrument cluster 9.748
Facing, Back body opening 12.968
Facing, Brake shoe 5.018
Facing, Parking brake shoe 5.610
Facing unit, Prop. shaft brake 5.615
Fan assy., Heater 8.857
Fan belt and generator belt 1.066
Fan blade 1.064
Fan, Defroster 9.779
Fan, Evaporator blower motor 9.216
Fan, Hot water heater 8.857
Fan pulley 1.062
Fastener, Body center pillar 14.730
Fastener, Dash panel instrument inspection hole cover 12.802

Fastener, Dash panel mat. 15.282, 16.802
Fastener, Door weatherstrip. 10.695
Fastener, End gate. 12.269
Fastener, Hood moulding. 8.005
Fastener, Hood top mldg. 8.056
Fastener, Radiator shell mldg. 1.269
Fastener, Running board mldg. . . . 8.309
Fastener, Stake rack. 17.522
Fastener, Top and dust boot. 13.384
Fastener, Wheel cover panel. 8.176
Felt, Body lining deadener. 15.492
Felt, Front wheel bearing. 6.326
Felt washer. 8.927
Fender and fender cap mldg., Front 8.133
Fender anti-squeak, Front. 8.161
Fender baffle, Front. 8.164
Fender bolt, nut, screw & wshr., Frt. 8.143
Fender brace and iron, Rear. 8.212
Fender brace, Front. 8.144
Fender cap brace, Front. 8.133
Fender cap, Front. 8.131
Fender crown moulding. . . 12.114, 12.116
Fender crown moulding ret. 12.116, 12.118
Fender emblem. 12.114
Fender, Front. 8.130
Fender guard. 7.827
Fender moulding. 12.116
Fender moulding, Front. 8.132
Fender moulding, Rear. 8.204
Fender name plate, Front. 8.147
Fender, Rear. 8.203
Fender retainer nut. 12.751
Fender retainer, Rear. 8.214
Fender screw and bolt, Rear. 8.206
Fender shield. 8.214, 12.114, 12.116
Fender shield attaching clip assembly. 12.116, 12.118
Fender skirt brace and brkt., Front. 8.155
Fender skirt extension brkt., Front. . 8.153
Fender skirt seal, Front. 8.154
Fender step panel pad, Front. 8.148
Fender support bracket, Front. 8.145
Fender support, Front. 8.141
Ferrule, Door outside handle. 10.537, 16.350
Ferrule, Door vent. catch. 10.659
Ferrule, Lighting switch rod. 2.487
Ferrule, Rear compt. lock handle. . 12.247
Ferrule, Spare tire cover. 12.579
Fibers, chopped glass. 12.800
Field assy., w/s wiper motor. 10.150
Field, Window regulator motor. . . . 10.783
Filler, Body rear and panel. 12.986
Filler, Center body qtr. panel lower. 12.491
Filler, Center pillar belt. 12.113
Filler, Crankcase oil. 1.745
Filler, Door glass lwr. sash. . . 10.685, 10.696, 10.747, 11.007
Filler, Door hinge pillar belt. 10.694
Filler, Door opening step. . . 8.148, 16.600
Filler, Door rocker outer panel. 12.934
Filler, Door sill plate. 11.175
Filler, Door weatherstrip. 10.694
Filler, Door window glass. 10.759, 16.183
Filler, Fldg. top front roof rail. 14.070
Filler, Front door sill. 11.175
Filler neck and hose, Gasoline tank 3.003
Filler plug, Axle. 5.400
Filler, Powdered plastic. 12.800
Filler, Radiator grille baffle. 1.286
Filler, Rear body lock pillar. 12.944
Filler, Rear compartment lid hinge. 12.185
Filler, Windshield. 16.010
Filler, W/shield div. mldg. 10.054
Filler, W/shield upper frame. 14.070
Fillister slotted head bolt. 8.907
Filter, Automatic hdlp. control. . . . 2.463
Filter, Hyd. strg. pump. 6.630
Filter, Oil. 1.835
Filter unit, Fuel. 3.890
Fitting, Compressor. 9.226
Fitting, Horizontal seat motor. 11.556
Fitting, Lubrication. 8.984
Fitting, Pipe. 8.963
Fitting, Prop. shaft brg. ret. lub. . . . 5.439
Fitting, Rocker arm shaft oil. 1.928
Fitting, Speedometer driven gear. . 4.338
Fitting, Steering knuckle lub. 6.166
Fitting, Tie rod lubricating. 6.233
Fitting, Upper control arm shaft lub. 6.166
Fitting, Vac. brake cylinder. 4.930
Fitting, Water temp. (engine unit). 1.150, 8.963
Fittings, Manifold. 3.278
Fittings, Oil pipe. 1.531
Fittings, Windshield wiper. 10.155, 16.066
Flange assembly, Transmission low sun gear and clutch. 4.162
Flange, Exhaust pipe packing. . . . 3.610
Flange, Oil pan drain. 1.453
Flange, Park brake lever hsg. dash. 4.606
Flange plate bolt. 5.002
Flange plate shield. 5.002
Flange, Propeller shaft pinion. 5.545
Flange, Trans. governor drive. . . . 4.259
Flange, Trans. low sun gear & clutch 4.162
Flange, Universal joint yoke. 5.555
Flap, Rear fender. 8.214
Flasher, Signal lamp. 2.892
Flasher assy., Parking brake. 4.589
Flat slotted head bolt. 8.908
Fldg. seat back retainer. 11.380
Fldg. seat back retainer cover. . . . 11.380
Fldg. seat back stop, top & side. . . . 11.380
Fldg. seat back support. 11.380
Fldg. seat bottom cushion hinge assy. 11.380
Fldg. seat hinge cover. 11.380
Fldg. seat supt. ret. collar. 11.380
Fldg. seat upper to lower hinge bolt. 11.380
Fldg. top auxiliary bow. 14.130
Fldg. top bow bumper. 14.270
Fldg. top control link assy. 14.140
Fldg. top female hinge. 14.310
Fldg. top female hinge bolt & bshg. 14.320
Fldg. top frt. roof rail. 14.050
Fldg. top frt. roof rail catch. 14.080
Fldg. top frt. roof rail filler. 14.070
Fldg. top frt. roof rail handle. 14.080
Fldg. top frt. roof rail hdle. supt. . . . 14.080
Fldg. top frt. roof rail striker. 14.090
Fldg. top frt. roof rail stud. 14.090
Fldg. top frt. roof rail w/strip. 14.060
Fldg. top guide plate. 14.090
Fldg. top header. 14.050
Fldg. top hyd. pump motor. 14.481
Fldg. top motor and pump parts. . . 14.482
Fldg. top No. 1 bow. 14.215
Fldg. top No. 1 bow bolt & bushing. 14.225, 14.250
Fldg. top No. 1 bow link. 14.280
Fldg. top No. 1 bow link bolt & bshg. 14.300
Fldg. top rear bow. 14.340
Fldg. top rear bow slat iron. 14.350
Fldg. top scuff pad. 14.050
Fldg. top side rail link bolt & bshg. 14.155
Fldg. top side roof rail. . . . 14.100, 14.170
Fldg. top side roof rail bolt. 14.110, 14.180
Fldg. top side roof rail link. 14.140
Fldg. top side roof rail retainer. 14.120, 14.190, 14.260
Fldg. top side roof rail w/strip. 14.120, 14.190, 14.260
Float, Carburetor. 3.745
Floor and toe pan plate. 12.565
Floor board mat. 16.800
Floor board panel and retainer. . . 16.545
Floor board wear iron. 17.030, 17.438
Floor carpet, Rear. 15.306
Floor mat, Front. 15.286, 16.800
Floor pan. 12.980, 16.545
Floor pan extension. 12.980
Fluid, Automatic transmission. 4.101
Fluid, Brake. 4.683
Fluid coupling cover assy. 4.118
Fluid, Electrolytic. 2.332
Fluid, Shock absorber. 7.345, 6.386
Flush, Radiator. 8.800
Flywheel. 0.666
Flywheel bolt, Nut & lock. 0.669
Flywheel cover. 0.686, 0.679
Flywheel dowel. 0.669
Flywheel extension & underpan. . . 0.679
Fldg. top and dust boot fastener. . . 13.384
Fldg. top and dust boot stud. 13.384
Fldg. top circuit breaker. 14.490
Fldg. top compt. panel & plate. . . . 12.989
Fldg. top control rod. 14.471
Fldg. top control valve. 14.465
Fldg. top cont. valve knob. 14.467
Fldg. top cover bushing. 13.352
Fldg. top cover retainer. 13.352
Fldg. top cover trim assy. 13.347
Fldg. top cover w/strip. 13.352
Fldg. top cyl. assy. 14.475
Fldg. top female hinge support. . . . 14.310
Fldg. top frt. roof rail w/strip ret. . 14.060
Fldg. top hyd. motor & pump bail. . . 14.486
Fldg. top hyd. motor & pump gskt. . . 14.486
Fldg. top hyd. motor & pump mtg. . . 14.486
Fldg. top hyd. motor & pump reservoir. 14.486
Fldg. top motor and pump. 14.481
Fldg. top motor switch. 14.483
Fldg. top rear quarter gutter. 12.945
Fldg. top side roof rail bushing. 14.110
Fldg. top side roof rail trim. 13.349
Fldg. top vacuum hose. 14.472
Fldg. top vac. tube elbow. 14.473
Fork, clutch release. 0.795

Fork, gearshift 4.303
Fork, Trans. overdrive shifting 4.490
Fork unit, Clutch release 0.795
Foundation, Door trim 14.685
Foundation, Rear seat back finish . 15.222
Frame and spring assy., Seat cushion 11.610
Frame assembly 7.003
Frame assy., Front seat back 11.373
Frame assy., Front seat bottom 11.419
Frame assy., Rear seat back 11.628
Frame assy., Seat . 11.357, 11.607, 16.679
Frame assy. Seat Cushion. w/spring 16.716
Frame assy., Upper end gate 12.178
Frame, Back curtain glass 13.393
Frame cross member ,Front 7.010
Frame cross member, Rear 7.014
Frame cross member, 2nd 7.011
Frame cross member, 3rd and 4th .. 7.012
Frame, Door vent. glass 10.655
Frame, Door window glass 16.181
Frame extension 7.009
Frame, Front door vent 10.656, 16.175
Frame, Generator commutator end. 2.297
Frame, License plate 9.777
Frame parts, Sub 7.008
Frame, Running board mat 8.315
Frame, Side dr. vent w/div. chnl. .. 16.175
Frame side member assy. 7.006
Frame, Starting motor end 2.067
Frame to bumper attach. bar brkt .. 7.869
Frame, Trans. cont. indicator dial .. 4.038
Frame unit, Generator drive end ... 2.305
Frame, Windshield 12.807, 12.808
Frame, W/S glass, Bottom and side 10.009, 16.010, 16.110
Frame, W/shield inner side 12.808
Freewheel, Trans. front drive sun gear 4.158
Friction spring pin, Brake shoe 5.030
Frt. axle tie rod 6.230
Frt. body hinge pillar 12.840, 16.507
Frt. body pillar trim retainer and screw 14.668
Frt. brake radius rod 5.011
Frt. door 10.351, 16.150
Frt. door belt moulding 12.112
Frt. door box assy. 10.450, 10.454
Frt. dr. glass lwr. sash chnl. 10.685, 16.190
Frt. door hinge hold open rivet 10.444
Frt. door hinge hold open spring ... 10.444
Frt. door hinge to body screw 10.463
Frt. door lock spacer 16.335
Frt. door lock to spring screw 10.474
Frt. door lower trim pad assy. 14.685
Frt. door panel 12.895
Frt. door sill plate 11.175
Frt. door sill plate support 11.175
Frt. dr. trim finish mldg. escn. 14.691
Frt. dr. upr. hinge on body plate ... 10.450
Frt. door ventilator w/strip 10.652
Frt. dr. wind. glass div. chnl. scalp 10.686
Frt. dr. wind. glass run. chnl. cap. 10.702
Frt. door wind. stop bumper 10.716
Frt. door window weatherstrip 10.710
Frt. fender 8.130
Frt. fender extension assy. 8.164
Frt. fender mldg. 8.132
Frt. fender mldg. retainer 8.133
Frt. floor carpet 15.300
Frt. floor mat 15.286
Frt. prop. shaft bearing retainer ... 5.433
Frt. prop. shaft bearing seal 5.433
Frt. propeller shaft housing 5.435
Frt. seat adjuster assembly. 11.561, 16.682
Frt. seat adjuster handle .. 11.588, 16.682
Frt. seat adjuster spring ... 11.581, 16.682
Frt. seat adjuster rod support 11.562
Frt. seat adjuster stop assy. 11.562
Frt. seat adjuster stop plate 11.562
Frt. seat adjusting knob escn. 11.589
Frt. seat adjusting lock rod 11.589
Frt. seat back bumper 11.381
Frt. seat back frame assy. 11.373
Frt. seat back outer panel 14.810
Frt. seat back robe cord 11.898
Frt. seat back trim assy. 14.800, 14.900
Frt. seat bottom frame assy. 11.419
Frt. seat cushion pad 14.890
Frt. seat cushion cover trim assy. 14.970
Frt. seat cushion trim assy. 14.930
Frt. seat hinge arm cover plate 11.375
Frt. seat hinge arm seat back stop . 11.375
Frt. seat hinge arm support & brkt .. 11.375
Frt. seat side and back side panel trim assy. 14.860
Frt. seat side panel assy .. 11.362, 14.860
Frt. seat side trim moulding 14.818
Frt. spring 6.361
Frt. spring assembly 7.412
Frt. spring bumper plug 6.176
Frt. stab. link bushing 7.244
Frt. stab. link bushing plate 7.245
Frt. stabilizer link pin 7.238
Frt. stabilizer shaft rnfct. 7.242
Frt. stabilizer shaft "U" bolt 7.242
Frt. suspension conv. unit 6.005
Frt. suspension cross member 6.008
Frt. wheel 5.803
Frt. wheel bearing felt 6.326
Frt. wheel hub 6.307
Fuel filter 3.890
Fuel & Vac. pump oil seal 3.930
Fuel & Vac. pump oil seal retainer . 3.930
Fuel pump assy. 3.900
Fuel pump bowl & parts 3.903
Fuel pump diaphragm spring 3.927
Fuel pump diaphragm unit 3.925
Fuel pump repair kit 3.901
Fuel pump to carburetor pipe 3.163
Fuel pump to cyl. case gasket 3.932
Fuel pump valve retainer 3.916
Fulcrum, Parking brake 4.606
Fuse block 2.483
Fuses 8.965

G

Garn. mldg., Back door window .. 16.290
Garn. mldg. clip 11.133
Garn. mldg., Front door window 11.075, 16.290
Garn. mldg. lace 14.680
Garn. mldg., Qtr. window 11.119
Garn. mldg., Rear door window ... 11.089
Garn. mldg., Side window 17.136
Garn. mldg., Windshield .. 10.051, 16.013
Gas filter unit and parts 3.890
Gas gauge terminal separator 3.112
Gas or oil flexible pipe 3.163
Gas tank cap 3.028
Gas tank filler cap gasket 3.029
Gas tank filler door & parts 12.944
Gas tank filler door guard unit ... 12.944
Gas tank filler neck 3.003
Gas tank filler neck compt. adapter plate 12.944
Gas tank filler neck compt. pocket . 12.944
Gas tank filler neck cover 12.944
Gas tank filler neck hole plug 8.208
Gas tank filler neck seal 3.008
Gas tank gauge 3.107
Gas tank gauge gasket 3.112
Gas tank instrument panel gauge . 3.108
Gas tank strap 3.022
Gas tank strap bolt 3.023
Gasket, Air cleaner to carb. 3.403
Gasket, Air cleaner oil reservoir .. 3.406
Gasket, Air cond. comp. oil fitting . 9.177
Gasket, Automatic choke therm. contl. 3.750
Gasket, Automatic hdlp. control 2.461, 2.463
Gasket, Axle housing cover 5.399
Gasket, Axle hsg. to diff. carrier .. 5.508
Gasket, Axle shifter vac. power unit 5.635
Gasket, Back-up lamp 2.697
Gasket, Brake drum 5.811
Gasket, Carb. air horn 3.731
Gasket, Carb. body 3.735
Gasket, Carb. bowl cover 3.738
Gasket, Carb. choke hsg. to air horn 3.750
Gasket, Carb. dust cover 3.732
Gasket, Carburetor fuel inlet 3.740
Gasket, Carb. governor 3.870
Gasket, Carb. low speed jet 3.798
Gasket, Carb. nozzle screw 3.776
Gasket, Carb. passage screw 3.834
Gasket, Carb. power valve 3.858
Gasket, Carb. pump jet hsg. 3.844
Gasket, Carb. strainer nut 3.740
Gasket, Carb. strainer screen ret .. 3.841
Gasket, Carb. therm. hsg. cover .. 3.750
Gasket, Carburetor throttle 3.762
Gasket, Carb. throttle body 3.729
Gasket, Carb. to manifold 3.726
Gasket, Cluster face glass 9.749
Gasket, Comp. coil insulator 9.186
Gasket, Compressor head mtg. 9.174
Gasket, Comp. pressure relief valve 9.178
Gasket, Copper-asbestos 8.955
Gasket, Cowl ventilator cover 10.331
Gasket, Crankcase front end cover 0.207
Gasket, Cylinder head 0.289
Gasket, Diaphragm, Vac. shift 5.635
Gasket, Distributor mtg. 2.363
Gasket, Distr. vac. control coupling 2.421
Gasket, Dome lamp door switch ... 11.951
Gasket, Door handle 10.538, 16.353
Gasket, Door outside handle ferrule 10.538

Gasket, Double reduction pinion brg. cover 5.463
Gasket, Engine front mounting plate 0.005
Gasket, Evaporator blower 9.216
Gasket, Evaporator case 9.211
Gasket, Exhaust pipe flange 3.611
Gasket, Fldg. top hyd. motor & pump 14.482, 14.486
Gasket, Freon glass inspection 9.202
Gasket, Fuel pump bowl 3.904
Gasket, Fuel pump to cyl. case 3.932
Gasket, Gas filter head 3.890
Gasket, Gas tank filler cap 3.029
Gasket, Gas tank gauge 3.112
Gasket, Gearshift lever ball hsg. 4.023
Gasket, Gen. commutator end 2.300
Gasket, Gen. drive end 2.307
Gasket, Headlamp to fender 2.722
Gasket, Heater air inlet housing 9.782
Gasket, Heater blower mtg. 8.857
Gasket, Hub cap 5.866
Gasket, Instrument case 9.746, 9.749
Gasket, Intake to exhaust mfld. 3.272
Gasket, Main cylinder cover 4.663
Gasket, Main cylinder filler plug 4.651
Gasket, Main cyl. head outlet 4.652
Gasket, Main cylinder outlet fitting 4.661
Gasket, Manifold 3.270
Gasket, Oil distributor 1.790
Gasket, Oil filler tube cap 1.517
Gasket, Oil filter 1.844
Gasket, Oil filter drain plug 1.844
Gasket, Oil pan drain screw 1.456
Gasket, Oil pump cover 1.724
Gasket, Oil pump screen cover 1.664
Gasket, Oil supply pump 4.203
Gasket, Park. lamp fender seal 2.599
Gasket, Park. lamp lens 2.590
Gasket paste, Perfect seal 8.800
Gasket, Pinion bearing retainer 5.476
Gasket, Prop. shaft "U" joint trunnion 5.560
Gasket, Radiator filler cap 1.206
Gasket, Rear axle filler plug 5.401
Gasket, Rear axle housing cover 5.399
Gasket, Rear compt. lid lock cyl. 12.247
Gasket, Rear license lamp lens 2.707
Gasket, Rear license plate cover 9.777
Gasket, Shock absorber cover 4.651
Gasket, Side roof rail 10.721
Gasket, Spark plug 2.271
Gasket, Starting motor 2.102
Gasket, Starterator vac. control coupling 2.017
Gasket, Strg. gear hyd. pump 6.609
Gasket, Strg. gear end cover 6.825
Gasket, Strg. gear hsg. 6.805
Gasket, Strg. gear hsg. side cover. 6.809
Gasket, Strg. gear hyd. pump reservoir bolt 6.635
Gasket, Strg. gear hyd. pump reservoir cover 6.635
Gasket, Strg. gear power cylinder. 6.577
Gasket, Suction & discharge valve cap 9.226
Gasket, Tail and stop lamp socket. 2.694
Gasket, Tail & stop lamp to fender. 2.660
Gasket, Tail lamp lens 2.684
Gasket, Tail lamp outlook lens 2.686
Gasket, Thermostat housing 1.252
Gasket, Trans. case cover 4.109
Gasket, Trans. governor cover 4.256
Gasket, Trans. low & drive valve 4.265
Gasket, Trans. main drive gear brg. retainer 4.358
Gasket, Trans. modulator housing. 4.208
Gasket, Trans. oil filler to cover 4.105
Gasket, Trans. oil pan 4.196
Gasket, Trans. oil pan plug 4.195
Gasket, Trans. overdrive 4.460
Gasket, Trans. power take-off cover 4.440
Gasket, Trans. pump 4.223
Gasket, Trans. rear brg. retainer 4.318
Gasket, Trans. rear oil pump 4.203
Gasket, Trans. rr. servo body 4.239
Gasket, Trans. servo cover 4.212
Gasket, Trans. thermostat valve spring plug 4.216
Gasket, Trans. valve body to case. 4.217
Gasket, Trans. valve body to housing 4.217
Gasket unit, Carb. replacement 3.724
Gasket unit, Engine 0.010
Gasket unit, Oil pan 1.429
Gasket unit, Trans. 4.005
Gasket unit, Trans. overdrive 4.460
Gasket unit, Wheelhouse access hole cover 12.944
Gasket, Vac. brake cylinder 4.904
Gasket, Vac. brake cyl. air cleaner 4.913
Gasket, Vac. brake cyl. end plug 4.910
Gasket, Vac. brake cyl. relay valve 4.944
Gasket, Vac. brake cyl. valve body 4.940
Gasket, Vac. brake cyl. valve body cover 4.940
Gasket, Vac. brake hyd. cyl. pipe fitting adapter 4.957
Gasket, Vac. power brake cyl. 4.931
Gasket, Vacuum power brake cyl. air cleaner cover 4.913
Gasket, Vac. pwr. brake vac. cyl. diaphragm 4.922
Gasket, Vac. shift selector valve cover 5.640
Gasket, Valve push rod cover 0.443
Gasket, Valve rocker arm cover 0.423
Gasket, Venturi cluster 3.790
Gasket, Water filter plate 1.174
Gasket, Water outlet 1.154
Gasket, Water pump assy. 1.079
Gasket, Water pump assy. to block 1.079
Gasket, Water pump body 1.114
Gasket, W/S wiper control knob 16.067
Gasket, W/S wiper motor 10.152, 16.065
Gasket, W/S wiper trans. 10.160
Gasket, Wheel hub oil deflector 5.819
Gasoline instrument panel gauge. 3.108
Gasoline, pipe fittings 3.164
Gasoline tank 3.001
Gasoline tank bracket 3.015
Gasoline tank filler cap 3.028
Gasoline tank gauge 3.107
Gate assembly, Lower end 12.179, 17.185
Gate assy., End 17.615
Gate assy., Side stake 17.500
Gate hinge pin 17.524
Gauge, Gas tank 3.107
Gauge, Gas tank instrument panel 3.108
Gauge, Oil level 1.516
Gauge, Oil pressure 1.803
Gauge, Trans. oil filler tube 4.133
Gauge, Water temperature 1.148
Gauge, Water temperature (Dash Unit) 1.148
Gauge, Water temperature (Engine Unit) 1.150
Gear and pinion unit, Rear axle 5.529
Gear assy., Steering 6.508
Gear, Brake wheel cylinder adj. 4.674
Gear, Camshaft timing 0.736
Gear, Crankshaft timing 0.728
Gear, Differential pinion 5.526
Gear, Differential planet 5.515
Gear, Differential side 5.528
Gear, Differential sun 5.515
Gear, Distributor 2.374
Gear, Double reduction with pinion 5.478
Gear, Reverse center 4.190
Gear shifter lock screw 4.312
Gear, Speedometer driven 4.337, 4.338
Gear, Speedometer drive 4.343
Gear, Tachometer driven 9.750
Gear, Transmission 4.256
Gear, Trans. brake 4.167
Gear, Transmission clutch 4.351
Gear, Trans. countershaft 4.421
Gear, Trans. first, second & reverse 4.417
Gear, Trans. front drive 4.158
Gear, Trans. main drive 4.351
Gear, Trans. oil pump driven gear. 4.211
Gear, Trans. overdrive 4.470, 4.485
Gear, Transmission planet sun 4.175
Gear, Trans. pump drive gear 4.210
Gear, Transmission rear ring 4.187
Gear, Trans. reverse idler 4.430
Gear, Trans. 2nd speed 4.395
Gear, Trans. sliding 3rd and 4th 4.415
Gear unit, Reverse 4.193
Gear, Window regulator motor 11.041
Gear, Windshield wiper motor auxiliary 10.157
Gear, Windshield wiper motor 16.065
Gears, Transmission 4.395, 4.430
Gearshift bracket 4.006
Gearshift control rod 4.019
Gearshift control shaft 4.007
Gearshift control shaft bushing 4.007
Gearshift control shaft hsg. & cover 4.022
Gearshift control shaft hsg. clamp. 4.022
Gearshift control shaft hsg. plug 4.022
Gearshift control shaft lever assy. 4.016
Gearshift control support 4.018
Gearshift, Cylinder tee 4.046
Gearshift escutcheon 4.015
Gearshift escutcheon retaining ring 4.015
Gearshift fork 4.303
Gearshift interlock 4.097
Gearshift interlock guide plate 4.095
Gearshift interlock lever 4.099
Gearshift interlock plate washer 4.095
Gearshift interlock pin 4.095
Gearshift lever anchor plate 4.022
Gearshift lever assy. 4.006

Gearshift lever ball housing..... 4.038
Gearshift lever ball hsg. gasket... 4.023
Gearshift lever cap & seal..... 4.015
Gearshift lever knob..... 4.009
Gearshift lever link..... 4.006
Gearshift lever link bolt..... 4.006
Gearshift lever pivot pin & spring.. 4.025
Gearshift lever retainer..... 4.017
Gearshift lever shaft bracket..... 4.022
Gearshift lever spring..... 4.026
Gearshift lever spring cup, ret. & seat..... 4.027
Gearshift lever swivel..... 4.008
Gearshift locating ball..... 4.311
Gearshift locating ball spring.... 4.311
Gearshift lock plunger spring..... 4.311
Gearshift oper. lever and parts.....4.041, 4.044
Gearshift oper. lever link anti-rattle spring..... 4.020
Gearshift rev. latch..... 4.033
Gearshift rev. latch cable..... 4.030
Gearshift rev. latch rod & brkt.... 4.030
Gearshift seal "O" ring..... 4.006
Gearshift seal retainer..... 4.015
Gearshift selector cont. lever bshg. 4.021
Gearshift selector cont. rod spring. 4.020
Gearshift selector operating lever. 4.021
Gearshift selector rod sleeve..... 4.021
Gearshift shaft..... 4.309
Gearshift strg. col. selector rod & swivel..... 4.020
Gearshift throttle rod anti-rattle washer..... 4.019
Gearshift vac. cyl. air cleaner.... 4.058
Gearshift vac. cyl. cushion..... 4.046
Gearshift vac. cyl. cushion seat... 4.046
Gearshift vac. cyl. piston lock ring. 4.076
Gearshift vac. cyl. piston valve pin 4.079
Gearshift vac. cyl. piston valve pin return spring..... 4.079
Gearshift vac. cyl. piston valve trunnion..... 4.079
Gearshift vac. cyl. support bracket 4.046
Gearshift vac. cyl. valve spring... 4.073
Gearshift vac. power cyl. assy..... 4.045
Gearshift yoke..... 4.303
Gear unit, Reverse..... 4.193
Generator..... 2.275
Generator armature..... 2.279
Generator armature nut & L/washer..... 2.280
Generator bearing..... 2.306
Generator brace..... 2.317
Generator bracket and bushing... 2.277
Generator brush..... 2.285
Generator brush spring..... 2.286
Generator brush arm and holder.. 2.291
Generator brush plate and screw. 2.287
Generator circuit breaker..... 2.319
Generator commutator cover band 2.299
Generator commutator end frame. 2.297
Generator drive end parts..2.305, 2.307
Generator end frame bushing.... 2.298
Generator field coil..... 2.310
Generator mounting..... 2.275
Generator oil filler fittings..... 2.301
Generator oil pipe..... 2.301
Generator oil plug..... 2.301
Generator pulley and fan..... 2.274
Generator stud and terminal..... 2.313
Generator through bolt..... 2.316
Generator washer..... 2.313
Glamour glide cushion protector.. 9.550
Glareshade unit.....10.203
Glass, Back door window.....11.204
Glass, Back window.....11.204, 16.464
Glass cleaner..... 8.800
Glass, Clock..... 9.772
Glass, End gate upper...12.180, 17.190
Glass, Fldg. top back curtain.....11.204
Glass, Front door.....10.681, 16.180
Glass, Front door ventilator 10.658, 16.174
Glass, Instrument case face..... 9.748
Glass, Quarter window.....11.011
Glass, Rear corner window.....16.464
Glass, Rear door.....10.741
Glass, Rear door ventilator.....10.827
Glass retainer, Instrument face... 9.747
Glass run channel..... 10.701, 10.759, 11.021, 16.200
Glass, Side window.....17.136
Glass, Windshield.....10.027, 16.005
Glove compartment.....10.260, 16.100
Glove compt. door.....10.261, 16.110
Glove compt. door bumper 10.263, 16.110
Glove compt. door hinge..10.262, 16.115
Glove compt. door knob assy.....10.266, 16.110
Glove compt. light switch..10.275, 16.100
Governor assy., Transmission..... 4.256
Governor, Carburetor..... 3.865
Governor, Trans. overdrive..... 4.485
Gravel deflector, Quarter panel..12.944
Grid, Auto. folding top.....14.483
Grille, Cowl side.....12.804, 16.551
Grille, Cowl vent.....16.125
Grille guard..... 7.828
Grille, Headlamp..... 2.724
Grille, Instrument panel.....10.256
Grille, Radiator..... 1.266
Grille, Radio.....10.256, 16.083
Grille reinforcement..... 1.266
Grip, Brake pawl rod..... 4.600
Grommet..... 9.775
Grommet, Accelerator rod toe board..... 3.469
Grommet, Cowl ventilator.....16.125
Grommet, Cowl ventilator drain...10.344
Grommet, Crankcase oil..... 1.745
Grommet, Dist. housing terminal.. 2.401
Grommet, Door hinge.....16.325
Grommet, Door outside handle ferrule.....10.358, 16.350
Grommet, Electrical equip. wiring 13.090
Grommet, End gate.....17.222
Grommet, Fldg. top motor mtg. bracket.....14.482
Grommet, Front fender support... 8.145
Grommet, Gearshift control..... 4.015
Grommet, Gearshift control shaft.. 4.016
Grommet, Gearshift operating lever..... 4.044
Grommet, Gutter drain hose.....10.344
Grommet, Hyd. pwr. cyl. piston rod..... 6.581
Grommet, Hyd. strg. pump..6.665, 6.672
Grommet, Ignition switch cable... 9.775
Grommet, Lower end gate.....12.195
Grommet, Muffler tail pipe supt... 3.707
Grommet, Oil pump suction pipe.. 1.531
Grommet, Parking brake lever.... 4.594
Grommet, Qtr. window div.....11.008
Grommet, Rear bumper face bar support..... 7.865
Grommet, Rear door vent. air deflec.....10.833
Grommet, Rear door window.....10.791
Grommet, Spark plug wire..... 2.251
Grommet, Starting motor..... 2.102
Grommet, Steering column jacket. 6.760
Grommet, Steering post..... 6.758
Grommet, Sunshade rod.....10.224
Grommet, Tail pipe bracket..... 3.709
Grommet, Trans. control bellcrank. 4.040
Grommet, W/S wiper control connecting link.....10.168, 16.065
Grommet, W/S wiper motor.....10.152
Groove pin..... 8.940
Ground Cable, Battery..... 2.341
Guard, Bumper & grille front or rear..... 7.828
Guard, Door edge.....10.352
Guard, gas tank filler door.....17.110
Guard, Fender..... 7.827
Guard, Front license plate..... 7.799
Guard, Inlet manifold oil splash.. 3.265
Guard, Propeller shaft..... 5.444
Guard, unit, Door edge.....10.352
Guard unit, Gas tank filler door..12.944
Guide, Brake cable..... 4.829
Guide, Brake pull rod..... 4.820
Guide, Carb. check valve spring.. 3.825
Guide, Door window.....10.728
Guide, End gate.....17.222, 17.635
Guide, Hand control wires..... 3.483
Guide, Hood catch control rod tube..... 8.077
Guide, Hood catch rod.....8.033, 8.075
Guide, Lower end gate.....12.195
Guide, Parking brake idler lever.. 4.791
Guide, Parking brake pedal lock.. 4.603
Guide, Rear quarter window.....11.040
Guide, Rear wheel cover panel... 8.176
Guide, Starter pedal floor board.. 2.014
Guide, Strg. gear ball return..... 6.842
Guide, Strg. gear hyd. pump reserv. 6.635
Guide, Strg. gear rack..... 6.590
Guide, Trans. front servo..... 4.226
Guide, Valve stem.....0.283, 0.286
Guide, Wheel carrier tire..... 7.783
Gusset Cross member..... 7.039
Gutter, Back window inner.....12.964
Gutter. Cowl side.....12.804
Gutter, Door glass sash channel.....10.689, 10.763
Gutter, Folding top rear quarter..12.945
Gutter, Side window.....17.136

H

Hand brake cable axle bracket... 4.829
Handle, Ash tray.....16.120
Handle assy., Door inside locking rod.....10.559

Handle, Back dr. inside lock.....16.333
Handle, Body side assist.....16.450
Handle, Cowl ventilator adj.....10.313, 16.130
Handle, Door lock inside.....10.512
Handle, Door lock outside.10.527, 16.350
Handle, Door lock remote control .16.345
Handle, Door outside, Non-locking.16.360
Handle, Door outside plain.....10.534
Handle, Door window reg. 10.797, 16.270
Handle, Driver seat adjuster.....11.562
Handle, Endgate, w/cyl. and keys.17.204
Handle, Fldg. top front roof rail...14.080
Handle, Front door vent. reg.....10.664, 16.176
Handle, Front seat adjuster.....11.562
Handle, Hood catch..... 8.030
Handle, Jack..... 8.820
Handle, Parking brake lever..... 4.592
Handle, Parking brake release... 4.600
Handle, Quarter window reg.....11.044
Handle, Quarter window sliding..11.010
Handle, Rear comp. lid lock.....12.246, 12.247
Handle, Rear door ventilator.....10.824
Handle, Seat adjuster....11.588, 16.682
Handle, Side door ventilator.....16.176
Handle, Tail lamp..... 2.675
Handle, Windshield regulator....16.050
Hanger, Battery..... 2.333
Hanger, Door opening step..... 8.228
Hanger, Front spring..... 7.103
Hanger, Front spring, Rear..... 7.303
Hanger, Frt. prop. shaft bearing.. 5.432
Hanger, Rear spring, Front..... 7.112
Hanger, Rear spring, Rear..... 7.118
Hanger, Step front, Center, Rear.. 7.016
Hanger unit, Rear spring..... 7.113
Hardener, Liquid.....12.800
Harmonic balancer spacer..... 0.662
Harness, Amm. to starting switch wiring..... 2.525
Harness, Body, Electrical equip. wiring.....13.090
Harness, Chassis wiring..... 2.555
Harness, Directional signal lamp. 2.892
Harness, Fldg. top control wiring..14.494
Harness, Panel clock wiring..... 9.772
Harness, Parking lamp wiring.... 2.596
Harness unit, Seat shoulder.....14.875
Head assy., Folding top motor....14.482
Head, Cylinder..... 0.269
Head, Reverse shifter..... 4.303
Head, Tachometer..... 9.750
Header, Folding top.....14.050
Headlamp aiming tool..... 2.727
Headlamp assembly..... 2.725
Headlamp beam adjusting screw & nut..... 2.737
Headlamp body assy..... 2.726
Headlamp dimmer switch..... 2.459
Headlamp lens and sealed beam . 2.727
Headlamp lens seal..... 2.735
Headlamp moulding..... 2.728
Headlamp ornament..... 2.724
Headlamp rim..... 2.728
Headlamp rim ring..... 2.731
Headlamp sockets..... 2.750
Headlamp support..... 2.546
Headlamp wire junction block.... 2.560
Headlining.....14.640, 15.500
Headlining assy.....14.640
Headlining clip.....12.954
Headlining finish binding.....14.650
Headlining listing support wire....12.955
Headlining trim retainer.....14.651
Headlining wire to roof rail thimble.12.954
Heat indicator conduit fitting..... 0.277
Heater & defroster control knob... 8.852
Heater air control knob..... 9.787
Heater air distributor..... 9.786
Heater blower inlet valve shaft... 9.786
Heater connections, Hot water.... 8.866
Heater control connector..... 8.852
Heater contl. valve hsg..... 9.795
Heater core, Hot water..... 8.854
Heater fan, Hot water..... 8.857
Heater hose..... 8.846
Heater, Hot water..... 8.845
Heater motor, Hot water..... 8.855
Heater switch, Hot water..... 8.852
Heater temp. control knob..... 8.852
Heavy Duty operation parts—Pages 115-118
Hexagon head bolt..... 8.900
Hexagon nut..... 8.915
Hidem binding.....15.534
Hidem binding clip.....15.534
Hinge, Back door.....10.461, 16.320
Hinge bolt, Auxiliary seat.....16.674
Hinge bushing, Door.....10.464
Hinge, Door ventilator.....10.669
Hinge, End gate.....12.184, 17.208
Hinge, End gate torque rod.....12.184
Hinge, Folding seat.....11.380
Hinge, Fldg. top.....14.310
Hinge, Front door.10.450, 10.454, 16.320
Hinge, Front seat.....11.358
Hinge, Hood panel..... 8.015
Hinge, Instr. panel compt. door.....10.262, 16.115
Hinge pillar to floor brace.....12.659
Hinge pin, Door.....10.466. 16.323
Hinge pin, Hood..... 8.016
Hinge, Quarter window.....11.052
Hinge, Rear compartment lid.....12.184
Hinge, Rear door.....10.456, 10.460
Hinge sleeve, Auxiliary seat.....16.674
Hinge, Stake and sign board gate.17.524
Hinge, Windshield frame.....16.020
Hold-down bolt..... 9.008
Holder, Starting motor brush..... 2.052
Hood bumper..... 8.024
Hood catch assembly..... 8.028
Hood catch bracket..... 8.007
Hood catch control rod and tube.. 8.075
Hood catch control rod tube parts. 8.077
Hood catch handle..... 8.030
Hood catch lock plate bolt spring ret..... 8.085
Hood catch lock plate spring..... 8.081
Hood catch rod guide..... 8.033
Hood emblem..... 8.055
Hood emblem retainer..... 8.055
Hood hinge cowl bracket bolt..... 8.016
Hood hinge pin..... 8.016
Hood hinge spring and bracket... 8.013
Hood ledge cowl anti-squeak..... 9.127
Hood louver moulding and parts.. 8.005
Hood lower catch plate..... 8.080
Hood name plate nut..... 8.040
Hood ornament..... 8.055
Hood panel baffle and seal..... 8.010
Hood panel bracket..... 8.015
Hood panel hinge and parts..... 8.015
Hood panel rnfct. tie plate..... 8.009
Hood side mldg. bolt..... 8.016
Hood side name plate..... 8.039
Hood support rod bracket..... 8.013
Hood top moulding fastener..... 8.056
Hood top panel..... 8.000
Hood top panel moulding..... 8.015
Hood upper catch plate..... 8.083
Hood, Clutch pedal pull back sprg.. 0.846
Hook, Coat.....15.388
Horn..... 2.810
Horn assy., Carb. air..... 3.730
Horn blowing cap..... 2.817
Horn blowing cap & ring conn. insulator..... 2.819
Horn blowing ring bumper..... 2.837
Horn blowing ring cushion & spring 2.816
Horn blowing ring unit..... 2.830
Horn bracket..... 2.845
Horn button..... 2.817
Horn button cap & retainer..... 2.820
Horn, Front spring..... 7.103
Horn relay..... 2.815
Horn wire assy..... 2.859
Hose, Air cleaner to carb. pipe.... 3.407
Hose assy., Car evaporator..... 9.220
Hose assy., Air Cond. Compressor. 9.225
Hose clamp..... 1.166
Hose, Cowl ventilator drain.....10.344, 16.127
Hose, Crankcase oil..... 1.745
Hose, Defroster..... 9.779
Hose, Flexible gasoline..... 3.163
Hose, Fldg. top motor to oper. valve.14.472
Hose, Gas tank filler neck..... 3.003
Hose, Heater..... 8.846
Hose, Heater and defroster (airflow)..... 9.786
Hose, Hydraulic brake..... 4.680
Hose, Radiator inlet..... 1.159
Hose, Radiator outlet.....1.159, 1.173
Hose, Radiator overflow..... 1.240
Hose, Rubber..... 8.962
Hose, Strg. gear pressure & return.....6.670, 6.671
Hose, Transmission oil cooler..... 4.128
Hose, Vac. brake cyl. air cleaner.. 4.913
Hose, Vac. brake cylinder..... 4.931
Hose, Vac. gear shift booster..... 4.046
Hose, Vacuum pump..... 3.900
Hose, Vac. shift selector valve..... 5.638
Hot water heater..... 8.845
Housing assembly, Frt. prop. shaft. 5.435
Housing assy., W/S wiper motor.....10.150, 16.064
Housing, Carb. choke therm. contl. 3.750
Housing, Carburetor governor.... 3.870
Housing, Clock..... 9.772
Housing, Clutch and flywheel..... 0.683
Housing, Diaphragm vac. shift.... 5.635

Housing, End gate hinge.....17.208
Housing, Frt. door lock cyl.....10.552
Housing, Gas tank filler compt....12.944
Housing, Gearshift control shaft... 4.022
Housing, Headlamp..... 8.130
Housing, Heater core..... 8.854
Housing, Instrument case..... 9.746
Housing, License plate moisture absorber.....12.181
Housing, Parking lamp..... 2.586
Housing, Parking brake pedal shaft 4.648
Housing, Pitman shaft, with bushing..... 6.785
Housing, Rear axle..... 5.387
Housing, Starting motor drive..... 2.085
Housing, Steering gear..... 6.803
Housing, Tail and stop lamp.....2.680, 12.942
Housing, Thermostat..... 1.251
Housing, Wheel lock..... 7.679
Housing, Trans. control..... 4.038
Housing, Trans. hydraulic modulator..... 4.208
Housing, w/jet, Carb pump..... 3.844
Hub assy., Trans. synchronizing... 4.384
Hub bolts..... 5.812
Hub bolt nut..... 5.813
Hub bushing, Torque converter cover..... 4.115
Hub cap gasket..... 5.866
Hub cap lock spring..... 5.864
Hub and grease cap..... 5.858
Hub clamp ring, Front..... 6.308
Hub, Front wheel..... 6.307
Hub or drum oil deflector, Front.... 6.323
Hub, Pulley..... 1.062
Hub, Rear wheel..... 5.806
Hub, Trans. clutch drive.....4.164, 4.186
Hub, Trans. front drive ring gear.. 4.158
Hydraulic brake connectors..... 4.686
Hydraulic brake cyl. spacer..... 4.686
Hydraulic brake declene, fluid & lub..... 4.683
Hydraulic brake main cyl. valve... 4.657
Hydraulic brake main cylinder assy..... 4.650
Hydraulic brake pipe assy..... 4.685
Hydraulic brake shoe link..... 5.036
Hydraulic modulator piston..... 4.208
Hydraulic strg. adapter bushing plate..... 6.554
Hydraulic strg. adapter safety plug..... 6.560
Hydraulic strg. adapter stop screw..... 6.560
Hydraulic strg. control relief valve..... 6.553
Hydraulic strg. control valve bushing..... 6.552
Hydraulic strg. relief valve plug..... 6.554

I

"I" beam, Front axle..... 6.008
Ignition coil..... 2.170
Ignition distributor..... 2.361
Ignition keys..... 2.187
Ignition lock..... 2.188
Ignition lock indicator dial..... 2.198
Ignition switch..... 2.188
Ignition switch cylinder..... 2.188
Ignition switch mounting plate..... 2.192
Ignition wire..... 2.525
Imitation leather.....15.506, 16.760
Indicator, Trans, control..... 4.038
Indicator, Trans. oil w/cap..... 4.133
Inlet assy., Defroster..... 9.779
Inlet assy., Heater air flow..... 9.782
Inlet valve, Cylinder..... 0.296
Inlet valve stem guide.....0.283, 0.286
Insert, Bumper guard..... 7.829
Insert, Carburetor float..... 3.734
Insert, Hood series desig.....8.039, 8.055
Insert, Parking lamp housing..... 2.586
Insert, Spring leaf..... 7.495
Insert, Windshield wiper blade.....10.146, 16.062
Instr. case assembly..... 9.743
Instr. case bezel..... 9.746
Instr. case face glass..... 9.748
Instr. case gasket..... 9.749
Instr. case plate..... 9.744
Instr. face glass retainer..... 9.747
Instr. lamp dimmer switch unit.... 2.765
Instr. panel.....10.230, 16.080
Instr. panel ornam.....10.252
Instr. panel attach. plug.....16.083
Instr. panel brace.....16.085
Instr. panel compt.....10.260, 16.100
Instr. panel compt. dr.....10.261
Instr. panel compt. dr. check.....10.261, 16.115
Instr. panel compt. dr. hinge.....10.262
Instr. panel compt. door knob ret..10.267
Instr. panel compt. door parts....16.110
Instr. panel compt. light..10.275, 16.100
Instr. panel compt. lock striker....10.268
Instr. panel mldg. and parts.....10.252, 16.081
Instr. panel name plate.....10.252
Instr. panel radio grille moulding..16.081
Instr. panel to cowl brace.12.657, 16.085
Instr. panel transfer.....10.232
Insulation, Evap. access panel.... 9.211
Insulation, Evaporator rear case plate..... 9.210
Insulation, Start. motor switch side. 2.102
Insulation, Turret top roof.....12.812
Insulator, Ammeter..... 2.521
Insulator, Carburetor to manifold.. 3.726
Insulator, Dash panel.....16.760
Insulator, Distributor contact point. 2.387
Insulator, Engine cover panel.....16.549
Insulator, Exh. pipe support..... 3.616
Insulator, Expansion valve bulb... 9.214
Insulator, Fan frt. hsg. flange..... 9.216
Insulator, Generator..... 2.313
Insulator, Horn blowing cap & ring connector..... 2.819
Insulator, Muffler..... 3.704
Insulator, Propeller shaft bearing.. 5.439
Insulator, Rear bumper face bar support..... 7.865
Insulator, Tail & stop lamp..... 2.694
Insulator, Tail pipe bracket..... 3.709
Insulator, Valve rocker arm, cover. 0.413
Intake manifold..... 3.265
Intake manifold sleeve..... 3.281
Intake manifold to carburetor stud. 3.288
Intake to exhaust mfld. gasket..... 3.272
Intake to exhaust manifold stud.... 3.275
Interlock, Trans. gearshift..... 4.097
Iron, Fldg. top rear bow slat.....14.350
Iron, Fl. board wear.....17.030, 17.438

J

Jack and component parts..... 8.820
Jacket, Mast..... 6.518
Jam nut..... 8.916
Jar, Windshield washer..... 8.798
Jet assy., Carburetor low speed.... 3.798
Jet, Carburetor metering rod..... 3.792
Jet, Carb. step-up power..... 3.863
Jet, Carburetor..... 3.844
Jet, Windshield washer..... 8.798
Joint, Universal..... 5.548
Junction block..... 2.483

K

Kerodex, Skin protective coating...12.800
Key, Clutch 3rd. and 4th. speed... 4.384
Key, Door lock.....10.550
Key, Ignition and glove compartment..... 2.187
Key, Rear compartment lock handle.....12.251
Key, Ring gear..... 5.531
Key, Speedometer adapter..... 4.330
Key, Tire lock..... 2.187
Key, Trans. countershaft..... 4.429
Key, Trans. frt. pump..... 4.126
Key, Trans. reverse clutch..... 4.189
Key, Trans. reverse servo piston spring retainer..... 4.241
Key, Valve stem..... 0.310
Key, Woodruff..... 8.960
King pin..... 6.203
King pin lock pin..... 6.216
King pin oil seal..... 6.225
King pin oil seal retainer..... 6.225
King pin thrust bearing..... 6.210
King pin thrust bearing retainer... 6.214
King pin thrust bearing shim..... 6.214
Kit, Brake parts repair..... 5.026
Kit, Brake main cyl. repair..... 4.649
Kit, Brake wheel cyl. repair..... 4.665
Kit, Carb. governor inst..... 3.870
Kit, Carburetor repair..... 3.725
Kit, Cab conversion.....16.000
Kit, Front stabilizer repair..... 7.253
Kit, Fuel pump repair..... 3.901
Kit, Heater control service..... 8.852
Kit, Plastic repair.....12.800
Kit, Prop. shaft brg. support..... 5.436
Kit, Prop. shaft bushing and seal.. 5.451
Kit, Rear wheel hub conversion... 5.806
Kit, Reinforced plastic repair.....12.800
Kit, Service strg. gear. hyd..... 6.550
Kit, Speedometer cable..... 4.342
Kit, Strg. gear..... 6.507
Kit, Strg. gear hyd. pump..... 6.609
Kit, Strg. gear hyd. pump dr. shaft. 6.614
Kit, Strg. gear hyd. pump drive shaft repair..... 6.615

Kit, Transmission thrust washer... 4.004
Kit, Vacuum power brake..... 4.898
Kit, Vacuum power brake cylinder.....4.907, 4.928
Kit, Vac. shift diaphragm repair.. 5.635
Kit, W/S wiper motor brush.....10.150
Knee action, Front spring..... 6.361
Knee action parts..... 6.351
Knob, Air conditioning control.... 9.278
Knob assy., Fldg. top control valve.14.467
Knob assy., Instr. panel compt. door.....10.266, 16.110
Knob, Car heater & defroster control.....8.852, 9.278
Knob, Cigarette lighter..... 9.709
Knob, Clock winding..... 9.772
Knob, Defroster control..... 9.779
Knob, Dir. signal lever..... 2.906
Knob, Door inside locking rod.....10.559
Knob, Door ventilator catch.....10.659
Knob, End gate support bracket...12.205
Knob, Gear shift lever..... 4.009
Knob, Heater air control..... 9.787
Knob, Heater & defroster control.. 8.852
Knob, Quarter window.....11.010
Knob, Seat adjuster.....11.588
Knob, W/S wiper control..10.164, 16.067
Knuckle expansion plug..... 6.223
Knuckle, Steering..... 6.020
Knuckle thrust washer unit..... 6.210
Kool Kooshion, Seat..... 9.550

L

Lace, Door window garnish mldg..14.680
Lace, Headlining finish.....14.650
Lace, Seaming.....15.527
Lamp and parts, Auxiliary..... 9.774
Lamp and parts, Safetylight..... 9.773
Lamp assy., Parking..... 2.585
Lamp assy., Parking brake alarm. 4.589
Lamp brckt., Rear license plate... 2.705
Lamp bulb..... 8.991
Lamp, Cigarette lighter..... 9.709
Lamp, Direction signal..... 2.880
Lamp, Dome.....11.925, 16.494
Lamp door, Parking..... 2.593
Lamp door, Rear license..... 2.706
Lamp door, Tail and stop..... 2.681
Lamp housing, Parking..... 2.586
Lamp, Instr. panel compt.....10.275
Lamp, Rear license complete w/bulb..... 2.700
Lamp, Rear luggage compartment. 9.988
Lamp, Tail and stop..... 2.679
Lamp, Transmission control..... 4.038
Lamp, Underhood..... 8.890
Lamp socket, Air conditioning wire..... 9.276
Lamp unit, Auxiliary 9.774
Lamp unit, Back-up..... 2.697
Latch assy., Fldg. top.....14.080
Latch, Gearshift reverse..... 4.033
Latch, Quarter window.....11.010
Latch, Rear end stake.....17.522
Latch, Tail lamp locking..... 2.675
Latch, Toe pan oil filler.....16.548
Latch, Windshield wiper motor auxiliary.....10.157
Latch, Windshield wiper motor....16.065
Lead, Starting motor brush..... 2.055
Lead, Distributor terminal..... 2.400
Leaf, Front spring..... 7.415
Leaf, Rear spring..... 7.505
Leak detector, Freon refrigerant... 9.282
Leather, Carburetor plunger..... 3.840
Leather, Imitation.....15.506, 16.760
Lens, Automatic hdlp. control..... 2.463
Lens, Back-up lamp..... 2.697
Lens, Directional signal..... 2.899
Lens, Dome lamp.....11.928, 16.495
Lens, Headlamp..... 2.727
Lens, Instrument face..... 9.748
Lens, Parking lamp..... 2.589
Lens, Rear corner lamp.....11.928
Lens, Rear license lamp..... 2.709
Lens, Tail and stop lamp....2.682, 2.685
Lens, Tail lamp reflex..... 2.689
Lever, Accelerator rod hand..... 3.579
Lever assembly, Folding top.....14.475
Lever assy., Gearshift..... 4.006
Lever assy., Gearshift control shaft 4.016
Lever assy., Strg. Idler..... 6.895
Lever assy., Trans. detent..... 4.279
Lever assembly, Trans. parking... 4.218
Lever assy., Trans. throttle valve.. 4.278
Lever, Axle gear shift selector.... 5.636
Lever, Brake cross shaft..... 4.792
Lever, Brake pedal..... 4.634
Lever, Carburetor choke..... 3.752
Lever, Carb. fast idle..... 3.766
Lever, Carb. governor..... 3.870
Lever, Carburetor throttle..... 3.762
Lever, Carburetor pump..... 3.842
Lever, Clutch pedal..... 0.832
Lever, Clutch pedal control..... 0.852
Lever, Clutch pedal pull back spring..... 0.846
Lever, Clutch pressure..... 0.874
Lever, Direction signal switch..... 2.906
Lever, Door inside locking control.10.556
Lever, Double reduction shifter.... 5.491
Lever, Dbl. reduction shifter yoke shaft..... 5.490
Lever, Folding top.....14.483
Lever, Front door inside lock.....16.392
Lever, Gearshift..... 4.006
Lever, Gearshift cont. shaft..... 4.016
Lever, Gearshift operating..... 4.041
Lever, Gearshift reverse latch.... 4.033
Lever, Gearshift interlock..... 4.099
Lever, Heater controls..... 8.852
Lever, Parking brake..... 4.591
Lever, Parking brake idler..... 4.792
Lever, Parking brake operating... 5.610
Lever, Parking brake shoe..... 5.149
Lever, Prop. shaft brake..... 5.606
Lever, Reverse shifter..... 4.306
Lever, Shifter yoke..... 4.302
Lever, Speedometer gear adapter. 4.329
Lever, Starting motor drive..... 2.108
Lever, Strg. col. gearshift operating 4.041
Lever, Strg. col. gearshift selector.. 4.021
Lever, Trans. band..... 4.236
Lever, Trans. control rod idler.... 4.040
Lever, Trans. overdrive..... 4.495
Lever, Trans. shifter..... 4.041
Lever, Trans. manual valve housing 4.218
Lever, Trans. modulator control... 4.208
Lever, Trans. reverse band..... 4.246
Lever, Trans. throttle valve cont. outer..... 4.041
Lever, Vac. shift selector poppet.. 5.640
License and tail lamp bracket.... 2.662
License bracket pad..... 2.660
License lamp door..... 2.706
License lamp lens gasket..... 2.707
License plate bracket, Front..... 7.796
License plate frame..... 9.777
License plate guard, Front..... 7.799
License plate lamp pad..... 2.702
Lid, Rear compartment.....12.181
Lid assy., Fldg. top compt.....12.170
Lift, Fldg. top hydraulic cylinder...14.475
Lifter, Valve push rod hydraulic... 0.459
Light, Inst. panel comp....10.275, 16.100
Lighter, Cigarette..... 9.709
Lighting cable, Conn., Loom & terminal..... 2.530
Lighting switch & parts.....2.485, 2.489
Lining, Brake band..... 5.018
Lining, Front compartment rear...15.103
Lining, Luggage compartment....15.222
Lining, Top.....15.530
Link assy., Fldg. top frame riveted.13.365
Link assy., Hood panel..... 8.015
Link assy., Starting mtr. drive shift. 2.113
Link, Brake shoe..... 5.036
Link, Brake pedal..... 4.634
Link, Carb. pump connector..... 3.843
Link, Carb. vacuum piston..... 3.858
Link, Clutch fork control..... 0.787
Link, Clutch release..... 0.787
Link, Compartment lid hinge.....12.187
Link, Cowl vent. adjusting.....16.135
Link, Door lock remote control connecting.....10.506, 16.340
Link, Drivers seat back hinge.....16.686
Link, Folding top.....14.483
Link, Fldg. top No. 1 bow.....14.280
Link, Fldg. top rear control.....14.340
Link, Fldg. top side roof rail.14.140, 14.340
Link, Front stabilizer shaft supt... 7.240
Link, Gearshift lever..... 4.006
Link, Parking brake inner conn... 5.610
Link, Parking brake lever..... 4.606
Link, Parking brake outer conn.... 5.610
Link, Parking brake rr. idler lever. 4.797
Link, Prop. shaft brake spacer.... 5.615
Link, Shock absorber..... 7.355
Link, Starter pedal..... 2.033
Link, Tail lamp..... 2.664
Link, Trans. reverse brake band.. 4.246
Link, Windshield wiper.....16.063
Link, W/S wiper control connecting.....10.167
Linkage, Rear axle gearshift..... 5.623
Lock assembly, Tire carrier..... 7.675
Lock, Axle shaft..... 5.422
Lock, Axle shaft or wheel hub nut.. 5.830
Lock, Back door.....10.479, 16.330
Lock, Bolt, Radiator support to frame..... 1.270
Lock, Brake shoe anchor pin..... 5.057

Lock, Brake shoe friction pin..... 5.030
Lock, Clutch & Brake pedal shaft.. 0.834
Lock, Ck/Shaft front end cover... 0.206
Lock cyl., Door safety.....10.474
Lock cyl., Instr. panel door.....10.266
Lock cyl. parts, Door hdle. push button.....10.552
Lock, Differential bearing adj. nut. 5.539
Lock, Differential oil feed trough... 5.392
Lock, Door.....10.470, 10.473, 16.330
Lock, End gate and rear comp. lid..12.242, 17.198, 17.625
Lock, Engine exhaust manifold.... 3.601
Lock, Engine mounting bolt..... 0.002
Lock, Flywheel to crankshaft bolt.. 0.669
Lock, Fldg. top frt. roof rail.....14.080
Lock, Front door.....10.470
Lock, Front door safety.....10.548
Lock, Front door ventilator.....10.659
Lock, Gearshift idler lever..... 4.040
Lock, Gearshift lever swivel pin... 4.017
Lock nut..... 8.917
Lock, Parking brake pedal..... 4.603
Lock, Parking brake shoe lever... 5.610
Lock parts, Back door vertical....16.332
Lock parts, End gate.....17.625
Lock parts, End gate handle.....17.204
Lock parts, Fldg. top.....14.080
Lock pillar to floor brace.....12.684
Lock pin, King pin..... 6.216
Lock, Rear compartment lid.....12.242
Lock, Rear door.....10.473
Lock, Roof panel header.....14.080
Lock sleeve, Axle shaft stud..... 5.422
Lock, Strg. idler and 3rd arm bolt.. 6.186
Lock, Trans. main gear bearing... 4.376
Lock, Trans. mounting support bolt 4.088
Lock, Trans. parking brake..... 4.294
Lock, Trans. reverse band..... 4.246
Lock, Trans. rear brg. retainer.... 4.412
Lock, Trans. reverse shifter lever nut..... 4.302
Lock, Trans. turbine hub bolt..... 4.115
Lock, Wheel hub nut..... 5.830
Lock, Wheel carrier..... 7.675
Lockwasher.....8.931, 8.932
L/Washer, Connecting rod clamp bolt..... 0.609
L/Washer, Generator armature... 2.280
L/Washer, Oil pump screen cover bolt..... 1.664
L/Washer, Pitman arm..... 6.861
L/Washer, Starting motor spring.. 2.091
Loom, Lighting..... 2.530
Loop, Top hold down footman.....13.429
Louver moulding and parts, Hood. 8.005
Louver unit, Front fender..... 8.147
Lower end gate belt mldg.....12.121
Lower end gate finishing cover...12.195
Lower end gate finishing mldg.....12.195
Lower end gate opening windlace.12.195
Lower end gate supt. bumper.....12.212
Lubricant, Hydraulic brake..... 4.683
Lubricant, Stainless stick..... 8.800
Luggage compartment lamp..... 8.898

M

Main cyl. bracket..... 4.648
Main cyl. cover gasket..... 4.663
Main cyl. head outlet gasket..... 4.652
Main cyl. pipe connector bolt..... 4.661
Main cyl. piston cup..... 4.654
Main cyl. piston stop plate & lock ring..... 4.656
Main cyl. plug and gasket..... 4.651
Main cyl. support..... 4.648
Main cyl. valve..... 4.657
Manifold clamp..... 3.273
Manifold, Engine intake..... 3.265
Manifold, Exhaust..... 3.601
Manifold fittings..... 3.278
Manifold gasket..... 3.270
Manifold heat control valve disc & washer..... 3.654
Manifold heat control valve spring. 3.641
Manifold, Intake..... 3.265
Manifold stud nut..... 3.277
Manifold to carburetor stud..... 3.288
Manifold washer..... 3.276
Mast jacket..... 6.518
Mast jacket bearing..... 6.521
Mast jacket horn wire assy..... 2.859
Mat, Dash panel.....15.280, 16.802
Mat, Dash panel instr. inspec. hole.12.802
Mat, Door opening step.....15.290
Mat, Front floor.....15.286, 16.800
Mat, Rear compartment.....15.294
Mat, Rear floor.....15.292, 15.306
Mat, Running board..... 8.316
Material, Top covering.....15.490
Medallion, Tail and stop lamp.... 2.680
Member assy., Frame side..... 7.006
Member, Engine rear support..... 7.229
Member, Frame cross.....7.010, 7.014
Member, Frame cross, Second.... 7.011
Member, Frame cross, 3rd and 4th. 7.012
Member, Front suspension cross... 6.008
Member, Shock absorber frame... 7.395
Member, Sub-frame..... 7.008
Member, Sub-frame side..... 7.007
Member, Wheel carrier track..... 7.782
Membrane, Vacuum power brake cyl. reaction..... 4.915
Mirror, Rear view.....10.185, 16.068
Mirror, Safety light..... 9.773
Mirror, Vanity.....10.195
Mitt unit, Wash and dust..... 8.800
Modulator, Vacuum..... 4.205
Motor, Air Cond. evaporator blower 9.215
Motor, Defroster..... 9.779
Motor, Electric seat adjuster.....11.556
Motor, Folding top.....14.481
Motor, Front door window regulator.....10.783
Motor, Hot water heater..... 8.855
Motor, Quarter window.....11.041
Motor, Rear door window regulator.....10.791
Motor, Rear window wiper.....11.254
Motor, Starting..... 2.041
Motor, Windshield wiper..10.150, 16.064
Moulding and parts, Hood louver.. 8.005
Moulding & parts, Instr. panel.....10.252, 16.081
Moulding attach. parts, Running board & body sill..... 8.309
Moulding, Auxiliary top.....13.393
Moulding, Back door belt.....12.120
Moulding, Back door opening finish.10.393
Moulding, Back window division...11.216
Moulding, Back wind. garnish.....11.120, 11.187, 16.475
Moulding, Back wind. glass reveal.11.208
Moulding, Body center pillar.....14.730
Moulding, Body floor.....11.370
Moulding, Body rear panel.....12.121
Moulding, Body side assy.....17.507
Moulding, Body side & top trim pnl..17.116
Moulding, Body side, top front and rear trim.....17 112
Moulding, Body sill..... 8.304
Moulding, Center pillar belt.....12.113
Moulding, Cowl belt.....12.110
Moulding, Cowl trim pad.....14.631
Moulding, Door arm rest.....14.688
Moulding, Door arm rest unit.....16.155
Moulding, Door opening step.....16.600
Moulding, Door ventilator reveal..10.654
Moulding, End gate.....12.195
Moulding, End gate upper.....12.180
Moulding fastener, Hood top..... 8.056
Moulding, Fender.....12.116
Moulding, Fender crown..12.114, 12.116
Moulding, Fender sect. clip.....12.114
Moulding, Folding seat back.....14.818
Moulding, Front door belt.....12.112
Moulding, Front door outer panel.12.112B
Moulding, Frt. dr. vent garnish....10.656
Moulding, Front door trim finish...14.691
Moulding, Front door window garnish.....11.075, 16.290
Moulding, Front door window reveal.....10.707, 16.185
Moulding, Front fender..... 8.147
Moulding, Front fender & fender cap 8.132
Moulding, Front seat back finish..14.818
Moulding, Headlamp..... 2.728
Moulding, Hood louver..... 8.005
Moulding, Hood top panel..... 8.015
Moulding, Instrument case..... 9.746
Moulding, Instrument panel.....10.252
Moulding, Instr. panel compt. door 16.111
Moulding, Inst. panel radio grille..16.081
Moulding, Lower end gate finishing.12.195
Moulding, Qtr. belt finishing.....11.119
Moulding, Qtr. window division...11.008
Moulding, Qtr. window garnish...11.119
Moulding, Qtr. window reveal.....11.031
Moulding, Radiator grille & shell.. 1.268
Moulding, Rear compt. div. board finish.....12.584
Moulding, Rear compartment lid...12.182
Moulding, Rear compartment trim panel.....12.262
Moulding, Rear door belt.....12.114
Moulding, Rear door belt finishing.11.089
Moulding, Rear door opening finishing.....10.393
Moulding, Rear door trim finish....14.764
Moulding, Rear door window frame10.763
Moulding, Rear door window garnish.....11.089

Moulding, Rear door wind. reveal..10.772
Moulding, Rear end belt.....12.121
Moulding, Rear fender.....8.204, 12.116
Moulding, Rear license plate lamp. 2.704
Moulding, Rear quarter belt.....12.116
Moulding, Rear quarter trim.....15.101
Moulding, Rear side body pillar...17.160
Moulding, Rear wheel cover..... 8.176
Moulding, Roof drip.....12.075, 16.642
Moulding, Roof inner trim.....14.651
Moulding, Roof panel header.....12.810
Moulding, Running board & body sill..... 8.304
Moulding, Side door trim panel...16.166
Moulding, Side rail escn.....14.651
Moulding, Side trim panel.....15.264
Moulding, Side window garnish...17.136
Moulding, Side window reveal....17.136
Moulding, Spare tire cover.....12.579
Moulding, Top lining panel.....16.745
Moulding, W/Shield header.....14.050
Moulding, Upper end gate.....12.180
Moulding, W/Shield division outer.....10.052, 16.017
Moulding, W/Shield division inner.....10.053, 16.018
Moulding, W/Shield garnish.....10.051, 16.013
Moulding, W/Shield reveal.....10.093, 16.041
Mounting brckt., Parking lamp hsg. 2.587
Mounting, Engine..... 0.027
Mounting, Fldg. top hyd. mtr. & pump.....14.486
Mounting, Generator..... 2.275
Mounting plate, Steering gear.... 6.797
Mounting unit, Engine..... 0.027
Mud Flap unit..... 8.214
Muffler assy..... 3.701
Muffler bracket..... 3.704
Muffler, Engine exhaust..... 3.701
Muffler exhaust pipe assy..... 3.609
Muffler insulator..... 3.704
Muffler strap..... 3.704
Muffler tail pipe & extension..... 3.705
Muffler tail pipe bracket & supt... 3.706
Muffler tail pipe "U" bolt unit.... 3.708

N

Name plate clip.....12.183
Name plate, Front fender..... 8.147
Name Plate, Hood side..... 8.039
Name plate, Instrument panel....10.252
Neck, Gas tank filler..... 3.003
Neck, Radiator filler..... 1.210
Needle bearing, Pitman shaft..... 6.786
Needle, Carb. pump discharge check..... 3.832
Needle unit, Carburetor intake.... 3.814
Nipple, Axle gearshift vac. hose.. 5.638
Nipple, Hot water heater hose.... 8.866
Nipple, Oil, dist. to rocker pipe... 1.531
Nipple, Spark plug wire..... 2.258
Nozzle, Carburetor..... 3.774
Nozzle, Timing gear oil..... 0.748
Nozzle, Windshield washer spray.. 8.798
Nut, Air flow control..... 9.787
Nut, Anchor, radiator grille..... 1.285
Nut, Ash tray assy.....16.120
Nut, Battery hanger clamp..... 2.334
Nut, Blind..... 8.919
Nut, Body mounting bracket..... 9.009
Nut, Brake drum retaining..... 5.810
Nut, Brake shoe adj. screw..... 5.111
Nut, Brake shoe hold down bolt... 5.043
Nut, Carb. flange stud..... 3.288
Nut, Carburetor fuel inlet..... 3.740
Nut, Carburetor Governor..... 3.870
Nut, Castellated..... 8.917
Nut, Check..... 8.916
Nut, Clutch pedal adj..... 0.841
Nut, Compressor mtg. bracket.... 9.173
Nut, Compressor pulley mtg..... 9.181
Nut, Connecting rod bolt..... 0.626
Nut, Cowl belt.....12.110
Nut, Differential bearing adj..... 5.537
Nut, Distributor governor..... 2.365
Nut, Distributor terminal..... 2.401
Nut, Door and quarter mouldings..12.118
Nut, Double reduction pinion..... 5.481
Nut, Engine mounting bolt..... 0.002
Nut, Evaporator air duct face plate 9.266
Nut, Exhaust manifold stud..... 3.277
Nut, Expansion valve thermo bulb clamp..... 9.214
Nut, Fender attaching.....8.143, 12.751
Nut, Fender extension attaching... 8.131
Nut, Fender moulding..... 8.133
Nut, Fldg. top low crown locking..14.340
Nut, Fldg. top support bracket... 14.320
Nut, Fldg. top lift support anchor..14.482
Nut, Fldg. top compt. switch support.14.483
Nut, Frt. door glass division channel.....10.688
Nut, Frt. fender extension..... 8.131
Nut, Front fender louver..... 8.147
Nut, Front spring eye bolt..... 7.432
Nut, Front stabilizer link..... 7.238
Nut, Gas tank strap..... 3.023
Nut, Generator armature..... 2.280
Nut, Hand throttle control wire.... 3.483
Nut, Headlamp beam adj. screw.. 2.737
Nut, Headlamp bolt..... 2.725
Nut, Heater switch control..... 8.852
Nut, Hexagon regular..... 8.915
Nut, Hood name plate..... 8.040
Nut, Hood top moulding..... 8.056
Nut, Horn button..... 2.820
Nut, Hub bolt..... 5.813
Nut, Hydraulic steering..... 6.575
Nut, Ignition lock..... 2.198
Nut, Instrument panel 10.252
Nut, Lock..... 8.917
Nut, Main cylinder attach..... 4.664
Nut, Main cylinder outlet..... 4.652
Nut, Oil test valve..... 9.177
Nut, Parking brake lever cable retaining..... 4.827
Nut, Parking brake lever grip screw 4.600
Nut, Parking brake release rod.... 4.594
Nut, Parking brake shoe lever adj.. 5.610
Nut, Parking lamp..... 2.587
Nut, Parking lamp door..... 2.594
Nut, Pinion shaft bearing lock..... 5.446
Nut, Pitman arm..... 6.861
Nut, Pitman shaft adj. screw..... 6.823
Nut, Prop. shaft pinion flange..... 5.595
Nut, Rad. grille..... 1.269
Nut, Rad. name plate attaching... 1.307
Nut, Rear comp. lid emblem.....12.246
Nut, Rear fender anchor..... 8.206
Nut, Rear license lamp..... 2.708
Nut, Rear spring hanger eye bolt... 7.530
Nut, Rear spring "U" bolt..... 7.516
Nut, Rear view mirror....10.186, 16.068
Nut, Rear wheel hub adj..... 5.829
Nut, Ring gear..... 5.533
Nut, Shock absorber frame..... 7.395
Nut, Shock absorber link..... 7.355
Nut, Slotted..... 8.917
Nut, Stamped or speed..... 8.921
Nut, Strg. arm ball..... 6.108
Nut, Steering column jacket..... 6.760
Nut, Strg. gear ball..... 6.841
Nut, Strg. gear hydraulic valve.... 6.551
Nut, Strg. gear hyd. piston rod.... 6.581
Nut, Strg. gear hyd. worm brg. lock. 6.531
Nut, Strg. knuckle control arm.....6.172, 8.915
Nut, Strg. gear worm thrust..... 6.830
Nut, Strg. knuckle arm..... 6.104
Nut, Strg. knuckle spindle..... 6.022
Nut, Strg. knuckle supt. lwr. arm.....6.170, 6.174
Nut, Strg. wheel hub nut....6.515, 8.916
Nut, Sunshade adjusting sleeve...10.224
Nut, Tail lamp door..... 2.688
Nut, Tail lamp lens..... 2.689
Nut, Tee..... 8.925
Nut, Torque converter anchor..... 4.115
Nut, Trans. control lever..... 4.009
Nut, Trans. clutch gear bearing... 4.357
Nut, Trans. lo or rev. band adj. screw..... 4.253
Nut, Trans. mainshaft..... 4.173
Nut, Trans. rev. shifter lever..... 4.302
Nut, Trans. turbine bolt..... 4.115
Nut, Tubeless tire valve stem..... 5.875
Nut, Turret top roof.....12.810
Nut, Vac. brake hyd. cyl. tube..... 4.907
Nut, Vac. power brake..... 4.898
Nut, Valve rocker arm adjusting... 0.429
Nut w/gasket, Carb. strainer..... 3.740
Nut, Wheel carrier..... 7.633
Nut, Windshield anchor.....16.012
Nut, W/S Frame hinge.....16.020
Nut, Windshield wiper.....10.151
Nut, Windshield wiper control....16.067
Nut, Windshield wiper trans.....10.160
Nut, Wing..... 8.920

O

Oil distributor cover..... 1.786
Oil distributor gasket..... 1.790
Oil distributor pipe nipple..... 1.531
Oil distributor valve assy..... 1.787
Oil distributor valve cap & spring.. 1.789
Oil filler, Crankcase..... 1.745
Oil filler inspection cover.....16.547
Oil filler tube baffle and clamp.... 1.750
Oil filler tube cap..... 1.516
Oil filler tube cap gasket..... 1.517
Oil filter..... 1.835

Oil filter body and stud 1.837
Oil filter cavity cover unit 1.837
Oil filter valve assy. 1.837
Oil fittings, Valve rocker arm shaft. 1.928
Oil, High detergent concentrate engine 1.850
Oil level rod and tube 1.516
Oil, Lubricating, Refrig. system 9.282
Oil pan attaching bolt and washer. 1.428
Oil pan drain flange 1.453
Oil pan drain screw 1.453
Oil pan drain screw gasket 1.456
Oil pan gasket unit 1.429
Oil pan pipe 1.427
Oil pan trough pipe attaching screw 1.427
Oil pan trough pipe spring 1.427
Oil pan with drain screw 1.426
Oil, Dripless penetrating 8.800
Oil pipe 1.519
Oil pipe fittings 1.531
Oil pressure gauge 1.803
Oil pressure reg. valve sprg. & ret.. 1.671
Oil pump assy. 1.652
Oil pump cover 1.723
Oil pump cover gasket 1.724
Oil pump relief valve 1.671
Oil pump retaining set screw 1.672
Oil pump screen 1.656
Oil pump screen cover reinforcement 1.664
Oil pump screen cover spacer 1.664
Oil pump screen cover supt., bolt & gasket 1.664
Oil pump suction pipe 1.739
Oil pump suction pipe grommet ... 1.531
Oil pump suction screen cover 1.662
Oil pump suction screen ret. spring. 1.665
Oil pump thrust washer 1.666
Oil retainer, Frt. prop. shaft brg.... 5.433
Oil seal, Axle shaft 5.822
Oil seal, Crankshaft rear bearing.. 0.137
Oil seal, King pin 6.225
Oil seal, Propeller shaft 5.469
Oil supply pump suction pipe 4.197
Oiler assy., Distributor 2.364
Ornament, Front fender 8.147
Ornament, Headlamp 2.724
Ornament, Hood 8.055
Ornament, Hub cap 5.858
Ornament, Instrument panel end .. 10.252
Ornament, Rear compt. handle ... 12.246
Ornament, Rear compartment lid .. 12.182
Ornament, Rr. dr. outer pnl 12.114, 12.116
Ornament, Rear fender 12.116
Ornament, Tail and stop lamp 2.680
Ornament, Wheel hub cap 5.871
Ornament, Wheel and tire 7.629
Outer panel finish rear quarter strip 13.352
Outlet, Car heater and evaporator. 9.262
Outlet, Cowl duct air 12.804
Outlet, Water 1.153
Oval slotted head bolt 8.909
Overdrive assy., Transmission 4.450

P

Packing, Carb. choke suction tube . 3.750
Packing, Door dovetail bumper 10.578, 16.400
Packing, Exhaust pipe 3.611
Packing, Pitman shaft 6.855
Packing, Propeller shaft 5.469
Packing, Vac. shift diaphragm 5.635
Packing, Water pump 1.133
Pad assy., Frt. dr. lwr. trim 14.685
Pad assy., Rr. dr. lwr. trim 14.760
Pad, Automatic headlamp control bracket 2.463
Pad, Back stay 13.349
Pad, Body 17.505
Pad, Brake pedal 4.630
Pad, Cowl side trim 14.630, 16.700
Pad, Door arm rest 16.155
Pad, Fldg. top header 14.050, 14.070
Pad, Door side rail 14.685
Pad, Door lock striker 10.571
Pad, Front fender step 8.148
Pad, Front seat cushion 14.890
Pad, Hood top panel rear reinf. tie . 8.009
Pad, Horn button 2.816
Pad, Instrument panel rail 10.232
Pad, License bracket 2.660
Pad unit, Instrument panel 14.655
Pad, Rear bumper 7.865
Pad, Rear door window channel ... 10.763
Pad, Rear door window guide 10.728
Pad, Rear license plate lamp 2.702
Pad, Rear seat cushion 15.036
Pad, Rear view mirror 16.068
Pad, Ring gear thrust 5.533
Pad, Stator 4.117
Pad, Tail lamp 2.660
Pad, Top lining 16.742
Pad unit, Instrument panel 14.655
Paint, Tipon kit 8.800
Pan, Crankcase oil 1.426
Pan, Floor 12.980, 16.545
Pan, Front toe 16.544
Pan, Oil 1.426
Pan, Rear compartment floor 12.981
Pan, Rear compartment end 12.986
Pan, Spare tire 12.980
Pan, Transmission oil 4.195
Panel assy., Body side trim 12.496
Panel assy., Front seat side 11.362, 14.860
Panel assy., Rear bumper 7.833
Panel assy., Rear quarter side outer 12.940
Panel assy., Seat separator compt. door 14.685
Panel assy., Side trim 15.263
Panel, Back body opening 12.968
Panel, Back window inner 12.964
Panel, Body back lower 12.966
Panel, Body front end 17.455
Panel, Body hinge pillar 16.578
Panel, Body lower back 16.587
Panel, Body lower rear 17.166
Panel, Body rear end 12.986
Panel, Body side 17.110
Panel, Body side rear trim & front .. 17.112
Panel, Body sill extension 8.307
Panel, Center pillar trim 12.492
Panel, Continental wheel filler 7.833
Panel, Cowl lower 12.804
Panel, Cowl side 12.804, 16.551
Panel, Cowl top 12.804
Panel, Cowl upper 12.803
Panel, Cowl ventilator 10.307
Panel, Dash 12.802
Panel, Deck front 12.971
Panel, Door inside trim 14.685, 16.165
Panel, Door lock 16.536
Panel, Door rocker 12.934
Panel, Evaporator access 9.211
Panel, Floor board 16.545
Panel, Folding top compartment ... 12.989
Panel, Front body hinge 12.840
Panel, Front door outer 12.895
Panel, Front door sill 16.603
Panel, Front fender 8.153
Panel, Front fender repair 8.130
Panel, Front fender step 8.148
Panel, Front seat back 11.358
Panel, Front seat back outer 14.810
Panel, Hood 8.000
Panel, Hood filler 8.010
Panel, Instrument 10.230, 16.080
Panel, Quarter outer trim 12.944
Panel, Radiator grille end ... 1.266, 2.586
Panel, Radiator grille filler 1.287
Panel, Radiator shell 1.263
Panel, Radio grille cover 10.256
Panel, Rear body lock pillar 12.944
Panel, Rear body lock pillar trim .. 12.496
Panel, Rear body outer extension .. 12.944
Panel, Rear compartment 15.103
Panel, Rear door outer 12.913
Panel, Rear fender replacement ... 12.940
Panel, Rear quarter corner 12.942
Panel, Rear quarter side inner 12.941
Panel, Rear seat back compt. shelf 12.958
Panel, Rear upper and lower lining 16.589, 16.592
Panel, Rear wheel cover 8.175
Panel, Roof outer 16.585
Panel, Seat cushion 16.716
Panel, Tire compartment 7.629
Panel, Top inner 12.810
Panel, Top lining 16.742
Panel, Turret top roof outer 12.810
Panel, Underbody compt. floor 12.981
Panel, Wheelhouse inner quarter .. 12.944
Parking brake adj. bolt support ... 5.610
Parking brake bell crank & rnfct... 4.800
Parking brake cable assy. 4.826
Parking brake cross shaft assy. 4.788
Parking brake cross shaft spacer .. 4.801
Parking brake cross shaft support. 4.803
Parking brake drum oil deflector .. 5.610
Parking brake drum, Prop. shaft .. 5.610
Parking brake fulcrum 4.606
Parking brake handle 4.592
Parking brake idler lever 4.792
Parking brake idler lever guide ... 4.791
Parking brake lever 4.591, 5.149
Parking brake lever anchor bolt washer 5.158
Parking brake lever extension 5.150
Parking brake lever grip screw ... 4.600
Parking brake lever grip screw nut. 4.600
Parking brake lever hsg. dash flange 4.606

Parking brake lever link 4.606
Parking brake lever pawl 4.595
Parking brake lever seal retainer . 4.615
Parking brake lever sector 4.603
Parking brake oper. lever 5.610
Parking brake oper. lever shaft lock bolt 5.610
Parking brake oper. link unit 5.610
Parking brake outer shoe adj. bolt . 5.610
Parking brake outer shoe spring .. 5.026
Parking brake pedal floor pan seal ret. 4.615
Parking brake pedal latch bar ... 4.603
Parking brake pedal lock bar bolt . 4.595
Parking brake pedal lock & guide .. 4.603
Parking brake pedal shaft bracket . 4.648
Parking brake pull back spring ... 4.827
Parking brake pull rod 4.826
Parking brake release rod 4.594
Parking brake release rod bracket . 4.594
Parking brake release rod nut 4.594
Parking brake release rod grommet 4.594, 9.775
Parking brake shoe 5.610
Parking brake shoe facing 5.610
Parking brake shoe friction spring . 5.028
Parking brake shoe lever adj. nut .. 5.610
Parking brake shoe lever extension spring 5.151
Parking brake shoe lever lock 5.030
Parking brake shoe lever strut 5.150
Parking brake signal unit 4.589
Parking brake spring 4.597, 4.800
Parking lamp assy., Frt. fender ... 2.585
Parking lamp, Body and cover 2.586
Parking lamp door assy. 2.593
Parking lamp door screw and nut .. 2.594
Parking lamp hsg. 2.586
Parking lamp hsg. insert 2.586
Parking lamp hsg. mtg. brckt. 2.587
Parking lamp lens 2.589
Parking lamp lens gasket 2.590
Parking lamp nut 2.587
Partial engine block assy. 0.033
Parts, Gas tank filler neck compartment 12.944
Parts, lower end gate 12.195
Pass. seat assy., Tilting 14.948
Pawl, Direction signal lamp 2.895
Pawl, Door outside lock handle 10,531, 16.385
Pawl, Parking brake lever 4.595
Pawl, Rear compt. lid lock handle . 12.254
Pawl, Trans. overdrive shifting 4.490
Pawl, Trans. park. lock 4.220
Pawl, Windshield wiper motor auxiliary 10.157
Pawl, Windshield wiper motor 16.065
Pedal, Accelerator 3.451
Pedal bracket, Accelerator 3.452
Pedal, Brake 4.625
Pedal, Clutch 0.830
Pedestal, Windshield washer 8.798
Penetrating dripless oil 8.800
Phototube, Automatic hdlp. control . 2.463
Pillar, Body lock 16.520
Pillar, Body rear 17.160
Pillar, Center body 12.491
Pillar, Front body hinge 12.840
Pillar moulding, Rear body side ... 17.160
Pin, Accel. and Carb. control lever 3.585
Pin, Accelerator rod pedal bracket 3.457
Pin, Accelerator spring 3.459
Pin, Ash receiver mounting pivot .. 12.016
Pin, Brake clevis 4.823
Pin, Brake lever hole cover spring .. 5.188
Pin, Brake pull back spring 5.026
Pin, Brake shoe anchor 5.055
Pin, Brake shoe link 5.034
Pin, Brush holder hinge 2.054
Pin, Camshaft sprocket 0.738
Pin, Carb. choke piston 3.752
Pin, Carburetor float lever 3.747
Pin, Clevis 8.942
Pin, Clutch release lever 0.875
Pin, Comp. seal shaft 9.175
Pin, Cotter 8.938
Pin, Crankshaft bearing 0.107
Pin, Distributor gear attaching 2.379
Pin, Door check link 16.437
Pin, Door hinge 10.466, 16.323
Pin, Door ventilator 10.669
Pin, Double reduction shifter yoke .. 5.490
Pin, End gate hinge 17.208
Pin, Fldg. top bow clevis 14.340
Pin, Fldg. top lift. link clevis 14.140, 14.482
Pin, Friction spring 5.030
Pin, Front spring shackle 7.427
Pin, Rear spring shackle 7.529
Pin, Front stabilizer link 7.238
Pin, Gate hinge 17.524
Pin, Gearshift interlock 4.095
Pin, Gearshift lever fulcrum 4.008
Pin, Gearshift shifter yoke 4.312
Pin, Gearshift vac. cyl. piston valve 4.079
Pin, Generator 2.286
Pin, Groove 8.940
Pin, Heater and evap. cont. lever pivot 9.281
Pin, Hood hinge 8.016
Pin, Hyd. strg. adapter 6.560
Pin, Hyd. strg. valve & adapt. lock nut 6.551
Pin, King 6.203
Pin, King pin lock 6.216
Pin, Motor and lift, folding top 14.482
Pin, Oil pump spring retainer 1.671
Pin, Package compt. dr. hinge 10.359
Pin, Parking brake frt. upr. idler lever 4.792
Pin, Parking brake lever 4.595, 4.606
Pin, Piston 0.636
Pin, Prop. shaft brake 5.606
Pin, Prop. shaft brake eye clevis .. 5.615
Pin, Propeller shaft coupling 5.457
Pin, Rear compartment lid hinge .. 12.186
Pin, Rear spring shackle 7.529
Pin, Shock absorber axle anchor .. 7.380
Pin, Shock absorber link 7.356
Pin, Speedometer adapter 4.330
Pin, Spring shackle, Front 7.427
Pin, Straight 8.939
Pin, Strg. col. gearshift lever pivot. 4.025
Pin, Strg. gear hyd. pump ring dowel 6.608
Pin, Strg. gear rack coupling 6.587
Pin, Strg. knuckle supt. and upper arm pivot 6.164
Pin, Starting motor drive shift 2.108
Pin, Synchronizer energizing spring 4.413
Pin, Tail lamp hinge 2.664
Pin, Trans. 2nd gear thrust washer and mainshaft 4.397
Pin, Trans. control lever 4.036
Pin, Trans. clutch 4.164
Pin, Trans. contl. rod clamp 4.017
Pin, Trans. control valve 4.282
Pin, Transmission converter 4.115
Pin, Transmission detent valve 4.265
Pin, Trans. governor drive flange .. 4.259
Pin, Trans. interlock 4.095
Pin, Trans. modulator control lever guide 4.208
Pin, Trans. modulator control lever fulcrum 4.208, 8.939
Pin, Trans. overdrive shifting 4.490
Pin, Trans. reverse band link 4.246
Pin, Trans. reverse idler shaft 4.435
Pin, Trans. reverse shifter 4.311
Pin, Trans. servo band actuating lever 4.237
Pin unit, Brake shoe hold down ... 5.043
Pin unit, Generator bracket 2.277
Pin, Vac. brake cyl. push rod 4.926
Pin, Vac. shift selector valve pivot .. 5.640
Pin, Wheel carrier clamp 7.632
Pinion and ring gear 5.529
Pinion bearing and oil seal retainer 5.476
Pinion, Double reduction 5.461
Pinion flange packing retainer 5.468
Pinion gear, Differential 5.526
Pinion shaft brg. cage 5.453
Pinion shaft brg. cage shim 5.458
Pinion shaft brg. lock screw 5.452
Pinion shaft brg. lock sleeve 5.453
Pinion shaft brg. seal 5.468, 5.469
Pinion shaft brg. shim and washer . 5.460
Pinion shaft, Differential 5.517
Pinion shaft, Double reduction 5.481
Pinion shaft front bearing 5.447
Pinion shaft front cup 5.447
Pinion shaft lock screw 5.518
Pinion shaft rear bearing 5.484
Pinion shaft rear cone 5.484
Pinion shaft rear brg. lock ring ... 5.489
Pinion, Trans. front planet carrier .. 4.161
Pinion, Transmission planet carrier 4.175
Pinion, Wheel cylinder adjusting .. 4.678
Pipe, Air cleaner 3.407
Pipe assy., Car evaporator 9.220
Pipe assy., Flexible gas and oil ... 3.163
Pipe assy., Muffler exhaust 3.609
Pipe clip 8.950
Pipe, Carburetor governor 3.870
Pipe, Crankcase oil 1.745
Pipe, Distr. vac. control suction ... 2.420
Pipe, Engine to muffler exhaust ... 3.609
Pipe, Filler neck lwr. vent 3.003
Pipe fitting 8.963
Pipe, Fuel pump to carburetor 3.163
Pipe, Gas tank to fuel pump 3.163
Pipe, Gearshaft vacuum booster .. 4.046
Pipe, Generator oil 2.301
Pipe, Hydraulic brake 4.685

Pipe, Muffler tail 3.705
Pipe, Oil 1.519
Pipe, Oil pan 1.427
Pipe, Oil pump suction 1.739
Pipe, Oil supply pump suction 4.197
Pipe plug 8.971
Pipe, Radiator outlet 1.173
Pipe, Steering gear 6.677
Pipe, Trans. oil 4.128, 4.248
Pipe, Trans. oil pump inlet 4.222
Pipe, Vacuum brake cylinder 4.930
Pipe, Vac. pwr. brake cyl. to connector 4.930
Pipe, Windshield wiper suction 16.066
Piston assy. 0.629
Piston assy., Strg. gear hyd. cyl. 6.578
Piston, Carb. choke 3.752
Piston, Carb. pump 3.838
Piston, Carb. step-up 3.858
Piston, Hyd. modulator 4.208
Piston pin 0.636
Piston pin bushing 0.633
Piston ring 0.643
Piston, Trans. brake and clutch ... 4.137
Piston, Trans. clutch 4.166
Piston, Trans. low or reverse servo 4.228, 4.241
Piston, Trans. main valve body ... 4.217
Piston, Trans. parking brake 4.290
Piston, Trans. rear servo 4.241
Piston, Trans. rear servo compensating 4.244
Piston, Vac. brake cylinder 4.922
Piston, Vac. brake cyl. relay valve . 4.935
Piston, Vac. brake hyd. cyl. 4.915
Pitman arm 6.859
Pitman arm bushing 6.862
Pitman arm bushing retainer 6.862
Pitman arm nut and lockwasher ... 6.861
Pitman arm shaft bushing 6.786
Pitman arm stop 6.861
Pitman shaft adjusting screw nut ... 6.823
Pitman shaft housing with bushing . 6.785
Pitman shaft housing adj. bolt 6.788
Pitman shaft hsg. adj. sleeve 6.789
Pitman shaft lash adj. and screw ... 6.822
Pitman shaft needle brg. 6.786
Pitman shaft packing retainer 6.856
Pitman shaft parts 6.855
Pivot, Brake shoe 5.020
Pivot, Front door ventilator 10.669
Pivot, Sunshade 10.219
Pivot, Vac. pwr. brake cyl. 4.928
Plain Washer 8.929
Planet carrier, Small parts 4.176
Planet reverse drum 4.190
Plastic body repair kit 12.800
Plastigage 0.093
Plate, Ash tray mounting 12.016
Plate assy., Brake flange 5.001
Plate assy., Main cyl. mtg. 4.648
Plate assy., Trans. supt. guide 4.083
Plate, Attaching, Driver seat 16.686
Plate, Axle gear shift selector 5.636
Plate, Battery hanger bottom 2.333
Plate, Body sill extension 8.307
Plate bolt, Flange 5.002
Plate, Brake lever seal 4.615
Plate, Brake shoe anchor 5.075
Plate, Brake shoe guide 5.045
Plate, Car heater and evap. control face 9.279
Plate, Car heater and evaporator mtg. 8.856
Plate, Carb. therm. hsg. cover 3.750
Plate, Clock hole cover 10.272
Plate, Clutch pressure 0.863
Plate, Clutch pull back spring 0.846
Plate, Clutch throwout bearing 0.800
Plate, Compressor clutch 9.188
Plate, Countergear rear brg. ret. lock 4.422
Plate, Direction signal lamp 2.895
Plate, Distributor breaker 2.385
Plate, Distributor weight & cam 2.390
Plate, Dome lamp switch .. 11.938, 16.498
Plate, Door arm rest trim 14.690
Plate, Door check link 10.608
Plate, Door dovetail bumper .... wedge 10.584, 16.420
Plate, Door hinge cover 10.469
Plate, Door lock inside handle brg. 10.515
Plate, Door lock striker adj. & anchor 10.571
Plate, Door rocker 12.934
Plate, End gate 17.200, 17.635
Plate, Engine front mounting 0.004
Plate, Engine front mounting top ... 0.029
Plate, Evaporator air dust 9.266
Plate, Floor and toe pan 12.565
Plate, Fldg. seat support bumper .. 11.380
Plate, Fldg. seat anchor 11.380
Plate, Fldg. top and dust boot 13.384, 14.483
Plate, Fldg. top header lock 14.080
Plate, Fldg. top cover 14.482, 14.486
Plate, Fldg. top guide 14.090
Plate, Fldg. top hyd. mtr. & pump 14.482, 14.486
Plate, Frt. door glass stop 10.715
Plate, Frt. door hinge cover 10.469, 16.320
Plate, Frt. door sill 11.175
Plate, Frt. dr. upr. hinge on body .. 10.450
Plate, Frt. door ventilator 10.665
Plate, Front fender and hood support 12.806
Plate, Frt. fender name 8.147
Plate, Front fender splash 8.153
Plate, Frt. seat hinge arm cover ... 11.375
Plate, Frt. stabilizer link bushing .. 7.245
Plate, Fuel pump mtg. 3.947
Plate, Gas tank filler neck compt. adapter 12.944
Plate, Gearshift interlock guide ... 4.095
Plate, Gearshift lever 4.017
Plate, Gearshift lever anchor 4.022
Plate, Generator brush 2.287
Plate, Generator commutator end . 2.300
Plate, Generator drive end 2.307
Plate, Headlamp dimmer 2.459
Plate, Heater & evaporator control face 8.852, 9.279
Plate, Heater motor mtg. 8.856
Plate, Hinge pillar cover 17.160
Plate, Hidem binding end 15.534
Plate, Hood 8.055
Plate, Hood lower catch 8.080
Plate, Hood side name 8.039
Plate, Hood top panel rnfct. tie 8.009
Plate, Hood upper catch 8.083
Plate, Hyd. strg. adapter bushing . 6.554
Plate, Ignition switch mounting ... 2.192
Plate, Instrument case 9.744, 9.746
Plate, Instrument panel name 10.252
Plate, Lighting switch fuse 2.489
Plate, Lower end gate 12.195
Plate, Main cylinder piston stop ... 4.656
Plate, Muffler tail pipe 3.705
Plate, Name 12.182
Plate, Radiator core 1.270
Plate, Radiator grille 1.266
Plate, Radiator name 1.303
Plate, Radio control cover . 10.256, 16.081
Plate, Rear axle rebound strap 5.390
Plate, Rear compt. lid 12.184
Plate, Rear compt. lid lock 12.237
Plate, Rear door sill 11.179
Plate, Rear door window wedge ... 10.769
Plate, Rear qtr. corner, lower rear . 12.942
Plate, Rear qtr. window hinge adj. . 11.054
Plate, Rear shock absorber anchor . 7.370
Plate, Rear spring clip and "U" bolt 7.518
Plate, Rear spring "U" bolt anchor . 5.403
Plate, Seat mounting 11.375
Plate, Side dr. vent. locking hdle. striker 16.176
Plate, Spring shackle under body . 12.980
Plate, Strg. col. seal retainer 6.758
Plate, Strg. column lower clamp .. 6.760
Plate, Strg. gear hyd. pump 6.612
Plate, Strg. gear mounting 6.797
Plate, Strg. gear stop rack 6.585
Plate, Strg. wheel hub 6.512
Plate, Sub-frame 7.008
Plate, Tail and stop lamp 2.683
Plate, Toe board 12.565, 16.546
Plate, Top frame link assy. 13.365
Plate, Transmission 4.215
Plate, Transmission brake 4.251
Plate, Trans. synchro 4.384
Plate, Trans. center bearing 4.131
Plate, Trans. clutch 4.163
Plate, Trans. counter gear lock ... 4.422
Plate, Trans. cover 4.105
Plate, Trans. inspection cover 12.541
Plate, Trans. low & drive body end 4.265
Plate, Trans. main drive gear brg. lock 4.356
Plate, Trans. overdrive sun gear .. 4.472
Plate, Trunnion bearing lock 5.586
Plate, Vac. brake cylinder end 4.904
Plate, Vac. brake cylinder 4.947
Plate, Vacuum modulator valve body 4.205
Plate, Vacuum power brake 4.648
Plate, Vac. power brake cyl. . 4.922, 4.931
Plate, Vacuum power brake cylinder piston 4.922
Plate, Vacuum power brake cyl. diaphragm 4.928
Plate, Water filter 1.174
Plate, Water pump back 1.113
Plate, Wheel and tire 7.629
Plate, Wheel carrier 7.751, 7.783

Plate, Wheelhouse 12.944
Plate, W/shield glass channel 10.009
Plate, W/shield motor bracket 10.150
Plate, W/shield motor mounting ... 10.157
Platform cross sill 17.405
Plug, Axle filler 5.400
Plug, Battery filler 2.345
Plug, Camshaft bearing hole 0.553
Plug, Carb. discharge ball check . 3.832
Plug, Carb. fuel level sight 3.734
Plug, Carb. nozzle passage 3.775
Plug, Carb. pump 3.841
Plug, Carb. pump passage 3.844
Plug, Choke housing 3.750
Plug, Clutch hsg. timing pointer hole 0.714
Plug, Commutator end oil hole 2.301
Plug, Compressor oil seal valve ... 9.177
Plug, Expansion 0.034, 8.970
Plug, Expansion valve seal 9.214
Plug, Fldg. top motor 14.482
Plug, Fluid coupling cover 4.118
Plug, Front spring bumper 6.176
Plug, Gas filler neck fender hole .. 8.208
Plug, Gearshift control shaft housing 4.022
Plug, Generator oil 2.301
Plug. Hyd. brake main cylinder ... 4.651
Plug. Hyd. steering adapter 6.560
Plug, Hyd. strg. relief valve 6.553
Plug, Instrument panel 16.083
Plug, Knuckle expansion 6.223
Plug, Lock pillar access hole 10.587
Plug, Oil pan drain 1.453
Plug, Oil pressure pipe 1.531
Plug, Pipe 8.971
Plug, Qtr. side inner 12.941
Plug, Seat cushion frame 16.679
Plug, Sheet metal or button 8.973
Plug, Spark 2.270
Plug, Speedometer driven gear ... 4.338
Plug, Strg. connecting rod safety .. 6.882
Plug, Strg. gear hyd. pump 6.612
Plug, Strg. idler and 3rd arm shaft. 6.181
Plug, Tail & stop lamp 2.694
Plug, Tie rod end 6.255
Plug, Trans. frt. servo overrun 4.227
Plug, Trans. main valve body 4.217
Plug, Trans. oil filler 4.133
Plug, Trans. oil pan 4.195
Plug, Trans. overdrive 4.455
Plug, Trans. primary pump hsg. drain 4.115
Plug, Trans. rear brg. retainer supt. 4.317, 4.412
Plug, Trans. thermostat valve spring 4.216
Plug Trans. valve pressure regulator 4.216
Plug, "U" joint sleeve yoke 5.556
Plug, Vac. brake hyd. cyl. end 4.910
Plug, Vac. pwr. brake booster outlet 4.931
Plug, Valve rocker arm shaft 0.356
Plug, Water jacket 1.146
Plug, Water temp. (Dash Unit) 1.150, 8.971
Plunger, Carburetor 3.838
Plunger, Starting motor drive shift . 2.113
Plunger, Strg. gear valve centering 6.551
Plunger, Trans. rear servo accum .. 4.250
Plunger, Vacuum modulator 4.205
Plunger, Vacuum power brake 4.658
Plunger, Vac. power brake cyl. ... 4.915
Plunger, Wheel lock 7.680
Pocket, Gas tank filler neck compt. 12.944
Pocket, Stake 17.462
Point unit, Distributor 2.384
Polish, Body 8.800
Polishing cloth 8.800
Poppet assy., Vacuum power brake cylinder 4.928
Portable spotlight, Sealed beam .. 9.773
Post, Carburetor governor 3.870
Potentiometer, Auto. hdlp. control . 2.461
Powder, Static eliminator 8.800
Preventive, Radiator rust 8.800
Prop. shaft 5.436, 5.441
Prop. shaft & hsg. assy., Frt. 5.435
Prop. shaft bearing 5.436
Prop. shaft bearing cushion 5.439
Prop. shaft bearing lock ring 5.437
Prop. shaft bearing support kit 5.436
Prop. shaft brake parts, Dual-Shoe 5.610
Prop. shaft brake parts, Tru-Stop .. 5.606
Prop. shaft brg. dust seal assy. 5.438
Prop. shaft brg. dust shield 5.438
Prop. shaft brg. dust spacer 5.438
Prop. shaft brg. ret. and ins. 5.439
Prop. shaft coupling 5.454
Prop. shaft coupling pin and rivet. 5.457
Prop. shaft coupling spring 5.457
Prop. shaft front bearing hanger .. 5.432
Prop. shaft front bearing support .. 5.432
Prop. shaft front brg. supt. bolt 5.432
Prop. shaft housing 5.504
Prop. shaft housing bushing & dowel 5.450, 5.451
Prop. shaft oil seal 5.469
Prop. shaft packing 5.469
Prop. shaft park. brake shoe friction spring 5.028
Prop. shaft park brake shoe lever. 5.610
Prop. shaft pinion flange 5.545
Prop. shaft pinion flange nut 5.595
Prop. shaft ret. spring 5.437
Protector, spark plug 2.258
Pulley and fan, Generator 2.274
Pulley, Brake cable 4.833
Pulley, Compressor drive 9.180
Pulley, Fan and water pump 1.062
Pulley, Strg. gear hyd. pump 6.655
Pulley, Strg. gear hyd. pump idler. 6.665
Pump assembly, Oil 1.652
Pump assembly, Water 1.069
Pump assy., Folding top 14.481
Pump assy., Fuel 3.900
Pump assy., Strg. gear hyd. 6.605
Pump assy., Trans. torque converter 4.110
Pump, Carburetor 3.838
Pump, Seat cushion 16.715
Pump, Torque conv. prim. 4.115
Pump, Trans. frt. servo 4.226
Pump, Trans. oil supply 4.200
Pump, Trans. primary 4.115
Pump, Windshield washer 8.798
Push rod, Clutch pedal 0.832

Q

Quarter belt finishing moulding ... 11.119
Quarter belt moulding bolt & washer 12.118
Quarter belt moulding escutcheon . 12.117
Quarter belt moulding, Rear 12.116
Quarter belt moulding retainer ... 12.116
Quarter belt rear rail, Outer 12.428
Quarter lower trim assy. 15.100
Quarter trim mldg. and ret., Rear . 15.101
Quarter trim upper, Rear 15.100
Quarter wind. belt finishing mldg. ret. 11.119
Quarter wind. belt finishing mldg. supt. 11.119
Quarter wind. division channel ... 11.008
Quarter wind. garnish moulding .. 11.119
Quarter wind. garn. mldg. w/strip . 11.118
Quarter wind. glass 11.011
Quarter wind. glass bumper 11.012, 11.013
Quarter wind. glass channel ret... 11.024
Quarter wind. glass rubber chnl... 11.015
Quarter wind. glass run channel .. 11.021
Quarter wind. glass stop 11.012
Quarter wind. glass weatherstrip .. 11.015
Quarter wind. guide, Rear 11.040
Quarter wind. gutter 11.009
Quarter wind. hinge 11.052
Quarter wind. hinge adj. plate ... 11.054
Quarter wind. hinge pivot bolt 11.057
Quarter wind. hinge pivot bushing . 11.053
Quarter wind. knob and latch 11.010
Quarter wind. lower sash channel weatherstrip 11.027
Quarter wind. reg. 11.041
Quarter wind. reg. cam 11.046
Quarter wind reg. cover plate 11.042
Quarter wind. reg. handle 11.044
Quarter wind. reg. handle escn... 11.047
Quarter wind. reveal mldg. & parts 11.031
Quarter wind. sash channel 11.005, 11.007

R

Race and roller, Axle shaft 5.855
Race, Differential side bearing 5.536
Race, outer and inner double reduction pinion 5.462
Race, Steering worm thrust brg. 6.527
Race, Torque converter stator 4.119
Race, Transmission converter 4.115
Race, Trans. front planet carrier .. 4.161
Race, Transmission clutch 4.164
Race, Trans. forward cone freewheel sprag 4.168
Race, Trans. planet carrier brg. ... 4.176
Race, Trans. rear ring carrier 4.187
Rack assy., Rear end stake 17.560
Rack assy., Stake 17.485
Rack, Steering gear 6.586
Radiator anti-squeak 1.278
Radiator attaching parts 1.269
Radiator brace rod 1.309
Radiator core 1.219
Radiator core lock and spacer plate 1.270
Radiator drain cock 1.229
Radiator drain coupling 1.229

Radiator emblem 1.303
Radiator fan shroud and bracket .. 1.277
Radiator filler cap 1.203
Radiator filler cap gasket 1.206
Radiator filler neck 1.210
Radiator flush 8.800
Radiator grille 1.266
Radiator grille air deflector 1.266
Radiator grille baffle 1.286
Radiator grille clamp 1.286
Radiator grille filler panel & rnfct .. 1.287
Radiator grille moulding 1.268
Radiator grille plate 1.266
Radiator grille reinforcement 1.266
Radiator grille shield 1.287
Radiator hose inlet 1.159
Radiator hose clamp 1.166
Radiator moulding retainer 1.269
Radiator mounting bolt 1.270
Radiator name plate nut 1.307
Radiator outlet pipe 1.173
Radiator overflow hose 1.240
Radiator panel 1.263
Radiator rust preventive 8.800
Radiator screen 1.266
Radiator shell 1.263
Radiator shell baffle 1.285
Radiator shell bracket catch 8.028
Radiator shell ornament 8.055
Radiator stop leak 8.800
Radiator support bracket cushion .. 1.270
Radiator thermostat 1.246
Radio 9.650
Radio antenna unit 9.645
Radio control cover 10.256, 16.081
Radio grille 10.256, 16.083
Radio grille cover panel 10.256
Radio grille retainer 10.256
Radio screen 10.256
Radius rod and bracket, Front brake 5.011
Radius rod bracket bolt 5.012
Rail assy., Instrument panel trim .. 10.231
Rail, Back body opening 12.968
Rail, Center seat grab 11.612
Rail, Door window regulator 10.792
Rail, Folding top front roof 14.050
Rail, Folding top side roof 14.100, 14.170
Rail, Platform side rub 17.442
Rail, Rear quarter belt outer 12.428
Rail, Side roof 12.956, 12.957
Rail Transmission
overdrive shifting 4.490
Rail, Wheel carrier 7.751
Rail, Windshield 16.553
Rail, Windshield side 12.808
Rail with pocket, Platform rear rub 17.445
Raiser unit, Auto. folding top 14.483
Rear axle filler plug gasket 5.401
Rear axle gearshift linkage 5.623
Rear axle gearshift vac. hose
attaching parts 5.638
Rear axle housing 5.387
Rear axle housing cover 5.398
Rear axle housing cover gasket ... 5.399
Rear axle housing oil deflector 5.392
Rear axle ventilator 5.387
Rear body lock pillar panel 12.496
Rear body lock pillar trim retainer 14.740
Rear body outer extension panel .. 12.944
Rear. compt. division panel assy. .. 12.584
Rear compt. end pan 12.986
Rear. compt. floor pan 12.981
Rear. compt. floor pan extension .. 12.981
Rear compt. gutter brace 12.996
Rear compt. gutter reinforcement .. 12.996
Rear compt. lid assembly 12.181
Rear. compt. lid bumper 12.212
Rear compt. lid emblem 12.182
Rear compt. lid emblem retainer .. 12.246
Rear compt. lid emblem seal 12.246
Rear compt. lid emblem washer .. 12.246
Rear compt. lid hinge arm & strap .. 12.187
Rear compt. lid hinge assy. 12.184
Rear compt. lid hinge box 12.184
Rear compt. lid hinge filler 12.185
Rear compt. lid hinge pin 12.186
Rear compt. lid lock cover 12.241
Rear compt. lid lock cyl. .. 12.247, 12.248
Rear compt. lid lock cyl. gasket ... 12.247
Rear compt. lid lock cyl. retainer .. 12.249
Rear comp. lid lock handle 12.246
Rear compt. lid lock handle assy. .. 12.247
Rear compt. lid lock handle pawl . 12.254
Rear compt. lid lock handle shaft . 12.252
Rear compt. lid lock handle sleeve . 12.254
Rear compt. lid lock plate & striker . 12.237
Rear compt. lid moulding 12.182
Rear compt. lid pin 12.233
Rear compt. lid support ... 12.203, 17.202
Rear compt. lid
weatherstrip retainer 12.271
Rear compt. pan weatherstrip 12.987
Rear compt. side lining 15.222
Rear compt. w/strip 12.269
Rear corner lamp lens 11.928
Rear corner lamp reflector and rim . 11.927
Rear corner window glass 16.464
Rear door 10.373
Rear door lock 10.473, 16.330
Rear dr. lock outer support 16.330
Rear dr. lock to cont. lever rod 10.563
Rear dr. locking rod lever washer .. 10.565
Rear door lower trim pad assy. 14.760
Rear door panel 12.913
Rear door shield extension 12.114
Rear door trim finish moulding 14.764
Rear door window garnish moulding 11.089
Rear end belt moulding
and retainer 12.121
Rear end stake latch 17.522
Rear fender 8.203
Rear fender flap 8.214
Rear fender mldg. bolt 12.118
Rear fender replacement panel ... 12.940
Rear floor mat 15.292, 15.306
Rear guard cross bar 7.828
Rear license lamp door 2.706
Rear license lamp unit 2.700
Rear license plate bracket 2.670
Rear license plate lamp brckt 2.705
Rear qtr. ash tray 12.045
Rear qtr. corner posts 12.944
Rear qtr. lower filler panel 12.944
Rear qtr.
side panel 12.940, 12.941, 12.942
Rear qtr. trim assy. 15.100
Rear qtr. trim moulding 15.101
Rear qtr. ventilator drain tube 10.997
Rear qtr. window guide 11.040
Rear seat attaching screw 11.608
Rear seat back compt. panel brace 12.768
Rear seat back compt. shelf panel 12.958
Rear seat back compt.
shelf trim assy. 15.024
Rear seat cushion cover trim assy. . 15.035
Rear seat cushion pad 15.036
Rear seat detachable back trim ... 15.000
Rear spring assy. 7.503
Rear spring bracket 7.535
Rear spring leaf 7.505
Rear spring seat 5.403
Rear spring seat bolt 5.404
Rear spring seat seal 5.404
Rear spring "U" bolt nut 7.516
Rear upper inner lining panel 16.589
Rear view mirror 10.185, 16.068
Rear view mirror bracket . 10.187, 16.069
Rear view mirror nut 10.186, 16.068
Rear wheel 5.803
Rear wheel hub 5.806
Rear wheel hub. adj. nut 5.829
Receiver, Air cond. refrigerant 9.195
Receiver unit, Ash 12.009
Reel, End gate
support cable 17.222, 17.635
Reel assy., Lower end gate 12.195
Reflector, Dome lamp 11.927
Reflector, Rear corner lamp 11.927
Reflector, Reflex 2.689
Reflex, Tail and stop lamp 2.689
Refrigerant, Freon 9.282
Regulator,
Door wind 10.783, 10.791, 16.260
Regulator, Front door ventilator ... 10.661
Regulator, Frt. dr. window electric . 10.783
Regulator handle, Windshield 16.050
Regulator, Quarter window 11.041
Regulator, Rear door ventilator 10.824
Regulator, Rear quarter ventilator . 10.824
Regulator, Voltage 2.500
Regulator, Windshield 16.045
Reinforcement, Accel. pedal rod .. 3.452
Reinforcement, Back
window division 11.216
Reinforcement, Battery hanger 2.333
Reinforcement, Body back lower .. 12.966
Reinforcement, Body top header pnl. 16.585
Reinforcement, Cowl
panel 10.307, 12.805
Reinforcement, Dash panel P.B. 4.648
Reinforcement, Dash to frame 12.650
Reinforcement, Deck frt. panel 12.971
Reinforcement, Door check link ... 10.608
Reinforcement, Door rocker 12.934
Reinforcement, Driver seat bracket . 16.686
Reinforcement, Drivers seat frame . 11.357
Reinforcement, Elec. window lift ... 10.777
Reinforcement, Floor panel 16.546
Reinforcement, Frame to bumper .. 7.836
Reinforcement, Front fender 8.141
Reinforcement, Front seat . 11.357, 11.358
Reinforcement, Front stabilizer shaft 7.242
Reinforcement, Gasoline tank 3.015
Reinforcement, Hinge pillar 12.659
Reinforcement,
Hood panel 8.010, 8.015

Reinforcement, Instrument panel..10.230
Reinforcement, Lock pillar at belt..12.944
Reinforcement, Oil pump screen cover..... 1.664
Reinforcement, Parking brake bell crank..... 4.800
Reinforcement, Qtr. side inner....12.941
Reinforcement, Qtr. window lower sash.....11.007
Reinforcement, Qtr. wind. upper sash.....11.005
Reinforcement, Radiator grille.... 1.266
Reinforcement, Radiator sup. frame 1.270
Reinforcement, Rear compt. gutter.12.996
Reinforcement, Rear view mirror..16.069
Reinforcement, Rear window inner.12.964
Reinforcement, Shock absorber frame..... 7.395
Reinforcement, Side door inner panel hinge.....10.450
Reinforcement, Side roof outer....12.956
Reinforcement, Step assy.....16.600
Reinforcement, Strg. gear mtg..... 6.797
Reinforcement, Tail lamp brkt. supt. 2.670
Reinforcement, Underbody toe panel.....12.565
Reinforcement, Valve rocker cover. 0.413
Reinforcement, Water pump and fan pulley..... 1.062
Reinforcement, W/S opening.....10.052
Reinforcement, W/S side.....12.808
Reinforcement, W/S garn. mldg...16.013
Reinforcement, W/S division.....16.017
Relay, Air conditioning..... 9.277
Relay, Auto. folding top.....14.483
Relay assy., Auto. headlamp power..... 2.459
Relay, Automatic headlamp control 2.461
Relay, Matched horn..... 2.815
Relay assy., Starting motor..... 2 127
Relay, Trans. overdrive..... 4.480
Remote control, Door lock.10.500, 16.341
Remover, Tar..... 8.800
Repair kit, Carburetor..... 3.725
Repair kit, Hyd. brake main cyl... 4.649
Repair kit, Parking lever..... 4.597
Repair kit, Strg. col. vac. shift.... 4.045
Repair kit, Strg. idler and third arm shaft..... 6.181
Repair kit, Universal joint..... 5.548
Repair Kit, Vac. power brake..... 4.898
Repair kit, Water pump..... 1.002
Repair Kit, Wheel brake cyl..... 4.665
Replacement unit, King pin..... 6.203
Reservoir, Air cleaner oil..... 3.406
Reservoir, Folding top hydraulic motor and pump.....14.486
Reservoir kit, Steering gear hyd. pump..... 6.635
Resin, Liquid plastic.....12.800
Resistor, Evap. motor switch..... 9.275
Resistor, Ignition coil..... 2.173
Rest, Door arm.....14.686, 16.155
Rest, Rear door arm.....14.762
Rest, Rear quarter arm.....15.108
Retainer assy., Ammeter and oil.. 9.747
Retainer, Arm rest trim.....14.690
Retainer, Ash receiver.....12.016
Retainer, Ash tray.....16.120
Retainer, Auto. choke valve therm. hsg..... 3.750
Retainer, Back up lamp..... 2.697
Retainer, Back wind. glass w/strip . 16.471
Retainer, Battery..... 2.333
Retainer, Body lock pillar trim.....14.668, 14.740
Retainer, Body opening upr. w/strip.....12.269
Retainer, Body sill moulding..... 8.309
Retainer, Car heater and evaporator..... 9.264
Retainer, Carburetor governor.... 3.870
Retainer, Carb. pump plunger spring..... 3.841
Retainer, Carb. therm. hsg. cover. 3.750
Retainer, Carb. choke..... 3.752
Retainer, Carb. idle vapor vent spg..... 3.852
Retainer, Carb. intake check ball. 3.826
Retainer, Cigarette lighter..... 9.709
Retainer, Ck/shaft clutch pilot brg. 0.650
Retainer, Clock hole cover..... 9.772
Retainer, Clutch & brake pedal shaft..... 0.837
Retainer, Comp. oil seal seat..... 9.175
Retainer, Compressor valve..... 9.172
Retainer, Compressor valve mtg. screw..... 9.172
Retainer, Continental tire cover... 7.629
Retainer, Countergear rear brg.... 4.422
Retainer, Cowl belt moulding.....12.110
Retainer, Crankcase vent. hose... 1.745
Retainer, Distributor lubricating... 2.364
Retainer, Door arm rest trim.....14.691
Retainer, Door check link.10.608, 16.437
Retainer, Door handle push button spring.....10.529, 16.353
Retainer, Door hinge anchor.....10.450
Retainer, Door inside locking control.....10.556
Retainer, Door lock inside handle.10.513
Retainer, Door lock striker.....10.571
Retainer, Door outside lock handle.10.551
Retainer, Door opg. w/strip.....10.694, 16.230
Retainer, Door safety lock.....10.551
Retainer, Door trim pad.....14.685
Retainer, Door weatherstrip.....10.694
Retainer, Door window reveal moulding.....10.708
Retainer, Elec. seat adjuster.....11.556
Retainer, Elec. window lift.....10.777
Retainer, End gate.....17.222, 17.635
Retainer, End gate cable.....17.222
Retainer, Engine cover.....16.549
Retainer, Engine mounting..... 0.029
Retainer, Exh. pipe insulator..... 3.616
Retainer, Fender crown mldg.....12.116, 12.118
Retainer, Floor board.....16.545
Retainer, Floor mat.....15.286
Retainer, Fldg. seat back.....11.380
Retainer, Fldg. top.....13.384, 14.483
Retainer, Fldg. top frt. roof rail w/strip.....14.060
Retainer, Fldg. top side roof rail...14.120, 14.190, 14.260
Retainer, Fldg. top dust boot.....13.384
Retainer, Front door glass.....10.715
Retainer, Frt. door glass run channel.....10.703
Retainer, Frt. fender mldg..... 8.133
Retainer, Frt. fender skirt shield... 8.153
Retainer, Frt. seat.....11.375, 11.561
Retainer, Frt. stabilizer bushing... 7.245
Retainer, Frt. stabilizer shaft..... 7.242
Retainer, Frt. spring bumper..... 7.421
Retainer, Frt. body pillar trim.....14.668
Retainer, Frt. door vent. reg. hdle..10.664
Retainer, Frt. prop. shaft bearing.. 5.433
Retainer, Fuel & vac. pump oil seal. 3.930
Retainer, Fuel pump pulsator..... 3.910
Retainer, Gas tank filler neck compartment.....12.944
Retainer, Gauge lens..... 9.744
Retainer, Gearshift lever..... 4.017
Retainer, Gearshift lever ball..... 4.027
Retainer, Gearshift seal..... 4.015
Retainer, Gearshift shifting shaft.. 4.311
Retainer, Gen. drive end washer.. 2.307
Retainer, Hand brake lever seal.. 4.615
Retainer, Headlining trim.....14.651
Retainer, Heater control valve seal 9.795
Retainer, Hood catch lock plate... 8.085
Retainer, Hood emblem..... 8.055
Retainer, Hood panel hinge support..... 8.015
Retainer, Horn button contact cup. 2.819
Retainer, Horn button..... 2.820
Retainer, Hydraulic modulator piston..... 4.208
Retainer, Hyd. strg. control valve grommet..... 6.670
Retainer, Hyd. steering pump..... 6.630
Retainer, Ignition lock..... 2.198
Retainer, Instr. face glass..... 9.747
Retainer, Instr. panel compt. door knob.....10.267
Retainer, Instr. panel compt. dr. lock.....16.110
Retainer, Instr. panel mldg.....10.252
Retainer, Instrument panel pad...10.232
Retainer, King pin thrust bearing.. 6.214
Retainer, King pin oil seal..... 6.225
Retainer, Lighter..... 9.706
Retainer, Lower end gate.....12.195
Retainer, Oil pump shaft..... 1.639
Retainer, Oil supply pump..... 4.203
Retainer, Oil press. reg. valve sprg. 1.671
Retainer, Park. brake cable..... 4.785
Retainer, Park. brake pedal floor pan seal..... 4.615
Retainer, Pinion flange packing... 5.468
Retainer, Pinion brg. & oil seal.... 5.476
Retainer, Pitman shaft packing... 6.856
Retainer, Pitman arm bshg..... 6.862
Retainer, Prop. shaft bearing..... 5.439
Retainer, Prop. shaft brake..... 4.606
Retainer, Qtr. window belt finishing mldg.....11.119
Retainer, Qtr. window division....11.008
Retainer, Qtr. window glass chanl..11.024
Retainer, Qtr. window reg. handle.11.044
Retainer, Qtr. wind. reveal mldg...11.031
Retainer, Rad. grille moulding.... 1.269
Retainer, Rad. side bafl. mtg. spring 1.285

Retainer, Radio grille.....10.256
Retainer, Rear axle bumper..... 5.394
Retainer, Rear axle shaft bearing.. 5.816
Retainer, Rear body
lock pillar trim.....14.740
Retainer, Rear bumper seal..... 7.833
Retainer, Rear compt. lid emblem.12.246
Retainer, Rear compt. lid lock cyl..12.249
Retainer, Rear compt. lid lock cyl...12.247
Retainer, Rear compt. lid w/strip..12.271
Retainer, Rear corner window....16.469
Retainer, Rear door
wind. glass run lower.....10.759
Retainer, Rear end belt mldg.....12.121
Retainer, Rear fender..... 8.214
Retainer, Rear license mldg..... 2.704
Retainer, Rear wheel cover panel.. 8.176
Retainer, Rear wind. glass reveal..11.209
Retainer, Roof panel header.....12.810
Retainer, Seat cushion....14.968, 16.716
Retainer, Shifting shaft..... 4.311
Retainer, Shock absorber bushing.. 7.389
Retainer, Side roof rail
w/strip.10.703, 14.120, 14.190, 14.260
Retainer, Side
roof rail trim.....12.957, 14.651
Retainer, Spare tire cover.....12.579
Retainer, Strg. knuckle
upr. con. arm..... 6.163
Retainer, Strg. knuckle
lwr. con. arm..... 6.172
Retainer, Strg. col.
and clutch pedal..... 6.758
Retainer, Strg. worm thrust brg.... 6.527
Retainer, Strg. shaft upr. brg..... 6.526
Retainer, Sunshade.....10.219
Retainer, Tail &
stop lamp fender seal..... 2.660
Retainer, Tailgate shaft.....12.252
Retainer, Tail lamp lens..... 2.688
Retainer, Tire cover..... 7.629
Retainer, Top lining panel.....16.745
Retainer, Trans.
by-pass valve thermo..... 4.216
Retainer, Trans. control lever shaft 4.016
Retainer, Trans. forward cone
freewheel sprag..... 4.167
Retainer, Trans.
gearshift oper. shaft..... 4.107
Retainer, Trans. line exhaust..... 4.106
Retainer, Trans.
low servo piston rod..... 4.228
Retainer, Trans. main drive gear.. 4.356
Retainer, Trans. mainshaft
pilot brg. roller..... 4.352
Retainer, Trans. main valve spring 4.216
Retainer, Trans. overdrive...4.467, 4.485
Retainer, Trans. planet carrier brg. 4.176
Retainer, Trans. parking lock pawl 4.220
Retainer, Trans. rear brg....4.317, 4.422
Retainer, Trans. rear servo..... 4.247
Retainer, Trans. rev. clutch..... 4.189
Retainer, Trans. rev. servo
piston apply spg..... 4.241
Retainer, Trans. sec. pump roller.. 4.112
Retainer, Trans. shift..... 4.234
Retainer, Trans. stator roller & spg. 4.117
Retainer, Trans. synchro ring..... 4.381
Retainer, Trans. support..... 4.083
Retainer, "U" Joint trunnion gskt... 5.560
Retainer, Universal joint ball..... 5.576
Retainer, Vac. brake
hyd. cyl. piston spring..... 4.917
Retainer, Vac.
power brake cyl.....4.911, 4.924
Retainer, Vacuum power brake
cyl. spring..... 4.928
Retainer, Vac.
pwr. brake piston packing..... 4.922
Retainer, Vac. shift selector valve. 5.640
Retainer, Vac. shift
diaphragm packing..... 5.635
Retainer, Valve tappet spring..... 0.506
Retainer, Wheel cover panel..... 8.176
Retainer, Wheelhouse
panel trimstick 12.944
Retainer, Window
reg. hdle. escn.....10.797, 10.806
Retainer, W/S
lower reveal moulding.....10.096
Retainer, W/S pillar trim upper...14.668
Retainer, W/S reg. handle spring.10.122
Retainer, W/S side rail.....14.115
Retainer, W/S washer coordinator. 8.798
Retainer, W/S wiper link..10.158, 16.065
Retainer, Windshield wiper motor
auxiliary.....10.157
Retainer, W/S wiper trans.....10.160
Reveal mldg., Frt. door window....10.707
Reveal mldg., Quarter window....11.031
Reveal mldg., Rear door window..10.772
Reveal mldg., Side window.....17.136
Reverse center gear..... 4.190
Reverse gear unit..... 4.193
Reverse shifter head..... 4.303
Reversing switch wiring harness.. 2.122
Rim assy., Signal lamp..... 2.899
Rim clamp ring, Tire locking..... 5.839
Rim, Dome lamp.....11.928
Rim, Headlamp..... 2.728
Rim, Tail lamp..... 2.681
Ring and pinion gear assy..... 5.529
Ring assy., Direction signal switch. 2.895
Ring, Car heater and evaporator.. 9.264
Ring, Clutch & brake
pedal shaft lock..... 0.837
Ring, Clutch hub retaining..... 4.384
Ring, Clutch spring pivot..... 0.866
Ring, Comp. brg. retainer snap... 9.181
Ring, Comp. clutch cover..... 9.188
Ring, Door handle
push button.....10.529, 16.353
Ring, Door handle push button
and lock cylinder.....10.552
Ring, Dry battery date..... 2.332
Ring, End gate handle.....12.250
Ring, Exhaust pipe..... 3.611
Ring, Filter element retainer..... 9.214
Ring, Fldg. top lift link pin.....14.140
Ring, Front hub clamp..... 6.308
Ring gear screw..... 5.531
Ring, Gearshift cam detent
retaining..... 4.311
Ring, Gearshift escutcheon ret.... 4.015
Ring, Gearshift fork retainer..... 4.312
Ring, Gearshift lever..... 4.017
Ring gear thrust pad screw..... 5.533
Ring, Headlamp..... 2.726
Ring, Headlamp rim..... 2.731
Ring, Horn blowing.....2.816, 2.830
Ring, Hydraulic modulator piston.. 4.208
Ring, Knuckle expansion..... 6.223
Ring, Main cylinder piston rod lock 4.656
Ring, Main cylinder push..... 4.658
Ring, Pinion shaft rear bearing lock 5.489
Ring, Piston..... 0.643
Ring, Press reg. valve sprg. seat. 4.216
Ring, Prop. shaft bearing lock.... 5.437
Ring, Rear wheel hub clamp..... 5.820
Ring, Rear axle shaft bearing..... 5.816
Ring, Rear wheel bearing..... 5.822
Ring, Reverse booster
valve sprg. seat..... 4.216
Ring, Rim clamp..... 5.839
Ring, Starting motor thrust..... 2.063
Ring, Stator over run cam retaining 4.117
Ring, Strg. gear hyd. cyl. piston... 6.579
Ring, Strg. gear hyd. pump..6.611, 6.612
Ring, Strg. gear hyd. pump
dr. shaft out. brg. ret..... 6.616
Ring, Strg. gear hyd. valve..... 6.552
Ring, Trans. 2nd spd. gear thrust
washer & mainshaft..... 4.397
Ring, Trans. clutch piston
release spring snap..... 4.164
Ring, Trans. brake and clutch.... 4.137
Ring, Transmission brake and
clutch piston..... 4.138
Ring, Trans. clutch drum oil seal.. 4.169
Ring, Transmission converter..... 4.115
Ring, Trans. countershaft gear ret.. 4.422
Ring, Transmission forward and
neutral clutch..... 4.142
Ring, Transmission front drive.... 4.158
Ring, Trans. front oil pump seal... 4.203
Ring, Trans. front planet carrier... 4.161
Ring, Transmission forward cone
freewheel..... 4.167
Ring, Trans. gov. sleeve oil seal... 4.256
Ring, Trans. input shaft oil seal... 4.123
Ring, Trans. low or
reverse servo piston.....4.228, 4.241
Ring, Trans. main drive gear brg... 4.376
Ring, Trans. oil seal..... 4.127
Ring, Trans. overdrive sun gear... 4.472
Ring, Trans. overdrive snap..... 4.477
Ring, Trans. rear brg. locating... 4.412
Ring, Transmission rear ring gear
sprag..... 4.180
Ring, Trans. rear ring gear..... 4.187
Ring, Trans. rear servo..... 4.242
Ring, Trans. reg. valve cap ret.... 4.265
Ring, Trans. ret. and snap..... 4.128
Ring, Transmission reverse cone... 4.189
Ring, Trans. stator race snap..... 4.112
Ring, Trans. stator thrust snap.... 4.117
Ring, Trans. sun gear flange ret... 4.162
Ring, Trans. synchronizing..4.383, 4.384
Ring, Trans. valve body
oil valve snap..... 4.217
Ring, Universal joint..... 5.574
Ring, "U" joint trunnion brg. lock.. 5.586
Ring, Vac. brake hyd. cyl....4.911, 4.917
Ring, Vac. brake cylinder valve
and piston stop retaining..... 4.942

Ring. Vac. pwr. brake chk., seal snap 5.645, 4.955
Ring, Vacuum power brake cylinder reaction 4.915
Rivet, Brake facing 5.019
Rivet, Brake flange plate 5.002
Rivet, Dr. vent. div. upr. glass run chnl 10.686, 10.829, 16.175
Rivet, Front door hinge hold open .. 10.444
Rivet, Front door vent. support 16.176
Rivet, Grille conn. and grille ctr. baffle 1.269
Rivet, Propeller shaft coupling 5.457
Rivet, Ring gear 5.531
Rivet, Side dr. vent. frame to chnl ... 16.175
Rivet, Strg. connecting rod safety .. 6.882
Rivet, Tie rod safety 6.255
Robe cord end support 11.899
Robe cord escutcheon 11.878
Robe cord support spring 11.900
Rocker arm 0.333
Rocker arm shaft 0.353
Rocker arm shaft spring 0.376
Rod, Accelerator crank 3.579
Rod, Accelerator pedal 3.431
Rod and bracket, Front brake radius 5.011
Rod and tube, Air flow control 9.787
Rod and tube, Hood catch control .. 8.075
Rod assy., Strg. connecting 6.870
Rod assy., Air flow htr. temp. control 9.806
Rod, Brake 4.625
Rod, Brake pull 4.826
Rod, Brake wheel cyl. to brake shoe thrust 4.675
Rod, Carburetor choke 3.752
Rod, Carburetor pump 3.838
Rod, Carburetor to accel. lever ... 3.430
Rod, Carburetor metering 3.806
Rod, Carburetor throttle shaft 3.762
Rod, Clutch pedal 0.832
Rod, Clutch fork control 0.854
Rod, Clutch release 0.787
Rod, Connecting 0.603
Rod, Door inside lock to knob 10.563
Rod, Door lock remote control oper.. 10.506
Rod, Door outside handle push button and lock 10.552
Rod, Drivers seat adjuster locking .. 16.682
Rod, Fldg. top control 14.463, 14.471
Rod, Front axle tie 6.230
Rod, Front seat adj. lock 11.589
Rod, Front seat adjuster 11.561
Rod, Fuel pump push 3.935
Rod, Gearshift control 4.019, 4.020
Rod, Hand choke 3.521
Rod, Hand throttle 3.481
Rod, Hood panel brace 8.015
Rod, Lighting switch 2.486
Rod, Lower end gate 12.195
Rod, Main cylinder push 4.658
Rod, Parking brake lever 4.594
Rod, Parking brake pull 4.826
Rod, Prop. shaft brake 5.606
Rod, Radiator brace 1.309
Rod, Rear axle gearshift selector .. 5.636
Rod, Rear compt. lid hinge 12.187
Rod, Speedometer gear adapter ... 4.329
Rod, Starter pedal & connecting ... 2.036
Rod, Strg. col. gearshift selector 4.020
Rod, Strg. gear hyd. piston 6.580
Rod, Trans. control 4.038
Rod, Trans. control safety switch ... 4.054
Rod, Trans. low servo piston 4.228
Rod, Trans. reverse servo piston 4.241
Rod, Vac. brake cyl. piston 4.924
Rod, Valve push 0.426
Rod, W/S washer valve 8.798
Rod, W/S wiper 16.063
Rod, Wheel opening brace 8.212
Roller Assy., Directional signal lamp switch 2.906
Roller, Clutch pressure plate 0.864
Roller, Direction signal lamp 2.895
Roller, Trans. countershaft 4.422
Roller, Trans. front planet pinion ... 4.161
Roller, Trans. mainshaft rear brg .. 4.352
Roller, Transmission overdrive 4.467
Roller, Trans. planet carrier pinion 4.176
Roller, Trans. shifter crank 4.293
Roller unit, Trans. sec. pump 4.112
Roller unit, Trans. stator overrun .. 4.117
Roller, Universal joint yoke 5.566
Roller, Wheel carrier 7.780
Roof bow 12.952
Roof drip moulding 12.075, 16.642
Roof inner trim moulding 14.651
Roof outer panel 12.810, 16.585
Roof rail to wheelhouse brace 12.956
Roof rail w/strip ret 10.703, 14.120, 14.190, 14.260
Roof rail w/strip 10.721, 14.120, 14.190, 14.260
Rotator Assy., Exhaust valve 0.309
Rotor, Distributor 2.382
Rotor, Fldg. top pump 14.482
Rotor, Strg. gear hyd. pump 6.610
Rotor, Water pump 1.109
Round head carriage bolt 8.903
Round slotted head bolt 8.906
Rubber gloss finish 8.800
Rubber hose 8.962
Rubbing compound 8.800
Ruglyde rubber lubricant 8.800
Running board 8.299
Running board apron 8.228
Running board anti-squeak 8.205
Running board mat 8.316
Running board mat frame supt. brace 8.315
Running board moulding 8.304
Running board mldg. fastener 8.309
Rust preventive, Radiator 8.800

S

Safety lock parts, Door 16.328
Safetylight lamp and parts 9.773
Sash channel, Front door glass lower 10.685, 16.190
Sash channel, Rear door wind. lwr. 10.747
Scalp, Door glass run div. chnl 10.829
Scalp, Frt. door glass div. chnl 10.686
Scalp, Roof drip moulding 12.075
Scoop, Hood 8.055
Screen assy., Trans. oil 4.224
Screen, Carburetor strainer 3.841
Screen, Hyd. pump reservoir oil filter 6.635
Screen, License plate moisture abs. 12.181
Screen, Oil pump 1.656
Screen, Radiator 1.266
Screen, Radio 10.256
Screen, Vac. power cylinder valve . 4.658
Screw, Air cleaner 3.403
Screw, Air conditioning 9.278
Screw, Air cond. comp. oil fitting ... 9.177
Screw, Auto. choke therm. control .. 3.750
Screw, Back-up lamp door 2.697
Screw, Brake shoe adjusting 5.110
Screw, Brake wheel cylinder adj ... 4.672
Screw, Car heater and evaporator. 9.279
Screw, Carb. choke tube brkt 3.733
Screw, Carb. dust cover 3.732
Screw, Carb. fast idle cam .. 3.766, 3.767
Screw, Carburetor governor 3.870
Screw, Carb. idle adj 3.822
Screw, Carb. metering rod arm clamp 3.807
Screw, Carb. pump jet and hsg 3.844
Screw, Carb. nozzle passage 3.775
Screw, Carb. throttle valve 3.761
Screw, Carb. throttle shaft 3.762
Screw, Carb. venturi 3.786
Screw, Center and rear seat attach 11.608
Screw, Clutch cover ring 9.188
Screw, Clutch fork 0.796
Screw, Coat hook 15.388
Screw, Compressor head mtg 9.174
Screw, Compressor valve mtg 9.172
Screw, Differential carrier cap 5.506
Screw, Directional signal lamp ... 2.895
Screw, Distr. contact supt. clamp .. 2.387
Screw, Distr. vacuum control 2.417
Screw, Door inside lock lever 16.392
Screw, Door inside trim 16.165
Screw, Door lock 10.474
Screw, Door lock inside handle ... 10.515
Screw, Door lock striker to pillar .. 10.570
Screw, Door outside handle safety . 10.540
Screw, Door safety lock 10.551
Screw, Door weatherstrip 10.695
Screw, Door weatherstrip retainer . 16.231
Screw, End gate support 17.635
Screw, Evaporator outlet bracket .. 9.264
Screw, Folding top frame 13.365
Screw, Front body pillar trim retainer 14.668
Screw, Frt. dr. glass 10.715
Screw, Front door inside locking .. 16.392
Screw, Frt. door lock to spring 10.474
Screw, Frt. dr. sill filler 11.175
Screw, Frt. dr. ventilator .. 10.652, 10.670
Screw, Frt. fender 8.143
Screw, Front seal back side outer panel 14.810
Screw, Frt. seat adj. handle 11.591, 16.682
Screw, Garnish moulding 11.128
Screw, Gas filter thumb 3.890
Screw, Gear shifter shaft lock 4.312
Screw, Gearshift control upr. supt. to mast jacket 8.908, 4.018
Screw, Generator Brush 2.287
Screw, Generator drive end 2.307
Screw, Headlamp beam adjusting . 2.737

Screw, Headlamp moulding..... 2.729
Screw, Headlamp sealed beam ret. 2.736
Screw, Heater control assy..... 8.852
Screw, Hood panel to cowl..8.015, 8.024
Screw, Hyd. strg. adapter stop..... 6.560
Screw, Instrument panel compt. door.....10.262
Screw, Oil pan drain..... 1.453
Screw, Oil pump retaining set.... 1.672
Screw, Parking brake lever grip.. 4.600
Screw, Parking brake lever seal.. 4.615
Screw, Parking lamp door..... 2.594
Screw, Pinion shaft..... 5.518
Screw, Pinion shaft bearing cap... 5.460
Screw, Pinion shaft brg. lock..... 5.452
Screw, Pitman shaft adjuster..... 6.822
Screw, Pressure relief valve mtg.... 9.178
Screw, Rad. grille..... 1.269
Screw, Rear compt. lid bumper...12.212
Screw, Rear fender to body..... 8.206
Screw, Rear license lamp..... 2.708
Screw, Rear quarter arm rest.....15.108
Screw, Ring gear..... 5.531
Screw, Robe cord escutcheon.....11.878
Screw, Sheet metal..... 8.977
Screw, Sheet metal attach.....16.170
Screw, Shifter lock..... 4.312
Screw, Shock absorber filler plug.. 7.401
Screw, Side roof rail w/strip.....10.721
Screw, Starting motor..... 2.077
Screw, Starting motor brush..... 2.052
Screw, Strg. wheel hub..... 6.512
Screw, Stop lamp switch..... 2.453
Screw, Sunshade support.....10.225
Screw, Tail and stop lamp door... 2.688
Screw, Tail lamp latch..... 2.675
Screw, Toe board.....12.559
Screw, Top cover retainer.....13.353
Screw, Top lining panel.....16.742
Screw, Trans. primary pump hub attaching..... 4.115
Screw, Trans. servo band adj..... 4.253
Screw, Trim attaching.....15.275
Screw, Truss head..... 8.913
Screw, Valve rocker arm adjusting. 0.429
Screw, Vacuum modulator connector..... 4.205
Screw, Vac. shift diaphragm..... 5.635
Screw, Vac. shift selector valve.... 5.640
Screw, Vac. pwr. cyl. inspect. hole cover..... 4.663
Screw, Ventilator garnish mldg....10.652
Screw, Window molding.....10.708
Screw, W/S Frame hinge.....16.020
Screw, W/S garnish molding.....10.056
Screw, W/S glass.....10.009
Screw, Wheel cylinder bleeder.... 4.666
Seal, Accelerator rod toe board... 3.469
Seal, Air flow..... 9.782
Seal, Air flow heater control..... 9.795
Seal assy., Steering knuckle support..... 6.166
Seal, Axle gearshift power unit mtg. 5.635
Seal, Axle shaft oil..... 5.822
Seal, Brake cable..... 4.834
Seal, Brake main cyl. head..... 4.652
Seal, Car heater and evaporator..9.208, 8.856, 9.795, 9.218
Seal, Carburetor governor..... 3.870
Seal, Center body.....12.491
Seal, Clutch and brake pedal.... 0.829
Seal, Comp. suction and discharge. 9.226
Seal, Cowl side inner panel.....16.551
Seal, Crankcase front end cover... 0.213
Seal, Crankshaft bearing oil..... 0.137
Seal, Distributor governor..... 2.365
Seal, Door glass lower sash channel.....10.696
Seal, Door ventilator latch.....10.659
Seal, Double reduction shifter yoke. 5.490
Seal, Evaporator adapter to dash.. 9.208
Seal, Fan housing cover..... 9.216
Seal, Fldg. top end.....14.060
Seal, Fldg. top motor and pump.....14.482, 14.486
Seal, Fluid coupling..... 4.118
Seal, Frt. body hinge pillar.....12.840
Seal, Front fender skirt..... 8.154
Seal, Front propeller shaft bearing. 5.433
Seal, Fuel & vac. pump oil..... 3.930
Seal, Gas tank filler neck..... 3.008
Seal, Gearshift lever..... 4.015
Seal, Gearshift operating shaft... 4.107
Seal, Headlamp lens..... 2.735
Seal, Heater motor..... 8.856
Seal, Heater and defroster..... 9.786
Seal, Hood panel..... 8.010
Seal, King pin oil..... 6.225
Seal, Main cylinder push rod..... 4.658
Seal "O" ring, Gearshift..... 4.006
Seal, Oil pan..... 1.429
Seal, Parking brake lever..... 4.612
Seal, Parking lamp..... 2.599
Seal, Pinion flange oil..... 5.469
Seal, Pitman shaft..... 6.855
Seal, Prop. shaft oil..... 5.469
Seal, Prop. shaft bearing dust.... 5.438
Seal, Radiator shroud..... 2.277
Seal, Radiator support.....1.287, 1.285
Seal, Rear bumper..... 7.833
Seal, Rear spring seat..... 5.404
Seal, Rear wheel hub oil..... 5.822
Seal, Refrigerant line..... 9.282
Seal, Side windows.....17.136
Seal, Stator..... 4.117
Seal, Strg. connecting rod...6.886, 6.560
Seal, Strg. gear hyd. pump drive shaft..... 6.617
Seal, Strg. gear hyd. pump reservoir..... 6.635
Seal, Strg. hyd. control valve.....6.556, 6.584
Seal, Strg. hyd. control valve ball stud..... 6.556
Seal, Strg. hyd. pump "O" ring... 6.611
Seal, Strg. hyd. pump plate..... 6.612
Seal, Strg. hyd. valve hose..... 6.674
Seal, Strg. gear..... 6.806
Seal, Strg. knuckle support..... 6.166
Seal, Strg. post..... 6.758
Seal, Strg. idler and 3rd arm shaft. 6.181
Seal, Tail and stop lamp to fender.. 2.660
Seal, Tail lamp link pivot bracket..16.335
Seal, Tie rod dust..... 6.111
Seal, Trans. case cover..... 4.124
Seal, Trans. clutch piston ring..... 4.166
Seal, Trans. control shifter tube.... 4.017
Seal, Trans. control valve..... 4.282
Seal, Trans. Cover oil..... 4.125
Seal, Trans. front oil pump body oil. 4.203
Seal, Trans. manual valve lever shaft oil..... 4.218
Seal, Trans. oil filler "O" ring..... 4.133
Seal, Trans. overdrive oil..... 4.460
Seal, Trans. parking lock..... 4.220
Seal, Trans. primary pump "O" ring..... 4.115
Seal, Trans. rear bearing oil..... 4.318
Seal, Trans. throttle valve lever.... 4.278
Seal, Trans. torq. converter cover "O" ring..... 4.115
Seal, Trans. valve pressure reg. plug..... 4.216
Seal unit, Compressor shaft oil.... 9.175
Seal unit, Rear axle shaft bearing.. 5.822
Seal unit, Transmission..... 4.005
Seal, Univ. joint ball collar..... 5.572
Seal, Univ. joint yoke trunnion brg.. 5.560
Seal, Vac. brake check valve..... 4.955
Seal, Vac. brake cyl..... 4.652
Seal, Vac. brake hyd. cyl. push rod guide..... 4.926
Seal, Vacuum power brake push rod..... 4.658
Seal, Vacuum power brake reaction..... 4.910
Seal, Vac. brake hyd. cyl..... 4.910
Seal, Vac. shift diaphragm..... 5.635
Seal, Valve push rod cover..... 0.454
Seal, Valve spring cap..... 0.308
Seal, Water pump..... 1.133
Seal, W/S wiper spacer.....16.065
Seal, Wheel carrier door check... 7.629
Seal, Wheel cover panel..... 8.177
Seal, Wheel disc to rim..... 5.871
Sealed beam, Portable spotlight... 9.773
Sealed beam unit, Headlamp..... 2.727
Sealer, Chrome protective..... 8.800
Sealer, Windshield..... 8.800
Seal unit, Compressor shaft oil..... 9.175
Seaming lace.....15.527
Seat adjuster cable & parts.....16.682
Seat adj. handle screw....11.591, 16.682
Seat adj. locking rod support.....11.582
Seat adjuster knob.....11.588
Seat adjuster return spring.....16.682
Seat adjuster spring clip.....11.582
Seat assy., Driver adj.....14.896, 16.680
Seat assy., Pass. tilting.....14.948
Seat, Auxiliary.....16.670
Seat back compt. shelf trim assy. .15.024
Seat back cushion, Front..14.799, 16.720
Seat back cushion trim, Front.....14.800, 16.724
Seat back, Rear.....14.998
Seat back trim, Drivers & pass.....14.900
Seat back trim, Rear.....15.000
Seat bottom frame trim.....14.860
Seat cover..... 9.550
Seat cushion.....16.715
Seat cushion and back upholstery..15.500
Seat cush., Center, Trimmed.....14.974, 16.715
Seat cushion, Driver.....14.928
Seat cushion, Front.....14.878, 16.715
Seat cushion, Rear.....15.033

Seat cushion assy., Pass. 14.968
Seat cushion spring, w/frame 16.716
Seat cushion trim, Front 14.880, 16.717
Seat cushion trim, Rear 15.035
Seat, Folding 11.380
Seat frame assy. 11.357, 16.679
Seat, Gearshift lever spring 4.027
Seat, Gearshift vac. cyl. cushion 4.046
Seat, Handle push button spring 16.353
Seat, Piston apply spring 4.228
Seat, Rear spring 5.403
Seat, Strg. connecting rod 6.874, 6.560
Seat, Strg. gear jacket seal spring 6.758
Seat, Strg. shaft upr. brg. 6.526
Seat, Tie rod 6.255
Seat, Trans. by-pass valve 4.216
Seat, Trans. cl. piston release spg. 4.164
Seat unit, Driver 16.680
Seat, Universal joint ball collar 5.565
Seat, Valve spring 0.311
Sector, Hand brake lever 4.603
Separator and balls, Frt. wheel brg. 6.318, 6.319
Separator, Frt. seat 11.358
Separator, Gas gauge insulator 3.112
Separator, Seat back partition 11.358
Shackle, Body mounting 9.009
Shackle bolt and pin, Rear spring 7.529
Shackle, Front spring 7.436
Shackle, Rear spring 7.523
Shaft, Accelerator lever 3.585
Shaft and lever, Carburetor throttle 3.759
Shaft and sector, Steering gear 6.850
Shaft Assy., Carb. choke 3.752
Shaft Assy., Water pump 1.003
Shaft, Axle 5.420
Shaft, Brake and clutch pedal 0.833, 4.634
Shaft, Brake cross 4.788
Shaft, Carburetor choke 3.752
Shaft, Carb. throttle valve 3.759
Shaft, Clutch pedal control w/bushing 0.852
Shaft, Differential pinion 5.517
Shaft, Distributor 2.372
Shaft, Door lock handle 10.554
Shaft, Door ventilator tee 10.657
Shaft, Double reduction pinion 5.481
Shaft, Front stabilizer 7.241
Shaft, Gearshift shifter 4.309
Shaft, Gearshift control 4.007
Shaft, Heater controls 8.852
Shaft, Heater blower inlet valve 9.786
Shaft, Manifold heat control valve 3.650
Shaft, Trans. planet carrier pinion 4.176
Shaft, Trans. parking lock pawl 4.220
Shaft, Propeller 5.436, 5.441
Shaft, Rear compt. lid lock handle 12.252
Shaft, Rear door vent. tee 10.825
Shaft, Rocker arm 0.353
Shaft, Starter pedal 2.004
Shaft, Strg. gear 6.524
Shaft, Strg. gear hydraulic valve 6.551
Shaft, Strg. gear pitman 6.850
Shaft unit, Strg. idler & third arm 6.181
Shaft unit, Strg. knuckle 6.164
Shaft, Strg. knuckle supt. lwr. arm 6.169
Shaft, Tachometer 9.750
Shaft, Trans. control bell crank 4.040
Shaft, Trans. counter 4.428
Shaft, Trans. input 4.123
Shaft, Trans. main 4.172, 4.403
Shaft, Trans. overdrive output 4.465
Shaft, Trans. overdrive control 4.495
Shaft, Trans. parking lock lever 4.220
Shaft, Trans. reverse idler 4.433
Shaft unit, Valve rocker 0.352
Shaft, Upper control arm, inner 6.164
Shaft, Valve rocker arm 0.352, 0.353
Shaft, Wheel cylinder adj. pinion 4.678
Shaver, Electric 8.895
Sheet metal screw 8.977
Shell, Radiator 1.263
Shell, Vac. brake cylinder 4.906
Shield, Assy., hydraulic strg. pump 6.672
Shield, Battery 2.333
Shield, Brake flange plate 5.002
Shield, Brake wheel cyl. 4.670
Shield, Door, outside hdle. 10.536, 16.353
Shield, Engine 1.287
Shield, Engine front mounting 0.029
Shield, Fender 8.214, 12.114, 12.116
Shield, Fldg. top, switch 14.483
Shield, Frt. fender skirt dust 8.153
Shield, Generator bracket bush. 2.277
Shield, Gen. commutator end dust 2.300
Shield, Ignition coil mtg. 2.183
Shield, Manifold 3.602
Shield, Prop. shaft bearing dust 5.438
Shield, Radiator and grille filler 1.287
Shield, Strg. gear housing 6.797
Shield, Strg. gear hyd. pump idler 6.665
Shield, Strg. connecting rod 6.886, 6.560
Shield, Trans. control linkage 4.044
Shield, Trans. control safety switch 4.054
Shield, Trans. extension oil 4.318
Shield, Trans. throttle valve lever 4.278
Shield unit, Front fender 8.162
Shield unit, Brake drum 5.810
Shield unit, Front fender splash 8.148
Shield, Valve spring cap 0.308
Shield, Wheel 8.175
Shifter lever assy 4.041
Shifter lever, Double reduction 5.491
Shifter sleeve, Double reduction 5.492
Shifting shaft retainer 4.311
Shim, Axle gearshift pwr. unit mtg. 5.635
Shim, Body 9.023
Shim, Connecting rod brg. 0.619
Shim, Ck/shaft brg. cap 0.143, 0.146, 0.153
Shim, Comp. pulley clutch mtg. 9.175, 9.181
Shim, Distributor gear 2.379
Shim, Dble. red. pinion brg. cover 5.464
Shim, Front door lock 16.335
Shim, Front spring 7.425
Shim, Frt. stab. shaft bushing 7.243
Shim, Gearshift lever retainer 4.017
Shim, Hinge pillar to floor 12.659
Shim, Hood hinge 8.015
Shim, Inlet and exhaust valve spring 0.303
Shim, King pin thrust bearing 6.214
Shim, Knee action spring 6.364
Shim, Pinion shaft bearing 5.460
Shim, Pinion shaft brg. cage 5.458
Shim, Rad. grille baffle 1.286
Shim, Rear compt. lid 12.185
Shim, Strg. idler and 3rd arm 6.180
Shim, Strg. gear lash adj. 6.828
Shim, Strg. gear jacket upr. clamp 6.758
Shim, Strg. gear mtg. 6.797
Shim, Strg. gear rack cover 6.591
Shim, Strg. knuckle upr. control arm 6.163
Shim, Trans. input shaft drive flange 4.123
Shim, Trans. mounting 4.084
Shim unit, Trans. case to clutch hsg. 4.104
Shim, Universal joint ball retainer 5.567
Shock abs. anchor plate, Rear 7.370
Shock abs. arm bushing 7.377
Shock abs. arm link bushing 7.357
Shock abs. arm link sleeve 7.358
Shock absorber assy. 7.345
Shock abs. axle brkt. 7.380
Shock abs. axle fitting washer 7.371
Shock abs. filler plug screw 7.401
Shock abs. fluid 6.386, 7.345
Shock abs. frame brkt. and bolt 7.395
Shock abs. frame brkt. supt. 7.395
Shock abs., Frt., with upper arm 6.162
Shock abs. grommet retainer 7.389
Shock abs. link 7.355
Shock abs. link bolt 7.356
Shock abs. link bushing 7.388
Shock abs. link nut 7.355
Shock abs. link pin 7.356
Shock abs. unit 7.345
Shock abs. valve 7.346
Shock abs. washer 7.371
Shoe, Door dovetail bpr. 10.581, 16.400
Shoe, Brake, with facing 5.017
Shoe, Parking brake 5.610
Shoe, Prop. shaft brake 5.606
Shoe, Rear door window guide 10.728
Shroud and bracket, Radiator fan 1.277
Shut off cock 8.951
Shut off, Gas feed pipe 3.164
Side assy., Body 17.110, 17.505
Side curtain 17.270
Side door ventilator assy. 16.173
Side dr. vent. frame to chnl. rivet 16.175
Side door ventilator glass 16.174
Side dr. vent. glass front w/strip 16.175
Side door ventilator handle 16.176
Side door vent. locking handle pin 16.176
Side dr. vent. locking hdle. striker plate 16.176
Side dr. vent. w/div. chnl. frame 16.175
Side member assy., Frame 7.006
Side panel, Body 17.110
Side roof inner rail 12.957
Side roof outer rail 12.956
Side roof rail gasket 10.721
Side stake gate assy. 17.500
Side sub-frame member 7.007
Side trim panel mldg. escn. 15.264
Side window parts 17.136
Sight glass, Freon inspection 9.202
Signal, Directional 2.880
Signal lamp flasher 2.892

Signal lamp lever & strap..... 2.906
Signal lamp switch..... 2.895
Signal unit, Parking brake..... 4.589
Sill assy., Side.....17.405
Sill assy., bracket, Cross.....17.014
Sill, Seat riser side.....16.545
Sill, Underbody cross.....12.981
Skirt, Front fender..... 8.153
Skirt, Seat cushion frame.....16.679
Slat iron, Folding top rear bow.....14.350
Sleeve, Accelerator front rod..... 3.425
Sleeve, Auxiliary seat hinge.....16.674
Sleeve, Axle gearshift pwr. unit mtg..... 5.635
Sleeve, Axle shaft stud..... 5.422
Sleeve, Brake pedal..... 4.634
Sleeve, Car heater air inlet..... 9.782
Sleeve, Clutch pedal..... 0.833
Sleeve, Compressor bkt. bushing... 9.171
Sleeve, Door handle lock.....16.370
Sleeve, Door handle push button and lock cylinder.....10.552
Sleeve, Double reduction shifter... 5.492
Sleeve, Fan housing to core hsg... 9.782
Sleeve, Front axle tie rod..... 6.232
Sleeve, Gearshift lever..... 4.017
Sleeve, Generator bracket bushing 2.277
Sleeve, Heater blower to housing.. 8.857
Sleeve, Hydraulic steering adapter 6.560
Sleeve, Intake manifold..... 3.281
Sleeve, Oil distributor coupling... 1.531
Sleeve, Oil pump shaft..... 1.639
Sleeve, Pinion shaft bearing lock.. 5.453
Sleeve, Pitman shaft housing adj... 6.789
Sleeve, Shock absorber arm link... 7.358
Sleeve, Side roof rail.....10.721
Sleeve, Strg. gear hyd. pump drive shaft..... 6.615
Sleeve, Strg. connecting rod..... 6.870
Sleeve, Strg. col. gearshift selector rod..... 4.021
Sleeve, Strg. gear cowl brkt. insulator..... 6.760
Sleeve, Tailgate lock cylinder....12.249
Sleeve, Trans. case oil..... 4.132
Sleeve, Trans. control rod swivel.. 4.017
Sleeve, Trans. interlock..... 4.095
Sleeve, Trans. lo and drive valve.. 4.265
Sleeve, Trans. oil delivery..... 4.179
Sleeve, Trans. servo cover locating. 4.212
Sleeve, Valve rocker arm shaft... 1.928
Slinger, Compressor shaft oil..... 9.175
Slinger, Crankshaft oil..... 0.648
Slinger, Prop. shaft brg..... 5.439
Slinger, Trans. main dr. gear brg. oil..... 4.374
Slinger, Trans. rear brg. oil..... 4.409
Slotted nuts..... 8.917
Snuffer, Ash tray.....12.014, 16.120
Socket and wire assy., License lamp..... 2.714
Socket assy., Ammeter indicator... 2.515
Socket assy., Direction signal..... 2.899
Socket assy., Oil pressure..... 1.800
Socket, Brake shoe adj. screw..... 5.111
Socket, Car heater and evaporator. 9.217
Socket, Direction signal lamp flasher..... 2.892
Socket, Fldg. top and dust boot.....13.384
Socket, Headlamp, with wires..... 2.750
Socket, Heater control dial..... 8.852
Socket, Instrument lamp..... 2.776
Socket, Tail and stop lamp..... 2.694
Socket, Top hold down strap.....13.426
Socket, Trans. control..... 4.038
Solder, Refrigerant line..... 9.282
Solenoid, Transmission overdrive.. 4.480
Spacer, Axle shaft..... 5.422
Spacer, Back-up lamp..... 2.697
Spacer, Battery hold down strap... 2.333
Spacer, Body..... 9.023
Spacer, Body side, top front and rear trim.....17.112
Spacer, Brake flange plate..... 5.002
Spacer, Brake lever support..... 4.634
Spacer, Bumper..... 7.865
Spacer, Carb. choke trip lever..... 3.752
Spacer, Carburetor to manifold... 3.729
Spacer, Clutch and brake pedal shaft..... 0.837
Spacer, Clutch pedal lever..... 0.832
Spacer, Compressor pulley..... 9.181
Spacer, Compressor shaft oil seal.. 9.175
Spacer, Door lock striker.....10.571
Spacer, Door outside handle.....16.385
Spacer, Door ventilator channel...10.659
Spacer, End gate hinge link.....17.208
Spacer, End gate lock.....17.200
Spacer, Engine hold down bolt.... 0.002
Spacer, Evaporator coil mounting. 9.208
Spacer, Exhaust manifold..... 3.647
Spacer, Exhaust mfld. valve shaft.. 3.655
Spacer, Fan and water pump.... 1.062
Spacer, Fldg. seat hinge.....11.380
Spacer, Fldg. top compt. lid lock...12.237
Spacer, Folding top guide.....14.090
Spacer, Folding top motor to link...14.482
Spacer, Frt. and rear door lock...10.474
Spacer, Front door lock.....16.335
Spacer, Front fender skirt..... 8.153
Spacer, Front spring "U" bolt..... 7.425
Spacer, Front stbl. shaft support... 7.240
Spacer, Gearshift lever..... 4.017
Spacer, Harmonic balancer..... 0.662
Spacer, Hyd. brake cylinder..... 4.686
Spacer, Hyd. pwr. cyl. piston rod... 6.581
Spacer, Hyd. steering valve..... 6.554
Spacer, Lighting switch..... 2.485
Spacer, Manifold..... 3.602
Spacer, Oil pump screen cover.... 1.664
Spacer, Parking brake cross shaft.. 4.801
Spacer, Parking brake lever..... 4.605
Spacer, Pinion shaft bearing..... 5.453
Spacer, Prop. shaft pinion..... 5.545
Spacer, Prop. shaft bearing dust seal..... 5.438
Spacer, Prop. shaft brake adj. bolt spring..... 5.615
Spacer, Quarter window garnish..11.119
Spacer, Rad. grille...1.267, 1.268, 1.269
Spacer, Rear pillar hinge hole upr. lwr.....16.323
Spacer, Rear spring..... 7.535
Spacer, Rear spring clip and "U" bolt..... 7.518
Spacer, Rear spring eye bolt..... 7.530
Spacer, Shock absorber frame.... 7.397
Spacer, Starting motor..... 2.077
Spacer, Speedometer drive gear... 4.345
Spacer, Steering column jacket... 6.760
Spacer, Steering gear mtg..... 6.797
Spacer, Steering knuckle....6.020, 5.002
Spacer, Trans, control shifter tube lever..... 4.017
Spacer, Trans. countershaft brg. .. 4.422
Spacer, Trans. countershaft..... 4.426
Spacer, Trans. main drive gear.... 4.352
Spacer, Trans. manual valve lever. 4.218
Spacer, Trans. overdrive..... 4.495
Spacer, Trans. front planet pinion. 4.161
Spacer, Trans. planet carrier pinion..... 4.176
Spacer, Trans. rev. shifter lever... 4.302
Spacer, Trans. spline shaft brg..... 4.409
Spacer, Universal joint..... 5.579
Spacer, Wheel carrier..... 7.751
Spacer, Wheel hub..... 5.811
Spacer, W/S frame to body.....10.051
Spacer, W/S Garnish moulding...16.013
Spacer, W/S wiper motor.....16.065
Spacer, W/S wiper trans.....10.160
Spare tire cover board.....12.579
Spark plug and gasket.....2.270, 2.271
Spark plug boot..... 2.258
Spark plug cable..... 2.241
Spark plug wire..... 2.240
Spark plug wire clip..... 2.257
Spark plug wire nipple..... 2.258
Spark plug wire terminal..... 2.257
Spark plug wrench..... 2.273
Speaker, Radio auxiliary..... 9.650
Speed nut..... 8.921
Speedometer adapter..... 4.329
Speedometer adapter pin and key. 4.330
Speedometer cable..... 4.342
Speedometer drive gear..... 4.337
Speedometer drive gear spacer... 4.345
Speedometer driven gear parts... 4.338
Spider, Differential..... 5.520
Sprag assembly, Transmission forward cone freewheel..... 4.167
Sprag assembly, Transmission rear ring gear freewheel..... 4.180
Spring, Accelerator..... 3.459
Spring, Ash receiver anti-rattle...12.050
Spring, Ash receiver mounting....12.016
Spring assembly, Front..... 7.412
Spring assembly, Rear..... 7.503
Spring assy., Trans. overdrive.... 4.480
Spring, Back door lock handle.....12.247
Spring, Back door safety lock cyl...10.474
Spring bracket, Rear..... 7.113
Spring bracket, Auxiliary..... 7.526
Spring, Brake camshaft hole..... 5.188
Spring, Brake cross shaft..... 4.796
Spring, Brake drum..... 5.810
Spring, Brake main cyl, piston.... 4.655
Spring, Brake pull back..... 4.827
Spring, Brake shoe..... 5.026
Spring, Brake shoe adj. screw lock. 5.111
Spring, Brake shoe friction..... 5.028
Spring, Brake wheel cyl. piston.... 4.669
Spring bumper, Front..... 7.422
Spring bumper ret. and parts, Front 7.421
Spring bumper, Rear..... 7.535
Spring bushing, Rear..... 7.524

Spring, Car heater and evaporator 9.264
Spring, Carb. check valve 3.825
Spring, Carburetor fuel inlet 3.740
Spring, Carb. idle vapor vent cap.. 3.852
Spring, Carb. fast idle cam ..3.766, 3.767
Spring, Carb. governor 3.870
Spring, Carb. pump plunger 3.841
Spring, Carb. step-up piston 3.859
Spring, Carb. choke 3.753
Spring, Carb. metering rod 3.810
Spring, Carb. idle adj. screw 3.823
Spring, Carb. throttle shaft lever.. 3.763
Spring, Clock case lock 9.772
Spring, Clutch and brake shaft lock 0.837
Spring, Clutch fork 0.796
Spring, Clutch fork throwout brg... 0.805
Spring, Clutch fork ball ret. 0.823
Spring, Clutch key 3rd and 4th speed 4.384
Spring, Clutch pedal pull back... 0.844
Spring, Clutch press. plate retracting 0.864
Spring, Clutch pressure 0.865
Spring, Clutch pressure lever ret... 0.878
Spring, Clutch release lever 0.851
Spring, Clutch throwout bearing plate 0.814
Spring, Compressor clutch 9.188
Spring, Deck lid lock 12.250
Spring, Direction signal lamp 2.895
Spring, Distributor contact points.. 2.387
Spring, Distr. vac. control diaph... 2.416
Spring, Distributor weight 2.389
Spring, Distributor hsg. wick 2.364
Spring, Distributor cap 2.368
Spring, Door check link retaining.. 16.437
Spring, Door dovetail bumper 10.582
Spring, Door handle push button... 10.529
Spring, Door hdle. push button 16.353
Spring, Door hinge 16.323
Spring, Door inside handle escn... 10.516
Spring, Door lock 10.474
Spring, Door lock remote control... 16.341
Spring, Door outside lock handle.. 10.551
Spring, Door safety lock retainer.. 10.551
Spring, Door ventilator hinge 10.669
Spring, Door window reg. coil 10.794
Spring, Double reduction shifter 5.491, 5.492
Spring, Drivers seat adj. return 16.682
Spring, End gate 17.198, 17.202
Spring, Engine hold down bolt 0.002
Spring, Exhaust pipe support 3.616
Spring eye bolt, Front 7.428
Spring eye bolt nut, Front 7.432
Spring eye bolt spacer, Rear 7.530
Spring eye bushing, Front 7.413
Spring eye bushing, Rear 7.504
Spring, Fldg. top compt. lid switch.. 14.475
Spring, Fldg. top pump valve 14.482
Spring, Frt. door hinge hold open.. 10.444
Spring, Frt. door vent. handle Escn. 10.666
Spring front hanger, Rear 7.112
Spring Frt. seat adjuster 11.581
Spring, Frt. seat back w/springs.. 11.373
Spring, Frt. seat bottom w/springs. 11.419
Spring, Fuel pump diaphragm 3.927
Spring, Gas filter conical 3.890
Spring, Gas tank filler door 12.944
Spring, Gearshift control rod 4.019
Spring, Gearshift control shaft 4.016
Spring, Gearshift fork lock ball ... 4.311
Spring, Gearshift lever 4.015, 4.017, 4.026
Spring, Gearshift lever pivot pin.. 4.025
Spring, Gearshift lock plunger 4.311
Spring, Gearshift reverse latch ... 4.033
Spring, Gearshift selector control rod 4.020
Spring, Gearshift vac. cyl. piston valve pin ret. 4.079
Spring, Gearshift vac. cyl. valve.. 4.073
Spring, Generator brush 2.286
Spring, Generator bracket tension. 2.277
Spring, Guide bar yoke lock ball.. 4.307
Spring hanger and horn bushing.. 7.104
Spring hanger eye bolt nut 7.530
Spring hanger, Front 7.103
Spring, Headlamp body tension... 2.721
Spring, Headlamp door seal ret... 2.746
Spring, Heater control anti rattle.. 8.852
Spring, Hood catch lock plate 8.081, 8.085
Spring, Hood hinge 8.013
Spring, Hood safety catch 8.085
Spring, Horn button & blowing ring. 2.816
Spring horn, Front 7.103
Spring, Hose and tee connector yoke 4.681
Spring, Hub cap lock 5.864
Spring, Hydraulic steering pump.. 6.630
Spring, King pin oil seal 6.225
Spring, Knee action, Front 6.361
Spring leaf clip 7.513
Spring leaf, Front 7.415
Spring leaf, Rear 7.505
Spring, Mfld. heat control valve... 3.641
Spring, Oil conn. rocker arm shaft. 1.928
Spring, Oil distributor valve cap.. 1.789
Spring, Oil pan trough pipe 1.427
Spring, Oil pump suction screen ret. 1.665
Spring, Oil pump relief valve 1.671
Spring, Parking brake 4.597, 4.800
Spring, Parking brake cable tension 4.827
Spring, Parking brake outer shoe.. 5.026
Spring, Parking brake pull back... 4.827
Spring, Parking brake shoe friction. 5.028
Spring, Parking brake shoe lever ext. 5.151
Spring, Prop. shaft brake 5.606
Spring, Prop. shaft brake band return 5.615
Spring, Prop. shaft coupling 5.457
Spring, Prop. shaft retainer 5.437
Spring, Radiator side baffle mtg... 1.285
Spring, Rear compt. lid supt. 12.204
Spring rear hanger, Front 7.303
Spring rear hanger, Rear 7.118
Spring, Rear panel mldg. 12.121
Spring, Retainer 8.934
Spring, Robe cord support 11.900
Spring, Rocker arm shaft ret. 0.376
Spring, Seat adjuster 11.581, 16.682
Spring, Seat back 11.373
Spring, Seat cushion 11.419
Spring, Seat cushion, with frame.. 16.716
Spring seat, Rear 5.403
Spring shackle bolt 7.428
Spring shackle bolt and pin, Rear.. 7.529
Spring shackle brkt. bush, Front... 7.303
Spring shackle, Front 7.436
Spring shackle pin 7.427
Spring shackle, Rear 7.523
Spring shackle washer 7.443
Spring, Starter pedal shaft anti-rattle 2.029
Spring, Starting motor bendix 2.087
Spring, Starting motor brush 2.053
Spring, Starting motor drive shift.. 2.108
Spring, Strg. connecting rod. 6.876, 6.560
Spring, Strg. column gearshift anti-rattle .. 4.016, 4.017, 4.020, 4.026
Spring, Strg. gear hyd. valve 6.552
Spring, Strg. gear hyd. pump 6.612
Spring, Strg. gear jacket seal 6.758
Spring, Strg. shaft upr. brg. 6.526
Spring, Tail and stop lamp socket. 2.694
Spring, Tail lamp latch 2.675
Spring, Tail lamp lens 2.688
Spring, Tail lamp link 2.664
Spring, Throttle valve & lever 3.761
Spring, Tie rod 6.255
Spring, Trans, apply strut guide... 4.233
Spring, Transmission brake and clutch piston 4.138
Spring, Trans. clutch piston release 4.164, 4.189
Spring, Trans. control indicator ret. 4.038
Spring, Trans. control shaft seal... 4.015
Spring, Trans. control lever .. 4.036, 4.040
Spring, Trans. control switch rod retainer 4.054
Spring, Trans. forward cone 4.142
Spring, Trans. frt. servo pump 4.226
Spring, Trans. line exhaust valve.. 4.106
Spring, Trans. low or reverse servo piston 4.228, 4.241
Spring, Trans. lubrication by-pass. 4.216
Spring, Trans. overdrive 4.467
Spring, Trans. overdrive control cable 4.495
Spring, Trans. parking brk... 4.290, 4.295
Spring, Trans. park. lock pawl 4.220
Spring, Trans. press. reg. valve 4.216
Spring, Trans. synchronizing 4.413
Spring, Trans. vac. modulator diaph. 4.205
Spring, Trans. valve body accum.. 4.217
Spring unit, Door lock 10.474
Spring "U" bolt, Front 7.417
Spring "U" bolt, Rear 7.516
Spring "U" bolt spacer, Front 7.425
Spring unit, Valve body cush. valve 4.216
Spring unit, Low and drive valve.. 4.216
Spring unit, Trans. low & drive valve 4.265
Spring, Vac. brake check valve... 4.955
Spring, Vac. brake cyl. piston return 4.924
Spring, Vac. power brake cyl. 4.917, 4.922
Spring, Vacuum power brake plunger 4.658
Spring, Vacuum power brake cylinder poppet 4.928

Spring, Vac. shift selector valve 5.636, 5.640
Spring, Valve 0.303
Spring, Valve rocker arm shaft ... 0.376
Spring, Valve tappet 0.503
Spring washer 8.928
Spring, Wheel lock 7.680
Spring, Window reg. handle escn. . 10.806
Spring, Windshield wiper arm 10.147
Spring, W/S wiper motor toggle . . 10.150
Sprocket, Camshaft timing 0.736
Sprocket, Crankshaft timing 0.728
Stabilizer link bolt and nut, Front . . 7.238
Stabilizer repair kit, Front 7.253
Stabilizer shaft support link 7.240
Stabilizer shaft, Front 7.241
Stabilizer shaft bracket and parts . . 7.242
Stabilizer shaft bushing, Front 7.243
Stabilizer support link brkt. and ret. 7.245
Stake gate hinge pin retainer 17.524
Stake pocket, Front end 17.462
Stake and stock rack washer 17.522
Stake rack assy. 17.485, 17.515
Stake rack assy., Rear end 17.560
Stamped nut 8.921
Starter pedal bracket 2.008
Starter pedal button 2.012
Starter pedal bellow 2.014
Starter pedal floor board guide 2.014
Starter pedal lever spring clip 2.029
Starter pedal link 2.033
Starter pedal shaft 2.004
Starter pedal shaft anti-rattle spring 2.029
Starting crank 0.239
Starting motor 2.041
Starting motor armature 2.043
Starting motor bendix drive spring . 2.087
Starting motor brace 2.077
Starting motor brush 2.051
Starting motor brush holder 2.052
Starting motor brush lead 2.055
Starting motor brush spring 2.053
Starting motor comm. cover band . . 2.070
Starting motor drive 2.086
Starting motor drive end bushing . . 2.083
Starting motor drive lever and stud. 2.108
Starting motor drive shift link 2.113
Starting motor end frame 2.067
Starting motor end oil wick 2.083
Starting motor field coil 2.049
Starting motor housing 2.085
Starting motor relay assy. 2.127
Starting motor solenoid switch parts 2.102
Starting motor switch assy. 2.100
Starting motor thrust washer 2.063
Starting motor washer 2.059
Starting wires 2.525
Stator cam roller & spring ret. 4.117
Stator over run cam 4.117
Stator over run cam thrust washer . 4.117
Stator over run roller unit 4.117
Stator, Torque converter 4.119
Stay, Fldg. top 14.340
Steel ball 8.899
Strg. and third arm 6.103
Strg. and third arm key 6.104
Strg. arm ball nut 6.108
Strg. column clamp and bracket . . 6.760
Strg. column cowl "U" bolt 6.765
Strg. column gearshift control rod swivel and spring 4.017
Strg. column gearshift control support 4.018
Strg. column gearshift control shaft assembly 4.007
Strg. column grommet 6.758
Strg. connecting rod and parts 6.870
Strg. connecting rod plug 6.881
Strg. connecting rod spring 6.876
Strg. gear 6.508
Strg. gear adapter "O" ring 6.584
Strg. gear adapter piston rod seal . . 6.584
Strg. gear ball 6.844
Strg. gear ball nut 6.841
Strg. gear ball return guide 6.842
Strg. gear ball return guide clamp . 6.843
Strg. gear bearing assy. 6.521
Strg. gear bolt to frame 6.509
Strg. gear end cover gasket 6.825
Strg. gear housing 6.803
Strg. gear housing cover 6.807
Strg. gear housing end cover 6.824
Strg. gear housing gasket 6.805
Strg. gear housing mtg. plate 6.797
Strg. gear housing side cover gasket 6.809
Strg. gear hyd. check valve assy. . . 6.553
Strg. gear hyd. cyl. adapter 6.584
Strg. gear hyd. cyl. assy. 6.507
Strg. gear hyd. cyl. piston assy. 6.578
Strg. gear hyd. cyl. piston ring 6.579
Strg. gear hyd. piston rod 6.580
Strg. gear hyd. piston rod nut 6.581
Strg. gear hyd. piston rod washer . . 6.581
Strg. gear hyd. pump assy. 6.605
Strg. gear hyd. pump body 6.608
Strg. gear hyd. pump cont. valve assy. ..... .624
Strg. gear hyd. pump dr. belt 6.660
Strg. gear hyd. pump dr. shaft 6.614
Strg. gear hyd. pump dr. shaft brg. . 6.615
Strg. gear hyd. pump dr. shaft outer brg. ret. ring 6.616
Strg. gear hyd. pump dr. shaft repair kit 6.615
Strg. gear hyd. pump flow cont. sprg. 6.612
Strg. gear hyd. pump idler mtg. and parts 6.665
Strg. gear hyd. pump kit 6.609
Strg. gear hyd. pump mtg. brkt. 6.606
Strg. gear hyd. pump plate 6.612
Strg. gear hyd. pump pulley 6.655
Strg. gear hyd. pump reserv. assy. . 6.635
Strg. gear hyd. pump reserv. bolt . . 6.635
Strg. gear hyd. pump reserv. bolt gskt. 6.635
Strg. gear hyd. pump reserv. cover. 6.635
Strg. gear hyd. pump reserv. cover bolt washer 6.635
Strg. gear hyd. pump reserv. cover gasket 6.635
Strg. gear hyd. pump reserv. guide 6.635
Strg. gear hyd. pump ring . . . 6.611, 6.612
Strg. gear hyd. pump ring dowel pin 6.608
Strg. gear hyd. pump rotor 6.610
Strg. gear hyd. pump seal 6.612
Strg. gear hyd. pump vane kit 6.610
Strg. gear hyd. valve assy. 6.507
Strg. gear hyd. valve bolt 6.679
Strg. gear hyd. valve cover seal . . . 6.555
Strg. gear hyd. valve hose union . . . 6.673
Strg. gear hyd. valve pipe to cyl. elbow 6.679
Strg. gear hyd. worm brg. lock nut . 6.531
Strg. gear kit 6.507
Strg. gear lash adjusting shim 6.828
Strg. gear mtg. frame brkt. 6.797
Strg. gear pipe 6.677
Strg. gear pitman shaft unit 6.850
Strg. gear power cyl. gasket 6.577
Strg. gear press. & return hose 6.670, 6.671
Strg. gear rack 6.586
Strg. gear rack coupling pin 6.587
Strg. gear rack cover shim 6.591
Strg. gear rack guide 6.590
Strg. gear sector & shaft 6.850
Strg. gear shaft 6.524
Strg. gear shaft brg. kit 6.534
Strg. gear stop rack plate 6.585
Strg. gear valve centering plunger . 6.551
Strg. gear valve centering spring . . 6.552
Strg. gear vent 6.806
Strg. gear worm bearing 6.806, 6.826
Strg. gear worm seal 6.806
Strg. gear worm thrust adj. & parts . 6.830
Strg. idler and 3rd. arm assy. 6.179
Strg. idler and 3rd. arm shim 6.180
Strg. idler and 3rd. arm shaft bushing parts 6.181
Strg. idler and 3rd. arm brkt. assy. . 6.186
Strg. idler and 3rd. arm shaft unit . . 6.181
Strg. knuckle 6.020
Strg. knuckle arm 6.103
Strg. knuckle arm ball stud 6.108
Strg. knuckle arm nut 6.104
Strg. knuckle bushing 6.021
Strg. knuckle shaft unit 6.164
Strg. knuckle spindle nut 6.022
Strg. knuckle spindle washer 6.321
Strg. knuckle stop 6.009
Strg. knuckle support 6.023
Strg. knuckle support and upper arm pivot parts 6.164
Strg. knuckle supt. arm, w/seat ... 6.168
Strg. knuckle support lower arm shaft assembly 6.169
Strg. knuckle support lower arm shaft bushing nut 6.170
Strg. knuckle support lower arm shaft bolt 6.172
Strg. knuckle support lower pivot arm bolt nut 6.174
Strg. knuckle supt. arm bumper ... 6.176
Strg. post grommet and seal 6.758
Strg. shaft upr. brg. retainer 6.526
Strg. shaft upr. brg. spg. & seat 6.526
Strg. wheel 6.513
Strg. wheel hub cap 2.820
Strg. worm bearing adj. and nut ... 6.830
Strg. worm thrust bearing 6.530
Stem assy., Tire valve 5.875

Stem, Vac. shift selector valve poppet 5.640
Step assy., Filler, support mldg. door opening 16.600
Step bolt 8.902
Step, Door opening 8.148
Step hanger, Front, Center and Rear 7.016
Step unit, Rear 17.565
Stick, Lubricant 8.800
Stick, Trim 12.946
Stop assembly, Front seat adjuster . 11.562
Stop, Back door bumper 10.587
Stop, Dr. hdle. push button 16.353
Stop, End gate cable 12.195, 17.222
Stop, Folding seat 11.380
Stop, Frt. seat hinge arm 11.375
Stop, Gearshift reverse latch 4.033
Stop, Instr. panel compt. door 10.261
Stop lamp 2.679
Stop lamp gasket 2.684
Stop lamp lens 2.682
Stop lamp lens, Bottom and upper .. 2.685
Stop lamp socket 2.694
Stop lamp socket spring 2.694
Stop lamp switch 2.447
Stop lamp switch terminal screw ... 2.453
Stop leak, Radiator 8.800
Stop, Lower end gate 12.195
Stop, Pitman arm 6.861
Stop, Qtr. window glass ... 11.007, 11.012
Stop, Rear compt. bumper 12.212
Stop, Rear door ventilator 10.825
Stop, Steering knuckle 6.009
Stop, Tail gate bumper 12.195
Stop, Trans. valve body oil accum. piston 4.217
Stop, Windshield 16.058
Straight pin 8.939
Strainer, Carb. bowl 3.740
Strainer assy., Fuel 3.890
Strainer, Gasoline tank pipe 3.110
Strap assembly, Battery hanger ... 2.333
Strap, Assist 15.390
Strap, Battery ground 2.341
Strap, Carb. choke heater 3.750
Strap, Curtain hold up 17.278
Strap, Engine ground 2.348
Strap, Fldg. top bow retaining 14.340
Strap, Frt. dr. hinge upper . 10.454, 10.450
Strap, Front door lower 10.454
Strap, Gas tank 3.022
Strap, Muffler 3.704
Strap, Rear axle rebound 5.390
Strap, Rear compt. lid hinge 12.187
Strap, Rebound spring clip 7.513
Strap, Rod back door 10.461
Strap, Strg. gear cowl bracket 6.760
Strap, Top hold down 13.426
Strap, Wheel carrier 7.778
Striker, Door lock 10.569, 16.335
Striker, Fldg. top bow lock 14.090
Striker, Fldg. top compt. lid lock ... 12.237
Striker, Fldg. top front roof rail 14.090
Striker, Instr. panel compt. door lock 10.268, 16.110
Striker, Rear compt. lid and end gate lock 12.237, 17.200
Striker, Seat separator compt. door lock 14.685
Striker, Sliding window handle 11.010
Strip, Center pillar 12.492
Strip, End gate skid 12.195
Strip, Rear quarter outer panel finish 13.352
Strip, W/shield frame sealing 10.092
Strip, W/shield glass rubber 10.092
Strut, Clutch release lever 0.875
Strut, Parking brake shoe lever 5.150
Strut, Trans. low or reverse brake band 4.233, 4.246
Stud, Accelerator lever 3.582
Stud, Air cleaner to silencer 3.403
Stud, Axle shaft to wheel hub 5.422
Stud, Axle shifter vac. power unit mtg. 5.635
Stud, Battery retainer 2.334
Stud, Clutch fork 0.796
Stud, Distributor terminal 2.400
Stud, Door weatherstrip 10.695
Stud, Door window div. chnl. adj. .. 10.704
Stud, Engine mtg. 0.002
Stud, End gate hinge 17.208
Stud, Exh. mfld. to exh. pipe flange. 3.275
Stud, Folding top front roof rail 14.090
Stud, Fldg. top fastener 14.340
Stud, Fldg. top header 13.337
Stud, Floor board 16.545
Stud, Folding top and dust boot ... 13.384
Stud, Generator 2.313
Stud, Generator manifold 2.277
Stud, Intake and exh. mfld. to head. 3.275
Stud, Intake to exh. manifold 3.275
Stud, Manifold to carburetor 3.288
Stud, Quarter window 11.040
Stud, Quarter window hinge pivot .. 11.057
Stud, Rear door sash channel 10.749
Stud, Rear door window guide 10.728
Stud, Starting motor 2.077
Stud, Starting motor drive 2.108
Stud, Starting motor terminal 2.102
Stud, Strg. connecting rod ... 6.874, 6.560
Stud, Strg. knuckle arm ball 6.108
Stud, Tie rod ball 6.243
Stud, Top hold down strap 13.426
Stud, Trans. cont. idler lever 4.040
Stud, Transmission support 4.087
Stud Unit, Strg. knuckle supt. and upr. arm 6.164
Stud Unit, Strg. knuckle lower control arm 6.174
Stud, Valve rocker arm ball 0.429
Stud, Valve rocker arm cover 0.413
Stud, Water pump 1.073
Stud, Wheel hub 5.812
Studs, Atchg. 8.981
Sub-body, Headlamp 2.726
Sub-frame side member 7.007
Sub-frame parts 7.008
Sun visor, Outside 10.201, 16.070
Sunshade adj. sleeve, Nut & washer 10.224
Sunshade assy., Inside ... 10.203, 16.070
Sunshade support 10.219
Support, Accelerator rod 3.452, 3.579
Support, Air cleaner 3.403
Support assy., Back door 10.606
Support assy., End gate 12.203
Support assy., Transmission 4.081
Support assy., Wheel carrier 7.751
Support, Auxiliary seat back 16.674
Support, Back window inner 12.964
Support, Battery hanger 2.333
Support, Body mounting 9.009
Support, Body rear end 12.986
Support, Brake cross shaft 4.803
Support, Brake main cylinder 4.648
Support, Bumper grille guard 7.829
Support, Carb. power valve 3.794
Support, Clutch pedal 0.832
Support, Compressor bracket 9.171
Support, Continental wheel carrier. 7.782
Support, Control shaft gearshift ... 4.018
Support, Diff. and planet 5.510
Support, Distributor cap spring 2.369
Support, Dome lamp 12.953
Support, Door opening 11.176, 16.600
Support, Door check link 10.608
Support, Door handle push button .. 10.529
Support, Door outside handle push button and lock 10.552
Support, Door vent. channel pivot .. 10.669
Support, Door window glass 10.687
Support, Door window garnish mldg. 11.085
Support, Driver and pass. seat 11.375
Support, Drivers seat locking rod .. 16.682
Support, Electric seat adjuster 11.556
Support, Engine mounting 0.029
Support, Engine rear 7.229
Support, Fldg. seat 11.380
Support, Fldg. top hinge 14.310
Support, Fldg. top oper. hyd. lift 14.484
Support, Fldg. top control switch .. 14.483
Support, Fldg. top front rail handle . 14.080
Support, Fldg. top linkage and latch 14.080, 14.482
Support, Fldg. top pump 14.486
Support, Floor panel 16.546
Support, Frame to bumper atchg. ... 7.836
Support, Front door sill plate 11.175
Support, Front door window stop .. 10.716
Support, Front fender 8.141, 8.153
Support, Frt. fender skirt 8.155
Support, Front seat 11.357
Support, Front seat adjuster rod 11.562
Support, Front seat hinge arm 11.375
Support, Gas tank 3.015
Support, Gas tank filler neck compt. 12.944
Support, Generator 2.277
Support, Hand brake lever 4.606
Support, Headlamp 2.546
Support, Hood panel 8.015
Support, Instrument panel 12.657
Support, Instrument panel compt. .. 10.275
Support, License bracket 2.670
Support, Muffler 3.704
Support, Muffler tail pipe 3.706
Support, Oil pump screen cover ... 1.664
Support, Parking brake adj. bolt ... 5.610
Support, Parking brake cross shaft . 4.803
Support, Prop. shaft front bearing .. 5.432
Support, Qtr. wind. glass channel .. 11.024
Support, Radiator baffle 1.286

Support, Radiator core 1.270
Support, Radiator fan 1.277
Support, Radiator grille 1.266
Support, Radiator grille filler 1.287
Support, Radiator shell 1.264
Support, Rear bumper deflector ... 7.833
Support, Rear compt. lid .. 12.203, 17.202
Support, Rear door glass channel .. 10.759
Support, Rear door lock outer 16.330
Support, Rear door upper 10.456
Support, Rear license 2.670
Support, Rear view mirror 10.187
Support, Robe cord end 11.899
Support, Running board apron 8.228
Support, Running board mat 8.315
Support, Seat adj. locking rod 11.582
Support, Shock abs. frame brkt 7.395
Support, Side roof inner 12.957
Support, Spark plug wire 2.251
Support, Starting motor brush 2.055
Support, Steering idler lever 6.896
Support, Steering knuckle 6.023
Support, Steering column 6.760
Support, Strg. col. gearshift control. 4.018
Support, Strg. gear mtg. bracket .. 6.797
Support, Sub-frame 7.008
Support, Sunshade 10.219
Support, Tail lamp 12.944
Support, Tail lamp bracket 2.665
Support, Toe or floor board 16.546
Support, Trans. contl. rod idler 4.040
Support, Trans. forward and brake 4.135
Support, Transmission mtg 4.081
Support, Trans. rear bearing 4.317
Support, Vac. pwr. brake cyl. to manifold hose 4.931
Support, Valve rocker arm shaft .. 0.349
Support, Wheel carrier cross. 7.751, 7.782
Support, Wheelhouse to quarter baffle 12.944
Support, Windshield wiper motor .. 16.065
Support, Windshield wiper trans ... 10.160
Switch assy., Car heater and evaporator 9.275
Switch assy., Parking brake alarm. 4.589
Switch assy., Starting motor 2.100
Switch, Back-up lamp 2.697
Switch, Defroster 9.779
Switch, Dimmer 2.459
Switch, Dome lamp 11.935
Switch, Dome lamp door jamb 11.950
Switch, Electric window lift 10.777
Switch, Folding top motor 14.483
Switch, Hot water heater 8.852
Switch, Ignition 2.188
Switch, Inst. panel compt. light 10.275, 16.100
Switch Instrument lamp dimmer ... 2.765
Switch, Lighting 2.485
Switch, Oil pressure 1.800
Switch parts, Starting motor. 2.100, 2.102
Switch, Slide, elect. W/S wiper 8.798
Switch, Signal lamp 2.895
Switch, Tail and stop lamp .. 2.447, 16.160
Switch, Trans. control safety 4.054
Switch, Transmission overdrive 4.480
Switch, Windshield wiper . 10.163, 16.067
Swivel, Accelerator front rod 3.425
Swivel, Clutch release 0.787
Swivel, Door outside locking handle 10.551
Swivel, Gearshift lever 4.006, 4.017
Swivel, Gearshift selector 4.020
Synchronizer cone, 3rd. speed gear, Trans, ... 4.384
Synchronizer energizing spring and pin, Trans. 4.413
Synchronizing clutch and ring assy., Trans 4.380
Synchronizing clutch hub, Trans .. 4.384
Synchronizing ring retainer, Trans. 4.381
Synchronizing ring, Trans. 4.383

T

Tab, Door trim pad replacement ... 14.683
Tab, Rear door lower trim 14.760
Tachometer assy. 9.750
Tachometer adapter 9.750
Tachometer head and parts 9.750
Tachometer transmitter 9.750
Tail and stop lamp clip 2.664
Tail and stop lamp door 2.681
Tail and stop lamp door screw 2.688
Tail and stop lamp hsg 2.680
Tail and stop lamp medallion 2.680
Tail and stop lamp reflex 2.689
Tail and stop lamp socket 2.694
Tail and stop lamp socket gasket ... 2.694
Tail and stop lamp socket spring ... 2.694
Tail lamp 2.679
Tail lamp bracket 2.664
Tail lamp bracket support 2.665
Tail lamp bracket support rnfct 2.670
Tail lamp, Center 2.700
Tail lamp door nut 2.688
Tail lamp gasket 2.684
Tail lamp handle 2.675
Tail lamp hinge pin 2.664
Tail lamp lens 2.682, 2.685
Tail lamp link 2.664
Tail lamp locking latch and spring. 2.675
Tail lamp outlook lens gasket 2.686
Tail lamp pad 2.660
Tail lamp rim 2.681
Tail lamp switch 2.447, 16.160
Tail pipe bracket grommet and ins .. 3.709
Tank assy., Radiator 1.219
Tank, Gasoline 3.001
Tank, Vac. brake cyl. reserve 4.902
Tank, Windshield washer 8.798
Tappet, Valve 0.459
Tee, Crankcase vent. valve 1.745
Tee, Gas feed pipe 3.164
Tee nut 8.925
Tee, Power brake 3.278
Tee, Vac. brake check valve 4.931
Tee, Vac. control and W/S wiper. 2.017
Tee, W/S washer spray connector. 8.798
Tee, W/S wiper manifold ... 3.278, 10.154
Terminal, Lighting 2.530
Terminal, Spark plug wire 2.257
Terminal, Wire 2.530, 9.772
Thermostat, Exh, mfld. heat control. 3.640
Thermostat housing 1.251
Thermostat housing gasket 1.252
Thermostat, Radiator 1.246
Thermostat, Trans. lubrication by-pass valve 4.216
Thickener, Plastic resin 12.800
Thimble, Headlining wire to roof rail 12.954
Throttle and accel. lever bushing .. 3.582
Throttle and accel. lever washer ... 3.582
Throttle control outer lever 4.286
Throttle control rod swivel 3.425
Throttle rod 3.481
Thrust pad, Ring gear 5.533
Tie rod ball stud 6.243
Tie rod dust cover and seal 6.111
Tie rod end assy. 6.233
Tie rod end clamp 6.234
Tie rod end plug 6.255
Tie rod, Front axle 6.230
Tie rod safety rivet 6.255
Tie rod seat 6.255
Tie rod spring 6.255
Timing gear oil nozzle 0.748
Tipon kit, Paint 8.800
Tire carrier lock assy. 7.675
Tire lock case and key 7.679
Tire lock cylinder 7.680
Tire locking ring 5.839
Toe and floor board mat ... 15.286, 16.800
Toe board plate 12.565, 16.546
Tool box cover 17.230
Tools, Wheel & tire 8.821
Tool Tray, Driver's seat 16.679
Top assembly 17.060
Top assy., Folding 13.346
Top bow 16.745
Top covering material 15.490
Top dust boot 13.450
Top dust boot retainer bag 13.450
Top hold down footman loop 13.429
Top hold down strap 13.426
Top inner panel 12.810
Top lining 15,530
Top lining panel 16.742
Top lining panel cap & screw 16.742
Top lining panel retainer 16.745
Torque converter anchor nut 4.115
Torque converter cover hub bshg .. 4.115
Torque converter cover to flywheel bolt 4.115
Torque converter cover to housing bolt 4.115
Torque converter cover to hsg. nut .. 4.115
Torque converter primary pump ... 4.115
Torque converter pump thrust washer 4.115
Torque converter stator assy. 4.119
Torque converter stator race 4.119
Torus assy., Trans. fluid coupling .. 4.121
Track assembly, Wheel carrier ... 7.779
Trans. apply strut guide spring 4.233
Trans, assy. 4.003
Trans, band lever 4.236
Trans. brake drum 4.169, 4.187
Trans. brake gear 4.187
Trans. by-pass valve therm. ret 4.216
Trans case 4.103
Trans. case chip collector 4.105
Trans. case cover 4.105
Trans case cover gasket 4.109
Trans. case rear bushing 4.104
Trans. case to clutch hsg. shim ... 4.104

Trans. case to housing bolt..... 4.104
Trans. clutch assy..... 4.164
Trans. clutch drive hub.....4.164, 4.186
Trans. clutch drum & parts.....4.162, 4.169, 4.184
Trans. clutch exh. cover plate.... 4.265
Trans. clutch gear brg. oil slinger.. 4.374
Trans. clutch low servo valve..... 4.216
Trans. clutch piston & ring seal... 4.166
Trans. clutch plate..... 4.163
Trans. clutch washer..... 4.186
Trans. control idler crank..... 4.040
Trans. control idler lever..... 4.040
Trans. control idler lock..... 4.040
Trans. control idler shaft..... 4.040
Trans. control idler spring..... 4.040
Trans. control idler stud..... 4.040
Trans. control indicator & parts... 4.038
Trans. control lever shaft retainer. 4.016
Trans. control safety switch..... 4.054
Trans. control safety switch rod... 4.054
Trans. control safety switch shield.. 4.054
Trans. control shaft..... 4.007
Trans. control shaft hole cover....10.252
Trans. counter gear rear brg. oil deflector..... 4.422
Trans. counter gear thrust washer. 4.423
Trans. countershaft..... 4.428
Trans. countershaft bearing..... 4.422
Trans. countershaft brg. spacer... 4.422
Trans. countershaft gear..... 4.421
Trans. countershaft gear ret. ring.. 4.422
Trans. countershaft key..... 4.429
Trans. countershaft spacer..... 4.426
Trans. countershaft washer..... 4.422
Trans. cover plate assy..... 4.105
Trans. detent lever assy..... 4.279
Trans. detent valve spring..... 4.265
Trans. end plate screw..... 4.265
Trans. 1st, 2nd, & rev. gear..... 4.417
Trans. fluid, Automatic..... 4.101
Trans. fluid coupling check valve.. 4.121
Trans. fluid coupling torus assy.... 4.121
Trans. front drive gear..... 4.158
Trans. front oil pump parts..... 4.203
Trans. front servo body..... 4.226
Trans. front servo pump bolt..... 4.226
Trans. front servo guide..... 4.226
Trans. front servo over run body assy..... 4.227
Trans. front servo over run valve.. 4.227
Trans. front servo valve..... 4.226
Trans. front servo washer..... 4.226
Trans. gasket unit..... 4.005
Trans. gearshift bar..... 4.305
Trans. gearshift oper. shaft & parts..... 4.107
Trans. governor assy..... 4.256
Trans. governor cover & gasket... 4.256
Trans. governor sleeve oil seal ring..... 4.256
Trans. housing side cover gasket.. 4.109
Trans. hyd. modulator housing.... 4.208
Trans. input shaft & parts..... 4.123
Trans. line exhaust valve..... 4.106
Trans. lo & drive body and plate.. 4.265
Trans. lo & drive reg. valve cap.. 4.265
Trans. lo & drive reg. valve sleeve.. 4.265
Trans. lo & drive valve spring unit.. 4.216
Trans. lo band adj. screw cover.... 4.253
Trans. lo or rev. band adj. scr. & nut..... 4.253
Trans. lo or rev. brake band..... 4.251
Trans. lo or rev. brake band strut.....4.233, 4.246
Trans. lo or rev. brake band strut anchor.....4.233, 4.246
Trans. lo or rev. servo piston & parts.....4.228, 4.241
Trans. lo sun gear and clutch flange..... 4.162
Trans lubrication by-pass spring.. 4.216
Trans. lubrication by-pass valve.. therm.. ..... 4.216
Trans. main drive gear..... 4.351
Trans. main drive gear bearing... 4.355
Trans. main drive gear brg. lock plate..... 4.356
Trans. main drive gear brg.. oil slinger & deflector..... 4.374
Trans. main drive gear brg. ret. bolt..... 4.356
Trans. main drive gear brg. ret gasket..... 4.358
Trans. main drive gear brg ring... 4.376
Trans. main drive gear brg. washer 4.376
Trans. main drive gear retainer .. 4.356
Trans. main gear bearing lock.... 4.376
Trans. main shaft..... 4.403
Trans. main shaft bearing..... 4.408
Trans. main shaft bushing..... 4.399
Trans. main shaft nut..... 4.173
Trans. main shaft pilot brg. roller ret..... 4.352
Trans. main shaft rear brg. roller. 4.352
Trans. main shaft roller spacer... 4.352
Trans. main shaft washer...4.173, 4.404
Trans. manual valve parts..... 4.218
Trans. modulator control parts.... 4.208
Trans. mounting shim..... 4.084
Trans. mounting stud..... 4.087
Trans. mounting supt. bolt lock... 4.088
Trans. oil control valve parts..... 4.265
Trans. oil cooler..... 4.128
Trans. oil filler parts..... 4.133
Trans. oil indicator w/cap..... 4.133
Trans. oil pan..... 4.195
Trans. oil pan gasket..... 4.196
Trans. oil pump bolt..... 4.203
Trans. oil pump check valve..... 4.216
Trans. oil pump driven gear..... 4.211
Trans. oil supply pump..... 4.200
Trans. oil supply pump cover..... 4.203
Trans. output shaft brg..... 4.408
Trans. overdrive control cable spring..... 4.495
Trans. parking brake anchor..... 4.294
Trans. parking brake bolt..... 4.294
Trans. parking brake bracket assy..... 4.290
Trans. parking brake lock..... 4.294
Trans. parking brake lock parts.. 4.220
Trans. piston release sprg.& parts. 4.164
Trans. planet carrier..4.161,4.175, 4.192
Trans. power take-off cover..... 4.439
Trans. power take-off cover gasket. 4.440
Trans. pressure relief valve..... 4.216
Trans. pressure reg. valve spring.. 4.216
Trans. primary pump & parts..... 4.115
Trans. pump drive gear..... 4.210
Trans. pump gasket..... 4.223
Trans. rear bearing cap, supt. & ret 4.317
Trans. rear brg. ret. attach. bolt... 4.317
Trans. rear bearing ret. supt. plug. 4.317
Trans. rear bearing oil seal..... 4.318
Trans. rear bearing ret. gasket.... 4.318
Trans. rear bearing locating ring.. 4.412
Trans. rear bearing retainer lock.. 4.412
Trans. rear oil pan plug gasket.... 4.195
Trans. rear oil pump brg. & gskt.... 4.203
Trans. rear servo accum. body assy 4.250
Trans. rear servo accum. valve.... 4.250
Trans. rear servo accum. body gskt. 4.239
Trans. reg. valve cap ret. ring..... 4.265
Trans. rev. clutch retainer..... 4.189
Trans. rev. servo piston spring ret. & key..... 4.241
Trans. reverse brk. band link & pin. 4.246
Trans. reverse band lever & lock... 4.246
Trans. reverse clutch cone..... 4.189
Trans. reverse clutch key..... 4.189
Trans. reverse idler gear..... 4.430
Trans. reverse idler gear bush.... 4.431
Trans. reverse idler shaft..... 4.433
Trans. reverse idler shaft pin..... 4.435
Trans. reverse servo piston rod.... 4.241
Trans. reverse shifter lever eccentric..... 4.302
Trans. reverse shifter lever nut.... 4.302
Trans. reverse shifter lever nut lock. 4.302
Trans. reverse shifter lever unit... 4.302
Trans. reverse shifter pin..... 4.307
Trans. seal unit..... 4.005
Trans. sec. pump overrun thrust washer..... 4.112
Trans. second speed gear..... 4.395
Trans. sec. pump roller unit & ret... 4.112
Trans. servo cover and parts..... 4.212
Trans. servo cylinder..... 4.225
Trans. shift valve..... 4.234
Trans. shifter lever..... 4.041
Trans. shifter yoke lock ball spg.... 4.307
Trans. sliding gear..... 4.415
Trans. spline shaft pilot brg..... 4.352
Trans. spline shaft brg. spacer..... 4.409
Trans. stator overrunroller unit.... 4.117
Trans. stator roller & spring ret..... 4.117
Trans. stator thrust washer..... 4.117
Trans. stator thrust snap ring..... 4.117
Trans. sun gear flange ret. ring.... 4.162
Trans. sun gear thrust washer.... 4.162
Trans. support assy..... 4.081
Trans. support guide plate assy.... 4.083
Trans. support mounting bracket... 4.083
Trans. support retainer..... 4.083
Trans. synchronizing spring..... 4.413
Trans. therm. valve spring plug... 4.216
Trans. therm. valve sprg. plug gskt. 4.216
Trans. third speed bushing..... 4.399
Trans. throttle valve cont. outer lever..... 4.041
Trans. throttle valve cont. outer lever clamp..... 4.041
Trans. throttle valve cont. spring unit..... 4.265

Trans. throttle valve inner lever adj. screw 4.278
Trans. throttle valve lever assy. 4.278
Trans. throttle valve lever shaft seal shield 4.278
Trans. thrust washer 4.129
Trans. thrust washer kit 4.004
Trans. torq. converter press. reg. valve sprg 4.216
Trans. torq. converter primary pump turbine & parts 4.115
Trans. torq. converter sec. pump 4.110
Trans. universal joint washer 4.404
Trans. vacuum modulator parts 4.205
Trans. valve body 4.216
Trans. valve body accumulator parts 4.217
Trans. valve pressure reg. plug gasket 4.216
Trans. W/S wiper 10.159
Transfer, Body exterior 10.354
Transfer, End gate inner 12.195
Transformer, Automatic hdlp. control 2.461
Transmitter, Tachometer 9.750
Tray, Arm rest ash 12.045
Tray, Ash receiver 12.013, 16.120
Tray assy., Ash 12.030
Tray, Utility tool 16.679
Trim assy., Back of frt. seat back 14.810
Trim assy., Body center pillar 14.730
Trim assy., Center seat side panel. 14.976
Trim assy., Door 14.685
Trim assy., Fldg. top side roof rail 13.349
Trim assy., Fldg. top cover 13.347
Trim assy., Frt. seat bk. side outer panel 14.810
Trim assy., Frt. seat cushion 14.880, 16.717
Trim assy., Frt. seat cushion cover. 14.930
Trim assy., Frt. seat side and back side panel 14.860
Trim assy., Rear quarter 15.100
Trim assy., Rear seat detachable back 15.000
Trim assy., Rear seat back compt. shelf 15.024
Trim assy., Rear seat cushion 15.035
Trim assy., Pass. seat cushion 14.970
Trim assy., Seat back 16.724
Trim assy., Wheelhouse panel 15.099
Trim attaching screw 15.275
Trim, Center seat back 14.800, 14.976
Trim Center seat cushion 14.880, 16.717, 14.976
Trim, Cowl panel 14.930
Trim, Door arm rest 14.688
Trim, Driver seat cushion 14.930
Trim, Folding top header 13.337
Trim, Horn button cap 2.820
Trim, Instrument panel rail 10.232
Trim pad assy., Frt. door, lower 14.685
Trim pad assy., Rear door, lower 14.760
Trim pad, Cowl 14.630, 16.700
Trim panel assy., Side 15.263
Trim panel, Door inside 16.165
Trim panel mldg. and filler, Side 15.264
Trim panel, Moulding, Body side 17.116
Trim panel, Quarter outer 12.944
Trim retainer, Side roof rail 14.651
Trim, Roof covering 15.490
Trim stick 12.946
Trim stick, Fldg. top header 14.070
Trough, Differential oil feed 5.392
Trunnion bearing lock plate 5.586
Trunnion brg. lock ring 5.586
Trunnion, End gate hinge 17.625
Trunnion, Gearshift vac. cyl. piston valve 4.079
Trunnion, Universal joint 5.578
Tru-stop brake parts 5.606
Tube, Automatic headlamp control. 2.461
Tube, Car evaporator outlet 9.211, 9.214, 9.260
Tube, Carb. choke suction 3.750
Tube, Crankcase oil 1.745
Tube, Crankcase ventilator 1.762
Tube, Fldg. top hyd. 14.472
Tube, Gearshift control 4.039
Tube, Heater and defroster 9.786
Tube, Oil level rod 1.516
Tube, Rear quarter vent drain 10.997
Tube, Trans. oil filler 4.133
Tube, Vac. power brake cyl. body 4.936
Tubing, Copper 8.964
Tubing, Windshield wiper 10.155
Tumbler unit, Door lock cylinder 10.553
Turbine, Trans. torq converter 4.115
Turret top roof extension 12.810
Turret top roof panel 12.810
Turret top roof insulation 12.812

U

"U" bolt, Exhaust pipe clamp 3.708
"U" bolt, Front spring 7.417
"U" bolt, Front stablizer shaft 7.242
"U" bolt, Muffler 3.708
"U" bolt, Rr. Axle gearshift cable 5.626
"U" bolt, Rear spring 7.516
"U" bolt, Steering column cowl 6.765
"U" bolt, Strg. col. shift control 4.018
"U" bolt, Trunnion brg. 5.586
"U" joint flange to parking brake drum bolt 5.586
"U" joint sleeve yoke dust cap 5.556
"U" joint trunnion brg. lock ring 5.586
Undercoat, body 8.800
Underhood lamp 8.890
Underpan, Flywheel 0.679
Union, Hydraulic brake 4.685
Union, Strg. gear hyd. valve hose 6.673
Unit, Accel. lever rod 3.430
Unit—Gear, Speedo. (Trans.) driven gear 4.337
Universal joint assy. 5.548
Universal joint ball 5.564
Universal joint ball collar 5.565
Universal joint ball packing 5.580
Universal joint ball ret. shim 5.567
Universal joint ball retainer 5.576
Universal joint flange 5.555
Universal joint ring 5.574
Universal joint ring bolt 5.586
Universal joint seal 4.318
Universal joint sleeve yoke & flg. 5.555
Universal joint sleeve yoke plug 5.556
Universal joint sleeve yoke washer 5.556
Universal joint spacer 5.579
Universal joint trunnion 5.578
Universal joint trunnion gskt. ret. 5.560
Universal joint yoke bearing 5.566
Unholstery cleaner 8.800
Unholstery, Seat, door & sidewall 15.500
Upper end gate moulding 12.180

V

Vac. brake cyl. 4.901
Vac. brk. cyl. air cleaner and parts 4.913
Vac. brake cyl. body tube 4.936
Vac. brk. cyl. brace, brkt. & conn. 4.898
Vac. brk. cyl. elbow and hose 4.931
Vac. brake cyl. end plate 4.904
Vac. brake cyl. end plug gasket 4.910
Vac. brake cyl. gasket 4.904
Vac. brake cyl. parts 4.898, 4.955
Vac. brake cyl. pipe and fitting 4.930
Vac. brake cyl. pipe fitting adapter 4.957
Vac. brake cyl. piston 4.922
Vac. brake cyl. piston cup 4.916
Vac. brake cyl. piston return sprg. 4.924
Vac. brake cyl. piston rod 4.924
Vac. brake cyl. piston stop washer 4.942
Vac. brake cyl. plate 4.947
Vac. brk. cyl. push rod guide seal 4.926
Vac. brake cyl. push rod pin 4.926
Vac. brk. cyl. relay valve piston 4.935
Vac. brk. cyl. relay valve sprg. 4.917
Vac. brake cyl. shell 4.906
Vac. brake cyl. valve and piston stop ret. ring 4.942
Vac. brk. cyl. valve body and gskt. 4.940
Vac. brake cyl. valve body cover gasket 4.917
Vac. brake cyl. valve seat sprg. 4.917
Vac. brake hyd. cyl. end plug 4.910
Vac. brake hyd. cyl. pipe fitting adapter gskt. 4.957
Vac. brake hyd. cyl. piston 4.915
Vac. brake hyd. cyl. piston sprg. 4.917
Vac. brk. hyd. cyl. piston sprg. ret. 4.917
Vac. brake hyd. cyl. repair kit 4.907
Vac. brake hyd. cyl. tube nut 4.907
Vac. brake hyd. cyl. tube seal 4.910
Vac. brake hyd. cyl. valve seal 4.910
Vac. brk. hyd. cyl. valve snap ring. 4.917
Vac. brake mfld. connector 3.278
Vac. brake push rod ret. gasket 4.910
Vac. brake push rod seal 4.910
Vac. brk. relay control valve diaph. 4.947
Vac. control coupling gasket 2.017
Vac. control, Distributor 2.410
Vac. cyl. piston rod boot 4.044
Vac. power brake cyl. plunger 4.915
Vac. power brake cyl. plate 4.922
Vac. power brake cyl. plate assy. 4.931
Vac. power brake cyl. retainer 4.924
Vac. P.B. cap assy. 4.651
Vac. P.B. ret. lock ring 4.658
Vac. shift & brk. check valve & parts 5.645
Vac. shift diaph. assy., 2-spd. 5.635
Valve, Air flow blower inlet 9.786
Valve, Air flow heater ranco 9.795

Valve assy., Air flow ventilator... 9.810
Valve assy., Carb. power..... 3.858
Valve assy., Comp. suction and discharge..... 9.226
Valve assy., Exhaust manifold..... 3.647
Valve assy., Fldg. top control.....14.465
Valve assy., Oil filter..... 1.837
Valve assy., Vac. shift check..... 5.645
Valve, assy., Vac. shift selector.... 5.640
Valve assy., Strg. gear hyd..6.550, 6.553
Valve assy., Strg. gear hyd. pump control..... 6.624
Valve assy., Vacuum power brake check..... 4.955
Valve, Aux. throttle carb..... 3.729
Valve, Car evaporator distribution duct..... 9.218
Valve, Carb. choke..... 3.751
Valve, Carb. step-up check..... 3.862
Valve, Carburetor throttle..... 3.758
Valve, Compressor discharge read 9.172
Valve, Compressor oil test..... 9.177
Valve, Compressor relief..... 9.178
Vlave, Crankcase ventilator..... 1.745
Valve, Distributor governor..... 2.365
Valve, Driver seat cushion.....16.715
Valve, Exhaust..... 0.297
Valve, Fldg. top pump.....14.482
Valve, Heater water shut off..... 8.866
Valve, Hydraulic modulator..... 4.208
Valve, Hyd. strg. control relief.... 6.553
Valve, Inlet..... 0.296
Valve, Main cylinder..... 4.657
Valve, Oil distributor..... 1.787
Valve, Oil filter..... 1.837
Valve, Oil pump relief..... 1.671
Valve push rod..... 0.426
Valve push rod cover..... 0.439
Valve push rod cover gasket..... 0.443
Valve push rod cover seal..... 0.454
Valve, Refrigerant expansion..... 9.213
Valve rocker arm..... 0.333
Valve rocker arm adj. nut & scr.... 0.429
Valve rkr. arm cover & air cleaner. 0.386
Valve rocker arm cover gasket... 0.423
Valve rocker arm cover insulator.. 0.390
Valve rocker arm shaft..... 0.353
Valve rocker arm shaft plug..... 0.356
Valve rocker arm shaft support... 0.349
Valve rocker cover gasket..... 0.423
Valve rocker shaft spring..... 0.376
Valve rocker shaft support bolt.... 0.366
Valve rkr. shaft support washer... 0.373
Valve rocker shaft unit..... 0.352
Valve rotator..... 0.309
Valve, Seat cushion.....16.716
Valve, Shock absorber..... 7.346
Valve spring..... 0.303
Valve spring cap..... 0.309
Valve spring cap cover..... 0.308
Valve spring seat..... 0.311
Valve stem guide.....0.283, 0.286
Valve stem key..... 0.310
Valve tappet..... 0.459
Valve tappet spring..... 0.503
Valve, Trans. fluid coupling check. 4.121
Valve, Trans. frt. servo..... 4.226
Valve, Trans. frt. servo over run... 4.227
Valve, Trans. line exhaust..... 4.106
Valve, Trans. oil control..... 4.265
Valve, Trans. oil pump check..... 4.216
Valve, Trans. oil supply..... 4.200
Valve, Trans. pressure relief..... 4.216
Valve, Trans. rr. servo accumulator 4.250
Valve, Trans. shift..... 4.234
Valve, Trans. valve body accumulator..... 4.217
Valve unit, Carburetor power..... 3.858
Valve unit, Refrigerant expansion. 9.213
Valve unit, Trans. clutch drum press. release..... 4.169
Valve, "U" joint relief..... 5.578
Valve, Vac. power brake cyl..... 4.930
Valve, Wheel cylinder bleeder.... 4.666
Valve, W/S washer control..... 8.798
Vane, Kit strg. gear hyd. pump.... 6.610
Vanity mirror.....10.195
Vent, Steering gear..... 6.806
Ventilator assy., Crankcase..... 1.745
Ventilator assy., Front door10.650, 16.173
Ventilator locking handle washer..16.176
Ventilator parts, Front door.....10.670
Ventilator, Rear axle..... 5.387
Ventilator, Rear door.....10.820
Ventilator regulator, Front door...10.661
Venturi, Carburetor..... 3.786
Venturi, cluster gasket..... 3.790
Ventshade Unit, window..... 9.694
Vibrator Assy., Automatic hdlp. cntl..... 2.461
Viewer, Traffic light.....10.201
Visor, Inside sun.....10.203, 16.070
Visor, Outside sun.....10.201
Voltage regulator..... 2.500

W

Washer, Accelerator rod seal..... 3.469
Washer assy., Air cond compressor pulley dust..... 9.181
Washer, Battery positive ter. felt... 2.345
Washer, Body side.....17.110
Washer, Brake cylinder attach.... 4.664
Washer, Brake inlet connector.... 4.671
Washer, Brake shoe anchor pin... 5.056
Washer, Brake shoe hold down bolt 5.043
Washer, Cab rr. mtg. bolt..... 9.011
Washer, Carb. throttle shaft..... 3.762
Washer, Carb. pump..... 3.841
Washer, Ck/shaft brg. cap bolt.... 0.060
Washer, Ck/shaft frt. end cover... 0.206
Washer, Clutch pedal rear shaft... 0.837
Washer, Clutch spring pivot ring... 0.866
Washer, Compressor pulley..... 9.181
Washer, Cowl belt.....12.110
Washer, Cowl vent. adj. link to hinge plate.....16.135
Washer, Diff. pinion thrust..... 5.542
Washer, Diff. side gear thrust..... 5.543
Washer, Distributor breaker..... 2.385
Washer, Distributor gear..... 2.379
Washer, Distributor governor..... 2.365
Washer, Distributor rotor..... 2.382
Washer, Distributor terminal stud.. 2.401
Washer, Door check link..10.627, 16.437
Washer, Dr. hdle. push button spg..10.529
Washer, Door handle push button and lock cyl.....10.552
Washer, Door inside locking rod..10.565
Washer, Door inside trim pnl.....16.165
Washer, Door lock inside handle...10.517
Washer, Dr. remote control handle.16.345
Washer, Door glass run chnl.....10.701
Washer, Door glass sash chnl.....16.190
Washer, Door window reg. handle.16.280
Washer, Driver's seat back hinge link.....16.686
Washer, Emblem.....12.118
Washer, End gate hinge.....17.208
Washer, Engine mounting..... 0.002
Washer, Evaporator outlet bracket. 9.264
Washer, Felt..... 8.927
Washer, Fldg. top motor.....14.482
Washer, Fldg. top side rail control link.....14.155
Washer, Front fender.....8.133, 8.143
Washer, Front seat adjuster.....11.561
Washer, Front spring shackle..... 7.443
Washer, Gas tank filler neck compartment.....12.944
Washer, Gearshift control rod.... 4.019
Washer, Gearshift interlock plate. 4.095
Washer, Gearshift lever..... 4.017
Washer, Generator..... 2.313
Washer, Generator drive end.... 2.307
Washer, Hand brake lever..... 4.605
Washer, Hydraulic steering valve.. 6.554
Washer, Intake manifold to carburetor..... 3.288
Washer, Lock.....8.931, 8.932
Washer, Main cyl. attach...4.657, 4.664
Washer, Manifold..... 3.276
Washer, Mfld. heat control valve.. 3.654
Washer, Muffler support brkt..... 3.707
Washer, Oil pump thrust..... 1.649
Washer, Park. brake lever anchor bolt..... 5.158
Washer, Pinion shaft bearing..... 5.460
Washer, Pitman shaft..... 6.855
Washer, Plain..... 8.929
Washer, Prop. shaft pinion..... 5.545
Washer, Quarter belt moulding...12.118
Washer, Water temp. gauge..... 1.271
Washer, Rear compt. lid emblem..12.246
Washer, Rear door fender shield...11.030
Washer, Rear spring shackle..... 7.443
Washer, Rear wheel hub nut..... 5.830
Washer, Shock absorber..... 7.371
Washer, Spring..... 8.928
Washer, Stake and stake rack.....17.522
Washer, Starting motor..... 2.102
Washer, Starting motor terminal.. 2.059
Washer, Starting motor thrust.... 2.063
Washer, Strg. gear hyd. valve.... 6.552
Washer, Strg. idler lever..... 6.897
Washer, Strg. gear hyd. power cyl. piston rod..... 6.581
Washer, Strg. gear hyd. pump reservoir..... 6.635
Washer, Strg. gear jacket seal sprg..... 6.758
Washer, Strg. knuckle spindle..... 6.321
Washer, Strg. wheel to gear..... 6.515
Washer, Tail pipe support bracket. 3.709
Washer, Throttle and accel. lever.. 3.582
Washer, Throttle shaft and lever... 3.759

Washer, Throttle valve control rod . 4.019
Washer, Top assy. 17.060
Washer, Torque converter ret. 4.112
Washer, Trans. 2nd. speed gear. . . 4.398
Washer, Trans. clutch. 4.164, 4.186
Washer, Trans. frt. servo. 4.226
Washer, Trans. clutch drum thrust . 4.169
Washer, Trans. converter 4.115
Washer, Trans. counter gear thrust 4.423
Washer, Trans. countershaft. 4.422
Washer, Trans. main dr. gear brg.. 4.376
Washer, Trans main dr. gear brg. oil ret. 4.374
Washer, Trans. main shaft. . . 4.173, 4.404
Washer, Trans. planet carrier. . . . 4.176
Washer, Trans. rev. idler gear thrust. 4.432
Washer, Trans. sec. pump overrun thrust. 4.112
Washer, Trans. stator race thrust . . 4.112
Washer, Trans. stator thrust. 4.117
Washer, Trans. sun gear thrust. . . 4.162
Washer, Trans. thrust. 4.129
Washer, Trans. turbine thrust. 4.115
Washer, Trans turbine bolt. 4.115
Washer, Trans. universal joint. . . . 4.404
Washer, Trans. valve body oil accum. valve spring. 4.217
Washer, Tubeless tire valve stem . . 5.875
Washer unit, Knuckle thrust. 6.210
Washer unit, Windshield. 8.798
Washer, "U" joint attaching 5.586
Washer, Universal joint ball 5.576
Washer, Universal joint sleeve yoke 5.556
Washer, Vac. brake. 4.911
Washer, Vac. brake hyd. cyl. piston stop 4.924, 4.942
Washer, Vac. brake check valve . . 4.955
Washer, Vacuum cyl. push rod . . . 4.659
Washer, Vac. cyl. spg. retainer. . . 4.924
Washer, Vac. shift selector valve retaining 5.640
Washer, Valve rocker shaft support 0.373
Washer, Valve rocker arm shaft oil 1.928
Washer, W/S frame hinge 16.020
Washer, Ventilator lock. handle . . . 16.176
Washer, W/S lower reveal mldg. . . 10.096
Washer, W/S wiper motor aux. . . . 10.157
Washer, Water pump rotor thrust . . 1.076
Washer, Wheel hub nut 5.830
Washer, Windshield. 8.798
Water deflector, Fldg. top. 13.352
Water deflector, Door panel. 10.471
Water jacket plug 1.146
Water outlet. 1.153
Water outlet gasket 1.154
Water pump assy. 1.069
Water pump back plate 1.113
Water pump body gasket 1.114
Water pump packing. 1.133
Water pump pulley. 1.062
Water pump repair kit. 1.002
Water pump rotor thrust washer . . . 1.076
Water temperature gauge. 1.148
Weathercord, Body hinge pillar . . . 14.665
Weathercord, Body lock pillar 14.735
Weathercord, Door 15.520
Weathercord assy., Rr. body pillar . 14.790
Weathercord, Lower end gate opening 12.195
W/strip, Back door 10.393
W/strip, Back window 16.469, 16.470
W/strip, Body top header pnl. 16.585
W/strip, Cowl ventilator . . 10.331, 16.140
W/strip, Door bottom corners 10.694
W/strip, Door opening 10.694, 16.225
W/strip, Door glass lwr. sash channel 10.696, 16.190
W/strip, Door header 16.223
W/strip Dr. vent div. chnl. 10.829
W/strip, Door window garnish mldg. 11.084, 11.102, 16.290
W/strip, Door window glass. 10.701, 10.759, 16.183
W/strip, End gate and rear compt. 12.269, 17.185, 17.190
W/strip, Fldg. top cover . . . 13.352, 14.340
W/strip, Fldg. top front roof rail 14.060
W/strip, Fldg. top side roof rail 14.120, 14.190, 14.260, 14.340
W/strip, Frt. body hinge pillar 12.840
W/strip, Front door ventilator 10.652, 16.175
W/strip, Front door window outer . . 10.710
W/strip, Partition window glass. 10.686, 16.469
W/strip, Qtr. wind. garnish mldg. . . 11.118
W/strip, Qtr. window glass. 11.015
W/strip, Qtr. window channel. . . . 11.015
W/strip, Qtr. wind. lwr. sash channel 11.027
W/strip, Rear door wind. . . 10.747, 10.774
W/strip, Rear door window frame . . 10.764
W/strip, Rear door vent. 10.822
W/strip, Rear compt. pan. 12.987
W/strip, Side roof rail 10.721, 14.120, 14.190, 14.260
W/strip, Side window. 17.136
W/strip, Windshield. 16.040
W/strip, Windshield side rail. 14.115
Wedge, Direction signal lamp 6.512
Wedge plate, Door dovetail bumper. 10.584, 16.420
Weight, Distributor 2.388
Weight, Distributor governor 2.365
Weight, Exh. mfld. valve shaft. 3.655
Welch plug. 8.970
Welt, Frt. roof rail inner 13.371
Wrench, Wheel and tire 8.821
Wheel bearing ball and separator 6.318, 6.319
Wheel bearing felt, Front 6.326
Wheel brake cylinder boot 4.670
Wheel carrier brace 7.782
Wheel carrier bracket. 7.751
Wheel carrier bolt 7.632
Wheel carrier clamp bolt extension 7.632
Wheel carrier clamp. 7.629
Wheel carrier clamp pin. 7.632
Wheel carrier cross support 8.782
Wheel carrier centering plate 7.783
Wheel carrier lock assy. 7.675
Wheel carrier nut. 7.633
Wheel carrier plate 7.751
Wheel carrier roller. 7.780
Wheel carrier spacer. 7.751
Wheel carrier strap. 7.778
Wheel carrier strap bracket. 7.780
Wheel carrier track assy. 7.779
Wheel carrier track bracket. 7.780
Wheel carrier tire guide 7.783
Wheel cover mldg. and parts, Rear. 8.176
Wheel cover panel, Rear. 8.175
Wheel cover panel retainer, Rear . . 8.176
Wheel cover panel seal. 8.177
Wheel cylinder bleeder screw 4.666
Wheel cyl. adj. pinion shaft & spg. . 4.678
Wheel, Front and rear. 5.803
Wheel hub clamp ring. 5.820
Wheel hub cover. 5.858
Wheel hub deflector. 6.323
Wheel hub, Front. 6.307
Wheel hub nut. 5.813
Wheel hub nut lock. 5.830
Wheel hub nut washer. 5.830
Wheel hub oil deflector. 5.815
Wheel hub oil seal. 5.822
Wheel hub, Rear. 5.806
Wheel hub spacer 5.811
Wheel inner bearing, Front. 6.311
Wheel inner bearing cone, Front. . . 6.314
Wheel inner bearing cup, Front. . . . 6.316
Wheel lock housing. 7.679
Wheel lock plunger 7.680
Wheel lock nut. 7.633
Wheel lock spring. 7.680
Wheel locking ring. 5.839
Wheel outer bearing, Front. 6.313
Wheel outer bearing cone, Front. . . 6.315
Wheel outer bearing cup, Front. . . . 6.317
Wheel, Polishing. 8.800
Wheel, Steering. 6.513
Wheelhouse access hole cover & gskt. 12.944
Wheelhouse inner quarter panel. . . 12.944
Wick, Distributor. 2.364
Wick, Generator oil. 2.301
Wick, Starting motor. 2.083
Windlace, Door and Quarter (Wire on) 14.660
Window assy., Front door 10.650
Window division mldg., Back. 11.216
Window glass and reveal mldg. channel, Back. 11.207
Window glass, Back. 11.204, 16.464
Window glass, Rear corner. 16.464
Window glass reveal mldg., Back. . 11.208
Window glass, Side. 17.136
Window gutter, Quarter. 11.009
Window, Oil pressure and amm. (2.515) 1.800
Window, Turn signal indicator. . . . 2.895
Window reg. handle escutcheon. . . 10.805
Window, ventshade unit. 9.694
Window wiper control parts, Rear. . 11.253
Windshield anchor nut. 16.012
Windshield defroster and parts. . . 9.779
Windshield div. mldg. 10.052, 16.017
Windshield division moulding Inner. 10.053, 16.018
Windshield division outer cap 16.017
Windshield frame. 12.807
Windshield frame assy. 16.010
Windshield garnish mldg. . 10.051, 16.013

Windshield garnish mldg. escutcheon 10.050
Windshield garnish mldg. rnfct. . . . 16.013
Windshield glass 10.027, 16.005
Windshield glass channel. 10.092, 16.010
Windshield header trim assy. 14.650
Windshield inner side frame 12.808
Windshield lwr. reveal mldg. ret. . . 10.096
Windshield opg. rnfct. 10.052, 16.017
Windshield pillar trim upper ret. . . . 14.668
Windshield rail 16.553
Windshield regulator 16.045
Windshield regulator tape & clip. . . 16.045
Windshield reveal mldg. . . 10.093, 16.041
Windshield sealer 8.800
Windshield side finish mldg. clip. . . 10.051
Windshield side rail 12.808
Windshield side rail w/strip 14.115
Windshield stop 16.058
Windshield upr. reveal mldg. escn. . 10.096
Windshield washer coordinator . . . 8.798
Windshield washer unit and parts. . 8.798
Windshield weatherstrip 16.040
Windshield wiper arm 10.147, 16.063
Windshield wiper arm spring 10.147
Windshield wiper aux. drive assy. . . 10.157
Windshield wiper blade . . . 10.146, 16.062
Windshield wiper blade insert 10.146
Windshield wiper connector & hose 10.155, 16.066
Windshield wiper control conn. link 10.167
Windshield wiper control conn. link grommet 10.168
Windshield wiper control knob 10.164, 16.067
Windshield wiper control parts 10.163
Windshield wiper link and rod 16.063
Windshield wiper motor . . . 10.150, 16.064
Windshield wiper motor bracket . . . 16.065
Windshield wiper motor gasket 10.152
Windshield wiper motor grommet . . 10.152
Windshield wiper parts 16.065
Windshield wiper pipe fittings 10.154, 16.066
Windshield wiper ret. & spg. assy. . . 10.158
Windshield wiper suction pipe 16.066
Windshield wiper trans. & link assy 10.159
Windshield wiper trans. escn. 10.160
Windshield wiper trans. gskt. & ret. . 10.160
Windshield wiper tubing 10.155
Wing nut 8.920
Wiper arm, Rear window 11.251
Wiper motor parts, Rear window . . . 11.253
Wiper motor, Rear window 11.254
Wire assy., Air conditioning 9.276
Wire bail, Fldg. top 14.486
Wire, Clock 9.772
Wire, Headlamp bulb & socket 2.750
Wire, Headlining listing supt. 12.955
Wire, Ignition 2.525
Wire, Horn 2.859
Wire on lace 14.660
Wire, Spark plug & distributor 2.239, 2.240, 2.241
Wire, Reversing switch 2.122
Wire unit, Frt. seat cushion & back tie 11.419
Wire unit, Spark plug 2.239
Wires, Starting, amm & lighting . . . 2.525
Wiring harness, Body 13.090
Wiring harness, Fldg. top control . . 14.494
Wiring harness, Chassis 2.555
Wiring harness, Parking lamp 2.596
Wire on binding 15.534
Woodruff key 8.960
Worm bearing, Strg. gear . . . 6.806, 6.826
Worm thrust bearing retainer 6.527
Wrench, Spark plug 2.273
Wrench, Wheel and tire 8.821

Y

Yoke, Brake lever pull 4.824
Yoke, Car heater and evaporator . 9.208
Yoke, Double reduction shifter 5.490
Yoke, Fldg. top vac. cyl. shaft 14.478
Yoke, Gearshift 4.303
Yoke, Universal joint 5.555

Z

Zipper, Back curtain 13.392

ILLUSTRATION INDEX

Description — Page No.

GENERAL VEHICLE VIEWS

1949-50 Styleline Deluxe Four Door Sedan ... 58
1950 Front End ... 59
1951 Front End ... 60
1951 Styleline Deluxe Four Door Sedan ... 61
1951 Fleetline Deluxe Two Door Sedan ... 62
1951 Bel Air ... 63
1952 Front End ... 64
1952 Styleline Deluxe Four Door Sedan ... 65
1952 Rear End ... 66
1953 Passenger Front End ... 67
1953 Two-Ten Four Door Sedan ... 68
1953 Bel Air Sport Coupe ... 69
1953 Bel Air Four Door Sedan ... 70
1954 Passenger Front End ... 71
1954 Two-Ten Four Door ... 72
1954 Bel Air Sport Coupe ... 73
1954 Bel Air Four Door Sedan ... 74
1955 Passenger Front End ... 75
1955 Two-Ten Four Door Sedan ... 76
1955 Bel Air Sport Coupe ... 77
1955 Bel Air Four Door Sedan ... 78
1956 Passenger Front End ... 79
1956 Two-Ten Four Door Sedan ... 80
1956 Bel Air Sport Coupe ... 81
1956 Bel Air Four Door Sedan ... 82
1956 Bel Air Sport Sedan ... 83
1957 Passenger Front End ... 84
1957 Bel Air Convertible ... 85
1957 210 Sport Sedan ... 86
1957 Bel Air Sport Coupe ... 87
1957 150 4 Door Sedan ... 88
1957 Passenger Rear End ... 89
1953-55 Corvette Front End ... 90
1953-55 Corvette ... 91
1956-57 Corvette ... 92
1956-57 Corvette with Auxiliary Top ... 93
1947-53 Suburban Carryall with End Gate ... 94
1947-53 Truck Front End ... 95
1954 Cab-over-engine Front End ... 96
1955 (2nd Series) Truck Front End ... 97
1957 Cameo Carrier ... 98

ENGINE

1953-57 Six Cylinder Engine Assy. (Typical) ... 99
1953-57 Six Cylinder Engine Assy. Cross Section ... 100
1953-57 Six Cylinder Engine Head and Manifolds (Typical) ... 101
1953-57 Six Cylinder Engine Block (Typical) ... 102
1953-57 Six Cylinder Engine Camshaft, Crankshaft and Oil Pan ... 103
1955-57 V-8 Engine Head and Manifold ... 104
1955-57 V-8 Engine Block ... 105
1955-57 V-8 Engine Crankshaft, Camshaft and Oil Pan ... 106
1957 V-8 Engine ... 107
1955-57 Passenger Engine Rear Mounting ... 127
1955-57 Passenger Engine Front Mounting ... 127
Engine Mounting Parts ... 128
Six Cylinder Engine Side Mounting ... 129
Six Cylinder Engine Rear Mounting ... 129
1955-57 Clutch Pedal Linkage ... 152
Clutch Pedal and Linkage ... 153
Diaphragm Spring Type Clutch Parts ... 156
1955-57 Coil Spring Type Clutch Parts ... 157
1949 Grille—Exploded ... 161
1950 Grille—Exploded ... 162

Description — Page No.

ENGINE (Cont.)

1951 Grille—Exploded ... 163
1952 Grille—Exploded ... 164
1953 Grille—Exploded ... 165
1954 Grille—Exploded ... 166
1955 Grille—Exploded ... 167
1957 Grille—Exploded ... 168
1947-53 Utility Grille—Exploded ... 169
1954 Truck Grille—Exploded ... 170
1955-57 Oil Pumps ... 189
1940-52 Oil Pump—Exploded View ... 190

ELECTRICAL SYSTEM

Electrical System ... 197
Starting Motor—Solenoid Switch ... 198
Generator—12 Volt ... 199
Generator Output Chart ... 200
Battery Box—1940-48 Passenger ... 219
Ignition Distributor ... 223
1955-57 6 Cyl. Ignition Distributor ... 224
1955-57 8 Cyl. Ignition Distributor ... 225
1956-57 Truck Spinner Type Distributor ... 226
1956 Tail and Stop Lamp ... 239
1955 Sealed Beam Headlamp ... 249
1955-56 Horn Contact Parts ... 251
Directional Signal Assembly ... 257

FUEL AND EXHAUST SYSTEM

Passenger Single Exhaust System ... 283
1957 Passenger Chassis with Dual Exhaust ... 284
Four Barrel Carburetor Flange Gasket ... 290
Carburetor—Exploded View ... 294
Carburetor Fast Idling Linkage ... 294
Manual Choke Carburetor ... 295
Automatic Choke Carburetor (Six Cylinder) ... 296
1955 Four Barrel Carburetor ... 297
1955 Carburetor (Horn)—Exploded ... 298
1955 Carburetor (Throttle Body) Exploded ... 299
1956 Rochester Four Barrel Carburetor—Air Horn Assy. ... 300
1956-57 Rochester Four Barrel Carburetor—Throttle Body and Bowl ... 301
1956-57 Dual Four Barrel Carburetor Linkage ... 302
1953-55 Corvette 6 Cyl. Accelerator Linkage ... 303

TRANSMISSION

1939-48 Pass. Synchro-Mesh Transmission (Steering Column Gearshift) ... 323
Four Speed Transmission—Exploded View ... 323
1948-57 Four Speed Synchro-Mesh Transmission ... 324
Truck Heavy Duty Three Speed Transmission ... 325
Truck Hydramatic Transmission—Cross Section ... 326
Truck Hydramatic Transmission Assembly—Exploded ... 327
Truck Hydramatic Transmission—Flywheel and Fluid Coupling ... 328
Truck Hydramatic Transmission (Front Unit) ... 329
Truck Hydramatic Transmission (Rear Unit) ... 329
Truck Hydramatic Transmission (Reverse Unit) ... 330
Truck Hydramatic Transmission (Front Oil Pump) ... 330
Truck Hydramatic Transmission—Governor and Rear Oil Pump ... 331
Truck Hydramatic Transmission—Front Servo ... 332
Truck Hydramatic Transmission—Rear Servo ... 332
1949-54 Passenger Transmission—Cross Section ... 333
1949-54 Passenger Transmission—Exploded ... 334
Three Speed Trans. W/Overdrive—Exploded ... 335

Description — Page No.

TRANSMISSION (Cont.)

1950-52 Power Glide Transmission—Converter Section....336
Power Glide Transmission—Housing Section....337
Power Glide Transmission—Hi-Lo Clutch Section....338
Power Glide Transmission—Reverse and Planetary Section 339
Power Glide Transmission—Case Section....340
Power Glide Transmission—Rear Pump Section....341
1953-56 Power Glide Transmission—Cross Section....342
1953-57 Power Glide Transmission—Converter Section....343
1953-57 Power Glide Transmission—Throttle Valve....344
1953-57 Power Glide Transmission—Throttle Valve Body Assy....344
1953-57 Power Glide Transmission Governor....345
1953-57 Power Glide Transmission Main Valve Body....345
1957 Turboglide Transmission Housing & Converter—Exploded....346
1957 Turboglide Transmission Clutch & Gears—Exploded.347
1957 Turboglide Transmission Valve Body—Exploded....348
1948-54 Pass., Comm., Steering Column Gearshift....349
1950-52 Power Glide—Control Mechanism....350
1953-54 Power Glide—Control Mechanism....351
1955-57 Pass. Four Barrel Carburetor Linkage....352
1955-57 Corvette Transmission Controls....353
Truck Hydramatic Transmission—Linkage Mechanism....354
Truck Hydramatic Transmission—Control Mechanism....355
Truck Hydramatic Transmission—V-8 Linkage Mechanism..356
1955-57 Gear Shift Control Parts....357
1955-57 P.G. Transmission Carrier Assy....381
Valve Body and Case Gasket....387

BRAKES

Truck Parking Brake Controls (Foot Operated)....416
1955-57 Passenger Brake Pedal Linkage....417
Truck Parking Brake Control....418
Brake Main Cylinder....420
Hydraulic Brake System (Truck Hydrovac Shown)....423
Hydraulic Brake Pipe Diagram....429
Brake Pipe Connectors and Spacers....432
Brake Rod Diagram....436
Truck Hydrovac Brake Cylinder....440
1955-56 Passenger Vacuum Power Brake Cylinder....441
1929-50 Hydraulic Brake Parts—Front....451
1929-52 1½ Ton Rear Brake Parts....451
1 Ton Rear Brake....452
1951-57 1½ and 2 Ton Rear Brake Parts (R.H. Brake Shown)453
1951-57 Bendix Front Brake Parts....454
1951-57 Bendix Rear Brake Parts....454

REAR AXLE—DRIVESHAFT—"U" JOINT

Torque Tube Passenger and ½ Ton Rear Axle....467
¾ and 1 Ton Rear Axle....468
1½ Ton Rear Axle....469
Two Speed Rear Axle—Mechanical Shift....470
1946-54 Two Speed Rear Axle—Hypoid-Vacuum Shift....471
1955-57 Two Speed Rear Axle....472
Propeller Shaft—1941-54—1, 1½, 2 Ton and COE (Exc. 108" W.B.)....476
Truck Propeller Shaft Double Row Bearing Support....476
Propeller Shaft and Housing—Passenger Car....476
Propeller Shaft Charts....479 & 481
Propeller Shaft—1955 Truck....480
Intermediate Universal Joint Truck....493
Universal Joint Passenger and Truck....493
1941-54 Universal Joint Passenger Car....493
Dual Shoe Propeller Shaft Parking Brake—Exploded....499
Two Speed Rear Axle Vacuum Shift Mechanism....500

Description — Page No.

FRONT AXLE—STEERING

Dual Shaft Propeller Shaft Parking Brake....502
Hub Bolt Chart....509
Front Axle—Heavy Duty, 2-Ton and COE....515
Front Suspension Parts—Open Type Knee Action....516
1949-54 Passenger—Front Suspension....517
1955-57 Passenger—Front Suspension Cross Section....518
Conventional Steering Linkage....519
Front Axle—Conventional Truck (Exc. Heavy Duty)....521
1953-54 Power Steering Gear....542
1955-56 Passenger Steering Gear....543
1955-57 Power Steering Control Valve....544
1953-54 Power Steering Pump....545
1955-57 Power Steering Pump and Reservoir....546
Steering Connecting Rod....561
1949-54 Passenger Steering Connecting Rod....561

FRAME—SHOCK ABSORBER—SPRING

Pass. Frame & Frt. Cross Member Ident....563
Pass. Frame & Frt. Cross Member Ident....564
Spring "U" Bolt....584
Front Spring and Parts....585
Spring Rebound Clips....589

MISCELLANEOUS CHASSIS ILLUSTRATIONS


Passenger Bumper Parts....599
1955 Passenger Bumper Parts....600
1951-57 Commercial Wheel Carrier....607
1956 Continental Wheel Carrier....608
1949 Front End—Exploded....609
1956 Front End—Exploded....610
1957 Front End—Exploded (front view)....611
1957 Front End—Exploded (rear view)....612
1953-54 Heater and Defroster—Exploded....635
1955 Heater and Defroster—Exploded....636
Air Conditioning Unit....656
Air Distribution Parts....657
1955 Air Conditioning Compressor and Pulley—Exploded..658
1956 Air Conditioning Compressor and Pulley Exploded...659
Air Conditioning Compressor Mounting Parts....660

PASSENGER CAR BODY


1949-50 Station Wagon (Steel)....685
1953 Station Wagon—Six Pass. "Handyman"....686
1955 Station Wagon—Six Pass. "Handyman"....687
1955 Nomad Station Wagon....688
1956 Nomad Station Wagon....689
1957 Nomad Station Wagon....690
1957 Bel Air Station Wagon....691
1957 Bel Air Station Wagon (rear view)....692
1955 Bel Air Sport Coupe Interior....693
1955 Bel Air 4-Door Sedan Interior....694
1956 Bel Air Sport Coupe Interior....695
1956 Bel Air Sport Sedan Interior....696
1957 210 Sport Sedan—Interior....697
1957 Bel Air Station Wagon—Interior....698
1953-55 Corvette Interior....699
1953-54 Passenger Instrument Panel....700
1955 Passenger Instrument Panel....701
1957 Passenger Instrument Panel....702
1953-55 Corvette Instrument Panel....703
1956-57 Corvette Instrument Panel....704
1949-52 Metal Repair Panels—4 Door Body Styles....705
1949-52 Metal Repair Panels—2 Door Body Styles....706
1955 Metal Repair Panels—4 Dr. Body Styles....707
1956 Metal Repair Panels—4 Dr. Body Styles....708
Phantom View—1956 Sport Coupe....709
Phantom View—1956 Convertible....710
Phantom View—1957 Nomad....711

Description	Page No.
PASSENGER CAR BODY (Cont.)	
1953-55 Corvette Front Body—Exploded	712
1953-55 Corvette Rear Body—Exploded	713
1953-55 Corvette Underbody—Exploded	714
1956-57 Corvette Front Body—Exploded	715
1956-57 Corvette Front View—Exploded	716
1956-57 Corvette Center Body—Exploded	717
1956-57 Corvette Rear Body—Exploded	718
1956-57 Corvette Underbody—Front View	719
1956-57 Corvette Underbody—Rear View	719
1956-57 Corvette Windshield—Exploded	720
1952 Bel Air Weatherstrip	721
1953-54 Bel Air Quarter Window Mouldings	722
1955-56 Bel Air Sport Coupe Interior Window Mouldings	723
1941-48 Windshield Wiper Parts	732
1955-57 Electric Windshield Wiper Parts	733
1949-52 Front Door Parts	746
1949-52 Rear Door Parts	747
1949-54 Door Lock Mechanism	752
1949-54 Door Locking Handle	752
Front Door Ventilator	763
Rear Door Ventilator	786
1955-57 Electric Seat Adjuster	812
1955 Trim Mouldings—Exterior	819
1955 Trim Mouldings—Exterior	820
1955 Trim Mouldings—Exterior	821
1956 Trim Mouldings—Exterior	822


Description	Page No.
PASSENGER CAR BODY (Cont.)	
1956 Trim Mouldings—Exterior	823
Rear Compartment Lid and Parts	843
Passenger Rear End—Exploded	863
Small Sheet Metal Parts	870
1957 Passenger Gas Receiver Door	875
1949-54 Convertible Power Top Frame	891
1955-57 Convertible Power Top Frame	892
1953-55 Corvette Top Frame	893
Station Wagon Folding Seat	894
1955 Passenger and 1956 Bel Air Sport Coupe and Sport Sedan Yardage Code	1019
1956 Yardage Code (All Models Except 1037-D—1039D)	1020
1957 150 and 210 Models Yardage Code	1021
1957 Bel Air Models Yardage Code	1022
COMMERCIAL BODY	
Conventional Cab—Exploded View	1044
1954 Cab-Over-Engine—Interior	1045
1955 Panel Body	1046
Conventional Cab w/Quarter Windows—Exploded View	1047
Conventional Cab Door Assembly—Exploded View	1048
Cab Seat Assembly—Exploded View	1049
1951-53 Conventional Cab Door Assembly	1050
1954 Cab Instrument Panel	1057
1955 Cab Instrumental Panel	1057




1949-50 STYLELINE DELUXE FOUR DOOR SEDAN




1950 FRONT END




1951 FRONT END




1951 STYLELINE DELUXE FOUR DOOR SEDAN




1951 FLEETLINE DELUXE TWO DOOR SEDAN


10 658 GLASS
10.674 DEFLECTOR
10.681 GLASS
11.007 CHANNEL
12.075 MOULDING
12.810 PANEL
11.216 MOULDING
11.208 MOULDING
8.000 PANEL
10.093 MOULDING
10.686 CHANNEL
10.689 CHANNEL
11.011 GLASS
11.208 MOULDING
11.204 GLASS
11.204 GLASS
11.207 CHANNEL (RUBBER)
8.130 FENDER
8.055 ORNAMENT
12.181 LID
12.246 HANDLE
12.247 LOCK
2.689 REFLEX
8.132 MOULDING
12.112 MOULDING
10.351 DOOR
12.116 MOULDING
12.940 PANEL
5.858 CAP
12.116 MOULDING
2.679 LAMP
2.670 BRACKET
8.304 MOULDING
12.112 MOULDING
10.527 HANDLE
12.116 SHIELD
8.175 PANEL
12.944 DOOR
7.831 BAR
7.828 GUARD


1951 BEL AIR




1952 FRONT END




1952 STYLELINE DELUXE FOUR DOOR SEDAN




1952 REAR END




1953 PASSENGER FRONT END




1953 TWO-TEN FOUR DOOR SEDAN




1953 BEL AIR SPORT COUPE




1953 BEL AIR FOUR DOOR SEDAN




1954 PASSENGER FRONT END




1954 TWO-TEN FOUR DOOR SEDAN




1954 BEL AIR SPORT COUPE




1954 BEL AIR FOUR DOOR SEDAN




1955 PASSENGER FRONT END




1955 TWO-TEN FOUR DOOR SEDAN




1955 BEL AIR SPORT COUPE




1955 BEL AIR FOUR DOOR SEDAN




1956 PASSENGER FRONT END




1956 TWO-TEN FOUR DOOR SEDAN




1956 BEL AIR SPORT COUPE




1956 BEL AIR FOUR DOOR SEDAN




1956 BEL AIR SPORT SEDAN




1957 PASSENGER FRONT END




1957 BEL AIR CONVERTIBLE




1957 210 SPORT SEDAN




1957 BEL AIR SPORT COUPE




1957 150 4 DOOR SEDAN




1957 PASSENGER REAR END




1953-55 CORVETTE FRONT END




1953-55 CORVETTE




1956-57 CORVETTE




1956-57 CORVETTE WITH AUXILIARY TOP




1947-53 SUBURBAN CARRYALL WITH END GATE




1947-53 TRUCK FRONT END




1954-55 (1ST SERIES) CAB-OVER-ENGINE FRONT END




1955 (2ND SERIES) TRUCK FRONT END




1957 CAMEO CARRIER




1953-57 SIX CYLINDER ENGINE ASSEMBLY—(TYPICAL)




1953-57 SIX CYLINDER ENGINE ASSEMBLY—CROSS-SECTION (TYPICAL)




1953-57 SIX CYLINDER ENGINE HEAD AND MANIFOLDS (TYPICAL)




1953-57 SIX CYLINDER ENGINE BLOCK (TYPICAL)




1953-57 SIX CYLINDER ENGINE CAMSHAFT, CRANKSHAFT AND OIL PAN




1955-57 V-8 ENGINE—HEAD AND MANIFOLD



1955-57 V-8 ENGINE—BLOCK



1955-57 V-8 ENGINE—CRANKSHAFT, CAMSHAFT AND OIL PAN



1957 V-8 ENGINE

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE

Special Field Installation Parts for Heavy Duty Passenger Car Operation. These Parts Should Be Ordered in the Regular Manner.

0.027 MOUNTING, Engine Rear

55-57	PASS.	left	3731803	1	2.55
55-57	PASS.	right	3731804	1	2.55

1.159 HOSE, Radiator Inlet

55-57	PASS.	(1½ I.D. x 12½ long) (use w/3136551)	3732482	1	1.20

1.173 HOSE, Radiator Outlet

55-57	PASS.	(1¾ I.D.) (use w/3136551)	3732672	1	1.60

1.219 CORE, Radiator

55-57	PASS.	(stamped 3136551)	3136551	1	100.00

3.001 TANK, Gasoline

56	PASS.	unit (20 gal.)	3739669*	1	33.50
57	PASS.	unit (20 gal.)	3744079*	1	47.50

*NOTE: Includes hose, neck, clamp and strap.

3.003 NECK—HOSE, Gasoline Tank Filler

56	PASS.	part of 3739669	3738292	1	8.40
57	PASS.	extension (part of 3744079)	3742044	1	4.95
56-57	PASS.	HOSE, filler neck, part of 3739669, 3744079 (18 13/16 long)	3738291	1	2.25

3.008 CLAMP, Gasoline Tank Filler Neck

56-57	PASS.	part of 3739669, 3744079	3738293	1	.20

3.022 STRAP, Gasoline Tank

56-57	PASS.	part of 3739669, 3744079	3738294	1	1.05

4.003 TRANSMISSION ASSY. (less hand brake)

55-56	PASS. (1st design)	close ratio 2nd gear	3729707*	1	121.00

*NOTE: When installing on 1955-56 (1st design) models, 2nd and 3rd shifter rod 3728286 (4.019) must also be used.

56-57	PASS. w/dual 4 BC (2nd design)	close ratio 2nd gear	3731937	1	123.00
56-57	PASS.	standard ratio	3737857	1	123.00

5.017 SHOE UNIT, Brake, with Facing

56-57	PASS.	front (cerametalix type)	3738424	2	No List
56-57	PASS.	rear (cerametalix type)	3738425	2	No List

5.026 SPRING, Brake Shoe Pull Back

56-57	PASS.		3740932	8	.35

5.386 AXLE UNIT, Rear (Complete)

55-56	PASS.		3731295†	1	145.00
57	PASS.		3744020†	1	

†NOTE: Does not include Carrier Assy. (group 5.505).

5.387 NUT, Rear Axle

55-57	PASS.	housing bolt lock (⅜—24)	117212	20	(8.917)

5.398 BOLT, Axle Housing Cover

55-57	PASS.	(⅜—24 x 1 5/16) (use w/3731295,.3744020)	3731306	10	.15

5.399 GASKET, Axle Housing Cover

55-57	PASS.	(use w/3731295, 3744020) (steel inserted asbestos)	3731305	2	.35

5.420 SHAFT ASSY., Axle

55-56	PASS.	left, w/drum (use w/3731295)	3731303	1	24.50
55-57	PASS.	right, w/drum (use w/3731295, 3744020)	3725817	1	24.50
57	PASS.	left (use w/3744020)	3731363	1	

5.441 SHAFT, Propeller, w/U Joint

56-57	PASS.	(part of 3731295, 3744020)	3724491	1	27.75

5.505 CARRIER UNIT, Differential, w/cap

55-57	PASS.	(3.90 Ratio)	3731162	1	117.50
55-57	PASS.	(4.56 Ratio)	3731164	1	117.50

5.529 GEAR UNIT, Ring, w/Pinion

55-57	PASS.	(3.55 Ratio) 39—11 Teeth	3731179	1	37.50
55-57	PASS.	(3.70 Ratio) 37—10 Teeth	3731180	1	37.50
55-57	PASS.	(3.90 Ratio) 39—10 Teeth	3731168	1	37.50
55-57	PASS.	(4.11 Ratio) 37—9 Teeth	3731169	1	37.50
55-57	PASS.	(4.56 Ratio) 41—9 Teeth	3731170	1	37.50
55-57	PASS.	(4.89 Ratio) 44—9 Teeth	3731171	1	37.50
55-57	PASS.	(5.14 Ratio) 36—7 Teeth	3731172	1	39.50
55-57	PASS.	(5.57 Ratio) 39—7 Teeth	3731178	1	39.50
55-57	PASS.	(5.83 Ratio) 35—6 Teeth	3731173	1	39.50
55-57	PASS.	(6.33 Ratio) 38—6 Teeth	3731066	1	39.50

NOTE: Must be used on jobs equipped with 15" wheels.

5.803 WHEEL, Front and Rear

55-56	PASS.	(6 bolt—15" x 6" rim)	3731291*	4	16.50
57	PASS.	(6 bolt—15" x 6" L rim)	3742676*	4	19.50

*NOTE: Wheel nut, 566537, must be used.

5.809 DRUM, Brake, Front and Rear

55-57	PASS.	front wheel (w/hub)	3725816	2	(6.307)
55-57	PASS.	rear left wheel (w/axle shaft)	3731303	1	(5.420)
55-57	PASS.	rear right wheel (w/axle shaft)	3725817	1	(5.420)

5.813 NUT, Hub Bolt—Front and Rear

55-57	PASS.	(9/16—18) (use w/3731295-3725026)	566537	24	.40

5.858 CAP, Front Wheel Bearing Grease

55-57	PASS.	(part of 3725026)	3725823	2	.50

6.020 KNUCKLE—UNIT, Front Wheel

55-57	PASS.	part of 3725026	3725025	2	13.30
55-57	PASS.	UNIT (w/hub and drum)	3725026	2	39.50

6.103 ARM, Steering Knuckle

55-57	PASS.	left (part of 3731270)	3729295	1	3.75
55-57	PASS.	right (part of 3731270)	3729296	1	3.75

6.164 SHAFT—STUD UNIT, Steering Knuckle

55-57	PASS.	upper control arm	3730721	2	2.75
55-57	PASS.	STUD UNIT, upper control arm ball	3724848	2	7.25

6.169 SHAFT, Steering Knuckle Lower Control Arm

55-57	PASS.	left	3731083	1	3.75
55-57	PASS.	right	3731084	1	3.75

6.230 LINKAGE UNIT, Steering

56-57	PASS.	(includes rods, sockets and arms)	3731270	1	39.75

6.232 SLEEVE, Front Axle Tie Rod

55-57	PASS.	(part of 3731270)	3729294	2	1.75

6.233 SOCKET, Tie Rod

55-57	PASS.	left, part of 3731270	3729405	1	3.50
55-57	PASS.	right, part of 3731270	3729406	1	3.50
55-57	PASS.	left, long part of 3731270	3729407	1	6.00
55-57	PASS.	right, long part of 3731270	3729408	1	6.00

6.234 CLAMP, Tie Rod

55-57	PASS.	(part of 3731270)	5661926	4	.25

6.307 HUB UNIT, Front Wheel

55-57	PASS.	w/drum	3725816	2	19.50
55-57	PASS.	w/knuckle and drum	3725026	2	(6.020)

6.314 CONE, Front Wheel Inner Bearing

55-57	PASS.	w/separator and balls (part of 3725026).	457050	2	3.30

6.315 CONE, Front Wheel Outer Bearing

55-57	PASS.	w/separator and balls (part of 3725026).	457047	2	2.60

6.316 CUP, Front Wheel Inner Bearing

55-57	PASS.		457051	2	1.45

6.317 CUP, Front Wheel Outer Bearing

55-57	PASS.		457048	2	1.50

6.318 SEPARATOR ASSY., Front Wheel Inner Bearing

55-57	PASS.	w/cone and balls (part of 3725026)	457050	2	(6.314)

6.319 SEPARATOR ASSY., Front Wheel Outer Bearing

55-57	PASS.	w/cone and balls (part of 3725026)	457047	2	(6.315)

6.859 ARM, Pitman

55-57	PASS.	(part of 3731270)	3731271	1	4.00

6.870 ROD ASSEMBLY, Steering Relay

55-57	PASS.	(part of 3731270)	3729293	1	5.85

6.895 LEVER ASSEMBLY, Steering Idler

55-57	PASS.	(part of 3731270)	3731274	1	3.25

6.896 SUPPORT, Steering Idler Lever

55-57	PASS.	(part of 3731270)	3731273	1	2.85

ENGINE ADAPTATION CHART

NOTE: Items with * may be transferred from replaced engine or new parts ordered.

3709975—1953 MODEL 235 CU. IN. UTILITY ENGINE (Exc. COE and DUBL-DUTI Models)

CAN BE INSTALLED ON FOLLOWING MODELS with these additional parts →	IGNITION DISTRIB-UTOR	GENERA-TOR BRACKET	CAR-BURETOR ASSEMBLY	CAR-BURETOR INSULATOR	ACCEL-ERATOR STUD	EXHAUST PIPE	MUFFLER ASSEMBLY	SPARK PLUGS (6)	CLUTCH HOUSING
1953 Utility‡									
1950-52 Utility	1112388	3835672*							
1947-49 Utility	1112388		7004468	3692799	3835384*	3693715	3693710	5569831 (47-48 Only)	3847361* (47 Only)

SPECIAL APPLICATION INSTRUCTIONS:

A. Use new service governor 3693461 and governor installation kit 3699495 to replace 1947-49 governor equipment.

B. Distributor drive gear must be of same material as camshaft in the engine assembly.
Distributor gear identification.
a) Steel gear has plain shank.
b) Cast iron gear has groove on shank.

C. A high pressure oil gauge is included in the loose parts package furnished with this engine. This oil gauge is required when installing this full force feed oil flow engine.

‡CAUTION:
It is imperative that distributor drive gear supplied loose with engine is used when making this installation.

NOTE: Items with * may be transferred from replaced engine or new parts ordered.

3709969—1954 MODEL 235 CU. IN. PASSENGER ENGINE WITH POWER GLIDE

CAN BE INSTALLED ON FOLLOWING MODELS with these additional parts →	OIL GAUGE	CAR-BURETOR ASSEMBLY	DISTRIB-UTOR ASSEMBLY	VACUUM CONTROL	FAN BELT	GENERA-TOR PULLEY	GENERA-TOR FAN	GENERA-TOR BRACKET	PIPE CONNEC-TION
1953 Passenger w/P.G.‡									
1952 Passenger w/P.G. (w/Small Generator)	1508084	7007200	1112396	1116076	3713313	3703606			
1952 Passenger w/P.G. (w/Large Generator)	1508084	7007200	1112396	1116076	3713313	1925515	1866400	3704771*	
1951 Passenger w/P.G.	1508084	7007200	1112396	1116076	3713313	1925515	1866400	3704771*	114633
1950 Passenger w/P.G.	1508083	7007200	1112396	1116076	3713313	1925515	1866400	3704771*	114633

SPECIAL APPLICATION INSTRUCTIONS:

A. When installing this engine assembly in models equipped with power steering, it will be necessary to transfer the harmonic balancer and pump bracket to cylinder head bolt from the replaced engine assembly, or use new parts: 3705099 harmonic balancer, 3703621 bolt.

B. All models prior to 1953 require accelerator stud mounted at center location in cylinder block.

C. Distributor drive gear must be of same material as camshaft in engine assembly.
Distributor gear identification:
a) Steel gear has plain shank.
b) Cast iron gear has groove on shank.

‡CAUTION:
It is imperative that distributor drive gear supplied loose with engine is used when making this installation.

3709971—1954 MODEL 235 CU. IN. PASSENGER ENGINE

CAN BE INSTALLED ON FOLLOWING MODELS with these additional parts →	DISTRIBUTOR ASSEMBLY	OIL GAUGE	OIL PIPE	OIL PIPE FITTINGS (2)
1953 Passenger (Exc. P. G., SDL.)	1112388	1507960	3707084	3707140

3709973—1954 MODEL 235 CU. IN. COMM. AND UTILITY ENGINE (For 1954 Usage Only)

CAN BE INSTALLED ON FOLLOWING MODELS with these additional parts →	FAN BELT	GENERATOR PULLEY	GENERATOR BRACKET
1954 Commercial (Exc. Dubl-Duti)	3680776	597667	3835672*

SPECIAL APPLICATION INSTRUCTIONS:

A. Distributor drive gear must be of same material as camshaft in engine assembly.
Distributor gear identification:
a) Steel gear has plain shank.
b) Cast iron gear has groove on shank.

CAUTION:
It is imperative that distributor drive gear supplied loose with engine is used when making this installation.

3733117—1957 235 CU. IN. PASSENGER ENGINE W/9½" DIAPHRAGM TYPE CLUTCH (Used with 3 Speed Transmission)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3138803	Reducing Bushing	⅝" Heater Hose Fitting Adapter
B.	1	3732946	Water Outlet	Can be transferred from replaced Engine
C.	1	3743570	Rod Unit, Clutch Fork Push	Not required if Clutch Fork is transferred from replaced Engine

1955 MODELS

Requires items A, B, and C plus the following:

D.	1	3837160	Special Bushing	Temp. Gauge, Cyl. Head Adapter

NOTE: (1) Ream Engine Rear Mountings to 7/16 diameter and use 7/16-14 Bolts to install Engine Assembly.
(2) This Engine is equipped with a standard Clutch. Heavy Duty Clutch can be installed by replacing with the following parts:

QUANTITY	PART NO.	DESCRIPTION	REMARKS
1	3836522	Clutch Driven Plate	11" diameter
1	3836906	Cover and Press Plate Assembly	11" diameter
1	3836719	Flywheel Assembly	11" diameter

3733275—1957 235 CU. IN. PASSENGER ENGINE ASSEMBLY (Used with Power Glide Transmission)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3732946	Water Outlet	Transfer from replaced Engine
B.	2	3138803	Reducing Bushing	⅝" Heater Hose Fitting Adapter

1955 MODELS

Requires items A and B plus the following:

C.	1	3837160	Reducing Bushing	Temperature Gauge to Cylinder Head Adapter

NOTE: (1) Ream early 1955 model Engine Rear Mounting Bolt holes from 3/8" to 7/16 diameter and use 7/16-14 Bolts used to install Engine.

3733243—1957 235 CU. IN. COMMERCIAL AND TRUCK ENGINE ASSY. W/11″ DIAPHRAGM TYPE CLUTCH (Used with 3 and 4 Speed Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3138803	Reducing Bushing.....	⅝″ Heater Hose Fitting Adapter
B.	1	3732946	Water Outlet.....	Transfer from replaced Engine

1955 MODELS

Requires items A and B plus the following:

C.	1	3837160	Special Bushing.....	Temperature Gauge, Cylinder Head Adapter

NOTE: (1) This Engine can be used on Dubl-Duti models by transferring Inlet and Exhaust Manifolds from replaced Engine.

(2) This Engine also replaces any 235 Cu. In. Engine with standard 10½″ diameter Clutch. No additional Clutch parts are required.

3733247—1957 261 CU. IN. UTILITY ENGINE ASSY. W/11″ COIL SPRING TYPE CLUTCH (Used with 3 and 4 Speed Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3138803	Reducing Bushing.....	⅝″ Heater Hose Fitting Adapter
B.	1	3732946	Water Outlet.....	Transfer from replaced Engine
C.	1	3725080	Clutch Pedal Lever.....	Required only on 1955 and early 1956 Engines with Diaphragm Spring Clutch
D.	1	900018	Clutch Release Bearing.....	Same as above (C.)

1955 MODELS

Requires items A, B, C and D plus the following:

E.	1	3837160	Special Bushing.....	Temperature Gauge, Cylinder Head Adapter

NOTE: (1) Rear Mountings must be reamed to 7/16″ diameter and 7/16-14 Bolts used to install Engine.

3732971—1957 265 CU. IN. V-8 PASSENGER ENGINE W/10″ DIAPHRAGM TYPE CLUTCH
(Used with 3 Speed Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3714330	Muffler	Early jobs with 28″ Muffler only
B.	1	3741253	Exhaust Pipe Assy.	For Center Exhaust Manifold
C.	1	3734403	Crossover Pipe	For Center Exhaust Manifold
D.	2	3696990	Exhaust Pipe Packing	For Center Exhaust Manifold
E.	1	3732426	Exhaust Valve Gasket	Triangle Type
F.	1	3734204	Exhaust Heat Valve	Triangle Type
G.	1	3734402	Heat Valve Packing Flange	Triangle Type
H.	1	3732488	Oil Gauge Tube	Upper Tube
I.	1	3743570	Clutch Fork Push Rod Unit	Pin and Swivel Type
J.	2	3138803	Reducing Bushing	⅝ Heater Hose Fitting Adapter
K.	2	3736303	Spark Plug Shield	Used as Right Front and Left Rear
L.	2	3736304	Spark Plug Shield	Used as Left Front and Right Rear
M.	2	3737834	Ignition Wire Support	Used at Center Position
N.	8	3707952	Ignition Wire Grommet	For Center Support
O.	2	2966821	Spark Plug Wire	Use in #2 and #3 position. Transfer replaced #2 wire to #4 position

1955 MODELS

Requires items A thru N plus the following:

P.	1	2968641	Ignition Wire Unit	For Buttress Type Spark Plugs
Q.	1	*1513130	Temperature Gauge Unit	Engine Sending Unit
R.	1	*1513134	Temperature Gauge Unit	Dash Unit
S.	1	3722959	Oil Level Gauge	Dip Stick
T.	1	3726641	Tube	Engine Ventilator
U.	1	3726643	Clamp	For Ventilator Tube
V.	1	5573977	Oil Filter	Jobs requiring Oil Filter

***NOTE: Connect Engine Unit to Dash Unit using #16 Gauge Bulk Wire 5298971 as Jumper. Connect Dash Unit to Ignition Switch or Switch Controlled Terminal on Junction Block.**

NOTE: (1) Enlarge Rear Mounting to Clutch Housing holes to 7/16″ diameter and use 7/16-14 Bolts for assembly.

(2) Requires through Bolt and Nut to attach Starting Motor at Upper Bolt hole on 1955 and 1956 models.

(3) For models with Overdrive, transfer Clutch Disc from replaced Engine or install new part 3741091 from service stock.

(4) Drill and tap ⅜-18 hole in Inlet Manifold for 1955 jobs with vacuum type Windshield Wiper.

(5) Transfer Heavy Duty Clutch from replaced Engine or build up from new service parts listed below.

QUANTITY	PART NO.	DESCRIPTION	REMARKS
1	3836719	Flywheel Assy.	For 11″ Clutch
1	3836522	Clutch Plate Assy.	11″ Diameter
1	3836906	Clutch Plate and Cover Assy.	11″ Diameter

(6) On models with Air Conditioning, transfer the following parts or obtain from new service stock.

QUANTITY	PART NO.	DESCRIPTION	REMARKS
1	3719629	Balancer Assy.	Double Groove
2	3718916	V.R. Cover Bolts	Outer R. H. Side
1	3738419	Bracket Assy.	Compressor Mounting—Rear

1955 MODELS

1	3738422	Bracket Assy.	Compressor Mounting—Front
1	3731047	Support Assy.	Rubber Bushing Type
3	3726026	Bushing	For Support
3	3727968	Sleeve	For Bushing
1	3727969	Brace Assy.	Compressor Mounting
1	3738421	Belt	Compressor Drive
1	3727967	Special Bolt	Compressor Attaching
1	3710405	Special Washer	Compressor Attaching

3738537—1957 265 CU. IN. V-8 COMM. AND UTILITY ENGINE W/10½" COIL SPRING CLUTCH (Used with 3 and 4 Speed Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3742207	Exhaust Pipe	Dubl-Duti models use part 3742205
B.	1	3737608	Exhaust Crossover Pipe Assy.	For Center Exhaust Manifold
C.	2	3731062	Exhaust to Manifold Sealing Ring	Early 1956 models only
D.	1	3734204	Exhaust Heat Valve Assy.	Triangle type
E.	1	3737679	Exhaust Pipe Seal Ring	Cast Iron
F.	1	3739039	Exhaust Pipe Seal Ring Flange	2 hole type
G.	2	3138803	Reducing Bushing	⅝ Heater Hose Fitting Adapter
H.	1	3732488	Oil Gauge Tube	Upper Tube
I.	2	3736303	Spark Plug Shield	Right Front and Left Rear
J.	2	3736304	Spark Plug Shield	Left Front and Right Rear
K.	2	3737834	Ignition Wire Support	Center Position
L.	8	3707952	Ignition Wire Grommet	In Center Support
M.	2	2966821	Spark Plug Wire	Use in #1 and #3 position. Transfer replaced #1 wire to #2 position.

1955 MODELS

Requires items A thru K plus the following:

N.	1	2968641	Ignition Wire Unit	For Buttress Type Plugs
O.	1	*1513130	Temperature Gauge	Engine Sending Unit
P.	1	*1513138	Temperature Gauge	Dash Unit
Q.	1	3722959	Oil Level Dip Stick	—
R.	1	3726641	Ventilator Tube	—
S.	1	3726643	Clamp	For Ventilator Tube
T.	1	5573977	Oil Filter Unit	Jobs requiring Oil Filter

***NOTE: Connect Engine Unit to Dash Unit using #16 Gauge Bulk Wire 5298971 as Jumper. Connect Dash Unit to Ignition Switch or Switch Controlled Terminal on Junction Block.**

NOTE: (1) Requires through Bolt and Nut to attach Starter at Upper Bolt hole on 1955 and 1956 models.

3732973—1957 283 CU. IN. V-8 PASSENGER ENGINE ASSEMBLY
(Used with Power Glide Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3714330	Muffler	Early jobs W/28" Muffler only
B.	1	3741253	Exhaust Pipe Assy.	For Center Exhaust Manifold
C.	1	3734403	Crossover Pipe	For Center Exhaust Manifold
D.	2	3696990	Exhaust Pipe Packing	For Center Exhaust Manifold
E.	1	3732426	Exhaust Valve Gasket	Triangle Type
F.	1	3734204	Exhaust Heat Valve	Triangle Type
G.	1	3734402	Heat Valve Packing Flange	Triangle Type
H.	1	3732488	Oil Gauge Tube	Upper Tube
I.	2	3138803	Reducing Bushing	⅝ Heater Hose Fitting Adapter
J.	2	3736303	Spark Plug Shield	Right Front and Left Rear
K.	2	3736304	Spark Plug Shield	Left Front and Right Rear
L.	2	3737834	Ignition Wire Support	Center location
M.	8	3707952	Ignition Wire Grommet	In Center Support
N.	2	2966821	Spark Plug Wire	Use in #2 and #3 position. Transfer replaced #2 wire to #4 position.

1955 MODELS

Requires items A thru M plus the following:

O.	1	2968641	Ignition Wire Unit	For Buttress Type Plugs
P.	1	*1513130	Temperature Gauge	Engine Sending Unit
Q.	1	*1513134	Temperature Gauge	Dash Unit
R.	1	3722959	Oil Level Gauge	Dip Stick
S.	1	3726641	Ventilator Tube	Engine Ventilator
T.	1	3726643	Clamp	For Ventilator Tube
U.	1	5573977	Oil Filter Unit	Jobs requiring Oil Filter

***NOTE: Connect Engine Unit to Dash Unit, using #16 Gauge Bulk Wire 5298971 as Jumper. Connect Dash Unit to Ignition Switch or Switch Controlled Terminal on Junction Block.**

NOTE: (1) Requires thru Bolt and Nut to attach Starter Motor at upper bolt hole on 1955 and 1956 models.
(2) Drill and tap ⅜-18 hole in Inlet Manifold for 1955 jobs with vacuum Windshield Wiper.
(3) On models with Air Conditioning, transfer the following parts or obtain from new service stock.

QUANTITY	PART NO.	DESCRIPTION	REMARKS
1	3731399	Water Pump Pulley	Required new on 1955-56
1	3735374	Harmonic Balancer Assy.	Required new on 1955-56
2	3718916	Valve Rocker Cover Bolts	Outer R. H. Side
1	3738419	Bracket Assy.	Compressor Mounting—Rear
1	3738422	Bracket Assy.	Compressor Mounting—Front
1	3738421	Belt	Compressor Drive
1	3731047	Compressor-Support	Rubber Bushing Type
3	3726026	Bushing	For Support
1	3727969	Brace Assy.	Compressor Mounting
1	3727967	Special Bolt	Compressor Attaching
1	3710405	Special Washer	Compressor Attaching
3	3727968	Sleeve	For Bushing

3732995—1957 283 CU. IN. V-8 PASSENGER ENGINE ASSEMBLY
(Used with Turbo Glide Transmissions)

1957 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3735374	Harmonic Balancer	Air Conditioning Jobs only
B.	2	3718916	Valve Rocker Cover Bolts	R.H. Cover—Outer Position Air Conditioning Jobs only

3732997—1957 283 CU. IN. V-8 PASSENGER ENGINE WITH 10″ COIL SPRING CLUTCH
(Used with 4BC and 3 Speed Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	900018	Clutch Release Bearing	Early jobs with Diaphragm type Clutch only
B.	2	3731871	Muffler	Early jobs W 28″ Muffler only
C.	1 (ea.)	3734455-6	Exhaust Pipe Assy. L&R	For Center Exhaust Manifold
D.	1 (ea.)	3739027-8	Crossover Pipe	To connect Exhaust Pipes
E.	2	3693812	Clamp Unit	Crossover to Exhaust Pipe
F.	1	3734204	Exhaust Heat Valve	Triangle Type
G.	1	3732426	Heat Valve Gasket	Triangle Type
H.	1	3734402	Exhaust Pipe Packing Flange	Triangle Type
I.	2	3696990	Exhaust Pipe Packing	Wedge Type
J.	1	3743570	Clutch Fork Push Rod Unit	Pin and Swivel Type
K.	1	3732488	Oil Gauge Tube	Upper Tube
L.	2	3138803	Reducing Bushing	5/8 Heater Hose Fitting Adapter
M.	2	3736303	Spark Plug Shield	Used as Right Front and Left Rear
N.	2	3736304	Spark Plug Shield	Used as Left Front and Right Rear
O.	2	3737834	Ignition Wire Support	Used at Center Position
P.	8	3707952	Ignition Wire Grommet	For Center Support
Q.	2	2966821	Spark Plug Wire	Use in #2 and #3 position. Transfer replaced #2 wire to #4 position

1955 MODELS

R.	1	2968641	Ignition Wire Unit	For Buttress type Plugs
S.	1	3736062	Carburetor Assy.	Also use Flange Gasket 3726256 and Control Rod Unit 3725073
T.	1	1552811	Air Cleaner Assy.	To match Carburetor
U.	1	*1513130	Temperature Gauge	Engine Sending Unit
V.	1	*1513134	Temperature Gauge	Dash Unit
W.	1	3722959	Oil Level Gauge	Dip Stick
X.	1	3726641	Tube	Engine Ventilator
Y.	1	3726643	Clamp	For Ventilator Tube
Z.	1	5573977	Oil Filter	Jobs requiring Oil Filter

***NOTE: Connect Engine Unit to Dash Unit using #16 Gauge Bulk Wire 5298971 as Jumper. Connect Dash Unit to Ignition Switch, or Switch Controlled Terminal on Junction Block.**

NOTE: (1) Requires through Bolt and Nut to attach Starter Motor at upper Bolt hole on 1955 and 1956 models.
(2) Enlarge Rear Mounting to Clutch Housing holes to 7/16 diameter and use 7/16-14 Bolts for assembly.
(3) For models with Overdrive, transfer Clutch Disc from replaced Engine or install new part 3741091. Also, operating conditions may require different heat range Spark Plugs.
(4) On models with Air Conditioning, transfer the following parts or obtain from new service stock:

QUANTITY	PART NO.	DESCRIPTION	REMARKS
1	3731399	Water Pump Pulley	Required new on 1955-56
1	3735374	Harmonic Balancer Assy.	Required new on 1955-56
2	3718916	Valve Rocker Cover Bolts	Outer R.H. Side
1	3738419	Bracket Assy.	Compressor Mounting—Rear
1	3738422	Bracket Assy.	Compressor Mounting—Front
1	3738421	Belt	Compressor Drive
1	3731047	Compressor-Support	Rubber Bushing Type
3	3726026	Bushing	For Support
3	3727968	Sleeve	For Bushing
1	3727969	Brace Assy.	Compressor Mounting
1	3727967	Special Bolt	Compressor Attaching
1	3710405	Special Washer	Compressor Attaching

3732999—1957 283 CU. IN. V-8 PASSENGER ENGINE (Used with 4BC and Power Glide Transmissions)

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL INSTALLATIONS

1956 MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3731871	Muffler	Early Jobs with 28" Mufflers only
B.	1 (ea.)	3734455-6	Exhaust Pipe Assy.	For Center Exhaust Manifold
C.	1 (ea.)	3739027-8	Crossover Pipe	To connect Exhaust Pipe
D.	2	3693812	Clamp Unit	Cross over to Exhaust Pipe
E.	1	3734204	Exhaust Heat Valve	Triangle Type
F.	1	3732426	Heat Valve-Gasket	Triangle Type
G.	1	3734402	Exhaust Pipe Packing-Flange	Triangle Type
H.	2	3696990	Exhaust Pipe-Packing	Wedge Type
I.	1	3732488	Oil Gauge-Tube	Upper Tube
J.	2	3138803	Reducing Bushing	5/8" Heater Hose Fitting Adapter
K.	2 (ea.)	3736303-4	Spark Plug Shield	Front & Rear, Right & Left
L.	2	3737834	Ignition Wire Support	Center Position
M.	8	3707952	Ignition Wire Grommet	For Center Support
N.	2	2966821	Spark Plug Wire	Use in #2 and #3 position. Transfer replaced #2 wire to #4 position

1955 MODELS

Requires items A thru M plus the following:

O.	1	2968641	Ignition Wire Unit	For Buttress Type Plugs
P.	1	7015711	Carburetor Assy.	Early jobs also require Control Rod Unit 3725073
Q.	1	1552811	Air Cleaner Assy.	To match Carburetor
R.	1	*1513130	Temperature Gauge	Engine Sending Unit
S.	1	*1513134	Temperature Gauge	Dash Unit
T.	1	3722959	Oil Level Gauge	Dip Stick
U.	1	3726641	Tube	Engine Ventilator
V.	1	3726643	Clamp	For Ventilator Tube
W.	1	5573977	Oil Filter Unit	Jobs requiring Oil Filter

***NOTE: Connect Engine Unit to Dash Unit using #16 Gauge Bulk Wire 5298971 as Jumper. Connect Dash Unit to Ignition Switch or Switch Controlled Terminal on Junction Block.**

NOTE: (1) On early 1955 jobs, enlarge Rear Mounting to Clutch Housing Holes to 7/16 diameter and use 7/16-14 x 1" Bolts for assembly.

(2) Requires through Bolt and Nut to attach Starter Motor at upper Bolt hole on 1955 and 1956 models.

(3) On models with Air Conditioning, transfer the following parts or obtain from new service stock:

QUANTITY	PART NO.	DESCRIPTION	REMARKS
1	3731399	Water Pump Pulley	Required new on 1955-56
1	3735374	Harmonic Balancer Assy.	Required new on 1955-56
2	3718916	Valve Rocker Cover Bolts	Outer R.H. Side
1	3738419	Bracket Assy.	Compressor Mounting—Rear
1	3738422	Bracket Assy.	Compressor Mounting—Front
1	3738421	Belt	Compressor Drive
1	3731047	Compressor-Support	Rubber Bushing type
3	3726026	Bushing	For Support
3	3727968	Sleeve	For Bushing
1	3727969	Brace Assy.	Compressor Mounting
1	3727967	Special Bolt	Compressor Attaching
1	3710405	Special Washer	Compressor Attaching

3738269—1957 283 CU. IN. V-8 CORVETTE ENGINE WITH 10″ COIL SPRING CLUTCH
(Used with Dual 4BC and 3 and 4 Speed Transmissions)

NOTE: THIS ENGINE CAN BE USED ON EQUIVALENT 1957 PASSENGER MODELS DISCARDING FRONT MOUNTING BRACKET AND USING FRONT BRACKET UNIT 3742192.

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL INSTALLATION

1956 CORVETTE MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3736957	Muffler Assy.	Left Hand
B.	1	3737644	Muffler Assy.	Right Hand
C.	1	3735167	Exhaust Pipe L.H.	For Center Exhaust Manifold
D.	1	3735164	Exhaust Pipe R.H.	For Center Exhaust Manifold
E.	1 (ea.)	3739027-8	Crossover Pipe	To Connect Exhaust Pipes
F.	2	3693812	Clamp Unit	Crossover to Exhaust Pipe
G.	1	3734204	Exhaust Heat Valve	Triangle Type
H.	1	3732426	Exhaust Heat Valve Gasket	Triangle Type
I.	1	3734402	Exhaust Pipe Packing-Flange	Triangle Type
J.	2	3696990	Exhaust Pipe Packing	Wedge Type
K.	1	*3739045	Clutch Fork Push Rod	Also use 3738054 Pin and 3738284 Swivel
L.	1	3732488	Oil Gauge Tube	Upper Tube
M.	2	3138803	Reducing Bushing	5/8″ Heater Hose Fitting Adapter
N.	2 (ea.)	3736303-4	Spark Plug Shield	Left and Right, Front and Rear
O.	2	3737834	Ignition Wire Support	Used at Center Position
P.	8	3707952	Ignition Wire Grommet	For Center Support
Q.	2	2966821	Spark Plug Wire	Use in #2 and #3 position. Transfer replaced #2 to #4 position.

***NOTE: THESE PARTS NOT REQUIRED IF 1956 CLUTCH FORK IS TRANSFERRED FROM REPLACED ENGINE.**

1956 PASSENGER MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3731871	Muffler Assy.	Early jobs with 28″ Mufflers only
B.	1 (ea.)	3734455-6	Exhaust Pipe Assy. L and R	For Center Exhaust Manifold
C.	1 (ea.)	3739027-8	Crossover Pipe	To connect Exhaust Pipes
D.	2	3693812	Clamp Unit	Crossover to Exhaust Pipe
E.	1	3734204	Exhaust Heat Valve	Triangle Type
F.	1	3732426	Exhaust Heat Valve Gasket	Triangle Type
G.	1	3734402	Exhaust Pipe Packing Flange	Triangle Type
H.	1	3696990	Exhaust Pipe Packing	Wedge Type
I.	1	*3743570	Clutch Fork Push Rod Unit	Pin and Swivel Type
J.	1	3732488	Oil Gauge Tube	Upper Tube
K.	2	3138803	Reducing Bushing	5/8″ Heater Hose Fitting Adapter

***NOTE: THIS UNIT NOT REQUIRED IF 1956 CLUTCH FORK IS TRANSFERRED FROM REPLACED ENGINE.**

NOTE: (1) Requires through Bolt and Nut to attach Starter Motor at upper Bolt hole.

3738271—1957 283 V-8 CORVETTE ENGINE ASSEMBLY (Used with Power Glide Transmission)

NOTE: THIS ENGINE CAN BE USED ON EQUIVALENT 1957 PASSENGER MODELS BY DISCARDING FRONT MOUNTING BRACKET AND USING FRONT BRACKET UNIT 3742192.

SUPPLEMENTAL PARTS REQUIRED FOR CORRESPONDING PAST MODEL APPLICATION

1956 CORVETTE MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	1	3736957	Muffler Assy.	Left Hand
B.	1	3737644	Muffler Assy.	Right Hand
C.	1	3735167	Exhaust Pipe L.H.	For Center Exhaust Manifold
D.	1	3735164	Exhaust Pipe R.H.	For Center Exhaust Manifold
E.	1 (ea.)	3739027-8	Crossover Pipe	To connect Exhaust Pipes
F.	2	3693812	Clamp Unit	Crossover to Exhaust Pipe
G.	1	3734204	Exhaust Heat Valve	Triangle Type
H.	1	3732426	Exhaust Heat Valve Gasket	Triangle Type
I.	1	3734402	Exhaust Pipe Packing-Flange	Triangle Type
J.	2	3696990	Exhaust Pipe Packing	Wedge Type
K.	1	3732488	Oil Gauge Tube	Upper Tube
L.	2	3138803	Reducing Bushing	5/8" Heater Hose Fitting Adapter
M.	2 (ea.)	3736303-4	Spark Plug Shield	Left and Right, Front and Rear
N.	2	3737834	Ignition Wire Support	Used at Center position
O.	8	3707952	Ignition Wire Grommet	For Center Support
P.	2	2966821	Spark Plug Wire	Use in #2 and #3 position. Transfer replaced #2 to #4 position.

1956 PASSENGER MODELS

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3731871	Muffler Assy.	Early jobs with 28" Mufflers only
B.	1 (ea.)	3734455-6	Exhaust Pipe Assy. L & R	For Center Exhaust Manifold
C.	1 (ea.)	3739027-8	Crossover Pipe	To connect Exhaust Pipes
D.	2	3693812	Clamp Unit	Crossover to Exhaust Pipe
E.	1	3734204	Exhaust Heat Valve	Triangle Type
F.	1	3732426	Exhaust Heat Valve Gasket	Triangle Type
G.	1	3734402	Exhaust Pipe Packing—Flange	Triangle Type
H.	1	3696990	Exhaust Pipe Packing	Wedge Type
I.	1	3732488	Oil Gauge Tube	Upper Tube
J.	2	3138803	Reducing Bushing	5/8" Heater Hose Fitting Adapter

NOTE: (1) Requires through Bolt and Nut to attach Starter Motor at upper Bolt hole.

3738551—1957 283 CU. IN. V-8 6000 SERIES ENGINE ASSEMBLY
(Used with 4 and 5 Speed Transmissions and 2BBL Carburetor)

SUPPLEMENTAL PARTS REQUIRED FOR INSTALLATION ON MODELS OTHER THAN ABOVE

1956 MODELS
(Includes 6000 and 8000 Series except as noted)

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
A.	2	3138803	Reducing Bushing	5/8" Heater Hose Fitting Adapter
B.	1	3741418	Exhaust Pipe	For Center Exhaust Manifold
C.	1	3737679	Sealing Ring	Exhaust to Crossover Pipe
D.	1	3737608	Crossover Pipe	Includes Flange
E.	2	3731062	Sealing Ring	Crossover Pipe to Manifold
F.	1	3741413	Muffler	For 283 cu. in. Engine
G.	1	3732488	Oil Gauge Tube	Upper Tube (curved)
H.	1	5573977	Oil Filter Unit	For jobs without full pressure Oil Filter
I.	2 (ea.)	3736303-4	Spark Plug Shield	Left & Right, Front & Rear
J.	2	3737834	Ignition Wire Support	Center Position
K.	8	3707952	Ignition Wire Grommet	For Center Support
L.	1	3732534	Fan Belt Unit	3/8" Dual Drive
M.	1	3738881	Water Pump Pulley	3/8" Dual Drive
N.	1	3731348	Generator Pulley	3/8" Dual Drive
O.	1	1866400	Generator Pulley Fan	3/8" Dual Drive
P.	2	2967861	Spark Plug Wire	Use in #1 and #3 position. Transfer replaced #1 and #3 to #2 and #4 position.

1955 MODELS
Requires supplemental items A thru O above, plus the following:

ITEM	QUANTITY	PART NO.	DESCRIPTION	REMARKS
Q.	1	2968641	Ignition Wire Unit	For Buttress Type Spark Plugs
R.	1	3727693	Retainer	For Ventilator Hose Grommet
S.	1	*1513130	Temperature Gauge	Engine Sending Unit
T.	1	*1513138	Temperature Gauge	Dash Unit
U.	1	3722959	Oil Gauge	Dip Stick

***NOTE: Connect Engine Unit to Dash Unit using #16 Gauge Bulk Wire 5298971 as Jumper. Connect Dash Unit to Ignition Switch or Switch Controlled Terminal on Junction Block.**

NOTE: (1) Requires through Bolt and Nut to attach Starter Motor at upper Bolt hole on 1955 and 1956 models.
(2) On 1955 models with Vacuum Windshield Wiper, drill and tap 3/8-18 Inlet Manifold hole for Hose Connector.
(3) This Assembly replaces 4 Barrel Carburetor Engines by transferring Manifold and Distributor Assembly.
(4) This Assembly replaces equivalent Engines having Power Steering, Spinner type Governor or Air Compressor equipment by transferring parts peculiar to such installations as Balancer, Belts, Pulleys, Manifold, Distributor, Oil Pan, etc., as necessary.
(5) Where parts will not transfer, equivalent 1957 detail must be used. Example: 1956 8000 Series with Air Over Hydraulic Brake, R.H. Manifold will not transfer. New 1957 R.H. Manifold 3732498 must be used.

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	0.000 ENGINE ASSEMBLY	EXCHANGE ITEM			
47-53	COMM., UTIL. (235) (exc. D-D, COE)	(w/11" clutch)	3709975*†	1	390.00
50-54	PASS. w/P.G. (235)		3709969*†	1	388.00
53	PASS. (235) (exc. P.G., SDL.),				
54	PASS. (exc. P.G.)	(w/9" clutch)	3709971*†	1	388.00
54-55	COMM., UTIL. (1st Ser.) (exc. 261, H.T., D-D, COE)	(w/11" clutch)	3709973*†	1	390.00
54-55	2 TON (261) (1st Ser.) (exc. COE)	(w/11" clutch)	3709979*	1	423.00
55-57	PASS. 6 cyl. (exc. P.G.)	(w/9½" clutch)	3733117*	1	410.00
55-56	PASS. 6 cyl. w/P.G.		3730357*	1	381.50
55	PASS. 8 cyl. (exc. P.G.),				
56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)	(w/10" clutch)	3731893*§	1	454.00
55-57	COMM., UTIL. (235) (2nd Ser.) (exc. D-D, H.T.)	(w/11" clutch)	3733243*†	1	410.00
55-57	ALL w/261 (2nd Ser.)	(w/11" clutch)	3733247*†	1	438.50
55-57	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)		3732973*†	1	480.00
55-57	PASS. w 4BC and P.G.		3732999*†	1	470.00
55-57	Ser. 3-4 (8 cyl.) (exc. D-D, H.T.)	(w/11" clutch) (hvy. duty clutch)	3738537*†	1	490.00
55-57	Ser. 6 (8 cyl.)		3738551*†	1	518.50
56-57	PASS., CORV. w/dual 4BC (exc. A.T., H.L. Cam)		3738269*†	1	545.00
56-57	PASS., CORV. w/dual 4BC and A.T.		3738271*†	1	535.00
57	PASS. 6 cyl. w/P.G.		3733275*†	1	397.50
57	PASS. w/265		3732971*†	1	482.50
57	PASS. w 4BC (exc. A.T., O/D)		3732997*†	1	485.00
57	PASS. w/T.G. (exc. 4BC, dual 4BC, CAC)		3732995*†	1	472.50

The above engine assemblies are complete less the following major parts:

Air Cleaner	Clutch Throwout Bearing	Generator	Ignition Wires
Carburetor	Fuel Pump	Ignition Coil	Spark Plugs
Clutch Fork	Fuel Pipe	Ignition Vacuum Control	Starting Motor
	Fan Blade	Ignition Distributor	Ventilator Assy.

†NOTE: When installing the above service engines on applicable past models, certain non-interchangeable parts must be discarded and replaced with parts that fit the replacing engine. The preceding charts shown on pages 113 thru 123, include pertinent facts regarding the parts and special application instructions that are necessary with service engines on past model installations.

§NOTE: When installing on vehicle having optional equipment, such as overdrive, 4BC, C.A.C. or heavy duty clutch, parts peculiar to such options should be transferred from replaced engine or installed new from parts stock.

*Exchange Price Shown. Add $10.00 to prices if used Chevrolet Engine Assembly is not exchanged.

SEE CHART on Pgs. 11-12 for current ENGINE IDENTIFICATION

NOTE: **Special Equipment Production Assemblies are available while in production, through Central Office, on Direct Order Form PC 785.**

EXAMPLE ..... 3733255 Ser. 3-4 (6 cyl.) w/H.T. (exc. D-D)

0.002 PARTS, Engine Mounting

37-55	COMM., UTIL. (1st Ser.)	BOLT, frt. mtg. (⅜—24 x 1⅞ carr. hd.)	3701135	2	.10
37-46	UTIL.	BOLT, rear hold down (part of unit 602790) (⅜—24 x 4⅜ drld.—7/16 dia. shoulder)	602789	2	.25
38-53	COMM., UTIL.	BOLT, rear mtg. (7/16—14 x 1⅜—7/16 dia. shldr.)	598105	4	.10
38-53	UTIL. (hvy. duty)	BOLT, rear mtg. (7/16—14 x 1½ hex. hd.)	3710984	4	.10
39	JA	BOLT, frt. mtg. (7/16—20 x 3 15/16—7/16 dia. shldr.)	3650168	2	.15
47-53	UTIL.	BOLT, rear hold down (part of unit 3689112) (⅜—24 x 3 13/16—7/16 dia. shoulder)	3688523	2	.25
47-53	UTIL. (hvy. duty)	BOLT, rear mtg. (use w/3711027) (hex. hd. 7/16—14 x 3) (300-M steel)	454950	A.R.	(8.900)
52-54	PASS.	BOLT, frt. mtg. (7/16—20 x 3½)	181680	2	(8.900)

54-57	COMM., UTIL.	BOLT, rear mtg. (½—13 x 3½)	3705450	2	.15
55	PASS. (exc. P.G.)	BOLT, rear mtg. to trans. (⅜—16 x 1)	180122	A.R.	(8.900)
55-57	PASS. w/P.G.	BOLT, rear mtg. (7/16—14 x 1)	3722375	3	.10
57	PASS. w/T.G.	front mtg.,			
57	PASS. (exc. A.T.)	rear mtg. (7/16-14 x 1 cad.)	454944	A.R.	.10
37-53	COMM., UTIL.	NUT, frt. mtg. bolt (⅜—24 sltd.),			
37-53	UTIL.	rear brkt. (part of unit 602790)	838283	2	25/1.05
46-55	COMM. UTIL. (1st Ser.),				
55-57	½ TON (2nd Ser.)	NUT, front mtg. std (⅜-24)	117212	4	(8.917)
54-57	COMM., UTIL.	LOCK, rear mtg. bolt ("T" shape w/one 33/64 hole)	3717280	2	.10
37-48	PASS.	LOCK, side mtg. to supt. brkt. bolt	3650496	4	.50
32	BB, N	SPRING, frt. mtg. (5⅓ coils—½ I.D.),			
37-53	UTIL.	rear brkt. (part of units 602790 and 3689112)	368258	2	.20
37-55	COMM., UTIL. (1st Ser.)	WASHER, frt. mtg. (7/16 I.D. x 13/16 O.D.)	352282	2	.02
40-55	COMM., UTIL. (1st Ser.) (exc. COE)	WASHER, frt. mtg. (⅜ I.D. x 1¼ O.D.)	365685	2	(4.664)
52-54	PASS.,				
55-57	CORV.	WASHER, frt. mtg. bolt (15/32 x 1⅜ x 3/16 thick)	3700338	A.R.	.10
38-53	UTIL. (hvy. duty)	WASHER, rear mtg. brkt. (1⅜ I.D. x 2⅝ O.D.)	3710992	2	.15
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	WASHER, frt. small cushion (⅜ I.D. x 1¾ O.D.)	3710525	4	.08
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	WASHER, frt. large cushion (7/16 I.D. x 2¼ O.D.)	3714360	4	.10
47-53	1 TON, UTIL.	SPACER, rear hold down (½ I.D. x ¾ O.D. x 1 25/32)	3684754	2	.15
52-54	PASS.,				
55-57	CORV.	SPACER, frt. mtg. bolt (tube) (⅝ O.D.)	3700333	2	.25
54-57	COMM., UTIL.	SPACER, rear mtg. (11/16 O.D. x 2⅛ long)	3705449	2	.25
38-53	UTIL. (hvy. duty)	CAP, rear mtg. (15/32 I.D. x 2⅝ O.D. x 3/16 thick)	3710991	2	.25
55-57	PASS.	STUD, front (6 O.L. w/⅜—24 thds. both ends)	3714361	2	.40
55-57	COMM., UTIL. (2nd Ser.)	STUD, front (7½ O.L. w/⅜—24 thds. both ends)	3714387	2	.45
55-57	PASS. w/P.G.	STUD, rear mtg. to trans.,			
55-57	CORV. 8 cyl w/P.G.	trans. hsg. plug (7/16—14—20 x 1 7/16 O.L.)	3729379	1	.15

0.004 PLATE, Engine Front Mounting

37-53	ALL	(w/2 bolts—2¼ cam hole)	3690511*	1	4.50
53-55	CORV. 6 cyl		3706059	1	3.85
54-57	ALL 6 cyl	(2⅜ cam hole) (stamped "4")	3709945†	1	4.50

*NOTE: Gasket 3703488 must be used with 3690511, which has straight oil groove between nozzle hole and cam opening. When installing on PASS. cut bolts flush with bottom of flange.

†NOTE: Gasket 3703488 must be used with 3709945. Also when using on PASS. and 1955 Truck models cut bolts flush with bottom of flange.

0.005 GASKET, Engine Front Mounting Plate

37-48	ALL	(2¼ cam hole)	839048*	1	.15
49-57	ALL, CORV. (6 cyl.)	(2⅜ cam hole)	3703488	1	.15

*NOTE: 839048 can only be used with crankcase frt. end plate having circular oil groove between nozzle hole and cam opening.


0.010 GASKET UNIT, Engine or Tune Up

37-52	ALL,				
53	ALL (exc. P.G.)	engine	3702872	1	2.25
53	PASS. w/P.G.	engine	3702858	1	2.05
54-57	ALL 6 cyl.	engine	3719628	1	2.15


NOTE: The above Engine Small Parts Gasket Units together with Oil Pan Gasket Unit (group 1.429) and Cylinder Head Gasket Unit (group 0.289) provide all necessary Gaskets for complete engine overhaul or short motor installation.

38-49	ALL (exc. D-D, COE)	(w/Carter Carb.) (tune up kit)	609950	1	.60


NOTE: 609950 consists of: carb. bowl cover gasket, carb. pump cyl. gasket, fuel pump bowl gasket and 12 spark plug seat gaskets.




1955-57 PASSENGER ENGINE REAR MOUNTING



1955-57 PASSENGER ENGINE FRONT MOUNTING




3693425 (ALSO PART OF 3692162 UNIT) | 3656502 | 3657522 | 3657520 (ALSO PART OF 606427 UNIT) | 368449




377928 | 3702173 3702198 | 756056-7 (ALSO PART OF 3692162 UNIT)

ENGINE MOUNTING PARTS
(GROUPS 0.027 and 0.029)

49-52	ALL (exc. P.G., D-D, COE),				
53-55	ALL 6 cyl. (1st ser.) (exc. D-D, COE)....	(w/Roch. Carb.) (tune-up kit).....	3704136*	1	.75
	*NOTE: Consists of: carb. air horn to float bowl gasket, fuel pump bowl gasket and 12 spark plug gaskets.				
	0.027 MOUNTING, Engine (also see group 4.081)				
32	BA, BB,				
33-55	COMM., UTIL. (1st Ser.).....	front.....	3657520	1	2.40
	NOTE: When using 3657520 on 1937-40 jobs it is also necessary to use 1—3657522 plate, 1—3656502 shield and 2—352282 washers.				
36-39	FC, GB, HB, JB,				
41-48	PASS. (exc. CONV.),				
50-51	PASS. w/P.G.....	front (molded 3659291).....	3659291	2	2.40
35-40	PASS. (exc. FC, GB, HB, JB),				
41-48	CONV.,				
49-51	PASS. (exc. P.G.).....	front (molded 3693425).....	3693425	2	2.40
37-46	COMM., S,				
47	COMM. (exc. ½ TON, 2nd design),				
48-53	COMM. (exc. ½ TON).....	rear.....	3702198*	2	3.30
	*NOTE: Has same ident. number as 3702173, also has band of yellow paint on outer edges.				
38-53	UTIL.....	rear (molded 3702173).....	3702173	2	3.30
47-53	½ TON (2nd design).....	rear (molded 756700).....	756700	2	3.30
52-54	PASS.,				
55-57	CORV.....	lower (molded 3700332).....	3700332	2	.95



SIX CYLINDER ENGINE SIDE MOUNTING



SIX CYLINDER ENGINE REAR MOUNTING

52	**PASS.,**				
53-54	**PASS. (exc. CONV.)**	**upper (molded 3702889)**	**3702889**	**2**	2.00
53-54	CONV.,				
53-57	CORV	upper (molded 3703873)	3703873	2	2.00
54-57	**COMM., UTIL.**	**rear upper (molded 3705444)**	**3705444**	**2**	2.65
54-57	**COMM., UTIL.**	**rear lower (molded 3705447)**	**3705447**	**2**	1.15
55	PASS. (exc. P.G.)	rear, left (daub yellow paint)	3713427	1	2.55
55-56	PASS. (exc. P.G.)	rear, right (molded 3728508)	3728508	1	2.95
55	PASS. w/P.G.,				
56-57	PASS. w/P.G. (exc. CONV.)	rear, left (molded 3725285)	3725285	1	3.30
55	PASS. w/P.G.,				
56-57	PASS. w/P.G. (exc. CONV.)	rear, right (molded 3725286)	3725286	1	3.30
56	PASS. (exc. P.G.)	rear, left (molded 3728507)	3728507	1	2.95
56-57	CONV. w/P.G.	rear, left (marked w/yellow paint)	3729423	1	3.25
56-57	CONV. w/P.G.	rear, right (marked w/yellow paint)	3729424	1	3.25
57	PASS. w/T.G.	front, left,			
57	PASS. (exc. A.T.)	rear, left	3735063	A.R.	2.95
57	PASS. w/T.G.	front, right,			
57	PASS. (exc. A.T.)	rear, right	3735064	A.R.	2.95
35-48	**PASS. (exc. FC, GB, HB, JB, CONV.)**	**MOUNTING UNIT (consists of: 2 side supt. cushions and 2 front mtgs.)**	**3692162**	**1**	7.95

37-40	COMM., S,				
41-47	COMM. (exc. ½ TON w/hvy. duty clutch) (1st design)	MOUNTING UNIT (consists of: 1 front mounting bushing and 2 rear mountings)	606427	1	7.95
48-53	COMM. (exc. ½ TON, D-D)				
46-55	COMM., UTIL. (1st Ser.)	MOUNTING UNIT (consists of 1 ea. mtg. bushing and cushion assy., plate, retainer, shield, 2 bolts, 2 washers and 4 nuts)	2224010	1	4.00
47-53	½ TON (2nd design)	MOUNTING UNIT (consists of: 1 front mounting bushing and 2 rear mountings)	3847609	1	8.50
47-53	UTIL.	MOUNTING UNIT (consists of: 1 front mounting bushing and 2 rear mountings)	3847691	1	8.50
37-53	UTIL. (hvy. duty)	MOUNTING UNIT (rear only) (consists of: 4 brkts., 4 bushings, 2 caps and attach. parts)	3711027	1	7.50
49-51	PASS. (exc. P.G.)	MOUNTING UNIT (consists of: 2 side supt. cushions and 2 front mtgs.)	3695353	1	7.60
54	COMM., UTIL.	MOUNTING UNIT (consists of: 1 front mounting bushing and 2 rear mtgs.)	3709623	1	9.50
38-53	UTIL. (hvy. duty)	BUSHING, rear mtg. (rubber)	3710989	4	.30
32-36	BA, CB, CC, DB, EB, FB	CUSHION, rear	836805	2	2.50
35-48	PASS. (exc. CONV.)	CUSHION, supt., L. (molded 756056)	756056	1	1.85
35-48	PASS. (exc. CONV.)	CUSHION, supt., R. (molded 756057)	756057	1	1.85
35-48	CONV.	CUSHION, side supt.	377928	2	1.85
49-51	PASS.	CUSHION, side supt.	3688111	2	1.60
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	CUSHION, frt., small (7/16 I.D. x 1½ O.D.)	3714358	4	.25
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	CUSHION, frt., large (7/16 I.D. x 2 O.D.)	3714357	4	.30

0.029 BRACKET—BRACE—PLATE—SHIELD—SUPPORT—RETAINER, Engine Mounting (also see groups 7.228 and 7.229)

37-48	PASS.	side supt., L.	594911	1	.40
37-48	PASS.	side supt., R.	594912	1	.40
49-51	PASS.	side supt., L.	3688109	1	.40
49-51	PASS.	side supt., R.	3688110	1	.40
40-48	PASS. (exc. CONV.)	side supt., frame, L.	3686007†	1	.65
40-48	PASS. (exc. CONV.)	side supt., frame, R.	3686008†	1	.65
	†NOTE: When using 3686007 and 3686008 brackets it is necessary to use 756056 and 756057 side support cushions.				
49-51	PASS. (exc. CONV., B-A)	side supt., frame, L.	3693807	1	.60
49-51	PASS. (exc. CONV., B-A)	side supt., frame, R.	3693808	1	.60
49-51	CONV.	side supt., frame	3688196	2	.40
29-36	A, L, M, BB, N, O, P, Q, F, R	rear	835588	2	.65
37-53	UTIL.	rear (part of 602790-3689112)	602787	2	.40
38-53	UTIL. (hvy. duty)	rear	3710990	2	1.25
38-53	UTIL. (hvy. duty)	frame mtg., L.	3710993	1	1.00
38-53	UTIL. (hvy. duty)	frame mtg., R.	3710994	1	1.00
52-54	PASS. (exc. P/S)	frame mtg., L.	3700305	1	3.30
52-54	PASS.	frame mtg., R.	3700306	1	3.30
52-54	PASS.,				
53-54	PASS. (55 amp. gen.),				
53-55	CORV. 6 cyl.	engine mtg., L.	3700329	1	1.40
52-55	PASS.,				
53-55	CORV. 6 cyl.	engine mtg., R.	3700330	1	1.40
53-54	ALL P/S	frame mtg., L.	3704061	1	3.10
55-56	PASS. 6 cyl.,				
55-56	COMM., UTIL. (6 cyl.) (2nd Ser.)	engine mtg., frt., L. (stamped 6)	3836413	1	.85
55-56	PASS. 6 cyl.,				
55-56	COMM., UTIL. (6 cyl.) (2nd Ser.)	engine mtg., frt., R. (stamped 6)	3836414	1	.85
55-57	ALL 8 cyl.	engine mtg., frt., L. (stamped 8)	3836325	1	.85
55-57	ALL 8 cyl.	engine mtg., frt., R. (stamped 8)	3836326	1	.85
55-57	COMM., UTIL. (8 cyl.)	engine mtg., frt., L.	3716773	1	1.40
55-57	COMM., UTIL. (8 cyl.)	engine mtg., frt., R.	3716774	1	1.40
55-57	PASS. (exc. CONV.)	frame mtg., rear, L.	3712403	1	3.20
55-57	PASS. (exc. CONV.)	frame mtg., rear, R.	3712404	1	3.20
55-57	CONV.	frame mtg., rear, L.	3710543	1	3.50
55-57	CONV.	frame mtg., rear, R.	3710544	1	3.50
53-55	CORV. 6 cyl.	frame mtg., frt., L.	3706199	1	3.60
53-55	CORV. 6 cyl.	frame mtg., frt., R.	3706200	1	3.60

55-57	CORV. 8 cyl.	frame mtg., frt., L.	3711639	1	1.75
55-57	CORV. 8 cyl.	frame mtg., frt., R.	3711640	1	1.75
55	CORV. 8 cyl.	between water pump and engine	3711636	1	2.45
56-57	CORV.	between water pump and engine	3728516	1	2.45
57	ALL 6 cyl.	unit, front (hvy. duty usage)	3742191	1	4.25
57	ALL 8 cyl.	unit, front (hvy. duty usage)	3742192	1	4.25
55-57	CORV. 8 cyl.	BRACE, frt. frame bracket—upr.	3711641	2	.60
55-57	CORV. 8 cyl.	BRACE, frt. frame bracket—lwr.	3711642	2	.50
37-55	COMM., UTIL. (1st Ser.)	PLATE, frt. mtg. top (7 1/16 x 2 wide)	3657522	1	.65
37-55	COMM., UTIL. (1st Ser.)	SHIELD, frt. mtg. (7 15/16 x 2 1/2 wide)	3656502	1	.65
53-55	CORV. 6 cyl.	SUPPORT, bracket upr. front	3706162	1	.35
53-55	CORV. 6 cyl.	SUPPORT, bracket lwr., L.	3706163	1	.75
53-55	CORV. 6 cyl.	SUPPORT, bracket, lwr., R.	3706164	1	.75
32	BA, BB,				
33-55	COMM., UTIL. (1st Ser.)	RETAINER, frt. mtg. (7 1/16 x 1 5/8 wide)	368449	2	.65
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	RETAINER, frt., large cushion (2 3/8 O.D.)	3714359	4	.15

0.033 BLOCK ASSEMBLY, Cylinder

PARTIAL ENGINE

NOTE: Partial engine includes block, crankshaft, camshaft, timing gears, pistons, connecting rods and front end plate. Bolts on front end plate may have to be cut off flush when installing on PASS. jobs.

41-49	ALL w/235	(cast 3693374 on block)	3688771*†	1	210.00

NOTE: When using 3688771 on 1941 jobs, it is necessary to use 3705387 Flywheel, (6) 839756 Bolts, and (3) 3835664 Locks. On 1941-47 models, it is necessary to install Oil Pump Screen Cover Support w/Pipe, Part No. 3835365.

41-53	ALL w/216	(cast 3835849 on block)	3701166*†	1	207.00

†NOTE: On 1941 jobs w/9" clutch plate, use 839776 Flywheel and (6) 839756 Bolts. With 10 3/4" clutch plate, use 3705387 Flywheel, (6) 839756 Bolts.

On 1941-47 models, use Support w/Pipe, 3835365. Provide 1/32 in. clearance between support pipe and upper edge of oil pan tray opposite number 4 connecting rod.

Peen the tray and also pan if necessary. *Do not bend oil pipe* to secure clearance. Generator Bracket, 3704771 must be used on models prior to 1950.

50-52	ALL w/235 (exc. P.G.)	(cast 3835692) (aluminum)	3701167*	1	213.50
50-52	PASS. w/P.G.	(cast 3835692) (fiber)	3701168*	1	213.50
53	PASS. w/P.G.	(cast 3701481)	3703631*	1	227.00
53	ALL w/235 (exc. P.G.)	(cast 3701946)	3703629*	1	213.50
54	PASS. w/P.G.	(cast 3835911 or 3733949)	3707735*	1	227.00
55	CORV. 8 cyl.		3719527*	1	275.50
54	ALL (235) (exc. P.G.),				
55	COMM., UTIL. (235) (1st Ser.)	(cast 3835911 or 3733949)	3709607*⊕	1	227.00
54-55	ALL w/261 (1st Ser.)	(cast 3703414)	3707737*	1	233.00
55	PASS. 6 cyl. (exc. P.G.),				
55	COMM., UTIL. w/235		3730158*▲	1	227.00
55	PASS. 6 cyl. w/P.G.,				
56-57	PASS. 6 cyl. w/tang type brgs.		3727046‡*	1	227.00
55	ALL 8 cyl. (w/hyd. tappets)		3740058*	1	275.50
55	PASS. 8 cyl. (w/mech. tappets)	(cast 3703524)	3712757*	1	275.50
55-57	ALL w/261 (2nd Ser.)	(cast 3836340)	3730155*	1	233.00
56	ALL 8 cyl. (exc. P.G., 4BC, dual 4BC)		3734105*	1	275.50
56	PASS. 8 cyl. w/P.G. or 4BC		3734104‡*	1	275.50
56	PASS., CORV. w/dual 4BC		3734093‡*	1	275.50
56-57	COMM., UTIL. w/235		3730159*	1	227.00
57	ALL w/265		3741048*	1	275.50
57	PASS. 8 cyl. w/A.T.		3741040*	1	275.50
57	PASS. w/4BC or dual 4BC (exc. A.T.),				
57	CORV.		3741039*	1	275.00
57	Ser. 6 (8 cyl.)		3741038*	1	275.00

‡NOTE: Remove pilot bearing from crankshaft when using w/P.G.

*Exchange Price Shown. Add $10.00 to prices if used Chevrolet Cylinder Block Assembly is not exchanged.

⊕NOTE: When using on COMM. w/H.T., Flywheel Housing 3718080 must be used.

▲NOTE: When using on COMM. w/H.T., drill and tap 3/8—18 hole for oil cooler line.

FITTED CYLINDER BLOCK (Includes piston and ring assemblies and bearings)

41-49	ALL w/235	(cast 3693374)	3722341	1	125.00
	NOTE: When 3722341 is used on 1941, the ck/shaft rear Brg. Oil Seal must be replaced by 2-3692121; on all models prior to 1948, the Oil Pump Screen Cover Support must be replaced by 3835365.				
41-53	ALL w/216	(cast 3835849)	3722340†	1	125.00
	†NOTE: On 1941 models the ck/shaft rear Brg. Oil Seal must be replaced by 2-3692121; on 1941-47, Oil Pump Screen Cover Support must be replaced by 3835365; on 1941-49, 3704771 Generator Bracket must also be used.				
50-52	ALL w/235	(cast 3835692)	3722342	1	125.00
53	PASS. w/P.G.	(cast 3701481)	3722344	1	130.00
53	ALL w/235 (exc. P.G.)	(cast 3701946)	3722343	1	125.00
47-53	COMM. UTIL., w/3709975-3710605 engine,				
50-53	PASS. w/P.G., w/3709969 engine,				
53	PASS. (exc. P.G.) w/3709971 engine,				
54	ALL w/235,				
55	COMM., UTIL. (235) (1st Ser.)	(cast 3835911 or 3733949)	3722346⊕	1	130.00
53-55	CORV. 6 cyl.		3722345	1	130.00
54-55	ALL w/261 (1st Ser.)	(cast 3703414)	3722347	1	135.00
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (235) (2nd Ser.)		3730160▲	1	130.00
55	ALL, CORV. (8 cyl.) (exc. 2 TON)	(cast 3703524)	3722350	1	155.00
55	2 TON 8 cyl.		3740059	1	155.00
55-57	ALL w/261 (2nd Ser.)		3730156	1	135.00
56	ALL, CORV. (8 cyl.)	(cast 3720991)	3734136	1	155.00
57	ALL w/265		3737797	1	155.00
57	ALL, CORV. w/283		3737780	1	155.00

⊕NOTE: When using on COMM. w/H.T., Flywheel Housing 3718080 must be used.

▲NOTE: When using on COMM., UTIL. w/H.T., drill and tap $\frac{3}{8}$—18 hole for oil cooler line.

0.034 EXPANSION PLUGS—DRAIN, Cylinder Block (Also see 8.970)

36	ALL	left side block (2 in.),			
37-57	ALL 6 cyl.	frt. and rr. in block (2 in.),			
53-55	CORV. 6 cyl.	frt. and rr. (2 in.)	3835121	A.R.	5/1.00
37-57	ALL, CORV.	left side block (cup type) ($1\frac{5}{8}$ in.)	838538	A.R.	(1.146)
37-53	ALL	(2 dia.)	838127	1	(0.553)
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl.	($2\frac{1}{8}$ dia.)	3704158	1	(0.553)
55-56	ALL, CORV. (8 cyl.)	block water plug ($1\frac{1}{4}$ pipe thd.—$\frac{3}{4}$ sq. socket)	3836636	2	.35
55-57	ALL, CORV. (8 cyl.)	oil pressure and tappet (cap shape) ($\frac{1}{2}$ dia.)	3701638	6	(1.531)
55-57	ALL, CORV. (8 cyl.)	upper in block ($1\frac{3}{4}$ type B)	172578	1	(8.970)
55-57	ALL, CORV. (8 cyl.)	(cup type—$2\frac{1}{64}$ dia.)	3704794	1	(0.553)
55	2 TON 8 cyl.	top, rear block ($1\frac{3}{4}$ O.D. x $\frac{3}{4}$ I.D.)	3836608	1	.10
55	2 TON 8 cyl.	upper in block (cup shape) ($1\frac{15}{64}$)	3836609	1	.10
55	2 TON 8 cyl.	lower in block (cup shape) ($1\frac{9}{32}$)	3836610	1	.08
57	ALL, CORV. (8 cyl.)	water jacket hole ($1\frac{1}{4}$)	3738306	2	.35
48-57	ALL 6 cyl. (exc. D-D, COE)	DRAIN ($\frac{1}{4}$ black)	3719518	1	(1.229)

0.056 BOLT, Crankshaft Bearing Cap

37-39	ALL	frt., inter., and rear,			
39-47	ALL	frt., frt. and rear inter.,			
48-57	ALL, CORV. (6 cyl.)	frt. ($\frac{9}{16}$—12 x $2\frac{7}{16}$)	839119	A.R.	.20
40-57	ALL, CORV. (6 cyl.)	rear ($\frac{1}{2}$—13 x $2\frac{3}{8}$)	839126	4	.20
48-57	ALL, CORV. (6 cyl.)	frt. and rear inter. ($\frac{9}{16}$—12 x 3)	3835867	1	.25
55-57	ALL, CORV. (8 cyl.)	($\frac{7}{16}$—14 x $2\frac{27}{32}$—300-M steel)	3836341	10	.20

0.060 WASHER—LOCK, Crankshaft Bearing Cap Bolt

29-54	ALL,				
53-55	CORV. 6 cyl.	lock (used w/839119) ($\frac{9}{16}$ I.D.—1 O.D.—			
55	COMM., UTIL. (1st Ser.)	$\frac{5}{32}$ thick)	839120	6	.02
40-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)	rear lock ($\frac{1}{2}$ I.D.—$\frac{7}{8}$ O.D.—$\frac{5}{32}$ thick)	839176	4	.02
37-39	ALL	LOCK, rear ($1\frac{9}{16}$ deep) ($3\frac{3}{4}$ ctr. to ctr.)	838471	1	.25

0.093 PLASTIGAGE, Crankshaft Bearing

ALL	ALL, CORV.	(green package—Type PG-1) (12 pieces)	1390274	A.R.	3.60

0.095 CAP, Crankshaft Front Bearing

37-47	ALL	w/out dowel (cast 838102)	602334	1	2.20
48-52	ALL,				
53	ALL (exc. P.G.)	w/out dowel (cast 3688993)	3688993*	1	2.75
53	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
54-55	ALL 6 cyl.	(cast 3836575)	3718372	1	2.75
55-57	ALL 6 cyl.	(use w/tang type bearings) (painted yellow stripe)	3731073	1	2.75
55-57	ALL, CORV. (8 cyl.)	w/out dowel (cast 3704066)	3711126	1	2.20

*NOTE: Lockwashers are not required with 3688993.

0.096 BEARING UNIT, Crankshaft Front (1 Upper and 1 Lower)

See chart for Model Application

Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price
3688836	2.58	3715025	2.98	3718995	2.98	3728976	2.98	3740029	3.14
3688840	2.86	3715026	2.98	3718996	2.98	3734128	3.10	3740030	3.14
3688844	2.86	3715027	2.98	3718997	2.98	3740023	2.48	3740031	3.14
3688848	2.86	3715032	2.56	3720641	2.98	3740024	2.98	3740032	3.14
3688852	2.86	3715033	3.10	3728971	2.48	3740025	2.98	3847064	2.58
3703950	2.98	3715034	3.10	3728972	2.98	3740026	2.98	3847075	2.86
3703954	2.98	3715035	3.10	3728973	2.98	3740027	2.98	3847080	2.86
3703958	2.98	3718993	2.48	3728974	2.98	3740028	2.62	3847200	2.86
3715024	2.44	3718994	2.98	3728975	2.98				

CRANKSHAFT MAIN BEARING CHART

		Position	STD.	.001 U.S.	.002 U.S.	.010 U.S.	.020 U.S.	.030 U.S.
		Front	3847064	—	3847075	3847080	3847200	—
37-47	ALL	Front Int.	3847065	—	3847076	3847081	3847201	—
		Rear Int.	3847066	—	3847077	3847082	3847202	—
37-39	ALL	Rear	3847067	—	—	—	—	—
40-47	ALL	Rear	3847068	—	3847079	3847084	3847204	—
		Front	3688836	—	3688840	3688844	3688848	3688852
48-52	ALL.	Front Int.	3691087	—	3691091	3691095	3691099	3691103
53	ALL (exc. P.G.)	Rear, Int.	3688838	—	3688842	3688846	3688850	3688854
		Rear	3703894	—	3703895	3703896	3703897	3703898
		Front	3718993	—	—	—	—	3718997
53	PASS., CORV. w/P.G.,	Front Int.	3715504	—	—	3715508	3715510	3715512
54-55	ALL, CORV. (6 cyl.)	Rear Int.	3715505	—	—	3715509	3715511	3715513
		Rear	3718931	—	—	3718933	3718934	3718935
53	PASS., CORV. w/P.G.	Front	—	—	3703950	3703954	3703958	—
54-55	ALL, CORV. (6 cyl.)	Front	—	—	3718994	3718995	3718996	—
53	PASS., CORV. w/P.G.,	Front Int.	—	—	3703951	—	—	—
54	ALL, CORV.,	Rear Int.	—	—	3703952	—	—	—
55	COMM., UTIL. (1st Ser.)	Rear	—	—	3703953	—	—	—
		Front Int.	—	—	3715506	—	—	—
55	PASS., CORV. (6 cyl.),	Rear Int.	—	—	3715507	—	—	—
55	COMM., UTIL. (6 cyl.) (2nd Ser.)	Rear	—	—	3718932	—	—	—
		Front	3728971	3728972	3728973	3728974	3728975	3728976
		Front Int.	3728977	3728978	3728979	3728980	3728981	3728982
55-57	ALL 6 cyl. (w/tang type)	Rear Int.	3728983	3728984	3728985	3728986	3728987	3728988
		Rear	3728989	3728990	3728991	3728992	3728993	3728994
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC)	ALL (exc. Rear)	3715024	3715025	3715026	3720641	3715027	—
55	ALL, CORV. (8 cyl.)	Rear	—	3715029	3715030	—	—	—
56-57	ALL, CORV. (8 cyl.)	Rear	—	3730190	3730191	—	—	—
55-57	ALL, CORV. (8 cyl.)	Rear	3730189	—	—	3730192	3730193	—
56	PASS., CORV. w/dual 4BC,							
56	UTIL. 8 cyl.	ALL (exc. Rear)	3715032*	3715033*	3715034*	3734128*	3715035*	—
57	ALL 8 cyl. (exc. dual 4BC, Ser. 6)	ALL (exc. Rear)	3740023	3740024	3740025	3740026	3740027	—
57	PASS. w/dual 4BC,							
57	CORV.,							
57	Ser. 6 (8 cyl.)	ALL (exc. Rear)	3740028*	3740029*	3740030*	3740031*	3740032*	—

*NOTE: Aluminum M-400. ALL others Durex 100.

0.098 CAP, Crankshaft Front Intermediate Bearing

37-47	ALL	(cast 838960)	603371	1	2.00
48-52	ALL,				
53	ALL (exc. P.G.)	(cast 3688994)	3688994*	1	2.25
53	PASS., CORV. w/P.G.,				
54-55	ALL, CORV. (6 cyl.)	(cast 3718379)	3718379*	1	2.25
55-57	ALL, CORV. (8 cyl.)	(cast 3704066)	3711126	1	(0.095)
56-57	ALL 6 cyl.	(use w/tang type bearings) (painted yellow stripe)	3731074	1	2.25

*NOTE: Lockwashers are not required.

0.099 BEARING UNIT, Crankshaft Front Intermediate (1 Upper and 1 Lower)

See chart following Group 0.096 for Model Application

Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price
3691087	2.48	3715027	(0.096)	3715512	2.98	3740023	(0.096)	3740030	(0.096)
3691091	2.86	3715032	(0.096)	3720641	(0.096)	3740024	(0.096)	3740031	(0.096)
3691095	2.86	3715033	(0.096)	3728977	2.48	3740025	(0.096)	3740032	(0.096)
3691099	2.86	3715034	(0.096)	3728978	2.98	3740026	(0.096)	3847065	2.58
3691103	2.86	3715035	(0.096)	3728979	2.98	3740027	(0.096)	3847076	2.86
3703951	2.98	3715504	2.48	3728980	2.98	3740028	(0.096)	3847081	2.86
3715024	(0.096)	3715506	2.98	3728981	2.98	3740029	(0.096)	3847201	2.86
3715025	(0.096)	3715508	2.98	3728982	2.98				
3715026	(0.096)	3715510	2.98	3734128	(0.096)				

0.100 CAP, Crankshaft Center Bearing

55-57	ALL, CORV. (8 cyl.)	w/out dowel (cast 3704066)	3711126	1	(0.095)

0.101 BEARING UNIT, Crankshaft Center (1 Upper and 1 Lower)

See chart following Group 0.096 for Model Application

3715024	(0.996)	3715032	(0.096)	3720641	(0.096)	3740025	(0.096)	3740029	(0.096)
3715025	(0.096)	3715033	(0.096)	3734128	(0.096)	3740026	(0.096)	3740030	(0.096)
3715026	(0.096)	3715034	(0.096)	3740023	(0.096)	3740027	(0.096)	3740031	(0.096)
3715027	(0.096)	3715035	(0.096)	3740024	(0.096)	3740028	(0.096)	3740032	(0.096)

0.102 CAP, Crankshaft Rear Intermediate Bearing

37-47	ALL	(cast 839219)	604372	1	1.65

NOTE: When installing 604372 on 1937-39 jobs use 839119 bolt and 839120 lock.

48-52	ALL,				
53	ALL (exc. P.G.)	(cast 3688995)	3688995*	1	1.65
53	PASS., CORV. w/P.G.,				
54-55	ALL, CORV. (6 cyl.)	(cast 3836538)	3719502*	1	1.95
55-57	ALL, CORV. (8 cyl.)	(cast 3704066)	3711126	1	(0.095)
55-57	ALL 6 cyl.	(use w/tang type bearings) (painted yellow stripe)	3731076	1	1.95

*NOTE: Lockwashers are not required.

0.103 BEARING UNIT, Crankshaft Rear Intermediate (1 Upper and 1 Lower)

See chart following Group 0.096 for Model Application

3688838	3.42	3715026	(0.096)	3715509	3.62	3728987	3.62	3740028	(0.096)
3688842	3.62	3715027	(0.096)	3715511	3.62	3728988	3.62	3740029	(0.096)
3688846	3.62	3715032	(0.096)	3715513	3.62	3734128	(0.096)	3740030	(0.096)
3688850	3.62	3715033	(0.096)	3720641	(0.096)	3740023	(0.096)	3740031	(0.096)
3688854	3.62	3715034	(0.096)	3728983	3.42	3740024	(0.096)	3740032	(0.096)
3703952	3.62	3715035	(0.096)	3728984	3.62	3740025	(0.096)	3847066	3.42
3715024	(0.096)	3715505	3.42	3728985	3.62	3740026	(0.096)	3847077	3.62
3715025	(0.096)	3715507	3.62	3728986	3.62	3740027	(0.096)	3847082	3.62
								3847202	3.62

0.105 CAP, Crankshaft Rear Bearing

37-39	ALL	w/out dowel, w/ball check (cast 838553)	602490	1	2.65
48-52	ALL	w/dowels, w/out ball check (cast 3688996)	3688996*	1	2.65
53	ALL (exc. P.G.)				
53	PASS., CORV. w/P.G.,				
54-55	ALL, CORV. (6 cyl.) (1st Ser.)	w/dowels (cast 3706570)	3718371*	1	2.90
55-57	ALL, CORV. (8 cyl.)	w/dowels (cast 3704108)	3711127	1	2.65
55-57	ALL 6 cyl.	(use w/tang type bearings) (painted yellow stripe)	3731075	1	2.90

*NOTE: Lockwashers are not required.

0.106 BEARING UNIT, Crankshaft Rear (1 Upper and 1 Lower)

See chart following Group 0.096 for Model Applications

3703894	2.86	3715029	3.70	3718935	3.30	3728994	3.30	3847067	2.86
3703895	3.30	3715030	3.70	3728989	2.98	3730189	3.42	3847068	2.86
3703896	3.30	3718931	2.98	3728990	3.30	3730190	3.70	3847079	3.30
3703897	3.30	3718932	3.30	3728991	3.30	3730191	3.70	3847084	3.30
3703898	3.30	3718933	3.30	3728992	3.30	3730192	3.70	3847204	3.30
3703953	3.30	3718934	3.30	3728993	3.30	3730193	3.70		

0.107 DOWEL, Crankshaft Bearing Cap

40-57	ALL, CORV. (6 cyl.)	rear (5/16 O.D. x 15/32)	839125	2	.04
55	ALL, CORV. (8 cyl.) (1st design)	rear (1/4 O.D. x 9/16)	443769	3	(8.939)
55-57	ALL, CORV. (8 cyl.) (2nd design)	rear (1/4 O.D. x 5/8)	3836903	A.R.	(0.738)

0.137 SEAL, Crankshaft Rear Bearing Oil

40-57	ALL, CORV. (6 cyl.)	graphite impregnated (6 13/16 length)	3835774	2	.25
41	ALL	(6 13/16 long—identify by green thread)	3692121	2	.35
55-57	ALL, CORV. (8 cyl.)	(4 3/4 O.L.)	3704783	2	.30

NOTE: Two of 3692121 must be used on 1941 when the old block is replaced.

0.143 SHIM UNIT, Crankshaft Front Bearing Cap

37-57	ALL, CORV. (6 cyl.)	(.030 thick—laminated)	3703648	A.R.	.55
56-57	PASS. 8 cyl.		3740716	A.R.	(0.146)

0.146 SHIM UNIT, Crankshaft Intermediate Bearing Cap

37-57	ALL, CORV. (6 cyl.)	No. 2 and 3 (.030 thick—laminated)	3703650	A.R.	.55
56-57	PASS. 8 cyl.	No. 2, 3 and 4	3740716	A.R.	.55

0.153 SHIM UNIT, Crankshaft Rear Bearing Cap

40-52	ALL,				
53	ALL (exc. P.G.)	(.030 thick—laminated)	609121	A.R.	.60
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(.030 thick—laminated)	3703652	A.R.	.60
56-57	PASS. 8 cyl.		3740714	A.R.	.65

0.206 COVER—LOCK—BOLT—PIN, Crankcase Front End

33-36	ALL (exc. CC, DC)	w/oil seal and slinger (11 attach. holes)	609533	1	2.35
37-57	ALL, CORV. (6 cyl.)	w/oil seal (12 attach. holes)	3836940	1	2.90
55-57	ALL, CORV. (8 cyl.)	w/oil seal (12 attach. holes)	3704124	1	2.90
39-57	ALL, CORV. (6 cyl.)	LOCK, frt. cover bolt	3835842	1	.15
42-57	ALL, CORV. (6 cyl.)	BOLT, w/washer, cover to plate (1/4—20 x 5/16)	839808	8	.10
42-57	ALL, CORV. (6 cyl.)	BOLT, w/washer, cover to plate (1/4—20 x 5/8)	839809	2	.15
55	ALL, CORV. (8 cyl.) (1st design)	PIN, dowel (1/4 x 9/16)	443769	2	(8.939)
55-57	ALL, CORV. (8 cyl.) (2nd design)	PIN, dowel (1/4 x 5/8)	3836903	2	(0.738)

0.207 GASKET, Crankcase Front End Cover

37-57	ALL, CORV. (6 cyl.)	(12 attach. holes)	838206	1	.15
55-57	ALL, CORV. (8 cyl.)	(10 attach., 2 dowel holes)	3704210	1	.15

0.213 SEAL, Crankcase Front End Cover

35-36	ALL	(graphited cork—1½ I.D. x 2⅛ O.D.)	837656	1	.15
37-57	ALL, CORV.	(2¼ O.D.—stamped 3835946)	3835946	1	1.25

0.239 CRANK, Starting

37-47	ALL,				
48	COMM., UTIL.	plain end (33⅛ overall)	3661378	1	1.15

0.269 HEAD, Cylinder

33	ALL (exc. CC)	w/valve guides (cast 836961)	836960	1	41.25
37-40	ALL	w/valve guides (cast 838773)	838751	1	47.85
41-49	ALL,				
50-53	ALL w/216	w/valve guides (cast 3835517)	3835543	1	47.85

NOTE: When 3835543 is used for replacement on 1941-49 it will also be necessary to use 45 degree exhaust valves.

50-52	ALL w/235	w/valve guides (cast 3835909)	3835908	1	47.85
55-56	COMM., UTIL. (8 cyl.)	w/valve rocker studs (cast 3837065)	3729787	2	32.75
55	PASS., CORV. (8 cyl.),				
56	PASS. 8 cyl. (exc. 4BC, dual 4BC)	w/valve rocker studs (cast 3837064)	3729786	2	32.75
56	PASS., CORV. w/dual 4BC	(w/large ports)	3734029	2	41.25
56	PASS., CORV. w/4BC	w/valve rocker studs (cast 3725306) (small ports)	3729785	2	32.75
57	ALL 8 cyl. (exc. 2 TON, 4BC, dual 4BC)	(cast 3731554)	3739269	2	32.75
57	PASS. w/4BC	(cast 3731539)	3739270	2	32.75
57	PASS. w/dual 4BC,				
57	CORV.	(cast 3740997)	3741459	2	32.75
57	2 TON 8 cyl.	(cast 3731556)	3739271	2	32.75
53-55	CORV. 6 cyl.	UNIT, (consists of valve guides, seats and temp. gauge reducing bushing)	3836265	1	47.85
53-57	ALL w/235	UNIT, (consists of valve guides, seats and temp. gauge reducing bushing) (cast 3836848)	3730415†*	1	47.85
54-57	ALL w/261	UNIT, (consists of valve guides, seats and temp. gauge reducing bushing)	3730416	1	47.85

*NOTE: 838539 Seat must be used on jobs w/o hydraulic valve lifters.

†NOTE: When used on COMM. models, ⅜—18 hole must be drilled for oil cooler line.

0.283 GUIDE, Inlet and Exhaust Valve Stem

34-40	ALL (exc. DC)	inlet (3¼ length—straight sides)	3688758†*	6	.55
41-57	ALL, CORV. (6 cyl.)	inlet (11/32 I.D. x 9/16 O.D.)	3708168*	6	.55
34-40	ALL (exc. DC)	exhaust (2 3/16 length—straight sides)	3688759⊕	6	.50
41-57	ALL, CORV. (6 cyl.)	exhaust (2 7/16 length—straight sides)	3688761*	6	.50

*NOTE: To obtain proper valve stem clearance, guides must be finished with .343 hand reamer after installation in cylinder head.

†NOTE: When installing 3688758 on 1934-36 jobs use 837539 seat in place of 835811 collar.

⊕NOTE: When installing 3688759 on 1934-36 jobs use 838539 seat in place of 835811 collar.

0.289 GASKET UNIT, Cylinder Head

35-36	ALL	unit (w/601988 head)	601411*	1	3.20
37-49	ALL,				
50-53	ALL w/216	unit	3691929*	1	4.45
50-52	ALL w/235	unit	3707038*	1	3.85
53	ALL w/235	unit	3707039*	1	4.00
54-57	ALL w/235	unit	3709428*	1	4.00
54-57	ALL w/261	unit	3709429*	1	3.85
55-56	ALL, CORV. (8 cyl.)	unit (2 ton to 9-1-55)	3711846†⊕	1	5.00
56	PASS., CORV. w/dual 4BC	unit (w/large ports)	3734116	1	5.00
55-56	UTIL. 8 cyl. (exc. 1½ TON),				
56	1½ TON 8 cyl. (hvy. duty)	unit (2 ton after 9-1-55)	3733879†	1	4.80
57	ALL, CORV. (8 cyl.) (exc. 2 TON)	unit	3742241†	1	5.25
57	2 TON 8 cyl.	unit	3742196†	1	5.00

*NOTE: Units consist of: cylinder head, rocker cover, push rod cover, manifold, exhaust pipe packing, water outlet gaskets.

†NOTE: Consists of gaskets for: cylinder heads, rocker covers, intake and exhaust manifolds, carburetor, distributor, air cleaner and water outlet.

⊕NOTE: When used on trucks, use flange gasket 3733281.

37-49	ALL,				
50-53	ALL w/216	GASKET	3835465	1	1.80
50-52	ALL w/235	GASKET	3835562	1	1.80
53-57	ALL, CORV. (6 cyl.) (exc. 261)	GASKET	3701296	1	1.85
54-57	ALL w/261	GASKET	3836107	1	2.00
55-56	ALL, CORV. (8 cyl.)	GASKET (19 O.L.)	3836498	A.R.	.85
57	ALL, CORV. (8 cyl.)	GASKET (19 1/64 O.L.)	3731324	2	.85

0.293 BOLT, Cylinder Head

34-57	ALL, CORV. (6 cyl.) (exc. DC)	long (½—13 x 4½—raised lines or circle on hd.)	3835743	A.R.	.35
35-36	ALL,				
53-54	ALL P/S	(½—13 x 3⅜) (⅝ shldr.)	3703621*	8	.30
37-57	ALL, CORV. (6 cyl.)	short (½—13 x 3⅛—raised lines or circle on hd.)	3835744	A.R.	.25
55-57	ALL, CORV. (8 cyl.)	short (7/16—14 x 1¾)	3704796	16	.15
55-56	ALL, CORV. (8 cyl.)	long (7/16—14 x 3¾)	3704795	18	.25
57	ALL, CORV. (8 cyl.)	long (7/16-14 x 3¾) (raised circle on top of head)	3741278	18	.15

*NOTE: Only 1 required when used on P/S.

0.296 VALVE, Inlet

35-40	ALL	w/one-groove stem (hd. marked "IN")	838437	6	1.15
41-49	ALL,				
50-53	ALL w/216	w/two-groove stem (flat head)	3688065†	6	1.15
50-52	ALL w/235	w/two-groove stem (1 15/16 dia.)	3835519	6	1.15
53	ALL, CORV. w/235,				
54-57	ALL, CORV. (6 cyl.)	w/two groove-stem (1⅞ dia.)	3695455	6	1.30
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam, Ser. 6)	two groove stem (1 23/32 dia. head)	3703920	8	1.30
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(STD.)	3730860*	8	1.85
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam, Ser. 6)	(.003 O.S.—stamped 3)	3715622	8	1.55
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(.003 O.S.—stamped 3)	3734975*	8	2.25
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam, Ser. 6)	(.015 O.S.—stamped 15)	3715623	8	1.55
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(.015 O.S.—stamped 15)	3734976*	8	2.50
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam, Ser. 6)	(.030 O.S.—stamped 30)	3715624	8	1.55

56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(.030 O.S.—stamped 30)	3734977*	8	2.50
57	2 TON 8 cyl.	w/two groove stem (1 23/32 dia. head—aluminized)	3735208	8	1.30
57	2 TON 8 cyl.	(.003 O.S.—stamped 3)	3739242	8	2.05
57	2 TON 8 cyl.	(.015 O.S.—stamped 15)	3739244	8	2.05
57	2 TON 8 cyl.	(.030 O.S.—stamped 30)	3739246	8	2.05

†NOTE: Requires 3835392 Cap and 3835333 Seal.

*Note: Identified by swirl polish under head and thin necked stem.

0.297 VALVE, Exhaust

35-40	ALL	w/one-groove stem (hd. marked "39-EX-X")	838717	6	1.30
41-49	ALL	w/two-groove stem (30° seat)	3835318†	6	1.30
50-53	PASS.,				
50-55	COMM., 1½ TON (6 cyl.) (exc. D-D, hvy duty 235) (1st Ser.),				
54	PASS. (exc. P.G.)	w/two-groove stem (45° seat)	3835639	6	1.30
50-54	2 TON,				
55-56	ALL, CORV. (exc. dual 4BC),				
57	ALL, CORV. (exc. H.L. Cam)	w/2 groove stem MS-201 (45° seat)	3731212	A.R.	1.85
54	PASS. w/P.G.,				
55	PASS. 6 cyl. (exc. P.G.),				
55	COMM., 1½ TON (exc. D-D, hvy. duty) (2nd Ser.)	(w/two-groove stem—conc. hd.—45° seat)	3836026	6	1.70
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(STD.)	3730859‡	8	2.20
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam)	(.003 O.S.—stamped 3)	3732758	8	2.25
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(.003 O.S.—stamped 3)	3734971‡	8	2.60
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam)	(.015 O.S.—stamped 15)	3732759	8	2.50
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(.015 O.S.—stamped 15)	3734972‡	8	2.70
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam)	(.030 O.S.—stamped 30)	3732760	8	2.50
56	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/H.L. Cam	(.030 O.S.—stamped 30)	3734973‡	8	2.70

†NOTE: Requires 3835392 cap and 3835333 seal.

‡NOTE: Identified by swirl polish under head and thin necked stem.

0.303 SPRING—SHIM, Valve

38-53	ALL,				
54-55	ALL 6 cyl. (exc. P.G., 261)	aluminum, yellow or bronze	3835626	12	.50
53-55	CORV. 6 cyl.	inlet and exhaust, inner (2¼ free length).	3836132	12	.20
54-55	ALL 6 cyl. w/P.G., 261,				
56-57	ALL 6 cyl.	(dark brown or red oxide)	3836640	12	.55
55-56	ALL 8 cyl. (exc. 2 TON, dual 4BC),				
57	PASS. w/265,				
57	Ser. 3-4-6 (8 cyl.)	inlet and exhaust,			
55-56	Ser. 6 (8 cyl.)	inlet (2 1/16 O.L. x ¾ I.D.)	3836331	A.R.	.50
55	PASS. 8 cyl.	exhaust (w/3836835 rotator),			
55-56	2 TON 8 cyl.	exhaust (1 13/16 O.L. x ⅞ I.D.)	3836834	8	.50
55-57	2 TON 8 cyl.	exhaust and inlet valve spring and damper	3732814*	16	.70
56	PASS. 8 cyl. w/P.G. (exc. dual 4BC)				
53-55	CORV. 6 cyl.	inlet and exhaust (2¼ free length) (white or pink)	3836133	12	.40
55-56	CORV.,				
56	PASS. w/dual 4BC,				
57	PASS. w/283	valve w/damper	3837002#	16	.80
55-57	ALL, CORV. (8 cyl.) (exc. H.L. Cam)	SHIM (55/64 I.D. x 1 15/64 O.D. x 1/32 thick)	3731058	A.R	.05
55-57	ALL 8 cyl.,				
56-57	CORV. w/H.L. Cam,				
57	PASS. w/H.L. Cam	SHIM (55/64 I.D. x 1 7/32 O.D. x 1/16 thick)	3731721	A.R.	.05

*NOTE: Use w/3732416, Rotator and 3727041, Cap. Also used on 1956 Ser. 4 w/H.D. 8 cyl. engine.

#NOTE: Also used on 1955 Pass. when High Lift Camshaft has been installed.

0.308 COVER—SEAL—SHIELD, Valve Spring Cap

41-47	ALL	inlet (5/8 height overall)	839570	6	.40
41-47	ALL	exhaust (1/4 height overall)	839897	6	.40
47-57	ALL, CORV	SEAL, inlet and exh	3835333§	A.R.	.05
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC),				
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam)	SHIELD (cup shape—7/8 I.D. x 1 3/8 O.D.)	3836755	16	.10

§NOTE: 3835333 Seal also used on 1941-47 models w/two-groove valve stems.

0.309 CAP—ROTATOR ASSY., Valve Spring

35-47	ALL	exh.(w/"U" key) (octagon or round, stmpd. "X")	2136335*‡	6	.11
35-47	ALL	inl. (w/"U" key) (round—double flange or round, stmpd. "IN") (.080 thick)	839367*‡	6	.10
47-52	ALL,				
53-57	PASS. 6 cyl. (exc. 1955 w/P.G.),				
53-56	COMM., 1 1/2 TON (6 cyl.) (exc. D-D, hvy. duty),				
57	Ser. 3-4	inlet and exhaust,			
53-56	D-D 6 cyl.,				
53-55	1 1/2 TON (hvy. duty 235) (1st Ser.),				
53-57	2 TON 6 cyl.,				
55	PASS. 6 cyl. w/P.G.	inlet only (1 9/32 dia.—.080 thick)	3835392‡	A.R.	.12
55	PASS., CORV. (6 cyl.) w/P.G.	exhaust, w/dual valve springs (1 3/8 O.D.)	3836134	6	.15
55-57	PASS., CORV. (8 cyl.),				
55-57	COMM., 1 1/2 TON (8 cyl.)	inlet and exhaust,			
55-57	2 TON 8 cyl.,				
56	1 1/2 TON 8 cyl. (hvy. duty)	inlet	3729363	A.R.	.15
41-53	ALL (exc. P.G.),				
54-55	PASS., COMM., 1 1/2 TON (6 cyl.) (exc. P.G., D-D)	ROTATOR ASSY., exh. valve	3836096†	6	1.55
54-56	D-D, 2 TON (6 cyl.),				
54-56	1 1/2 TON (hvy. duty 235)	ROTATOR ASSY., exhaust valve (stamped 55S)	3836090	6	1.55
55-56	1 1/2 TON 8 cyl. (hvy. duty)	ROTATOR ASSY., exhaust valve (56 stamped			
55-56	2 TON 8 cyl.	on top)	3732416⊕	8	1.50
57	Ser. 6 (6 cyl.)	ROTATOR ASSY., exhaust valve (stamped "RC")	3739410	6	1.50
57	Ser. 6 (8 cyl.)	ROTATOR ASSY., exhaust valve (stamped "RC")	3739412	8	1.50

†NOTE: For use w/45° valves only for preventing excessive heat generation on heavy duty truck or other operations where this condition may be encountered.

⊕NOTE: 1955 and early 1956 jobs also require rocker arm 3837175 and spring and damper assy. 3732814. See TSB #392 (1956).

‡NOTE: On 1941-47 models w/two-groove valve stems, use 3835392 Cap.

*NOTE: Used on 1934-35 jobs only w/valves 609379-609380 w/annular grooves.

0.310 KEY—CAP, Valve Stem

34-57	ALL, CORV.	("U" shape)	838029*	A.R.	.05
54	ALL,				
55	COMM., UTIL. (1st Ser.)	CAP (valve noise silencer)	3716742	12	.15

*NOTE: Used on 1934-35 jobs only w/valves 609379-609380 w/annular grooves.

0.311 SEAT, Valve Spring

34-49	ALL (exc. DC),				
50-53	ALL w/216	inlet and exh. (1934-35 exh. only—use			
54-55	ALL w/235 (exc. P.G.)	w/straight side guides) (1/4 height overall)	838539	12	.05

0.333 ARM, Valve Rocker, with Adjusting Screw and Nut

34-40	ALL (exc. DC)	exhaust, w/bshg. (forge 839001)	838999	6	1.15
37-40	ALL	inlet, L., w/bshg. (forge 838997)	838993	3	1.15
37-40	ALL	inlet, R., w/bshg. (forge 838998)	838994	3	1.15
41-49	ALL,				
50-53	ALL w/216	exhaust, L. (cast 839461)	839459	3	1.30
41-49	ALL,				
50-53	ALL w/216	exhaust, R. (cast 839462)	839460	3	1.30

41-49	ALL,				
50-53	ALL w/216	inlet, L. (cast 839465)	839463	3	1.30
41-49	ALL,				
50-53	ALL w/216	inlet, R. (cast 839466)	839464	3	1.30
50-53	ALL, CORV. w/235,				
54-57	ALL, CORV. (6 cyl.)	exhaust, L. (cast "7")	3837031	3	1.30
50-53	ALL, CORV. w/235,				
54-57	ALL, CORV. (6 cyl.)	exhaust, R. (cast "8")	3837032	3	1.30
50-57	ALL, CORV. (6 cyl.)	inlet, L. (cast "5")	3837029	3	1.30
50-57	ALL, CORV. (6 cyl.)	inlet, R. (cast "6")	3837030	3	1.30
55-57	ALL, CORV. (8 cyl.)	(less adjusting nuts)	3837175	16	.60

0.349 SUPPORT, Valve Rocker Arm Shaft

37-49	ALL,				
50-53	ALL w/216	(cast 838246)	838246	6	.65
50-53	ALL w/235	(cast 3835520)	3835520	6	.65
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl.	(cast 3836114)	3836114	6	.65

0.352 SHAFT UNIT, Valve Rocker

37-39	ALL	w/arms	609925	1	23.15
41-49	ALL,				
50-53	ALL w/216	w/arms	609924	1	26.40
50-57	ALL, CORV. (6 cyl.) (exc. 216)	w/arms	3729191	1	26.40

0.353 SHAFT, Valve Rocker Arm, with Plug (see group 1.928 for Fittings)

34-36	ALL (exc. DC)	(11 3/8 overall—supt. holes 4 1/16 and 3 13/16 ctr. to ctr.)	837249	2	2.05
37-39	ALL	(12 1/16 overall)	838244	2	2.05
40-57	ALL, CORV. (6 cyl.)	(2 grooves on plug end)	3836138*	2	2.05

*NOTE: When used on models prior to 1954, four 455476 Bolts and two 3835659 Studs are required.

0.356 PLUG, Valve Rocker Shaft

ALL	ALL, CORV. (6 cyl.)	(9/16 O.D. cup shaped)	835560	2	.02

0.366 BOLT, Valve Rocker Shaft Support (also see group 0.413)

37-53	ALL	(3/8—16 x 3 9/16) (w/shoulder)	3835837	4	.15
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl.	(3/8—16 x 3 9/16) (w/o shoulder)	455476	A.R.	.15

0.373 WASHER, Valve Rocker Shaft Support Stud

32-52	ALL	w/stud (hex.)	836820	2	.01
32-52	ALL	w/bolt (round)	836819	4	.01

0.376 SPRING, Valve Rocker Shaft

30-57	ALL, CORV. (6 cyl.)	(7/16 free length)	837253	4	.07
37-57	ALL, CORV. (6 cyl.)	(2 5/16 free length)	3835508	4	.07
ALL	ALL, CORV. (6 cyl.)	retainer (hairpin—1 3/4 length)	355936	A.R.	(0.837)

0.386 COVER—CAP, Valve Rocker Arm

37-53	ALL	(w/oil filler hole and air vent)	3686784*	1	2.70
54-57	ALL 6 cyl.	(27 O.L.)	3836614	1	2.70
55-57	ALL 8 cyl.,				
56-57	CORV. w/4BC		3728443	A.R.	2.05
53	CORV. 6 cyl.		3836135	1	4.25
54-55	CORV. 6 cyl.	(four bolt type)	3836242	1	3.50
56-57	CORV. w/dual 4BC	(aluminum cast—19 1/2 long)	3726086	2	4.65

48	COMM., UTIL. (exc. ½ TON, D-D, COE),				
49-53	ALL (exc. D-D, COE),				
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl. w/pos. vent. (exc. COE)	CAP, oil filler w/gasket (on r/arm cover)	3835665	1	.45
37-48	ALL (exc. D-D, COE),				
55-57	PASS. 6 cyl. (exc. pos. vent.),				
55-57	COMM., UTIL. 6 cyl. (2nd Ser.) (exc. 261, pos. vent., D-D)	CAP ASSY., crankcase air breather (2¾ O.D.)	1552232‡	1	1.10

*NOTE: On COE it will be necessary to seal oil filler hole with sheet metal disc to provide clearance.

‡NOTE: Used on all models equipped with valve rocker cover without ventilation slots.

0.413 STUD—BOLT—REINFORCEMENT—INSULATOR, Valve Rocker Cover and Support (also see group 0.366)

30-53	ALL, CORV.	(⅜—16—24 x 5 17/32) and support	3835659	2	.20
55-56	PASS. 8 cyl. w/C.A.C.,				
57	PASS. 8 cyl. w/C.A.C. and A.T.	BOLT, R.H. (½—20 x 9/16—2⅞ O.L.)	3718916	2	.20
54-57	ALL, CORV.	REINFORCEMENT (5/16 I.D. x 1 O.L.)	3836660	A.R.	.05
34-53	ALL, CORV.	INSULATOR, (rubber—½ I.D. x ⅞ O.D.)	839083	2	.10

0.423 GASKET, Valve Rocker Cover

34-36	ALL (exc. DC)	(cork—25 13/16 x 5⅞)	601160	1	.65
37-53	ALL, CORV.	(cork—27 x 5⅝ x 3/16 thick)	3694248	1	.75
37-53	ALL, CORV.	(cork—27 x 5⅝ x ¼ thick)	369678i	1	.90
54-57	ALL, CORV. (6 cyl.)	(cork—27 x 5⅝ x 5/32 thick)	3708646	1	.75
54-57	ALL, CORV. (6 cyl.)	(cork—27 x 5⅝ x ¼ thick)	3708648	1	.90
55-57	ALL, CORV. (8 cyl.)	(cork—19½ x 4 21/32 x 5/32 thick)	3711726	2	.55

0.426 ROD, Valve Push

34-36	ALL (exc. DC)	(13 11/64 long)	837384	12	.55
37-39	ALL	(12 47/64 long)	838409	12	.65
40-53	ALL w/216	(10 7/16 long)	3835776	12	.65
41-55	ALL 6 cyl. (exc. 216, P.G.),				
53-55	CORV. 6 cyl.	(10¾ long)	3836261	12	.65
50-52	PASS. w/P.G.	(11¼ long)	3835777	12	.65
53-55	PASS. 6 cyl. w/P.G.,				
56-57	ALL 6 cyl.	(11 13/32 long)	3836260	12	.65
55-57	ALL, CORV. (8 cyl.)	(7 25/32 long)	3837152	16	.50

0.429 BALL UNIT—SCREW—NUT—STUD, Valve Push Rod Adjusting

55-57	ALL, CORV. (8 cyl.)	BALL UNIT, consists of 16 each, ball and nut.	3745167	1	4.25
34-57	ALL, CORV. (6 cyl.)	SCREW (7/16—20 x 1 9/32—ball end)	837385	12	.15
34-57	ALL 6 cyl.	NUT (7/16—20)	124929	12	(8.916)
55	ALL, CORV. (8 cyl.),				
56-57	PASS. w/C.A.C.	NUT (pinch type ball nut) (hex. lock ⅜—24)	3836735	16	.12
55-57	ALL, CORV. (8 cyl.)	STUD, valve rocker arm ball (.003 O.S.—⅜—24 x 2⅝)	3713065	16	.20
55-57	ALL, CORV. (8 cyl.)	STUD, valve rocker arm ball (.013 O.S.—⅜—24 x 2⅝)	3719800	A.R.	.30

0.439 COVER, Valve Push Rod

37-49	ALL,				
50-53	ALL w/216	(9½ x 26⅞ overall)	3835344	1	3.70
50-57	ALL, CORV. (6 cyl.) (exc. 216)	(5⅝ x 27—dimple in center)	3701541	1	1.85

0.443 GASKET, Valve Push Rod Cover

34-36	ALL (exc. DC)	(9 13/16 x 25 5/16 overall)	601278	1	.60
37-49	ALL,				
50-53	ALL w/216	(9 7/16 x 26⅞ overall)	602336	1	.70
50-57	ALL, CORV. (6 cyl.) (exc. 216)	(5⅝ x 27—w/lobe on bottom)	3701542	1	.60

0.454 SEAL, Valve Push Rod Cover (Cork)

37-49	ALL,				
50-53	ALL w/216	(1 1/16 I.D. x 1 15/32 O.D. x 1 15/32 thick)	3835246	6	.07

0.459 TAPPET, Valve (or Lifter)

29-39	ALL		838774	12	.90
40-53	ALL w/216	w/rod seat (white paint spot)	839263	12	1.25
41-55	ALL w/235 (exc. P.G.)	w/rod seat (yellow paint under rod seat)	3660438	12	1.25
50-52	PASS. w/P.G.	hydraulic lifter type	5230650	12	2.25
53	PASS. w/P.G.	hydraulic lifter type (3 holes on side)	5230850	12	2.25
54-55	PASS. 6 cyl. w/P.G.,				
56-57	PASS. 6 cyl.	hydraulic lifter type (1 hole 1/8")	5231450	12	2.25
53-55	CORV. 6 cyl.	mechanical type, single groove around			
54-55	UTIL. w/261	body	3836342	12	1.25
55-56	ALL, CORV. (8 cyl.)	hydraulic type	5231430	16	2.25
55-56	PASS., CORV. (8 cyl.)	mechanical type (27/32 O.D. x 2 long)	5231315	16	1.25
56-57	COMM., UTIL. (6 cyl.)	(2 pc. body—mechanical)	5231445	12	1.25
57	ALL, CORV. (8 cyl.) (exc. H.L. Cam)	hydraulic type (push rod seat and ret. copper plated)	5231475	16	2.25
57	PASS., CORV. w/H.L. Cam	mechanical type (2 holes in body)	5231585	16	2.25

0.503 SPRING, Valve Tappet

34-37	ALL	(2 3/8 free length—1/2 I.D.—11 coils)	837321	12	.20

0.519 CAMSHAFT

37-53	ALL w/216	(forged 838733) (w/ring and key)	3836491	1	20.00
41-53	ALL w/235 (exc. P.G.)	(forged 3836023) (2 grooves between #5 and 6 inlet cams)	3836490	1	20.00
50-53	PASS. w/P.G.	(forged 3836023) (1 groove between #5 and 6 inlet cams)	3836485*	1	20.00
54-55	ALL 6 cyl. (exc. P.G., 261)	(includes distributor gear)	3713919	1	20.00
54-55	PASS. 6 cyl. w/P.G.,				
56-57	PASS. 6 cyl.	(cast 3836386)	3836483	1	20.00
53-55	CORV. 6 cyl.,				
54-55	UTIL. w/261,				
56-57	COMM., UTIL. (6 cyl.)	assy. (cast 3836390)	3836484	1	20.00
55	PASS. 8 cyl. (w/mech. tappets)	(cast 3836686)	3836700	1	18.60
55	ALL 8 cyl. (w/hyd. tappets),				
56-57	ALL 8 cyl. (exc. P.G., 4BC, dual 4BC)	(cast 3703906)	3704212	1	18.60
56	PASS., CORV. w/dual 4BC	(cast 3711355)	3711354†	1	17.90
56	PASS. 8 cyl. w/P.G.,				
56	PASS. w/4BC	(cast 3728284)	3728779	1	18.60
57	PASS., CORV. (283) (exc. H.L. Cam)	standard	3733431	1	18.60
57	PASS., CORV. w/H.L. Cam	special performance	3736097	1	26.50

*NOTE: When replacing Camshaft w/o oil groove (forge No. 3701414) on 1953 models, 3702367 Spring must be used.

†NOTE: Also used on 1955 Pass. when High Lift Cam Shaft has been installed.

0.533 BEARING, Camshaft Thrust

37-57	ALL, CORV. (6 cyl.)	with spacing ring (flat on 2 sides)	3707916	1	.90

0.539 BEARING, Camshaft (Front or No. 1)

37-54	ALL (w/small journals)	(2.01 I.D. x 2.17 O.D. x 1 1/8 length)	838846	1	.86
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl. (w/large journals)	(2.14 I.D. x 2.28 O.D.) (stamped GM 1)	3723580	1	1.15
55-57	ALL, CORV. (8 cyl.)	(stamped 1) (precision type)	3723584	1	1.15

0.543 BEARING, Camshaft No. 2

37-54	ALL (w/small journals)	No. 2 (1.95 I.D. x 2.10 O.D. x 15/16 length).	838847	1	.86
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl. (w/large journals)	(2.07 I.D. x 2.20 O.D.)(stamped GM 2)	3723581	1	1.15
55-57	ALL, CORV. (8 cyl.)	front inter. (stamped 2) (precision type)	3723585	1	1.15

0.546 BEARING, Camshaft Number 3 and 4 (Center and Rear Intermediate)

37-54	ALL (w/small journals)	(1.89 I.D. x 2.04 O.D. x 15/16 length)	838848	1	.86
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl. (w/large journals)	(2.01 I.D. x 2.16 O.D.) (stamped GM 3)	3723582	1	1.15
55-57	ALL, CORV. (8 cyl.)	(no. 3 and 4) (precision type)	3723586	2	1.15

0.549 BEARING, Camshaft Rear

37-54	ALL (w/small journals)	(1.83 I.D. x 1.975 O.D. x 15/16 length)	3835558	1	.86
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl. (w/large journals) (exc. early 54 Jobs)	(1.95 I.D. x 2.10 O.D.) (stamped GM 4)	3723583	1	1.15
55-57	ALL, CORV. (8 cyl.)	(stamped 5) (precision type)	3723587	1	1.15

0.553 PLUG, Camshaft Bearing Hole (in cylinder block)

37-53	ALL	(2 dia.)	838127	1	.07
53-55	CORV. 6 cyl.,				
54-57	ALL 6 cyl.	(2 1/8 dia.)	3704158	1	.10
55-57	ALL, CORV. (8 cyl.)	(cup type—2 1/64 dia.)	3704794	1	.10

0.603 ROD ASSEMBLY, Connecting, Less Dipper

37-47	ALL	(forged 838389, 839558 or 3835184)	839557	6	5.95
48-52	ALL,				
53	ALL (exc. P.G.)	(forged 3701890)	3701889	6	5.95
53	PASS. w/P.G.	less insert,			
53-55	CORV. 6 cyl.,				
54-57	ALL w/235	(forged 3836410) (insert bearing type)	3836669	6	5.95
54-57	ALL w/261		3836956	6	5.95
55-57	ALL, CORV. (8 cyl.)	(forged 3703526) (insert bearing type)	3703525	8	5.95

0.604 DIPPER, Connecting Rod

33-36	ALL	(2 11/16 bolt hole ctr.)	837823	6	.20
37-52	ALL,				
53	ALL (exc. P.G.)	(2 13/16 bolt hole ctr.)	3835884	6	.20

0.609 BOLT—WASHER, Connecting Rod Clamp

ALL	ALL, CORV. (6 cyl.)	(3/8—24 x 1 9/32)	345428	6	.10
ALL	ALL, CORV. (6 cyl.)	L/WASHER (3/8 I.D. x 5/8 O.D.)	838819	6	.01

0.616 BEARING UNIT, Connecting Rod (1 Upper and 1 Lower)

53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(STD.)	3704856	6	1.54
55-57	PASS. 8 cyl. (exc. dual 4BC),				
55	CORV. 8 cyl.,				
55-57	COMM., UTIL. w/265	(STD.)	3715040*	8	1.58
56-57	PASS. w/dual 4BC,				
56-57	CORV.,				
56-57	Ser. 6 (8 cyl.)	(STD) (alum. M-400)	3711828†	8	2.00
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(.001 undersize)	3704857	6	1.64
55-57	PASS. 8 cyl. (exc. dual 4BC),				
55	CORV. 8 cyl.,				
55-57	COMM., UTIL. w/265	(.001 undersize)	3715041*	8	1.68
56-57	PASS. w/dual 4BC,				
56-57	CORV.,				
56-57	Ser. 6 (8 cyl.)	(.001 undersize) (alum. M-400)	3715045†	8	2.12
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(.002 undersize)	3704858	6	1.64
55-57	PASS. 8 cyl. (exc. dual 4BC),				
55	CORV. 8 cyl.,				
55-57	COMM., UTIL. w/265	(.002 undersize)	3715042*	8	1.68

56-57	PASS. w/dual 4BC,				
56-57	CORV.,				
56-57	Ser. 6 (8 cyl.)	(.002 undersize) (alum. M-400)	3715046†	8	2.12
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(.010 undersize)	3704859	6	1.80
55-57	PASS. 8 cyl. (exc. dual 4BC),				
55	CORV. 8 cyl.,				
55-57	COMM., UTIL. w/265	(.010 undersize)	3715044*	8	1.80
56-57	PASS. w/dual 4BC,				
56-57	CORV.,				
56-57	Ser. 6 (8 cyl.)	(.010 undersize) (alum. M-400)	3715048†	8	2.24
55-57	PASS. 8 cyl. (exc. dual 4BC),				
55	CORV. 8 cyl.,				
55-57	COMM., UTIL. w/265	(.020 undersize)	3715043*	8	1.80
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(.020 undersize)	3704860	6	1.80
56-57	PASS. w/dual 4BC,				
56-57	CORV.,				
56-57	Ser. 6 (8 cyl.)	(.020 undersize) (alum. M-400)	3715047†	8	2.24

†NOTE: Also used on 1956 Ser. 4 w/H.D. 8 cyl. engine.

*NOTE: Not used on 1956 Ser. 4 w/H.D. 8 cyl. engine.

0.619 SHIM UNIT, Connecting Rod Bearing

29-52	ALL,				
53	ALL (exc. P.G.)	(consists of 2—.008 shims)	3692517	A.R.	.25

0.623 BOLT, Connecting Rod Bearing Cap

33-52	ALL,				
53	ALL (exc. P.G.)	(⅜—24 x 2 11/32 not drld.)	3835449*	12	.30
53	PASS., CORV. w/P.G.,				
54-55	ALL, CORV. (6 cyl.)	(⅜—24 x 2 15/64—knurled)	3701531	12	.30
55-57	ALL, CORV. (8 cyl.)	(11/32—24 x 1⅞)	3703530	16	.25
53-55	ALL, CORV. (6 cyl.),				
56-57	ALL 6 cyl	(⅜—24 x 2¼)	3836670	12	.30

*NOTE: Used with connecting rods with recessed shoulder for wing type bolt head.

0.626 NUT, Connecting Rod Bearing Cap Bolt

Used with bolts having cotter pin holes	(⅜—24 sltd.)	838283	12	(0.002)
Used with bolts not requiring cotter pins	(⅜—24)	839103	12	.06
55-57 ALL, CORV. (8 cyl.)	(11/32—24)	3703531	16	.05

0.629 PISTON ASSEMBLY, with Pin

	ENGINE DISPLACEMENT	BASIC SIZE	SERVICE PISTON DIAMETER RANGE LIMITS
CAST IRON	216 cu. in.	3.5000—STD.	S-3 = 3.4995 to 3.5000; S-4 = 3.5000 to 3.5005
CAST IRON	216 cu. in.	3.5010—.001	S-5 = 3.5005 to 3.5010; S-6 = 3.5010 to 3.5015
CAST IRON	235 cu. in.	3.5625—STD.	S-3 = 3.5620 to 3.5625; S-4 = 3.5625 to 3.5630
CAST IRON	235 cu. in.	3.5635—.001	S-5 = 3.5630 to 3.5635; S-6 = 3.5635 to 3.5640
ALUMINUM	235 cu. in.	3.5625—STD.	S-4 = 3.5625 to 3.5630; S-5 = 3.5630 to 3.5635
ALUMINUM	235 cu. in.	3.5635—.001	S-6 = 3.5635 to 3.5640; S-7 = 3.5640 to 3.5645
ALUMINUM	261 cu. in.	3.7500—STD.	S-4 = 3.7500 to 3.7505; S-5 = 3.7505 to 3.7510
ALUMINUM	261 cu. in.	3.7510—.001	S-6 = 3.7510 to 3.7515; S-7 = 3.7515 to 3.7520
ALUMINUM	265 cu. in.	3.7500—STD.	S-4 = 3.7500 to 3.7505; S-5 = 3.7505 to 3.7510
ALUMINUM	265 cu. in.	3.7510—.001	S-6 = 3.7510 to 3.7515; S-7 = 3.7515 to 3.7520
	283 cu. in.	3.8750—STD.	S-4 = 3.875 to 3.8755; S-5 = 3.8755 to 3.8760
	283 cu. in.	3.8760—.001	S-6 = 3.8760 to 3.8765; S-5 = 3.8765 to 3.8770

		Std.	.001-O.S.	.020-O.S.	.030-O.S.	.040-O.S.		
37-40	ALL	602806	—	602809	—	—	6	5.45
41-52	PASS. (w/216)	605260	3699254	605263	605280	605281	6	5.75
41-52	COMM., UTIL. (w/216),							
53	ALL w/216	605276	3699255	605279	605280	605281	6	5.75
41-52	ALL w/235,							
53	ALL w/235 (exc. P.G.)	3693984*	3699256*	3693994*	3693995*	3693996*	6	5.75
53	PASS., CORV. w/P.G. (aluminum)	—	3703846	—	—	—	6	6.30
53	PASS., CORV. w/P.G. (aluminum)	—	—	—	3704535	3704536	6	6.50
53-55	CORV. 6 cyl.,							
54-57	ALL w/235	3707453	3707473	—	—	—	6	6.30

		Std.	.001-O.S.	.020-O.S.	.030-O.S.	.040-O.S.		
53-55	CORV. 6 cyl.,							
54-57	ALL w/235	—	—	3707454	3707455	3707456	6	6.50
54-57	ALL w/261	3707460	3707474	—	—	—	6	6.30
54-57	ALL w/261	—	—	3707461	3707462	3707463	6	6.50
55-56	PASS. 8 cyl. (exc. dual 4BC),							
55-56	COMM., 1½ TON (8 cyl.) (exc. hvy. duty)	3717776	3713810	—	—	—	8	6.30
55-56	PASS. 8 cyl. (exc. dual 4BC),							
55-56	COMM., 1½ TON (8 cyl.) (exc. hvy. duty)	—	—	3734904	3734905	3713541	8	6.50
55-56	CORV. 8 cyl.,							
55-56	2 TON 8 cyl.,							
56	PASS. w/dual 4BC,							
56	1½ TON (hvy. duty)	3732021†	3732023†	—	—	—	8	6.30
55-56	CORV. 8 cyl.,							
55-56	2 TON 8 cyl.,							
56	PASS. w/dual 4BC,							
56	1½ TON (hvy. duty)	—	—	3732025†	3732027†	3732029†	8	6.50
57	ALL w/265	3739876	3739878	—	—	—	8	6.75
57	ALL w/265	—	—	3739880	3739882	3739884	8	7.00
57	ALL w/283	3739886†	3739888†	—	—	—	8	6.75
57	ALL w/283	—	—	3739890†	3739892†	3739894†	8	7.00

*NOTE: When these pistons are installed on models prior to 1950 it will be necessary to use Ring Unit which contains 3/32 top compression ring.

†NOTE: 4 valve relief depressions on top of piston.

0.633 BUSHING, Piston Pin

37-53	ALL	(27/32 I.D. x 63/64 O.D. x 15/16 length)	838551	12	.40

0.636 PIN, Piston

		Std.	.0015-O.S.	.003-O.S.	.005-O.S.	.010-O.S.	Length		
37-52	ALL,								
53	ALL (exc. P.G.)	838570	3701395	602319	602320	602321	3 5/32	6	1.10
53	PASS. w/P.G.,								
53-55	CORV. 6 cyl.,								
54-57	ALL w/235	3701538	3703686	3704881	3704882	—	3 7/32	6	1.10
54-57	ALL w/261	3702451	3707495	3707496	3707497	—	3 11/32	6	1.10

0.643 RING, Piston

Production Type (complete set for one engine per container)

		Std.	.020 O.S.	.030 O.S.	.040 O.S.		
37-53	ALL w/216	3688881	—	—	—	1	14.50
50-52	ALL w/235,						
53	ALL w/235 (exc. P.G.)	—	—	3705266§	—	1	19.00
55-57	ALL, CORV. w/235 (expander design)	3721046	3721048	3721049	3721050	1	21.00
54-57	ALL w/261 (expander design)	3720212	3720214	3720215	3720216	1	21.00
55-57	ALL, CORV. w/265 (expander design)	3719631	3719632	3719633	3719634	1	26 00

Service Type (complete set for one engine per container)

		Std.	.020 O.S.	.030 O.S.	.040 O.S.		
37-53	ALL w/216	608201	608202	608203	608204	1	14.50
37-53	ALL w/216	3704008†	3704015†	3704020†	3704025†	1	19.50
41-49	ALL w/235	608205	608206	608207	608208	1	14.50
41-49	ALL w/235	3704052†	—	3704056†	3704058†	1	19.50
50-52	ALL w/235,						
53	ALL w/235 (exc. P.G.)	3696718*	3696719*	3696720*	3696721*	1	14.50
50-52	ALL w/235,						
53	ALL w/235 (exc. P.G.)	3704030*†	3704037*†	3704042*†	3704047*†	1	19.50
53	PASS., CORV. w/P.G.,						
54-57	ALL, CORV. (6 cyl.) w/235	3713002‡†	3713003‡†	3713004‡†	3713005‡†	1	19.50
54-57	ALL w/261	3731676‡†	3731681‡†	3731685‡†	3731689‡†	1	21.00
55-57	ALL, CORV. w/265	3724998‡†	3724999‡†	3725000‡†	3725001‡†	1	23.50
57	ALL, CORV. w/283	3738901‡†	3738902‡†	3738903‡†	3738904‡†	1	26.50

*NOTE: These Ring Units contain a 3/32 top compression ring.

‡NOTE: These Ring Units contain 3/32 compression rings.

§NOTE: Contains chrome-plated top compression ring.

†NOTE: Cromflex Ring Set having chrome-plated oil rings, top compression ring, and chrome-plated rail for middle compression ring.

The following chart shows the Service Type Piston Ring sizes to use in various oversize bores.

Cyl. O.S.	Use Ring Size	Special Fitting
Std. to .009	Std.	None
.010 to .029	.020	File fit under .020
.030 to .039	.030	None
.040 to .049	.040	None

0.646 CRANKSHAFT with Dowel Pins

40-41	ALL w/216	(forged 839111)	839110	1	71.00
41	ALL w/235	(forged 3660435)	3660473	1	45.50
42-47	ALL w/216	(forged 839775)	839774	1	74.25
42-47	ALL w/235	(forged 839750)	839749	1	74.25
48-53	ALL w/216 (exc. P.G.)	(forged 3835271)	3835270	1	74.25
48-53	ALL w/235 (exc. P.G.),				
50-52	PASS. w/P.G.	(forged 3701894)	3701893†	1	74.25
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	("P" forged on No. 5 arm)	3701486†	1	85.50
54-56	ALL 6 cyl.	("P" forged on No. 5 arm)	3701486†	1	85.50
55-56	ALL, CORV. (8 cyl.)	(forged 3836266)	3704840‡	1	85.50
57	PASS., CORV. (8 cyl.) (exc. A.T.),				
57	Ser. 3-4-6 (8 cyl.)		3742332	1	81.50
57	PASS., CORV. (8 cyl.) w/A.T.		3742333	1	81.50

‡NOTE: When using on P.G. remove pilot bearing before installing.

†NOTE: When used on Powerglide it will be necessary to remove the pilot bearing. On models prior to 1953 Balancer 3701930 must be used.

0.648 SLINGER, Crankshaft Oil

55-57	ALL, CORV. (8 cyl.)	(1¼ I.D. x 3¼ O.D. x ⅜ width)	3704116	1	.10

0.649 BEARING, Crankshaft Clutch Pilot

31-39	ALL (exc. CC, DC)	(ND 7109)	907109	1	2.35

NOTE: 907109 used on 1939 jobs only with crankshaft 838345.

33-34	CC, DC,				
39-57	ALL, CORV. (exc. P.G.)	(bush type—19/32 I.D. x 1 3/32 O.D. x ¾)	412562†	1	.60

†NOTE: Stop spring must not be used with 412562 Bearing.

0.650 RETAINER, Crankshaft Clutch Pilot Bearing

33-34	CC, DC,				
39-46	ALL	(⅝ I.D. x 1⅝ O.D.)	836713	1	.07

0.659 BALANCER—PULLEY, Crankshaft

37-40	ALL	(cast 838863—2¾ width thru hub—6 5/32 dia.)	603447*	1	10.00
41-52	ALL w/216	(cast 838863—3 width thru hub—6 1/32			
53	1½ TON w/216	dia.)	605203	1	10.00
41-52	ALL w/235,				
53-55	UTIL. w/235, 261 (1st Ser.)	(weight 7¼ O.D.—pulley "V" ⅝)	3701930	1	10.00
53	SDL., COMM. (exc. D-D)	(weight 6⅛ O.D.—pulley "V" ⅜)	3704339	1	10.00
53	PASS., D-D (exc. SDL., P/S),				
53-55	CORV. 6 cyl.,				
54	PASS. (exc. P/S),				
54-55	COMM. (1st Ser.)	(weight 7¼ O.D.—pulley "V" ⅜)	3704338	1	10.00
53-54	ALL P/S	(double pulley)	3705099	1	10.00
55-57	PASS. 6 cyl. (exc. C.A.C.)		3729416†	1	10.00
55-57	PASS. 8 cyl. (exc. C.A.C., dual 4BC, T.G.),				
57	CORV. w/4BC	(cast 3836196—pulley "V" ⅜)	3711319	1	10.00
55-56	PASS. 8 cyl. w/C.A.C.	(double pulley—weight 6 13/16 O.D.)	3719629	1	10.80
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	(stamped T)	3729417†	1	10.00
55-57	Ser. 3-4 (8 cyl.),				
56-57	PASS., CORV. w/dual 4BC (exc. T.G.)	(cast 3836196—pulley "V" ½)	3712763‡	1	10.00
55-56	CORV. w/4BC		3717206	1	10.00
56-57	PASS. 6 cyl. w/C.A.C.	double pulley (7½ dia.)	3737510	1	14.85

56-57	Ser. 6 (8 cyl.),				
57	PASS. 8 cyl. w/C.A.C.	(double pulley)	3735374⊕	1	10.00
57	PASS. w/T.G.	(w/o pulley)	3743319	1	13.50
57	PASS. w/T.G. (exc. C.A.C., dual 4BC)	PULLEY, balancer	3743587	1	.95
57	PASS. w/T.G. and C.A.C. (exc. dual 4BC)	PULLEY, balancer	3743588	1	1.50
57	PASS. w/T.G. and dual 4BC	PULLEY, balancer	3742991	1	1.25

*NOTE: When installing 603447 on 1937-38 jobs discard crankshaft oil thrower.

†NOTE: When used on 1955 ALL 6 cyl. (2nd Ser.), 3723794 spacer must be used to accommodate oil slinger.

⊕NOTE: Also used on 1956 Ser. 4 w/H.D. 8 cyl. engine.

‡NOTE: Not used on 1956 Ser. 4 w/H.D. 8 cyl. engine, but used on 1955 2 Ton 8 cyl.

Note: Assemblies are solidly bolted for driving balancer onto crankshaft when special driving tool is not available. Bolts must be removed after balancer is assembled to engine.

0.662 SPACER, Harmonic Balancer

55	ALL 6 cyl. (2nd Ser.)	(1 41/64 O.D. x 1¼ I.D.)	3723794	1	.15
56	CORV. w/dual 4BC,				
57	CORV.	(1¾ O.D. x 1¼ I.D.)	3734984	1	.15

0.666 FLYWHEEL, with Ring Gear

38-39	COMM., UTIL. (exc. ½ TON)	(cast 838663-5—"UC" timing mark 88° clockwise from dowel hole, has 9 holes for clutch cover)	838664	1	10.95
40-41	PASS., ½ TON	(cast 839563 and 839754—has 6 holes for clutch cover)	839562	1	10.95
40-41	KD, KE, KF, W, A, Y (hvy. duty clutch on AG, AH, AK)	(cast 839563—has 9 holes for clutch cover)	839564	1	10.95
42-53	PASS., ½ TON (exc. hvy. duty clutch, P.G.)	(cast 839754—has 6 holes for clutch cover) (stmpd. "2▮UC△")	3705385	1	11.85
42-53	PASS., ½ TON (hvy. duty clutch)	(has 9 holes for clutch cover) (stamped			
42-53	¾, 1 TON, UTIL.	"2▮UC")	3705387	1	11.85
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl. w/P.G.		3705386	1	9.85
54	PASS., COMM. (exc. P.G., H.T., D-D),				
55	COMM. (1st Ser.) (exc. H-T, D-D)	(cast 3705410)	3704831	1	11.85
54	½ TON w/H.T.,				
54-55	COMM. w/H.T. (1st Ser.) (exc. ½ TON)	(139 teeth)	8615138	1	22.65
54-55	COMM. (hvy. duty clutch) (1st Ser.),				
54-55	D-D, UTIL. (1st Ser.)	(cast 3705410)	3703579	1	11.85
55-57	PASS. 6 cyl. (exc. P.G., hvy. duty clutch)	(9½" clutch,)			
55-57	COMM. 6 cyl. (2nd Ser.) (exc. H-T, D-D, hvy. duty clutch)	(10" clutch) (cast 3705410)	3705409	1	14.60
55-57	PASS. 6 cyl. (hvy. duty clutch) (exc. P.G.),				
55-57	COMM., UTIL. (6 cyl.) (hvy. duty clutch) (2nd Ser.)	(cast 3705410) (11" clutch)	3836522	1	14.60
55-57	PASS. 6 cyl. w/P.G.		3836268	1	10.95
55	CORV. 8 cyl. (exc. P.G.),				
55-56	PASS. (8 cyl.) (exc. P.G., hvy. duty clutch, 4BC, C.A.C. dual 4BC)	(cast 3703870) (10" clutch)	3703868	1	14.25
55-56	PASS. w/4BC and hvy. duty clutch,				
55	CORV. 8 cyl. (exc. P.G.),				
55-57	COMM., UTIL. (8 cyl.) (exc. H.T.),				
57	PASS. 8 cyl. w/hvy. duty clutch (exc. 4BC, dual 4BC)	(cast 3714463) (168 teeth)	3714462	1	14.60
55-57	PASS., CORV. (8 cyl.) w/P.G.		3701681	1	10.95
55	½ TON w/H.T. (1st Ser.),				
55-57	ALL 6 cyl. w/H.T. (2nd Ser.)	(168 teeth)	8615574	1	21.25
55-57	ALL 8 cyl. w/H.T.	(168 teeth)	8617327	1	21.25
56	PASS. w/dual 4BC (exc. P.G.),				
56-57	CORV. (exc. P.G.),				
57	PASS. 8 cyl. (exc. hvy. duty clutch, A.T.)	(10½" clutch) (coil spring) (cast 3729004)	3729003	1	14.60
57	PASS. w/T.G. (1st design)	(14 7/32 dia.)	3727227	1	10.95
57	PASS. w/T.G. (2nd design)	(14 7/32 dia.)	3744197	1	10.95

0.669 BOLT—LOCK—DOWEL, Flywheel to Crankshaft

29-39	ALL	(3/8—24 x 7/8)	837003	4	.10
40-41	ALL	(3/8—24 x 1)	839117	6	.10
52-57	ALL (exc. 8 cyl. w/P.G.),				
53-55	CORV. 6 cyl.,				
55-57	CORV. (3-SPD.)	(7/16—20 x 1)	839756	1	.10
55-57	ALL, CORV. (8 cyl.) w/P.G. or H.T.	(7/16—20 x 27/32—290M steel)	3701686	6	.10
57	PASS. w/T.G.	(7/16—20 x 11/16—290M steel)	3727207	6	.10
42-57	ALL, CORV. (6 cyl.)	LOCK (has two 29/64 bolt holes)	3835664	3	.05
40-57	ALL, CORV. (6 cyl.)	DOWEL (3/8 dia. x 31/32 length)	606535	3	.10
55-57	ALL, CORV. (8 cyl.)	DOWEL, flywheel (7/16 dia. x 7/8 O.L.)	3701679	1	.10

0.679 UNDERPAN—COVER—EXTENSION, Flywheel

37-48	PASS.	(4 bolt holes—frt. flange curved)	839335	1	2.15
37-53	COMM., UTIL.	(4 bolt holes—3 1/4 high)	838438	1	2.15
49-57	PASS. 6 cyl. (exc. P.G.)	(4 bolt holes—frt. flange curved)	3688221*	1	2.15
54-55	COMM., UTIL. (6 cyl.) (exc. H.T.)		3702830	1	2.15
54-57	COMM., UTIL. (6 cyl.) (exc. H.T.)	w/3731645 clutch	3725088	1	2.15
55-57	PASS., CORV. (8 cyl.) (exc. A.T.)	(15 7/16 O.L.)	3704923	1	2.15
55-57	COMM., UTIL. (8 cyl.)		3714477	1	2.15
57	PASS. w/T.G.		3727466	1	2.15
50-57	PASS. w/P.G.,				
54-57	ALL 6 cyl. w/H.T.	COVER, flywheel	3691699	1	(0.686)
55-56	PASS., CORV. (8 cyl.) w/P.G.	COVER, housing	3836186	1	1.50
57	PASS., CORV. (8 cyl.) w/P.G.	COVER, housing	3733291	1	1.50
37-39	COMM., UTIL.	EXTENSION	838483	1	.90
40-48	PASS.	EXTENSION	839131	1	.90
40-57	COMM., UTIL. (6 cyl.) (exc. H.T.)	EXTENSION	839180	1	.90
49-54	PASS. (exc. P.G.)	EXTENSION	3688218	1	.90
55-57	PASS. 6 cyl. (exc. P.G.)	EXTENSION, clutch housing (11 7/8 O.L.)	3836317	1	.95
55	ALL, CORV. (8 cyl.) (exc. P.G., H.T.)	EXTENSION, clutch housing,			
55	COMM. 8 cyl. w/H.T.	flywheel (18 1/8 O.L.)	3713312	1	.95
56	ALL, CORV. (8 cyl.) (exc. P.G., H.T.)	EXTENSION, clutch housing,			
56	ALL 8 cyl. w/H.T.	flywheel	3837207	1	.95
57	ALL, CORV. (8 cyl.) (exc. A.T.)	EXTENSION, clutch housing,			
57	ALL 8 cyl. w/H.T.	flywheel	3734908	1	.95
40-54	ALL,				
53-55	CORV 6 cyl.,				
55	COMM., UTIL. (1st Ser.),				
57	ALL, CORV. (8 cyl.)	BOLT, w/washer, underpan and extension	839301	4	(1.428)

*NOTE: On some models file notches to clear rear engine mounts.

0.683 HOUSING, Clutch and Flywheel

38-47	COMM., UTIL.	(cast 839257) (w/3 5/8" lever slot)	3847361†	1	17.35
40-48	PASS.	(cast 839181)	604361	1	11.95
48-53	COMM., UTIL.	(cast 3701433)	3847679*	1	17.35
49-54	PASS. (exc. P.G.)	(cast 3836435)	3711185	1	17.35
50-57	PASS., CORV. (6 cyl.) w/P.G.	(cast 3836601)	3717218*	1	12.65
54-57	ALL 6 cyl. w/H.T.	front and rear (cast 2306149)	3718080	1	27.25
54-57	COMM., UTIL. (6 cyl.) (exc. H.T.)		3738253‡	1	19.25
55-57	PASS. 6 cyl. (exc. P.G.)	(cast 3739585)	3739583	1	17.35
55-56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)	(cast 3704922)	3716595	1	17.35
55-56	PASS., CORV. (8 cyl.) w/P.G.	(cast 3836142)	3726272	1	12.65
55-56	COMM., UTIL. (8 cyl.) (exc. H.T.)	(cast 3725705)	3729996‡	1	19.25
55-57	ALL 8 cyl. w/H.T.	(1 pc. design engine to trans.)	3726049	1	12.65
55-56	CORV. (exc. P.G.),				
56	PASS. w/4BC or dual 4BC (exc. P.G.)		3731567	1	17.35
57	PASS. w/265	clutch	3742027	1	17.35
57	PASS., CORV. (8 cyl.) w/P.G.	flywheel	3741363	1	12.65
57	PASS., CORV. w/4BC or dual 4BC (exc. A.T.)	clutch	3742029	1	17.35
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	clutch	3742055	1	19.25

†NOTE: When installing 3847361 on 1938-39 jobs discard clutch fork ball supt. and assemble ball to housing.

*NOTE: On models prior to 1953 remove top Dowel.

‡NOTE: When used with diaphragm spring type clutch use 3725249, stud, to maintain correct clutch linkage position.

0.685 DOWEL, Clutch Housing to Cylinder Block

31-57	ALL, CORV. (6 cyl.)	(3/8 x 7/8)	836453	2	.06
50-57	ALL, CORV. (6 cyl.)	(21/64 x 7/8)	3696828	2	.12
55-57	ALL, CORV. (8 cyl.) (exc. T.G.)	(21/32 x 1 1/4)	3712745	2	.25
57	PASS. w/T.G.	(5/8 x 2 45/32)	3737833	1	.15

0.686 COVER, Clutch and Flywheel Housing Inspection Hole

37-47	ALL,				
48-57	PASS. 6 cyl. (exc. P.G.)	clutch (2 15/16 x 4 3/8 overall)	838476	1	.30
48-57	COMM., UTIL. (6 cyl.) (exc. H.T.)	clutch (2 15/16 x 3 13/16 overall)	3835200	1	.30
50-57	PASS., CORV. (6 cyl.) w/P.G.,				
54-57	ALL 6 cyl. w/H.T.	flywheel	3691699	1	.85
55-57	PASS., CORV. (8 cyl.) w/P.G.	flywheel	3836648	1	.30

0.714 PLUG, Clutch Housing Timing Pointer Hole

55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	(rubber—1 3/16 x 1 3/4)	3837003	1	.25

0.724 CHAIN, Camshaft Timing

55-57	ALL, CORV. (8 cyl.)		3704150	1	6.45

0.728 GEAR—SPROCKET, Crankshaft Timing (Steel)

37-39	ALL	(27 teeth—3 1/8 O.D.—1 1/4 in. ctr. hole)	838432†	1	2.65
40-57	ALL 6 cyl.	(27 teeth—3 1/8 O.D., stamped "71")	3835371	1	2.85
53-55	CORV. 6 cyl.	(stamped 73)	3836073	1	2.75
55-57	ALL, CORV. (8 cyl.)	SPROCKET (18 teeth—2 7/8 O.D.)	3704148	1	3.30

†NOTE: 838432 has (1) timing punch mark.

0.736 GEAR—SPROCKET, Camshaft Timing

33-36	ALL (exc. CC, DC)	fibre (54 teeth—stamped 836950)	836950	1	6.00
37-47	ALL,				
48-52	ALL (exc. 2 TON),				
53-57	PASS. 6 cyl.	fibre (54 teeth—stamped 3836156)	3836156	1	7.65
40-57	COMM., UTIL. (6 cyl.),				
53-55	CORV. 6 cyl.	aluminum (case 3835473)	3835473	1	6.05
55-57	ALL, CORV. (8 cyl.)	SPROCKET (cast 3704214—36 teeth) (iron)	3704214	1	4.20

0.738 BOLT—PIN, Camshaft Sprocket

55-57	ALL, CORV. (8 cyl.)	(5/16—18 x 3/4 type A-A)	9408991	3	.10
55-57	ALL, CORV. (8 cyl)	PIN, dowel (1/4 x 5/8) (solid)	3836903	1	.05
55-57	ALL, CORV. (8 cyl.)	PIN, dowel (.005 O.S.)	3836732	1	.30

0.748 NOZZLE, Timing Gear Oil

32-57	ALL 6 cyl.	(1/8 discharge hole) (threaded type)	3690722	1	.25

0.787 ROD—LINK—PIN—SWIVEL, Clutch Release

36-39	PASS. (exc. FA, FD)	fork offset (length of arm 3 1/8 overall)	350761	1	.50
40	PASS.	fork offset (length of arm 3 3/8 overall)	3652787	1	.50
41-48	PASS. (exc. CONV.)	fork offset (length of arm 2 7/8 overall)	3659711	1	.50
41-48	CONV.	fork offset (length of arm 2 7/8 overall—daub of white paint on arm)	3659463	1	.50
47-57	COMM., UTIL.	yoke offset (thds. 1/2—20 x 3 13/16 long)	3725108	1	.60
47-53	COE	clutch release lever pull	3847458	1	(4.826)
49-54	PASS. (exc. CONV.)	fork offset (dev. length 6 7/8)	3688232	1	.45
49-54	CONV.	fork offset (dev. length 7 1/8)	3688194	1	.50
54-55	COE	with clevis (16 1/2 dev. length)	3705947	1	.95
55	PASS.	fork push (9 5/8 O.L.)	3713756	1	.55

55	CORV. 8 cyl.,				
56	PASS.	(fork release)	3726573	1	.50
56	CORV. 8 cyl.	(5 61/64 O.L. w/3/8—16 thds.)	3726733	1	.50
57	CORV.	fork push	3739045	1	.50
57	PASS.	UNIT, fork push	3743570*	1	.80
39	PASS.	LINK (5 9/16 overall—2 eye ends)	350601	1	.50
40	PASS.	LINK (5 5/8 overall—1 eye, 1 hook end)	3653753	1	.50
41-54	PASS.	LINK (6 1/8 overall—1 eye and 1 hook end)	3659187	1	.50
47-55	COE	LINK (16 1/8 length w/one 5/16 and one 13/16 hole)	3685509	1	1.00
47-57	COMM., UTIL. (exc. 2 TON D-D)	LINK (7 1/16 overall—1 eye and 1 hook end)	3676454	1	.50
57	D-D (2 TON)	LINK, lever (5 7/8 long—1 eye and 1 hook end)	3725482	1	.50
57	PASS., CORV.	PIN, push rod to fork (1 1/2 O.L.)	3738054	1	.07
57	PASS., CORV.	SWIVEL, push rod (1 15/32 O.L.)	3738284	1	.20

*NOTE: Consists of rod, swivel, spring and pins.

0.795 FORK UNIT, Clutch Release (includes ball stud)

31-33	ALL (exc. CC,)				
34-37	COMM., UTIL.		609951	1	3.95
35-37	PASS.		609955	1	4.15
38-39	PASS.		609952	1	4.15
38-46	COMM., UTIL.		609953	1	4.15
40-46	PASS.,				
47-54	ALL,				
55	COMM., UTIL.,				
56-57	COMM., UTIL. w/235	w/diaphragm spring type	609954	1	4.15
55	PASS.		3713306	1	3.75
55-56	CORV. 8 cyl.		3727737	1	3.75
56-57	COMM., UTIL. (8 cyl.),				
56-57	UTIL. w/261	w/coil spring type	3727728	1	4.15
56	PASS. (exc. 4BC, dual 4BC)	w/diaphragm type	3730146	1	4.15
56-57	PASS. w/4BC or dual 4BC	w/coil spring type	3739670	1	4.15
57	PASS. (exc. 4BC or dual 4BC)	w/coil spring type	3739456	1	4.15
57	CORV.		3741460	1	3.75

0.796 BALL—STUD—SPRING—SCREW, Clutch Fork

31-37	ALL	(15/16 length—int. thds. 5/16—24)	836414	1	.40
38-54	ALL,				
55	COMM., UTIL.,	STUD (7/16—20 thd. w/3/4 ball) w/diaphragm			
56-57	COMM., UTIL. w/235	spring clutch	2054961	1	.35
55	PASS.,				
57	PASS. (exc. 4BC, dual 4BC)	STUD (7/16—20 thd. w/11/16 ball)	3836314	1	.45
54-56	COMM., UTIL. (6 cyl.)	STUD (w/diaphragm spring clutch) (1 5/8 long			
55	COMM., 1 1/2 TON (8 cyl.)	—"L" stamped on flat of ball)	3725249*	1	.45
56-57	COMM., UTIL. (8 cyl.),				
56-57	UTIL. w/261	STUD (w/coil spring clutch) (1 5/8 long)	3725240	1	.45
55-57	CORV. 8 cyl.,				
56-57	PASS. w/4BC or dual 4BC	STUD (13/16—16 stud w/21/32 dia. ball)	3729000	1	.85
56	PASS. (exc. 4BC, dual 4BC)	STUD (7/16—20 stud w/21/32 dia. ball)	3726574	1	.35
55	PASS.,				
57	PASS., CORV.	SPRING, push rod (3 O.L. w/20 active coils)	3713738	1	.10
32-37	ALL	SCREW (1 1/16 O.L.)	836628	1	.30
38-39	ALL	SCREW (15/16 O.L.)	2054960	1	.25

*NOTE: Used on 6 cyl. models w/clutch housing 3738253. Used on 8 cyl. models w/clutch housing 3729996.

0.797 BOOT, Clutch Fork

55	COMM., UTIL. (6 cyl.) (2nd Ser.)	road splash protector	5756945	1	1.25
55	COMM., UTIL. (8 cyl.) (2nd Ser.)	road splash protector	5756969	1	1.25
55-56	PASS. 6 cyl.	(5 1/8 O.L. at clutch hsg. face)	3730267	1	1.25
55-56	PASS. 8 cyl.	(4 11/16 O.L. at clutch hsg. face)	3730266	1	1.25
56-57	COMM. 6 cyl.	road splash protector	5759349	1	1.15
56-57	COMM. 8 cyl.	road splash protector	5759350	1	1.15
57	PASS. 6 cyl.	(5 1/8 x 2 13/16 x 2 1/4)	3738282	1	1.25
57	PASS. 8 cyl.	(4 11/16 x 3 3/4 x 2 3/8 x 2)	3738285	1	1.25

0.799 BEARING, Clutch Throwout with Collar

29-37	ALL (exc. CC, DC)	(width across fork pins 4 3/8)	837021	1	2.50
38-54	ALL,				
55-57	PASS. (exc. 4BC, dual 4BC),				
55	CORV. 8 cyl. (1st design),				
55	COMM., UTIL. (8 cyl.) (1st design),				
55-57	COMM., UTIL. (6 cyl.) (exc. 261),				
55-56	ALL w/261 (1st design)	(ball bearing type) (1 7/8 long)	909422	1	6.30
55-57	CORV. (8 cyl.) (2nd design),				
55-57	COMM., UTIL. (8 cyl.) (2nd design),				
56-57	PASS. w/4BC, dual 4BC,				
56-57	ALL w/261 (2nd design)	(ball bearing type) (1 9/32 long)	900018	1	5.40

0.800 PLATE, Clutch Throwout Bearing

34-37	ALL (exc. DC—late jobs on 1934)	(cast 837477)	837477	1	.85

0.805 SPRING, Clutch Fork Throwout Bearing

29-36	ALL (exc. CC, DC)		837972	2	.15
37	PASS.		838486	2	.15

0.814 SPRING, Clutch Throwout Bearing Plate

34-37	ALL (exc. DB, DC, P)		837472	3	.10

0.823 SPRING, Clutch Fork Ball Retainer

31-54	ALL,				
55-57	COMM., UTIL.		838987*	1	.10
55-56	CORV. 8 cyl.,				
55-56	PASS.	(3/16 dia. hole)	3836323	1	.10


*NOTE: When installing 838987 on 1931-38 jobs discard clutch fork ball retainer and ring.

0.829 BUMPER—BRACKET—SEAL—RETAINER, Clutch and Brake Pedal

37-46	COMM., UTIL.	floor board	3681065	1	.15
47-56	COMM., UTIL. (exc. COE) (1st design)	clutch pedal	3711781	1	.15
55-57	PASS. (exc. P.B.)	brake pedal (5/8 free height)	3711238	1	.05
55-57	PASS., CORV.	clutch pedal (5/8 free height)	3723230	1	.05
40-54	PASS.,				
47-55	COE	floor board	3715250	1	.15
55-57	D-D	clutch pedal (9/16 height)	3807289	1	.20
56-57	COMM., UTIL. (2nd design) (exc. D-D)	clutch pedal (27/32 x 2 1/8 x 3/4 thk.)	3734882	1	.15
55-56	PASS.,				
55-57	CORV.	BRACKET, bumper	3709581	1	.15
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	SEAL (1/2 I.D. x 2 17/64 O.D. x 1/16 thick) (rubber)	3723279	2	.05
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	SEAL (1/2 I.D. x 2 17/64 O.D. x 1/4 thick) (felt)	3723278	2	.10
55	PASS.	SEAL, clutch push rod to dash (3/8 I.D. x 1 7/8 O.D.)	3713853	1	.10
56-57	PASS.	SEAL, clutch push rod to dash (1 7/8 O.D. w/1 3/8 dia. diagonal holes)	3725692	1	.10
55-57	CORV. 8 cyl.	SEAL (15/16 sq.)	3719562	1	(4.612)
55-57	CORV. 8 cyl.	RETAINER (slot 1 1/8 x 1/2)	3719563	1	(4.615)

0.830 PEDAL, Clutch

38-46	1/2 TON	w/bushing	3659947	1	2.00
38-46	COMM., UTIL. (exc. 1/2 TON, COE)	w/bushing	3682201	1	2.00
40-48	PASS.		3696707	1	1.40
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)		3683019	1	1.40
47-55	COE		3685413	1	1.40
48-55	D-D (1st Ser.)		3687541	1	1.95
49-52	PASS.		3687979	1	1.40
53-54	PASS.		3701393	1	1.40
55-56	PASS.	w/shaft	3708033	1	2.60
55	UTIL. 8 cyl.		3714997	1	1.40



1955-57 CLUTCH PEDAL LINKAGE


55-57	CORV.	w/shaft	3722715	1	3.55
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)		3711691	1	1.40
55-57	D-D (2nd Ser.)		3729200	1	1.50
57	PASS.	w/shaft	3735587	1	2.50

0.831 BUSHING—NUT, Clutch Pedal (see group 4.626 for brake pedal bushing)

29-32	ALL,				
33-36	CB, CC, O, P, Q, R,				
37-46	COMM., UTIL. (exc. ½ TON)	(13/16 O.D. x 3/4 I.D. x 1 17/64 length)	3682020	1	.35
33-36	CA, D, E, F, R, S, T,				
37-39	PASS.,				
37-46	½ TON	(13/16 O.D. x 3/4 I.D. x 1 25/64 length)	3682074	1	.35
40-54	PASS. (exc. P.G.)	reducing (3/8 ext. x 1/8 int. taper)	127875	1	(8.963)
40-54	PASS. (in brake master cyl.) (exc. P.B.)	(13/16 O.D. x 3/4 I.D. x 1 3/4)	5450452	1	(4.626)
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	(1 1/16 O.D. x 1 I.D. x 1 1/4 length)	3683016	1	.35
47-55	COE	(7/8 I.D. x 15/16 O.D. x 3/4 length)	3685420	2	.20
48-55	D-D (1st Ser.)	(1 1/16 O.D. x 1 5/8 long)	3683089	1	(4.626)
55	CORV. 8 cyl.,				
55-57	PASS.	(13/16 O.D. x 5/8 length)	3709591	1	(4.626)
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	shaft, pedal (7/8 I.D. x 1 3/16 long)	3711690	1	(4.626)
55-57	COMM., UTIL. (2nd Ser.)	NUT, upper, clutch pedal lock (1/2—20)	126016	1	(8.917)

0.832 ARM—ROD—LEVER—SPACER—SUPPORT, Clutch Pedal (also see group 0.830)

40-48	PASS.	w/shaft (lower half)	3652783	1	2.00
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	w/bushing (lower half)	3683015	1	2.00
47-55	COE	w/shaft (lower half)	3685417	1	2.65
48-55	D-D (1st Ser.)	w/bushing (lower half)	3688025	1	3.40
49-54	PASS. (exc. CONV.)	w/shaft (lower half)	3687981	1	2.50
49-54	CONV.	w/shaft (lower half)	3688121	1	2.00



CLUTCH PEDAL AND LINKAGE

55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	w/shaft (lower half)	3734881	1	2.70
55-57	D-D (2nd Ser.) (exc. 2 TON)	w/bushing (lower half)	3720809	1	5.25
57	D-D (2 TON)	w/bushing (lower half)	3740535	1	6.25
55-56	PASS.	ROD, push	3709574	1	.85
57	PASS.	ROD, push (16 9/16 O.L.)	3738140	1	.85
48-55	D-D (1st Ser.)	LEVER, rear (w/bushing)	3687953	1	3.40
55-57	PASS.	LEVER, pedal shaft	3709578	1	.70
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. 261),				
55	2 TON w/261	LEVER, clutch pedal (4 3/8 long)	3711687	1	.50
55-57	COMM., UTIL. (8 cyl.),				
56-57	2 TON w/261	LEVER, clutch pedal	3725080	1	.65
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	SPACER, pedal lever (57/64 I.D. x 1 1/4 O.D.)	326556	1	(0.837)
55-57	COMM., UTIL. (2nd Ser.)	SUPPORT, w/bushings	3711704	1	1.95

0.833 SHAFT—SLEEVE, Clutch Pedal (see group 4.634 for brake pedal shafts)

36-46	1/2 TON	clutch (2 5/8 length)	475897	1	.45
39-42	COE,				
46	COMM., UTIL. (exc. 1/2 TON)	clutch idler (5 9/16 length—hole both ends)	838001	1	1.05
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	clutch and brake (1 x 7 17/32—5/8—18 thd.),			
48-55	D-D (1st Ser.)	rear lever	3683044	1	3.60
48-55	D-D (1st Ser.)	clutch and brake (1 5/16 hex. hd. x 5 11/16 O.L.)	3702812	1	3.60
55-57	D-D (2nd Ser.)	clutch and brake (7/8 dia.—5 3/16 length)	3720804	1	1.05
55-57	PASS.	SLEEVE ASSY. (3 1/4 O.L.)	3709583	1	(4.634)

0.834 LOCK—BOLT, Pedal Shaft

40-54	PASS. (exc. P.G.)	(cross shape)	3652790	1	.25
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	shaft (1 3/16),			
48-55	D-D (1st Ser.)	(used as rear lever lock)	359380	1	(5.057)
50-54	PASS. w/P.G. (exc. P.B.)	(circular)	3692282	1	.20
55-57	D-D (2nd Ser.)	BOLT, lock (5/16—24 x 2 O.L.)	3656671	1	(7.529)

0.837 PARTS, Clutch and Brake Pedal Shaft—(Also see groups 4.634 and 4.648)

29-47	COMM., UTIL.	SPRING, lock	355936	1	.05
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	SPRING (1 29/32 I.D. x 1 29/32 long),			
48-55	D-D (1st Ser.)	(used with rear lever shaft)	3683045	1	.08
50-54	PASS. w/P.G. (exc. P.B.)	SPRING, lock retainer	3692281	1	.06
55-56	CORV. 8 cyl.	SPRING, clutch pedal and fork push rod,			
55	PASS.	SPRING, push rod anti-rattle	371704	A.R.	(4.796)
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	RETAINER, inner (1 I.D. x 2 1/4 O.D. x 1/2 wide),			
48-55	D-D (1st Ser.)	(used with rear lever shaft)	3683046	A.R.	.15
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	RETAINER, outer (1 I.D. x 2 1/4 O.D. x 3/16 wide),			
48-55	D-D (1st Ser.)	(used with rear lever shaft)	3683047	1	.15
55-57	CORV. 8 cyl.,				
55-57	PASS.	WASHER (15/32 I.D. x 1 1/4 O.D.—felt)	3726093	2	.05
55-57	D-D (2nd Ser.)	RING, lock (snap—13/16 I.D. x 7/64 thick)	3720806	1	.15
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	SPACER (used as hub spacer and shaft grease seal) (1 I.D. x 1 11/16 O.D.),			
48-55	D-D (1st Ser.)	(rear lever spacer, shaft grease seal)	3684453	1	.05
55-57	PASS.	SPACER (5/8 I.D. x 7/8 O.D.)	3709577	1	.10
55-57	D-D (2nd Ser.)	SPACER, lower lever spacer (57/64 I.D. x 1 1/4 O.D.)	326556	1	.05

0.841 BOLT—NUT, Clutch Pedal Adjusting

38-46	COMM., UTIL.	(hook 3/8—16 x 3 3/16 overall)	598342	1	.30
55-57	PASS., CORV.	push rod (1/4—20 x 1 3/8—260M steel)	3716807	1	.20
55	PASS.	NUT, fork push rod (3/8—16 hex.)	3713725	1	.25
55-56	PASS., CORV.	NUT, push rod (3/8—16 x 3 13/16 long—hex.)	3726572	1	.85

0.844 SPRING, Clutch Pedal Pull Back

32-46	COMM., UTIL. (reg. tension)	(3 5/16 length x 26 coils)	368244	1	.30
37-39	PASS. (reg. tension)	(4 11/16 length x 43 coils)	594357	1	.30
37-39	PASS. (extra tension)	(4 11/16 length)	603390	1	.30

40-46	PASS. (exc. CONV.),				
47-54	ALL (reg. tension),				
55-57	COMM., UTIL. (exc. D-D 6 cyl.)	(6 length x 50 coils) (painted black)	3653114	1	.30
40-54	PASS. (extra tension),				
55	COMM., 1½ TON (8 cyl.)	(6 length x 40 coils)	3659107	1	.30
41-54	TAXI,				
55-57	D-D (2nd Ser.) (6 cyl.)	(5 11/16 length) (painted grey)	3655655	1	.45
41-46	COMM., UTIL. (exc. COE) (extra tension)	(7 5/16 length x 36 coils)	3664881	1	.25
41-42	COE	(6 3/8 length x 36 coils)	592322	1	(4.827)
55-56	PASS., CORV.,				
57	PASS., CORV. w/4BC or dual 4BC	(9 1/8 length w/18 coils) (used w/hooks)	3729970	1	.75
57	PASS., CORV. (exc. 4BC, dual 4BC)	(9½ length w/18 coils) (used w/hooks)	3720151	1	.65
55	PASS.	UNIT, w/lever and frt. and rear hooks	3721063	1	1.05

0.846 CLIP—BRACKET—LEVER—HOOK—PLATE, Clutch Pedal Pull Back Spring

41-48	PASS. (exc. CONV.)	(2 7/8 length overall)	3661534	1	.08
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	BRACKET (3 5/8 high x 3 5/16 wide)	3683932	1	.30
55-56	COMM., UTIL. (2nd Ser.),				
57	D-D (exc. 2 TON)	BRACKET, spring (one 9/32—two 3/16 holes)	3713046	1	(3.459)
55-57	CORV	BRACKET (2¼ long x 1 5/32 wide)	3723786	1	.50
57	D-D (2 TON)	BRACKET (3 1/32 high x 3½ long)	3735460	1	.65
55-56	PASS.	LEVER (4⅞ O.L.) (used w/hooks)	3720153	1	.50
55-57	CORV	LEVER	3723788	1	.65
57	PASS.	LEVER, w/pin	3735586	1	.85
55-56	PASS.	HOOK, front,			
55-57	CORV	front and rear (3/16 dia. wire)	3720152	A.R.	.05
55-56	PASS.	HOOK, rear (3/16 dia. wire)	3729971	1	.05
57	PASS.	HOOK (4 5/8 long)	3735585	1	.07
57	PASS.	PLATE (w/2 holes ¼ dia. and 17/32 dia.)	3735584	1	.10

0.847 BRACKET, Clutch Pedal Shaft (see group 4.648 for brake)

39-46	COE	pedal idler shaft (cast 836421)	836421	1	.45
48-55	D-D (1st Ser.)	clutch and brake (6½ long)	3687488	1	2.35
47-55	COE	clutch and brake assy.	3685422	1	9.85
47-55	COE	release lever (2 x 3)	3685507	1	.80
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	clutch and brake (9½ long),			
48-55	D-D (1st Ser.)	rear lever shaft (has two ⅞ holes)	3684093	1	2.50
55	PASS.	housing (w/ball stud ¾ O.L.)	3713759	1	.60
55-57	D-D (2nd Ser.)	clutch and brake	3721629	1	(4.648)
56-57	PASS.	housing (w/ball stud 1 13/16 O.L.)	3726096	1	.75

0.851 BUSHING—SPRING, Clutch Release Lever, Intermediate


39-46	COE	lever (13/16 O.D. x ¾ I.D. x 1 17/64)	3682020	1	(0.831)
55-57	PASS., CORV	(⅜ I.D. x ⅞ O.D.)	3716811	1	.40
47-55	COE	SPRING, lever (½ I.D. x 1 1/16 free length)	835715	1	(1.928)

0.852 LEVER—SHAFT—BRACKET, Clutch Pedal Control, Intermediate

39-46	COE	(5 5/16 length overall—arms offset)	3662647	1	2.55
47-55	COE	(4 length overall)	3685513	1	.85
47-55	COE	clutch fork control idler	3686285	1	1.35
55	PASS.	SHAFT, w/lever (shaft—5 1/16 O.L.)	3724177	1	1.95
55-57	D-D (2nd Ser.)	SHAFT, clutch release, w/lever	3715477	1	1.95
56	PASS.	SHAFT, w/lever (shaft 5 15/16 O.L.)	3726089	1	1.95
57	PASS.	SHAFT, w/lever	3741800	1	1.95
55	PASS.	BRACKET, shaft frame (w/ball stud ¾ O.L.)	3713767	1	.50
56-57	PASS.	BRACKET, shaft frame (w/ball stud 1 13/16 O.L.)	3726098	1	.50

0.854 ROD—CLEVIS, Clutch Fork Control, Intermediate

39-46	COE	pedal pull (26½ overall—adj.)	3687726	1	(4.826)
48-55	D-D (1st Ser.)	pedal pull (23⅞ overall—adj.)	3847458	1	(4.826)
55-57	D-D (2nd Ser.) (exc. 2 TON)	pedal pull (24¼ overall—adj.)	3720400	1	1.90
39-46	COE	CLEVIS, pull rod (5/16—24 x 3⅛ overall)	3651258	1	(4.824)




DIAPHRAGM SPRING TYPE CLUTCH PARTS

0.861 COVER, Clutch

38-53	PASS., ½ TON (exc. hvy. duty).....	w/spring (11⅝ O.D.).....	3836005	1	9.90
38-53	¾, 1 TON, UTIL.,				
38-53	PASS., ½ TON (hvy. duty).....	w/spring (13 1/16 O.D.).....	3836007	1	11.00
54-57	PASS., COMM. (6 cyl.) (exc. hvy. duty, D-D)	w/spring marked yellow.....	3836716	1	9.90
54-56	ALL (hvy. duty),				
54-57	D-D 6 cyl. (exc. 2 TON),				
57	PASS. (hvy. duty), (exc. 4BC, dual 4BC),				
57	Ser. 3-4 (6 cyl.) (hvy. duty).....	w/spring (w/11 x 6½ clutch driven plate)	3836720	1	11.40
55-57	PASS. 8 cyl. (exc. hvy. duty, 4BC, dual 4BC).....	w/spring (6 holes equally spaced—10").....	3736724	1	9.90
55	2 TON 8 cyl.,				
56-57	2 TON w/261,				
56-57	COMM., UTIL. (8 cyl.).....	w/3—9/16 chamfered release holes.....	3837170	1	9.90
55	CORV. 8 cyl.,				
56	PASS. w/4BC.....	w/spring.....	3837100	1	9.90
57	PASS., CORV. w/4BC or dual 4BC.....	.....	3739756	1	9.90

0.863 PLATE, Clutch Pressure

38-53	PASS., ½ TON (exc. hvy. duty).....	(cast 3836008).....	3836008	1	6.60
38-53	PASS., ½ TON (hvy. duty),				
38-53	¾, 1 TON, UTIL.....	(cast 3836009).....	3836009	1	7.50
54-57	PASS. (exc. hvy. duty, 4BC, dual 4BC),				
54-57	COMM. 6 cyl. (exc. D-D, hvy. duty).....	(cast 3704776) (10" diaph. spring).....	3704776	1	7.05
54-56	COMM., UTIL. (hvy. duty),				
54-57	D-D 6 cyl. (exc. 2 TON),				
55-56	PASS. (hvy. duty),				
57	PASS. (hvy. duty) (exc. 4BC, dual 4BC),				
57	Ser. 3-4 (6 cyl.) (hvy. duty).....	(11 x 6½) (cast 2402).....	3702402	1	7.80
55	2 TON 8 cyl. (1st design).....	(11 O.D. x 6½ I.D.) (cast P-6786).....	3837096	1	11.85



1955-57 COIL SPRING CLUTCH PARTS

55	2 TON 8 cyl. (2nd design),				
56-57	ALL w/261,				
56-57	COMM., UTIL. (8 cyl.)	(11 O.D. x 6½ I.D.) (cast P6928)	3837171	1	11.85
55	CORV.,				
56	PASS. w/4BC,				
57	PASS. CORV. w/4BC or dual 4BC	(stamped P-6758)	3731580	1	10.40

PLATE ASSY., Pressure, w/Clutch Cover

38-53	PASS., ½ TON (exc. hvy. duty)		3836003	1	17.10
38-53	¾, 1 TON, UTIL.,				
38-53	PASS., ½ TON (hvy. duty)		3836004	1	19.80
54-57	PASS. 6 cyl. (exc. hvy. duty)	(9½),			
54-57	COMM. 6 cyl. (exc. hvy. duty, D-D)	(10")	3836715	1	17.10
54-56	COMM., UTIL. (hvy. duty),				
54-57	D-D 6 cyl. (exc. 2 TON),				
55-56	PASS. (hvy. duty),				
57	PASS. (hvy. duty) (exc. 4BC, dual 4BC),				
57	Ser. 3-4 (6 cyl.) (hvy. duty)	diaphragm spring type (11")	3836719	1	19.80
55-57	PASS. 8 cyl. (exc. hvy. duty, 4BC, dual 4BC)	(10")	3836723	1	16.30
55-56	2 TON 8 cyl.,				
56-57	Ser. 3-4 (8 cyl.),				
56-57	Ser. 6 w/261	coil spring type (11")	3837155	1	21.75
56	PASS. w/4BC	(1404 stamped on cover) (10" clutch)	3729007	1	20.10
56	CORV.	(1402 stamped on cover) (coil spring type,			
56	PASS. w/dual 4BC	10½" clutch)	3729002	1	24.80
57	PASS. w/4BC		3744753	1	21.75
57	PASS. w/dual 4BC,				
57	CORV.	(1466 stamped on cover)	3744752	1	21.75
57	Ser. 6 (8 cyl.)	coil spring type (11")	3743203	1	21.75

NOTE: For complete clutch installation w/assemblies 3836003 and 3836004 include 9—838653 bolts, 9—120382 lockwashers, 1—909422 throwout bearing and select correct clutch disc.

0.864 SPRING—BOLT—ROLLER, Clutch Pressure Plate

38-53	ALL	retracting	838646	3	.10
54-57	ALL 6 cyl. (exc. 1957 Ser. 6),				
55	ALL, CORV. (8 cyl.),				
55-56	ALL w/261,				
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	retracting flat type	3836745	3	.10
38-53	ALL	BOLT, retracting spring (¼—20 x ⅜—7/16 hex.)	754381	3	.10
54-57	ALL 6 cyl. (exc. 1957 Ser. 6),				
55	ALL, CORV. (8 cyl.),				
55-56	ALL w/261,				
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	BOLT, retracting spring (5/16—18 x ⅞ x ½ hex.)	3702403	3	.10
57	PASS., CORV. w/4BC or dual 4BC	(9/16 long)	3741098	3	.35

0.865 SPRING, Clutch Pressure

34-37	ALL (exc. DC, EC, FC)		837461	9	.35
38-39	ALL (w/bolted type cover)		3836010	1	3.50
55-56	CORV. 8 cyl.,				
56	PASS. w/dual 4BC	painted yellow (25/32 I.D.)	3732014	6	.35
55-57	CORV. 8 cyl.,				
56	PASS. w/4BC,				
56-57	PASS. w/dual 4BC	painted tan (25/32 I.D.)	411856	6	.30
56	PASS. w/4BC,				
57	PASS., CORV. w/4BC or dual 4BC,				
57	Ser. 6 (8 cyl.)	painted red or uncolored (25/32 I.D.)	3837099	A.R.	.35
56-57	COMM., UTIL. (exc. 235),				
57	PASS. w/4BC	painted black (49/64 I.D.)	3837086	A.R.	.35
56-57	2 TON w/261,				
56-57	COMM., UTIL. w/265	painted orange (25/32 I.D.)	3837087	3	.35
57	Ser. 6 (8 cyl.)	painted white	3739150	6	.32

0.866 RING—WASHER—BOLT, Clutch Spring Pivot

38-39	ALL (w/bolted type cover)	(7 3/8 I.D.)	838644	2	.45
38-39	ALL (w/bolted type cover)	WASHER, pivot ring (7/16 I.D. x 1 1/8 O.D.)	838702	18	.05
38-39	ALL (w/bolted type cover)	BOLT, spring retainer (shldr. 7/16 dia., 5/16—24 x 15/16)	838703	9	.20

0.870 BOLT, Clutch Cover and Pressure Plate

34-37	ALL (exc. DC)	lever (3/8—16 x 3/4)	837445	6	.10
38-57	ALL,				
55-57	CORV. 8 cyl.	(3/8—16 x 1)	838653	A.R.	.10

0.873 BOLT ASSY.—NUT, Clutch Release Lever

55	UTIL. 8 cyl.	w/nut, lever adj. eye	3734378	3	.70
55-57	CORV. 8 cyl.,				
56-57	2 TON w/261,				
56-57	PASS. w/4BC, dual 4BC,				
56-57	COMM., UTIL. (8 cyl.)	w/nut, lever adj. eye	3734379	3	.70
55	UTIL. 8 cyl.	NUT (9/16 hex. 3/8—24 thd.)	411854	3	.25
55	CORV., 2 TON (8 cyl.),				
56-57	PASS., CORV. w/4BC, dual 4BC,				
56-57	2 TON w/261,				
56-57	COMM., UTIL. (8 cyl.)	NUT, release lever adj. (11/16 hex. 3/8—24 thd.)	418252	3	.25

0.874 LEVER, Clutch Pressuze

34-37	ALL (exc. DC) (w/837443 plate)	(3 7/8 length—one 3/8 hole)	837556	3	.70
55	CORV., 2 TON (8 cyl.),				
56	PASS., CORV. w/4BC, dual 4BC,				
56-57	COMM., UTIL. (8 cyl.),				
56-57	2 TON (6 cyl.)	(27/32 x 3 5/8 x 1 15/32)	3736502	3	.65
57	PASS., CORV. w/4BC or dual 4BC	(stamped 6987)	3738233	3	.65

0.875 PIN—STRUT, Clutch Release Lever

55	UTIL. 8 cyl.,				
55-57	CORV. 8 cyl.,				
56-57	COMM., UTIL. (8 cyl.),				
56-57	PASS. w/4BC or dual 4BC,				
56-57	ALL w/261	(1 5/32 long x 5/16 O.D.)	403092	3	.10
55	UTIL. 8 cyl.,				
55-57	CORV. 8 cyl.,				
56-57	COMM., UTIL. (8 cyl.),				
56-57	PASS. w/4BC or dual 4BC,				
56-57	ALL w/261	STRUT (7/64 x 5/8 x 1 15/32)	3837095	3	.15


0.878 SPRING, Clutch Pressure Lever Retainer

34-37	ALL (exc. DC) (w/837443 plate)	(2 3/16 long x 2 3/4 wide)	837558	3	.10
55	UTIL. 8 cyl.,				
55-57	CORV. 8 cyl.,				
56-57	PASS. w/4BC, dual 4BC,				
56-57	2 TON w/ 261,				
56-57	COMM., UTIL. (8 cyl.)	anti-rattle (painted blue)	403051	3	.25


0.886 DISC, with Facing, Clutch

32-37	B, CA, CB, DA, DB, E, F, GA, GB, GC	(molded—9 O.D.—15 rivets)	837747	1	7.75
32-37	B, CA, CB, DA, DB, E, F, GA, GB, GC	(woven—9 O.D.)	3696061	1	8.90
33-37	COMM., UTIL. (exc. 1/2 TON) (may also be used on 1932 N jobs)	(cushion disc—10 O.D.—15 rivets)	836007	1	7.75
38-40	PASS., 1/2 TON,				
41	1/2 TON	(molded—9 O.D.—16 rivets)	3847450	1	9.50
38-49	3/4, 1, 1 1/2 TON,				
41-52	PASS. (hvy. duty),				
41-53	1/2 TON (hvy. duty),				
50-53	3/4, 1, 1 1/2 TON w/216	(molded—10 3/4 O.D.)	3835453	1	11.75


41-53	PASS., ½ TON (exc. AK),				
54	PASS. (exc. hvy. duty)	(molded—9 O.D.—16 rivets)	3835216	1	9.50
41-53	PASS., ½ TON (exc. AK),				
54	PASS. (exc. hvy. duty)	(woven—9 O.D.)	3835343	1	10.65
46-53	ALL w/235	(woven—10¾ O.D.—16 rivets)	3835454	1	14.00
54-57	COMM. 6 cyl. (exc. hvy. duty, D-D)	(molded) (10 O.D.) (hub painted orange) (stamped 3836097)	3836097	1	11.00
54-55	PASS. 6 cyl. (hvy. duty), TAXI,				
54-57	COMM. 6 cyl. (exc. hvy. duty, D-D)	(woven) (10 O.D.) (hub painted red)	3836119	1	12.25
55-56	PASS. 6 cyl. (exc. hvy. duty)	(molded—9½ O.D.)	3836103	1	10.65
55-56	PASS. 6 cyl. (exc. hvy. duty)	(woven—9½ O.D.—hub painted white)	3836121	1	11.75
55-56	PASS. 8 cyl. (exc. O/D, hvy. duty)	(woven—10 O.D.—hub painted dark blue)	3836708	1	12.60
55	PASS. 8 cyl. (exc. O/D, 4BC, hvy. duty).	(molded—10 O.D.—dampener spring dia. .775—hub painted yellow)	3836534	1	11.50
55	PASS. 8 cyl. O/D (exc. hvy. duty)	(woven—10 O.D.—hub painted green)	3836752	1	13.00
55-57	PASS. (hvy. duty)	(woven—11 O.D.—hub painted pink)	3836906	1	15.60
55-56	PASS. (hvy. duty) 4BC, O/D	(woven—11 O.D.—hub painted lavender) double damper spring construction	3836907	1	15.60
54-57	COMM., UTIL. (hvy. duty)	(woven—11 O.D.—hub painted yellow)	3733153	1	15.60
55-57	COMM., 1½ TON (8 cyl.) (exc. H.D. clutch)	(woven—10½ O.D.—hub painted dark			
56	CORV.	green)	3727585	1	15.60
55	CORV. 8 cyl.,				
56	PASS. w/4BC (exc. O/D, hvy. duty)	(woven—10 O.D.) (hub painted light brown)	3729782	1	11.75
56	PASS. 8 cyl. w/O/D (exc. hvy. duty) (1st design)	w/diaphragm spring clutch (woven—10 O.D.) (hub painted white) (four inner springs)	3729780	1	12.15
56-57	PASS. (265) w/O/D (exc. hvy. duty) (2nd design)	w/coil spring clutch (woven—10 O.D.) (hub painted maroon) (six inner springs)	3741091	1	13.00
57	PASS. 6 cyl. (exc. hvy. duty)	woven (9½) hub painted white	3737944	1	12.25
57	PASS. 6 cyl. (exc. hvy. duty)	moulded (9½") hub not painted	3737942	1	10.65
57	PASS. w/265 (exc. hvy. duty, O/D)	woven (10") hub painted dark blue	3737946	1	11.75
57	PASS. w/265 (exc. hvy. duty, O/D)	moulded (10") hub painted light brown	3737948	1	12.60
57	PASS. w/4BC (exc. O/D)	woven (10") hub painted black	3738227	1	11.75
57	PASS. w/4BC and O/D	woven (10") hub painted light green	3738229	1	13.95
57	PASS. w/dual 4BC,				
57	CORV.	woven (10") hub painted dark brown	3740462	1	15.60




1949 GRILLE—EXPLODED




1950 GRILLE—EXPLODED




1951 GRILLE—EXPLODED




1952 GRILLE—EXPLODED




1953 GRILLE—EXPLODED




1954 GRILLE—EXPLODED




1955 GRILLE—EXPLODED



1957 GRILLE—EXPLODED



1947-53 UTILITY GRILLE—EXPLODED



1954 TRUCK GRILLE—EXPLODED

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	1.002 REPAIR KIT, Water Pump				
36	ALL		603745*	1	3.40
37-54	ALL,				
55	COMM., UTIL. (1st Ser.)		3690932†	1	1.05
	*NOTE: Consists of: rotor and shaft, bushings, packing, thrust washer, gasket.				
	†NOTE: Consists of: seal assy., seal washer, bearing retainer, plate gaskets.				
	1.003 SHAFT ASSY., Water Pump, w/Bearing				
41-54	ALL,				
55	COMM., UTIL. (1st Ser.)	(4 25/64 O.L.)	954252	1	3.70
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	(6 3/8 O.L.)	954859	1	3.75
55-57	ALL, CORV. (8 cyl.)	(4 11/16 O.L.)	3704162	1	3.45
	1.062 PULLEY—REINFORCEMENT—HUB—SPACER, Fan and Water Pump				
38	ALL (w/598308 pump)	(838764 stamped on pulley—shaft hole .610 dia.)	598310	1	2.05
39-52	ALL,				
53-55	UTIL. (1st Ser.)	(838905 stamped on pulley)	838904	1	2.05
53-55	PASS., COMM. (1st Ser.)	(pulley "V" 3/8 wide)	3703600	1	2.05
53-55	CORV. 6 cyl.		3706007	1	2.75
55-57	PASS. 6 cyl.	(3709993 stamped on pulley)	3709993	1	1.65
55-56	PASS., CORV. (8 cyl.),				
57	PASS., CORV. (8 cyl.) (exc. dual 4BC, C.A.C.)	(3704172 stamped on pulley)	3704172	1	1.65
55-56	PASS. w/C.A.C.	front (3714500 stamped on pulley)	3714500	1	2.50
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	(3711752 stamped on pulley)	3711752	1	2.05
55-57	COMM., UTIL. w/265,				
57	PASS., CORV. w/dual 4BC	(3713974 stamped on pulley)	3713974	1	1.65
57	PASS. 6 cyl. w/C.A.C.		3731399	1	3.00
57	PASS. 8 cyl. w/C.A.C.,				
57	Ser. 6 (8 cyl.)	(7 9/64 dia., stamped 3738881)	3738881	1	3.65
55-57	PASS. 6 cyl.,	REINFORCEMENT (cup shape—1/4 deep—3 1/2			
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	O.D. x 5/8 I.D. with four 11/32 holes)	3720616*	1	.30
53-54	CORV.,				
55-57	PASS., CORV.,				
55-57	COMM., UTIL. (2nd Ser.)	HUB, pulley	3836771	1	.60
56	PASS. 6 cyl. w/C.A.C. (exc. CONV.)	SPACER (3/4 I.D. x 2 3/8 O.D.)	3136728	1	.45
	*NOTE: Pumps having fan and pulley hub pressed to .348 dim. must use this reinforcement when replacing pump with pressed dim. of .288.				
	1.064 BLADE ASSY., Fan				
37-40	GA, HA, KA, KH	(15 3/4 dia., 2 1/4 bolt circle, 1 in. shaft hole,			
41-54	PASS	staggered blades)	838277†	1	3.00
37-39	GB, GC, GD, GE, S, HB, JB, JC, JD, JE, V.	(16 1/4 dia., 2 1/4 bolt circle, 1 in. shaft hole,			
39-49	PASS. (w/hvy. duty equip.) (exc. JB, KB).	staggered blades),			
40-49	PASS. (exc. KA, KB)	(use w/11:41 rear axle only)	838279†	1	3.00
37-55	UTIL. (low speed operation) (1st Ser.)	(18 dia., 6 blades)	3707662*	1	4.25
39-55	COMM., UTIL. (1st Ser.) (exc. 261)	(18 dia., 4 blades)	839020	1	3.00
39-53	ALL (for low speed operation)	(16 1/4 dia., 2 1/4 bolt circle, 1 1/8 in. shaft hole, staggered blades)	603353	1	3.00
53-55	CORV. 6 cyl.		1344087	1	3.45
54-55	ALL w/261 (1st Ser.)	(18 dia., 4 blades)	3708928	1	3.00
55-56	PASS. (exc. 8 cyl. w/C.A.C.),				
55-56	CORV. 8 cyl.	(17 dia., 4 blades)	3704803	1	3.00
55-57	PASS. 8 cyl. w/C.A.C.	(18 dia., 5 blades)	3730342	1	7.45
55-56	COMM., 1 1/2 TON (6 cyl.) (2nd Ser.)	(20 dia., 4 blades)	3716797	1	3.00
55-56	COMM., 1 1/2 TON (8 cyl.)	(19 dia., 4 blades)	3718843	1	3.00
56-57	2 TON 6 cyl.	(20 dia., 5 blades)	3739248	1	6.85
56-57	2 TON 8 cyl.	(19 dia., 5 blades)	3739249	1	7.25
57	PASS. (exc. 8 cyl. C.A.C.)	(17 1/2 dia.—1 3/4 bolt circle, 5/8 shaft hole)	3739265	1	3.00
57	CORV.	(17 dia.—1 3/4 bolt circle, 5/8 shaft hole)	3735314	1	3.00

57	Ser. 3-4 (6 cyl.)	(20 dia. blade)	3739015	1	3.25
57	Ser. 3-4 (8 cyl.)	(19 dia. blade)	3739017	1	3.25

†NOTE: For use w/598308 pump on 1937; 838279 also used on BG, DJ, EJ, FJ, GJ, TAXI.

*NOTE: When using 3707662 on 1937-38 models it is also necessary to use 838903 pump.

1.066 BELT, Fan and Generator

37-52	ALL,				
53-55	UTIL. (1st Ser.) (exc. 261)	(42½ O.D. x 11/16 wide)	3680776*	1	2.30
47-52	COMM. (w/hvy. duty gen.),				
47-55	UTIL. (w/hvy. duty gen.) (1st Ser.)	(47 O.D. x 11/16 wide)	3693105	1	2.95
53-54	PASS. P/S	strg. gear hyd. pump drive (50 O.D. x ⅜ wide)	3703633	1	(6.660)
53-54	PASS., COMM. (exc. hvy. duty gen.),				
55	COMM. (1st Ser.) (exc. hvy. duty gen.),				
55-57	PASS. 6 cyl. P/S	(41½ O.D. x ⅜ wide)	3713313	1	2.30
53-54	PASS., COMM. (w/hvy. duty gen.),				
55	COMM. (w/hvy. duty gen.) (1st Ser.)	(44 O.D. x ⅜ wide)	3703849	1	2.30
53-55	UTIL. w/1106976 (1st Ser.)	(45½ O.D. x 11/16 wide)	3708572	1	2.80
54-55	ALL w/261 (1st Ser.)	(42¾ O.D. x 11/16 wide)	3708929	1	2.95
55-57	PASS. 6 cyl. (exc. P/S)	(41 O.D. x ⅜ wide)	3709713	1	2.30
55-57	PASS. 6 cyl. (exc. P/S)	(40 amp. low cut-in) (43 O.D. x ⅜ wide)	3713378	1	2.30
55-57	PASS. 8 cyl. (exc. P/S, 40 amp. low cut-in, dual 4BC)	(55 O.D. x ⅜ wide)	3704972	1	2.40
55-57	PASS. 8 cyl. P/S,				
55-57	CORV. 8 cyl. (exc. dual 4BC)	(54¾ O.D. x ⅜ wide)	3712555	1	2.40
55-57	PASS. 8 cyl. w/40 amp. low cut-in (exc. P/S, C.A.C., dual 4BC),				
57	Ser. 6 (8 cyl.) P/S w/30 amp.	(40 amp. low cut-in) (56 O.D. x ⅜ wide)	3714366	1	2.40
55-56	PASS. 8 cyl. slow speed	(53 27/32 O.D. x ⅜ wide)	3718618	1	2.40
55	COMM. 6 cyl. 12 volt (slow speed) (exc. P/S, 40 amp.),				
55-57	UTIL. 6 cyl. 12 volt (exc. P/S, 40 amp.),				
55	UTIL. 6 cyl. 12 volt P/S	(30 amp.) (43 O.D. x ½ wide)	3718614	1	2.50
55-57	UTIL. 6 cyl. 12 volt P/S	(40 amp.) (47 O.D. x ½ wide)	3720578	1	2.75
55-57	COMM. 6 cyl. P/S (2nd Ser.) (exc. D-D)	(30 amp.) (42½ O.D. x ½ wide)	3724313	1	2.50
55-57	COMM. 6 cyl. (2nd Ser.) (exc. 40 amp., P/S)	(42 O.D. x ½ wide)	3711686	1	2.80
55-56	COMM., 1½ TON (8 cyl.) (exc. 40 amp., D-D),				
57	COMM. 8 cyl. (exc. 40 amp., D-D)	(56 O.D. x ½ wide)	3723329	1	3.15
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. P/S)	(40 amp. low cut-in), fan to drive pump (44 O.D. x ½ wide)	3719612	1	2.80
55-57	COMM. 6 cyl. P/S (2nd Ser.) (exc. D-D),				
57	Ser. 6 (D-D) (exc. P/S)	(40 amp. low cut-in) (46½ O.D. x ½ wide)	3724316	1	2.80
55-57	COMM., UTIL. (8 cyl.) w/40 amp.,				
55-57	UTIL. 8 cyl. P/S w/30 amp.	(½ V-type notched) (56¾ O.D. x ½ wide)	3725974	1	3.15
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. P/S)	(40 amp. hvy. duty) (45 O.D. x ½ wide)	3723186	1	2.80
55	UTIL. 8 cyl. P/S	(30 amp.) (55¾ O.D. x ½ wide)	3713594	1	2.80
55	UTIL. 8 cyl. (exc. P/S, 40 amp. low cut-in)	(57½ O.D. x ½ wide)	3718616	1	2.75
55-57	COMM., UTIL. (8 cyl.) (exc. P/S) (exc. D-D)	(40 amp. hvy. duty) (58¾ O.D. x ½ wide)	3725973	1	3.15
53-55	CORV. 6 cyl.	(39½ O.D. x ⅜ wide)	3708991	1	2.30
55	UTIL. 8 cyl. P/S w/40 amp.,				
56	COMM., UTIL. (8 cyl.) (exc. P/S 40 amp. low cut-in),				
57	Ser. 3 (D-D) 8 cyl. (exc. 40 amp.),				
57	Ser. 4 (8 cyl.) (exc. 40 amp., P/S)	(½ V-type notched) (57½ O.D. x ½ wide)	3722088	1	3.15
55-57	PASS. w/C.A.C.	air cond. comp. (61½ O.D. x ⅜ wide)	3727971	1	(9.185)
56-57	CORV. w/dual 4BC	high speed drive (54⅛ O.D.)	3738437	1	2.55
57	PASS. 6 cyl. w/C.A.C.	(42 O.D. x ⅜ wide)	3738693	1	2.30
57	PASS. w/dual 4BC	(56 O.D. x ⅜ wide)	3737976	1	2.45
57	Ser. 6 (8 cyl.) (exc. 40 amp., P/S)	UNIT (57 O.D.)	3732534	1	4.85
57	Ser. 6 hvy. duty (8 cyl.) w/40 amp. H.D. gen. (exc. P/S)	UNIT (59½ O.D.)	3732535	1	4.85
57	Ser. 6 P/S (8 cyl.) w/30 amp.	UNIT (56 O.D.)	3732537	1	4.85
57	Ser. 6 (8 cyl.) w/40 amp. low cut-in gen. (exc. P/S)	UNIT	3732540	1	4.85

*NOTE: Also used on 1954 Comm. with ⅝ generator drive.

NOTE: Part numbers moulded on belts.

1.069 PUMP ASSEMBLY, Water, with Fan Pulley

29-34	ALL (exc. CC, DC)	less pulley (cast 836944)	601108	1	6.95
36	ALL	(cast 836078)	836075	1	8.30
37-38	ALL (use offset fan)	(cast 598309—pulley stamped 838764)	598308†	1	10.65
39-40	ALL	(cast 598309—pulley stamped 838905)	838903	1	10.65
41-52	ALL	pulley "V" 5/8 wide (pulley stamped			
53-55	UTIL. (1st Ser.) (exc. 261)	838905)	3836083	1	10.75
53-54	PASS., COMM. (exc. H.T.),				
55	COMM. (1st Ser.) (exc. H.T.)	pulley "V" 3/8 wide	3836084	1	10.75
54-55	ALL w/261 (1st Ser.)	(3836208 cast on body)	3836207	1	10.75
54-55	COMM. w/H.T. (with cooler) (1st Ser.)	pulley "V" 3/8 wide	3836223	1	10.75
55-56	PASS. 6 cyl.,				
55-56	COMM., UTIL. (6 cyl.) (2nd Ser.)	(cast 3836160—less fan pulley)	3836159	1	9.35
55-56	ALL, 8 cyl. (exc. H.T.)	(cast 3704911—less fan pulley)	3704906	1	12.25
55-56	ALL 8 cyl. w/H.T.	(less fan pulley)	3836856	1	12.25
53-55	CORV. 6 cyl.		3706009	1	24.95
55-57	ALL 6 cyl. (2nd Ser.)	unit, w/reducing bushing	3741033	1	9.75
55-57	ALL, CORV. (8 cyl.) (2nd Ser.)	unit w/fitting	3741034	1	12.45

†NOTE: Repair parts for original 1937 water pump (part 838464) and original 1938 water pump (part 603148) may be identified by their respective part numbers.

1.073 BODY—BOLT—STUD, Water Pump

53-55	CORV. 6 cyl.		3706013	1	11.85
53-55	CORV. 6 cyl.	BOLT, L.H. (3/8—16 x 7/8)	132395	2	(8.907)
53-55	CORV. 6 cyl.	BOLT, R.H. (3/8—16 x 1 1/4)	132405	1	(8.907)
56-57	D-D 8 cyl.	BOLT (3/8—16 x 1 5/8)	3836646	1	(3.275)
57	PASS. 8 cyl. (exc. C.A.C.)	STUD, (5/16-24-38-16 x 2 9/16)	3740778	1	.15

1.079 GASKET, Water Pump Assembly to Block

37-40	ALL	(has one 1 3/8 center hole)	838137	1	.08
41-54	ALL	(has two 1 1/16 center holes, one 5/8 half			
55	COMM., UTIL. (1st Ser.)	flat hole)	3836048	1	.08
55-57	ALL 6 cyl. (2nd Ser.)	(3 13/16 I.D. w/5 holes 13/32 dia.)	3836162	1	.08
55-57	ALL, CORV. (8 cyl.)	(1 3/32 large I.D.)	3836221*	2	.08

*NOTE: When using as L.H. gasket trim off 1/2 dia. hole.

1.109 ROTOR, Water Pump

41-54	ALL,				
55	COMM., UTIL. (1st Ser.)	(stamped 598313)	598313	1	1.05
55-57	ALL 6 cyl. (2nd Ser.)	(stamped 3836161)	3836161	1	1.05
55-57	ALL, CORV. (8 cyl.)	(stamped 3704164)	3704164	1	1.50

1.113 PLATE, Water Pump Back

41-54	ALL,				
55	COMM., UTIL. (1st Ser.)	(by-pass hole flat on top side)	3836082	1	.55
55-57	ALL, CORV. (8 cyl.)	(six 9/32 holes)	3704166	1	.50

1.114 GASKET, Water Pump Body

36	ALL	(has 3 1/4 round ctr. hole—three 5/16 holes)	836080	1	.08
37-40	ALL	to plate	838150	1	.08
41-54	ALL,				
55	COMM., UTIL. (1st Ser.)	to plate	839469	1	.08
53-55	CORV. 6 cyl.	body	3706014	1	.10
53-55	CORV. 6 cyl.	rotor housing	3706012	1	.10
55-57	ALL, CORV. (8 cyl.)	to plate (six holes 9/32 x 1/64 thk.)	3704168	1	.08

1.133 PACKING—SEAL, Water Pump

29-36	ALL	(5/8 I.D. x 15/16 O.D. x 1/4 thick—split)	353298	A.R.	.20
53-55	CORV.	SEAL	3701737	1	.95
55-57	ALL, CORV.	SEAL (1 5/8 O.D.)	3836725	1	.95

1.146 PLUG, Water Jacket (also see groups 8.970 and 0.034)

37-57	ALL, CORV.	(1 5/8 O.D.—cup shape)	838538	A.R.	.15

1.148 GAUGE, Water Temperature (Dash Unit)

37-38	GB, HB (exc. CONV.),				
39	JA (special equip. on JB)	light dial, red pointer	1510899	1	7.60
40-46	ALL (exc. AG, AH, BG, BH, DJ, DK, COE)	dark brown trim	1511264	1	7.60
40-46	COE	light brown trim	1510995	1	7.60
37-38	PASS. (CONV. only GB, HB),				
41	PASS.		1511051	1	7.60
47-53	COMM., UTIL. (exc. D-D, COE),				
54-55	COMM., UTIL. (FFC) (1st Ser.)		1512701	1	7.60
47-53	D-D, COE		1512703	1	8.05
42-48	PASS.		1512078	1	7.60
49-50	PASS.		1511842	1	7.00
51-52	PASS.		1512241	1	6.65
53	PASS.		1512456	1	6.65
54	PASS.		1512818	1	6.20
53-55	CORV.	w/tube	1512756	1	10.00
54-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE, FFC)	(tube 44 O.L.)	1512692	1	6.85
54-55	D-D, COE (1st Ser.)	(tube 73 O.L.)	1512750	1	7.45
55	PASS. 6 cyl.		1512931	1	7.65
55	PASS. 8 cyl.		1513145	1	6.00
55	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. D-D)	(tube 43 O.L.)	1512979	1	7.40
55	D-D (2nd Ser.)	(tube 69 O.L.)	1513189	1	8.05
55	COMM., UTIL. (8 cyl.)		1513163	1	7.35
56	PASS.	(electric)	1513134	1	5.50
56-57	CORV.	(electric)	1513198	1	9.50
56	COMM., UTIL.	(electric)	1513138	1	5.60
57	PASS.	(electric)	1513317	1	7.00
57	Ser. 3-4-6	(electric)	1513381	1	5.60

1.150 GAUGE—BUSHING—PLUG—FITTING, Water Temperature (Engine Unit)

56	ALL, CORV.	sending unit (electric)	1513130	1	2.75
57	ALL, CORV.	sending unit (electric)	1513321	1	2.75
53-55	ALL 6 cyl.	BUSHING, reducing in cyl. block (⅝—18 int. x ½— 4 ext.) (used w/electrical sending unit)	3837160	1	.35
56-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	PLUG, temp. gauge hole (⅝)	3731890	1	.15
30-40	ALL (exc. CC, DC)	FITTING in cylinder head (⅝—18 int. x ½ taper ext.)	597630	1	.35

1.153 OUTLET, Water

40-54	ALL (exc. 261),				
55	COMM., UTIL. (1st Ser.) (exc. 261)	(cast 3835423)	3835423	1	1.40
53-55	CORV. 6 cyl.		3836054	1	4.25
54-55	ALL w/261 (1st Ser.),				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	(cast 3836209)	3836209	1	1.40
55-56	PASS. 6 cyl.	(cast 3836130)	3836130	1	1.40
55-57	ALL 8 cyl. (exc. 1955 C.A.C.)	(cast 3705018)	3705018	1	1.45
55	PASS. w/C.A.C.	with oil filter bracket	5573955	1	8.05
55-57	CORV. 8 cyl. (exc. dual 4BC)	(cast iron)	3711268	1	3.45
57	PASS. 6 cyl.	(cast iron)	3732946	1	1.40

1.154 GASKET, Water Outlet

37-57	ALL, CORV.	(2 holes $1\frac{3}{32}$—$1\frac{13}{16}$ I.D.)	3701777	1	.10

1.159 HOSE, Radiator

	See radiator hose chart	(1¼ I.D. x 36 length)	364382	A.R.	2.55
	See radiator hose chart	(1½ I.D. x 36 length)	3701363	A.R.	2.65
42-54	PASS.	inlet (1¼ curved) (cut at "1" mark),			
47-48	COMM., UTIL.	(cut at "3" mark),			
52-53	COMM., UTIL. (exc. D-D)	(cut at "2" mark),			
49-51	COMM., UTIL.,				
52-53	D-D,				
54-55	COMM., UTIL. (1st Ser.) (exc. 261)		3702348	1	.90
53-55	CORV. 6 cyl.	inlet (1¼ I.D.)	3706216	1	1.05

53-55	CORV. 6 cyl.	aux. tank (1¼ I.D. x 10½ long)	3706247	1	.70
50-54	PASS. w/P.G.	cooler to radiator (1½ I.D. x 5)	3694352	1	.40
54-55	ALL w/261 (1st Ser.)	(1½ I.D.)	3708930	1	1.25
55-56	PASS. 6 cyl.	inlet (1½ I.D. x 5¼ dev. length)	3709443	1	.80
55-57	PASS. 8 cyl. (exc. dual 4BC)	inlet (1½ I.D. x 11 dev. length)	3709608	1	1.25
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	inlet (1½ I.D. x 7 dev. length)	3713897	1	1.25
55-57	COMM., UTIL. (8 cyl.)	inlet (1½ I.D. x 13½ dev. length)	3723714	1	1.30
55-57	CORV. 8 cyl. (exc. dual 4BC)	inlet (1½ I.D. x 14½ long)	3715184	1	1.45
56-57	CORV. w/dual 4BC	inlet (1½ x 13½ dev. length)	3728490	1	1.25
56-57	PASS. w/dual 4BC	inlet (1½ I.D.)	3732481	1	1.05
57	PASS. 6 cyl.	inlet (1½ I.D. x 7½ dev. length)	3732942	1	1.25

RADIATOR HOSE CHART

NOTE: "INLET" hose is used between top of radiator and engine water outlet. "OUTLET" hoses (upper and lower) are used between bottom of radiator and cylinder block.

INLET HOSE

Year	Series	I.D.	Length
37-41	PASS.	1¼	5⅝
37-46	COMM., UTIL. (exc. COE)	1¼	6¾
42-54	PASS.	See 3702348	
39-46	COE (filler neck)	1½	3½
47	COE (filler neck)	1½	8⅞
47-51	COMM., UTIL.	See 3702348	
52-55	COMM., UTIL. (1st Ser.) (exc. 261)	See 3702348	
53-55	CORV. 6 cyl.	See 3706216	
54-55	ALL w/261 (1st Ser.)	See 3708930	
55-56	PASS. 6 cyl.	See 3709443	
55-57	PASS. 8 cyl. (exc. dual 4BC)	See 3709608	
55-57	CORV. 8 cyl. (exc. dual 4BC)	See 3715184	
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	See 3713897	
55-57	COMM., UTIL. (8 cyl.)	See 3723714	
56-57	PASS. w/dual 4BC	See 3732481	
56-57	CORV. w/dual 4BC	See 3728490	
57	PASS. 6 cyl.	See 3732942	

OUTLET HOSE

Year	Series	I.D.	Length
37-40	ALL (upper)	1½	2¾
37-40	ALL (lower)	1½	5
41-46	ALL	1½	4 7/16
47-48	PASS.	1½	4 7/16
47-49	COMM., UTIL.	1½	3⅛
49	PASS.	1½	3⅛
50-54	ALL (exc. P.G., 261),		
55	COMM., UTIL. (1st Ser.) (exc. 261)	See 3694277 (1.173)	
50-54	PASS. w/P.G.—pump to cooler	1½	2⅝
53-55	CORV. 6 cyl.	See 3706088 (1.173)	
54-55	ALL w/261 (1st Ser.)	See 3708931 (1.173)	
55-56	PASS. 6 cyl.	See 3709444 (1.173)	
55-57	PASS. 8 cyl.	See 3709609 (1.173)	
55-57	CORV. 8 cyl.	See 3715183 (1.173)	
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	See 3713898 (1.173)	
55-57	COMM. 1½ TON (8 cyl.)	See 3723716 (1.173)	
55-57	2 TON 8 cyl.	See 3739263	
57	PASS. 6 cyl.	See 3732944 (1.173)	

1.166 CLAMP, Hose, with Nut and Bolt

ALL	ALL	for 11/16 dia. hose	111603	A.R.	.10
ALL	ALL, CORV.	for 15/16 dia. hose	3696820	A.R.	.10
ALL	ALL	for ¾ dia. hose	272852	A.R.	.10
ALL	ALL, CORV.	universal (expansion 1½ to 2¾ O.D.)	3692864	A.R.	.15
ALL	ALL	spring type (for 9/16 dia. hose)	272844	A.R.	.10
ALL	ALL	worm adj. type (½ x 1⅜ I.D. range)	1162079	A.R.	.40
ALL	ALL	worm adj. type (1⅜ x 2½ I.D. range)	1161694	A.R.	.40

1.173 PIPE—HOSE, Radiator Outlet

35-40	ALL	(1½ O.D.)	378248	1	.90
53-55	CORV. 6 cyl.	(1½ O.D.)	3706089	1	1.25
41-46	ALL,				
47-48	PASS.	HOSE (1½ I.D.)	3692230	1	1.25
47-48	COMM., UTIL.,				
49-54	ALL (exc. P.G., 261),				
55	COMM., UTIL. (1st Ser.) (exc. 261)	HOSE (1½ I.D.)	3694277	1	1.60
53-55	CORV. 6 cyl.	HOSE (1½ O.D.)	3706088	1	.75
54-55	ALL w/261 (1st Ser.)	HOSE (1¾ I.D.)	3708931	1	1.90
55-56	PASS. 6 cyl.	HOSE (1¾ I.D.)	3709444	1	1.90
55-57	PASS. 8 cyl.	HOSE (1¾ I.D.)	3709609	1	1.55
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	HOSE (1¾ I.D.)	3713898	1	1.90
55-57	COMM., 1½ TON (8 cyl.) (exc. D-D)	HOSE (1¾ I.D.)	3723716	1	1.75
55-57	2 TON 8 cyl.	HOSE (1¾ I.D.)	3739263	1	1.75
55-57	CORV. 8 cyl.	HOSE (1¾ O.D. x 15 long)	3715183	1	2.10
56-57	D-D 8 cyl.	HOSE (1¾ I.D.)	3735008	1	1.75
57	PASS. 6 cyl.	HOSE (1¾ I.D.)	3732944	1	1.90

1.174 PLATE—GASKET, Water Filter

51-52	ALL,				
53-54	ALL (exc. COE),				
55	COMM., UTIL. (1st Ser.) (exc. COE)	lower corrosion resistor	3701140	1	.70
51-52	ALL,				
53-54	ALL (exc. COE),				
55	COMM., UTIL. (1st Ser.) (exc. COE)	GASKET	3701339	1	.30

1.175 ANTI-FREEZE, Radiator

ALL	ALL	24 1 qt. cans (Methanol)	986955	A.R.	10.32
ALL	ALL	six 1 gal. cans (Methanol)	986954	A.R.	9.60
ALL	ALL	54 gal. drum (Methanol)	986956	A.R	86.40
ALL	ALL	24 1 qt. cans (Ethylene Glycol)	986953	A.R.	20.40
ALL	ALL	six 1 gal. cans (Ethylene Glycol)	986952	A.R.	19.50

1.203 CAP, Radiator Filler, with Gasket

37-47	ALL (exc. COE),				
48-52	COMM., UTIL. (exc. D-D, COE),				
49-51	PASS. (exc. P.G.)	(dbl. ear)	594498	1	.65
39-47	COE,				
48-53	D-D	(round type)	3660773	1	.75
48-52	PASS., COE,				
53	ALL (exc. D-D),				
54-55	COMM., UTIL. (1st Ser.)	pressure type (dbl. ear-marked 501)	850796[▲]	1	1.25
53-55	CORV. 6 cyl.	(pressure type—chrome)	850778[▲]	1	3.24
54-57	PASS.,				
55-57	CORV. 8 cyl.,				
55-57	COMM., UTIL.	pressure type (RC-1)	850795[▲]	1	1.25

[▲]NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

1.206 GASKET, Radiator Filler Cap

48-54	PASS.,				
49-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	upr. (1 7/16 I.D. x 2 7/32 O.D.)	846689*	1	.30

*NOTE: Use 846689 only when car is equipped with radiator overflow condenser.

1.210 NECK—BRACKET, Radiator Filler

39-47	COE,				
48-53	D-D	w/clamp and overflow pipe	3650966	1	1.75
54-57	D-D	w/clamp and overflow pipe	3705981	1	2.90
53-55	CORV. 6 cyl.	BRACKET, auxiliary tank	3706366	1	.55

1.219 CORE—TANK ASSY., Radiator

40-41	PASS.	(stamped 3114869—2" core)	3114869	1	64.50
40	COMM., UTIL. (exc. COE)	(stamped 3113453)	3113453	1	46.25
41-46	COMM., UTIL. (exc. COE)	(2" core)	3116352	1	64.50
41-46	COE	(stamped 3115087)	3115087	1	47.85
42-48	PASS.	(stamped 3121096—2" core)	3121096	1	64.50
47-53	COMM., 1½ TON (exc. D-D),				
54-55	½, ¾ TON (1st Ser.) (exc. D-D)	(stamped 3118968—2" core)	3118968	1	73.25
47-53	¾, 1, 1½ TON (hvy. duty) (exc. D-D),				
52-53	2 TON,				
54-55	¾ TON (hvy. duty) (1st Ser.),				
54-55	1, 1½ TON (1st Ser.) (exc. D-D)	w/cap (stamped 3131361—2½ core)	3131855	1	87.75
47-53	2 TON (hvy. duty),				
54-55	1, 1½ TON (hvy. duty) (1st Ser.),				
54-55	2 TON (1st Ser.) (exc. 261)	w/cap (stamped 3121499—3" core)	3130812	1	94.50
48-55	D-D (1st Ser.)	(stamped 3131362—2" core)	3131362	1	73.50
49-54	PASS.	(stamped 3128877—2" core)	3130944	1	74.50
53-55	CORV. 6 cyl.	(stamped 3130953—6 cyl.)	3130953	1	84.20

54-55	2 TON w/261 (1st Ser.)	(stamped 3132039—3″ core)	3132039	1	94.50
55-56	PASS. 6 cyl. (exc. P.G.)	(stamped 3133042)	3133042	1	64.75
55-56	PASS. 6 cyl. w/P.G.	(stamped 3133043)	3133043	1	74.50
55-57	PASS. 8 cyl. (exc. A.T.)	(stamped 3136157)	3136157	1	64.75
55-56	PASS. 8 cyl. w/P.G.	(stamped 3136158)	3136158	1	74.50
55-57	CORV. 8 cyl.	(stamped 3133689, V-8)	3133689	1	103.25
55-57	COMM. (2nd Ser.) (exc. D-D, hvy. duty)	(stamped 3135642—2″ core)	3135642	1	69.25
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	(stamped 3135857—2″ core)	3135857	1	70.50
55-56 57	UTIL. (2nd Ser.) (exc. hvy. duty, 261), 1½ TON (exc. hvy. duty)	(stamped 3134559—2″ core)	3134559	1	78.50
55-57 55-57	COMM., 1½ TON (hvy. duty) (2nd Ser.), 2 TON (2nd Ser.) (exc. D-D)	(stamped 3135894) (2½″ core)	3135894	1	92.75
56-57	D-D 8 cyl.	(stamped 3135896—2″ core)	3135896	1	70.50
57	PASS. 6 cyl. (exc. P.G.)	(stamped 3136569—2″ core)	3136569	1	64.75
57	PASS. 6 cyl. w/P.G.	(stamped 3136570—2″ core)	3136570	1	74.50
57	PASS. 8 cyl. w/A.T.	(stamped 3137077—2″ core) double plate cooler	3137077	1	74.50
57	Ser. 6 (D-D)	(stamped 3136569—2½″ core)	3133345	1	91.75
53-55	CORV. 6 cyl.	TANK ASSY. (auxiliary)	3706261	1	39.75

1.229 DRAIN—COUPLING, Radiator (Also see 8.951)

40-47	PASS.	(⅛ tapered pipe thd.—1⅝ length)	3113456	1	.40
48-52 55-57	PASS., PASS. 8 cyl.	(¼ tapered pipe thd.—1⅜ length)	3663932	1	.40
48-50 51-57 53-57	COMM., UTIL., ALL 6 cyl., CORV.	(¼) (black) (type C)	3719518	1	.40
55-57	COMM., UTIL. (8 cyl.) (2nd Ser.) (exc. D-D)	w/drain hose spout (¼ tapered pipe thread —1¼ length) (type C)	520446	1	.60
53-57	CORV.	COUPLING (¼—18 pipe threads)	3706554	1	.40

1.240 HOSE, Radiator Overflow

37-57	ALL (exc. COE)	outlet (7/32 I.D. 50 ft. roll)	601607	A.R.	(8.962)
37-57	ALL (exc. COE)	inlet (9/32 I.D. x 72 length)	604041	1	(8.962)

1.246 THERMOSTAT, Radiator and Hot Water Heater

ALL	ALL, CORV.	151°	3133595	1	2.25
ALL	ALL, CORV.	160°	3133596	1	2.25
ALL	ALL, CORV.	170°	3133597	1	2.25
29-55	ALL, CORV. (exc. 1954-55 PASS.) (for max. heat) (1st Ser.)	180°	3133698*	1	2.25

*NOTE: Not used w/7 lb. pressure radiator cap. (Pass. after 1953.)

1.251 HOUSING, Thermostat

37-39	ALL		838339	1	1.60
40-57 53-55	ALL 6 cyl., CORV. 6 cyl.		839232	1	1.60
40-57	ALL 6 cyl.	w/bushing, use w/3741033 pump	3741032	1	1.75

1.252 GASKET, Thermostat Housing

37-57	ALL, CORV. (6 cyl.)	housing to head	838297	1	.08

1.263 SHELL—PANEL, Radiator

37	COMM., UTIL.	w/supt.	602395	1	22.35
40	COMM., UTIL. (exc. COE)	w/supt.	604428	1	22.35
41-46	COE	lwr.	3676596	1	30.87
41-46	COMM., UTIL. (exc. COE)	PANEL, grille, lower (edge of cut-out flanged)	3680810	1	3.50
53-55	CORV.	PANEL, lower (plastic laminate)	3709729	1	38.45
53-55	CORV.	PANEL, upper (plastic laminate)	3708554	1	98.50
56-57	CORV.	PANEL, front bottom (plastic laminate)	3724134	1	36.75
56-57	CORV.	PANEL, left front bottom (plastic laminate)	3738765	1	19.50
56-57	CORV.	PANEL, right front bottom (plastic laminate)	3738766	1	19.50
56-57	CORV.	PANEL, front bottom center (plastic laminate)	3738769	1	17.50
56-57	CORV.	PANEL, front top center (plastic laminate)	3738770	1	28.50

NOTE: For upper side panels see group 8.153 front fender extension panel.

1.264 SUPPORT, Radiator Shell

41-46	COE		3659123	1	1.75

1.266 GRILLE ASSY. AND PARTS, Radiator (Mouldings in group 1.268)

37	PASS.		594624	1	13.30
37	COMM., UTIL.		595112	1	14.70
38	PASS.	L. (stainless steel)	3847215	1	8.90
38	PASS.	R. (stainless steel)	3847216	1	8.90
38	COMM., UTIL.	L.	597829	1	7.20
38	COMM., UTIL.	R.	597830	1	7.20
39	PASS.	L.	350339	1	6.90
39	PASS.	R.	350340	1	6.90
39	COMM., UTIL. (exc. COE)		350442	1	13.30
40	PASS.		3653525	1	13.95
40	COMM., UTIL. (exc. COE)		3653523	1	13.95
41	PASS.		3658060	1	14.70
41-46	COMM., UTIL. (exc. COE)	upper	3657169	1	13.90
41-46	COMM., UTIL. (exc. COE)	lower	3657185	1	23.85
42	PASS.		3663895	1	13.95
46	PASS.		3681272	1	45.80
47-48	PASS.	center	3690280	1	21.30
47-48	PASS.	left	3847455	1	21.30
47-48	PASS.	right	3847456	1	21.30
47-53	COMM.	(in prime)	3693744	1	29.15
47-53	UTIL. (exc. COE)	(in prime)	3847354	1	28.05
47-53	COE	(in prime)	3847358	1	28.05
55	PASS.		3709690	1	22.80
56	PASS.	center	3721025	1	27.45
53-57	CORV.	complete grille assy. (chrome)	3706490	1	77.15
55-56	COMM. (2nd Ser.)	(painted)	3721044	1	25.00
55-56	COMM. (2nd Ser.)	(chrome)	3721045	1	77.15
57	A, B, D	aluminum	3737253	1	9.75
57	C	aluminum w/gold finish	3738775	1	10.75
57	Ser. 3 (exc. deluxe equip.)	(painted)	3741314	1	45.00
57	Ser. 3 w/deluxe equip.	(chromed)	3741315	1	118.50
54-55	COMM. (1st Ser.)	PANEL, outer end, left	3700405	1	2.00
54-55	COMM. (1st Ser.)	PANEL, outer end, right	3700406	1	2.00
54-55	UTIL. (1st Ser.)	PANEL, outer end, left	3700269	1	2.00
54-55	UTIL. (1st Ser.)	PANEL, outer end, right	3700270	1	2.00
56	PASS.	PANEL, left parking lamp mtg. (chrome)	3731829	1	4.05
56	PASS.	PANEL, right parking lamp mtg. (chrome)	3731830	1	4.05
46-48	PASS.	REINFORCEMENT, radiator grille and molding	3681308	1	.50
49	PASS.	REINFORCEMENT ASSY., grille	3688406	1	10.50
50	PASS.	REINFORCEMENT ASSY., grille	3692600	1	10.50
50-52	PASS.	REINFORCEMENT, header bar	3694926	1	1.20
53-54	PASS.	REINFORCEMENT, header bar	3701630	1	1.60
55	PASS.	REINFORCEMENT ASSY., grille	3710500	1	2.20
56	PASS.	REINFORCEMENT ASSY., grille	3721537	1	2.50
57	PASS.	BAR, grille fender tie (unplated—major brace)	3731018	1	2.50
51	PASS.	DEFLECTOR, center bar air	3694928	1	2.20
51-52	PASS.	DEFLECTOR, lower bar air	3694933	1	1.85
52	PASS.	DEFLECTOR, center bar air	3699636	1	2.20
53	PASS.	DEFLECTOR, center bar air	3697859	1	2.00
53	PASS.	DEFLECTOR, lower bar air	3697860	1	2.00
57	Ser. 3	DEFLECTOR, surrounds upr. and lwr. grille bars	3734628	1	7.25
51-52	PASS.	PLATE, outer bar tie L.H.	3694939	1	1.45
51-52	PASS.	PLATE, outer bar tie R.H.	3694940	1	1.45
53-57	CORV.	PLATE, frame (1 long x 11/16 wide)	3706903	9	.15
53-56	CORV.	PLATE, frame end (3 long x 11/16 wide)	3706904	4	.15
53-57	CORV.	PLATE, vertical mldg. anchor (2 3/8 long x 5/8 wide)	3706430	8	.10
53-57	CORV.	PLATE, vertical mldg. anchor (8 3/4 long x 7/16 wide)	3706469	2	.40
53-57	CORV.	PLATE, vertical mldg. anchor (9 5/8 long x 7/16 wide)	3706468	3	.45

53	PASS	SUPPORT, radiator grille	3702500	1	.40
54	PASS	SUPPORT, left, vertical outer bar (stamped 17L)	3707917	1	.15
54	PASS	SUPPORT, right, vertical outer bar (stamped 18R)	3707918	1	.15
54	PASS	SUPPORT, left, vertical inter. bar (stamped 19L)	3707919	1	.15
54	PASS	SUPPORT, right, vertical inter. bar (stamped 20R)	3707920	1	.15
56	PASS	SUPPORT, left, grille reinforcement	3724857	1	.15
56	PASS	SUPPORT, right, grille reinforcement	3724858	1	.15
55-57	ALL (2nd Ser.)	SCREEN, insect	987350	1	.95

1.267 SPACER, Radiator Grille

49-50	PASS	center	3689254	1	1.20
49-50	PASS	outer, L.	3689613	1	.25
49-50	PASS	outer, R.	3689614	1	.25
51-52	PASS	center	3694929	1	1.20
51-52	PASS	outer, L.	3694943	1	.35
51-52	PASS	outer, R.	3694944	1	.35
53	PASS	center	3701635	1	1.20
54	PASS	center	3705100	1	1.20
55	PASS	center	3711043	1	1.20
56	PASS	center	3721891	1	1.20
55-57	UTIL. (2nd Ser.)	horizontal bar (½ I.D. x 1 5/16 O.L.)	3709917	1	(6.581)
57	PASS	outer, L.	3733563	1	.45
57	PASS	outer, R.	3733564	1	.45
57	PASS	center	3732330	1	1.20

1.268 MOULDING—BAR, Radiator Grille

39	PASS	upper, L. (19¼ O.L.)	350619	1	1.15
39	PASS	upper, R. (19¼ O.L.)	350620	1	1.15
39	PASS	ctr. (17⅛ O.L.)	350628	1	.80
39	COMM., UTIL. (exc. COE)	ctr. upr. (21¾ O.L.)	350814	1	1.55
40	PASS	upr. (18 O.L.—stamped "CHEV")	3655436	1	1.95
40	PASS	ctr. (15⅞ O.L.)	3653827	1	1.15
40	PASS	side, L. (19⅝ O.L.)	3653805	1	1.85
40	PASS	side, R. (19⅝ O.L.)	3653806	1	1.85
40	COMM., UTIL. (exc. COE)	ctr upr. (20¼ O.L.)	3653529	1	1.95
41	PASS	upr. (15¾ O.L.)	3658303	1	3.05
41	PASS	ctr. (14¼ O.L.—w/emblem)	3658071	1	3.05
41	PASS	side, L. (15½ O.L.)	3658067	1	2.40
41	PASS	side, R. (15½ O.L.)	3658068	1	2.40
41	PASS	lwr. L. (19⅝ O.L.)	3658069	1	2.60
41	PASS	lwr. R. (19⅝ O.L.)	3658070	1	2.60
42	PASS	upr. (21¼ O.L.—stamped "CHEV")	3664332	1	4.75
42	PASS	ctr. (10⅝ O.L.)	3664083	1	1.65
42	PASS	side, L. (14⅝ length overall)	3663905	1	1.70
42	PASS	side, R. (14⅝ length overall)	3663906	1	1.70
46	PASS	upr. assy. (cast 3676572)	3676572	1	14.95
47-53	COE	upper assy. (hood bar)	3685981	1	1.70
47-48	PASS	upr. assy. (stmpd. "CHEVROLET")	3687410	1	13.55
48	PASS	ctr. assy. (vertical) (14⅝ length overall)	3687150	1	11.00
49-50	PASS	upr. (stmpd. "CHEVROLET")	3688269	1	13.55
49-50	PASS	ctr. (horizontal) (63 length overall)	3688271	1	11.25
49-50	PASS	lwr. (horizontal) (63 length overall)	3693966	1	11.25
49	PASS	ctr. (vertical) (4¼ length overall)	3688381	1	1.35
49	PASS	inter., L. and R. (vertical) (4⅛ O.L.)	3688382	4	1.35
49-50	PASS	outer, L. (vertical) (3⅞ length overall)	3688383	1	1.35
49-50	PASS	outer, R. (vertical) (3⅞ length overall)	3688384	1	1.35
50	PASS	L.H. vertical under parking lamp	3692603	1	2.45
50	PASS	R.H. vertical under parking lamp	3692604	1	2.45
51	PASS	ctr. (horizontal)	3694927	1	8.65
51-52	PASS	lwr. (horizontal)	3694930	1	9.15
51-52	PASS	outer, L. (horizontal—"U" shaped)	3699643	1	6.15
51-52	PASS	outer, R. (horizontal—"U" shaped)	3699644	1	6.15


51-52	PASS.	upr. assy.	3699630	1	11.80
52	PASS.	outer, L. (vertical)	3699651	1	2.20
52	PASS.	outer, R. (vertical)	3699652	1	2.20
52	PASS.	intermediate, L. (vertical)	3699637	1	2.20
52	PASS.	intermediate, R. (vertical)	3699638	1	2.20
52	PASS.	ctr. (horizontal)	3699632	1	9.15
52	PASS.	center (vertical)	3699633	1	2.20
53	PASS.	upper (chrome)	3703145	1	9.80
53	PASS.	center (horizontal) (chrome)	3703146	1	7.50
53	PASS.	lower	3703147	1	9.15
53	PASS.	center (vertical)	3703148	1	4.00
53	PASS.	outer, L. (vertical)	3703151	1	4.00
53	PASS.	outer, R. (vertical)	3703152	1	4.00
53	PASS.	outer end, L.	3703149	1	6.55
53	PASS.	outer end, R.	3703150	1	6.55
53-57	CORV.	frame assy.	3706432	1	21.65
53-57	CORV.	center (horizontal)	3706431	1	11.95
53-57	CORV.	No. 1, 2, 3 (vertical)	3706425	6	4.45
53-57	CORV.	center (vertical)	3706424	1	4.45
53-57	CORV.	No. 4 (vertical)	3706427	2	4.45
53-57	CORV.	No. 5 (vertical)	3706428	2	4.45
53-57	CORV.	No. 6 (vertical)	3706429	2	4.45
54	PASS.	upper	3705305	1	10.65
54	PASS.	center (horizontal)	3705306	1	7.75
54	PASS.	center (vertical)	3705313	1	3.05
54	PASS.	intermediate, left (vertical)	3705311	1	3.05
54	PASS.	intermediate, right (vertical)	3705312	1	3.05
54	PASS.	outer, left (vertical)	3705309	1	3.05
54	PASS.	outer, right (vertical)	3705310	1	3.05
54	PASS.	outer end, left	3705307	1	9.05
54	PASS.	outer end, right	3705308	1	9.05
54-55	COMM. (1st Ser.)	upper (notched on flange)	3700339	1	5.20
54-55	COMM. (1st Ser.)	center, left (horizontal) (notched on flange)	3700451	1	3.95
54-55	COMM. (1st Ser.)	center, right (horizontal) (notched on flange)	3700452	1	3.95
54-55	COMM. (1st Ser.)	lower (notched on flange)	3700439	1	6.35
54-55	COMM. (1st Ser.)	vertical (notched on flange)	3700511	1	4.35
54-55	COMM. (1st Ser.)	center, left (horizontal) (chrome)	3701113	1	17.50
54-55	COMM. (1st Ser.)	center, right (horizontal) (chrome)	3701114	1	17.50
54-55	COMM. (1st Ser.)	vertical (chrome)	3701112	1	15.50
54-55	COMM. (1st Ser.)	upper (chrome)	3710262	1	25.05
54-55	UTIL. (1st Ser.)	center, left (horizontal)	3700377	1	3.95
54-55	UTIL. (1st Ser.)	center, right (horizontal)	3700378	1	3.95
54-55	UTIL. (1st Ser.)	vertical	3700591	1	4.35
54-55	UTIL. (1st Ser.) (exc. COE)	upper	3700341	1	5.20
54-55	UTIL. (1st Ser.) (exc. COE)	lower	3700267	1	7.20
54-55	COE	upper	3700905	1	7.20
54-55	COE	lower	3700588	1	10.55
55	PASS.	upper (on hood panel)	3711156	1	5.40
55	PASS.	left	3711161	1	1.90
55	PASS.	right	3711162	1	1.90
55	PASS.	lower	3711158	1	5.20
55-56	COMM. (2nd Ser.)	upper, outer (painted)	3713238	1	3.90
55-56	COMM. (2nd Ser.)	upper, outer (chrome)	3718690	1	11.95
55-56	COMM. (2nd Ser.)	upper, horizontal (painted)	3713211	1	1.95
55-56	COMM. (2nd Ser.)	upper, horizontal (chrome)	3718687	1	8.60
55-56	COMM. (2nd Ser.)	center, horizontal (painted)	3713212	1	1.95
55-56	COMM. (2nd Ser.)	center, horizontal (chrome)	3718688	1	8.60
55-56	COMM. (2nd Ser.)	lower, horizontal (painted)	3711978	1	1.95
55-56	COMM. (2nd Ser.)	lower, horizontal (chrome)	3718689	1	8.60
55-56	COMM. (2nd Ser.)	lower, outer (painted)	3713242	1	3.90
55-56	COMM. (2nd Ser.)	lower, outer (chrome)	3718692	1	11.95
55-56	COMM. (2nd Ser.)	inner, vertical, left (painted)	3713213	1	2.50
55-56	COMM. (2nd Ser.)	inner, vertical, left (chrome)	3718679	1	7.50
55-56	COMM. (2nd Ser.)	inner, vertical, right (painted)	3713214	1	2.50
55-56	COMM. (2nd Ser.)	inner, vertical, right (chrome)	3718680	1	7.50
55-56	COMM. (2nd Ser.)	outer, vertical, left (painted)	3713217	1	2.50
55-56	COMM. (2nd Ser.)	outer, vertical, left (chrome)	3718683	1	7.50

55-56	COMM. (2nd Ser.)	outer, vertical, right (painted)	3713218	1	2.50
55-56	COMM. (2nd Ser.)	outer, vertical, right (chrome)	3718684	1	7.50
55-56	COMM. (2nd Ser.)	outer, side, left (painted)	3713245	1	1.30
55-56	COMM. (2nd Ser.)	outer, side, left (chrome)	3718695	1	6.25
55-56	COMM. (2nd Ser.)	outer, side, right (painted)	3713246	1	1.30
55-56	COMM. (2nd Ser.)	outer, side, right (chrome)	3718696	1	6.25
55-57	UTIL. (2nd Ser.)	horizontal (painted) (stamped "CHEVROLET")	3730811	1	7.50
55-57	UTIL. (2nd Ser.)	vertical, left (painted)	3730557	1	3.60
55	UTIL. (2nd Ser.)	vertical, right (painted)	3719318	1	3.60
56	PASS.	upper	3721984	1	7.70
56	PASS.	lower	3720864	1	7.50
56	PASS.	left	3721987	1	3.45
56	PASS.	right	3721988	1	3.45
56-57	UTIL.	vertical, right (painted)	3730558	1	3.60
57	PASS.	upper	3730805	1	7.95
57	PASS.	left	3730803	1	3.45
57	PASS.	right	3730804	1	3.45
57	Ser. 3 (exc. deluxe equip.)	upper, horizontal (painted)	3734173	1	4.50
57	Ser. 3 w/deluxe equip.	upper, horizontal (chrome)	3736622	1	12.50
57	Ser. 3 (exc. deluxe equip.)	center (painted)	3733605	1	6.50
57	Ser. 3 w/deluxe equip.	center (chrome)	3736633	1	25.25
57	Ser. 3 (exc. deluxe equip.)	lower, horizontal (painted)	3734175	1	4.50
57	Ser. 3 w/deluxe equip.	lower, horizontal (chrome)	3736624	1	12.50
57	Ser. 3 (exc. deluxe equip.)	outer side, left (painted)	3734177	1	3.50
57	Ser. 3 w/deluxe equip.	outer side, left (chrome)	3736627	1	9.25
57	Ser. 3 (exc. deluxe equip.)	outer side, right (painted)	3734178	1	3.50
57	Ser. 3 w/deluxe equip.	outer side, right (chrome)	3736628	1	9.25
57	Ser. 3 (exc. deluxe equip.)	vertical, upper (painted)	3735742	4	1.25
57	Ser. 3 w/deluxe equip.	vertical, upper (chrome)	3736631	4	4.25
57	Ser. 3 (exc. deluxe equip.)	vertical, lower (painted)	3735401	4	.95
57	Ser. 3 w/deluxe equip.	vertical, lower (chrome)	3736626	4	4.25
57	PASS.	BAR, center w/insert—stamped 3729340	3729340	1	15.50

MOULDING, Radiator Shell

41-46	COMM., UTIL. (exc. COE)	side, lwr. L. (7½ length overall)	3657559	1	.85

1.269 ATTACHING PARTS, Radiator Grille Moulding



3688590



3687099



3686912



3652879



3650204

48	PASS.	RETAINER, grille ctr. moulding (upr.)	3687099	1	.60
49-50	PASS.	RETAINER, grille lower bar	3688590	4	.25
53	PASS.	RETAINER, grille vertical bar	3705080	2	.30
54	PASS.	RETAINER, outer end	3705122	2	.25
54	PASS.	RETAINER, left, inter. and outer (vertical)	3705297	2	.30

54	PASS.	RETAINER, right, inter. and outer (vertical)	3705298	2	.30
41-46	COMM., UTIL. (exc. COE)	FASTENER, grille ctr. moulding (twist type)	3657798	6	(8.056)
41-46	COMM., UTIL. (exc. COE)	SCREW, upr. grille to fender extension (No. 14—10 x ¾ clutch hd. sheet metal)	3652879	4	(12.559)
49-53	PASS.	SCREW, header bar to fender (14—10 x 1)	3651216	2	(8.206)
48	PASS.	CLAMP, grille ctr. moulding (1 x 1 7/16) (lwr.)	3686912	1	.05
48	PASS.	SPACER, grille ctr. mldg. retainer (5/16)	3682643	A.R.	(2.277)
39	PASS.	RIVET, grille conn. and grille ctr. baffle (3/16 x ¼ oval hd. tub.)	3650204	6	.02
55-57	PASS.	NUT, attaching (14—10, J-shape)	3713542	A.R.	.05
56-57	PASS.	NUT, attaching (14—10, J-shape)	3721628	A.R.	(8.131)
57	PASS.	CLIP, core (4¼ dia. w/gap)	3738781	6	.05

1.270 SUPPORT—CONVERSION UNIT—BRACKET—REINFORCEMENT—PLATE—CUSHION—LOCK—BOLT, Radiator Core

41-46	COMM., UTIL. (exc. COE)		3664741	1	9.15
42-48	PASS.		3663820	1	7.30
47-52	¾, 1 TON (Reg. Prod.),				
47-53	COMM. (w/hvy. duty core) (exc. D-D),				
53	D-D, 1 TON (Reg. Prod.),				
54-55	¾ TON (w/hvy. duty core), D-D, 1 TON (1st Ser.)		3707013	1	12.55
47-55	COE		3707017	1	12.55
49-54	PASS.		3702787	1	7.30
47-53	½ TON,				
53	¾ TON,				
54-55	½, ¾ TON (1st Ser.) (exc. D-D)		3707011⊕	1	15.00
47-53	1½ TON (Reg. Prod.),				
47-55	UTIL. (1st Ser.) (exc. COE)		3707015	1	12.55
53-57	CORV.		3706288	1	13.35
55-56	PASS. 6 cyl.		3724442	1	7.30
55-57	PASS. 8 cyl.		3727606†	1	7.30
55-57	D-D (2nd Ser.)		3716167	1	12.20
55-57	D-D (2nd Ser.)	mounting brkt.	3718385	1	1.40
55-56	COMM., UTIL. (2nd Ser.) (exc. D-D)	w/tie bar and side baffle	3729404	1	(1.286)
57	COMM., UTIL. (exc. D-D)	w/tie bar and side baffle	3739478	1	(1.286)
57	PASS. 6 cyl.		3731654	1	7.30
47-49	½ TON	CONVERSION UNIT, support (w/3692219)	3692306*	1	.65
47-55	COMM., UTIL. (1st Ser.)	BRACKET, (3¾ long x 2¼ wide—wing shape)	3684761	1	.65
55-57	D-D (2nd Ser.)	BRACKET (3 5/16 long x 3 wide)	3716205	1	.65
55-57	D-D (2nd Ser.)	REINFORCEMENT (triangle shape—8 long x 6 wide)	3718386	1	.75
34-46	ALL,				
47-56	PASS.,				
53-57	CORV.	PLATE, center support lock	374194	1	.10
34-46	ALL,				
47-56	PASS.,				
53-57	CORV.	PLATE, center support spacer	374195	1	.10
33-46	ALL,				
47-57	PASS., CORV.	CUSHION, rad. supt. (1½ x 4 x 3/16 thick)	367314	2	.15
47-53	COMM., UTIL. (exc. GP, HP, JP, KP, H, J),				
54-55	J (hvy. duty rad.) (1st Ser.),				
54-55	COMM., UTIL. (1st Ser.) (exc. H, J)	CUSHION, rad. supt. (2¼ x 1¼)	3684763	2	.05
55-57	D-D (2nd Ser.)	LOCK, bolt, radiator support to frame ("L" shape—one 9/16 hole)	3718653	1	.10
41-54	ALL,				
53-57	CORV.,				
55	COMM., UTIL. (1st Ser.)	BOLT, radiator support body attach. (5/16—18			
56	PASS.	x ¾)	3676480	A.R.	.10
55-56	PASS.	BOLT, radiator body attach. (5/16—18 x 5/8)	3710926	6	(8.085)
56-57	D-D	BOLT, rad. support to frame (½—13x 1¾)	427565	1	(8.900)
57	PASS.	SCREW, radiator body attach. (5/16—18 x 5/8)	273890	1	(8.085)

*NOTE: 3692306 consists of 12 shims, 2 washers, 2 bolts, 2 nuts.

†NOTE: On early 1955 jobs w/C.A.C., relocate mounting holes in baffle to mount horns.

⊕NOTE: On 1947 and 1948 models, drill two holes approx. 7/16 dia. and 4" to each side from center of existing hole in front cross member. It is also necessary to use conversion unit 3692306.

1.271 BAR—BRACKET—WASHER—Radiator Support

55	PASS.	tie	3719933	1	3.00
55-57	D-D (2nd Ser.)	tie (45⅞ long)	3730408	1	4.30
56	PASS.	tie	3721011	1	3.00
57	PASS.	tie	3732515	1	3.00
55-57	PASS.	BRACKET	3710003	1	2.50
55-57	COMM., UTIL. (FFC, SGL. UNIT) (2nd Ser.)	BRACKET	3727962	2	.30
55-56	COMM., UTIL. (2nd Ser.)	WASHER, tie bar to dash brace bracket	3727933	4	.05

1.277 SHROUD—SUPPORT—SEAL, Heavy Duty Radiator Fan w/Bracket

47-52	¾, 1, 1½ TON (hvy. duty),				
47-52	2 TON,				
53	2 TON (hvy. duty),				
54-55	¾, 1, 1½ TON (hvy. duty) (1st Ser.),				
54-55	2 TON (1st Ser.)		3705063*	1	4.40
55-57	COMM., UTIL. (6 cyl.) (hvy. duty) (2nd Ser.)		3726856	1	2.95
55-57	CORV. 8 cyl.	upper	3721100	1	7.55
55-57	CORV. 8 cyl.	left	3721103	1	1.85
55-57	CORV. 8 cyl.	right	3721104	1	.95
55-57	CORV. 8 cyl.	lower center	3720365	1	3.30
55-57	COMM., UTIL. (8 cyl.) (hvy. duty) (exc. D-D)		3723770	1	3.65
57	Ser. 6 (D-D)		3717763	1	3.30
55	CORV. 8 cyl.	SUPPORT, lower center	3715152	1	.35
56-57	COMM. 8 cyl. (hvy. duty),				
56-57	UTIL. 8 cyl.	SEAL, upper	3730615	1	.25
56-57	COMM. 8 cyl. (hvy. duty),				
56-57	UTIL. 8 cyl.	SEAL, lower	3730616	1	.25

*NOTE: 3705063 used with 3" Core 3130812. For installation on COE, refer to Tech. Service Bulletin #244, DR #124.

1.285 SPRING—RETAINER—BOLT—SCREW—NUT—SEAL, Radiator Shell

55-57	UTIL. (2nd Ser.) (exc. D-D)	side baffle mtg. (4⅜ free length—13 coils)	3711987	2	.40
55-57	UTIL. (2nd Ser.) (exc. D-D)	RETAINER, mtg. spring (cup shape—1 7/16 O.D. x 15/32 I.D.)	3711988	4	.05
55-57	UTIL. 6 cyl. (2nd Ser.) (exc. D-D)	BOLT, side baffle (7/16—20 x 5½ hex.)	3722821	2	.20
55	COMM. (2nd Ser.) (exc. D-D)	SCREW, w/lockwasher (5/16—18 x 1)	3719329	2	.10
42-46	PASS.,				
47-54	ALL	NUT, anchor, upr. baffle (No. 14-10-J-type) (for thin sheet metal)	3664889	1	.04
55	COMM., UTIL. (1st Ser.)				
46-48	PASS.	NUT, anchor, upr. baffle (No. 14-10-J-type) (for thin sheet metal)	3681424	1	.04
53-55	CORV.	SEAL, lower (18 x 2½ x 3⅜)	3706030	1	.75

1.286 BAFFLE AND PARTS, Radiator Grille

39-40	COMM., UTIL. (exc. COE)	ctr.	350752	1	1.55
41-46	COMM., UTIL. (exc. OE, OF, OG, PV, PW, PX, COE)	upr. grille, upr.	3664734	1	2.40
41-46	COMM., UTIL. (exc. COE)	upr. grille, ctr.	3657396	1	.85
41-46	COMM., UTIL. (exc. COE)	lwr. grille panel (w/heavy duty rad. core)	606786	1	4.35
41-46	COMM., UTIL. (exc. COE, OE, OF, OG, PV, PW, PX)	lwr. grille panel	606785	1	3.75
42-46	COMM., UTIL. (exc. COE)	upr. grille, upr. (w/heavy duty core)	3664739	1	2.55
46-47	PASS.	ctr.	3681331	1	1.30
46-48	PASS.	upr.	3681350	1	5.65
42-48	PASS.	lwr. ext. panel	3847037	1	6.65
47-53	COMM. (exc. D-D)	lwr.	3683583	1	7.30
47-55	UTIL. (1st Ser.) (exc. COE)	upr.	3700594	1	6.20
47-53	COE	upr.	3685796	1	6.00
47-53	UTIL. (exc. COE)	lwr.	3684322	1	7.55
47-53	COE	lwr.	3685834	1	12.25
47-55	COE	side, L.H.	3700237	1	6.15
47-55	COE	side, R.H.	3700238	1	6.15
47-55	COMM. (1st Ser.) (exc. D-D)	upper	3700834	1	6.20

54-55	COE	upper	3700226	1	6.00
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	upper	3716213	1	5.05
55	UTIL. (2nd Ser.)	lower	3724053	1	6.00
53-55	CORV	lower (plastic laminate)	3706588	1	10.55
56-57	CORV	lower (plastic laminate)	3725587	1	10.95
56-57	UTIL. (exc. D-D)	lower	3730452	1	6.00
55-57	COMM., UTIL. (8 cyl.) (exc. D-D)	EXTENSION, upper baffle	3724046	1	1.60
55-57	UTIL. 8 cyl.	EXTENSION, lower baffle	3724055	1	5.05
47-53	COMM. (exc. D-D)	SUPPORT, lwr. baffle, left	3684745	1	.45
47-53	COMM. (exc. D-D)	SUPPORT, lwr. baffle, right	3684746	1	.45
47-53	UTIL.	SUPPORT, lwr. baffle, left	3684325	1	.45
47-53	UTIL.	SUPPORT, lwr. baffle, right	3684326	1	.45
55-56	COMM., UTIL. (2nd Ser.) (exc. D-D)	SUPPORT ASSY., w/tie bar and side baffle	3729404	1	10.45
57	COMM., UTIL. (exc. D-D)	SUPPORT, w/tie bar and side baffle	3739478	1	10.75
55-57	COMM. 6 cyl. (2nd Ser.) (exc. D-D)	BRACKET, baffle support, L.H.	3722929	1	1.05
55-57	COMM. 6 cyl. (2nd Ser.) (exc. D-D)	BRACKET, baffle support, R.H.	3722930	1	1.05
55-57	UTIL. 6 cyl. (2nd Ser.)	BRACKET, baffle support, L.H.	3722815	1	.95
55-57	UTIL. 6 cyl. (2nd Ser.)	BRACKET, baffle support, R.H.	3722816	1	.95
55-57	COMM., UTIL. (8 cyl.) (exc. D-D)	BRACKET, baffle support, L.H.	3724081	1	1.05
55-57	COMM., UTIL. (8 cyl.) (exc. D-D)	BRACKET, baffle support, R.H.	3724082	1	1.05
55-56	UTIL. (2nd Ser.),				
57	UTIL. 8 cyl.	BRACKET, lwr. filler pnl. to front fender skirt	3728058	2	.35
55-57	UTIL. 6 cyl. (2nd Ser.) (exc. D-D)	BRACKET, lwr. baffle to frt. fender skirt	3720915	2	.30
57	Ser. 4-6 (6 cyl.) (exc. D-D)	BRACKET, lwr. filler pnl. to front fender skirt	3741470	2	.10
55	½ TON SGL. UNIT,				
55	FFC	BRACE, L.H. and R.H. side baffle to dash	3727731	1	3.35
55-57	SGL. UNIT, COWLS (6 cyl.) (2nd Ser.)	BRACE, side baffle to dash	3729387	2	.65
55-57	SGL. UNIT, COWLS (8 cyl.)	BRACE, side baffle to dash (3/8—16 x 33 13/16 w/two 13/32 holes)	3725663	2	.85
55-57	UTIL. 6 cyl. (2nd Ser.)	BRACE, lwr. tie bar to rad. lwr. baffle clamp,			
55-57	COMM., UTIL. (8 cyl.) (exc. D-D)	lwr. tie bar to rad. lwr. baffle and filler pnl. ext. brace	3729992	1	.75
55-57	UTIL. 6 cyl. (2nd Ser.)	CLAMP, lwr. tie bar to rad. lwr. baffle brace,			
55-57	COMM., UTIL. (8 cyl.) (exc. D-D)	lwr. tie bar to rad. lwr. filler pnl. and lwr. baffle ext. brace	3729991	1	.30
55-57	UTIL. 6 cyl. (2nd Ser.) (exc. D-D)	FILLER, lower baffle	3718739	1	.95
55	COMM., UTIL. (2nd Ser.)	SHIM, baffle (1 3/4 sq. w/9/16 cutout)	3714962	3	.05
55-57	COMM. (2nd Ser.) (exc. D-D)	BOLT (rd. hd., sq. neck, 7/16—14 x 1 3/4)	3720974	2	.10
55-57	UTIL. 8 cyl. (exc. D-D)	BOLT (hex. hd., 7/16—20 x 5 1/2)	3724100	2	.30
55-56	½ TON SGL. UNIT (2nd Ser.)	NUT, anchor, rad. side baffle to dash brace to dash panel (two 5/16—18 holes)	3685646	2	.10
55-57	UTIL. 8 cyl. (exc. D-D)	COVER, lower baffle hole	3724813	1	.15
42-54	PASS.,				
55	PASS. (exc. STA. WAG., SDL.)	BUMPER, grille lwr. panel (rubber)	3700014	2	.06
56-57	UTIL. (exc. D-D)	SEAL, upr. baffle to rad. (24 1/2 long x 2 1/2			
57	COMM. (hvy. duty rad.) (exc. D-D)	wide x 45/64 thick)	3730353	1	.60

1.287 PANEL—EXTENSION—SUPPORT—SHIELD—SEAL—BRACKET, Radiator and Grille Filler

46	PASS.		3681349	1	8.65
47-48	PASS.		3684052	1	8.65
47-53	COMM. (exc. D-D)		3684145	1	8.65
47-53	UTIL.		3684324	1	6.00
49-50	PASS.		3688439	1	9.15
51-52	PASS.		3694899	1	9.15
53	PASS.		3697958	1	8.65
54	PASS.		3705125	1	9.70
54-55	COMM. (1st Ser.) (exc. D-D)		3701226	1	6.00
55-56	COMM. (2nd Ser.) (exc. D-D)	lower	3730387	1	8.65
54-55	UTIL. (1st Ser.)		3701085	1	6.00
55	PASS.	to front bumper	3709997	1	6.05
55-56	COMM. (2nd Ser.) (exc. D-D)	upper	3730934	1	6.65
55-56	UTIL. (2nd Ser.)	upper	3714950	1	6.00
55	UTIL. (2nd Ser.)	lower	3714957	1	7.75
56	PASS.	to front bumper	3731826	1	9.70
56	UTIL.	lower	3730450	1	7.50

57	PASS.	to front bumper	3729344	1	9.70
57	Ser. 3	lower	3736336	1	8.65
57	Ser. 3	upper	3736024	1	6.75
57	Ser. 4-6	upper	3736379	1	6.00
57	Ser. 4-6	lower	3731523	1	7.75
53-57	CORV.	EXTENSION, pnl. to rad. (plastic laminate)	3706384	1	6.70
55-57	COMM. 8 cyl. (exc. D-D)	EXTENSION, lower	3724087	1	5.20
53	PASS.	SUPPORT (1 7/16 x 7 1/2)	3704236	1	.55
54	PASS.	SUPPORT, grille to bumper filler panel	3707844	1	.80
55	PASS.	SUPPORT, to front bumper panel	3709988	1	.85
56	PASS.	SUPPORT, to front bumper panel	3728349	1	1.15
57	PASS.	SUPPORT, to front bumper	3731219	1	1.10
56-57	PASS.	SHIELD, engine, left front	3715691	1	1.95
56-57	PASS.	SHIELD, engine, right front	3715692	1	1.95
57	PASS.	SEAL, left (rubber—9 7/16 long)	3735009	1	.30
57	PASS.	SEAL, right (rubber—9 7/16 long)	3735010	1	.30
55-56	COMM. (2nd Ser.) (exc. D-D)	BRACKET, lower filler panel	3713236	4	.20

1.303 PLATE—EMBLEM, Radiator Grille (Also see group 8.055)

39	PASS.		350602	1	2.20
40	COMM., UTIL. (exc. COE)		3653546	1	4.70
41	PASS.		3658075	1	2.20
46	PASS.	radiator grille name	3681705	1	1.60
41-46	COMM., UTIL. (exc. COE)	EMBLEM, lwr. grille	3657269	1	1.00
57	PASS.	EMBLEM, center bar insert (lucite or plexiglas)	3733232	1	1.10

1.307 NUT, Radiator Grille and Shell Name Plate Speed

46-48	PASS.	(for 3/16 rod) (angle mounted)	3682023	4	.02

1.309 ROD, Radiator Brace

41-46	COMM., UTIL. (exc. COE)		3681931	1	2.45

1.426 PAN, Oil, with Drain Screw

37-39	ALL	w/pipes and troughs (22 holes—plug in side)	838866	1	14.40
40-52	ALL,				
53	ALL (exc. P.G.)	w/pipes and troughs	3835858	1	17.40
53-55	CORV. 6 cyl.		3836078	1	18.50
53	PASS. w/P.G.,				
54	ALL,				
55	COMM., UTIL. (1st Ser.)	(no troughs)	3701602	1	11.60
55-57	ALL 6 cyl. (2nd Ser.)	(22 holes—w/vertical baffle)	3837016	1	11.60
55	ALL, CORV. (8 cyl.) (exc. 2 TON)	(18 holes—w/o baffle)	3704925	1	10.40
55	2 TON 8 cyl.	(18 holes—w/baffle)	3714341	1	16.25
56	ALL 8 cyl. (exc. hvy. duty, 2 TON)	(18 holes w/baffle) (4 qt. cap.)	3836798	1	10.40
56	CORV.,				
56	UTIL. (8 cyl.)	(18 holes—w/baffle) (5 qt. cap.)	3727732	1	18.50
57	ALL (8 cyl.) (exc. Ser.6)		3735640	1	10.40
57	CORV.,				
57	Ser. 6 (8 cyl.)	w/pin (18 holes, 4 marked B)	3736615	1	18.50

1.427 PIPE ASSEMBLY, Oil Pan Trough

37-39	ALL		603956*	1	5.60
40-53	ALL		3835225*	1	6.35
40-53	ALL	SPRING, pipe (music wire)	839233	6	.06
40-53	ALL	CLIP (1/2 x 1 3/8 overall)	839198	1	.04
53	ALL (exc. P.G.)	SCREW, pipe attaching (#14—10 x 3/8)	3835862	2	.04

*NOTE: Refer to Chevrolet Service Manuals for proper nozzle height and alignment.

1.428 BOLT, Oil Pan Attaching, w/Lockwasher

40-55	ALL 1st Ser.,				
53-55	CORV. 6 cyl.	(1/4—20 x 7/16—ext. lockwasher)	839301	18	.08
42-57	ALL, CORV.	(5/16—18 x 9/16—ext. lockwasher)	839896	4	.07

1.429 GASKET UNIT—SEAL, Oil Pan

NOTE: Units consist of: left and right side gaskets and front and rear seals.

33-36	ALL (exc. CC, DC)		364317	1	.64
37-39	ALL		602373	1	.85
40-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)		604338	1	.85
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)		3714551	1	1.30
55	ALL, CORV. (8 cyl.)	(left and right oil pan sides)	3731360	1	.65
55	ALL, CORV. (8 cyl.)	(left and right side gaskets, 3 exh. manifold gaskets, frt. and rear seals and 1 exh. pipe packing)	3711849	1	2.10
56	ALL, CORV. (8 cyl.)	(2 L.H. and 1 R.H. gasket; 3 exh. manifold gaskets; 1 frt. and rear seal and 1 exh. pipe packing)	3730460	1	2.10
56	ALL, CORV. (8 cyl.)	(right and left oil pan side gaskets)	3731361	1	.65
57	PASS., CORV. (8 cyl.)	(inc. R. & L. gaskets and seals, exh. manifold gasket & packing)	3741490	1	2.25
57	Ser. 3-4-6 (8 cyl.)	(includes R. & L. gaskets and seals, exh. manifold valve gasket and exhaust pipe sealing ring)	3742242	1	2.75
57	ALL, CORV. (8 cyl.)	(includes R. & L. oil pan side gaskets)	3741491	1	.65
37-54	ALL, CORV.,				
55	COMM., UTIL. (1st Ser.)	SEAL, frt., rear (cork 7/16 x 7/32 x 9 9/32)	602374	2	.12
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	SEAL (molded rubber)	3836574	1	.35
55-57	ALL, CORV. (8 cyl.)	SEAL, front (molded rubber)	3836612	1	.35
55-57	ALL, CORV. (8 cyl.)	SEAL, rear (molded rubber)	3836597	1	.35

1.453 FLANGE—SCREW, Oil Pan Drain

29-34	ALL,				
40-57	ALL, CORV	(1 3/8 x 7/8 w/1/2—20 hole in ctr.)	3723008	1	.20
35-39	ALL	(1 3/8 x 7/8 w/1/2—hole in end welded to pan)	837859	1	.25
35-39	ALL	(1 3/8 x 7/8 w/1/2—hole in end welded to pan)	837859	1	.25
ALL	ALL, CORV	SCREW (use 513975 gasket—1/2-20 x 13/16)	3739264	1	.20

1.456 GASKET, Oil Pan Drain Screw

ALL	ALL, CORV		513975	1	.06

1.516 CAP, Oil Filler Tube (also see group 0.386)

31-47	ALL,				
48-53	FJ, FK, FP, D-D, COE,				
54-55	COE,				
55-57	D-D 6 cyl. (2nd Ser.)	(2 5/16 O.D.—plain round—no handle)	836450	1	.45
55-57	ALL 8 cyl. (exc. 2 TON, dual 4BC, D-D),				
55	CORV. 8 cyl.	filler (air breather type FB8)	1552233[A]	1	1.20
55-57	D-D, 2 TON (8 cyl.)	filler (1 3/4 O.D.—w/4 ears)	3714893	1	.50
56-57	PASS. w/dual 4BC,				
56-57	CORV	filler (cad. plated—no vent hole)	1552719	1	2.30

[A]NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

*NOTE: For less than high speed service, drill vent hole.

GAUGE—TUBE, Oil Level

40-46	ALL (exc. COE),				
47-48	PASS	(9 1/8 under washer)	839245	1	.45
40-55	COE,				
47-55	D-D (1st Ser.)	(9 3/32 under washer)	3835337	1	.45

47-45	COMM., UTIL. 1st Ser. (exc. D-D, COE),				
49-54	PASS.,				
53-55	CORV. 6 cyl.	(15 3/32 under washer)	3701556	1	.65
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. D-D)	(15 7/16 under washer)	3710349	1	.65
55	ALL 8 cyl. (exc. 2 TON),				
55	CORV. 8 cyl.	(20 1/4 under washer)	3717868	1	.65
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	(8 3/16 under washer)	3710491	1	.45
55	2 TON 8 cyl.	(19 7/16 under washer)	3716707	1	.70
56-57	ALL 8 cyl.,				
56-57	CORV. (2nd design)	(21 9/16 under washer)	3722959	1	.65
56	CORV. (1st design)	(19 13/32 under washer)	3722960	1	.70
47-57	COMM., UTIL. (6 cyl.) (exc. D-D, COE),				
49-57	PASS., CORV. (6 cyl.)	TUBE (8 7/64 O.L.)	3705397†*	1	.25
55	ALL 8 cyl. (exc. 2 TON)	TUBE (7 1/4 O.L.)	3711729	1	.30
55	CORV. 8 cyl.	TUBE (7 1/16 O.L.)	3718612	1	.30
55	2 TON 8 cyl.,				
56	CORV. (1st design)	TUBE (14 1/2 O.L.) w/clamp (oil pan mtd.)	3718206	1	.85
56-57	ALL, CORV. (8 cyl.) (CORV. 2nd design)	TUBE, lower (inside case) (7 3/4 O.L.)	3837233	1	.35
56	ALL, CORV. (8 cyl.) (CORV. 2nd design)	TUBE, upper (8 3/4 O.L.)	3721928	1	.40
57	ALL, CORV. (8 cyl.)	TUBE, upper	3732488	1	.40

*NOTE: On 1947-49 COMM., UTIL., 3701556, Rod, must also be used.

†NOTE: On jobs prior to 1955 cut to 6 3/4.

1.517 GASKET, Oil Filler Tube Cap

31-47	ALL,				
48-55	ALL (w/positive ventilation) (1st Ser.),				
55-57	D-D 6 cyl. (2nd Ser.)	(1 3/8 I.D. x 2 3/16 O.D.—cork)	836446	1	.06
55-57	D-D, 2 TON (8 cyl.),				
56	1 1/2 TON (hvy. duty 8 cyl.)	(1 1/16 I.D. x 1 11/16 O.D.—cork)	3723688	1	.05

1.519 PIPE, Oil

NOTE: Bulk copper tubing in coils listed in group 8.964, fittings in group 8.963.

NOTE: See group 1.928 for rocker arm oil pipe and connector.

40-52	ALL	oil pump discharge (7/16 O.D. x 4 7/8 dev.			
53	ALL (exc. P.G.)	length)	839203	1	.35
36-49	ALL (early 1942)	distributor to rocker shaft—w/fittings (3/16			
50-53	ALL w/216	O.D. x 25 7/32 dev. length)	609912	1	1.15
50-55	ALL, CORV. w/235	camshaft rear brg. to rocker shaft	217276	1	(8.964)
53	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
54	ALL,				
55	COMM., UTIL. (1st Ser.)	pump discharge (7/16 O.D. x 6 1/8 dev. length)	3701552	1	.35
53	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
54	ALL,				
55	COMM., UTIL. (1st Ser.)	pump suction (9/16 O.D. x 5 3/8 dev. length)	3702182	1	.40
53	ALL (exc. P.G.)	pump suction (1/2 O.D. x 12 13/16 dev. length)	3835854	1	.60
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	delivery (7 3/16 dev. length)	3705400	1	.35
46	COMM., OR, OS, OW, OY, PJ, PK, PL	CLIP, distributor to rocker shaft pipe (used w/839924 on lower pipe in block)	839913	1	.20

PIPE, Oil Pressure Gauge (Engine to Gauge)

53-54	PASS.,					
53-57	CORV.	(7/64 O.D. x 63 long)	3707084	A.R.	.60	

NOTE: The following chart gives size and length required, to be cut from coil tubing, group 8.964.

		Pipe O.D.	Length
37-39	PASS.	1/8	49 1/8
37-38	COMM., UTIL.	1/8	40 5/8
39	COMM., UTIL. (exc. COE)	1/8	44
40	PASS.	1/8	49 3/4
40	COMM., UTIL. (exc. COE)	1/8	46 9/16
41-52	PASS.	1/8	51 3/4
53	PASS. (exc. P.G.)	1/8	47 1/2
41-46	COMM., UTIL. (exc. COE, D-D)	1/8	47 13/16
47-52	COMM., UTIL. (exc. COE, D-D)	1/8	52 13/16
39	COE (upper)	1/8	30 11/16
39-41	COE (lower)	1/8	38
40-46	COE (upper)	1/8	33
42-46	COE (lower)	1/8	37 1/4
47-48	COE (upper)	1/8	40 9/16
47-48	COE (lower)	1/8	36 5/8
49-55	COE (upper)	1/8	27 1/2
49-55	COE (lower)	1/8	49
48-55	D-D (1st Ser.)	1/8	22 3/4
53-55	COMM., UTIL. (exc. COE, D-D) (1st Ser.)	1/8	49
55-56	COMM., UTIL. (2nd Ser.)	1/8	48 1/2

1.531 FITTINGS, Oil Pipe (also see groups 1.928 and 8.963)

35-52	ALL	SLEEVE, oil distributor coupling—in block (7/16 O.D. x 1 length)	837783	1	.03
53	ALL (exc. P.G.)				
53-54	PASS.	SLEEVE, oil pressure gauge pipe, w/5/16—24 thds. (17/32 O.L.) (with 7/64 pipe)	3707140	2	.10
53-57	CORV.				
36-57	ALL, CORV. (6 cyl.)	PLUG, oil press. pipe—in block (19/32 O.D.—cup shape)	3835577	A.R.	.02
55-57	ALL, CORV. (8 cyl.)	PLUG, oil pressure and tappet gallery (1/2 dia.—cup shape)	3701638	A.R.	.03
42-49	ALL	NIPPLE, oil distributor to rocker pipe—in block (1/8 pipe and 3/8—24 thds.—ball sleeve type)	836823	1	.35
50-53	ALL w/216				
42-46	ALL (late 42—early 46)	NIPPLE, oil distributor to rocker pipe—in block, tappet oil gallery to rocker pipe—front and rear (1/8 taper pipe and 3/8—24 thds.—flared tube type) (w/steel pipe)	839926	1	.35
50-53	ALL, CORV. w/235				
54-57	ALL, CORV. (6 cyl.)				
36-49	ALL	NIPPLE, oil distributor to rocker pipe—in L. side of block (1/4 taper pipe ext.—3/8—24 int. thds.)	836049	1	.25
50-53	ALL w/216				
55	PASS. 8 cyl. (oil filter outlet pipe)				
36-53	ALL	CONNECTOR, delivery pipe to crankcase, delivery pipe to oil pump (1/4—18 x 5/8—24)	3835489	A.R.	.20
53	PASS., CORV. w/P.G.,				
54	ALL, CORV.,				
55	CORV., COMM., UTIL. (1st Ser.)	GROMMET, pump suction pipe (molded 68)	3835868	1	.15
53	ALL (exc. P.G.)	GROMMET, pump suction pipe (molded 71)	3835871	1	.15

1.639 SLEEVE—RETAINER, Oil Pump Shaft

55-57	ALL, CORV. (8 cyl.)	drive (31/64 I.D. x 1 5/32 O.L.)	3701731	1	.55
55-57	ALL, CORV. (8 cyl.)	RETAINER, drive sleeve (1/16 thick)	555746	1	.03
55-57	ALL, CORV. (8 cyl.)	SHAFT, dist. to pump, w/sleeve	3836624	1	(2.372)
55-57	ALL, CORV. (8 cyl.)	PIN, groove (1/8 x 5/8)	142485	1	(8.940)

1.649 WASHER, Oil Pump Thrust

37-55	ALL, CORV. (6 cyl.)	(1/2 I.D. x 7/8 O.D.)	838472	1	.02

1.652 PUMP ASSEMBLY, Oil

37-39	ALL	(body cast 838442)	838440†	1	9.65
40-52	ALL,				
53	ALL (exc. P.G.)	(body cast 839159)	839157†	1	9.65
53	PASS., CORV. w/P.G.,				
54	ALL, CORV.,				
55	CORV., COMM., UTIL. (1st Ser.)	(body cast 3702365; cover cast 3701562)	3702363†	1	11.50
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	(cast 3836204 on cover—less suction pipe)	3836203	1	11.50
55-57	ALL, CORV. (8 cyl.)	(cast 3704180 on cover)	3836619⊕	1	13.15

†NOTE: Pumps only, do not include screen or cover, etc.


⊕NOTE: When replacing original equipment, may be necessary to remove oil pump suction pipe assy.


1.656 SCREEN, Oil Pump

40-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)	(oval 5 x 2⅝ overall)	839154	1	.85
55-57	ALL 6 cyl.	w/suction tube	3837158	1	1.55
55-57	ALL, CORV. (8 cyl.)	w/suction tube	3836982	1	1.40

1.662 COVER, Oil Pump Suction Screen

40-52	ALL	(oval—w/lower pipe)	839241	1	1.15
53-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)	(oval—less pipe, 5 11/16 O.L.)	3702181	1	.75





1940-52 OIL PUMP—EXPLODED VIEW

1.664 SUPPORT—BOLT—GASKET—SPACER—REINFORCEMENT, Oil Pump Screen Cover

40-52	ALL	w/upper pipe	3712747*	1	2.00
40-52	ALL	BOLT, support (3/8—24 x 7/8)	454921	1	(8.900)
40-54	ALL,				
55	COMM., UTIL. (1st Ser.)	BOLT, w/lockwasher (1/4—20 x 7/16)	839301	2	(1.428)
40-52	ALL	GASKET, support	839221	1	.02
40-52	ALL	GASKET (1 in. I.D.)	839226	1	.08
53-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st. Ser.)	SPACER (3/8 I.D. x 3/4 O.D. x 1 27/32 O.L.)	3701563	1	.30
40-52	ALL	REINFORCEMENT	839634	1	.08
40-54	ALL	LOCKWASHER, bolt (3/8 I.D.)	838819	1	(0.609)

*NOTE: May be necessary to peen tray edge for upr. pipe clearance.

1.665 SPRING, Oil Pump Suction Screen Retaining

29-39	ALL (w/gear type pump)	(rod—6 1/16 length)	838457	1	.06
40-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)	(rod—5 1/2 length)	839156	1	.07

1.671 SPRING—VALVE—RETAINER, Oil Pump

29-52	ALL (w/gear type pump),				
53	ALL (exc. P.G.)	relief (5/16 O.D. x 15/16 free length)	838449	1	.06
53	PASS. w/P.G.,				
54-55	ALL 6 cyl.,				
53-55	CORV. 6 cyl.,	pressure regulator valve (5/16 O.D. x 2 1/4			
55	COMM., UTIL. (1st Ser.)	O.L.)	3702367	1	.06
55-57	PASS.,				
55-57	CORV. 8 cyl.,				
55-57	COMM., UTIL. (2nd Ser.)	pressure regulator (11/16 O.D. x 2 11/64 O.L.)	3835896	1	.10
40-52	ALL,				
53	ALL (exc. P.G.)	VALVE, relief (15/32 O.D. x 9/16 length)	839278	1	.06
53	PASS. w/P.G.,				
53-57	CORV.	VALVE, pressure regulator (11/32 I.D. x 7/16 O.D.			
54-57	ALL	x 1 3/16 O.L.)	3702366	1	.35
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV.	RETAINER, pressure regulator, valve spring (7/16 O.D.)	3701564	1	.02

1.672 SCREW, Oil Pump Retaining Set

37-57	ALL, CORV. (6 cyl.)	(7/16—14 x 1 3/8 overall—hex. hd.)	838172	1	.15
55-57	ALL, CORV. (8 cyl.)	(7/16—14 x 2—hex. lock)	9409534	1	.15

1.723 COVER, Oil Pump

40-52	ALL,				
53	ALL (exc. P.G.)	w/valve (cast 839277)	839276	1	1.15
53	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
54	ALL,				
55	COMM., UTIL. (1st Ser.)	(cast 3701562)	3701562	1	.65
55-57	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.)	w/valve (cast 3837202) (5/16 x 15/32)	3836653	1	2.35
55-57	ALL, CORV. (8 cyl.)	w/pipe (cast 3704180)	3704855	1	3.25

1.724 GASKET, Oil Pump Cover

29-39	ALL (w/gear type pump),				
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. (6 cyl.)	(3 5/16 x 2 5/8 overall)	838451	1	.05
40-52	ALL,				
53	ALL (exc. P.G.)	(3 5/16 x 2 3/4 overall)	839166	1	.05

1.739 PIPE, Oil Pump Suction

55	PASS. 6 cyl.,				
55	COMM., UTIL. (6 cyl.) (2nd Ser.)	(3/8—18 thd. one end—13 3/4 dev. length)	3836768	1	1.40

1.745 OIL FILLER—VENTILATOR and PARTS, Crankcase

37-39	PASS.	with ventilator	838360	1	2.50
37-46	COMM., UTIL.	with ventilator	839026	1	2.50
40-48	PASS.,				
47-48	COMM., COE (exc. FR, FS, D-D),				
48-49	COMM., UTIL. (exc. D-D, COE, SBC),				
49-55	COE (exc. 261)	with ventilator (cap type)	3697142	1	2.95
47	QJ, QK, QV, QW	with ventilator	3686467	1	3.60
47	QL, QX	with ventilator	3685868	1	4.25
48-56	SBC 6 cyl. (exc. 261)	with ventilator (crimped top)	3686875	1	4.50
48-51	D-D	w/ventilator (positive ventilation)	3687568	1	3.60
49-53	ALL (exc. D-D, COE),				
52-53	D-D	w/ventilator (positive ventilation)	3695346	1	3.60
49-55	COE,				
55-57	D-D 6 cyl. (2nd Ser.)	w/ventilator (positive ventilation)	3696773	1	2.95
49-51	PASS.,				
50-56	COMM., UTIL. (235) (exc. D-D, COE, SBC),				
57	COMM., 1 1/2 TON (exc. D-D)	VENTILATOR (crimped top)	3701347	1	3.20
52-53	ALL (exc. D-D, COE),				
54-57	ALL 6 cyl. (exc. COE)	VENTILATOR (positive ventilation)	3699844	1	3.65
52-54	PASS.	VENTILATOR (crimped top)	3701348	1	3.20
55-57	PASS. 6 cyl. (1st design)	VENTILATOR (crimped top)	3714356	1	3.25
55-57	ALL, CORV. (8 cyl.)	VENTILATOR (mtd. inside of engine—7 5/8 lg.)	3728502	1	2.10
57	PASS. 6 cyl. (2nd design)	VENTILATOR (crimped top)	3740652	1	
49-53	ALL (exc. D-D, COE)	VENTILATOR UNIT (positive ventilation)	3693661*	1	15.00
49-53	COE	VENTILATOR UNIT (positive ventilation)	3696736*	1	12.95
53-55	CORV. 6 cyl.	VENTILATOR UNIT	3706295	1	2.85
54	ALL (exc. D-D, COE),				
55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	VENTILATOR UNIT (positive ventilation)	3708163*	1	16.65
54-55	COE	VENTILATOR UNIT (positive ventilation)	3708183*	1	17.55
48-51	D-D	VALVE, crankcase ventilator	1543979	1	3.05
49-57	ALL 6 cyl.	VALVE, crankcase ventilator	1544935	1	5.00
55	2 TON 8 cyl.	VALVE, crankcase ventilator	1552715	1	3.50
56	D-D, UTIL. (8 cyl.),				
57	D-D, 2 TON (8 cyl.)	VALVE, ventilator metering	1552729	1	3.50
52-56	D-D (1st type)	PIPE, ventilator to valve (24 dev. length)	3696938	1	1.00
54	PASS.	PIPE, ventilator to valve (positive vent.) (7/16			
54-55	COMM., UTIL. (1st Ser.) (exc. COE)	dia.—25 1/8 dev. length)	3708154	1	1.30
49-55	COE	PIPE, ventilator to valve (positive vent.) (7/16 dia.			
55-56	D-D 6 cyl. (2nd Ser.) (2nd type)	—38 1/2 dev. length)	3696774	1	1.70
55-57	PASS.	PIPE, ventilator to valve (positive vent.) (28 dev.			
55-57	COMM., UTIL. 6 cyl. (2nd Ser.) (exc. D-D)	length)	3717941	1	1.30
55	CORV., 8 cyl.,				
55-57	ALL 8 cyl. (exc. 2 TON, D-D, dual 4BC)	TUBE, w/bracket (6 13/32 long)	3711724	1	.65
55-57	2 TON 8 cyl.,				
56-57	D-D (8 cyl.)	TUBE, w/bracket and connector (5 3/4 long)	3714578	1	3.25
49-57	ALL	HOSE (1/2 I.D.) (cut to desired length)	3720469	A.R.	(8.962)
54-57	ALL 6 cyl.	CONNECTOR, hose, w/bracket (positive vent.)	3708151	A.R.	.65
55-57	2 TON 8 cyl.,				
56-57	D-D, UTIL. (8 cyl.)	CONNECTOR, hose (3 11/16 dev. length)	3715629	1	.45
56-57	2 TON 8 cyl.	CONNECTOR, vent tube	3723626	1	.20
56-57	COMM., UTIL. w/pos. vent.	CONNECTOR, used at valve rocker and air cleaner locations	3729715	A.R.	.55
56	1 1/2 TON (hvy. duty), 2 TON (8 cyl.) w/gov.	CONNECTOR, air cleaner to dist.	3715756	1	.75
56-57	2 TON w/gov.	CONNECTOR, air cleaner to oil filler hose,			
56-57	2 TON 8 cyl. (H.D. Brake Booster) exc. 4 BC.)	power brake to air cleaner hose	3726246†	A.R.	1.15
55-57	2 TON 8 cyl.,				
56-57	D-D, UTIL. (8 cyl.)	GROMMET, crankcase vent—hose connector.	3715628	1	.25

*NOTE: Contains parts and instructions for complete installation.

†NOTE: Remove plate if necessary.

31-54	ALL (exc. crimp vent. cover)	CAP, ventilator	836450	1	(1.516)
56-57	D-D, 2 TON (8 cyl.)	RETAINER, vent hose connector grommet	3727693	1	.15
54-57	UTIL. (w/positive vent.),				
54-57	UTIL. w/261,				
55-57	COMM. (w/positive vent.) (2nd Ser.)	TEE, crankcase vent pipe	3708155	1	2.50
55	2 TON 8 cyl.	TEE, crankcase vent. valve	3715755	1	3.05
56-57	D-D, 2 TON (8 cyl.)	TEE, crankcase vent. valve	3729398	1	1.60
56-57	ALL (w/pos. vent.)	GASKET, sheet metal conn. (1¼ x 2 x 3/16 thk.)	3725773‡	A.R.	.15
56-57	PASS. 6 cyl. w/pos. vent.,				
56-57	COMM. 6 cyl. w/H.T. w/pos. vent.,				
56-57	D-D 6 cyl.	GASKET, hose connector (15/16 x 1 11/16 x 3/16 thk.)	3695352	A.R.	.06
55-57	1½ TON (2nd Ser.) (2-SPD. w/Pos. vent, Brake Booster)	PLUG, pos. vent outlet (7/16 nylon)	3717396	1	(4.931)
55-57	1½ TON w/Pos. vent. (2nd Ser.) (exc. Brake Booster)	PLUG, brake booster outlet	3717952	1	(4.931)
54-57	PASS. 6 cyl. w/Pos. vent. (exc. P.G.),				
54-57	COMM., 1½ TON (6 cyl.) w/Pos. vent. (exc. D-D, Brake Booster, 2-SPD.)	PLUG, vent. pipe tee (½)	3728619	1	(4.931)

‡NOTE: On models prior to 1956, enlarge passage and relocate holes as necessary.

1.750 CLAMP—BAFFLE, Crankcase Ventilator Tube

37-46	COMM., UTIL.	(4⅛ length overall—bolt end bent)	838188	1	.15
40-46	PASS.,				
47-51	ALL (exc. D-D),				
52-56	SBC 6 cyl. (exc. 261)	(4⅜ length overall—bolt end straight)	839291	1	.15
52	PASS.,				
53	SDL.	outer	3696929	1	.15
52	COMM., UTIL. (exc. D-D, SBC),				
53	COMM., 1½ TON (exc. D-D, SBC)	tube	3696925	1	.15
53	PASS. (exc. SDL.),				
54	PASS.	outer	3701349	1	.15
53-55	CORV. 6 cyl.	outer	3706297	1	.15
53	UTIL. w/235 (exc. SBC),				
54-56	COMM., UTIL. w/235 (exc. D-D, SBC),				
57	COMM., 1½ TON w/235 (exc. D-D)	outer	3701346	1	.15
55-57	PASS. 6 cyl. (1st design)	outer	3714420	1	.15
57	PASS. 6 cyl. (2nd design)	outer	3740656	1	.15
37-57	ALL, CORV. (6 cyl.)	BAFFLE	3702766	1	.15

1.762 TUBE—BRACKET, Crankcase Ventilator

55	PASS., CORV. (8 cyl.) w/P.G.	outer (16¾ O.L.—w/brkt. 6¼ from end)	3836344	1	1.05
55	ALL 8 cyl. (exc. 2 TON, P.G.)	outer (16¾ O.L.—w/brkt. 4¼ from end)	3836346	1	1.05
56-57	ALL, CORV. (8 cyl.) (exc. D-D, 2 TON, H.T., T.G.)	outer, w/elbow extension (26 dev. length)	3726641	1	2.00
56-57	Ser. 3-4 (8 cyl.) w/H.T. (exc. D-D)	outer (19½ O.L.)	3737055	1	1.65
57	PASS. w/T.G.	outer	3737028	1	2.05
56-57	ALL, CORV. (8 cyl. (exc. D-D, 2 TON, H.T., T.G.)	BRACKET, tube outer	3726643	1	.20
57	PASS. w/T.G.	BRACKET, outer tube	3741168	1	.20

1.786 COVER, Oil Distributor

40-52	ALL,				
53	ALL (exc. P.G.)	(on cyl. block)	839427	1	.25

1.787 VALVE, Oil Distributor

35-39	ALL	(valve seat flange 15/16 O.D.)	838916	1	.50
40-52	ALL,				
53	ALL (exc. P.G.)	(2 13/16 length overall)	839170	1	.50

1.789 SPRING, Oil Distributor Valve

35-39	ALL	(⅞ O.D. x ¾ free length)	837636	1	.05

1.790 GASKET, Oil Distributor

35-39	ALL	valve (¾ I.D. x 15/16 O.D.—cork and paper)	837637	1	.08
40-52	ALL	valve seat (has 6 holes—rubber and asbestos)	839173	1	.10
53	ALL (exc. P.G.)				
35-39	ALL	cap (1 I.D. x 1⅜ O.D.—copper and asbestos)	837635	1	.08
40-52	ALL	cover (has 3 attach. holes—rubber and asbestos)	839174	1	.10
53	ALL (exc. P.G.)				
37-39	ALL	body (has two each 11/32 and 19/32 holes—cork and paper)	838398	1	.08

1.800 SWITCH—SOCKET ASSEMBLY—WINDOW, Oil Pressure

55	PASS.	(2⅞ free length)	1998082	1	1.80
56-57	PASS.	(2 15/16 O.L.)	1998149	1	1.60
55	PASS.	SOCKET, w/spring and contact	2962098	1	.35
57	PASS.	WINDOW, red plastic (⅝ dia.)	1584949	1	.16

1.803 GAUGE, Oil Pressure

36	FA, FD,				
37-39	COMM., UTIL. (exc. COE),				
40-46	FFC		1505443	1	2.95
40-46	ALL (exc. WC, AG, AH, YT, BG, BH, MT, MY, OY, DJ, DK)	(dark brown trim)	1506373	1	4.50
42-48	PASS.		1507099	1	4.50
47-48	COMM., UTIL.		1507088	1	4.50
47-53	COMM., UTIL.	(0-30 lb. reading)	1508206*	1	3.25
49-50	PASS.		1506999	1	4.50
49-53	COMM., UTIL.		1507401	1	4.50
50	PASS.		1508083⊕	1	3.20
51-52	PASS.		1507487	1	4.50
51-52	PASS.		1508084⊕	1	3.45
53	PASS. (exc. P.G.)		1507701	1	4.15
53	PASS. w/P.G.,				
54	PASS.		1507960†	1	4.50
53-57	CORV.		1508063	1	6.00
54-55	COMM., UTIL. (1st Ser.) (exc. FFC)		1508014	1	2.85
47-53	COMM., UTIL. (exc. D-D, COE)	(when 3709975 Engine is used),			
54-55	FFC (1st Ser.)		1507963⊕	1	3.50
55-57	COMM., UTIL. (2nd Ser.)	(0 to 60 lbs.)	1508246	1	3.30

*NOTE: Use with conversion unit.

⊕NOTE: 60 lb. pressure gauge. Used when 1953 force-feed engine has been installed.

†NOTE: Not used on 1953 Power Glide when 3709971 Engine is used.

1.835 FILTER, Oil (see group 3.163 for flexible pipes)

55-57	PASS. 6 cyl,				
55-57	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. D-D)	UNIT (AC-SC-655) (1 qt. cap.)	5573580▲	1	10.50
55	PASS. w/C.A.C.	UNIT (AC-SC-6558-A) (1 qt. cap.)	5573919▲	1	17.15
56-57	ALL, CORV. (8 cyl.)	UNIT (AC type PM-11)	5573977▲	1	10.75

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

1.836 ELEMENT, Oil Filter

40-57	ALL 6 cyl. (exc. D-D, COE)	(AC-P-115) Type SC-353 (1 qt. cap.)	5572288▲	1	2.25
36-57	ALL	(AC-P-117) Type S-2 (2 qt. cap.)	5572425▲	1	3.10
56-57	ALL CORV., (8 cyl.)	(AC-PF-131) (1 qt. cap.)	5573976▲	1	2.75

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

1.837 COVER UNIT—BODY—VALVE—BOLT, Oil Filter

56-57	ALL, CORV. (8 cyl.) (exc. oil filter)	cavity	3725063	1	1.50
56-57	ALL, CORV. (8 cyl.)	BODY, w/stud	5573978	1	5.30
56-57	ALL, CORV. (8 cyl.)	VALVE ASSY.	5573979	1	1.67
55	PASS. w/C.A.C.	BOLT, center (9/16—12 x 7 9/16)	5573928	1	2.75

1.840 BRACKET, Oil Filter

55	PASS. w/C.A.C.	with water outlet	5573955	1	(1.153)

1.844 GASKET, Oil Filter

55	ALL 8 cyl. (exc. C.A.C.)	(mtg. brkt.) (two 13/32 holes—1 13/16 I.D.)	3701777	1	(1.154)
55	PASS. w/C.A.C.	drain plug,			
56-57	ALL, CORV. (8 cyl.)	bolt (copper—19/32 I.D. x 13/16 O.D.)	799303	1	(4.661)
56-57	ALL, CORV. (8 cyl.)	body or cavity cover	5573980*	1	.18

*NOTE: Also used as oil filter cavity cover gasket when oil filter is not used.

1.850 OIL, Engine High Detergent Concentrate


ALL	ALL	(15 oz. can)	567725	A.R.	1.25

1.855 ELBOW, Oil Filter Fitting


40-54	ALL,				
55	COMM., UTIL. (1st Ser.)	outlet flexible pipe	853523	A.R.	.20
55-57	ALL 8 cyl.	inlet and outlet pipe	137420	2	(8.963)

1.928 FITTINGS, Valve Rocker Arm Shaft Oil


37-39	ALL	CONNECTOR, w/pipe	838217	1	1.65
40-52	ALL,				
53	ALL w/216	CONNECTOR, w/pipe, ctr. pin and clip	3835528	1	1.65
53	ALL w/235 (exc. P.G.)	CONNECTOR, w/pipe and center pin	3701304	1	1.65
53	PASS., CORV. w/P.G.,				
54-57	ALL, CORV. 6 cyl.	CONNECTOR, w/pipe (no center pin)	3836566	1	1.40
40-52	ALL,				
53	ALL w/216	CLIP (baffle) (part of 3835528)	839280	1	.05
29-36	ALL	SPRING (1/2 I.D. x 1 1/16 free length)	835715	1	.06
37-39	ALL	SPRING (1/2 O.D. x 15/16 free length)	838221	1	.03
37-39	ALL	SLEEVE (1/2 I.D. one end—1/8 I.D. one end)	838220	1	.20
40-57	ALL, CORV. (6 cyl.)	WASHER (13/16 I.D. x 1 5/16 O.D.)	839270	2	.03



ELECTRICAL SYSTEM



STARTING MOTOR—SOLENOID SWITCH



GENERATOR–12 VOLT


12 VOLT

SPECIAL GENERATOR EQUIPMENT OUTPUT CHARACTERISTICS

Curve		Generator Features	Typical Usages	Generator Assembly	Regulator Assembly	Other Special Details
1	(A_1)	25 Amp. (Reg. Prod.) Gen. W/ Special Service Pulley	Pass. and Truck—No special or hvy. duty equip. For increased output at slower speeds(#)	1100326	1118945	Pulley 1931102 Fan 1866400 Brkt. 3836756
2	(B)	30 Amp. H.D. Med. cut-in	State Police and Taxi. 2-way radio at high-way speeds only.	1102005	1118825	Brkt. 3720924 Hvy. duty wiring(§)
3	(C)	40 Amp. H.D. Low cut-in	Pass., Taxi, City Police w/2-way radio and other hi output heavy elect. equipment	1106981	1119004	Belt 3713378 (6 cyl.) Belt 3714366 (8 cyl.) Brkt. 3713377 Hvy. duty wiring(§)

(#) Not to be used on vehicles driven for long periods at sustained high speeds.
(§) Supplement wire from generator to Battery through regulator to carry additional output.

COMPARISON CHART



*Production generator curve included for comparison purposes

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	2.004 SHAFT, Starter Pedal (also see group 2.036)				
39-55	COE	w/brkts.	3651232	1	2.05
41-48	PASS.	w/brkts.—less button	3658495	1	2.05
41-46	COMM., UTIL. (exc. COE)	w/brkts.—less button	3656987	1	2.05
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE, H.T.)	w/brkts.	3685136	1	2.05
55-56	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. D-D, H.T.)	w/brkts.	3716561	1	1.70
57	Ser. 3-4-6 (6 cyl.) (exc. D-D, H.T.)	w/brkts.	3722945	1	1.70
	2.008 BRACKET, Starter Pedal				
38-39	ALL,				
40-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	(2 7/8 length overall—2 attach. holes)	597370	2	.15
	2.012 BUTTON, Starter Pedal				
29-48	ALL (exc. COE),				
49-53	COMM., UTIL. (exc. COE)	(rubber—slip fit—5/16 hole x 2 O.D.)	3654134	1	.60
39-53	COE,				
54-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	(steel—1 3/4 O.D.)	597505	1	.25
	2.014 BELLOWS—GUIDE, Starter Pedal Floor Board				
38-48	ALL (exc. D-D, COE),				
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, COE, H.T.)		3716711	1	.55
39-55	COE	GUIDE (1 9/16 x 1 9/16—steel)	3685985	1	.20
	2.029 SPRING, Starter Pedal Shaft and Link				
38-48	ALL (exc. D-D)	pedal link anti-rattle (1/2 free length—7/16			
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	O.D.—compression type)	371704	1	(4.796)
38-48	ALL (exc. D-D)	pedal lever pull back (3 1/4 free length—			
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	9/16 O.D.—tension type)	3654152	1	.20
47-55	COE	shaft anti-rattle (6 length—50 coils)	3653114	1	(0.844)
38-48	ALL (exc. D-D),				
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	CLIP (one 5/16, one 1/8 hole—1 3/8 length)	598070	1	.03
	2.033 LINK, Starter Pedal				
38-48	ALL (exc. D-D),				
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)		597792	1	.20
	2.036 ROD, Starter (also see group 2.004)				
47-57	COMM., UTIL. (6 cyl.) (exc. D-D, COE, H.T.)	pedal push	3685128	1	.35
47-55	COE	pedal push	3685983	1	.45
	2.041 MOTOR ASSY., Starter				
38-48	ALL (exc. FT, FU),				
49-55	COMM., UTIL. 6 volt (exc. H.T., D-D)	(1107108 on n/plate) (w/switch)	1107108	1	41.00
48	D-D	(w/solenoid switch) (1107076 on n/plate)	1107076	1	67.50
49-54	PASS. (exc. P.G.),				
49-55	D-D 6 volt,				
53	CORV.	(less switch) (1107075 on n/plate)	1913369*	1	37.50
50-54	PASS. w/P.G.,				
54-55	CORV. 6 volt	(less switch) (1108035 on n/plate)	1929912	1	46.00

*NOTE: Will fit COMM. w/H.T. by transferring or using new Drive End Hsg. 1925869.

55-56	PASS., D-D (6 cyl.) 12 volt (exc. H.T.)	(less switch) (1107644 on n/plate)	1933903	1	37.50
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	(w/switch) (1107634 on n/plate)	1107634	1	41.00
55-57	COMM., UTIL. (6 cyl.) w/H.T. 12 volt	(less switch) (1107633, 1107677 on n/plate)	1931460	1	37.50
55-56	ALL, CORV. (8 cyl.) 12 volt (exc. H.T.)	(less switch) (1107627 on n/plate)	1933904	1	37.50
55-56	COMM., UTIL. (8 cyl.) w/H.T.	(less switch) (1107643 on n/plate)	1933902	1	45.00
57	PASS. 6 cyl.,				
57	D-D 6 cyl. (exc. H.T.)	(w/switch) (1107652 on n/plate)	1107652	1	51.50
57	ALL, CORV. (8 cyl.) (exc. T.G., H.T.)	(w/switch) (1107664 on n/plate)	1107664	1	51.50
57	PASS. w/T.G.	(w/switch) (1107660 on n/plate)	1107660	1	51.50
57	Ser. 3-4 (8 cyl.) w/H.T.	(less switch) (1107674 on n/plate)	1938677	1	45.00

2.043 ARMATURE, Starting Motor

EXCHANGE ITEM

38-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	(11 37/64 O. L.)	1917855*	1	13.75
55-56	ALL, CORV. 12 volt (exc. 8 cyl. w/ H.T.),				
57	COMM., UTIL. (6 cyl.) (exc. D-D),				
57	D-D 6 cyl. w/H.T.	(11 13/16 O.L.)	1926626*	1	13.75
55-57	ALL 8 cyl., w/H.T.	(11 3/4 O.L.)	1927343*	1	13.75
57	PASS. 6 cyl.,				
57	D-D 6 cyl. (exc. H.T.)	use w/1107652	1932185*	1	13.75
57	ALL, CORV. (8 cyl.) (exc. H.T.)	use w/1107660—7664	1935829*	1	13.75

*Exchange Price Shown. Add $1.00 to prices if used Chevrolet Armature is not exchanged.

2.049 COIL, Starting Motor Field

29-48	ALL,				
49-55	COMM., UTIL. 6 volt (exc. D-D)	L.	1921608	1	2.70
29-48	ALL,				
49-55	COMM., UTIL. 6 volt (exc. D-D)	R.	1921607	1	2.70
48-54	PASS. (exc. FJ, FK),				
48-55	D-D 6 volt,				
53	CORV.,				
54-55	COMM. w/H.T. 6 volt	L.	1921196	1	2.70
48-54	PASS. (exc. FJ, FK),				
48-55	D-D 6 volt,				
53	CORV.,				
54-55	COMM. w/H.T. 6 volt	R.	1921195	1	2.70
50-54	PASS. w/P.G.,				
54-55	CORV. 6 volt	upper (stamped 826282)	826282	1	4.65
50-54	PASS. w/P.G.,				
54-55	CORV. 6 volt	lower (stamped 826281)	826281	1	4.65
55-56	ALL, CORV. w/1107626-27-33-43-44-45,				
57	ALL w/H.T.	assy. (consists of 4 coils)	1928969	1	6.25
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	assy. (consists of 4 coils)	1930418	1	6.25
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	4 coil assy. (use w/1107652-7660-7664)	1933761	1	6.25

2.051 BRUSH, Starting Motor

29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	(stamped 3000)	811553	4	.24
55-57	ALL, CORV. 12 volt	(stamped 945)	1906945	4	.24

2.052 HOLDER—SCREW, Starting Motor Brush

29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt		810226	4	.33
55-57	ALL, CORV. 12 volt	(insulated)	1926618	2	.33
55-57	ALL, CORV. 12 volt	(ground)	1926617	2	.33
55-57	ALL, CORV. 12 volt	SCREW (tapping—3/16—32 x 5/8)	1926648	4	10/.30

2.053 SPRING, Starting Motor Brush

29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	(3/16 I.D. x 5/8 free length)	813521	4	.12
55-57	ALL, CORV. 12 volt	(hairpin type—1/2 wide)	1926622	2	.13

2.054 PIN, Starting Motor Brush

ALL	ALL, CORV.	brush holder hinge (no insul.—3/16 x 1 7/16) drive end dowel (cut and use 5/16)	817313	A.R.	.07
29-54	ALL, CORV.	brush holder hinge (w/insulation) (3/16 dia.			
55	CORV., COMM., UTIL. 6 volt	x 1 7/16 length)	812016	2	.17
29-54	ALL, CORV.	brush holder stop (no insulation) (3/16 dia.			
55	CORV., COMM., UTIL. 6 volt	x 1 5/16 length)	817314	2	.07
29-54	ALL, CORV.	brush holder stop (w/insulation) (3/16 dia.			
55	CORV., COMM., UTIL. 6 volt	x 15/16 length)	812015	2	.17

2.055 LEAD—SUPPORT, Starting Motor Brush

29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	ground (2 terminals—2 7/8 length)	813554	2	.24
29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	field (4 terminals)	819362	1	.33
55-57	ALL, CORV. 12 volt	ground (2 terminals—2 3/8 length)	1926605	2	.17
55-57	ALL, CORV. 12 volt	SUPPORT UNIT	1928015*	2	.50

*NOTE: Consists of 1 ea. support, lead, pin and 2 ea. screws, nuts, washers.

2.059 WASHER, Starting Motor Terminal

29-48	ALL (exc. D-D)	switch terminal screw (steel—3/8 I.D. x 11/16			
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	O.D.)	812622	2	.06
29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	switch terminal screw insul. (fibre—3/8 I.D.			
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc.-DD, H.T.)	x 3/4 O.D.)	1861076	2	.06
29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	switch terminal screw insul. bushing (fibre			
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	3/8 I.D. x 9/16 O.D. x 1/16)	1904669	2	.06
55-57	PASS., CORV.,				
55-57	COMM. w/H.T. 12 volt (exc. D-D),				
55-57	D-D 12 volt (exc. H.T.)	field lead (steel—3/16 I.D. x 5/16 O.D.)	120217	1	(8.931)

2.063 COLLAR—RING—WASHER, Starting Motor Thrust

55-57	ALL, CORV. 12 volt	(11/16 O.D. x 3/16 width)	1927849	1	.35
55-57	ALL, CORV. 12 volt	RING, lock (7/16 I.D.)	1927848	1	.06
29-37	ALL	WASHER, comm. end (steel—9/16 I.D. x 1 O.D.			
		x 1/16)	833602	1	.06
38-54	ALL, CORV.	WASHER, drive end (steel—1/2 I.D. x 3/4 O.D.			
55	CORV., COMM., UTIL. 6 volt	x 1/16)	1838568	1	.06
38-57	ALL, CORV.	WASHER, comm. end (leather—9/16 I.D. x 1 5/16			
		O.D. x 1/8)	818265	1	.06
55-57	ALL, CORV. 12 volt	WASHER, drive end (15/32 I.D. x 11/16 O.D.)	1927850	1	.11

2.067 FRAME, Starting Motor Commutator End, with Pins

29-54	ALL (exc. P.G.),				
53	CORV.,				
55	COMM., UTIL. 6 volt	(has 6 grooved and 2 plain pins)	1907038	1	3.35
50-54	PASS. w/P.G.,				
54-55	CORV. 6 volt		1908580	1	3.35
55-57	ALL, CORV. 12 volt	w/bushing (4 1/4 O.D.)	1928966	1	2.40

2.070 BAND, Starting Motor Commutator Cover

29-54	ALL, CORV.,				
55	CORV., COMM, UTIL. 6 volt	(4 7/16 dia. closed x 1 1/4 wide)	817114	1	.60

2.077 SCREW—BOLT—STUD—BRACE—SPACER, Starting Motor

41-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	pole shoe (3/8—24 x 37/64 overall)	1881869	4	.07
29-48	ALL (exc. D-D),				
49-55	COMM., UTIL. 6 volt (exc. D-D)	field terminal (3/8—16 x 23/32)	821524	1	.22
48-55	D-D 6 volt,				
49-54	PASS.,				
53-55	CORV. 6 volt,				
54-55	COMM. w/H.T. 6 volt	terminal (3/8—16 x 1 1/4 overall)	1848837	1	.22
29-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	BOLT, thru (1/4—20 x 6 5/16)	809053	2	.25
38-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt,				
56-57	ALL 6 cyl. (exc. H.T.)	BOLT, to clutch hsg. (1/2—13 x 1 3/16)	838802	1	.09
55-57	ALL, CORV. 12 volt	BOLT, through (1/4—20 x 5 7/8)	1926625	A.R.	.25
56-57	PASS. 8 cyl.	BOLT, through (1/4—20 w/5/8 extension)	1931654	1	.25
57	PASS. w/T.G.	BOLT (3/8—16 x 3 5/8)	3733289	1	.25
38-57	ALL, CORV. (6 cyl.)	STUD, to clutch hsg. (1/2—13—20 x 1 5/8)	838701	1	.12
55-57	ALL, CORV. (8 cyl.) (exc. T.G.)	STUD, special (3/8—16—24 x 1 7/16)	3836528	A.R.	.10
57	ALL 8 cyl. w/H.T.	STUD, at top hole (3/8—16—24 x 1 7/8)	3733370	1	.15
56	PASS. 8 cyl.	BRACE (4 7/8 O.L.)	3721553	1	.25
57	PASS. 8 cyl. (exc. T.G.)	BRACE (4 7/8 O.L.)	3742856	1	.20
57	1/2, 3/4 TON (8 cyl.) w/H.T.	SPACER, at top hole (13/32 dia. x 1/2 long)	3736427	1	.20

2.083 BUSHING—WICK, Starting Motor End

29-37	ALL	drive end (9/16 I.D. x 5/8 O.D. x 3/4 length)	810620	1	.16
38-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	drive end (1/2 I.D. x 9/16 O.D. x 25/32 length)	1839345	1	.16
55-57	ALL, CORV. 12 volt	drive end (15/32 I.D. x 33/64 O.D. x 23/32 length)	1923907	1	.20
ALL	ALL	WICK, oil, commutator end (felt—7/32 dia.)	804076	A.R.	(2.301)

2.085 HOUSING, Starting Motor Drive, with Bushing

42-48	ALL (exc. D-D),				
49-55	COMM., UTIL. 6 volt (exc. H.T., D-D)		1885818	1	6.25
49-54	PASS. (exc. P.G.),				
49-55	D-D 6 volt,				
53	CORV.		1912112	1	6.25
50-54	PASS. w/P.G.,				
54-55	CORV. 6 volt		1929933	1	6.25
54-55	COMM. w/H.T. 6 volt		1925869	1	6.25
55-56	PASS. 6 cyl.,				
55-56	D-D 12 volt (exc. H.T.)	(cast 710)	1928976	1	7.00
55-56	ALL, CORV. (8 cyl.) (exc. H.T.)	(w/three 3/8 attaching holes)	1929006	1	7.00
55-56	COMM., UTIL. (8 cyl.) w/H.T.		1932629	1	6.25
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	(cast 700)	1930424	1	6.25
55-57	ALL 6 cyl. w/H.T. 12 volt	(cast 171)	1930321	1	6.25
57	PASS. 6 cyl.,				
57	D-D 6 cyl. (exc. H.T.)	use w/1107652	1933768	1	6.25
57	ALL, CORV. (8 cyl.) (exc. T.G., H.T.)	use w/1107664	1935846	1	6.25
57	PASS. w/T.G.	use w/1107660	1935825	1	6.25
57	Ser. 3-4 (8 cyl.) w/H.T.	use w/1107674	1937699	1	6.25

2.086 DRIVE ASSEMBLY, Starting Motor

38-54	ALL, CORV.,				
55	CORV., COMM., UTIL. 6 volt	(stamped "O")	1873789*	1	7.00
55-56	ALL, CORV. 12 volt,				
57	Ser. 3-4-6 (6 cyl.) (exc. D-D, H.T.),				
57	ALL 6 cyl. w/H.T.		1927200*	1	7.25
57	PASS. 6 cyl.,				
57	D-D 6 cyl. (exc. H.T.)	use w/1107652	1932188*	1	7.00
57	ALL, CORV. (8 cyl.) (exc. H.T.)	use w/1107660-7664	1935827*	1	7.00
57	ALL 8 cyl. w/H.T.	use w/1107674	1931585*	1	7.00

*Exchange Price Shown. Add .75 to prices if used Chevrolet Starting Motor Drive Assembly is not exchanged.

2.087 SPRING, Starting Motor Drive

34-37	ALL (exc. DC)	drive (6½ coils—1⅜ I.D.—uses ⅜ bolts)	1848532	1	1.00
38-56	ALL, CORV.,				
57	Ser. 3-4-6 (6 cyl.) (exc. D-D, H.T.),				
57	ALL w/H.T.	clutch (7 coils—1 I.D.—2⁷⁄₁₆ free length)	037517	1	.30
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	clutch (4½ coils—1½ free length)	1932196	1	.22

2.091 LOCKWASHER, Starting Motor Drive Spring

34-37	ALL (exc. DC)	(⅜ I.D. x 11⁄16 O.D.)	805057	1	.02

2.100 SWITCH ASSEMBLY—PLUNGER—BUSHING, Starting Motor (on motor)

29-37	ALL	(has rod type contact)	362941	1	1.65
38-48	ALL (exc. D-D),				
49-55	COMM., UTIL. 6 volt (exc. H.T., D-D)	(has button type contact)	820052	1	1.65
48	D-D	(solenoid)	1118102	1	15.75
49-52	PASS.,				
49-55	D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	(push button switch) (dash mtg.)	1996055	1	1.90
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	(solenoid) (less plunger and link)	1118135	1	10.25
55-56	ALL, CORV. 12 volt	(solenoid) (use w/1912448 boot)	1119789	1	10.25
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	(has button type contact)	1930496	1	2.40
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	(solenoid) (use w/1107652-7660-7664)	1119919	1	7.75
57	ALL 6 cyl. w/H.T.	(solenoid) (use w/1107677)	1119793	1	10.25
57	ALL 8 cyl. w/H.T.	(solenoid) (use w/1107674)	1119760	1	10.25
49-54	PASS.,				
49-55	D-D 6 volt	PLUNGER ASSY., w/link	1912939	1	(2.113)
55-56	PASS., CORV. 12 volt,				
55-56	COMM., UTIL. (6 cyl.) (exc. H.T.),				
55-56	D-D 12 volt	PLUNGER, w/link	1926647	1	(2.113)
49-52	PASS.,				
49-55	D-D 6-volt,				
54-55	COMM. w/H.T. 6 volt	BUSHING, switch	1911548	1	.40

2.102 SWITCH PARTS, Starting Motor

29-48	ALL (exc. D-D),				
49-55	COMM., UTIL. 6 volt (exc. D-D)	INSULATION	816911	2	.07
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	CONNECTOR	1912117	1	.35
54	PASS. w/P.G. (w/1929912)	CONNECTOR, switch	1912920	1	.35
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	CONNECTOR, field coil to switch	1926619	1	.30
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	WASHER, insulating term. (w/1118135)	813731	4	(2.401)
55-57	PASS., CORV. 12 volt,				
55-57	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-57	COMM., UTIL. (8 cyl.)	WASHER, cover (3⁄16 I.D. x 7⁄16 O.D.)	1923935	2	.08
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,	WASHER, insulating term. (5⁄16 I.D. x 5⁄8 O.D.—			
55-56	COMM., UTIL. (8 cyl.)	notched)	1926968	1	10/.30

55-57	PASS., CORV. 12 volt,				
55-57	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-57	COMM., UTIL. (8 cyl.)	WASHER, insulating term. (3/8 I.D. x 5/8 O.D.)	1927345	1	10/.30
55-57	PASS., CORV. 12 volt,				
55-57	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,	WASHER, terminal stud (3/16 I.D. x 7/16 O.D.—			
55-57	COMM., UTIL. (8 cyl.)	notched)	1926969	1	10/.30
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	SCREW, cover attach. (w/1118135)	1912522	1	.03
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	SCREW, term. (3/8—16 x 23/32)	1930423	1	.30
49-56	PASS., CORV.,				
49-56	D-D,				
54-57	ALL w/H.T.,				
55-56	COMM., UTIL. (8 cyl.)	CONTACT, w/push rod (w/1118135)	1912059	1	.75
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	CONTACT, w/push rod (w/1119919)	1932243	1	.55
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	CUP, spring support (w/1118135)	1912068	1	.05
49-57	PASS., CORV.,				
49-57	D-D,				
54-57	ALL w/H.T.,				
55-57	COMM., UTIL. (8 cyl.)	SPRING, contact return	1853342	1	.12
49-54	PASS.,				
49-55	CORV., D-D 6 volt	STUD, terminal (No. 8—32 x 15/16 O.L.)			
54-55	COMM. w/H.T. 6 volt	(w/1118135)	1917115	1	.06
49-54	PASS.,				
49-55	CORV., D-D 6 volt	STUD, terminal (3/8—16 x 1 1/8 O.L.)			
54-55	COMM. w/H.T. 6 volt	(w/1118135)	1912066	2	.22
55-57	PASS., CORV. 12 volt,				
55-57	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-57	COMM., UTIL. (8 cyl.)	STUD, terminal (3/8—16 x 1 3/16)	1927344	1	.22
49-54	PASS.,				
49-55	CORV., D-D 6 volt	INSULATOR, terminal stud (2 holes 25/64 sq.)			
54-55	COMM. w/H.T. 6 volt	(w/1118135)	1912067	1	.15
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-56	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	COVER	1930343	1	.70
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.)	COVER, (2 1/2 dia.) (w/1119919)	1935643	1	.60
57	ALL w/H.T.	COVER (w/1119760-9793)	1926966	1	.70
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	GASKET, cover	1930629	1	.11
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	GASKET, cover (2 1/2 dia.) (w/1119919)	1932224	1	.11
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	GROMMET, field frame	1926604	1	.17
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	GROMMET, field frame (w/1119919)	1933765	1	.11

2.108 LEVER—STUD—SPRING—PIN, Starting Motor Drive Shift

38-41	ALL	(1/2 thickness thru stud hole)	1882077	1	1.55
42-48	ALL (exc. D-D),				
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	(1/4 thickness thru stud hole)	1885814	1	1.55

49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	(elongated hole one end)	1912935	1	1.55
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	(elongated hole and 2 tapped holes)	1927468	1	1.55
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	(3½ between end hole centers)	1932205	1	1.10
42-48	ALL (exc. D-D),				
49-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	STUD (⅜—16 x ¼ shldr. length—⅝ flat hd.)	1885817	1	.30
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	STUD (⅜—16 thd. x 2 O.L.—sltd. hd.)	1848796	1	.40
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	STUD (⅜—16 x 1¾ O.L.)	1926645	1	.40
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	STUD, (5/16—18 x 1 3/16 O.L.)	1932197	1	.15
48	D-D	SPRING (R.H. coils)	1859742	1	.35
49-54	PASS.,				
49-55	CORV., D-D 6 volt,				
54-55	COMM. w/H.T. 6 volt	SPRING (L.H. coils)	1881861	1	.35
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	SPRING (L.H. coils)	1926607	1	.35
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	SPRING, plunger return (3⅛ free length)	1932208	1	.20
57	PASS. 6 cyl.,				
57	D-D 6 cyl. (exc. H.T.)	SPRING, lever assist (6½ coils)	1932209	1	.17
57	ALL, CORV. (8 cyl.) (exc. H.T.)	SPRING, lever assist (1½ free length)	1935828	1	.17
48-56	D-D,				
49-56	PASS., CORV.,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	PIN, lever (3/16 x 9/16)	1853305	1	.07
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	PIN, lever (3/16 x 13/16)	1932204	1	.05

2.113 LINK ASSEMBLY—PLUNGER—BOOT, Starting Motor Drive Shift

48	D-D	with screw	1873700	1	.55
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL w/H.T. 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	lever adjusting	1927033	1	.30
49-54	PASS.,				
49-55	CORV., D-D 6 volt	PLUNGER, with link	1912939	1	1.55
55-56	PASS., CORV. 12 volt,				
55-56	D-D 12 volt,				
55-57	ALL 6 cyl. w/H.T. 12 volt,				
55-56	COMM. UTIL. (8 cyl.) (exc. H.T.)	PLUNGER, with link	1926647	1	1.55
55-57	ALL 8 cyl. w/H.T.	PLUNGER, with link	1932634	1	1.35
57	PASS., CORV.,				
57	D-D 6 cyl. (exc. H.T.),				
57	Ser. 3-4-6 (8 cyl.) (exc. H.T.)	PLUNGER, with link	1932200	1	1.35
55-56	PASS.,				
55-57	ALL 8 cyl. w/H.T.	BOOT, plunger	1912448	1	.35

2.127 RELAY ASSEMBLY—Starting Motor

53-55	CORV. 6 volt		1116886	1	4.25
55	CORV. 12 volt,				
56-57	CORV. w/P.G.		1116904	1	4.25

2.170 COIL, Ignition

33-40	ALL		1915427	1	6.25
41-46	ALL	(molded 1115401 and 6-V)	1910405	1	6.75
29-32	ALL,				
47-54	ALL,				
55	COMM., UTIL. 6 volt	(normal weather operation)	1115380	1	7.45
29-32	ALL,				
47-54	ALL,				
55	COMM., UTIL. 6 volt	(cold weather operation)	1115400	1	8.25
53-55	CORV. 6 volt		1115394	1	7.50
55-57	ALL 12 volt (exc. dual 4BC)	(stamped 087-12-V)	1115087	1	7.45
55-57	CORV. 12 volt,				
56-57	PASS. w/dual 4BC		1115091	1	8.50

2.173 RESISTOR, Ignition Coil

55-57	ALL 12 volt (exc. dual 4BC)	primary	1931614	1	1.55
55-57	CORV. 12 volt,				
56-57	PASS. w/dual 4BC	primary	1931385	1	2.40

2.183 BRACKET—SUPPORT—SCREW—SHIELD, Ignition Coil Mounting

50-55	COE 6 volt	(5 1/16 long)	3835559	1	.93
53-55	CORV. 6 volt		3836145	1	.95
55-57	PASS. 6 cyl.,				
55	CORV. 8 cyl.,				
55-57	COMM., UTIL. 12 volt		1909326	1	.40
55-57	ALL 8 cyl. (exc. dual 4BC)		1929496	1	.40
56-57	PASS. w/dual 4BC,				
56-57	CORV	SUPPORT, assy. R.H.	3728952	1	2.50
56-57	CORV	SUPPORT, shield, lower, L.H.	3728953	1	.70
56-57	CORV	SUPPORT, shield, upper, L.H.	3728955	1	1.10
57	ALL 8 cyl. (exc. dual 4BC)	SCREW, bracket	1885531	1	.03
55	CORV. 8 cyl.	SHIELD	3720679	1	7.50

2.187 KEY, Ignition—Door—Compartment—Trunk—Gas Tank Cap—Tire Locks

35-57	ALL, CORV	(octagon hd.—w/knockout plug—ignition, door and tire locks) (series 8000-9499).	3694624	A.R.	.11
35-46	ALL	(round hd.—w/knockout plug—compt.,			
47	PASS	trunk and gas tank locks) (series 8000-9499)	7002238	A.R.	.11

2.188 ELECTROLOCK—CYLINDER—SWITCH, Ignition

35-36	ALL,				
37-40	COMM., UTIL. (exc. COE)	less cyl. and keys (stamped 1116278)	1116278	1	4.95
37-39	PASS	less cyl. and keys ("D-37" cast on case).	1865216	1	4.95
40	PASS	less cyl. and keys ("D-or-B" cast on case).	1116272	1	4.95
41-46	PASS	less cyl. and keys (stamped 1116304)	1116304	1	4.95
41-46	COMM., UTIL. (exc. COE)	less cyl. and keys	1116301	1	4.95
41-46	COE	less cyl. and keys (stamped 1116303)	1116303	1	5.65
35-46	ALL,				
47	PASS.,				
49-57	COMM., UTIL.	CYLINDER, less keys uncoded	1458180	1	1.00
47-48	ALL (exc. EJ, EK),				
49-57	PASS., CORV.	CYLINDER, less keys uncoded	3716725	1	1.10
47	PASS	SWITCH, less cyl. and keys	1116454*	1	2.65
47-48	ALL (exc. EJ, EK),				
49-50	PASS	SWITCH, less cyl. and keys	1116452	1	2.60
49-53	COMM., UTIL.,				
54-55	FFC, SBC 6 volt	SWITCH, less cyl. and keys	1116464	1	2.60
51-52	PASS	SWITCH, less cyl. and keys	1116469	1	2.60
53-54	PASS.,				
55	CORV. 6 volt	SWITCH, less cyl. and keys	1116478	1	4.10

*NOTE: See group 2.525 for coil to ignition switch wiring for 1947 PASS. electrolock.

54-55	COMM., UTIL. 6 volt (exc. FFC)	SWITCH, less cyl. and keys	1116479	1	2.60
55-56	PASS.,				
55-57	CORV. 12 volt	SWITCH, less cyl. and keys (stamped "512")	1116512	1	3.25
55-57	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	SWITCH, less cyl. and keys	1116522	1	3.25
55-56	COMM., UTIL. w/235 w/H.T. 12 volt,				
55-56	D-D 12 volt,				
55-56	COMM., UTIL. (8 cyl.)	SWITCH, less cyl. and keys	1116514	1	3.25
57	PASS.	SWITCH, less cyl. and keys (stamped 535)	1116535	1	3.25
57	D-D,				
57	Ser. 3-4 (6 cyl.) w/H.T.,				
57	Ser. 3-4-6 (8 cyl.)	SWITCH, less cyl. and keys (stamped 537)	1116537	1	3.25

NOTE: See group 10.553 for cylinder tumblers.

2.192 PLATE, Ignition Switch Mounting

47-53	COMM., UTIL. (exc. FFC, D-D)		3684097	1	.33
49-50	PASS.		3688155	1	.33

2.198 NUT—DIAL—RETAINER, Ignition Lock

34-36	ALL,				
37-46	COMM., UTIL.,				
51-52	PASS.,				
54-55	COMM., UTIL. (1st Ser.) (exc. FFC)	mounting (1—32 thd.—$1\frac{11}{32}$ O.D.	1917129	1	.45
53-56	PASS.,				
53-57	CORV.	mounting (1—32 thd.—$1\frac{11}{32}$ O.D.)	1929529	1	.60
55-57	COMM., UTIL. (2nd Ser.)	mounting (1—32 thd.—$1\frac{11}{16}$ O.D.)	1930492	1	.60
57	PASS.	mounting (1—32 thd.—$1\frac{7}{32}$ O.D.)	3736482	1	.25
53-56	PASS.,				
53-57	CORV.	DIAL, indicator (plastic)	3711712	1	.30
55-57	ALL 6 cyl. w/H.T. (2nd Ser.),				
55-57	D-D (2nd Ser.),				
55-57	COMM., UTIL. (8 cyl.)	DIAL, indicator (plastic)	3715085	1	.30
53-56	PASS.	DIAL, indicator (w/bezel)	3727738	1	.50
57	A, B, D	DIAL, indicator (painted silver)	3736491	1	.30
57	C	DIAL, indicator (chrome)	3736490	1	.50
57	PASS. (1st design)	RETAINER, assembles into $1\frac{13}{32}$ dia. hole	3736488	1	.05
57	PASS. (2nd design)	RETAINER (.020 thick)	3744386	1	.05

2.239 WIRE UNIT, Spark Plug

29-46	ALL,				
47-55	COMM., UTIL. (6 cyl.)	(Packard 446-G) (copper core)	5298107*	1	2.60
47-55	PASS., CORV. (6 cyl.)	(Packard 456-G) (carbonized linen)	5298450*	1	2.80
56-57	ALL 6 cyl.	(carbonized linen)	2964914*	1	3.70
55-56	ALL 8 cyl.	(Packard 458-H) (carbonized linen)	2963136†	1	8.30
56	PASS. 8 cyl. w/rt. angle terminals and boots	(carbonized linen)	2964913	1	8.50
56	COMM., UTIL. (8 cyl.)	(Packard) (copper core)	2964911†	1	6.20
57	ALL 8 cyl. (exc. dual 4BC)	(carbonized linen)	2968641†	1	9.80

*NOTE: Consists of: 6 spark plug wires, 1 coil high tension wire, 8 nipples and clips.

†NOTE: Consists of: 8 spark plug wires and 1 coil high tension wire with nipples and clips.

2.240 WIRE, Spark Plug, with Terminals

29-55	ALL 6 cyl.	(15 length) (copper core)	5296672	A.R.	.60
56-57	ALL 6 cyl. (exc. D-D)	(15 length) (2 boots and terminals)	2964470	A.R.	1.00
55	CORV. 12 volt	(43 length)	3720631	A.R.	2.00
55-57	ALL, CORV. (8 cyl.)	($44\frac{1}{4}$ length) (carbonized core)	2966821*	A.R.	1.80
56-57	PASS., CORV.	($32\frac{1}{4}$ length) (carbonized core)	2966789	A.R.	1.80
56-57	ALL 8 cyl.	($36\frac{1}{2}$ length) (carbonized core)	2966775*	A.R.	1.45
56-57	ALL, CORV. (8 cyl.)	($27\frac{1}{2}$ length) (carbonized core)	2967134*	A.R.	.85
57	PASS. 8 cyl. (exc. dual 4BC)	($35\frac{1}{2}$ length) (right angle terminals) (#4 cyl.)	2967611	A.R.	1.15

*NOTE: For all positions requiring this length.

2.241 CABLE, Spark Plug (also see group 2.530)

ALL	ALL	(7 MM H.T.—100 ft. spool) (Packard 440)	1851208	A.R.	14.00	700

2.251 SUPPORT—GROMMET—SHIELD, Spark Plug Wire

55-56	PASS. 8 cyl.,				
55	COMM. 8 cyl. w/H.T.,				
56	COMM., UTIL. 8 cyl. (exc. H.T.)	rear, upper, L.H.	3719903	1	.30
55	ALL 8 cyl. (1st design)	rear, upper, R.H.	3719904	1	.20
55-57	ALL 8 cyl.	rear, lower	3719962	A.R.	.20
55-56	ALL 8 cyl.	rear, side	3707950	2	.10
55	2 TON 8 cyl.	rear, upper, L.H.	3718883	1	.35
55	COMM., 1½ TON (8 cyl.) (exc. H.T.)	rear, upper, L.H.	5756145	1	.10
55-57	ALL 8 cyl. (exc. dual 4BC) (2nd design)	rear, upper, R.H.	5756144	1	.10
56-57	ALL 8 cyl. w/H.T.	rear, upper, L.H.	3733763	1	.50
55-56	CORV. 8 cyl.	left	3718097	1	.75
55	CORV. 8 cyl.	right	3718098	1	.75
56	CORV.	side	3733124	2	.40
57	ALL 8 cyl. (exc. H.T.)	rear, upper, L.H.	3742561	1	.30
57	ALL, CORV. (8 cyl.)	side	3737834*	2	.30
55-57	ALL 8 cyl.,				
56-57	CORV.	GROMMET, rear (four 9/32 holes)	3719963	A.R.	.10
55-57	ALL 8 cyl.,				
56-57	CORV.	GROMMET, side (9/32 hole, ½ O.D.)	3707952	8	.05
55-56	2 TON 8 cyl.,				
56	1½ TON 8 cyl. (hvy. duty)	SHIELD, rt. frt. and left rr.	3731971	2	.35
55-56	2 TON 8 cyl.,				
56	1½ TON 8 cyl. (hvy. duty)	SHIELD, left frt. and rt. rr.	3731964	2	.35
55-56	2 TON 8 cyl.,				
56	1½ TON 8 cyl. (hvy. duty)	SHIELD, center left and rt.	3731967	2	.50
56	PASS. w/dual 4BC,				
56	CORV.	SHIELD, spark plug wire	3732800	2	.50
57	ALL, CORV. (8 cyl.)	SHIELD, L.H. rear and R.H. front	3736303*	A.R.	.35
57	ALL, CORV. (8 cyl.)	SHIELD, R.H. rear and L.H. front	3736304*	A.R.	.35

*NOTE: Not used on CORVETTE with radio equipment.

2.257 TERMINAL—CLIP, Spark Plug Wire

29-52	ALL,				
53-55	CORV. 6 cyl.	R. angle push on type, (Packard 205-A)	843006	A.R.	.05
ALL	ALL 6 volt	(for threaded terminal and nut—13/64 hole) (Packard 210)	1846008	A.R.	.05
ALL	ALL 6 volt	(for threaded terminal and nut—13/32 hole) (Packard 207)	1846014	A.R.	.07
ALL	ALL 6 volt	(spade end—for 3/16 rod) (Packard 208-A)	200086	A.R.	.05
ALL	ALL 6 volt	CLIP, high tension (Packard 202)	5284618	8	.03

2.258 NIPPLE—PROTECTOR—BOOT, Spark Plug Wire

ALL	ALL, CORV. (exc. 1957 PASS. 8 cyl.)	distributor	5289527	A.R.	.07
57	PASS. 8 cyl.	distributor	2962992	A.R.	.10
47-57	ALL	coil	5290441	1	.07
ALL	ALL, CORV. (6 cyl.)	PROTECTOR (bellows type) (Packard 286)	5297132	6	.26
55	ALL (8 cyl.)	BOOT (heat resistant) (23/64 plug opening dia.)	2962575	A.R.	.75
56	COMM., UTIL. (8 cyl.)	BOOT (heat resistant) (25/64 plug opening dia.)	2962678	A.R.	.85

2.270 PLUG, Spark

	Type	Recommended Service			
33-55	ALL (exc. 2 TON, hvy. duty) No. 46-5 (14 MM)	hot plug for continuous city operation	5569617▲	A.R.	.93
41-48	ALL No. 104 (10 MM)	standard equip. on trucks, sustained high speeds on pass.	1557801▲	A.R.	.93

41-48	ALL.....	No. M8 (10 MM).....	standard equip. on 1946-48 pass., sustained slow speeds on trucks.....	1559459[A]	A.R.	.93
49-55	ALL.....	No. 44-5 (14 MM)....	standard equip. on all exc. 2 TON, hot plug for city operation on 2 TON.....	5569761[A]	A.R.	.93
49-55	2 TON.....		standard equipment,			
54-55	PASS., COMM. 1½ TON (exc. hvy. duty) No. 43-5 (14 MM).....		hvy. duty cold plug.....	5569831[A]	A.R.	.93
49-55	1½ TON (hvy. duty),					
49-57	2 TON.....	No. C 42 (14 MM)	standard—normal service.....	5612009[A]⊕	A.R.	.93
53-55	CORV.....	No. 43-5R (14 MM)	.....	5569889[A]	A.R.	1.20
56-57	ALL, CORV. (exc. 2 TON) AC 44 (14 MM)		hvy. duty cold plug.....	1559492[A]⊕	A.R.	.93
56-57	2 TON.....	No. C43 (14 MM)	hot plug—continuous city oper.....	5612002[A]⊕	A.R.	.93
56-57	ALL, CORV. (exc. 2 TON).....	No. AC 45 (14 MM)	standard.....	1559493[A]	A.R.	.93
56-57	PASS., COMM., 1½ TON (exc. hvy. duty)	No. 46 (14 MM)	hot plug—continuous city oper.....	1559494[A]⊕	A.R.	.93

[A]NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

⊕NOTE: May be used on previous models using 14MM plugs not equipped with boots.

2.271 GASKET, Spark Plug Seat

33-40	ALL,					
49-57	ALL, CORV.....		(9/16 I.D. x 25/32 O.D.) (14 MM).....	1555475[A]	A.R.	.01
41-48	ALL.....		(13/32 I.D. x 9/16 O.D.) (10 MM).....	1555492[A]	6	.01

[A]NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

2.273 WRENCH, Spark Plug

33-40	ALL,					
49-57	ALL.....		(53/64 hex.—4¼ length).....	3708444	1	.55
41-46	ALL (exc. DJ, DK),					
47-48	ALL.....		(5/8 hex.—3 length—w/handle).....	3685600	1	.40

2.274 PULLEY—FAN, Generator

35-38	ALL (exc. EB, EC, Q, HC, HD, HE, T),					
39-52	ALL (exc. large gen. 1952).....		w/fan (3 11/32 dia. pulley—use w/5/8 belt)	597667*	1	2.50
36-51	ALL (for low speed driving).....		w/fan 4 3/8 dia. pulley—use w/5/8 belt (602			
52	ALL (w/9½ gen.) (for low speed driving).		253 cast on pulley).....	604486	1	2.85
48-54	ALL w/55 amp. gen. (reg. cut-in),					
55	COMM., UTIL. 6 volt w/55 amp. gen. (reg. cut-in).....		w/fan (5 dia. pulley w/wide groove—use w/½ belt).....	1911990	1	11.25
52	ALL (w/10½ generator),					
53-55	UTIL. 6 volt.....		w/fan (5 21/32 largest O.D.—use w/5/8 belt)	3700301	1	2.50
52	ALL (w/1102786—5001—5002),					
53-55	UTIL. 6 volt (w/1105008—5009).....		w/out fan (5½ dia.—use w/5/8 belt).....	1922951	1	7.60
53-54	PASS. (exc. spec. equip.),					
53-55	COMM. 6 volt (exc. spec. equip.).....		w/fan (2 7/8 dia. pulley—used w/3/8 belt)..	3703606	1	2.50
53-54	PASS. (spec. equip.),					
53-55	COMM. 6 volt (spec. equip.).....		w/o fan (3 dia. pulley—used w/3/8 belt)...	1925515	1	7.60
53-54	ALL w/55 amp. gen. (reg. cut-in),					
55	COMM., UTIL. 6 volt w/55 amp. gen. (reg. cut-in).....		w/fan (5 dia. pulley w/narrow groove—use w/3/8 belt).....	1925456	1	11.25
53-54	PASS. w/55 amp. gen. (low cut-in),					
53-55	COMM. 6 volt w/55 amp. gen. (low cut-in),		w/fan (3 dia. pulley w/narrow groove—			
55-57	PASS. w/40 amp. gen. (low cut-in).....		use w/3/8 belt).....	1927039	1	9.50
53-55	UTIL. 6 volt w/55 amp. gen. (low cut-in).		w/fan (3 3/8 dia. pulley w/wide groove— use w/5/8 belt).....	1928286	1	9.50

*NOTE: Also used on 1954 Comm. with 5/8 generator drive.

53-54	PASS. (low speed driving)	w/fan (2½ dia. pulley w/narrow groove—use w/⅜ belt)	5846798	1	2.50
53-55	COMM. 6 volt (low speed driving)				
53-55	CORV. 6 volt	w/o fan (5 dia. w/narrow groove—use w/⅜ belt)	1927518	1	7.60
55-57	COMM., UTIL. (low speed driving)	w/o fan (2½ dia. pulley—use w/½ belt)	1932763	1	7.60
55-57	PASS. (exc. P/S, dual 4BC)	w/fan (2⅞ dia. pulley—use w/⅜ belt)	3710286	1	2.50
55-56	PASS. P/S	w/fan (3⅝ dia. pulley—use w/⅜ belt) (5			
55-57	CORV. 8 cyl. (exc. dual 4BC)	dia. fan—12 blades)	3712554	1	2.50
55-56	PASS. (exc., P/S) (high speed driving)	w/o fan (5 dia. pulley—used w/⅜ belt)	1931102	1	7.60
55-57	COMM. 12 volt (exc. P/S, 40 amp. low cut-in),				
56-57	PASS., CORV. w/dual 4BC	w/fan (3⅝ dia. pulley—use w/½ belt)	3711766	1	2.50
55	COMM. 12 volt (exc. P/S),				
55-56	UTIL. 12 volt (exc. P/S, 40 amp.),				
57	Ser. 4 w/25 amp.	w/o fan (5 dia. pulley—use w½ belt)			
57	Ser. 6 (6 cyl.) w/25 amp.	(stamping)	1932824	1	2.70
55-56	UTIL. 12 volt P/S w/30 amp.,				
57	Ser. 4 P/S w/30 amp.,				
57	Ser. 6 (6 cyl.) P/S w/30 amp.	w/fan (4 dia. pulley—use w/½ belt)	3711685	1	2.50
55-57	COMM., UTIL. 12 volt w/40 amp. hvy. duty gen. (exc. P/S, D-D),				
55-56	D-D 6 cyl. w/40 amp. hvy. duty	w/fan (5⅛ dia. pulley—use w/½ belt)	1932311	1	11.25
55-57	COMM. 12 volt w/40 amp. low cut-in gen.,				
55-57	UTIL. 12 volt w/40 amp. low cut-in gen. (exc. P/S)	w/fan (3 11/64 dia. pulley—use w/½ belt)	1932310	1	11.25
55-57	UTIL. P/S w/40 amp. (2nd Ser.)	w/fan (4⅛ dia. pulley—use w/½ belt)	1931569	1	11.25
56	UTIL. 8 cyl. (exc. P/S, 40 amp.)	w/o fan (5 dia. pulley w/dual ⅜ belts)			
57	Ser. 6 (8 cyl.) (exc. P/S, 40 amp.)	(stamped 3731348)	3731348	1	9.50
56	Ser. 4 (8 cyl.) P/S w/30 amp.,				
56-57	Ser. 6 (8 cyl.) P/S w/30 amp.	w/o fan (stamped 3731349)	3731349	1	9.50
57	PASS. w/35 amp. (exc. P/S)	w/fan	1925586	1	2.70
57	PASS. P/S w/35 amp.	w/fan (3⅝ dia. pulley—use w/⅜ belt) (5½ dia. fan—13 blades)	3743028	1	2.50
57	Ser. 6 (8 cyl.) w/40 amp. H.D. (exc. P/S)	w/fan (5⅛ dia.) (stamped 3732462)	3732462	1	13.45
57	Ser. 6 (8 cyl.) w/40 amp. low cut-in gen. (exc. P/S)	w/fan (3⅝ dia.) (stamped 3732539)	3732539	1	11.25
57	Ser. 6 (8 cyl.) w/P/S (40 amp.)	w/fan (stamped 3732551)	3732545	1	11.25
49-57	ALL, CORV. (w/separate fan)	FAN (4 15/16 dia.)	1866400	1	.75
57	PASS. P/S w/C.A.C.	FAN (5 13/32 dia.—12 blades)	1922950	1	1.20

2.275 GENERATOR (less pulley)

		EXCHANGE ITEM	Type No.		
40-52	ALL (long gen.)	(35 amp.) (10½ O.L.) (9-U)	1102810*†	1	32.40
52	ALL (short gen.),				
54	PASS.,				
54-55	COMM. 6 volt (short gen.)	(40 amp.) (9½ O.L.) (28-U)	1100028*	1	30.60
52	ALL (spec. equip.),				
53-54	PASS. (spec. equip.),				
53-55	CORV. 6 cyl.,				
53-55	COMM. 6 volt (spec. equip.) (long gen.)	(45 amp.) (10½ O.L.),			
53-55	UTIL. 6 volt	("T" stamped near nameplate) (85-U)	1102785*‡	1	34.25
53-54	PASS. (exc. spec. equip.),				
53-55	COMM. 6 volt (exc. spec. equip.)	(45 amp.) (9½ O.L.) (18-U)	1100018*	1	30.60
55	ALL 12 volt,				
56-57	ALL (exc. P/S, PASS. 8 cyl.)	(25 amp.) (10-U)	1100326*	1	30.60
55	ALL 12 volt (exc. P/S) (extra output)	(30 amp.) (5-U)	1102005*	1	34.25
55	ALL P/S 12 volt	(30 amp.) (none)	1102020	1	50.00
55	CORV. 8 cyl.		1102025	1	75.75
40-52	ALL (long gen.)	rebuilt (35 amp.) (10½ O.L.) (9-U)	1102742*†	1	23.50
52	ALL (short gen.)	rebuilt (37 amp.) (9½ O.L.) (13-U)	1100023*	1	23.50

‡NOTE: On 1952 models use 1922951 pulley and 1866400 fan.

†NOTE: On 1949-51 Models, replace collar and spacer with 817224 Collar.

52-54	ALL (spec. equip.),				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. 6 volt (spec. equip.),				
53-55	UTIL 6 volt	rebuilt (45 amp.) (10½ O.L.) (85-U)	1102803*	1	23.50
53-54	PASS. (exc. spec. equip.),				
53-55	COMM. 6 volt (exc. spec. equip.)	rebuilt (45 amp.) (9½ O.L.) (18-U)	1100024*	1	23.50
54	PASS.,				
54-55	COMM. 6 volt	rebuilt (40 amp.) (9½ O.L.) (28-U)	1100030*	1	23.50
55	ALL 12 volt (reg. prod.)	rebuilt (25 amp.) (10-U)	1100318*	1	23.50
55	ALL 12 volt (exc. P/S)	rebuilt (30 amp.) (5-U)	1102010*	1	23.50
55	ALL (exc. PASS. 8 cyl.)	rebuilt (25 amp.)	1100330*	1	23.50
56-57	PASS. 8 cyl. (exc. P/S, dual 4BC)	(25 amp.)	1100321*	1	30.60
56-57	ALL (exc. P/S)	(30 amp.) w/rubber mount on front end only	1102042*	1	36.50
56	ALL P/S,				
57	Ser. 3-4-6 P/S	(30 amp.) w/rubber mounts on both ends.	1102041	1	50.00
56-57	CORV	(30 amp.) w/rubber mounts on both ends.	1102043	1	75.75
57	PASS. (exc. P/S),				
57	PASS. w/C.A.C. (exc. P/S)	(35 amp.)	1102083*	1	37.50
57	PASS. w/P/S,				
57	PASS. w/C.A.C. and P/S	(35 amp.)	1102084*	1	50.00

*Exchange Price Shown. Add $3.75 Net to prices if used Delco-Remy Generator Assembly is not exchanged.

GENERATOR (Special Equipment)

NOTE: Refer to illustration chart Page 200 for Generator output characteristics.

48-55	COMM., UTIL. 6 volt (spec. equip.) (exc. D-D, COE)	(55 amp.)	1106757	1	151.50

NOTE: 1106757 used by Intercity Truck and Bus. Use hvy. duty wiring and 1118833 Regulator for 55 amp. requirements.

52-55	ALL 6 volt (spec. equip.)	(40 amp. low cut-in)	1105009	1	65.00
52-55	ALL 6 volt (spec. equip.)	(50 amp.)	1105008	1	65.00
53-55	ALL 6 volt (spec. equip.)	(55 amp. low cut-in)	1106976	1	140.00
55-57	PASS. (exc. P/S),				
55-57	COMM., UTIL. 12 volt (exc. P/S)	(30 amp. low cut-in gen.)	1105947	1	67.50
55-57	ALL 12 volt (spec. equip.) (exc. P/S)	(40 amp. low cut-in)	1106981	1	145.00
55-57	COMM., UTIL. P/S 12 volt	(40 amp. low cut-in)	1106982	1	151.50
48-55	COMM., UTIL. 6 volt (spec. equip.) (exc. D-D, COE)	MOUNTING UNIT	3694131	1	2.00

The following list of Delco-Remy Generators are acceptable for $3.75 Net exchange credit each on the purchase of either new or rebuilt Generator Assy. These model numbers are stamped on the generator identification plate.

5-U	1100013	1100330	1102667	1102749
9-U	1100018	1102005	1102672	1102761
10-U	1100023	1102010	1102680	1102769
13-U	1100024	1102041	1102701	1102778
18-U	1100028	1102042	1102710	1102780
28-U	1100030	1102043	1102711	1102785
72-U	1100310	1102083	1102719	1102793
85-U	1100318	1102084	1102737	1102803
	1100321	1102664	1102742	1102810
	1100326	1102665	1102744	

2.277 BRACKET AND ATTACHING PARTS, Generator (see 2.317 for brace)

40	ALL	(7⅛ O.L., hole ctrs. 1 13/32 and 2⅜ from ends)	839244	1	.55
41-52	ALL,				
53-54	PASS. (spec. equip.),				
53-55	CORV. 6 volt,				
53-55	COMM. 6 volt (spec. equip.)	(7⅛ O.L., 2 1/32 height—1½ from end of hole to outside end of brkt.)	3704771	1	.85
53-55	UTIL. 6 volt (exc. spec. equip.)				
52	ALL w/1100013 (small gen.)	(6⅛ O.L.)	3835672*	1	.55

*NOTE: Also used on 1954 COMM. with ⅝ generator drive.

53-54	PASS. w/1100018,				
53-55	COMM. 6 volt w/1100018	(stamped 3703618)	3703618	1	.60
53-55	ALL 6 volt w/55 amp. gen. (low cut-in)	(8¼ end to end)	3707088	1	1.45
55	PASS.,				
55	COMM., UTIL. 12 volt	(for 30 amp. generator—7⅛ O.L.)	3720924	1	.75
55	ALL 12 volt,				
56-57	ALL (exc. P/S, PASS. 8 cyl.)	(for 25 amp. generator—6⅛ O.L.)	3836756	1	.50
55-57	PASS. (exc. P/S, C.A.C., dual 4BC),				
55-56	COMM., UTIL. 12 volt,				
57	COMM., UTIL. 8 cyl. P/S	(for 40 amp. low cut-in gen.—1¾ high x			
57	COMM., UTIL. (exc. P/S)	8¼ O.L. w/three 13/32 holes)	3713377	1	.60
55-57	COMM., UTIL. (6 cyl.) 12 volt P/S	(for 40 amp. generator—3⅛ high x 8¼ O.L.)	3714376	1	.60
55	CORV. 12 volt	(7⅛ O.L.)	3711638	1	.60
56	PASS. 8 cyl. (exc. P/S)	(25 amp.) (1 7/16 high x 6 O.L.)	3725273	1	.55
56-57	ALL P/S	(30 amp.) (1 11/16 high x 6⅝ O.L.)	3725274	1	.75
56	ALL w/30 amp. (exc. P/S),				
57	ALL (exc. P/S, 25 amp.)	(1 7/16 high x 7 O.L.)	3725671	1	.75
56-57	CORV.	(30 amp.) (1 11/16 high x 6 7/64 O.L.)	3728514	1	.65
57	PASS. 8 cyl. (exc. P/S, C.A.C., 4BC, dual 4BC)	(6 long x 1 wide)	3734869	1	.60
55	PASS. 8 cyl. w/P.G.	PIN UNIT, bracket	3721042	1	.30
55	PASS.	SPRING, gen. to brkt. pin tension, frt. and rear (7/16 O.D.—11/16 free length)	3720923	2	.10
37-52	ALL,				
53-55	CORV.,				
55-57	PASS. (exc. P/S)	BOLT, brkt. to generator (hex. hd. 5/16—24 x			
55-57	COMM., UTIL. 12 volt (exc. P/S)	1¼)	3718205	2	.07
57	ALL w/40 amp.	BOLT, brkt. to gen. (7/16—20 x 1 7/16)	3728663	2	.30
55	ALL 8 cyl. (exc. H.T.)	STUD, special (⅜—16—24 x 1 7/16)	3836528	2	(2.077)
37-57	ALL, CORV.	WASHER (5/16) (use w/3718205 Bolt)	3682643	2	.02
56-57	PASS. (exc. 40 amp., P/S),				
56-57	COMM., UTIL. w/30 amp. (exc. P/S)	BUSHING, bracket (rubber—½ I.D. x 1 7/64 O.D.)	3726025	1	.15
56-57	CORV.,				
56-57	COMM., UTIL. P/S w/30 amp.,				
57	PASS. P/S	BUSHING (½ I.D. x 1⅛ O.D. x 19/32 long)	3726026	A.R.	.15
56	ALL 8 cyl. P/S w/30 amp. (exc. dual 4BC)	SHIELD, bracket bushing heat (7 13/16 long)	3726027	1	.15
56	PASS., CORV. w/dual 4BC and P/S	SHIELD, bracket bushing heat (stamped 3728515) use w/rams horn type exh. manfld.	3728515	1	.10
57	PASS. 8 cyl. P/S,				
57	CORV.,				
57	Ser. 3-4-6 (8 cyl.) P/S w/30 amp.	SHIELD, bracket bushing heat (7 21/32 O.L.)	3736569	1	.15
56-57	PASS. (exc. 8 cyl. w/40 amp. low cut-in, P/S w/30 amp., 8 cyl. w/30 amp.),				
56-57	CORV.,				
56-57	COMM., UTIL. w/30 amp.	SLEEVE, bracket bushing	3725275	A.R.	.05
56	CORV.	SUPPORT, bracket (not used w/rams horn type exh. manfld.)	3728513	1	1.75
56	D-D 8 cyl.	SUPPORT, bracket	3722501	1	1.95
57	D-D 8 cyl.	SUPPORT, bracket	3735310	1	2.50

2.279 ARMATURE, Generator

EXCHANGE ITEM

40-52	ALL (exc. special equip.) (large gen.)	(10 23/64 O. L.)	1921235*	1	17.45
49-55	ALL, CORV. 6 volt w/1102717-2785-2786	(10 13/32 O. L.) (45 amp.)	1912599*	1	18.25
53-54	PASS. (exc. spec. equip.),				
53-55	COMM. 6 volt (exc. spec. equip.)	(9⅜ O.L.)	1925348*	1	17.25
53-55	ALL 6 volt w/1105008	(10 1/16 O.L.) (50 amp.)	1925556*	1	18.35
53-55	ALL 6 volt w/1105009	(10 1/16 O.L.) (40 amp.)	1925630*	1	18.35
53-55	ALL 6 volt w/1106976	(55 amp. gen. low cut-in)	1927074†	1	75.75
52	ALL w/1100013 (small gen.),				
54	PASS. w/1100018	(9 13/32 O.L.) (40 amp.)	1929558*	1	17.25

55-57	ALL 12 volt w/1100310-0321-0326	(9 13/32 O.L.)	1928952*	1	17.25
55-57	ALL 12 volt w/1102005-2042	(10 13/32 O.L.)	1923535*	1	18.25
55-57	ALL, CORV. 12 volt w/1102020-2025-2041-2043	(11 5/16 O.L.)	1929640‡	1	20.50
55-57	ALL 12 volt w/1106981	(11 1/4 O.L.)	1929360†	1	75.75
55-57	ALL 12 volt w/1106982	(13 O.L.)	1932349†	1	75.75
55-57	ALL 12 volt w/1105947	(10 1/16 O.L.) (30 amp. low cut-in gen.)	1928003*	1	18.35
57	PASS. w/35 amp. (exc. P/S)	(10 7/16 O.L.)	1932900*	1	18.35
57	PASS. P/S w/35 amp.	(11 5/16 O.L.)	1938761‡	1	20.50

*Exchange Price Shown. Add $1.00 to prices if used Chevrolet Armature is not exchanged.

†Exchange Price Shown. Add $6.25 to prices if used Chevrolet Armature is not exchanged.

‡Exchange Price Shown. Add $1.75 to prices if used Chevrolet Armature is not exchanged.

2.280 NUT—LOCKWASHER, Generator Armature

ALL	ALL, CORV.	(5/8—20 thd.—1/4 thick)	806915	1	.13
ALL	ALL, CORV.	L/WASHER (23/32 I.D. x 1 3/32 O.D.)	804000	1	.03

2.285 BRUSH, Generator

29-36	ALL (exc. DA, EA, ED, FA, FD)	(no lead—3/4 x 3/4 x 1/4)	820517	3	.12
40-52	ALL	(w/lead—7/8 x 15/16 x 1/4)	1878249	2	.40
50-55	ALL 6 volt w/1106757	(w/lead—1 1/16 x 1 1/4 x 1/4)	1906911	2	1.60
52-55	ALL, CORV. 6 volt w/1100013-0018-0028-0030-2785-2786	(w/lead—7/8 x 15/16 x 1/4)	1923295	2	.40
53-55	ALL 6 volt (spec. equip.)	(w/lead—stamped 931)	1906931	2	.55
53-55	ALL 6 volt w/1106976,				
55-57	ALL 12 volt w/1106981-6982	(w/lead—stamped 953)	1906953	2	.85
55-57	ALL, CORV. 12 volt w/1100310-2020-2005-2014-0321-26-2041-42-43-83-84		1932506	2	.43
34-36	DA, EA, ED, FA, FD,				
37-39	ALL (also w/1100460 gen.)	BRUSH UNIT	1857963	1	1.05

NOTE: Above unit consists of: 2 main brushes and 1 third brush.

2.286 SPRING—PIN, Generator Brush

40-52	ALL,				
53-57	ALL (spec. equip.)		1878184	2	.12
52-57	ALL w/1100013-0018-0028-0030-2785-2786-0310-0321-0326-2020-2005-2025-2041-2042-2043-2083-2084		1908829	2	.13
ALL	ALL	PIN, drive end dowl (cut and use 5/16)	817313	A.R.	(2.054)

2.287 PLATE—SCREW, Generator Brush

40-48	ALL		1878177	1	1.75
40-48	ALL	SCREW, cover plate and brush plate (No. 8—32 x 7/16)	1886496	4	.03

2.291 ARM, Generator Brush

40-57	ALL, CORV. (exc. 1106981-6982)		1878183	2	.33
55-57	ALL 12 volt w/1106981-6982		1927583	2	.33

2.297 FRAME, Generator Commutator End, with Bushing

38-39	PASS., COE,				
40-52	ALL		1913990	1	3.95
53-55	CORV. 6 cyl.,				
52-57	ALL w/1100013-0018-0028-0030-0310-0326-0318-2005-2010-2014-2785-2786-2793-2810		1933933	1	3.10

55	ALL 12 volt w/1102020-2025		1929513	1	3.10
55-57	ALL 12 volt w/1106981	(w/brush holder)	1927066	1	9.25
55-57	ALL 12 volt w/1106982	(w/brush holder)	1932347	1	12.25
56-57	CORV	(use w/30 amp. 1102043),			
56-57	ALL P/S	(use w/30 amp. 1102041)	1934131	1	3.35
56-57	PASS. 8 cyl. (exc. P/S)	(use w/25 amp. 1100321),			
56-57	ALL (exc. P/S)	(use w/30 amp. 1102042)	1933113	1	3.10
57	PASS. (exc. P/S)	(use w/35 amp. 1102083)	1938757	1	4.95
57	PASS. P/S	less bushing (use w/35 amp. 1102084)	1938726	1	3.35

2.298 BEARING—BUSHING, Generator Commutator End Frame

55-57	ALL (12 volt w/1102020-2025-2041-2043-2084-6982	single roll ball	954736	1	3.40
53-55	ALL 6 volt w 1106976,				
55-57	ALL 12 volt w/1106981	(ND WC8503X1C)	954685	1	3.40
29-48	ALL (also w/1100460)	BUSHING (9/16 I.D. x 25/32 O.D. x 13/16 length)	812823	1	.28

2.299 BAND, Generator Commutator Cover

29-52	ALL (exc. F, R, G, S, HC, HD, HE, T, JC, D, JE, VA, VB, VC, VD) (also w/1100460)	(4 15/32 dia. closed x 1 5/8 wide)	816340	1	.50
55-57	ALL 12 volt w/1106981-6982	(5 7/8 dia. closed x 1 5/8 wide)	1927072	1	.75

2.300 PLATE—GASKET, Generator Commutator End

55-57	ALL 12 volt w/1106981		1927068	1	.70
29-48	ALL	GASKET	817220	1	.04
55-57	ALL 12 volt w/1106981	GASKET, lower	1927069	1	.13

2.301 PIPE—WICK—PLUG, Generator Oil

41-55	COE,				
53-55	D-D 6 volt w/spec. equip.	frt., w/oil cup (3/16 O.D. x 3 1/16 dev. length)	3661727	1	.40
52	COE w/1100013	rear, w/oil cup (1/4 O.D. x 11 3/4 devel. length)	3701066	1	.35
29-55	ALL, CORV. 6 volt	WICK, oil (felt 7/32 dia. x 2 length)	804076	1	.09
55-57	ALL 12 volt w/1106981-6982	WICK (felt 5/32 dia. x 1/2 length)	1927070	2	.09
29-52	ALL,				
56-57	ALL w/1100321-326	PLUG, oil hole (steel 1/4 dia. x 5/16 length)	1911097	1	.07

2.305 FRAME, Generator Drive End

55-57	ALL 12 volt w/1106981-6982	(has 2 attach. bolt lugs)	1927083	1	8.95
37-55	ALL, CORV.,				
56-57	ALL w/25 amp. gen. (exc. PASS. 8 cyl.)	FRAME UNIT (6 1/8 ctr. to ctr. attach. bolt holes)	1910404*	1	3.35
56-57	ALL, CORV. w/1100321-2041-2042-2043	FRAME UNIT	1933109	1	3.35
57	PASS. w/35 amp.	FRAME UNIT	1938727	1	3.55

*NOTE: 1910404 consists of (1) each: frame, plate and gasket.

2.306 BEARING, Generator Drive End

ALL	ALL, CORV. (exc. 1106976-6981-6982)	(ND 3203S1446)	954378	1	2.85
53-55	ALL 6 volt w/1106976,				
55-57	ALL 12 volt w/1106981-6982	(ND 8604X1C)	908604	1	5.00

2.307 PARTS, Generator Drive End

ALL	ALL, CORV. (exc. w/1106981-6982)	PLATE, brg. ret.	1911263	1	.17
55-57	ALL 12 volt w/1106981-6982	PLATE, brg. ret., outer	1924666	1	.40
55-57	ALL 12 volt w/1106981-6982	PLATE, brg. ret., inner	1927084	1	.70
ALL	ALL, CORV. (exc. w/1106981-6982)	GASKET, brg. ret. plate, inner	1912008	1	.04
55-57	ALL 12 volt w/1106981-6982	GASKET, brg. ret. plate, inner	1927085	1	.13
29-52	ALL	LOCKWASHER, ret. plate screw (3/16 I.D. x 3/8 O.D.)	802731	3	.03
ALL	ALL	WASHER, felt, outside (29/32 I.D. x 1 5/16 O.D.)	809961	1	.06

ALL	ALL, CORV.	WASHER, metal, spacer (11/16 I.D. x 15/16 O.D. x 3/32)	809945	1	.06
37-39	G, S, HA, HB, JA, JB, COE,				
52-57	ALL w/1100310-0321-0326-2020-2025-2041-2042-2043-2083-2084-2785-2786-5008-5009	COLLAR, metal, spacer (11/16 I.D. x 29/32 x 3/8)	1858603	1	.25
38-54	ALL (exc. HA, HB, JA, JB, VE, VF, VG, VH, VM, VN),				
55	COMM., UTIL. 6 volt	COLLAR, metal, spacer (11/16 I.D. x 29/32 x 7/16)	817224	1	.25
40-52	ALL	COLLAR, metal, spacer (11/16 I.D. x 15/16 O.D. x 1/16)	815660	1	.06
ALL	ALL, CORV.	RETAINER, felt washer (1 I.D. x 1 9/16 O.D.)	819104	1	.05
55-57	ALL 12 volt w/1102020-25-41-43-84-6982	RETAINER, brg. (rubber—3/32 O.D. x 5 1/4 length)	1929959	1	.07
40-57	ALL, CORV.	SCREW, brg. retainer plate (No. 10—32 x 7/16)	1904370	3	.03

2.310 COIL UNIT, Generator Field

40-52	ALL w/1102810		1922382	1	6.35
40-48	ALL (exc. w/1102810)	1 R. and 1 L. coil and instructions	1902111	1	7.00
49-52	ALL (exc. w/1102810)	1 R. and 1 L. coil	1912654	1	6.35
52	ALL w/1100013	1 R. and 1 L. coil	1921356	1	6.35
53-55	ALL, CORV. 6 volt w/1102785	1 R. and 1 L. coil	1922702	1	7.60
53-54	PASS., COMM. w/1100018-0028,				
55	COMM. 6 volt w/1100018-0028	1 R. and 1 L. coil	1925691	1	6.35
55-57	ALL 12 volt w/1100310-321-326		1927700	1	6.35
55-57	ALL, CORV. 12 volt w/30 amp. gen.		1922701	1	7.60
55-57	ALL 12 volt w/1106981-6982	R.H.	1929362	1	14.75
55-57	ALL 12 volt w/1106981-6982	L.H.	1929535	1	10.25
57	PASS. w/35 amp.		1936388	1	7.60

2.313 STUD—WASHER—INSULATOR, Generator

35-54	ALL (exc. EB, EC, Q, FB, FC, R) (also w/ 1100460-5008-5009),				
55	COMM., UTIL. 6 volt w/1105008-5009	w/insul., field term	1858749	1	.22
40-50	ALL	w/insul., field term	1858754	1	.40
52-57	ALL, CORV. w/110013-0018-0028-0030-0310-0321-0326-2005-2020-2025-2041-2042-2043-2083-2084-2785-2786	armature terminal	1921369	1	.22
52-57	ALL, CORV. w/1100013-0018-0028-0030-0310-0321-0326-2005-2020-2025-2041-2042-2043-2083-2084-2785-2786	field terminal	1921860	1	.22
34-57	ALL, CORV. (exc. DB, DC, P, EB, EC, Q, FB, FC, R)	WASHER, steel, term. stud outside (1/4 I.D. x 9/16 O.D. x 1/32)	834560	1	.06
34-50	ALL (exc. DB, DC, P, EB, EC, Q, FB, FC, R)	WASHER, insul., term. stud (1/4 I.D. x 5/8 O.D. x 1/16)	1872459	1	.05
40-57	ALL, CORV.	WASHER, insul., term. stud, outside (1/4 I.D. x 5/8 O.D. x 3/32)	1858753	1	.06
52-57	ALL., CORV. (exc. 1106981-6982)	INSULATOR, terminal (plastic—21/32 O.D.)	1921362	1	.06
55-57	ALL 12 volt w/1106981-6982	INSULATOR (plastic—23/32 O.D.)	1909995	2	.09

2.316 BOLT, Generator Through

40-55	ALL, CORV. 6 volt	used w/7 1/8 generator,			
55-57	ALL 12 volt w/1102005-2042-2083	(5/16—18 x 7 5/8)	809763	2	.25
52	ALL w/1100013,				
53-54	PASS., COMM. w/1100018	used w/6 1/8 generator,			
55	COMM. 6 volt w/1100018	(5/16—18 x 6 13/16)	817593	2	25
55-57	ALL 12 volt w/1100310-0321-0326	(5/16—18 x 7)	815018	2	.25
55-57	ALL 12 volt w 1102020-2025-2041-2043	(5/16—18 x 7 3/4)	818800	2	.25
55-57	ALL 12 volt w/1106981-6982	(5/16—18 x 8 7/8)	1927071	2	.65

2.317 BRACE, Generator (bracket listed in group 2.277)

29-40	ALL	(8 5/8 O.L.—straight)	838465	1	.35
41-55	ALL 6 volt	(5 1/8 adj. slot length—curved)	3835796	1	.25

53-55	ALL 6 volt (w/spec. equip.)	(5⅜ adj. slot length)	3704772	1	.45
53-55	ALL 6 volt w/1106976,				
55-57	ALL 6 cyl. 12 volt w/1106981	(3⁹⁄₁₆ adj. slot length)	3707090	1	.45
53-55	CORV. 6 volt		3706008	1	.20
55-57	PASS., COMM. (6 cyl.) P/S	(6⁷⁄₁₆ O.L.) (30 amp.)	3720581	1	.30
55-57	ALL 6 cyl. 12 volt (exc. 40 amp. low cut-in, P/S)	(5½ O.L.)	3836330	1	.30
55-57	COMM., UTIL. (6 cyl.) P/S 12 volt	(40 amp. low cut-in) (9½ O.L.)	3724318	1	.30
55	UTIL. 6 cyl. P/S 12 volt	(30 amp.) (6⅞ O.L.)	3724315	1	.40
55-56	ALL, CORV. (8 cyl.) (exc. 40 amp. low cut-in),				
57	ALL, CORV. (8 cyl.) (exc. dual 4BC, 40 amp. low cut-in)	(12⅜ O.L.)	3704884	1	.35
55-56	PASS. 8 cyl. P/S	rear (10 O.L.—w/cutout near 13⁄32 hole)	3723728	1	.70
55-57	ALL 8 cyl. (exc. P/S, D-D)	(40 amp.) (13⅛ O.L.)	3714365	1	.45
56-57	D-D 8 cyl.	(14 O.L.)	3722098	1	.50
57	PASS. w/dual 4BC	(13⁷⁄₃₂ long w/3″ slot)	3738391	1	.60

2.319 BREAKER, Generator (current regulator listed in group 2.500)

29-39	ALL (exc. HA, HB, JA, JB, COE)	circuit	1867781	1	3.65


2.332 BATTERY—FLUID—RING, Electric Storage

		Volts	Type	Warranty Units	20 hr. Rating in Amp. Hrs.	Capacity Ratings: No. of Min. 300 Amp. @ 0°F.	Capacity Ratings: Volt. 5 Sec. 300 Amp. @ 0°F.	Length	Width	Height		
37-39	ALL	6 V.	2L70 (wet)	18	70	2.2	3.6	10⅜″	7″	8″	1890498	14.45
37-39	ALL	6 V.	2L72D (dry)	24	72	2.2	3.8	10⅜″	7″	8″	1890679†	17.75
39-55	ALL, CORV.	6 V.	1HR115D (dry)	48	115	4.3	4.4	8²⁹⁄₃₂″	6¹⁵⁄₁₆″	9⅛″	1890539	29.95
40-55	ALL	6 V.	1M72 (dry)	24	72	2.2	3.8	8⁶¹⁄₆₄″	7″	8″	1890678†	17.75
40-55	ALL, CORV.	6 V.	1MR105D (dry)	36	105	3.7	4.4	9″	7″	8¾″	1890573	23.95
55-57	ALL, CORV. (exc. hvy. duty)	12 V.	2SMR60D (dry)	48	60	4.4	9.2	10¼″	6¹¹⁄₁₆″	8²⁹⁄₃₂″	1890563	34.95
55-57	ALL, CORV. (exc. hvy. duty, SBC)	12 V.	2SMR53D (dry)	36	53	3.8	8.9	10⅜″	6¾″	8¹³⁄₁₆″	1890590	29.95
55-56	Hvy. Duty (inc. CORV.), SBC	12 V.	3SMR72D(dry)	48	72	6.0	9.6	12″	6¾″	8¹³⁄₁₆″	1890569	38.95
55-57	ALL (exc. hvy. duty)	12 V.	2SM41D (dry)	24	41	2.6	8.3	10¼″	6¹³⁄₁₆″	8²⁷⁄₃₂″	1890700	23.95
40-55	ALL 6 volt,											
55-57	ALL 12 volt (exc. hvy. duty, SBC)				FLUID, electrolyte (4.2 qt. pkg.)						1890638	1 No List
55-57	Hvy. Duty, SBC 12 volt				FLUID, electrolyte (5.1 qt. pkg.)						1890639	1 No List
ALL	ALL w/dry battery				RING, date						3741028	1 No List

†NOTE: Requires 4.2 qt. electrolyte.

2.333 HANGER AND PARTS, Battery

47-55	COMM., UTIL. 6 volt (exc. D-D, COE, SBC)	front, with strap	3683559	1	1.40
47-55	COMM., UTIL. 6 volt (exc. D-D, COE, SBC)	rear, with strap	3683569	1	1.30
55-57	D-D 12 volt	front	3719431	1	1.25
55-57	D-D 12 volt	rear	3719432	1	1.25
53-55	CORV. 6 volt	TRAY ASSY.	3706318	1	3.25
40-46	COMM. (exc. ½ TON, KD, KE),				
40-46	UTIL. (exc. MT, MY, OG, OW, OY, PL, PX, COE),				
48	FT (w/battery mtd. inside of frame)	STRAP, w/guard	604450	1	1.15
40-55	COE	STRAP, hanger	3654747	1	.35
55-56	ALL 12 volt,				
57	ALL, CORV. (exc. PASS.)	SPACER, retainer (rubber)	760689	4	.05



BATTERY BOX—1940-48 PASSENGER

40-46	COMM., UTIL. (exc. ½ TON, KD, KE, COE),				
40-48	PASS.	SUPPORT, bottom, w/side straps	3653225	1	1.80
47-55	D-D, SBC 6 volt	SUPPORT, w/bracket	3685020	1	4.70
49-54	PASS.	SUPPORT	3700058	1	1.45
55-56	PASS. w/hvy. duty (exc. C.A.C.),				
55-57	COMM., UTIL. w/hvy. duty 12 volt (exc. D-D)	SUPPORT	3724307	1	2.70
55-57	COMM., UTIL. 12 volt (exc. SBC, hvy. duty)	SUPPORT	3724298	1	2.75
55-56	PASS. w/hvy. duty (exc. C.A.C.)	SUPPORT, w/hanger	3722852	1	3.30
55-56	PASS. w/C.A.C.	SUPPORT, w/bracket	3719627	1	1.40
55-57	CORV. 12 volt	SUPPORT, w/bracket	3725027	1	4.70
55-56	PASS. (exc. hvy. duty, C.A.C.)	SUPPORT, dash to chassis frame brace	3723041	1	3.05
57	PASS.	SUPPORT, w/tray	3731656	1	1.75
49-52	PASS.	BRACE, support	3688557	1	.55
53-54	PASS.	BRACE, support (2 13/16 x 10 5/8)	3697972	1	.55
55-56	PASS. w/C.A.C.	BRACE, support	3714600	1	1.40
55-56	PASS. w/C.A.C.	REINFORCEMENT, frt. fender	3711196	1	.25
40	PASS.,				
41-48	PASS. (exc. CONV.)	BRACKET, support	3654645	1	1.30
53-55	CORV. 6 volt	BRACKET, support front	3706196	1	.35
53-55	CORV. 6 volt	BRACKET, support rear	3706197	1	.35
55-56	PASS. w/C.A.C.	BRACKET, retainer (3 O.L.)	3720972	1	.25
40-46	PASS.,				
47-55	ALL, CORV. 6 volt (exc. COE, SBC)	RETAINER, top	3653224	1	1.30
47-55	SBC 6 volt	RETAINER, top	3654988	1	1.60
55-56	ALL, CORV. 12 volt (exc. SBC, hvy. duty, C.A.C.),				
57	ALL, CORV. 12 volt (exc. SBC, hvy. duty, PASS.)	RETAINER, top	3710825	1	1.05
55-56	PASS. (hvy. duty) (exc. C.A.C.),				
55-57	COMM., UTIL. (hvy. duty) 12 volt,				
55-57	SBC 12 volt	RETAINER	3722848	1	1.50
57	PASS.	RETAINER (5 wide x 8 7/8 long)	3735250	1	.75
47-55	COMM., UTIL. 6 volt (exc. D-D, FFC, COE)	SHIELD	3686708	1	.60
55-57	CORV. 12 volt	SHIELD	3715617	1	.60
47-55	COMM., UTIL. 6 volt (exc. D-D, COE, SBC)	PLATE, hanger bottom (7 1/4 x 9 3/16)	3683563	1	.70
55-57	D-D 12 volt	PLATE, hanger bottom (7 1/16 x 11 5/8)	3719435	1	.90

2.334 BOLT—NUT—STUD, Battery Hanger Clamp

34-36	DA, EA, ED, FA, FD,				
49-56	PASS.,				
53-57	CORV.,				
55-57	COMM., UTIL. 12 volt (exc. D-D)	(hook hd. 5/16—18 x 8 7/16 overall)	3688699	2	.15
55-56	PASS. w/C.A.C.	(hook hd. 5/16—18 x 9 7/16 O.L.)	3714197	2	.15
57	PASS. (exc. hvy. duty)	(5/16—18 x 7½ O.L.)	3735249	2	.15
57	PASS. w/hvy. duty	(8 1/8 long)	3736742	2	.15

47-53	D-D, SBC	NUT, anchor, supt. strap (5/16—18)	4034101	2	(12.751)
55-57	D-D 12 volt	STUD, retainer (5/16—18 x 9 21/64—threaded both ends)	3715712	2	.30

2.341 STRAP—CABLE, Battery Ground, with Terminal

29-39	ALL,				
40-46	COMM., UTIL. (exc. COE),				
47-55	COMM., UTIL. 6 volt (exc. COE, D-D, SBC),				
49-54	PASS.,				
55-57	D-D 12 volt	(15 3/4 O.L.) (Packard 5L-14)	5298404	1	2.40
39-55	COE,				
40-48	PASS.	(18 O.L.) (Packard 5L-16)	5286925	1	2.40
55-56	PASS. (exc. C.A.C.),				
55-57	COMM., UTIL. 12 volt (exc. D-D)	(9 5/8 O.L.)	2963148	1	1.30
55-56	PASS. w/C.A.C.	(25 5/8 O.L.)	3718247	1	1.40
53-55	CORV. 6 volt	(19 ctr. to ctr. holes)	2960085	1	1.80
55-57	CORV. 12 volt	(16 1/2 ctr. to ctr. holes)	3716571	1	1.40
57	PASS. (exc. C.A.C.)	(23 center to center holes)	2968751	1	1.80
57	PASS. w/C.A.C.		2968344	1	2.20
47-55	D-D, SBC 6 volt	CABLE (25 O.L.) (Packard 1L-23)	5286911	1	3.50

2.342 CABLE, Battery to Starter Switch, with Terminals (insulated)

29-36	ALL (exc. EC, FC),				
37-39	COMM., UTIL. (exc. COE),				
40-46	1/2 TON, KD, KE	(28 1/2 O.L.) (Packard 1L-27)	5286912	1	3.80
35	EC	(49 1/2 O.L.) (Packard 1L-48)	5286917	1	5.70
37-39	PASS.,				
47-55	COMM., UTIL. 6 volt (exc. D-D, SBC, COE),				
49-54	PASS.	(41 O.L.) (Packard CL-39)	5288946	1	4.80
40-48	PASS.,				
47-55	D-D, SBC 6 volt	(16 O.L.) (Packard CL-14)	5288944	1	2.80
40	KF, WA, WB, WC,				
41-46	COMM., UTIL. (exc. 1/2 TON, COE)	(31 1/2 O.L.) (Packard 1L-30)	5286913	1	3.90
47-55	COE	(20 1/2 O.L.) (Packard 1L-19)	5286910	1	2.90
53-55	CORV. 6 cyl.	(14 1/2 ctr. to ctr. holes)	2960086	1	2.30
55-56	PASS. 6 cyl.,				
55-57	COMM., UTIL. (6 cyl.) (12 volt (exc. D-D)	(27 1/2 ctr. to ctr. holes)	3721611	1	2.10
55-56	PASS. 8 cyl.	(42 7/8 O.L.)	2961323	1	2.60
55-56	COMM., UTIL. (8 cyl.) (exc. D-D) (1st design)	(54 1/4 O.L.)	3721318	1	2.45
55-57	CORV. 8 cyl.	(24 ctr. to ctr. holes)	3716572	1	1.85
55-57	D-D 12 volt	(36 ctr. to ctr. holes)	2964756	1	1.90
56-57	COMM., UTIL. (8 cyl.)(exc. D-D) (2nd design)	(54 ctr. to ctr. holes)	2967438	1	2.60
57	PASS. 6 cyl.	(25 1/2 O.L.)	2966846	1	2.50
57	PASS. 8 cyl.	(37 1/2 O.L.)	2968203	1	2.80

2.343 BOLT, Battery Cable Terminals, w/Nut

ALL	ALL, CORV. (exc. 1957 PASS.)	(use w/lead or brass terminals)	1846534	1	.12

2.345 WASHER—PLUG, Battery

ALL	ALL, CORV.	pos. term (11/16 I.D. x 15/16 O.D. x 3/16)	378082	1	.02
51-55	ALL, CORV. 6 volt	PLUG, filler (1 1/8)	1917444	3	.10
55-57	ALL, CORV. 12 volt	PLUG, filler (1 1/8)	1930754	6	.05

2.348 STRAP, Engine Ground

32-35	BA, CA, CC, DA, DB, DC, EC,				
47-51	COMM., UTIL. (exc. COE),				
52	COMM., UTIL. (exc. D-D, 1 1/2 TON SBC, COE),				
53-55	COMM., UTIL. 6 volt (exc. D-D, COE, SBC)	(13/32 dia. holes 11 1/2 ctr. to ctr.)	1883109	1	1.20

55-56	PASS. (exc. C.A.C.)	(9 O.L.)	2961320	1	.65
55-56	COMM., UTIL. 12 volt,				
56-57	CORV.,				
57	Ser. 3-4-6 (6 cyl.)	lift unit to frame ground	2961754	1	.65
57	Ser. 3-4-6 (8 cyl. (exc. D-D)	w/terminal (14 long)	2968183	1	.65

2.361 DISTRIBUTOR, Ignition

40-49	ALL,				
50-53	ALL w/216		1112362	1	15.75
50	ALL w/235	(model 1112358)	1112358	1	12.34
51-52	ALL w/235		1112363	1	15.75
53	ALL w/235 (exc. P.G.)	(part No. on plate)	1112389	1	15.75
53	PASS. w/P.G.,				
54	ALL (exc. P.G., 261),				
55	COMM., UTIL. 6 volt	(part No. on plate)	1112388	1	15.75
53-55	CORV. 6 volt		1112314	1	33.95
54	PASS. w/P.G.	(part No. on plate) (cast iron gear)	1112396	1	15.75
54-55	ALL w/261 6 volt	(part No. on plate) (cast iron gear)	1112392	1	15.75
55-57	ALL 6 cyl. 12 volt	(part No. on plate)	1112403	1	15.75
55	ALL 8 cyl.,				
56	ALL 8 cyl. (exc. 4BC, spinner-type gov. dual 4BC)	(part No. on plate)	1110847	1	26.50
55	CORV. 12 volt		1110855	1	30.00
56	PASS. w/4BC	(part No. on plate)	1110869	1	26.50
56	2 TON 8 cyl. w/gov.		1112330	1	62.50
56	PASS. w/dual 4BC,				
56	CORV.	w/dual points	1110879	1	27.95
57	ALL 8 cyl. (exc. 2 TON, 4BC, dual 4BC)		1110874	1	25.95
57	PASS. w/4BC		1110890	1	25.95
57	PASS. w/dual 4BC,				
57	CORV.		1110891	1	30.00
57	Ser. 6 (8 cyl.) (exc. 4BC)		1112349	1	62.50
57	Ser. 6 w/4BC		1112350	1	62.50

2.363 BUSHING—GASKET—CLAMP, Distributor Mounting

55-56	ALL, 8 cyl.,				
55-57	CORV. 8 cyl.,				
57	PASS. w/dual 4BC	w/oil grooves ($^{31}/_{64}$ I.D. x $1\frac{1}{4}$ length)	1923250	2	.28
55-57	ALL, CORV. (8 cyl.)	GASKET ($^{9}/_{32}$ I.D. x $1^{13}/_{16}$ O.D.)	3836247	1	.05
55-57	ALL, CORV. (8 cyl.)	CLAMP (one $^{13}/_{32}$ hole)	3704912	1	.40

2.364 OILER ASSEMBLY—WICK—SPRING—CUP—RETAINER, Distributor Lubricating

55-56	ALL 8 cyl. (exc. dual 4BC, dist. cont. gov.)	housing (cap, tube and wick)	1927396	1	.60
56	PASS. w/dual 4BC,				
56	CORV.	housing (w/dual points) (w/1110879)	1935509	1	1.10
56	2 TON w/dist. cont. gov.	housing	1932733	1	.60
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	housing, use w/1110874-0890	1931982	1	.60
57	PASS. w/dual 4BC,				
57	CORV.	housing, use w/1110891	1937666	1	1.10
57	Ser. 6 (8 cyl.)	housing, use w/1112350-1112348	1938355	1	.50
29-49	ALL,				
50-53	ALL w/216	WICK, shaft oil ($^{5}/_{16}$ dia. x $^{3}/_{32}$ thick—felt)	816803	1	.09
50-52	ALL w/235,				
55-56	ALL 8 cyl. (exc. dist. cont. gov.),				
55-57	CORV. 8 cyl.,				
57	PASS. w/dual 4BC	WICK, shaft oil ($^{25}/_{64}$ dia. x $\frac{1}{8}$ thick—felt)	819639	1	.09
55-56	ALL 8 cyl. (exc. D-D)	WICK, felt ($^{7}/_{32}$ O.D. x $3\frac{1}{2}$ length)	1923263	1	.17
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	WICK, cam lubricator	1931748	1	.13
34-55	ALL 6 volt (exc. DC)	SPRING, hsg. wick ($\frac{1}{4}$ O.D. x $\frac{7}{8}$ free length)	1845715	1	.12
40-57	ALL, CORV. (6 cyl.)	CUP, grease ($\frac{1}{8}$ pipe thread)	805579	1	.60
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	RETAINER, felt wick	1935621	1	.06

2.365 VALVE and PARTS, Distributor Governor

56-57	2 TON 8 cyl.	.....	1932729	1	5.25
56-57	2 TON 8 cyl.	BAND ASSY., housing cover (3¼ I.D. closed).	1932727	1	1.85
56-57	2 TON 8 cyl.	CUSHION, valve (rubber—9/32 dia. x 5/16 long).	1920474	1	.15
56-57	2 TON 8 cyl.	SEAL, housing oil (1 O.D. x 19/64 thick).	1920463	2	1.10
56	2 TON 8 cyl.	SPRING, valve (6½ turns—3/8 O.D. x 17/32 free length)	1926030	1	.12
57	Ser. 6 (8 cyl.) (exc. 4BC)	SPRING, valve (11/32 O.D. x ½ free length—5½ coils)	1934592	1	.12
57	Ser. 6 w/4BC	SPRING, valve (use w/1112350)	1938362	1	.12
56-57	2 TON 8 cyl.	WEIGHT, valve (9/16 dia. x 19/32 long)	1932730	1	.30
56-57	2 TON 8 cyl.	NUT, valve spring retainer	1920472	1	.24
56-57	2 TON 8 cyl.	WASHER, valve weight retainer (11/64 I.D. x 3/8 O.D.)	1932718	1	.35
56-57	2 TON 8 cyl.	WASHER, housing oil seal spring (31/32 dia.)	1900466	1	.06

2.367 CAP, Distributor

33-52	ALL (exc. CC, DC),				
53	ALL w/216	(3 5/16 O.D.)	824735	1	2.20
53-57	ALL, CORV. (6 cyl.)	(3 5/8 O.D. x 2 7/8 high)	1924248	1	2.20
55-56	ALL 8 cyl. (exc. dist. cont. gov.),				
55-57	CORV. 8 cyl.,				
57	PASS. w/dual 4BC	(4 O.D. x 3 high)	1917247	1	3.95
56	2 TON 8 cyl. w/dist. cont. gov.,				
57	ALL 8 cyl. (exc. dual 4BC)	w/latch	1932018	1	3.45

2.368 SPRING, Distributor Cap Retainer

33-57	ALL, CORV. (6 cyl.) (exc. CC, DC)	(1 7/8 length overall)	1871838	2	.13
55-56	ALL CORV. (8 cyl.),				
57	ALL 8 cyl. (exc. 4BC, dual 4BC, 2 TON)	(1¾ length overall)	1909594	2	.13

2.369 SUPPORT, Distributor Cap Retainer Spring


33-56	ALL, CORV. (exc. CC, DC),				
57	ALL 6 cyl.	(square shape)	1847289	2	.07

2.372 SHAFT, Distributor, with Weight Plate


38-49	ALL,				
50-53	ALL w/216	.....	1881926	1	4.45
50-52	ALL w/235	.....	1914437	1	4.45
53	ALL w/235 (exc. P.G.),				
54-55	ALL w/261	use w/1112389-2392-2407			
56	2 TON w/261 (1st design)	(stamped 734)	1924265	1	4.45
53	PASS. w/P.G.,				
54-57	ALL 6 cyl. (exc. 261)	use w/1112388-2396-2403			
56-57	2 TON w/261 (2nd design)	(stamped 726)	1924238	1	4.45
53-55	CORV. 6 cyl.	.....	1926887	1	5.85
55	CORV. 8 cyl.,				
55-56	ALL w/1110847-0855	w/weight plate (stamped 732)	1928115	1	4.45
55-57	ALL, CORV. (8 cyl.)	w/sleeve—intermediate, to oil pump	3836624	1	1.45
56-57	PASS. w/dual 4BC,				
56-57	CORV.	w/1110872-0879-0891	1935503	1	4.45
56	PASS. w/1110866-0869	.....	1934660	1	4.45
56-57	2 TON 8 cyl. w/dist. cont. gov.	w/automatic cam	1932720	1	7.95
57	ALL 8 cyl. (exc. 2 TON, 4BC, dual 4BC)	use w/1110874	1935629	1	2.15
57	PASS. w/4BC	use w/1110890	1937852	1	2.15

2.374 GEAR, Distributor


47-53	ALL,				
54	ALL (exc. P.G., 261)	steel, plain shank	1865180	1	1.90
53-55	CORV. 6 cyl.,				
54	PASS. w/P.G.,				
54-55	UTIL. w/261 6 volt,				
55-57	ALL 6 cyl. 12 volt	cast iron (shank grooved at gear teeth)	1921074	1	2.00
55-57	ALL, CORV. (8 cyl.)	w/pin (gear ½ I.D. x 1 13/16 O.L.)	1930487	1	2.00




IGNITION DISTRIBUTOR



1955-57 SIX CYLINDER IGNITION DISTRIBUTOR



1955-57 EIGHT CYLINDER IGNITION DISTRIBUTOR



1956-57 TRUCK SPINNER TYPE DISTRIBUTOR

2.379 PIN—SHIM—WASHER, Distributor Gear

34-57	ALL, CORV. (6 cyl.)	(3/16 dia. x 7/8 length)	1857502	1	.07
55-57	ALL, CORV. (8 cyl.)	(3/8 dia. x 1 1/16 length)	829421	1	.07
55-56	ALL 8 cyl.,				
55-57	CORV. 8 cyl.,				
57	PASS. w/dual 4BC	SHIM (1/2 I.D. x 1 O.D. x .005 thick)	1848595	A.R.	.06
55-57	ALL, CORV. (8 cyl.)	WASHER (1/2 I.D x 1 O.D. x 1/32 thick)	1849806	1	.06

2.381 CAM, Distributor

41-49	ALL,				
50-53	ALL w/216		1882230	1	2.60
50-52	ALL w/235		1914440	1	2.60
53	ALL w/235 (exc. P.G.),				
54-55	UTIL. w/261 6 volt		1924266	1	2.60
53	PASS. w/P.G.,				
54-55	ALL 6 volt (exc. 261)		1924240	1	2.60
53-55	CORV. 6 cyl.		1926889	1	2.60
55-56	ALL 6 cyl. 12 volt (exc. 261),				
56	2 TON w/261 (2nd design)	use w/1112403	1929485	1	2.60
55	CORV. 8 cyl.,				
55-56	ALL 8 cyl. w/1110847-0855		1928117	1	2.60
55-56	UTIL. w/261 12 volt (1st design)	use w/1112407	1930317	1	2.60
56	PASS. w/1110866-0869		1934703	1	2.60
56-57	2 TON w/dist. cont. gov.	w/weight plate	1932724	1	3.00
56	CORV.	automatic and breaker (use w/1110872).	1935505	1	2.60
56-57	PASS. w/dual 4BC,				
56-57	CORV.	(auto. and breaker) (use w/1110879-0891)	1936495	1	2.40
57	ALL 8 cyl. (exc. 2 TON, 4BC, dual 4BC)	use w/1110874	1935632	1	3.00
57	PASS. w/4BC	use w/1110890	1937853	1	3.00

2.382 ROTOR, Distributor

33-52	ALL (exc. CC, DC),				
53	ALL w/216	(15/16 length metal arm)	820445	1	.65
53-57	ALL, CORV. (6 cyl.) (exc. 216)	(1 11/16 O.L. across top)	1924245	1	.65
55-56	ALL 8 cyl. (exc. dist. cont. gov.),				
56-57	CORV.,				
57	PASS. w/dual 4BC	(1 15/16 O.L. across top)	1927393	1	.75
56	2 TON 8 cyl. w/dist. cont. gov.,				
57	ALL 8 cyl. (exc. dual 4BC)		1932015	1	1.30

2.384 POINT UNIT, Distributor (consists of breaker arm and support)

33-40	ALL (exc. CC, DC),				
48	ALL (w/out reversing switch),				
49-52	ALL,				
53	ALL w/216		1855720	1	1.57
37-52	COMM., UTIL. (hvy. duty) (exc. A, Y, B, M)		1882965	1	2.00
41-47	ALL,				
48	ALL (w/reversing switch)		1882391	1	1.57
53-57	ALL 6 cyl. (exc. 216)		1924571	1	1.85
53-55	CORV. 6 cyl.		1925852	1	1.85
55	CORV. 8 cyl.,				
55-56	ALL 8 cyl. (exc. dual 4BC, dist. cont. gov.)		1924499	1	1.90
55-56	ALL 8 cyl. (exc. dual 4BC, dist. cont. gov.),				
55	CORV. 8 cyl.	(pre-assembled)	1938340	1	2.25
56	2 TON 8 cyl. w/dist. cont. gov.,				
57	ALL 8 cyl. (exc. dual 4BC)		1931988	1	2.75
56-57	PASS. w/dual 4BC,				
56-57	CORV.	(use w/1110872-0879-0891)	1918148	2	1.90

2.385 PLATE—SPRING—RETAINER—BRACKET—WASHER, Distributor Breaker

33-40	ALL (exc. CC, DC),				
48-57	ALL 6 cyl.	(3 circle dia.)	1847643	1	.90
41-48	ALL	(2 13/16 circle dia.)	1883370	1	.90

53-55	CORV. 6 cyl.		1926897	1	.90
55	CORV. 8 cyl.,				
55-56	ALL 8 cyl. (exc. dual 4BC)	(3 circle dia.)	1930355	1	3.55
56-57	PASS. w/dual 4BC,				
56-57	CORV.	(use w/1110872-0879-0891)	1935507	1	1.75
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	use w/1110874—1110890	1935622	1	2.35
55	CORV. 8 cyl.,				
55-56	ALL 8 cyl. (exc. dual 4BC)	SPRING, plate tension	1925375	1	.03
57	PASS. 8 cyl. (exc. dual 4BC)	SPRING, plate retaining, use w/1110874—			
57	Ser. 3-4 (8 cyl.)	1110890 distributor	1932024	1	.05
55	CORV. 8 cyl.,				
55-56	ALL 8 cyl. (exc. dual 4BC)	RETAINER, plate tension spring	1925376	1	.06
56	CORV.	BRACKET, breaker plate stop	1933286	1	.85
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	WASHER, use w/1110874—1110890 dist.	1932418	1	.06

2.387 SPRING—CLIP—INSULATOR—SCREW, Distributor Contact Point Support Clamp

56	2 TON 8 cyl. w/dist. cont. gov.	adjusting screw (4 turns—7/32 I.D. x 5/8 free			
57	ALL 8 cyl. (exc. dual 4BC)	length)	1931995	1	.05
57	PASS. w/dual 4BC,				
57	CORV.	lock, use w/1110891	1868992	2	.06
56	2 TON 8 cyl w/dist. cont. gov.,				
57	ALL 8 cyl. (exc. dual 4BC)	CLIP, breaker lever spring screw ("U"-Shape)	1931998	1	.11
56	2 TON 8 cyl. w/dist. cont. gov.	INSULATOR, breaker lever spring screw			
57	ALL 8 cyl. (exc. dual 4BC)	(nylon—11/16 long)	1931997	1	.10
29-56	ALL,				
53-57	CORV.,				
57	ALL 6 cyl.	SCREW, contact support clamp (No. 8—32 x			
57	PASS. w/dual 4BC	5/32—5/16 dia. sltd. hd.)	816784	A.R.	.13
55-57	ALL, CORV. (8 cyl.)	SCREW, breaker lever (No. 8—32 x 3/8 sltd. hex. hd.)	455880	1	(8.900)
56	2 TON 8 cyl. w/dist. cont. gov.	SCREW, breaker lever spring (5/32—32 x			
57	ALL 8 cyl. (exc. dual 4BC)	5/8 O.L.)	1931999	1	.03
56	2 TON 8 cyl. w/dist. cont. gov.	SCREW, contact adj. (hex. socket hd. 3/16—			
57	ALL 8 cyl. (exc. dual 4BC)	28 x 3/8)	1931996	1	.17
57	ALL 8 cyl. (exc. dual 4BC)	SCREW, contact w/lockwasher (No. 8—32 x 5/16)	1938527	2	.03

2.388 WEIGHT, Distributor

40-52	ALL,				
53	ALL w/216		1879063	2	.50
53	ALL w/235 (exc. P.G.),				
54-55	ALL w/261,				
56	PASS. w/4BC and P.G.,				
56-57	PASS. w/dual 4BC,				
56-57	CORV.,				
57	PASS. w/4BC		1881371	8	.40
53	PASS. w/P.G.,				
54-57	ALL, CORV. (6 cyl.) (exc. 261),				
56-57	2 TON w/261		1882907	1	.40
55-56	ALL 8 cyl. (exc. 4BC w/P.G., dual 4BC),				
55	CORV. 8 cyl.,				
57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	Ser. 3-4-6 (8 cyl.)		1880902	2	.40

2.389 SPRING, Distributor Weight

41-49	ALL,				
50-53	ALL w/216	(.680 free length)	1882595	2	.17
50-52	ALL w/235	(¾ free length)	1912127	2	.17
53	ALL w/235 (exc. P.G.),				
54-55	UTIL. w/261	(.683 free length)	1922426	2	.17
53	PASS. w/P.G.,				
54-57	ALL, CORV. (6 cyl.) (exc. 261),				
56-57	2 TON w/261	(.729 free length)	1906766	2	.17
55	CORV. 8 cyl.		1886508	2	.17
55	ALL 8 cyl.,				
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
56-57	COMM., UTIL. (8 cyl.)	(11/16 free length)	1929319	2	.17
56	PASS. 8 cyl. w/P.G.,				
56	PASS. w/4BC	(23/32 free length)	1886967	2	.17
56-57	PASS. CORV. w/4BC, dual 4BC	(¾ free length)	1912189	1	.15

2.390 COVER—PLATE, Distributor Weight and Cam, with Stop

36-52	ALL,				
53	ALL w/216	(has two 3/16 attach. holes)	1862074	1	.45
53-56	ALL (exc. 216),				
53-57	CORV.,				
57	ALL 6 cyl.,				
57	PASS. w/dual 4BC	PLATE (has four 3/16 attach. holes)	1885557	2	.45

2.393 CONDENSER—BRACKET, Distributor, with Bracket and Lead

33-52	ALL (exc. CC, DC),				
55-56	ALL, CORV. (8 cyl.)	eyelet term. (.2 MFD. capacity)	1869704	1	.92
37-55	COMM., UTIL. 6 volt (hvy. duty)		1900272	1	1.50
53-57	ALL, CORV. (6 cyl.),				
57	Ser. 6 (8 cyl.)	spade type term. (.2 MFD. capacity)	1928111	1	.92
56	2 TON w/dist. cont. gov.,				
57	ALL 8 cyl. (exc. dual 4BC, Ser. 6)		1932004	1	.92
56	2 TON w/dist. cont. gov.,				
57	ALL 8 cyl. (exc. dual 4BC, Ser. 6)	BRACKET, use w/1112330	1869573	1	.07

2.400 STUD—LEAD, Distributor Terminal

33-50	ALL (exc. CC, DC)	(No. 8—32 thd. both ends x 1¼ O.L.)	1847647	1	.15
41-48	ALL	ground (No. 8—32 thd. both ends x ⅞ O.L.)	1882244	1	.15
51-52	ALL,				
53	ALL w/216	terminal (1 35/64 O.L. thds. both ends)	1916806	1	.15
53-57	ALL 6 cyl. (exc. 216)	(5/16 hd—thds. one end—1 5/16 O.L.)	1924371	1	.13
53-55	CORV. 6 cyl.		1926786	1	.13
55	CORV. 8 cyl.		1930996	1	1.20
55-56	ALL 8 cyl. (exc. dual 4BC)	LEAD (10 overall length)	1928118	1	.50
55	CORV. 8 cyl.,				
55-56	ALL 8 cyl. (exc. dual 4BC)	LEAD, breaker plate ground (3 O.L.)	1922429	1	.24
56-57	2 TON w/dist. cont. gov.	LEAD (12 ctr. to ctr. terminal opening)	1932731	1	.50
56-57	PASS. w/dual 4BC,				
56-57	CORV.	LEAD (7 5/16 long)	1935585	1	.50
56-57	PASS. w/dual 4BC,				
56-57	CORV.	LEAD, breaker lever (3¾ long)	1865978	1	.24
57	PASS. 8 cyl. (exc. dual 4BC)	LEAD, breaker plate ground w/1110874—			
57	Ser. 3-4 (8 cyl.)	1110890	1932002	1	.22
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	LEAD, terminal	1932028	1	.55

2.401 BUSHING—GROMMET—WASHER—NUT, Distributor Terminal

33-50	ALL	stud (3/16 I.D. x 7/16 x 9/16 w/1/4 square)	1878405	1	.15
51-52	ALL,				
53	ALL w/216	term. stud (inside)	1916805	1	.15
51-52	ALL,				
53	ALL w/216	term. stud (outside)	1914142	1	.15
53-57	ALL 6 cyl. (exc. 216)	term. stud (inside)	1924369	1	.15
53-57	ALL, CORV. (6 cyl.) (exc. 216)	term. stud (outside)	1924370	1	.15
53-55	CORV. 6 cyl.	term. stud (inside)	1926899	1	.15
55-56	ALL 8 cyl. (exc. dist. cont. gov.),				
55-57	CORV.,				
57	PASS. w/dual 4BC	GROMMET, housing (sq. type—5/16 high)	1928123	1	.08
56-57	2 TON w/dist. cont. gov.	GROMMET, housing (sq. type—5/16 high)	1932732	1	.12
57	PASS. 8 cyl. (exc. dual 4BC)	GROMMET, housing (use w/1110874—			
57	Ser. 3-4 (8 cyl.)	1110890 dist.)	1932023	1	.07
33-50	ALL	WASHER, stud insul. (3/16 I.D. x 9/16 O.D. x 1/16)	1882247	1	.06
40-50	ALL,				
51-54	PASS., D-D	WASHER, stud outside steel (3/16 I.D. x 7/16 O.D.			
55	CORV., D-D 6 volt	x 1/32)	813731	1	.06
41-48	ALL	NUT, cap sprg. supt. screw (No. 8—32)	1882246	2	.13
53-57	ALL, CORV. (6 cyl.) (exc. 216)	NUT (round)	1924372	1	.08

2.410 CONTROL, Distributor Vacuum

37-38	ALL (use 1865961 coupling for 1/8 pipe).	less bracket and control arm	1872825	1	2.55
39-51	ALL,				
52-55	COMM., UTIL. 6 volt	w/bracket	1909343*	1	2.55
52	PASS.,				
53	SDL.	(complete) (stamped 061)	1116061	1	3.10
53-54	PASS. w/235,				
53-55	CORV. 6 volt	(complete) (stamped 076)	1116076	1	3.10
55-57	ALL 6 cyl. 12 volt	(complete) (stamped 089)	1116089	1	3.10
55-56	ALL, CORV. (8 cyl.) w/1110847		1116104†	1	3.10
57	ALL 8 cyl. (exc. 2 TON, 4BC, dual 4BC)	use w/1110874	1116108	1	2.35
57	PASS. w/4BC	use w/1110890	1116118	1	2.35

*NOTE: When using 1909343 use 1866166 coupling.

†NOTE: May be necessary to plug vacuum outlet on CORVETTE.

2.414 ARM, Distributor Vacuum Control Clamp

39-51	ALL,				
52-55	COMM., UTIL. 6 volt,				
55	ALL 6 cyl. 12 volt		1873369	1	.35
52-54	PASS.,				
53-55	CORV. 6 volt		1918888	1	.75

2.416 SPRING, Distributor Vacuum Control Diaphragm

41-52	ALL,				
53	SDL.,				
53-55	COMM., UTIL. 6 volt	(9/16 O.D. x 2 3/16 free length x 9 coils)	1881777	1	.22
53-54	PASS., CORV. w/235,				
55	ALL, CORV. (6 cyl.) 12 volt	(1/2 O.D. x 2 1/16 free length x 12 coils)	1925529	1	.22

2.417 SCREW, Distributor Vacuum Control

37-51	ALL	control rod (No. 10—32 x 13/32—1/4 dia.			
52-55	COMM., UTIL. 6 volt	shldr.)	1865159	1	.11
57	PASS. 8 cyl. (exc. dual 4BC),				
57	Ser. 3-4 (8 cyl.)	attaching (w/spring and lock washer)	453696	1	.03

2.420 COUPLING, Distributor Vacuum Control

38-42	ALL (for 3/16 pipe)	(3/8—24 int. x 5/8—18 ext.)	1866166	1	.60
46-55	ALL, CORV. (6 cyl.) (for 3/16 pipe)	(3/8—24 int. x 5/8—18 ext. x 3/4 hex.)	1883027	1	.60

PIPE, Distributor Vacuum Control Suction (cut from 3/16 coil tubing, group 8.964)

		Length
38	ALL (w/3/16 pipe)	52 7/8
39	ALL	53 1/16
40	ALL (exc. WC, COE)	52 1/16
40	WC	57 3/16
40-42	COE	50
41-42	ALL (exc. YT, MT, MY, COE)	47 3/4
41-42	YT, MT, MY	53 5/16
46-52	ALL (exc. D-D, COE, SBC, KK, KJ)	47 3/4
46-53	D-D, COE, SBC,	
54-55	D-D, SBC 6 volt	53 5/16
52-54	PASS.	52 1/16
53-55	COMM., UTIL. 6 volt (exc. D-D, COE, SBC)	45
54-55	COE	61
55-56	PASS. 6 cyl.	43 3/8
55-56	ALL 8 cyl. (exc. 4BC)	14 9/16
55-56	PASS. w/4BC	17 1/8
55-56	COMM., UTIL. 6 cyl. 12 volt (exc. D-D)	42 5/8
55-56	D-D 12 volt	59 5/8

2.421 GASKET, Distributor Vacuum Control Coupling

33-55	ALL, CORV. (6 cyl.)	(5/8 I.D. x 13/16 O.D.)	1841901	1	.08

2.447 SWITCH, Tail and Stop Lamp

36-40	ALL,				
41-42	COE	(hyd. type—screw on term.)	403936	1	.90
41	ALL (exc. COE),				
42	COMM., UTIL. (exc. COE),				
54	PASS. w/P.G., P.B.	(hyd. type—snap on term.)	1997725	1	1.00
42-50	ALL,				
51-55	COMM., UTIL. 6 volt,				
56	COMM., UTIL. 12 volt (exc. D-D)	(mech. type—snap on term.)	1997901	1	1.45
37-51	PANEL, SUB. w/DOOR	door half (w/plunger)	594904	1	.90
37-51	PANEL, SUB. w/DOOR	body half	594905	1	.50
51-54	PASS. (exc. P.B.)	(mech. type—snap on term.)	1997913	1	1.45
53-57	CORV.		1998030	1	1.60
55-56	PASS.	(hyd. type—snap on term.)	1998106	1	1.40
55	COMM., UTIL. 12 volt,				
56	D-D,				
57	COMM., UTIL.	(mech. type—snap on term.)	1997921	1	1.60
57	PASS.	off-on insulated switch assy.	1998180	1	1.40

2.459 SWITCH—CONTROL UNIT—RELAY ASSY.—PLATE, Headlamp Dimmer

29-54	ALL, CORV.,				
55	COMM., UTIL. 6 volt	(3 length overall)	1997008	1	1.85
53-54	PASS. (1st design)	automatic hdlp. control aux. (2 1/2 O.L.)	5943291	1	3.55
54-56	PASS. (2nd design)	automatic hdlp. control aux.	1997022	1	2.35
55-56	ALL, CORV. 12 volt	(2 hole mounting flange)	1997021	1	1.85
57	ALL, CORV.		1997023	1	1.85
55-56	PASS.	CONTROL UNIT, automatic headlamp	987310	1	44.25
57	PASS.	CONTROL UNIT, automatic headlamp	987682	1	44.25
53-54	PASS.	RELAY ASSY., power	5945188	1	4.90
57	PASS.	PLATE, switch mtg. (1" hole)	3734592	1	.20

2.461 AMPLIFIER PARTS, Automatic Headlamp Control

53-54	PASS.	VIBRATOR ASSY.	5943336	1	5.10
53-54	PASS.	TRANSFORMER	5943314	1	7.55
53-54	PASS.	RELAY	5943889	1	4.90
53-54	PASS.	CONDENSER, electrolytic (50 V.D.C.)	5943323	1	1.10
53-54	PASS.	POTENTIOMETER, high voltage control	5943317	1	.80
53-54	PASS.	TUBE, amplifier (12AU7)	5943333	1	2.20
53-54	PASS.	TUBE, rectifier	5943334	1	2.70
53-54	PASS.	TUBE, ballast	5944545	1	2.30
53-54	PASS.	GASKET, amplifier cover	5943337	1	.30

2.463 PHOTOTUBE and PARTS, Automatic Headlamp Control

53-54	PASS.		5943346	1	13.00
53-54	PASS.	BANK, register, w/socket	5943524	1	5.30
53-54	PASS.	LENS	5943351	1	.50

53-54	PASS.	FILTER	5943350	1	.30
53-54	PASS.	GASKET, brkt. mtg.	5944527	1	.45
54-57	PASS.	PAD, bracket mounting	5942678	1	.35

2.483 BLOCK—COVER, Fuse and Junction

47-49	COMM., UTIL.	(10 terminals)	1998773	1	2.95
49-50	PASS.,				
54	PASS. w/P.G., P.B.	(5 terminals)	1998776	1	.50
50-55	COMM., UTIL. 6 volt	fuse (4 terminals, with cover)	1998781	1	1.85
51-54	PASS.	(4 terminals)	3699166	1	1.50
53-55	CORV. 6 volt		1998794	1	1.35
56	PASS.	BLOCK UNIT	987419	1	2.85
56	COMM., UTIL.	BLOCK UNIT	987455	1	1.90
57	PASS.	BLOCK UNIT	987652	1	3.40
57	Ser. 3-4-6	BLOCK UNIT	987616	1	2.10
47-49	COMM., UTIL.	COVER	3683619	1	.55
50-55	COMM., UTIL. 6 volt	COVER	1915124	1	.70

2.485 SWITCH—SPACER, Lighting

30-39	ALL,				
40-46	COMM., UTIL.	(w/term. screws, less fuse)	1995040	1	3.20
40-47	PASS.	(snap-on term., less fuse)	1995041	1	4.45
47	COMM., UTIL.,				
48-55	ALL, CORV. 6 volt	(w/term. screws, less fuse)	1995048	1	4.15
55-57	ALL, CORV. 12 volt (exc. 1957 PASS.)		1995072	1	4.10
57	PASS.		1995076	1	4.10
54-57	CORV.	SPACER, switch	3717299	1	.10

2.486 ROD, Lighting Switch, with Knob

30-40	ALL,				
41-46	COMM., UTIL.	(for use w/1995040 universal switch)	1990686	1	.75
40-47	PASS.		3665094	1	.40
47-53	COMM., UTIL.,				
54-55	FFC 6 volt		1990661	1	.38
48-49	PASS.		1990662	1	.38
50	PASS.		1990689	1	.38
51-52	PASS.	(stainless steel insert)	1990696	1	.35
53-54	PASS.		1990723	1	.45
53-55	CORV. 6 volt	(stainless steel insert)	1990758	1	.45
54-55	COMM., UTIL. 6 volt (exc. FFC)	black w/white center	1990734	1	.38
55	PASS.	(5" O.L. w/black knob)	1990780	1	.50
55-57	COMM., UTIL. 12 volt (exc. SUB. PICK-UP, deluxe equip.)	(w/black knob)	1990793	1	.35
55-57	SUB. PICK-UP,				
55-57	COMM., UTIL. w/deluxe equip.	(5 O.L. w/chrome knob)	1990796	1	.55
55	CORV. 12 volt		1990792	1	.60
56	PASS.	(5¼ O.L.)	1990817	1	.50
56-57	CORV.	(4⁵⁄₆₄ long w/black tenite knob)	1990845	1	.60
57	A, D	black tenite knob	1990859	1	.35
57	B, C	chromed cap	1990858	1	.55

2.487 FERRULE—ESCUTCHEON—BEZEL, Lighting Switch Rod

40-48	PASS.,				
49-54	ALL,				
55	COMM., UTIL. 6 volt	(⅜—24 thd.—¾ O.D. x ½ length overall)	1910441	1	.40
53-57	CORV.	(1 O.D.)	1928638	1	.40
55-56	PASS.	(⅜—24 thd.—⅞ O.D. x ¾ O.L.)	1929769	1	.25
55-57	COMM., UTIL. 12 volt	(⅜—24 thd.—1⅛ O.D. x ⅝ O.L.)	1930493	1	.45
57	PASS.	(¹⁵⁄₁₆ long w/⁹⁄₁₆ head)	1937799	1	.25
55-56	C	ESCUTCHEON, switch control	3711327	1	.35
57	A, D	ESCUTCHEON, 1⅛ dia. (painted silver)	3735211	1	(10.164)
57	B, C	ESCUTCHEON, 1¾ dia. (plastic) switch control	3736717	1	.35
57	A, B, D	BEZEL, 1¾ dia. (painted silver)	3736718	1	.30
57	C	BEZEL, 1¾ dia. (chrome)	3736719	1	.35

2.489 PLATE—CLIP, Lighting Switch Fuse

36-38	ALL	amm. (1⅛ wide—fibre)	1500011	1	.18
36-38	ALL	CLIP (½ wide x 1 length overall)	1500012	2	.18

2.500 REGULATOR, Electrical Output (see 2.319 for breaker)

		EXCHANGE ITEM			
37-39	ALL	(stamped 309)	1118309*	1	9.45
40-52	ALL	(stamped 301) (35 amp.)	1118301*	1	12.45
48-55	ALL 6 volt w/1106757	(stamped 855) (50 amp.)	1118855*	1	13.45
48-55	ALL 6 volt w/1106757	(stamped 833) (55 amp.)	1118833*	1	14.65
49-55	ALL 6 volt w/1100028-2717	(stamped 300) (40 amp.)	1118300*	1	12.45
52	ALL w/1100013	(stamped 720) (37 amp.)	1118720*	1	12.45
52-55	ALL 6 volt w/1105002-5009	(stamped 831) (40 amp. low cut-in)	1118831*	1	13.50
52-55	ALL, CORV. 6 volt w/1100018-2785-2786	(stamped 827) (45 amp.)	1118827*	1	12.45
52-55	ALL 6 volt w/1105001-5008	(stamped 835) (50 amp.)	1118835*	1	13.50
53-55	ALL 6 volt w/1106976	(stamped 942) (55 amp. low cut-in)	1118942*	1	14.65
55	ALL, CORV. 12 volt w/1102005-2020	(stamped 825) (30 amp.)	1118825*	1	12.45
55-57	ALL 12 volt w/1106981-82	(stamped 1119004) (40 amp. low cut-in)	1119004*	1	13.50
55-57	ALL 12 volt w/1100326	(stamped 1119000) (25 amp.)	1119000*	1	12.45
56-57	ALL, CORV	(stamped 1119003) (30 amp.)	1119003*	1	12.45
57	PASS	(stamped 1119002) (35 amp.)	1119002*	1	13.50

*Exchange Price Shown. Add .75 to prices if used Chevrolet Voltage Regulator Assembly is not exchanged.

2.515 AMMETER—SOCKET—WINDOW, Electrical Output

34-35	DA, EA, ED,				
36	ALL (exc. FC),				
37-39	COMM., UTIL. (exc. COE),				
40-46	FFC		857807	1	3.20
40	ALL (exc. WC),				
41-46	COMM., UTIL. (exc. YT, MT, MY)	(dark brown trim)	1500558	1	3.20
41	PASS		1500381	1	3.20
42-48	PASS		1500969	1	3.20
47-48	COMM., UTIL.		1500928	1	3.20
49-50	PASS		1501270	1	3.20
49-53	COMM., UTIL.,				
54-55	FFC 6 volt		1501198	1	3.20
51-52	PASS		1501235	1	2.30
53-54	PASS		1501349	1	3.20
53-57	CORV		1501516	1	5.80
54-55	COMM., UTIL. 6 volt (exc. FFC)		1501471	1	2.20
55	COMM., UTIL. 12 volt		1501735	1	3.30
56-57	COMM., UTIL.		1501740	1	4.50
55	PASS	SOCKET, w/spring and contact	2962098	1	(1.800)
57	PASS	WINDOW, red plastic (⅝ dia.)	1584949	1	(1.800)

2.521 INSULATOR, Ammeter

39	ALL (exc. COE),				
40-46	COMM., UTIL. (FFC),				
46-55	ALL 6 volt (exc. CK, DP, DR, DS, O, P),				
53-57	CORV	(¾ x 1 9/16—1/32 thick)	857982	1	.13

2.525 WIRES, Starting, Ignition

34-35	PASS. (exc. DC, EC),				
36-40	ALL (exc. COE)	amm. to stg. switch (48½ length—two screw type term.)	1878769	1	.80
41-46	COMM., UTIL. (exc. COE)				
41-46	PASS. (exc. CONV. on BH, DK)	amm. to stg. switch and horn relay (54½ length—two screw type term.—horn lead 28¾ with spade type term.)	1881862	1	1.00

47-48	PASS. (exc. CONV.)	amm. to stg. switch and horn relay (55 length—two screw type term.), coil to ignition switch (65 length—two spade type terms., horn lead 31 with spade type term.)	5288255	1	2.90
47-55	COMM., UTIL. 6 volt (exc. D-D, COE, H.T.)	amm. to starting switch and coil	5299880	1	2.65
47-53	COE	amm. to starting switch and coil	5299885	1	2.90
48-55	D-D 6 volt (exc. H.T.)	amm. to starting switch	5299919	1	4.80
49-50	PASS. (exc. P.G.)	amm. to starting switch	5288801	1	2.50
50	PASS. w/P.G.	amm. to starting switch	3693342	1	5.45
51-52	PASS. (exc. P.G.)	amm. to starting switch	3695267	1	4.80
51-52	PASS. w/P.G.	amm. to starting switch	3695202	1	4.80
53-54	PASS. (exc. P.G.)	amm. to starting switch	5299867	1	3.60
53-54	PASS. w/P.G.	amm. to starting switch	5299869	1	4.60
53-55	CORV. 6 volt	amm. to starting switch	2960148	1	3.40
54-55	COMM. w/H.T. 6 volt (exc. D-D)	amm. to starting switch	2960219	1	4.90
54-55	D-D w/H.T. 6 volt	amm. to starting switch	2960335	1	4.90
54-55	COE	amm. to starting switch (81 long)	5296235	1	3.30
55	PASS. 6 cyl. w/P.G.	amm. to starting switch	3720939	1	3.80
55	PASS. 6 cyl. O/D	transmission overdrive	3720935	1	3.25
55	PASS. 6 cyl. (exc. P.G.)	amm. to starting switch	2964458	1	3.25
55	PASS. 8 cyl. w/P.G.	amm. to starting switch	3720938	1	4.15
55	PASS. 8 cyl. O/D	transmission overdrive	3722934	1	2.70
55	PASS. 8 cyl. (exc. P.G., C.A.C.)	amm. to starting switch	3720937	1	3.05
55	PASS. w/C.A.C. (exc. O/D)	amm. to starting switch	3718244	1	3.80
55	PASS. w/C.A.C. (exc. P.G.)	amm. to starting switch	3718245	1	3.60
55	COMM., UTIL. (6 cyl.) 12 volt (exc. D-D, H.T.)	amm. to starting switch	3722465	1	2.50
55-56	½ TON 6 cyl. O/D 12 volt	transmission overdrive	3722935	1	2.55
55-56	½ TON 8 cyl. O/D	transmission overdrive	2964272	1	2.75
55	COMM. 6 cyl. w/H.T. 12 volt (exc. D-D)	amm. to starting switch	3722468	1	3.60
55	D-D 12 volt	starting motor to starting switch	2964674	1	3.95
55	COMM., UTIL. (8 cyl.) (exc. H.T.)	amm. to starting switch	2964731	1	2.50
55	COMM. 8 cyl. w/H.T.	amm. to starting switch	2964273	1	3.25
55-56	CORV. 8 cyl.	amm. to starting switch	2964743	1	3.25
56	PASS. 6 cyl.	amm. to starting switch	2964326	1	3.80
56	PASS. 8 cyl. (exc. P.G., C.A.C)	amm. to starting switch	2964166	1	3.25
56	PASS. 6 cyl. O/D	transmission overdrive	2964662	1	3.25
56	PASS. 8 cyl. O/D	transmission overdrive	2964664	1	3.25
56	PASS. 8 cyl. w/P.G. (exc. C.A.C.)	amm. to starting switch	2966983	1	3.95
56	PASS. w/C.A.C.	amm. to starting switch	2964600	1	4.70
56	COMM., UTIL. (6 cyl.) (exc. D-D, H.T.)	amm. to starting switch	2964748	1	2.65
56	COMM., UTIL. (6 cyl.) w/H.T. (exc. D-D)	amm. to starting switch	2964749	1	3.60
56	COMM., UTIL. (8 cyl.) (exc. D-D, H.T.)	amm. to starting switch	2966828	1	3.60
56	ALL 8 cyl. w/H.T. (exc. D-D)	amm. to starting switch	2964753	1	3.60
56	D-D 6 cyl. (exc. H.T.)	starting motor to starting switch	2964676	1	3.80
56	D-D 6 cyl. w/H.T.	starting motor to starting switch	2964677	1	4.35
56	D-D 8 cyl.	starting motor to starting switch	2964755	1	4.95
57	PASS. 6 cyl. O/D	transmission overdrive	2966999	1	3.75
57	PASS. 8 cyl. O/D	transmission overdrive	2967140	1	3.75
57	½ TON 6 cyl. O/D	transmission overdrive	2967881	1	2.95
57	½ TON 8 cyl. O/D	transmission overdrive	2967709	1	2.95
57	CORV.	amm. to starting switch	2968412	1	3.60
57	Ser. 3-4-6 (6 cyl.) (exc. D-D, H.T.)	amm. to starting switch	2967943	1	3.60
57	Ser. 3-4-6 (8 cyl.) (exc. D-D, H.T.)	amm. to starting switch	2968059	1	3.60
57	Ser. 3-4 (6 cyl.) w/H.T. (exc. D-D)	amm. to starting switch	2968060	1	3.60
57	Ser. 3-4 (8 cyl.) w/H.T.	amm. to starting switch	2968053	1	3.75
57	D-D 6 cyl. (exc. H.T.)	amm. to starting switch	2968187	1	3.80
57	D-D 6 cyl. w/H.T.	amm. to starting switch	2967713	1	4.50
57	D-D 8 cyl.	amm. to starting switch	2968057	1	4.95
57	PASS. 6 cyl. (exc. P.G.)	starting motor to starting switch	2968246	1	2.50
57	PASS. 6 cyl. w/P.G.	starting motor to starting switch	2968200	1	3.60
57	PASS. 8 cyl. (exc. A.T., dual 4BC)	starting motor to starting switch	2968247	1	3.25
57	PASS. 8 cyl. w/A.T. (exc. dual 4BC)	starting motor to starting switch	2968201	1	3.50
57	PASS. w/dual 4BC (exc. A.T.)	starting motor to starting switch	2968248	1	3.25
57	PASS. w/dual 4BC and A.T.	starting motor to starting switch	2968249	1	3.75

2.530 CABLE—LOOM—TERMINAL—CONNECTOR, Electrical (also see group 2.241)

ALL	ALL	(100 ft. spool—No. 14 insul.)	5298978	A.R.	100ft/7.50
ALL	ALL	(100 ft. spool—No. 16 insul.)	5298971	A.R.	100ft/5.50
ALL	ALL, CORV.	LOOM (3/16 x 50 ft. coil)	1846571	A.R.	5.00
ALL	ALL	LOOM (1/4 x 50 ft. coil)	1846572	A.R.	5.50
49-55	ALL 6 volt,				
55	PASS. 8 cyl.	TERMINAL (w/5289849)	5288026	A.R.	.05
55	CORV.	TERMINAL, wiring harness	5290798	3	.05
55-56	ALL 12 volt,				
55-57	CORV. 12 volt,				
57	Ser. 3-4-6	TERMINAL, female	2962351	A.R.	.07
55-56	ALL, CORV. 12 volt,				
57	PASS.	TERMINAL, male	2962352	A.R.	.07
56	ALL, CORV.	TERMINAL, female	2962573	A.R.	.25
56	ALL, CORV.	TERMINAL, male	2962411	A.R.	.25
49-56	ALL,				
57	PASS.	CONNECTOR (w/5288026) (bakelite)	5289849	A.R.	.20
55	ALL, CORV. (8 cyl.),				
56	PASS., CORV. (8 cyl.) (exc. C.A.C.)	CONNECTOR, one way (clear) (w/offset)	2962105	A.R.	.15
55-57	CONV.	CONNECTOR, body harness—single	5295456	1	(10.777)
55-57	ALL, CORV. 12 volt	CONNECTOR, single (1/8 long)	5297951	A.R.	.10
55-56	ALL 12 volt	CONNECTOR, chassis harness to body harness —6 way (female) (clear plastic)	2962034	1	.25
55-56	ALL 12 volt	CONNECTOR, chassis harness to body harness —6 way (male) (plastic)	2962408	1	.15
55-56	ALL, CORV. 12 volt	CONNECTOR, four way—clipped type (clear plastic)	2962032	A.R.	.25
55-57	ALL, CORV. 12 volt	CONNECTOR, single (clear) (1 3/8 long)	5297952	A.R.	.15
55-56	ALL, CORV. 12 volt	CONNECTOR, turn signal flasher socket	2962443	1	.15
56	PASS.	CONNECTOR, turn signal lamp switch (6-way male—plastic)	2962629	1	.15
56	PASS.	CONNECTOR,heater and C.A.C. control	3725479	1	(8.852)
56	CORV.,				
57	ALL	CONNECTOR, single (clear plastic)	2962448	A.R.	.05
56	ALL,				
57	PICK-UP, SGL. UNIT	CONNECTOR, two way	2962551	A.R.	.15
56	ALL,				
57	PASS.	CONNECTOR, three way—female	2962449	A.R.	.25
56	ALL	CONNECTOR, six way—female	2962630	A.R.	.15
56	ALL	CONNECTOR, eight way—male	2962567	A.R.	.25
56	ALL	CONNECTOR, eight way—female	2962566	A.R.	.15
57	Ser. 3 (PICK-UP)	CONNECTOR, use w/direction signal unit	2962964	1	.15

2.546 SUPPORT, Headlamp

36	PASS.,				
37	COMM., UTIL.	L. (2 1/2 x 6 1/16 base size)	595429	1	2.00
36	PASS.,				
37	COMM., UTIL.	R. (2 1/2 x 6 1/16 base size)	595430	1	2.00
38	COMM., UTIL.	R. (2 5/8 x 7 3/16 base size)	598010	1	2.00

2.555 HARNESS—EXTENSION, Chassis Wiring (see group 13.090 for body wiring harness)

33-36	PASS.		5288754	1	9.95
37-38	PASS.		5288755	1	9.95
39	PASS.		1873702	1	9.95
40	PASS.		1878860	1	9.95
40	KC, KD, KE, KF, WA, WB (exc. FFC)		1879561	1	9.95
41-42	AK, AL, AM, AN, YR, YS, BK, BL, BM, BN, MR, MS (exc. FFC) (w/hyd. stop light switch)		1881854	1	9.95
41-48	PASS.		5288756	1	13.20
42-46	COMM., UTIL. (FFC)	less tail and stop lamp ext. wire	5284502	1	10.95
42	BK, BL, BM, BN, MR, MS (exc. FFC) (w/mech. stop light switch),				
46	COMM., UTIL. (exc. FFC, COE)	less tail and stop lamp ext. wire	5284496	1	10.95
47-49	COMM., UTIL. (exc. D-D, COE)	front, from fuse block forward	5288864	1	6.35

47-49	COMM., UTIL. (exc. D-D, COE)	rear, from fuse block to rear	3692031	1	11.85
48-49	D-D	front, from fuse block forward	5288434	1	7.65
48-49	D-D	rear, from fuse block to rear	5289140	1	11.85
49-50	PASS.		5290967	1	13.20
50-53	COMM., UTIL. (exc. D-D, COE)		5299874	1	11.85
50-55	D-D 6 volt		2960500	1	13.15
50-53	COE		5299916	1	13.20
51-52	PASS.		3695265	1	11.85
53	PASS.		5299861	1	13.20
53-55	CORV. 6 volt		2961756	1	20.50
54	PASS.		2960849	1	10.95
54	PASS. w/P.B., P.G.	(junction block to volt. regulator)	2961227	1	1.50
54-55	COMM., UTIL. 6 volt (exc. D-D, COE)		2960053	1	10.75
54-55	COE		2960052	1	10.95
54-55	COMM., UTIL. 6 volt (exc. D-D)	(used between headlamp junction blocks)	2960051	1	1.55
55	PASS.		3720932	1	10.95
55	COMM., UTIL. 12 volt (exc. D-D)		3722464	1	7.10
55-56	D-D 12 volt		2964672	1	8.55
55	CORV. 8 cyl. w/P.G.		3715962	1	21.75
56	PASS.		2964072	1	9.85
56	COMM., UTIL. (exc. D-D)		2966985	1	5.25
56-57	CORV.		2964744	1	21.75
57	PASS.	junction block 987652 also required on jobs without heater	2968243	1	9.85
57	Ser. 3-4-6 (exc. direction signals)		2967702	1	6.50
55	COMM., UTIL. (6 cyl.) 12 volt	EXTENSION	3718999	1	3.60
55-56	COMM., UTIL. (8 cyl.) (exc. D-D)	EXTENSION	2966526	1	3.05
56	PASS.	EXTENSION	2964076	1	4.70
56	COMM., UTIL. (6 cyl.)	EXTENSION	2964750	1	3.60
56	D-D 8 cyl.	EXTENSION	2966127	1	4.35
57	PASS.	EXTENSION, front	2966845	1	2.50
57	PASS. (exc. dual 4BC)	EXTENSION	2967265	1	4.50
57	Ser. 3-4-6 (exc. D-D, P/S),				
57	Ser. 3-4-6 P/S (40 amp.)	EXTENSION	2967998	1	3.25
57	D-D 6 cyl.	EXTENSION	2968004	1	3.95
57	D-D 8 cyl.	EXTENSION	2967999	1	4.25

2.559 CLIP, Headlamp Wire Junction Block

52	ALL (exc. PASS., D-D),				
53-55	ALL 6 volt		3701417	4	.03
55-56	ALL 12 volt (exc. D-D),				
57	Ser. 3-4-6 (exc. D-D)		3714373	2	.05
55-57	CORV. 8 cyl.		3715575	A.R.	.10
56	PASS.	to fire wall	3724310	3	.05
57	PASS.	(hook shape—1⅜ long)	3735074	9	.03

2.560 BLOCK, Headlamp Wire Junction

37-54	PASS.,				
40-55	COMM., UTIL. 6 volt	(4 term.—red base)	1998792	2	.50
53-55	CORV. 6 volt		1334181	1	.71

2.585 LAMP ASSEMBLY, Parking (complete with bulb)

40	ALL (exc. COE)	(5⅞ O.L.)	916998	2	7.80
41	PASS.	L. (2⅛ x 4 rim size)	916371	1	6.50
41	PASS.	R. (2⅛ x 4 rim size)	916372	1	6.50
41	COMM., UTIL.	(16¼ length overall)	917012	2	6.05
42	PASS.	L. (3 3/16 x 7 overall face size)	917061	1	8.85
42	PASS.	R. (3 3/16 x 7 overall face size)	917062	1	8.85
46	PASS.	L.	928503	1	10.55
46	PASS.	R.	928504	1	10.55
47-48	PASS.	L.H. (12 27/32 O.L.)	928515	1	8.45
47-48	PASS.	R.H. (12 27/32 O.L.)	928516	1	8.45
47-53	COMM., UTIL.	(2 x 6⅛ O.L.)	928513	2	6.10
49	PASS.	round (3 11/16 dia.)	928541	2	5.70

50	PASS	round (3 11/16 dia.)	928560	2	6.10
51	PASS	L.H. (chrome) (oblong)	928647	1	7.55
51	PASS	R.H. (chrome) (oblong)	928648	1	7.55
52	PASS	L.H. (chrome) (oblong)	928759	1	7.80
52	PASS	R.H. (chrome) (oblong)	928760	1	7.80
53	PASS	round (4 3/16 dia.—stmpd. F1-53)	897381	2	5.50
53-55	CORV. 6 volt	(round-moulded F-57)	897614	2	4.95
54	PASS	(oblong) (3 1/16 x 7 3/4)	897469	2	5.05
54-55	COMM., UTIL. 6 volt	(4 1/8 x 5 3/8)	897429	2	5.10
55	PASS	(oblong—3 7/8 x 8 5/8)	897686	2	9.35
55	COMM., UTIL. 12 volt,				
56	D-D	(round—3 5/8 dia.)	897801	2	3.55
55	CORV. 8 cyl	(push type terminals—3)	897708	2	7.10
56	PASS	left (chrome—7 5/16 x 5 5/16)	898093	1	9.40
56	PASS	right (chrome—7 5/16 x 5 5/16)	898094	1	9.40
56-57	CORV	parking and turn signal	898150	2	8.20
56	COMM. UTIL	(round—3 5/8 dia.)	898328	2	5.55
57	PASS		898317	2	3.25
57	Ser. 3-4-6 (exc. PICK-UP, SGL UNIT)		897163	2	5.75
57	PICK-UP, SGL. UNIT		898573	2	

2.586 BODY—HOUSING—INSERT—PANEL, Parking Lamp

54-55	COMM., UTIL. 6 volt	(chrome) (stamped 5942167)	5942094	2	2.90
55-56	COMM., UTIL. 12 volt w/dir. signals,				
57	COMM., UTIL. (exc. dir. signals)	w/socket and double wire (chrome)	5946403	2	3.20
53	PASS	HOUSING, L.H.	3703153	1	5.70
53	PASS	HOUSING, R.H.	3703154	1	5.70
53	PASS	INSERT, housing	3698144	8	.20
56	PASS	PANEL, mounting L.H. (chrome)	3731829	1	(1.266)
56	PASS	PANEL, mounting R.H. (chrome)	3731830	1	(1.266)

2.587 BRACKET—NUT, Parking Lamp

53	PASS	L.H. (four 3/16 holes—stamped L)	3701633	1	.15
53	PASS	R.H. (four 3/16 holes—stamped R)	3701634	1	.15
51-52	PASS	NUT, attach. (10-12J-type for ground)	3696396	6	(2.725)
54-55	COMM., UTIL. 6 volt (exc. D-D)	NUT, anchor (10-12J-type)	456786	4	(8.921)

2.589 LENS, Parking Lamp

41	PASS	(1 3/4 x 3 1/16 overall)	5935778	2	.65
41	COMM., UTIL.	(1 7/16 x 4 overall—marked "RE")	5930136	2	1.70
41-46	COMM., UTIL.	(1 3/4 x 2 13/16 overall—molded 5932997)	5932997	2	.60
42	PASS	L. (glass—2 3/8 x 3 5/8 overall)	5933885	1	.70
42	PASS	R. (glass—2 3/8 x 3 5/8 overall)	5933886	1	.70
47-48	PASS	left (molded 5936809)	5936809	1	.80
47-48	PASS	right (molded 5936810)	5936810	1	.80
47-53	COMM., UTIL.	(1 3/4 x 4 7/8 O.L.)	5936802	2	.55
49	PASS	(molded 5938155)	5938155	2	.70
50	PASS	(molded 5939299)	5939299	2	.55
51	PASS	(mld. 5939934—4 1/4 long) (cast type lamp)	5939934	2	.45
51	PASS	(mld. 5940853—4 7/32 long—use w/stamped steel type lamp)	5940853	2	.80
52	PASS	(molded 5943032—7 53/64 long)	5943032	2	.90
53	PASS	(3 5/8 dia.—molded F1-53)	5943220	2	.50
53-57	CORV	(moulded F-57)	5936929	2	.65
54	PASS	(molded F1-54)	5942343	2	.60
54-55	COMM., UTIL. 6 volt	(molded 51A-54 and 5942151)	5942151	2	.70
55	PASS	(plastic—molded F1-55) (2 1/8 x 6 3/4)	5945859	2	.70
55-57	COMM., UTIL. 12 volt	(plastic—molded F1-A-55) (3 9/32 dia.)	5946407	2	.80
56	PASS	(plastic—molded F1-56) (6 1/8 x 3 5/16)	5947140	2	1.00
57	PASS	(plastic—molded F-1-57) (3 1/32 dia.)	5947754	2	.65

2.590 GASKET, Parking Lamp Lens

41	PASS	(1 3/4 x 3 1/16 overall)	5931549	2	.20
41	COMM., UTIL.	(1 1/2 x 4 overall)	5930153	2	.05

41-46	COMM., UTIL.	(1¾ x 2 13/16 overall)	5932999	2	.10
47-48	PASS.	(2 x 6¼ O.L.)	5936808	2	.20
47-53	COMM., UTIL.	(1 45/64 x 4 55/64 O.L.)	5936804	2	.20
49-50	PASS.	(2½ I.D. x 3¼ O.D. x 3/16)	5938157	2	.15
51	PASS.	(rubber—oblong)	5939935	2	.25
52	PASS.		5943033	2	.50
53	PASS.	(rubber 3¾ O.D. x 3/16 thk.)	5943221	2	.25
53-57	CORV.	(1⅜ I.D.)	5933026	2	.10
54	PASS.	(2¾ x 6¾)	5942344	2	.30
54-55	COMM., UTIL. 6 volt	(2 13/16 x 4 1/16)	5942153	2	.30
55	PASS.	(cork and sponge rubber—2¼ x 5¾)	5945858	2	.30
55-57	COMM., UTIL. 12 volt	(sponge rubber—2 11/16 I.D. x 3 1/16 O.D.)	5946406	2	.20
56	PASS.	(cork and sponge rubber—6 3/16 x 3 11/16)	5947139	2	.30
57	PASS.	gray (2⅞ dia.)	5947753	2	.30
	Not required in this group. See group 2.697		5935956	A.R.	.15

2.593 DOOR, Parking Lamp

40	ALL (exc. COE)	less glass (1⅞ I.D. x 2⅜ O.D.)	5930230	2	2.10
47-53	COMM., UTIL.	less glass (2 x 6⅛ O.L.)	5936795	2	1.30
51	PASS.	L., w/lens	5943739	1	4.85
51	PASS.	R., w/lens	5943740	1	4.85
52	PASS.	L., less glass (chrome)	5943025	1	4.20
52	PASS.	R., less glass (chrome)	5943026	1	4.20
53	PASS.	less glass (4 3/16 O.D.)	5943222	2	1.30
53-57	CORV.	(2⅛ I.D. x 2⅝ O.D.)	5933022	2	.90
54	PASS.	(cast 5942334)	5942334	2	1.70

2.594 SCREW—NUT, Parking Lamp Door

54	COMM., UTIL.	(No. 8—32 x 1 5/64)	5942152	2	.10
46	PASS.	NUT, sleeve (flat sltd. hd. No. 10-24)	5936032	4	.25

2.596 HARNESS, Parking Lamp Wire


42-48	PASS.	(socket and wire—31 5/8 overall)	5933167	2	.67
49-52	PASS.	(socket and wire—18 11/16 overall)	5943620	2	1.05
56-57	CORV.	(park wire—purple plastic 36¼ lg., signal wire—dark blue plastic 36¼ lg.)	5947442	2	3.10

2.599 GASKET, Parking Lamp Fender Seal

55	PASS.	(sponge rubber)	5945857	2	.30
55-57	COMM., UTIL. 12 volt	(sponge rubber)	3718556	2	.10
56	PASS.	seal, mtg. pnl. to fender ext. (sponge rubber)	3722478	2	.15

2.660 PAD—GASKET—SEAL—RETAINER, Tail Lamp

41-48	PASS. (exc. SDL., STA. WAG.)	(rubber—2 9/16 x 6 overall)	3657835	2	.20
47-56	PANEL, SUB. w/DRS.	(rubber—4 x 5½ overall)	3676259	1	.35
47-55	CAN. EXP. 6 volt,				
47-57	SUB. w/END GATE	(rubber—4¾ O.D.)	3686479	1	.35
49-50	PASS. (exc. SDL., STA. WAG.)	(rubber—3 x 6⅝ overall)	3688069	2	.40
51-52	PASS. (exc. SDL., STA. WAG.)	(rubber—3 13/16 x 6⅝ overall)	3695952	2	.40
55-57	SGL. UNIT 12 volt	(rubber—3½ x 6 11/16 overall)	3720102	2	.40
53-54	PASS.	GASKET, tail lamp to fender (rubber—26¾" long x ¼" O.D.)	5945814	2	.30
55	SUB. PICK-UP				
56-57	CORV.	GASKET, sponge rubber	3736110	2	.10
55-57	SGL. UNIT 12 volt	SEAL, tail lamp fender (rubber—3/16 I.D. x ½ O.D. x ⅛ thick)	3720103	4	.05
56-57	PASS.	SEAL, rubber (35½ long)	760940	2	.35
55-57	SGL. UNIT 12 volt	RETAINER, tail lamp fender seal (13/64 I.D. x ⅝ O.D.—cup shape)	3720104	4	.10



1956 TAIL AND STOP LAMP

2.662 BRACKET, Tail Lamp (also see group 2.670)

37-38	T. SED., S. SED.,				
37-48	SDL.	L., w/license bracket	595567	1	4.00
40-48	CPE. PICK-UP,				
40-46	CAB, BN, DS w/EXP. body,				
40-53	UTIL. (exc. WA, YR, MR, MY, OR, OW),				
47-48	EP, ER, FP, FR (CAB),				
47-50	ES, FS, GS, HS (exc. SGL. UNIT),				
49-53	¾, 1 TON (PLATFORM),				
51-53	1 TON (CAB, FFC)	w/license bracket	604293	1	.95
40-42	STA. WAG.,				
40-48	COMM., UTIL.	R., less license bracket	604235	1	.30
47-55	CAN. EXP. 6 volt,				
47-57	SUB. w/END GATE	inner (body bracket only)	3692145	1	1.00
41-48	STA. WAG.	L. (body bracket only)	3660511	1	2.50
41-48	STA. WAG.	R. (body bracket only)	3660512	1	2.50
41-48	STA. WAG.,				
42-46	½ TON (PICK-UP)	(lamp bracket only)	503337	1	1.40
47-53	½, ¾ TON (exc. SGL. UNIT)	w/license bracket (bumper equip.)	2232841	1	1.45
49-52	STA. WAG.	inner	3689360	1	1.30
49-52	SDL.	w/license bracket	3692352	1	.60
47-52	STA. WAG.,				
47-55	CAN. EXP. 6 volt,				
47-57	SUB. w/END GATE	outer (cast 3689361)	3689361	1	1.00
51-53	PICK-UP		3696238	1	.75
54-57	PICK-UP (w/rear bumper),				
55-57	½ TON (CAB) 12 volt (w/rear bumper)	left	3724001	1	.40
54-56	PICK-UP,				
57	Ser. 3-4-6 w/dual lamps	right	3724002	1	.40
54-57	½, ¾ TON (CAB, FFC)	left	3716708	1	.85
54-57	1 TON, UTIL. (CAB, FFC)	left	3716709	1	.45
54-57	CAB, FFC	right	3716710	1	.45
54-57	COMM., UTIL. (w/o rear bumper)	rear license plate (stamped R-T8)	920175	1	.95

2.664 LINK—BRACKET—PIN—SPRING—CLIP, Tail Lamp

47-55	CAN. EXP., SUB. w/END GATE 6 volt	(12 55/64 O.L.)	3692318	1	1.15
55-57	SUB. w/END GATE 12 volt	(17½ O.L.)	3811970	1	1.40
47-55	CAN. EXP., SUB. w/END GATE 6 volt	BRACKET, link	3686481	1	.35
49-52	STA. WAG. (STEEL)	BRACKET, link	3689001	1	.35
47-55	CAN. EXP., SUB. w/END GATE 6 volt	BRACKET, link pivot	3686483	1	.25
49-52	STA. WAG. (STEEL)	BRACKET, link pivot, lower	3688997	1	.25
55-57	SUB. w/END GATE 12 volt	BRACKET, link	3811959	1	.35
55-57	SUB. w/END GATE 12 volt	BRACKET, link pivot	3811936	1	.70
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP),				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	PIN, pivot, tail lamp bracket	502495	2	(4.025)
56	PASS.	PIN, hinge spring (¾ long)	5947310	1	.10
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP),				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	SPRING, pivot pin	3687624	2	.03
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE,				
53-54	PASS.	SPRING, link (anti-rattle)	371704	2	(4.796)
56	PASS.	CLIP, left side (tail and stop ground)	3731103	2	.15

2.665 SUPPORT, Tail Lamp Bracket

29-53	1 TON, UTIL. (exc. D-D, SGL. UNIT)	(1 wide x 3⅛ x 5¾—"L" shaped)	348356	1	.35
37-48	COMM. (CAB) (exc. KF, AN, BN, DS, ES, FS)		595938	1	.30
39-42	STA. WAG.,				
39-53	COMM., UTIL. (exc. D-D)	R.H.	603719	1	.65
49-53	COMM. (CAB) (exc. 1 TON)	(2⅛ wide—3 7/16 x 5 5/32—"L" shaped)	3690584	1	.35
51-53	COMM. (PICK-UP)	L.H. (5⅝ long—45° angle one side)	3696075	1	.35
54-57	½, ¾ TON (CABS, FFC)	(L-shape—has 4 holes 11/32 dia.)	2076124	1	.45
55-57	UTIL. (FFC, CAB) 12 volt (exc. SBC)	(4 7/16 O.L.)	3715750*	1	.70
55	2 TON 12 volt (exc. PLTFM., SBC),				
56-57	Ser. 6A w/9 x 22.5; 10 x 22.5 tires (exc. PLTFM.)	(7½ O.L.)	3715757	1	1.40
55-57	1 TON (FFC, CAB) 12 volt,				
55-57	SBC 12 volt	(1⅝ high x 2½ wide)	3716032	1	.30

*NOTE: Not used on 1956-57 Ser. 6A w/9 x 22.5; 10 x 22.5 tires.

2.670 PARTS, Rear License Attaching

41-52	STA. WAG.,				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	BRACKET, license	5938846	1	1.80
53-54	STA. WAG.	BRACKET (stamped L1—53)	5944018	1	1.10
49-52	PASS. (exc. SDL., STA. WAG.),				
53-54	SDL,				
53-55	CORV.	BRACKET (elongated attach. holes)	5942640	1	.85
55-57	PASS., CORV. (exc. SDL., STA. WAG.)	BRACKET, license	3711166	1	.55
39-48	PASS.,				
47-57	SGL .UNIT w/DOORS	CLAMP (1 x 4¼ overall) (ctr. license lamp)	3650107	1	.15
49-52	SDL.	SUPPORT, L.H., bracket	3688913	1	1.60
49-52	SDL.	SUPPORT, R.H., bracket (cast iron)	3688912	1	2.60
55-56	PASS. w/C.T.C.	SUPPORT, bracket	3717877	1	.50
57	PASS. w/C.T.C.	SUPPORT, bracket	3732930	1	1.10
49-52	SDL.	REINFORCEMENT, R.H., bracket support	3688916	1	.30
53-54	PASS. (exc. SDL., STA. WAG.),				
55-56	SDL., STA. WAG.	BUMPER, rear license plate	3690156	2	(8.024)
55-57	PASS., CORV. (exc. STA. WAG., SDL.),				
55-57	PICK-UP 12 volt (exc. SUB. PICK-UP)	BUMPER, rear license plate (9/16 O.D.)	3711168	1	(16.400)
57	PASS. (exc. STA. WAG., SDL.)	SPACER, (2 13/32 long w/groove)	3737498	2	.10
57	PASS. (exc. STA. WAG., SDL., C.T.C.)	UNIT, (consists of spacers, washers, screws and nuts)	3736538	1	.35

2.675 HANDLE—LATCH—SPRING—SCREW, Tail Lamp

56	PASS.	left, (chrome)	5947167	1	1.10
56	PASS.	right, dummy, (chrome)	5947158	1	1.00
56	PASS.	LATCH, locking	5947482	1	.30
56	PASS.	SPRING, locking latch (7/16 O.D. x 13/16 free length)	5948229	1	.10
56	PASS.	SCREW, locking latch (No. 10—24 x 1—sltd. hd.)	5947484	1	.10

2.679 LAMP, Tail and Stop (see group 2.689 for reflex reflector)

33-36	ALL (exc. CC, DC, EC, FC, PANEL),				
37-39	COMM., UTIL. (exc. SGL. UNIT)	L. (license below lamp)	916642	1	4.60
36	PASS.	L.	916701	1	4.75
37-38	PASS.,				
39	SED., COA. (w/o TRUNKS),				
39-48	SDL. (w/Sgl. Lamp Equip.)	L. (plastic lens)	927510	1	9.00
39	CPES., TRUNK JOBS,				
40-48	SDL.,				
47-53	SGL. UNIT,				
49-52	STA. WAG.	L. (chrome) (w/dual lamp equipment)	927639	1	6.76
39	CPES., TRUNK JOBS,				
40-48	SDL.,				
47-53	SGL. UNIT,				
49-52	STA. WAG.	R. (chrome) (w/dual lamp equipment)	927640	1	6.76
40	PASS. (Trunk jobs)	L.	927067	1	6.60
40	PASS. (Trunk jobs)	R.	927068	1	6.60
40-48	SDL.	center	927162	1	8.82
40-48	COMM., UTIL.	L. (license mtd. below lamp) (plastic lens)	927687	1	9.70
40-48	COMM., UTIL.,				
49-53	SDL., D-D., SBC., TY, UY, VY, X (exc. D)	L. (license mtd. above lamp) (plastic lens)	927874	1	8.55
41-48	STA. WAG.	L.,			
47-57	CAN. EXP., SUB. w/END GATE	L.,			
49-52	STA. WAG.	center	897861	1	13.80
41-48	PASS. (exc. FLTLN. 4-DR., STA. WAG., SDL.)	L. (plastic lens)	927565	1	5.90
41-48	PASS. (exc. FLTLN. 4-DR., STA. WAG., SDL.)	R. (plastic lens)	927566	1	5.90
41-48	FLTLN. SED.	L.	927189	1	6.05
41-48	FLTLN. SED.	R.	927190	1	5.30
47-55	SGL. UNIT w/DOORS. 6 volt	(w/license bracket) (on door)	3847313	1	9.65
49	PASS. (exc. SDL., STA. WAG.)	L.	927577	1	8.00
49	PASS. (exc. SDL., STA. WAG.)	R.	927578	1	8.00
49-53	COMM., UTIL. (exc. SGL. UNIT, D-D, SBC, TY, UY, VY, X)	(chrome) (license below lamp)	927619	1	9.30
49-52	SDL.	R. (chrome) (no license plate lens opening)	927642	1	7.90
50	PASS. (exc. SDL., STA. WAG.)	L.	927755	1	8.00
50	PASS. (exc. SDL., STA. WAG.)	R.	927756	1	8.00
51-52	PASS. (exc. SDL., STA. WAG.)	L.	927811	1	8.00
51-52	PASS. (exc. SDL., STA. WAG.)	R.	927812	1	8.00
53	PASS.	(chrome)	928427	2	12.55
53-55	CORV.	(round—3 15/16 O.D.)	897731	2	8.45
54	PASS.		897627	2	10.50
54-55	SGL. UNIT 6 volt	left	897461	1	11.20
54-55	SGL. UNIT 6 volt	right	897462	1	11.20
55	PASS.		897604	2	15.50
54-55	COMM., UTIL. (exc. SGL. UNIT)	left (3 5/8 dia.)	897711	1	4.90
55-56	SGL. UNIT w/DOORS. 12 volt	w/license bracket (body—black; door—chrome)	3719626	1	9.50
55-56	SGL. UNIT 12 volt	left	897821	1	7.30
55-56	SGL. UNIT 12 volt	right	897822	1	7.30
55-57	SUB. PICK-UP	w/back-up lamp	897800	2	21.30
56	PASS.	left	898475	1	20.05
56	PASS.	right	898072	1	18.85
56-57	CORV.		898097	2	18.55
56-57	COMM., UTIL. (exc. SGL. UNIT)		898199	1	4.90
57	PASS.	left	898423	1	13.30
57	PASS.	right	898424	1	13.20
57	SGL. UNIT	left	898669	1	7.50
57	SGL. UNIT	right	898670	1	7.50
56-57	COMM., UTIL. (exc. SGL. UNIT)	UNIT, R.H. tail lamp	987458	1	7.75

2.680 FRAME—MEDALLION—ORNAMENT—WASHER—BODY—HOUSING, Tail and Stop Lamp

55-57	SUB. PICK-UP		5946663	2	12.00
47-48	EK, FK (exc. STA. WAG.)	MEDALLION	3683795	2	1.15
54	PASS.	ORNAMENT (stainless steel)	5941700	2	.65
55	PASS.	ORNAMENT (stainless steel)	5945881	2	.90
48	FK (exc. STA. WAG.)	WASHER (rubber—¼ I.D. x ¾ O.D.)	3662988	4	(2.704)
56	PASS.	BODY, left	5947155	1	13.10
56	PASS.	BODY, right	5947168	1	11.40
56	PASS.	HOUSING, left	5947151	1	7.10
56	PASS.	HOUSING, right	5947164	1	6.35

2.681 DOOR, Tail and Stop Lamp

33-36	CA, CC, DA, DC, EA, EC, ED, FA, FC, FD	w/lens (3⅛ x 4⅝ overall)	919581	1	2.85
37-38	PASS.,				
39-40	STA. WAG.,				
39	SED., COA.,				
39-52	CPE. PICK-UP, SDL.,				
40-53	COMM., UTIL.	less lens (chrome—2¾ x 4 overall)	920628*	1	2.20
39	T. SED., S. SED., CPES.,				
40-48	SDL. (w/dual lamp),				
47-55	SGL. UNIT 6 volt, (w/dual lamp),				
49-52	STA. WAG. (w/dual lamp)	less lens (3 O.D.)	923322	2	2.10
40	PASS.	less lens (2⁷/₁₆ x 5 overall)	5930216	2	1.50
40-48	SDL.	less lens (2⅜ x 6¼ overall) (center lamp)	5930344	1	1.70
41-48	PASS. (exc. SDL., STA. WAG.)	less lens (2⁷/₁₆ x 5⅞ overall)	5931381	2	1.15
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP)				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	L., w/lens (chrome—4¼ O.D.)	914084	1	3.85
47-56	SGL. UNIT w/DOORS	less lens (3⁹/₁₆ x 4⁹/₁₆ overall—chrome)	5936908	1	2.10
49-50	PASS. (exc. SDL., STA. WAG.)	L., less lens (2⅞ x 6⁵/₁₆ overall)	5937863	1	1.75
49-50	PASS. (exc. SDL., STA. WAG.)	R., less lens (2⅞ x 6⁵/₁₆ overall)	5937864	1	1.75
51-52	PASS. (exc. SDL., STA. WAG.)	less lens (chrome—3¹¹/₃₂ x 6¹¹/₃₂ O.L.)	5940062	2	3.85
53	PASS.	less lens (w/3 openings—10⅞ O.L.)	5944281	2	4.20
54	PASS.	(cast 5941746)	5941746	2	4.45
54-55	COMM., UTIL. (exc. D-D, SGL. UNIT)		918355	1	.55
55	PASS.	less lens (cast 5945612)	5945612	2	5.30
55-57	SUB. PICK-UP	less lens	5946666	2	5.50
56-57	COMM., UTIL. (exc. SGL. UNIT)		5947579	1	.75

*NOTE: Also used with accessory R.H. tail lamps.

2.682 LENS, Tail Lamp

37-38	ALL PASS.,				
39-40	STA. WAG.,				
39	SED., COA.,				
39-52	CPE. PICK-UP, SDL.,				
40-46	COMM., UTIL.,				
47-48	EP, ER, QL, QX, FP, FR, RL, RX (exc. PAN.)	plastic (2⅝ x 3¹³/₁₆ overall—			
49-53	COMM., UTIL. (exc. SGL. UNIT)	molded 5937162)	5937162*	1	.70
39	T. SED., S. SED., CPES.,				
40-48	SDL. (w/dual lamp),				
47-53	SGL. UNIT (w/dual lamp),				
49-52	STA. WAG. (w/dual lamp)	glass (2⅝ O.D.)	920696	2	.62
40	PASS.	L., glass (2⅛ x 4¼—molded 5930213)	5930213	1	.95
40	PASS.	R., glass (2⅛ x 4¼—molded 5930214)	5930214	1	.95
40-48	SDL.	glass (2⅛ x 5⅝—molded 5930342)	5930342	1	1.90
41-48	PASS. (exc. 4-DR. FLTLN., STA. WAG., SDL.)	plastic (2⅛ x 5—molded 5937794)	5937794	2	.70
41-48	FLTLN. 4-DR. SED.	L., glass (2⅛ x 5—molded 5930829)	5930829	1	1.00
41-48	FLTLN. 4-DR. SED.	R., glass (2⅛ x 5—molded 5930830)	5930830	1	1.00
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP),				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	L. glass (4⅜ O.D.—molded 919044)	919044	1	1.10
47-56	SGL. UNIT w/DOORS	glass (2⅞ x 4¼—molded R1-53T)	5945063	1	.55

*NOTE: 5937162 also used with accessory R.H. tail lamp.

49	PASS. (exc. SDL., STA. WAG.)	plastic (2 3/16 x 3 1/2—molded 5937861)	5937861	2	.50
50	PASS. (exc. SDL., STA. WAG.)	plastic (2 3/16 x 3 1/2—stamped 5939421)	5939421	2	.60
51-52	PASS. (exc. SDL., STA. WAG.)	plastic (Guide R1-51—2 29/64 x 2 41/64)	5940038	2	.50
53	PASS.	upper, outer, red (molded 5943403)	5943403	2	.75
53	PASS.	upper, inner, red (molded 5944070)	5944070	2	.30
53	PASS.	center, red (molded 5943406)	5943406	2	.70
53	PASS.	lower, clear (molded 5943404)	5943404	2	(2.697)
53-55	CORV. 6 cyl.	less socket, cup, gasket and bulb	5944979	2	5.50
54	PASS.	upper, outer, red (molded 5941679)	5941679	2	.95
54	PASS.	upper, inner, red (molded 5941701)	5941701	2	.35
54	PASS.	lower, clear (molded 5941699)	5941699	2	(2.697)
54-55	SGL. UNIT 6 volt. (w/dual lamp)	red (molded 5943497)	5943497	2	1.00
54-55	COMM., UTIL. (exc. D-D, SGL. UNIT)		5938745	1	.65
55	PASS.	upper, outer, red (molded R1-55)	5945878	2	1.10
55	PASS.	upper, inner, red (molded 5945879)	5945879	2	.70
55	PASS.	lower, clear (molded R1-55)	5945880	2	.90
55-56	SGL. UNIT 12 volt	red (molded 5946395)	5946395	2	.95
55-57	SUB. PICK-UP	upper, red (molded R1A-55)	5946671	2	1.30
55-57	SUB. PICK-UP	lower, crystal (molded R1A-55)	5946672	2	1.05
56	PASS.	red (molded 5947161)	5947161	2	.95
56-57	CORV.	red (molded 5947405)	5947405	2	1.50
56-57	COMM., UTIL. (exc. SGL. UNIT)		5947580	1	.50
57	PASS.	(1 1/8 x 4 3/8) "GUIDE RIB 57"	5948104	2	.55
57	SGL. UNIT	(2 19/32 x 5 13/16) "GUIDE RIB 57"	5948183	2	1.05

2.683 PLATE, Tail and Stop Lamp

55-57	SUB. PICK-UP	lens retaining (1 x 1 7/8)	5946673	2	.20

2.684 GASKET, Tail Lamp Lens

37-38	PASS.,				
39-40	STA. WAG.,				
39	SED., COA.,				
39-52	CPE. PICK-UP, SDL.,				
40-53	COMM., UTIL.	paper (2 5/8 x 3 7/8 overall)	920625*	1	.10
39	T. SED., S. SED., CPES.,				
40-48	SDL. (w/dual lamp),				
47-55	SGL. UNIT (w/dual lamp) 6 volt,				
49-52	STA. WAG. (w/dual lamp)	sponge rubber (2 3/4 O.D.)	921874	2	.20
41-48	PASS. (exc. SDL., STA. WAG.)	sponge rubber (1 15/16 x 5 overall)	5931433	2	.30
41-52	STA. WAG.,				
42-46	1/2 TON (PICK-UP),				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	L., cork (4 1/4 O.D.)	911771	1	.10
47-56	SGL. UNIT w/DOORS	sponge rubber (3 1/8 x 4 7/16 overall)	5936907	1	.15
49-50	PASS. (exc. SDL., STA. WAG.)	sponge rubber (2 1/4 x 3 9/16 overall)	5937858	2	.10
51-52	PASS. (exc. SDL., STA. WAG.)	cork (2 21/32 x 3)	5940037	2	.15
53	PASS.	center, cork (3 1/4 O.D. x 1/8 thk.)	5943405	2	.20
53	PASS.	upper and lower, cork	5942626	2	.55
54	PASS.	sponge rubber (10 1/4 O.L.)	5941662	2	.60
54	PASS.	reflex, cork and paper (10 O.L.)	5941674	2	.35
54-57	COMM., UTIL. (exc. SGL. UNIT)		914301	1	.10
55	PASS.	sponge rubber	5945877	2	.30
55-57	SGL. UNIT 12 volt	sponge rubber (oval—5 13/16 long)	5946396	2	.25
55-57	SUB. PICK-UP	sponge rubber (oval—9 5/16 long)	5946670	2	.35
56	PASS.	sponge rubber (3 3/16 O.D.)	5947159	2	.20
56-57	CORV.	cork (3 37/64 dia.)	5947404	2	.45
57	PASS.	cork sponge	5948103	2	.25

*NOTE: 920625 also used with accessory R.H. tail lamp.

2.685 LENS, Tail Lamp Outlook—Bottom and Upper (also see group 2.709)

37-38	PASS.,				
39-40	STA. WAG.,				
39	SED., COA.,				
39-52	CPE. PICK-UP, SDL.,				
39-46	COMM., UTIL.,				
47-48	EP, ER, QL, QX, FP, FR, RL, RX (exc. PAN.),				
49-53	COMM., UTIL. (exc. SGL. UNIT)	(1 5/16 x 2 1/4 overall)	920634	1	.25

40-48	SDL. (w/dual lamps)	(1½ x 2 3/16 overall)	5930357	1	.60
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP),				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	L., (1 7/16 x 3 9/16 overall)	914778	1	.70
47-56	SGL. UNIT w/DOORS	(1 3/16 x 4 1/16 overall)	5936904	1	.60
54-57	COMM., UTIL. (exc. SGL. UNIT)		5938753	1	.30

2.686 GASKET, Tail Lamp Outlook Lens (also see group 2.707)

37-38	PASS.,				
39-40	STA. WAG.,				
39	SED., COA.,				
39-52	CPE. PICK-UP, SDL.,				
39-46	COMM., UTIL.,				
47-48	EP, ER, QL, QX, FP, FR, RL, RX (exc. PAN.),				
49-53	COMM., UTIL. (exc. SGL. UNIT)	sponge rubber (1½ x 3 1/16 overall)	920808	1	.10
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP),				
47-55	CAN. EXP.,				
47-57	SUB. w/END GATE	cork (1½ x 4 3/8 overall)	914779	1	.10
47-56	SGL. UNIT w/DOORS	sponge rubber (1¼ x 4 3/8 overall)	5936905	1	.10
54-57	COMM., UTIL. (exc. SGL. UNIT)		5938759	1	.10

2.688 SCREW—RETAINER—SPRING—NUT, Tail Lamp

39	T. SED., S. SED., CPES.,				
40-48	SDL. (w/dual lamp),				
47-55	SGL. UNIT (w/dual lamp) 6 volt,				
49-52	STA. WAG. (w/dual lamp)	(No. 8—32 x 1—pointed)	923315	2	.10
41-52	STA. WAG.,				
42-46	½ TON (PICK-UP),				
47-48	PASS.,				
47-55	SGL. UNIT,				
56-57	SUB. w/END GATE	(No. 8—32 x 5/8)	912048	2	(2.697)
41-48	PASS. (exc. SDL., STA. WAG.)	(No. 6—20 x 15/32)	5933212	2	.10
55	PASS.	(ov. hd. cr. rec. mach. 8—32 x ½)	3714513	4	.05
55-57	SUB. PICK-UP	(ov. hd. cr. rec. 10—12 x 2)	3719300	6	.08
56	PASS.	lens (rd. hd. cr. rec. mach. No. 8-32 x 7/8)	455601	4	.05
56	PASS.	body to hsg. (No. 10-24 x 5/8)	5947855	1	.08
39	PASS.,				
40-52	SDL., STA. WAG., CPE. PICK-UP,				
40-53	COMM., UTIL.,				
54-56	SGL. UNIT,				
57	SUB. w/END GATE	RETAINER (speed nut No. 6—32)	827925	2	.10
55	PASS.	RETAINER, lens (7/16 x 1 O.L. w/3/16 ctr. hole)	5945882	2	.15
54-57	COMM., UTIL. (exc. D-D, SGL. UNIT)	SPRING, lens retaining	5942427	1	.10
41-48	PASS. (exc. SDL., STA. WAG.)	NUT, speed (for No. 6—20)	5937582	2	.10
49-50	PASS. (exc. SDL., STA. WAG.)	NUT, speed (for No. 8—18)	5937865	4	.10
55-57	PASS.	NUT, speed (for No. 10-12 screw 31/32 long)	456786	8	(8.921)
55-57	SUB. PICK-UP	NUT, speed (J-type—#10-12)	3719301	6	.03
55-57	COMM., UTIL. 12 volt	NUT, speed (J-type—#10-12)	3696396	2	(2.725)
56	PASS.	NUT, speed (J-type—#10-12)	3722433	2	.03

2.689 REFLEX ASSY.—REFLECTOR—NUT, Tail and Stop Lamp

49-50	PASS. (exc. SDL., STA. WAG.)	(under lamp—prong spring)	5938323	2	1.00
51-52	PASS. (exc. SDL., STA. WAG.),				
56	PASS.	(under lamp—with stud)	5940066	2	.85
54	PASS.	(molded X1-54 and 5941671)	5941671	2	.60
ALL	ALL	REFLECTOR, reflex (marker unit)	985223	A.R.	1.95
56-57	PASS.	NUT, reflex lens attach (#10-24)	446061	2	(8.921)

2.694 SOCKET—SPRING—GASKET—PLUG—INSULATOR, Tail and Stop Lamp

51-52	PASS. (exc. SDL., STA. WAG.),				
53-55	CORV.,				
54	PASS.	w/cup (stamped D.C.)	5939945	2	.70
53	PASS.	w/cup, tail lamp (1 3/8 O.L.)	5944017	2	.70

53	PASS.	w/cup, stop lamp (1 5/8 O.L.)	5940011	2	.65
51-52	PASS. (exc. SDL., STA. WAG.),				
53-54	PASS.	SPRING, socket (25/32 I.D.)	5939950	2	.10
51-52	PASS. (exc. SDL., STA. WAG.),				
53-55	CORV.,				
53-54	PASS.	GASKET, socket (1 7/32 I.D.)	5939951	2	.10
53	PASS.	PLUG, with contacts	5291638	4	.30
51-52	PASS. (exc. SDL., STA. WAG.),				
54-57	ALL, CORV.	PLUG, with contacts	5291632	2	.30
55	COMM., SBC (2nd Ser.) (exc. SUB. PICK-UP, PLTFM., SGL. UNIT),				
56-57	½ TON (FFC)	INSULATOR, extension wire (18 long)	5297821	1	.50

2.697 LAMP UNIT and PARTS, Back-up

56	PASS.		987360	1	6.25
57	PASS.		987538	1	12.00
57	PICK-UP, SGL. UNIT (exc. SUB. PICK-UP)		987454	1	11.00
47-49	PASS. (exc. SDL., STA. WAG.)	DOOR, less lens (3 O.D.)	5931447	1	1.75
50-52	PASS.,				
55-57	PICK-UP, SGL. UNIT 12 volt	DOOR, less lens (2 9/16 I.D.—chrome)	5939817	2	1.10
47-49	PASS. (exc. SDL., STA. WAG.)	LENS (2 5/8 dia.) (molded 5938015)	5938015	2	.50
50-52	PASS.,				
55-57	PICK-UP, SGL. UNIT 12 volt	LENS (2¾ O.D.) (molded 5938297)	5938297	2	.60
53	PASS.	LENS, clear (molded 5943404)	5943404	2	.75
54	PASS.	LENS (molded 5941699)	5941699	2	.80
55	PASS.	LENS, lower (plastic, clear—Guide R1-55)	5945880	2	(2.682)
56	PASS.	LENS (2 1/16 x 2¾) (molded 5947162)	5947162	2	.70
57	PASS.	LENS (4 long—B157 on lens)	5948323	2	.60
47-48	PASS. (exc. SDL., STA. WAG.),				
47-49	COMM. (SGL. UNIT)	GASKET (sponge rubber 2 I.D. x 2 13/16 O.D.)	5931452	1	.05
50-52	PASS.,				
55-57	PICK-UP, SGL. UNIT 12 volt	GASKET (sponge rubber 2⅛ I.D. x 2 13/16 O.D.)	5935956	2	(2.590)
56	PASS.	GASKET (sponge rubber—2 1/16 x 2 9/16)	5947160	2	.20
57	PASS.	GASKET (cork sponge) (2¼ x 3½)	5948324	2	.20
42-48	PASS. (exc. SDL., STA. WAG.)	SWITCH, lamp (automatic)	1997902	1	2.10
49-52	PASS. (exc. SDL, STA. WAG., P.G.),				
53-54	PASS. (exc. P.G.)	SWITCH, lamp (automatic)	1997911	1	1.60
53-54	PASS. P/S	SWITCH ASSY., lamp (automatic)	1998040	1	(4.054)
50-54	PASS. w/P.G. (exc. P/S)	SWITCH, lamp (automatic)	1997865	1	2.55
55-56	PASS. (exc. P.G.)	SWITCH ASSY., lamp (automatic)	3711330	1	1.00
55-56	PASS. w/P.G.	SWITCH ASSY., trans. control safety	1998136	1	(4.054)
55-57	PICK-UP, SGL. UNIT 12 volt	SWITCH, lamp (automatic)	3718016	1	1.00
57	PASS. w/P.G.	SWITCH ASSY., trans. control safety	1998173	1	(4.054)
57	PASS. w/T.G.	SWITCH ASSY., trans. control safety	1998174	1	(4.054)
53-54	PASS.	SOCKET, w/wire (47½ long)	5944087	2	1.35
56	PASS.	SOCKET w/wire (light green wire)	5947215	A.R.	1.90
47-49	PASS. (exc. SDL. STA. WAG.),				
49-55	SGL UNIT (1st Ser.),				
55-57	SUB w/END GATE (2nd Ser)	SCREW (No. 8—32 x 5/8)	912048	1	.10
49-52	PASS. (exc. SDL, STA. WAG., P.G.),				
53-54	PASS. (exc. P.G.)	SPACER (No. 10—24 x 5/16 hex. x 25/32 O.L.)	5938467	1	.50
56	PASS.	PLUG, back up lamp socket	5947777	2	.07
57	PASS.	COVER, oval (2 7/8 x 4 5/8)	3735480	2	.50
57	PASS.	RETAINER (1⅜ x 3¼)	3735481	2	.10

2.700 LAMP—HOUSING, Rear License, Complete with Bulb

40	PASS. (exc. SDL., STA. WAG.)	w/license bracket	604287	1	4.55
41	PASS. (exc. SDL., STA. WAG.)	w/license bracket	605355	1	4.40
42-48	PASS. (exc. SDL., STA. WAG.)	w/license bracket	606365	1	6.50
49-50	PASS. (exc. SDL., STA. WAG.)		927656	2	4.00
51-52	PASS. (exc. SDL., STA. WAG.)		927655	1	3.20
53-54	PASS. (exc. SDL., STA. WAG.)	w/license bracket (plastic wire ins.)	897463	1	4.20
53-55	CORV. 6 cyl.	(L1A-53 on lens)	897612	2	3.70
55	CORV. 8 cyl.		897803	2	3.65
53-54	SDL., STA. WAG.,				
54-55	PICK-UP 6 volt (w/rear bumper)	(L2-51 on lens) (plastic wire ins.)	897465*	1	3.15

*NOTE: For use in Vermont, use 927656 Lamp Assy.

55	PASS.,				
56	STA. WAG., SDL,				
56-57	SUB. PICK-UP	(L1-55 on lens—plastic wire ins.)	897701	2	2.50
55-56	PASS. w/C.T.C.	(w/plastic wire ins.)	3714125	1	3.25
55-57	PICK-UP 12volt (w/rear bumper) (exc. SUB. PICK-UP)	(L2-55 on lens—plastic wire ins.)	897919	1	3.30
56	PASS. (exc. SDL., STA. WAG.)	left (w/plastic wire ins.)	898331	1	2.30
56	PASS. (exc. SDL., STA. WAG.)	right (w/plastic wire ins.)	898058	1	1.75
56-57	CORV.	left	898115	1	6.10
56-57	CORV.	right	898116	1	6.10
57	PASS. (exc. STA. WAG., SDL, C.T.C.)	(1 7/8 x 6 7/16) "GUIDE L157"	898309	1	3.85
57	PASS. w/C.T.C.		3737020	1	5.25
57	STA. WAG., SDL.	one on inside of each guard	898472	2	1.75
57	SGL. UNIT (exc. SUB. w/END GATE)		898539	1	7.20
57	SUB. w/END GATE	(4 5/16 dia.) "GUIDE R 13"	898549	1	13.65
56-57	CORV.	HOUSING, left w/lens, gasket, and body	5947389	1	4.30
56-57	CORV.	HOUSING, right w/lens, gasket, and body	5947390	1	4.30

2.702 PAD, Rear License Lamp Mounting

42-48	PASS. (exc. FLTLN., SDL., STA. WAG.)	(rubber—3 3/16 x 9 1/8 overall—has four round holes)	3663703	1	.35
49-50	PASS. (exc. SDL., STA. WAG.),				
54	SDL., STA. WAG.	(rubber—2 3/4 x 3 9/32 overall—has two			
54-55	PICK-UP 6 volt (w/rear bumper)	round holes)	3688071	2	.20
57	SGL. UNIT w/DRS.	rubber (2 11/16 dia.)	3739578	1	.35

2.704 MOULDING—RETAINER—WASHER, Rear License Lamp

42-46	BH, DK (exc. STA. WAG.)	L. (side of lamp)	3698517	1	1.80
42-46	BH, DK (exc. STA. WAG.)	R. (side of lamp)	3698518	1	1.80
42-46	BH, DK (exc. STA. WAG.)	RETAINER, moulding (two studs—No. 10—24)	3663833	2	.40
42-46	BH, DK (exc. STA. WAG.)	WASHER, retainer (rubber—5/32 I.D. x 3/4 O.D.)	3662988	4	.02

2.705 BODY ASSEMBLY—BRACKET—SUPPORT, Rear License Plate Lamp

55	PASS.,				
55-57	STA. WAG., SDL., SUB. PICK-UP		5946128	2	.80
56	PASS. (exc. SDL., STA. WAG.)	left, with lens and gasket	5947099	1	.60
56	PASS. (exc. SDL., STA. WAG.)	right, with lens and gasket	5947100	1	.65
53-54	PASS. (exc. SDL., STA. WAG.)	BRACKET, w/2 bolts (stamped L-48)	5942458	1	1.55
54-57	PICKUP (w/rear bumper) (exc. SUB. PICK-UP)	SUPPORT (stamped L1-54)	3707021	1	.70

2.706 COVER—DOOR, Rear License Lamp

40-41	PASS. (exc. SDL., STA. WAG.)	less lens (1 5/16 O.D. x 2 1/8 length)	5930151	1	2.20
49-50	PASS. (exc. SDL., STA. WAG.)		5937942	2	.75
57	SGL. UNIT (exc. SUB. w/END GATE)	black enamel (1 1/4 dia. x 2 1/8)	5945084	1	.70
51-52	PASS. (exc. SDL., STA. WAG.)	DOOR, less lens	5940619	1	.90
53	PASS. (exc. SDL., STA. WAG.)	DOOR, w/socket and 19 1/4 wire	5943380	1	1.05
53-54	SDL., STA. WAG.,				
54-57	PICK-UP (w/rear bumper) (exc. SUB. PICK-UP)	DOOR (2 1/16 x 3 3/16 w/3/8 ctr. hole)	5939872*	1	.30
54	PASS. (exc. SDL., STA. WAG.)	DOOR, w/socket and 19 1/4 plastic wire	5942309	1	1.30
55-57	SDL., STA. WAG.	DOOR (1 29/32 x 2 9/16 w/1 3/8 ctr. hole)	5945959	2	1.40

*NOTE: For use in Vermont on 6 volt jobs, use 5937942 Cover.

2.707 GASKET, Rear License Lamp Lens

42-48	PASS. (exc. SDL., STA. WAG.)	(sponge rubber—1 1/2 x 1 15/16 overall)	5932762	1	.10
49-50	PASS. (exc. SDL., STA. WAG.)	(sponge rubber—1 5/16 x 1 3/4 overall)	5937940	2	.10
51 52	PASS. (exc. SDL., STA. WAG.)	(cork—2 11/32 overall length)	5939876	1	.10
53-54	PASS. (exc. SDL., STA. WAG.)	outer, felt (1 1/2 O.D. x 1/32 thk.)	5936537	1	.10
53-54	PASS. (exc. SDL., STA. WAG.)	inner, rubber (1 1/16 x 2 7/8 x 5/32 thk.)	5935949	1	.10

53-54	SDL., STA. WAG.,				
54-57	PICK-UP (w/rear bumper) (exc. SUB. PICK-UP)	cork (1 1/16 I.D. x 1 17/32 O.D. x 3/16 thk.)	5939870*	1	.10
57	PASS. (exc. STA. WAG., SDL)	(1 1/2 x 4 7/16)	5947969	1	.20

*NOTE: For use in Vermont on 6 volt jobs, use 5937940 Gasket.

2.708 SCREW—NUT, Rear License Lamp

55-56	PASS.,				
55-57	SUB. PICK-UP,				
57	STA. WAG., SDL	(pan hd. slotted No. 8—32 x 35/64)	3719610	8	.07
57	PASS. (exc. STA. WAG., SDL)	(par. hd. cr. recess—No. 8—32 x 1)	5947971	2	.10
53-54	PASS. (exc. SDL., STA. WAG.)	NUT (3/8 hex. x 3/4 O.L. w/10—32 thd.)	5943619	2	.10

2.709 LENS, Rear License Lamp

40-41	PASS. (exc. SDL, STA. WAG.),				
57	SGL. UNIT (exc. SUB. w/END GATE)	(1 1/4 O.D. x 1 3/8 length)	922042	1	.35
49-50	PASS. (exc. SDL., STA. WAG.)	(molded 5938832)	5938832	2	.35
51-52	PASS. (exc. SDL., STA. WAG.)	(Guide L1-51)	5940480	1	.50
53-54	PASS. (exc. SDL., STA. WAG.)	(1 1/2 O.D. x 1 3/4 O.L.) (molded B)	5935947	1	.70
53-54	SDL., STA. WAG.,				
54-57	PICK-UP (w/rear bumper) (exc. SUB. PICK-UP)	(9/16 O.D. x 1 O.L.) (molded L2-51)	5940540*	1	.30
57	PASS. (exc. STA. WAG., SDL)	(1 1/2 x 4 7/16) "GUIDE L157"	5947970	1	.70

*NOTE: For use in Vermont on 6 volt jobs, use 5938832 Lens.

2.714 SOCKET, Rear License Lamp w/Wire

40-41	PASS. (exc. SDL., STA. WAG.)	(10 length—sleeve and spring)	5931931	1	.90
42-48	PASS. (exc. SDL., STA. WAG.)	(10 length—spring less sleeve)	5932806	1	.65
53-55	CORV. 6 volt		5945589	2	.70
55	CORV. 12 volt		5946310	2	.70
55-56	PASS.,				
55-57	SUB. PICK-UP	(23 1/2 length—w/terminal)	5946129	2	1.00
56-57	CORV.	(23 1/2 length—w/terminal)	5947396	2	1.10
57	STA. WAG., SDL	black plastic wire w/terminal	5948247	2	1.00
57	SGL. UNIT (exc. SUB. w/END GATE)	black plastic wire w/terminal	5948485	1	1.20
57	SUB. w/END GATE		5948472	1	3.30

2.721 SPRING, Headlamp Body Tension

41-47	ALL	(7/16 O.D. x 1 5/8 free length—14 coils) (for double spring headlamp construction)	5931749	4	.15
41-53	ALL,				
54-55	COMM., UTIL. 6 volt	(1/2 O.D. x 1 1/2 free length—9 1/4 coils) (for			
55	PASS. (1st design)	single spring headlamp construction)	5937452	2	.10
55-57	PASS. (2nd design),				
55-57	COMM., UTIL. 12 volt,				
56-57	CORV.	(1/2 O.D. x 1 1/8 free length—9 1/4 coils)	5946543	2	.10

2.722 GASKET, Headlamp Body to Fender

41-46	PASS.,				
47-56	ALL, CORV.,				
57	D-D, CORV.	(rubber)	3722121	2	.20

2.724 GRILLE, Headlamp (on fender)

53-55	CORV.		5941627	2	7.55

2.725 HEADLAMP ASSEMBLY—NUT, Complete with Bulb

41-46	COMM., UTIL. (exc. COE)	L., w/parking lamp assy.	925203*	1	32.90
41-46	COMM., UTIL. (exc. COE)	R., w/parking lamp assy.	925204*	1	32.90
41-46	COE	w/parking lamp assy.	925226*	2	32.70

42-48	PASS.		925185	2	15.15
47-55	COE		897440	2	15.90
47-55	COMM., UTIL. 6 volt (exc. COE)		897438	2	16.05
49-52	PASS.	(chrome)	925795	2	15.70
53	PASS.	(chrome)	897495	2	19.00
53-55	CORV. 6 volt	less door assy.	5945610	2	13.70
55-56	CORV. 12 volt	less door assy.	5947457	2	13.70
54	PASS.		897584	2	18.30
55	PASS.		898145	2	16.75
55	COMM., UTIL. 12 volt (exc. D-D)	(chrome)	897838	2	14.80
55-56	D-D 12 volt		898148	2	14.15
56	PASS.	(black enameled body, chromed door, stainless steel ring)	898075	2	16.30
56-57	CORV.	includes "T-3" sealed beam	898103	2	26.65
56	COMM., UTIL.	includes "T-3" sealed beam	898470	2	14.85
57	PASS.	black enameled grille, chromed door ("T-3")	898527	2	21.05
57	Ser. 3-4-6 (exc. D-D)	beige door ("T-3")	898621	2	
57	D-D	w/terminals ("T-3")	897159	2	15.40
41-46	PASS.,				
47-57	ALL, CORV.	NUT (No. 10—12—J type for ground)	3696396	A.R.	.02
53	PASS.,				
55	PASS.	NUT, speed, head lamp door mtg. (No. 8-15)	5939138	2	.05
54	PASS.	NUT, speed, head lamp door mtg. (No. 8-15)	5942226	2	.05
55-57	COMM., UTIL. 12 volt (exc. D-D)	NUT, speed, head lamp door mtg. (No. 8-15)	5946192	2	.10

*NOTE: Headlamps 925203-04-26 used on late 1941 and all 1942-46 jobs may be identified by 1 piece parking lamp with stamped body.

2.726 SUB BODY—RING, Headlamp

41-46	COMM., UTIL. (exc. COE) (late 1941 jobs)	R., w/tension springs and parking lamp wire	5933136	1	5.75
42-48	PASS.	w/tension springs	5932796	2	3.35
47-48	COMM., UTIL.,				
49-52	ALL,				
53-55	COMM., UTIL. 6 volt	w/tension springs	5936747	2	3.15
53	PASS.	w/tension springs	5943963	2	2.90
54	PASS.	(stamped GUIDE H-18)	5941586	2	3.05
55	PASS.	w/tension springs	5946621	2	3.35
55-57	COMM., UTIL. 12 volt (exc. D-D)	w/tension springs	5946619	2	3.20
55-57	D-D 12 volt	w/tension springs	5947015	2	2.65
53-55	CORV.		5942168	2	4.45
56	PASS.		5947097	2	2.60
56-57	CORV.		5947255	2	4.60
57	PASS.		5948132	2	3.65
40	PASS.,				
41-55	ALL, CORV.	RING, mtg.	924535	2	1.50
55	ALL 12 volt	RING, mtg.	5946426	2	1.50
56-57	ALL, CORV.	RING UNIT, mtg. body inner	5947771	2	2.70

2.727 LENS—SEALED BEAM—AIMING TOOL PACKAGE, Headlamp


39	PASS.	(7⅛ O.D.—TILTRAY—molded 923344)	923344	2	1.70
40-55	ALL, CORV. 6 volt (CLEARVIEW)	SEALED BEAM UNIT (glass reflector)	456795	2	2.30
40-55	ALL, CORV. 6 volt (T-3 SAFETY AIM)	SEALED BEAM UNIT (glass reflector)	5947206	2	2.62
55	ALL, CORV. 12 volt (CLEARVIEW)	SEALED BEAM UNIT (glass reflector)	456796	2	2.30
55-57	ALL, CORV. 12 volt (T-3 SAFETY AIM)	SEALED BEAM UNIT (glass reflector)	5947212	2	2.62
55-57	ALL, CORV. 12 volt (T-3 SAFETY AIM) (hvy. duty)	SEALED BEAM UNIT (glass reflector)	5947324*	2	2.77
40-57	ALL (w/T-3 SAFETY AIM LAMP)	AIMING TOOL PACKAGE	897200†	1	No List

*NOTE: Heavy duty type—for more than normal headlamp usage.

†NOTE: 897201 package required for state of Pennsylvania available from Flint.

2.728 MOULDING, Headlamp (rim or door)

40	PASS.,				
41-46	COMM., UTIL.		924722	2	3.12
40	COMM., UTIL.		5930416	2	4.15



1955 SEALED BEAM HEADLAMP

41	PASS.	(chrome)	924565	2	2.57
42-48	PASS.		5932799	2	2.05
47-48	COMM., UTIL.,				
49-52	ALL,				
53-55	COMM., UTIL. 6 volt,				
55-57	D-D 12 volt	(chrome)	5941285	2	3.10
53	PASS.	(chrome)	5942827	2	4.85
53-55	CORV.	(chrome)	5942614	2	8.10
54	PASS.	(stainless steel)	5944987	2	5.30
55	PASS.	(chrome)	5946027	2	5.65
55-56	COMM. 12 volt w/Deluxe Equip.,				
55-56	SUB PICK-UP	(chrome)	5946224	2	6.55
55-56	COMM., UTIL. 12 volt (exc. SUB. PICK-UP, deluxe equip., D-D)	(arabian ivory)	5948214	2	3.80
56	PASS.	(chrome)	5947173	2	4.15
56-57	CORV.	(chrome—w/gasket)	5947244	2	9.70
57	PASS.	(w/grille and baffle)	5948142	2	8.70
57	Ser. 3-4-6 (exc. SUB. PICK-UP, deluxe equip., D-D)	(painted)	5948490	2	3.80
57	Ser. 3 w/deluxe equip.,				
57	SUB PICK-UP	(chrome)	5948489	2	6.50

2.729 SCREW—CLIP—RETAINER, Headlamp Moulding

40	PASS.	(fill. hd. No. 8—32 x ½ dog pt.)	924622	2	.10
55	ALL 12 volt	(pan hd. cr. rec. No. 8—15 x ½)	3719483	4	.05
53-55	CORV.	CLIP (1 7/32 O.L.)	5942195	2	.10
53-55	CORV.	RETAINER (⅝ x 2 w/3 holes)	3706344	2	.06

2.731 RING—SPACER, Sealed Beam Retaining

40	PASS.,				
41-55	ALL, CORV. 6 volt	(one pc. construction) (chrome—7 3/16 O.D.			
55	PASS. (1st design)	—three attach. ears 1 1/16 wide)	924534	2	1.95
55	PASS. (2nd Design)	(4 pc. construction) (chrome—7 3/16 O.D.—			
55	COMM., UTIL. 12 volt (1st design)	two attach. ears.)	5946431	2	1.90
55	COMM., UTIL. 12 volt (2nd design),				
56	ALL, CORV.	(⅝ notch in ring)	5947705	2	1.65
57	ALL, CORV.	w/reflector	5948399	2	1.50
53-55	CORV.	SPACER, headlamp door	5942273	2	8.45

2.735 SEAL, Headlamp Lens

40	PASS.,				
41-53	ALL,				
54-55	COMM., UTIL. 6 volt,				
53-55	CORV.,				
55	PASS.,				
55-56	COMM., UTIL. 12 volt (exc. D-D)	moulding (rubber—dbl. lip—23¾)	5930594	2	.50
54	PASS.	moulding (rubber)	5945454	2	.65
56	PASS.	headlamp door (rubber 7 13/16 O.D.)	3722122	2	.50
56-57	CORV.	headlamp door w/clip	5945844	2	.50
57	PASS.	(34¼ long)	760940	2	(2.660)

2.736 SCREW—CLIP, Headlamp Lens and Sealed Beam Retaining

40-55	ALL	(pan hd. No. 8—32 x ⅜)	924552	6	.10
53-55	CORV.,				
55	ALL 12 volt	CLIP, retaining ring	5947712	1	.06

2.737 SCREW—NUT, Headlamp Beam Adjusting

40	PASS.	beam adj. (spec. grooved sltd. hd.—¼—28 x 1)	924561	4	.10
41-57	ALL, CORV.				
41-48	ALL	NUT, beam adj. screw (¼—28)	5930896	2	.15
47-48	COMM., UTIL.,				
49-57	ALL, CORV.	NUT, beam adj. screw (¼—28) (nylon insert)	5939769	4	.10

2.746 SPRING, Headlamp Door and Moulding Seal Retainer

40-41	PASS.,				
42-46	COMM., UTIL.,				
49-52	ALL,				
53-55	COMM., UTIL. 6 volt	mldg. seal (1¼ depth—2 3/16 inside width)	5939791	A.R.	.10
42-48	PASS.	mldg. seal (1¾ lg. one leg—1¼ inside legs)	914127	10	.10
49-52	ALL,				
53-55	COMM., UTIL. 6 volt	mldg. door top retainer	5939790	2	.10
53-54	PASS.	top (⅞ inside width)	5943966	2	.10
53	PASS.	bottom and sides (1½ inside width)	5943967	6	.10
54	PASS.	bottom and sides	5945525	6	.10

2.750 SOCKET, Headlamp Bulb, w/Wire


41-46	COMM., UTIL.	(1 spec. 3 term. plug-in receptacle, 2 screw type and 3 spade type term., w/grmt.)	5931796	2	3.30
41-48	PASS.	(1 spec. 3 term. plug-in receptacle, 1 screw			
47-55	COMM., UTIL. 6 volt	type and 2 spade type term., w/grommet)	5942312	2	2.15
49-54	PASS.,				
53-55	CORV. 6 cyl.	w/grommet (loom 23¾ lg.) (plastic ins.)	5946021	2	2.10
55-56	PASS.	w/grommet (loom 12¾ lg.)	5945707	2	1.65
55-57	CORV. 8 cyl.		5946155	2	2.10
55-56	COMM., UTIL. 12 volt	(1 spec. 3 term. plug-in receptacle, 1 screw type and 2 spade type term., w/ grommet)	5947530	2	1.95
57	PASS.	upr. beam—black; lwr. beam—black w/ white tracer	5948212	2	1.50
57	Ser. 3-4-6		5948534	2	2.30

2.765 SWITCH, Instrument Lamp Dimmer

40-46	COMM., UTIL.	less knob, w/term. screws	001404	1	1.35

2.776 SOCKET, Instrument Lamp

37-55	ALL 6 volt	w/wire (1 snap-in term., 1 spade term.)	1862155	1	.55
55-56	PASS.	less wire	2962095	A.R.	.25



1955-56 HORN CONTACT PARTS

2.810 HORN ASSEMBLY

29-39	ALL (exc. B, N, C, O, DC, EC, FC)	(8 15/16 length overall—straight—mtg.			
40-52	COMM., UTIL.	screws 2 1/4 ctr. to ctr.—1/4—28 thds.)	1999801	1	8.50
40-42	COMM., UTIL. (spec. equip.),				
40-48	PASS.	R.H.—lo note (sea shell type) (stmpd. 633)	1999633	1	6.95
40-42	COMM., UTIL. (spec. equip.),				
40-48	PASS.	L.H.—hi note (sea shell type) (stmpd. 634)	1999634	1	6.95
40	PASS.,				
40-46	COMM., UTIL. (spec. equip.),				
47-52	COMM., UTIL. (exc. COE) (spec. equip.)	lo note (sea shell type)	1999651	1	6.95
40	PASS.,				
40-46	COMM., UTIL. (spec. equip.),				
47-52	COMM., UTIL. (exc. COE) (spec. equip.)	hi note (sea shell type)	1999652	1	6.95
49-52	PASS.,				
53	ALL,				
54	PASS.,				
53-55	CORV. 6 cyl.	R.H.—lo note (sea shell type) (stmpd. 687)	1999687	1	6.95
49-52	PASS.,				
53	ALL (exc. D-D, COE) (spec. equip.),				
54	PASS.,				
53-55	CORV. 6 cyl.	L.H.—hi note (sea shell type) (stmpd. 688)	1999688	1	6.95
54-55	COMM., UTIL. 6 volt	L.H., lo note (sea shell type) (stamped 639)	1999639	1	6.95
54-55	COMM., UTIL. 6 volt (spec. equip.)	R.H., hi note (sea shell type) (stamped 640)	1999640	1	6.95
55-56	PASS., CORV. 12 volt	L.H., hi note,			
55-56	COMM., UTIL. 12 volt	R.H., hi note (sea shell type—stamped 760)	1999760	1	6.74
55-56	PASS., CORV. 12 volt	R.H., lo note,			
55-56	COMM., UTIL. 12 volt	L.H., lo note (sea shell type—stamped 759)	1999759	1	7.25
57	PASS.	L.H., lo note (325 stamped on underside of collar)	9000325	1	6.95
57	PASS.	R.H., hi note (326 stamped on underside of collar)	9000326	1	6.95
57	Ser. 3-4-6	L.H., lo note (327 stamped on underside of collar)	9000327	1	6.95
57	Ser. 3-4-6	R.H., hi note (328 stamped on underside of collar)	9000328	1	6.95
55-56	COMM., UTIL. 12 volt (exc. deluxe equip.)	UNIT, hi note	987211	1	6.50
56	PASS.	UNIT, trumpet type (used in conjunction w/ prod. horns)	987443	1	9.65
57	PASS.	UNIT, mtd. on left side between grille and core (use w/prod. horns)	987617	1	8.75
57	Ser. 3-4-6 (exc. D-D, SUB. PICK-UP)	UNIT, hi note	987628	1	6.50

2.815 RELAY, Matched Horn

34-55	ALL, CORV. 6 volt		1116775	1	1.85
55-56	ALL 12 volt,				
55-57	CORV. 12 volt		1116913	1	2.15
57	ALL		1116920	1	2.15

2.816 CUSHION—SPRING—PAD—RING—SCREW, Horn Button or Blowing Ring

41-48	AH, BH, DK, EK, FK	(rubber 1/8 I.D. x 5/8 O.D.—3/8 high—cone shaped)	754063	2	.07
40-46	PASS. (spec. equip. on KA, KB, KH, AH)	SPRING, ground (1 9/16 and 1 15/16 O.D. x 2 free length—4 coils)	753657	1	.35
41-48	AH, BH, DK, EK, FK	SPRING, ground (1 9/16 O.D. x 1 free length—3 coils)	754058	1	.20
41-46	AG, BG, DJ	SPRING (2 1/4 O.D. x 1 3/8 free length—4 coils)	755854	1	.15
41-46	COMM., UTIL. (exc. COE)	SPRING (1 1/8 O.D. x 1 1/2 free length—6 1/2 coils)	755284	1	.20
49-52	PASS. (spec. equip.),				
49-54	GK, HK, JK, KK, B, C (prod.),				
53-55	CORV.	SPRING (1 1/16 I.D. x 2 3/8 O.D.)	757518	1	.25
55-56	A, D	SPRING (1 1/32 I.D. x 2 1/2 O.D. x .020 thick—.040 cone height)	760299	1	.25
55-57	B, C	SPRING (1 1/32 I.D. x 2 1/2 O.D. x .025 thick—.050 cone height)	760084	1	.30
41-48	AH, BH, DK, EK, FK	PAD (rubber 3 5/8 I.D. x 4 1/16 O.D.)	754062	1	.25

40	KA	RING (rubber 2 5/16 I.D. x 2 7/8 O.D.)	753656	1	.45
41	PASS. (spec. equip.)	RING (rubber 2 5/16 I.D. x 2 7/8 O.D.—has 3 notches on inside dia.)	754240	1	.35
49-52	GK, HK, JK, KK	RING, pivot (1 1/4 I.D. x 2 O.D. plastic)	758104	1	.25
49-52	GK, HK, JK, KK	RING, lock (1 3/4 O.D.)	756797	1	.07
50-52	PASS. (spec. equip.),				
53-54	B, C,				
53-55	CORV	RING, pivot (plastic) (use screw 129028)	757517	1	.25
55-56	A, D,				
57	B, C	RING, pivot (15/16 I.D. x 1 5/16 O.D.—plastic)	760222	1	.20
55-56	B, C	RING, pivot (15/16 I.D. x 1 7/8 O.D. with 3 grooves —plastic)	760083	1	.25
41-48	AH, BH, DK, EK, FK	SCREW, cushion (No. 6—32 x 7/8—3/8 washer under hd.)	754064	2	.04

2.817 BUTTON—CAP—ADAPTER, Horn Blowing (see 2.820 for non-actuating)

29-36	ALL,				
37-40	GB, COMM., UTIL. (exc. COE)	w/wires (2 1/4 O.D. x 3 13/16 O.L.)	753838	1	1.00
37-39	GA, HA, HB, JB	w/wires (2 1/2 O.D. x 4 3/8 O.L.)	753327	1	1.10
39-40	JA, KB, KH	w/wires (2 1/2 O.D. x 2 7/8 O.L.)	753629	1	1.10
39	PASS. (spec. equip.)	CAP (2 5/8 corner to corner)	753401	1	.95
41-46	AG, BG, DJ	CAP (3 1/16 O.D.)	755849	1	1.40
41-46	COMM., UTIL. (exc. COE)	CAP, w/retainer	609620	1	1.40
47-48	EJ, FJ	CAP (3 1/8 O.D.)	756449	1	1.40
47-53	COMM.,UTIL.	CAP, w/retainer	758298	1	1.40
49-52	GJ, HJ, JJ, KJ	CAP (2 23/32 O.D.)	757804	1	1.20
53-54	A, D	CAP, india ivory	759543	1	1.15
54-55	COMM., UTIL. (exc. Deluxe Equip.)	CAP, with retainer (black)	758632	1	1.15
55	A (exc. SDL., STA. WAG.)	CAP (3 1/8 O.D.—black w/chrome and white)	3712989	1	1.15
55	A (STA. WAG.)	CAP (3 1/8 O.D.—green)	3715542	1	1.10
55	A (STA. WAG.), D	CAP (3 1/8 O.D.—tan w/chrome and white)	3722148	1	1.15
55	COMM., UTIL. (CABS) 12 volt (Deluxe Equip.)	CAP (3 7/16 O.D.—brown)	760446	1	1.15
55	SUB. PICK-UP	CAP (3 7/16 O.D.—red)	760449	1	1.15
56	A, D	CAP, dune beige	3729954	1	1.15
56	A, D	CAP, adobe beige	3733575	1	1.15
56-57	CORV	CAP, unpainted	760805	1	3.25
56	COMM., UTIL	CAP, charcoal	3730118*	1	1.15
57	A, D	CAP, w/9 dimples (chrome)	761641	1	1.45
57	Ser. 3-4-6	CAP, charcoal	3733198	1	1.20
57	SUB. PICK-UP	CAP, cardinal red	3735999	1	1.20
57	SUB. PICK-UP	CAP, dark blue	3736001	1	1.20
57	SUB. PICK-UP	CAP, dark green	3735997	1	1.20
55-56	A, D	ADAPTER (cup shape—three 7/16 attach. holes)	759604	1	.55

*NOTE: May be painted to match existing trim colors.

2.819 CONTACT and PARTS, Horn Button and Blowing Ring

42-48	PASS. (spec. equip.)	connector, w/spring (in strg. wheel hub)	5660046	1	.45
47-53	COMM., UTIL.	CONTACT ASSY., cup	758239	1	1.50
49-52	GJ, HJ, JJ, KJ	CONTACT ASSY. (2 5/16 O.D.)	756398	1	1.45
53-54	A, D,				
54-57	COMM., UTIL.	CONTACT ASSY. (2 1/2 O.D.)	758566	1	1.50
56-57	CORV	CONTACT ASSY.	761403	1	5.25
57	A, D	CONTACT ASSY. (4 5/8 O.D.)	761643	1	1.45
41-46	COE	CONNECTOR, horn wire (contacts wire and contact bottom of mast jacket)	263549	1	.75
37-48	COMM., UTIL.	CONNECTOR, contact w/spring (brush 17/32			
49-57	ALL, CORV	O.L.)	759037	1	.40
41-48	PASS. (spec. equip. DJ, EJ, FJ)	CUP, ring contact supt. (3 15/64 O.D.)	756485	1	.60
41-48	AH, BH, DK, EK, FK	CUP, horn blowing ring contact (1 1/8 I.D. x 2 1/4 O.D. x 1/32 thick)	754060	1	.15
47-48	EJ, FJ	CUP, horn button contact (2 1/2 O.D.)	756473	1	.35
41-46	AG, BG, DJ	RETAINER, contact cup (die cast—2 1/4 full width—2 7/16 I.D. x 3 1/4 O.D.—int. thds.)	755855	1	1.40

41-46	COMM., UTIL. (exc. COE)	RETAINER, contact and cap (die cast—2 7/16 full width—1 1/4 I.D. x 2 1/2 O.D.—no thds.)	755898	1	1.40
47-48	EJ, FJ	RETAINER, contact cup (3 1/4 O.D. x 2 7/16 I.D.)	756472	1	1.40
39-46	COE	INSULATOR, horn button terminal (1 1/4 I.D. x 1 11/16 O.D.)	263867	1	.03
42-48	PASS. (spec. equip.)	INSULATOR, connector	5660044	1	.15
47-48	COMM., UTIL.,				
49-57	ALL, CORV	INSULATOR, connector (plastic—1 1/16 O.L.)	759230	1	.06
50-52	PASS. (spec. equip.),				
53-54	B, C,				
53-55	CORV	BUSHING, blowing ring spacer (13/64 I.D.)	757520*	2	.11
55-56	A, D	BUSHING, blowing ring (plastic—1 1/4 I.D.)	760244	1	.20
55-56	B, C	BUSHING, blowing ring (clear plastic—1 1/4 I.D.)	760082	1	.20
57	B, C	BUSHING, blowing ring	3737930	1	1.10

*NOTE: Use 3 each 132764 Bolt group 8.906 and 131015 Washer group 8.929.

2.820 CAP and PARTS, Horn Button (see 2.817 for actuating type)

40	PASS. (spec. equip. on KB, KH)	horn button (3 1/2 O.D.)	753659	1	1.30
42-46	PASS. (spec. equip. on BG, DJ)	horn button (3 3/4 O.D., stamped "Chevrolet" emblem and winged figure)	755781	1	1.15
42-48	PASS. (spec. equip.)	horn button (4 7/8 O.D. transparent)	755867	1	2.75
47-48	PASS. (spec. equip. on EJ, FJ)	horn button 3 3/4 O.D.—monogram of vermilion, blue and gilt)	756439	1	2.75
49	GK (spec. equip. on GJ)	horn button (2 3/4 O.D.)	758751	1	2.10
49	PASS. (spec. equip.)	steering wheel hub	757097	1	2.75
50-52	PASS. (spec. equip.)	strg. wheel hub	758058	1	2.10
50	HK	steering wheel hub (2 3/4 O.D. Silver Grey)	758757	1	2.10
51	JK	steering wheel hub (2 23/32 O.D.)	758597	1	2.10
52	KK	strg. wheel hub (black)	758585	1	2.10
53-54	B, C (exc. P/S)	black (2 5/16 O.D.)	759456	1	1.25
53-54	PASS.	biscayne blue	3708660	1	1.25
54	ALL P/S	strg. wheel hub (white)	759457	1	1.25
54	B, C	bermuda green	3708654	1	1.25
53-54	B, C	saddle brown	3708656	1	1.25
53-55	CORV		759243	1	3.30
54	BEL AIR	turquoise	3708662	1	1.25
54	BEL AIR	pueblo tan	3708664	1	1.25
54	CONV., SPT. CPE	romany red	3708658	1	1.25
55-56	B	w/retainers (white prime)	3712992	1	.85
55	C (1st design)	w/retainers (white prime)	3720100*	1	1.05
55-56	C (2nd design)	w/1/4—20 threaded hole for attach. (white prime)	3720684	1	1.05
57	B	w/lens ("Two Ten")	761444	1	2.10
57	C	w/lens ("Bel-Air")	761673	1	2.10
50-52	PASS. (spec. equip.)	SPRING, strg. wheel hub cap	757524	1	.15
52-54	KK, B, C,				
53-55	CORV	SPRING, strg. wheel hub cap	758604	1	.10
39-46	COE	RETAINER, horn button cap (2 63/64 O.D.)	263865	1	.35
55-56	A, B	RETAINER, horn button cap (3/4 O.L.)	3712991	3	.20
55-56	B 6 cyl	EMBLEM (blue w/white and chrome)	3712996	1	.70
55-56	C 6 cyl	EMBLEM (blue w/white and gold)	3712997	1	.85
55-56	B 8 cyl	EMBLEM (black w/blue and chrome)	3712998	1	.70
55-56	C 8 cyl	EMBLEM (black w/blue and gold)	3712999	1	.85
55-56	B, C	NUT, speed (L-shape, 3/32)	3713571	2	.05

*NOTE: It may be necessary to rework per TSB No. 321.

2.830 RING, Horn Blowing

39	PASS. (spec. equip.)	(11 O.D.) (4 spokes)	753512	1	4.95
40	PASS. (spec. equip. on KB)	(10 1/2 O.D.) (3 spokes 1/4 dia.)	753654	1	4.95
41-48	PASS. (deluxe wheel)	(11 O.D.) (2 spokes)	754061*	1	5.45
42-48	PASS. (spec. equip.)	(11 1/8 O.D.) (3 wide flat spokes)	755903	1	6.95
49	GK (spec. equip. on GJ)		756855	1	5.45
49	PASS.	(accessory wheel)	757094	1	5.80
50	HK	(silver grey)	757729	1	5.45
50-52	PASS.	(accessory wheel)	757515	1	6.90

51	JK	(medium grey)	758295	1	5.70
52	KK	(satin gray)	758573	1	6.55
53-54	B, C	chrome (11⅜ O.D.)	758475	1	6.55
53-55	CORV	chrome	759144	1	6.35
55-56	B	chrome (11⅜ O.D.—2 spokes)	759611	1	6.55
55-56	C	chrome, w/retaining spring, screw and lockwasher	760394	1	7.30
57	B, C	chrome (11 O.D.)	761436	1	6.55

*NOTE: When using Ring 754061 on BG, BH, it is also necessary to use pad 754062.

2.837 BUMPER, Horn Blowing Ring or Button

41-46	COMM., UTIL. (exc. COE)	horn button retainer (2$^{3}/_{32}$ I.D. x 2$^{1}/_{16}$ O.D. x $^{3}/_{16}$ thick)	755899	1	.25

2.845 BRACKET—BOLT, Horn

37-39	PASS. (exc. GB, HB, JB),				
40-52	COMM., UTIL. (exc. COE)	projector type horn	3693836	1	.65
40-46	COMM., UTIL. (spec. equip.),				
47-53	COMM., UTIL. (exc. COE) (spec. equip.)	matched horn type	1879664	2	1.05
42-48	PASS.	left	3664651	1	.75
42-48	PASS.	right	3664652	1	.75
49-50	PASS.	left	3690755	1	.75
49-50	PASS.	right	3690756	1	.75
50-52	COE		3693985	1	.65
51-52	PASS.	left	3695271	1	.75
51-52	PASS.	right	3695272	1	.75
53-56	PASS.	left	3710995	1	.75
53-56	PASS.	right	3710996	1	.75
53-57	CORV	left	3706051	1	.75
53-57	CORV	right	3706052	1	.75
53	COMM., UTIL. (exc. COE)		3702747	1	.65
53	COE		3702768	1	.75
54-55	COMM., UTIL. 6 volt		3702791	2	.65
55-56	COMM., UTIL. 12 volt	left	3720231	1	.75
55-56	COMM., UTIL. 12 volt w/Deluxe Equip.	right	3720232	1	.75
55-56	PASS.	BOLT ($^{5}/_{16}$—18 x $^{5}/_{8}$ hex. hd. self locking)	3710926	A.R.	(8.085)

2.859 WIRE ASSEMBLY—CLAMP, Horn

39	JA,				
40-46	COMM., UTIL. (exc. COE)	w/term. (overall length 45⅛)	266218	1	.60
55-56	PASS.	CLAMP, steering gear jacket horn wire	3729345	1	.10

2.880 SIGNAL UNIT—LAMP, Direction

NOTE: For fuse and fuse holder use 1220246 listed in the Radio Parts Catalog.

55-56	COMM., UTIL. 12 volt (exc. PICKUP, SGL. UNIT)	(single lens)	987238	1	24.50
55-56	COMM., UTIL. 12 volt (exc. PICKUP, SGL. UNIT)	(double front, single rear)	987239	1	26.50
55-56	COMM., UTIL. 12 volt (exc. PICKUP, SGL. UNIT)	(single front and flush mtd. rear)	987241	1	24.50
55-56	COMM., UTIL. 12 volt (exc. PICKUP, SGL. UNIT)	(double front and flush mtd. rear)	987240	1	26.50
55-56	SGL. UNIT 12 volt (exc. dual tail and stop lamp)		987251	1	26.50
56	COMM., UTIL. (exc. SGL. UNIT, PICK-UP, PLTFM., D-D)	(double face, front)	987514	1	17.20
56	PICK-UP (exc. SUB. PICK-UP)		987457	1	19.50
57	Ser. 3-4-6 (exc. PICK-UP, SGL. UNIT)	(dbl. face frt. and bracket mtd. rr.)	987607	1	28.00
57	Ser. 3-4-6 (exc. PICK-UP, SGL. UNIT)	(dbl. face frt. and flush mtd. rr.)	987608	1	27.50
57	Ser. 3-4-6 (exc. PICK-UP, SGL. UNIT)	(double face front)	987643	1	19.50
57	PICK-UP (exc. SUB. PICK-UP)		987646	1	20.85
57	SGL. UNIT, SUB. PICK-UP		987647	1	18.50
50-52	COMM., UTIL.	LAMP ASSY., front (single lens—amber)	927836	2	10.95
50-52	COMM., UTIL.	LAMP ASSY., front (double lens—amber)	927890	2	17.30
50-52	COMM., UTIL.	LAMP ASSY., rear (red lens)	927838	2	11.80

53	COMM., UTIL.,				
54-55	COMM., UTIL. 6 volt (exc. D-D, PICKUP, SGL. UNIT)	LAMP ASSY., front (double lens—amber)	926274	2	5.50
55-57	COMM., UTIL. 12 volt (exc. D-D, PICK-UP, SGL. UNIT)	LAMP ASSY., front (double lens—amber)	926258*	A.R.	5.60
53	COMM., UTIL.,				
54-57	COMM., UTIL. (exc. D-D, PICKUP, SGL. UNIT)	LAMP ASSY., rear (single lens—red)	897323*	A.R.	4.50

*NOTE: On 6 volt jobs, change bulb.

2.892 HARNESS—FLASHER—SOCKET—CLIP, Direction Signal Lamp

56	COMM., UTIL. (exc. PICK-UP, SGL. UNIT, SBC, D-D)		2966551	1	2.95
56	PICK-UP, SGL. UNIT		2966823	1	2.95
57	Ser. 3-4-6 (exc. D-D, PICK-UP, SGL. UNIT, SBC)		2967859	1	2.95
57	PICK-UP, SGL. UNIT		2967860	1	2.95
46-48	PASS. (exc. SDL., STA. WAG.),				
46-50	COMM., UTIL.	FLASHER	5947767	1	1.60
49-50	PASS.,				
51-55	ALL, CORV. 6 volt	FLASHER	1335220	1	1.35
55-57	ALL, CORV. 12 volt (exc. D-D)	FLASHER	3713382	1	1.35
53-54	PASS.	SOCKET, flasher	5297633	2	.40
55-57	ALL 12 volt (exc. D-D)	CLIP, flasher connector mtg.	3712856	1	.05

2.895 SWITCH ASSY. and PARTS, Direction Signal Lamp

46-49	COMM., UTIL.	complete w/lever and strap	929450	1	11.20
49	COMM., UTIL.,				
50-52	ALL,				
53	COMM., UTIL.	switch only	5939515	1	1.55
51-52	PASS.	complete w/lever and strap	928799	1	22.30
53-54	PASS.,				
54-55	PICK-UP, SGL. UNIT 6 volt	complete with housing	897125	1	10.10
53-55	CORV. 6 cyl.	complete	897369	1	6.50
53-54	PASS.,				
53-55	CORV. 6 cyl.,				
54-55	PICK-UP, SGL. UNIT 6 volt	switch w/wires	5947677	1	4.65
54-55	COMM., UTIL. 6 volt (exc. PICK-UP, SGL. UNIT, D-D)	complete with housing	897313	1	9.35
54-55	COMM., UTIL. 6 volt (exc. PICK-UP, SGL. UNIT)	switch w/wires	5945196	1	2.60
55	PASS.	complete w/housing cast 5946076 — Guide D1-55	898033	1	8.00
55	PASS.	switch w/wiring, less turn signal housing	5946119	1	4.00
55-57	CORV. 12 volt	complete	897763	1	11.20
55-57	CORV. 12 volt	switch w/wiring	5946173	1	5.30
55-56	COMM., UTIL. 12 volt (exc. D-D)	switch w/wiring less turn signal housing	5947739	1	5.05
55-56	COMM., UTIL. 12 volt (exc. D-D)	complete with housing	897799	1	15.95
56	PASS.	assy., less lever	897129	1	10.50
56	PASS.	w/wiring, less turn signal housing	5947081	1	3.55
57	PASS.	assy. less lever	897164*	1	10.25
57	PASS.	w/wiring less turn housing	5948447	1	4.05
57	Ser. 3-4-6	assy. less lever (4 3/32 dia. at wide end)	897151	1	12.50
53-54	PASS.,				
54-55	CORV., COMM., UTIL. 6 volt (exc. D-D),				
55-56	CORV., COMM., UTIL. 12 volt (exc. D-D, SGL. UNIT)	RING UNIT	897064	1	3.05
55-57	PASS.	RING, actuating (metal)	5946114	1	1.00
55-57	PASS.	CUSHION, actuating ring (sponge rubber)	5947296	2	.10
53-54	PASS.,				
53-57	CORV.,				
54-57	COMM., UTIL. (exc. D-D, SGL. UNIT)	SPRING, actuating lever (5/64 dia. wire)	5942761	1	.10
53-54	PASS.,				
53-57	CORV.,				
54-57	COMM., UTIL. (exc. D-D, SGL. UNIT)	SPRING, centering (3/8 x 2 3/4)	5944131	1	.10

53-54	PASS.,				
53-57	CORV.,				
54-57	COMM., UTIL. (exc. D-D, SGL. UNIT)	SPRING, cancelling cam (3/16 O.D. x 11/32)	5942766	2	.10
55-57	PASS.	SPRING, tension (3/16 O.D. x 1 13/16 O.L.)	5946116	1	.10
55-57	PASS.	SPRING, detent (3/16 wide x 2 5/8 long)	5947013	1	.10
53	PASS., CORV.	SCREW, lever (12—24 thd. w/5/16 dia shoulder)	5942768	1	.10
53-57	ALL, CORV. (exc. D-D)	SCREW, switch ring (12—24 thd., 3/4 lg. shldr.)	5944866	1	.10
55-57	PASS.	SCREW, w/lockwasher (10—32 x 5/8 rd. hd. cr. rec.)	456423	3	(8.906)
55-57	PASS.	ROLLER, switch detent (nylon)	5946117	1	.10
55-57	PASS.	PLATE, switch locking	3713031	1	(6.512)
55-57	PASS.	PAWL, turn signal (nylon—3/16 dia. hole)	5946115	2	.10
53-54	PASS.,				
53-57	CORV.,				
54-57	COMM., UTIL. (exc. D-D)	CAM, cancelling (2 3/32 O.D. w/tang 1/2 high)	5943818	1	.30
55-56	PASS.	CAM, cancelling (1 I.D. w/tang 1/2 high)	3711500	1	.20
57	PASS.	CAM, cancelling (1 7/16 x 45/64)	3739896	1	6.75
57	PASS.	WINDOW, green plastic (39/64 dia.)	1584948	2	.16


*NOTE: May be necessary to paint as required.

2.899 SOCKET—LENS—RIM, Direction Signal Lamp

49-52	PASS.	with wire (front)	5940079	2	1.60
54	PICK-UP, SGL. UNIT	with wire (front)	5941584	2	1.50
50-53	COMM., UTIL.	LENS, front (amber)	5939210	A.R.	1.25
50-53	COMM., UTIL.	LENS, rear (red)	5939211	A.R.	1.25
53-57	COMM., UTIL. (exc. D-D, PICKUP, SGL. UNIT)	LENS (amber) (has 3 attach. holes)	5945910	A.R.	.80
53-57	COMM., UTIL. (exc. D-D, PICKUP, SGL. UNIT)	LENS (red) (has 3 attach. holes)	5945911	A.R.	.80
46-49	COMM., UTIL.	RIM (lens, gasket, 2 eyelets)	3689105	A.R.	2.85

2.906 LEVER—KNOB—ROLLER, Direction Signal Lamp

49-53	COMM., UTIL.,				
50-52	PASS.	switch	5939511	1	1.80
53-54	PASS.,				
54-55	COMM., UTIL. 6 volt	w/1/4—20 nut (chrome)	5944655	1	1.45
53-57	CORV.	w/1/4—20 nut—chrome	5945626	1	1.50
55-57	PASS.	(chrome)	3715098	1	.35
55-57	PASS.	KNOB, switch lever (black plastic)	3711070	1	.25
49	COMM., UTIL.,				
50-52	ALL,				
53	COMM., UTIL.	ROLLER ASSY., switch	5939519	1	1.00



DIRECTIONAL SIGNAL ASSEMBLY



YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	3.001 TANK, Gasoline				
37-46	½ TON (SGL. UNIT)	w/filler neck (15 gal.)	3692398	1	20.50
37-46	GD, GE, HD, HE, JD, JE, KD, KE, AL, AM, BL, BM, DR (PANEL)	w/filler neck (18 gal.)	3657516	1	20.35
38-39	PASS. (exc. BUS. CPE., CPU., SDL.)	w/o filler neck (14 gal.)	3650116	1	18.80
39-40	JC, JD, JE, V, KC, KD, KE, KF, WA, WB (CABS) (exc. COE)	w/filler neck (18 gal.)	603373	1	20.35
39-46	COE	w/filler neck (18 gal.)	3657517	1	20.35
40	PASS. (exc. BUS. CPE., CPU., SDL.)	w/o filler neck (16 gal.)	3653518	1	18.55
40-46	YS, MS, OS, OW, PK, PW, SBC (FFC)	w/filler neck (20 gal.) (side mounting)	350921	1	38.00
41-48	BUS. CPE., CPE. PICK-UP, SDL.	w/filler neck (16 gal.)	3847670	1	21.30
41-46	AN, YR, YS, YT, BN, MR, MS, DS, PJ, PK, PV, PW (CABS only on AK, AL, AM, BK, BL, BM, CK, DP, DR)	w/filler neck	605240	1	25.65
41-48	PASS. (exc. BUS. CPE., CPU., SDL.)	w/lwr. filler neck (16 gal.)	3847320	1	25.65
47-48	ER, FR,				
49-55	¾ TON (FFC) (1st Ser.) (exc. D-D)	w/lwr. filler neck (16 gal.)	3708954	1	25.65
47-53	ALL (outside mtd.) (exc. SBC)	w/filler neck (18 gal.)	3847690	1	25.65
47-55	SBC (1st Ser.)	w/lwr. filler neck (30 gal.)	3684198	1	53.00
47-48	½ TON,				
49-55	½ TON (1st Ser.) (exc. CAB)	w/lwr. filler neck (16 gal.)	3708924	1	25.65
47-48	ES, QJ, QK, QV, QW, FS, RJ, RK, RV, RW,				
49-55	1 TON (SGL. UNIT, FFC) (1st Ser.) (exc. D-D)	w/lower filler neck (18 gal.)	3708966	1	27.95
49-54	SDL., STA. WAG.	w/lwr. filler neck	3705975	1	25.65
49-55	COMM., UTIL. (CAB) (1st Ser.)	w/lower filler neck and vent pipe (17½ gal.)	3708971	1	25.65
49-52	PASS. (exc. SDL., STA. WAG.)	w/lwr. filler neck and ventalarm (16 gal.)	3694851	1	25.65
53-54	PASS. (exc. SDL., STA. WAG.)	w/filler neck (16 gal.)	3702862	1	25.65
53-55	CORV.	w/filler neck (18 gal.)	3706137	1	26.30
54-55	ALL (outside mtd.) (1st Ser.) (exc. SBC)	w/filler neck (18 gal.)	3708964	1	25.75
48-55	D-D (1st Ser.)	w/lower filler neck (16 gal.)	3708976	1	26.75
55-56	PASS. (exc. SDL., STA. WAG.)	w/o filler neck (16 gal.)	3710907	1	25.05
55-56	STA. WAG., SDL. (exc. 9 PASS.)	w/filler neck (17 gal.)	3721643	1	22.35
55-57	COMM., UTIL. (CABS) (2nd Ser.)	w/filler neck and vent pipe (17½ gal.)	3719479	1	31.10
55-57	SGL. UNIT, FFC, W/S COWL (2nd Ser.)	w/filler neck and vent pipe (17 gal.)	3718094	1	27.70
55	F (1st design),				
55-57	D-D (2nd Ser.) (exc. F, Ser. 3C-6J-6K)	w/filler neck and vent pipe (18 gal.)	3718038	1	33.30
55-57	F, Ser. 3C (2nd design)	w/filler neck	3731153	1	27.95
55-57	UTIL. (FFC) (2nd Ser.) (exc. SBC)	w/filler neck (18 gal.)	3719019	1	35.30
55-57	SBC (2nd Ser.)	w/filler neck (30 gal.) (1/16 thick)	3721835	1	50.95
56	STA. WAG. (9 PASS.)	w/out filler neck (17 gal.)	3723133	1	25.20
56-57	CORV.	w/out filler neck (16.4 gal.)	3717798	1	26.30
57	PASS. (exc. STA. WAG., SDL.)	less filler neck (16 gal.)	3737476	1	22.35
57	STA. WAG., SDL. (exc. 9-PASS.)	less filler neck (17 gal.)	3737096	1	22.35
57	STA. WAG. (9-PASS.)	less filler neck (17 gal.)	3737807	1	25.20
57	Ser. 6J-6K	w/filler neck (30 gal.)	3741511	1	50.95
	3.003 NECK—HOSE—PIPE, Gasoline Tank Filler				
39	PASS. (exc. BUS. CPE., CPU., SDL.)	upper, filler (10⅛ overall)	599717	1	1.70
40-57	YS, MS, OS, OW, PK, PW, SBC (FFC),				
57	Ser. 6J-6K	upr., filler (6¼ O.L.) (w/outside mtd. tank)	350922	1	1.05
	NOTE: When using 350922 on 1946-54 SBC it is necessary to cut off 2 9/16.				
41-48	PASS. (exc. BUS. CPE., CPU., SDL.)	upper, filler (12 overall)	3658523	1	2.25
41-48	BUS. CPE., CPE. PICK-UP, SDL.	filler (10⅛ overall)	3658128	1	1.75
41-46	AN, YR, YS, YT, BN, MR, MS, DS, PJ, PK, PV, PW (CABS on AK, AL, AM, BK, BL, BM, CK, DP, DR)	filler (2 9/32 x 14½ dev. length)	3682760	1	2.45
47-48	PASS. (exc. BUS. CPE., SDL.)	lwr., filler (9⅜ dev. length)	3685724	1	1.70
47-48	EP, ER, FP, FR (exc. SGL. UNIT, PLTFM),				
48-55	D-D (1st Ser.),				
49-55	½, ¾ TON (FFC) (1st Ser.)	upr., filler (2 9/32 x 10¼ dev. length)	3684410†	1	2.25
	†NOTE: On EP, ER, FP, FR (exc. SGL. UNIT), cut off 1 11/16 from end opposite gas cap.				

47-55	COMM. (SGL. UNIT) (1st Ser.)	upr., filler (2 15/32 x 21 dev. length)	3676462	1	2.80
	NOTE: When using 3676462 on ½ TON it will be necessary to cut off 4½				
47-48	ER, FR (PLTFM.)	upr., filler (2 13/64 dia.)	3684420	1	3.05
47-48	ES, FS (PICK-UP),				
47-48	ES, QJ, QV, FS, RJ, RV (PLTFM.)	upr., filler (2 13/64 x 18¼ dev. length)	3684475*	1	2.20
47-48	ES, QJ, QK, QV, QW, FS, RJ, RK, RV, RW, (CAB COWLS),				
49-55	1 TON (FFC) (1st Ser.) (exc. D-D),				
55-57	F, Ser. 3C (2nd design)	upr., filler (2 9/32 x 5¾ dev. length)	3684470*	1	1.45
47-48	EP, FP,				
49-55	½ TON (1st Ser.) (exc. CAB)	lwr., filler (9½ dev. length)	3684894	1	1.75
47-48	ER, FR,				
49-55	¾ TON (FFC) (1st Ser.) (exc. D-D)	lwr., filler (10 9/16 dev. length)	3684907	1	1.75
47-48	ES, FS, (FFC, CAB),				
47-48	QJ, QV, RJ, RV,				
47-48	QK, QW, RK, RW (exc. PLTFM.),				
49-55	1 TON (1st Ser.) (exc. CAB, D-D)	lwr., filler (6¼ dev. length)	3684870*	1	1.50
47-57	ALL (w/outside mtd. tank) (exc. SBC)	filler (2 9/32 x 8½ dev. length)	3686957	1	2.05
48-55	D-D (1st Ser.),				
55-57	F, Ser. 3C (2nd design)	lwr., filler (2 11/16 O.L.)	3687506	1	.95
49	PASS. (exc. SDL., STA. WAG.)	upr., filler, w/vent pipe	3692534	1	3.35
49-52	SDL., STA. WAG	upr., filler (2 O.D. x 18¼ dev. length)	3688485	1	2.25
49-55	COMM., UTIL. (CAB) (1st Ser.)	upr., filler (9⅞ dev. length) (seat back			
55-57	COMM. (FFC) (2nd Ser.)	type)	3690073	1	3.65
49-52	PASS. (exc. SDL., STA. WAG.)	lwr., filler (9⅜ dev. length)	3687816	1	1.80
49-53	SDL., STA. WAG. (1st design)	lwr., filler (3¾ O.L.)	3688108	1	.45
49-55	COMM., UTIL. (CAB) (1st Ser.)	lwr., filler (5 5/16 O.L.)	3690077	1	1.45
50-52	PASS. (exc. SDL., STA. WAG.)	upr. filler w/vent pipe (10⅞ dev. length)	3696479	1	3.35
53-54	PASS. (exc. STA. WAG., SDL.)	(19¾ O.L.)	3698467	1	2.25
53-54	STA. WAG., SDL.	upper (21¼ dev. length)	3699302	1	2.25
53-54	STA. WAG., SDL. (2nd design)	lower (3 5/16 O.L.)	3705961	1	.60
55	PASS. (exc. SDL., STA. WAG.)	(23 dev. length)	3710532	1	2.25
55	SDL., STA. WAG.	(28 dev. length)	3711206	1	2.25
55	TAXI CAB	(air vent for quick filling)	3719437	1	4.40
55	CORV.	upper	3706402	1	1.10
55-57	COMM., UTIL. (CAB) (2nd Ser.)	upper, w/vent pipe (9 O.L.)	3714672	1	3.65
55-57	COMM., UTIL. (CAB) (2nd Ser.)	lower (1⅜ I.D. x 6 O.L.)	3714664	1	1.70
55	F (1st design),				
55-57	D-D (2nd Ser.) (exc. F, Ser. 3C-6J-6K)	upper w/vent pipe (10½ O.L.)	3720657	1	5.90
55	F (1st design),				
55-57	D-D (2nd Ser.) (exc. F, Ser. 3C)	lower, w/vent pipe (8 O.L.)	3720653	1	4.75
55-57	COMM. (SGL. UNIT) (2nd Ser.)	upper, w/vent pipe (21 dev. length)	3715935	1	5.05
55-57	COMM. (2nd Ser.) (exc. CAB, D-D)	lower (1⅜ I.D. x 9⅝ O.L.)	3715939	1	1.95
56	PASS. (exc. STA. WAG., SDL.)		3722780	1	2.50
56	STA. WAG., SDL (exc. 9 PASS.)		3723934	1	2.65
56	STA. WAG. (9 PASS.)		3723137	1	3.35
57	CORV.		3723589	1	1.60
57	PASS. (exc. STA. WAG., SDL.)	upper (12 9/32 long)	3735507	1	2.60
57	PASS. (exc. STA. WAG., SDL.)	lower (16 long)	3735506	1	1.95
57	STA. WAG., SDL. (exc. 9 PASS.)	upper (18 53/64 long)	3735511	1	4.25
57	STA. WAG., SDL. (exc. 9 PASS.)	lower (22½ long)	3735509	1	2.75
57	STA. WAG. (9 PASS.)	upper (13 7/16 long)	3735500	1	4.75
57	STA. WAG. (9 PASS.)	lower (8 11/32 long)	3735499	1	1.75
35-36	EA, ED, FA, FC, FD (T. SED., S. SED.),				
37	PASS., COMM. (exc. SDL., BUS. CPE.),				
38-48	COMM., UTIL. (exc. COE),				
49-55	COMM., SBC (1st Ser.) (exc. CAB),				
55-57	D-D (exc. Ser. 3D, 3F),				
55-57	SBC (2nd Ser.)	HOSE, filler neck (2¼ I.D. x 5¾ length)	3654570	1	.90
38-48	PASS. (exc. BUS. CPE., CPU., SDL.),				
49-54	SDL., STA. WAG.,				
53-57	CORV.	HOSE, filler neck (1 31/32 I.D. x 6½ length)	3688488	1	.95
49-52	PASS. (exc. SDL, STA. WAG.),				
49-57	COMM., UTIL. (CAB),				
55-57	D-D, ½, 1 TON PANEL (2nd Ser.) (exc. 3C)	HOSE, filler neck (1⅜ I.D. x 6 long)	3692531	1	.80

*NOTE: Used on these jobs when gas tank is mounted on INSIDE of frame.

49-52	PASS. (exc. SDL., STA. WAG.)	HOSE, vent pipe (cut 3½ long),			
49-57	COMM., UTIL. (CAB)	HOSE, vent pipe (cut 2⅞ long)	609742	A.R.	(4.931)
54-57	CORV	HOSE, filler neck housing drain	3710142	1	.35
57	STA. WAG. (9 PASS.)	HOSE (2 I.D. x 3 long)	3735503	1	.50
49-52	PASS. (exc. SDL., STA. WAG.)	PIPE, vent lwr. w/signal (10 1/16 dev. length)	3701026	1	.95
49-55	COMM., UTIL. (CAB) (1st Ser.)	PIPE, vent, lwr. (6 dev. length)	3699045	1	.70
55-57	COMM. (2nd Ser.) (exc. CAB, D-D)	PIPE, vent, lwr. (10¾ dev. length)	3715940	1	.70
55-57	COMM., UTIL. (CAB) (2nd Ser.)	PIPE, vent, lwr. (7½ dev. length)	3714670	1	.70

3.008 SEAL—CLAMP—RETAINER, Gasoline Tank Filler Neck

37-48	PASS. (exc. BUS. CPE., CPU., SDL.)	fender (3½ O.D. x 1½ max. thickness)	3653774	1	.35
41-48	BUS. CPE., CPE. PICK-UP, SDL.	(4⅜ x 4⅝ x 1½ max. height)	3658166	1	.45
47-55	COMM. (SGL. UNIT) (1st Ser.)	inner (body side panel)	3807278	1	.55
47-55	COMM. (SGL. UNIT) (1st Ser.)	outer (body side panel)	3807282	1	.45
47-48	EP, ER, FP, FR (PICK-UP)		3806433	1	.35
49	PASS. (exc. SDL., STA. WAG.)	inner (body side panel)	3692553†	1	.17
49	PASS. (exc. STA. WAG., SDL.),				
53-57	CORV	outer (body side panel)	3688073	1	.33
49-54	SDL., STA. WAG		3702162	1	.40
49-55	COMM., UTIL. (CAB) (1st Ser.)		3690533	1	.45
55-57	PASS.	synthetic rubber	3710537	1	.15
55-57	COMM., UTIL. (CAB) (2nd Ser.)		3712209	1	.45
56	PASS.	body (rubber)	3722431	1	.35
53-54	PASS. (exc. SDL., STA. WAG.)	CLAMP	3709901	1	.65
56-57	PASS. (exc. SDL., STA. WAG.,)	CLAMP	3722782	1	.65
57	PASS. (exc. 9 PASS. STA. WAG.)	CLAMP, to vent pipe hose (9⅛ long)	3737177	1	.10
57	STA. WAG. (9 PASS.)	CLAMP (3¼ long—hole marked "A")	3735504	1	65
49	PASS. (exc. SDL., STA. WAG.) (use w/3692553)	RETAINER, filler neck inner seal	3692554	1	.18

†NOTE: On some models, it will also be necessary to replace existing retainer with 3692554.

3.015 SUPPORT—BRACKET—REINFORCEMENT—BOLT—BRACE, Gasoline Tank

40-46	WC, YS, YT, MS, MT, MY, OG, OW, OY, PL, PW, PX (w/side tank)	bracket	350949	2	3.65
47-57	SBC	bracket	3684177	2	4.20
49-55	COMM., UTIL. (CAB) (1st Ser.)		3809482	2	1.00
50-53	½ TON (exc. CAB),				
52-55	D-D (1st Ser.),				
53	1 TON (PANEL, FFC) (exc. D-D)		3693592	2	.25
54-55	½ TON (1st Ser.) (exc. CAB)		3705366	2	1.95
54-55	1 TON (SGL. UNIT, FFC) (1st Ser.) (exc. D-D)		3705566	2	1.70
55-57	COMM. (2nd Ser.) (exc. CAB, D-D)	(1½ x 5½)	3711653	A.R.	.30
57	D-D (2 TON)		3741519	2	4.20
47-48	½ TON,				
49-53	½ TON (exc. CAB)	BRACKET, upper, front	3693594	1	1.05
47-48	½ TON,				
49-53	½ TON (exc. CAB)	BRACKET, upper, rear	3693728	1	1.30
47	ALL (w/outside tank) (exc. COE, QL, QX)	BRACKET	3687164	2	1.30
47-48	ES, FS, UTIL. (exc. SBC, COE),				
49-53	1 TON (SGL. UNIT, FFC) (exc. D-D)	BRACKET, upper (w/inside tank)	3684523	2	1.30
47-48	ES, FS, UTIL. (exc. SBC, COE),				
49-53	1 TON (SGL. UNIT, FFC) (exc. D-D)	BRACKET, lower (w/inside tank)	3684524	2	.40
48-53	UTIL. (w/outside tank) (exc. SBC)	BRACKET	3688568	1	1.30
48-55	D-D (1st Ser.)	BRACKET	3687460	2	1.95
54-57	UTIL. (w/outside tank) (exc. SBC),				
55-57	D-D (2nd Ser.) (exc. 2 TON)	BRACKET	3705569	2	1.10
55-57	1 TON (2nd Ser.) (exc. CAB)	BRACKET	3713317	1	1.25
55	D-D (2nd Ser.)	BRACKET	3720660	1	.40
54-55	½ TON (1st Ser.) (exc. CAB)	REINFORCEMENT, strap	3705367	2	.15
39-48	COE	BOLT, bracket (spec. carr. hd. 7/16—20 x 1⅜)	3661613	A.R.	(7.632)
57	D-D (2 TON)	BRACE, support	3741521	2	.60

3.022 STRAP, Gasoline Tank

36	R (LOW ROOF CAB),				
37-46	COMM., UTIL. (CAB) (exc. COE)	w/two bolts (30½ overall)	476972	2	.60

37-40	PASS. (BUS. CPE., CPE. PICK-UP, SDL.).	w/T-bolt (26½ overall)	595557	2	.60
37-46	¾ TON (SGL. UNIT),				
39-46	COE,				
47-53	ALL (w/side mtd. tank) (exc. SBC)	(34 overall)	596678	2	.65
	NOTE: When using 596678 on all 1947-48 jobs except COE, it is necessary to cut 4" from flat end and locate two bolt holes for attachment to bracket.				
38-46	½ TON (SGL. UNIT)	(38 overall)	597621	2	.65
41-48	PASS. (exc. BUS. CPE., CPU., SDL.),				
49-54	PASS. (exc. SDL., STA. WAG.)	(33 overall)	3658213	2	.55
41-48	BUS. CPE., CPE. PICK-UP, SDL.	(27 overall)	3658426	2	.55
47-57	SBC	(30⅝ overall)	3664895	2	1.75
47-48	EP, FP,				
49	GP (SGL. UNIT, FFC)	rear, w/support (35¾ O.L.)	3693463	1	1.60
47-48	EP, FP,				
49	GP (SGL. UNIT, FFC)	front w/support (35¾ O.L.)	3693465	1	1.60
48-55	D-D (1st Ser.),				
50-55	½ TON (1st Ser.) (exc. CAB)	w/bolt (34 O.L.)	3705364	2	.65
47-48	¾ TON (exc. D-D),				
49-55	¾ TON (FFC) (1st Ser.),				
49-55	COMM., UTIL. (CAB) (1st Ser.)	upr., w/bolt (5/16—24) (25 13/16 O.L.)	3690131	2	.65
49-54	SDL., STA. WAG.	left (30½ O.L.)	3688189	1	.55
49-54	SDL., STA. WAG.	right (31⅜ O.L.)	3688190	1	.55
49-55	COMM., UTIL. (CAB) (1st Ser.)	lwr. (4 O.L.)	3690133	2	.45
47-48	ES, QJ, QK, QV, QW, FS, RJ, RK, RV, RW, (w/inside tank),				
49-55	1 TON (SGL. UNIT, COWL) (1st Ser.) (exc. D-D),				
54-57	UTIL. (COWL) (exc. SBC),				
55	F (1st design),				
55-57	D-D (2nd design) (exc. F, Ser. 3C, 2 TON)	w/bolt (36¾ long)	3705570	2	.75
55-57	Ser. F, Ser. 3C (2nd design)	(42 O.L.)	3729181	2	.75
53-55	CORV	(25 13/16 O.L.) w/bracket	3706166	2	.60
53-57	CORV	underbody reinforcement (1 x 3½)	3706544	2	.15
55-57	PASS. (exc. SDL., STA. WAG.)	(34 O.L.)	3711200	2	.60
55	SDL., STA. WAG. (1st design)	(33 O.L.—5/32 x ¼ slot in one end)	3719601	2	.55
55-57	SDL., STA. WAG. (2nd design) (exc. 9 PASS.)	(32½ O.L.—5/32 x ¼ slot in one end)	3721647	2	.55
55-57	COMM., UTIL. (CAB) (2nd Ser.)	(28 O.L.)	3714656	2	.55
55-57	COMM. (exc. CAB) (2nd Ser.)	w/bolt (25½ O.L.)	3712364	2	.65
56	STA. WAG. (9 PASS.)	(40¼ O.L.)	3723140	2	.75
56-57	CORV	(24⅞ O.L.)	3717813	2	.60
57	STA. WAG. (9 PASS.)	(41 long)	3737811	2	.75
57	D-D (2 TON)	(31 O.L.)	3741517	2	1.60

3.023 BOLT—NUT, Gasoline Tank Strap

36	FC,				
37-39	PASS. (exc. BUS. CPE., CPU., SDL.),				
37-46	½, ¾ TON (exc. CAB),				
39-46	COE,				
47-53	ALL (w/side mtd. tank) (exc. SBC)	lwr. strap (5/16—24 x 2 3/16 hex. hd.)	475570	2	.15
41-48	PASS. (exc. BUS. CPE., CPU., SDL.)	short carriage (⅜—16 x 1)	120915	2	(8.903)
55-57	COMM., UTIL. (CAB) (2nd Ser.)	(5/16—18 x 1¾—260M steel)	3722702	2	.10
36	FC,				
37-39	PASS. (exc. BUS. CPE., CPU., SDL.),				
37-46	½, ¾ TON (exc. CAB),				
39-46	COE,				
47-53	ALL (w/side mtd. tank) (exc. SBC)	NUT, lwr. strap bolt (use w/bolt 475570)	475569	2	.20

3.028 CAP, Gasoline Tank Filler, with Gasket

31-37	PASS. (exc. BB, CB),				
38-48	ALL,				
49-53	STA. WAG., SDL., COMM., UTIL.,				
54	STA. WAG., SDL.,				
56-57	COMM., 1½ TON (exc. SBC) (2nd design)	w/baffle (2⅞ O.D.—1⅞ across ears)	595857	1	.80
49-52	PASS. (exc. SDL., STA. WAG.)	(locks on I.D. on filler pipe)	511124	1	.50

53-54	PASS. (exc. STA. WAG., SDL.),				
55-56	PASS.	(locks on O.D. of filler pipe)	3698470	1	.45
53-57	CORV.		3708440	1	1.75
54-55	COMM., UTIL.,				
56	COMM., 1½ TON (1st design),				
56-57	2 TON	(stainless steel)	3709938†	1	1.35
57	PASS.	(bright finish)	3736549	1	.45
57	CORV.	w/3742274 tank	3742472	1	.35
56	PASS.	UNIT, locking type w/2 keys	987347	1	2.90
57	PASS.	UNIT, locking type w/2 keys	987621	1	3.25

†NOTE: Must be used on all SBC and I.C.C. licensed vehicles.

3.029 GASKET, Gasoline Tank Filler Cap

29-48	ALL,				
49-54	STA. WAG., SDL.,				
49-55	COMM., UTIL.,				
56-57	COMM., 1½ TON	(1 9/16 I.D.) w/sprg. type cap	3715208	1	.15

3.107 GAUGE, Gasoline Tank

35-38	EA, ED, FA, FC, FD, GA, GB, HA, HB (not used on BUS. CPE., SDL. on GA, GB, HA, HB)		1515463	1	6.30
37-46	½ TON (exc. CAB),				
47-48	½ TON,				
48-53	D-D,				
49-53	½ TON (exc. CAB)		1515466	1	6.30
37-39	GD, GE, HD, HE, JD, JE,				
40-46	KD, KE, AL, AM, BL, BM, DR (PANEL),				
39-48	*COE, QJ, QK, QV, QW, RJ, RK, RV, RW,				
47	*ES (FFC, CAB, PLATFORM),				
49-53	UTIL. (FFC) (exc. SBC)		1515467	1	6.30
39	PASS. (exc. BUS. CPE., CPU., SDL.)		1515483	1	5.10
39-46	COMM., UTIL. (exc. COE) (CAB on JC, JD, JE, KC, KD, KE, AK, AL, AM, BK, BL, BM, CK, DP, DR, PANEL on KF)		1516287	1	5.10
40	PASS. (exc. BUS. CPE., CPU., SDL.)		1516182	1	5.10
41-48	PASS.				
49-52	PASS. (exc. SDL., STA. WAG.)		1516280	1	4.15
46-55	SBC (1st Ser.)		1518012	1	5.95
47-48	ER, FR,				
49-55	¾ TON (FFC) (1st Ser.) (exc. D-D)		1518013	1	5.95
47	ES (FFC, CAB, PLATFORM),				
47-48	FS, QJ, QK, QV, QW, RJ, RK, RV, RW,				
49-53	1 TON (exc. CAB, D-D)	w/inside mounted tank	1516983	1	6.30
49-54	SDL., STA. WAG.		1518032	1	5.95
49-53	COMM., UTIL. (CAB)		1517500	1	5.10
53-54	PASS. (exc. SDL., STA. WAG)		1518225	1	4.95
53-55	CORV.	tank unit	1517911	1	6.30
54-55	COMM., UTIL. (CAB) (1st Ser.)		1517951	1	6.55
54-55	½ TON, D-D (1st Ser.) (exc. CAB)		1517952	1	6.55
54-55	1 TON, UTIL. (1st Ser.) (exc. D-D, SBC, CAB		1517950	1	6.55
55-56	PASS. (exc. SDL., STA. WAG., dual 4BC)		1518158	1	7.45
55-56	SDL., STA. WAG. (exc. 9 PASS., dual 4BC)		1518180	1	8.00
55-56	COMM., UTIL. (CAB) (2nd Ser.)		1518235	1	7.80
55-56	COMM. (COWL, SGL. UNIT) (2nd Ser.)		1518258	1	7.80
55	F (1st design),				
55-56	D-D (2nd Ser.) (exc. F, 3C),				
55-56	UTIL. (FFC)		1518236	1	8.05
55-56	F, 3C (2nd design)		1518566	1	8.15
55-56	SBC (2nd Ser.)		1518234	1	7.80
56	STA. WAG. (9 PASS.), (exc. dual 4BC)		1518495	1	8.80
56	CORV.	tank unit	1518781	1	13.05
56-57	PASS. w/dual 4BC	tank unit	1518784	1	9.30

*NOTE: 1515467 used only on these models with OUTSIDE mounted tank.

57	PASS. (exc. dual 4BC, STA. WAG., SDL.)	tank unit	1518776	1	7.45
57	STA. WAG., SDL. (exc. dual 4BC, 9 PASS.)	tank unit	1518775	1	8.00
57	STA. WAG. (9 PASS.) (exc. dual 4BC)	tank unit	1518774	1	8.80
57	CORV	tank unit	1518785	1	9.85
57	Ser. 3 (exc. CAB)	tank unit	1518779	1	7.80
57	Ser. 3-4-6 (CAB)	tank unit	1518777	1	7.80
57	D-D (exc. Ser. 3C),				
57	Ser. 4-6 (exc. CAB) (exc. SBC)	tank unit	1518780	1	7.45
57	Ser. 3C	tank unit	1518783	1	8.15
57	SBC	tank unit	1518778	1	7.80

3.108 GAUGE, Gasoline Instrument Panel

36	ALL (exc. FC),				
37-39	COMM., UTIL.,				
40-46	COMM., UTIL. (FFC)		1515207	1	5.10
40	ALL (exc. FFC.),				
41-46	COMM., UTIL. (exc. FFC.)	(dark brown trim)	1516451	1	5.10
41	PASS.		1516293	1	5.10
42-48	PASS.		1516991	1	5.10
47-48	COMM., UTIL.		1516973	1	5.10
49-50	PASS.		1517341	1	5.10
49-53	COMM., UTIL.,				
54-55	FFC (1st Ser.)		1517169	1	5.10
51-52	PASS.		1517255	1	5.00
53-54	PASS.	(part No. on face)	1517598	1	5.10
53-55	CORV. 6 cyl.		1517901	1	7.45
54-55	COMM., UTIL. (1st Ser.) (exc. FFC)		1517880	1	4.55
55-57	CORV. 8 cyl.		1518244	1	8.05
55	PASS.		1518407	1	5.80
55	COMM., UTIL. (2nd Ser.) (1st type)		1518219	1	5.30
55-57	COMM., UTIL. (2nd Ser.) (2nd type)	pin type terminals	1518461	1	5.30
56	PASS.		1518473	1	5.15
57	PASS.		1518711	1	7.20

3.110 STRAINER, Gasoline Gauge

55-57	ALL (2nd Ser.)	tank pipe (2½ lg.)	3714812	1	.55

3.112 GASKET—SEPARATOR, Gasoline Gauge

31-57	ALL, CORV	rubber	1516395	1	.20
30-39	ALL,				
40-46	COMM., UTIL. (FFC.),				
41-46	AG, AH, BG, BH, DJ, DK,				
47-54	ALL,				
53-57	CORV	SEPARATOR, inst. panel gauge terminal,			
55	COMM., UTIL. (1st Ser.)	(¾ x 1⅝ stamped "TANK" and "IGN")	1515642	1	.10
55-57	COMM., UTIL. (2nd Ser.),				
57	PASS.	SEPARATOR, inst. panel gauge term.	1511305	1	100/1.08

3.162 CLIP, Gasoline Feed Pipe

56-57	COMM., UTIL.,				
57	PASS.	⅝ wide w/two 21/64 holes	3734576	1	.10

3.163 PIPE ASSEMBLY, Flexible—Gasoline or Oil Lines

ALL	ALL	(7 length overall—7/16—24 and ⅛ pipe thds.—both ends solid w/ext. thds.)	593306	A.R.	1.00
ALL	ALL	(7 length overall—7/16—24 ext. thd. end solid—7/16—24 int. thd. free to turn)	3661496	A.R.	.95
ALL	ALL, CORV	(8 O.L.—½—20 int. thd. end free to turn —½—20 ext. thd. end solid)	3706968	1	.95
46	DS, PJ, PV, (FFC)	(10 O.L.—½—20-used w/side mounted tank—fuel pump end)	3847404	1	1.25
29-54	ALL	(13 length overall—7/16—24 end free to turn, ⅛ pipe thread end solid)	3702341	A.R.	.85

29-51	ALL,				
52	COMM., UTIL. (exc. D-D, COE)	(19 O.L.—7/16—24 end free to turn, 1/8 pipe thd. end solid)	3654629	A.R.	1.25
53-57	ALL 6 cyl. (exc. D-D, COE)	carb. gas inter. pipe (rubber 5/16)	455923	2	.15
54-55	CORV.	(front to rear hose assy.) (1/2—20 int. thd. both ends 6 1/4 O.L.)	3703395	1	.95
54-57	COMM. UTIL. (CAB)	fuel pump end (6 5/8 O.L.—1/2—20 int. thd. end free to turn, 1/8—27 ext. thd. end solid)	3719737	1	.75
55-57	PASS. 8 cyl.	ELBOW, carb. gas inter. pipe (90°—5/16)	455924	2	(8.963)
57	Ser. 3-4 (8 cyl.)	NUT, carb. gas inter. pipe (5/16)	455922	2	(8.963)
54-55	CORV. 6 cyl.				
54-55	CORV. 6 cyl.				

PIPE, Gasoline Tank to Fuel Pump (cut from coil tubing, group 8.964)

		Pipe O.D.	Length
37-38	PASS. (exc. CPE.)	5/16	117 1/2
37-38	CPE.	5/16	78 3/8
37	1/2 TON (exc. CAB)	1/4	51 7/8
37-38	1/2 TON (CAB)	1/4	50 5/8
37-38	1 1/2 TON	1/4	45 1/4
37-38	3/4, 1 TON (exc. CAB)	1/4	59 3/8
37-38	3/4, 1 TON (CAB)	1/4	45 1/4
38	1/2 TON (exc. CAB)	1/4	59 1/2
39	PASS. (exc. CPE., SDL.)	5/16	127
39	CPE., SDL.	5/16	84 3/4
39-40	JC, JD, JE, KC, KD, KE (exc. CAB)	1/4	68 1/2
39	JC, JD, JE (CAB)	1/4	57 1/4
39-40	UTIL. (exc. COE)	1/4	57 7/8
39-40	VE, VF, WD	1/4	70
39-40	VG, VH, VM, VN, WE, WF	1/4	74 3/4
40	PASS. (exc. 2 CPE., SDL.)	5/16	131 1/4
40	2 CPE., SDL.	5/16	90 3/4
40	CONV.	5/16	133
41-48	SED., 4 CPE., STA. WAG.	5/16	135 1/2
41-48	2 CPE., CPE. PICK-UP, SDL.	5/16	87
41-54	CONV. (front pipe)	5/16	66
41-48	CONV. (rear pipe)	5/16	69 3/4
41	COMM., UTIL. (exc. COE)	1/4	54 1/8
41	COE	1/4	70
42-46	BK, BL, BM, CK	1/4	54 1/8
42-46	BN, MR, MS, OE, OF, OR, OS	5/16	54 1/2
42-46	MT, MY, OG, OW, OY	5/16	79 1/4
42-46	MU, MV, MW, OH, OI, OJ	1/4	70
46	DP, DR (SGL. UNIT)	5/16	72 1/8
46	DP, DR, DS, PJ, PK, PV, PW (CAB)	5/16	54 1/2
46	PL, PX	5/16	80 1/8
46	PP, PR, PS	5/16	70 1/2
47-52	1/2 TON (exc. CAB on GP, HP, JP, KP),		
49-55	UTIL., SBC. (FFC) (1st Ser.)	5/16	105
47-53	3/4 TON (exc. CAB, D-D),		
49-53	COE (CABS)	5/16	66

		Pipe O.D.	Length
47-48	ES, QJ, QV, FS, RJ, RV,		
48-53	D-D	5/16	94 3/4
47-48	QK, QW, RK, RW	5/16	118
47-48	QL, QX, RL, RX	5/16	89 5/8
47-48	COE	5/16	77
49-54	CONV. (rear pipe)	5/16	89
49-54	PASS. (exc. CONV., SDL., STA. WAG.)	5/16	151
49-55	COMM., UTIL. (CAB) (1st Ser.) (exc. COE) (front)	5/16	81 1/2
49-53	1 TON (exc. CAB)	5/16	89
49-54	SDL., STA. WAG.	5/16	154
53-55	1/2 TON (1st Ser.) (exc. CAB)	5/16	122
54-55	3/4 TON (FFC) (1st Ser.)	5/16	73
54-55	1 TON (1st Ser.) (exc. CAB, D-D)	5/16	107
54-55	D-D (1st Ser.) (front)	5/16	100
54-55	COE (front)	5/16	70
54-55	COMM., UTIL. (CAB) (1st Ser.) (rear)	5/16	16
55	PASS. 6 cyl. (exc. CONV., STA. WAG., SDL.)	5/16	152 1/4
55	SDL., STA. WAG. 6 cyl.	5/16	143
55	CONV. 6 cyl.	5/16	155 1/4
55	PASS. 8 cyl. (exc. STA. WAG.)	5/16	146 3/4
55	STA. WAG. 8 cyl.	5/16	138 1/2
55-56	1/2 TON (2nd Ser.) (exc. CAB, D-D)	5/16	93 1/4
55-56	3/4 TON (FFC) (2nd Ser.)	5/16	100
55-56	1 TON (2nd Ser.) (exc. CAB)	5/16	110
55-56	UTIL. (FFC) (2nd Ser.)	5/16	97
55-56	SBC (2nd Ser.)	5/16	99 1/2
55-56	COMM., UTIL. (CAB) (2nd Ser.)	5/16	83
55-56	COMM., UTIL. (CAB) (2nd Ser.) (rear)	5/16	22
55-56	D-D (2nd Ser.)	5/16	76 1/2

PIPE, Fuel Pump to Carburetor

		Pipe O.D.	Length
35-49	ALL	5/16	41
50-53	ALL (exc. D-D, COE, SBC),		
54	ALL (exc. D-D, COE),		
55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	5/16	37
50-53	D-D, COE, SBC,		
54-55	D-D (1st Ser.)	5/16	43

		Pipe O.D.	Length
54-55	COE	5/16	55
55	PASS. 6 cyl.	5/16	35 1/2
55	PASS. 8 cyl.	1/4	28 1/4
55-56	COMM., UTIL. (2nd Ser.) (exc. SBC)	5/16	34 1/2
55-56	SBC (2nd Ser.)	5/16	35
55-56	D-D (2nd Ser)	5/16	42 3/4

3.164 SHUT-OFF—CONNECTOR—TEE, Gasoline Feed Pipe (also see groups 8.951 and 8.963)

42-46	BN, MR, MS, OE, OF, OR, OS, DP, DR, DS, PJ, PK, PV, PW	(1 1/2 length overall closed—1/8 pipe ext.—1/2—20 int. thds.)	2092549	1	.75

46-48	BUS. CPE., SDL.	(1 15/16 length overall closed—1/8 pipe ext.			
49-53	COMM., UTIL. (CABS)	and int.—1/2—20 int.)	3681215	1	1.25
46-54	CONV.	CONNECTOR (frt. feed pipe to rear feed pipe)	3668991	1	.65
53-54	CORV.	TEE (1/4—18 pipe thread)	3706577	1	.75
53-57	CORV.	TEE (1/2—20, 3 openings)	173182	1	(8.963)

3.265 MANIFOLD—GUARD—PLUG, Engine Intake (exhaust manifold in group 3.601)

37-39	ALL (exc. COE)	(cast 839005)	604112	1	6.10

NOTE: When using 604112 on 1937-38 jobs remove outer pipe plug, when using on 1939 jobs remove inner pipe plug for w/s wiper connections.

39-49	D-D, COE	(cast 3835442)	3690881	1	13.65
40-49	ALL (exc. D-D, COE),				
50-53	ALL w/216	(cast 3835395, 3835527)	3691933	1	9.35
50-57	ALL 6 cyl. (exc. 216, D.D, COE),				
57	D-D (2 TON)	(cast 3835590)	3694163	1	9.35
50-55	COE,				
50-57	D-D 6 cyl. (exc. 2 TON)	(cast 3835582)	3835581	1	16.70
53-55	CORV. 6 cyl.		3836071	1	51.20
55	ALL 8 cyl. (exc. 4BC, H.T.)	(cast 3704790)	3711632	1	21.30
55	PASS., CORV. w/4BC	(cast 3711348)	3717211	1	22.70
55	COMM. 8 cyl. w/H.T.,				
56	ALL 8 cyl. (exc. 4BC, dual 4BC, H.T.)		3732010	1	21.30
56	PASS., CORV. w/4BC		3738184	1	22.70
56	PASS., CORV. w/dual 4BC		3734135	1	66.15
56	ALL 8 cyl. w/H.T.		3837114	1	22.70
57	ALL 8 cyl. (exc. 4BC, dual 4BC, H.T.)		3740930	1	21.30
57	PASS., CORV. w/4BC		3740929	1	21.30
57	PASS., CORV. w/dual 4BC		3741029	1	65.15
57	ALL 8 cyl. w/H.T.		3740931	1	21.30
56-57	ALL, CORV. (8 cyl.) (exc. dual 4BC)	GUARD, oil splash to manifold	3735442	1	.70
55	ALL 8 cyl.,				
56-57	ALL, CORV. (8 cyl.)	GUARD, oil splash to manifold	3735442	1	.70
56-57	PASS., CORV. w/dual 4BC	GUARD, oil splash (attaches to manifold w/drive studs)	3728168	1	.60
53-55	CORV. 6 cyl.	PLUG, expansion intake manifold (1 1/8 alum.)	107380	2	(8.970)

3.270 GASKET UNIT, Manifold (1 center, 2 end gaskets and 1 exh. pipe packing)

37-49	ALL (exc. GJ, GK),				
51-52	PASS. (exc. P.G.),				
53	SDL.		602483	1	.90
49-50	PASS. (exc. P.G.),				
50-53	COMM., UTIL. w/216		3692351	1	.85
50	ALL w/235,				
51-57	COMM., UTIL. (6 cyl.) (exc. 216)		3694871	1	.85
51-52	PASS. w/P.G.,				
53	PASS. (exc. SDL.),				
53-55	CORV. 6 cyl.,				
54-57	PASS. 6 cyl.		3707045	1	.90
55-56	ALL, CORV. (8 cyl.) (exc. dual 4BC)	intake (2 TON to 9-1-55)	3711676*	1	1.60
55	ALL, CORV. (8 cyl.),				
56	ALL 8 cyl.	exhaust	3711675†	2	.55
55-56	2 TON 8 cyl.,				
56	1 1/2 TON 8 cyl. (hvy. duty)	intake (2 TON after 9-1-55)	3733878⊕	1	1.60
56	PASS., CORV. w/dual 4BC,				
57	ALL, CORV. (8 cyl.) (exc. Ser. 6)	intake	3734115	1	1.60
57	Ser. 6 (8 cyl.)	intake	3742195	1	1.95

*NOTE: Consists of 1 front, 1 rear, 1 distributor, and 2 side gaskets.

†NOTE: For R.H. installation, 1 extra gasket required 3711569 (group 3.611).

⊕NOTE: Consists of 2 side, 1 front, and 1 rear gasket, and 1 distributor gasket.

3.272 GASKET, Intake to Exhaust Manifold

37-49	ALL (exc. D-D, COE),				
50-53	ALL w/216	(3 1/2 x 4 5/16 overall)	838290	1	.20
39-57	D-D 6 cyl. (exc. 2 TON),				
39-55	COE	(3 1/4 x 7 1/2 overall)	596268	1	.20

50-57	ALL 6 cyl. (exc. D-D, COE, 216),				
57	D-D (2 TON)	(3 1/16 wide on I.D.) (4 holes)	3835572	1	.20

3.273 CLAMP, Manifold

37-49	ALL	(2 1/8 length overall)	838546	4	.20
49-57	ALL, CORV. (6 cyl.)	end (1 1/2 length overall)	3835424	1	.20
50-57	ALL, CORV. (6 cyl.)	center (2 length overall)	3835505	4	.20

3.275 STUD—BOLT, Manifold (also see groups 3.288 and 8.981)

29-49	ALL,				
39-50	D-D, COE,				
53-57	CORV.	exh. mfld. ends to hd., exh. pipe flg., int.			
51-57	ALL	to exh. mfld. (3/8—16—16 x 1 3/4)	837552	A.R.	.15
37-49	ALL,				
50-52	ALL w/216,				
53	SDL., COMM., UTIL.,				
54-57	D-D, COE (6 cyl.) (exc. 2 TON D-D)	int. to exh. manifold (3/8—16—16 x 2 3/8)	838347	2	.20
49-57	ALL, CORV. (6 cyl.)	(1 end threaded—other end used as dowel to line up manifold—3/8—16 x 29/32)	3835487	2	.10
50-57	ALL 6 cyl. (exc. D-D, COE, 216),				
57	D-D (2 TON)	int. to exh. manifold (3/8—16—24 x 2 27/32)	3836709	2	.20
53-55	CORV. 6 cyl.	inlet to carb. (3/8—16—24 x 2 1/16)	3836072	6	.20
53-55	CORV. 6 cyl.	inlet to carb. (3/8—16—24 x 2 5/16)	3836075	3	.20
53-55	CORV.	inlet to exh. manifold (3/8—16—16 x 3 11/16)	3706097	2	.25
55-56	ALL, CORV. (8 cyl.)	(3/8—16—16 x 2 1/8)	3836174	A.R.	.15
57	ALL, CORV. (8 cyl.)	(3/8—16—16 x 3)	3734203	3	.10
55-56	ALL 8 cyl. (exc. dual 4BC),				
55	CORV. 8 cyl.	BOLT (3/8—16 x 1 5/8—300M steel—circle on head) (exhaust manifold)	3836646	12	.10
56	CORV.	BOLT (3/8—16 x 2 7/32—300M steel—circle on hd.)	3837167	12	.15
56-57	CORV.,				
56	PASS. w/dual 4BC,				
57	ALL 8 cyl. (exc. dual 4BC)	BOLT (3/8—16 x 2 1/4) (300M steel)	3733130	A.R.	.15
56-57	CORV.,				
56	PASS. w/dual 4BC,				
57	ALL 8 cyl.	BOLT (3/8—16 x 2 27/32) (300M steel)	3733134	4	.20

3.276 WASHER, Intake and Exhaust Manifold

29-48	ALL	(13/32 I.D. x 15/16 O.D. x 5/32 thick)	835688	2	.05
55-57	ALL, CORV. (8 cyl.)	(13/32 I.D. x 1 1/16 O.D. x 1/8 thick)	3836710	A.R.	.10

3.277 NUT, Manifold End Studs and Exhaust Pipe Flange (special thin)

ALL	ALL, CORV. (exc. 2 TON D-D)	(3/8—16 x 3/8 thick)	838780	4	.09

3.278 FITTINGS, Manifold, Wiper and Power Brake (also see group 8.963)

39-42	PASS. (exc. CONV.)	TEE, manifold pipe (3 way—thrd. type)	3650554	1	(10.154)
46-48	PASS.	TEE, gearshift vac. cyl. pipe and w/s wiper (3 way threaded)	3682937	1	(10.154)
50-53	PASS. w/P.G.	TEE, trans. modulator vac. pipe to int.mnfld.	3707544	1	(10.154)
50-54	PASS. w/P.G. (w/vac. pump)	TEE, W/S wiper (7/16—24 x 7/16—24 x 1/8 pipe thd.)	3694156	1	(10.154)
54	PASS. w/P.B.	TEE, vacuum pipe to inlet manifold	3711152	1	(10.154)
55-57	PASS. 8 cyl. w/P.B. (exc. Elect. w/s wiper on SDL)	TEE, w/tube—vac. pipe to carb.	3718911	1	(4.931)
55-57	COMM. 8 cyl. w/Brake Booster	TEE, vac. power brake manifold,			
55-57	1 1/2 TON 8 cyl.	vac. control check valve to manifold hose	3715755	1	(1.745)
54-57	UTIL. (w/positive vent.),				
54-57	UTIL. w/261,				
55-57	COMM. (w/positive vent.) (2nd Ser.)	TEE, w/brake booster equip.	3708155	1	(1.745)
56-57	D-D 8 cyl.	TEE, w/brake booster equip.	3730206	1	2.50

57	PASS. 8 cyl. w/P.B. and A.T.	TEE, vac. pipe to carb.	3738706	1	.85
40-46	ALL (w/rear window wiper)	CONNECTOR, hose (3 way for 7/32 I.D. hose)	3682929	1	(16.066)
46-53	COMM., UTIL. (exc. D-D, COE),				
54-55	ALL 6 cyl. (1st Ser.) (exc. D-D, COE),				
55-57	ALL 6 cyl. (2nd Ser.) (exc. D-D, 2 TON)	CONNECTOR (2 way—for 1/4 hose)	3682936	1	(16.066)
46	PJ, PK, PL (w/Vac. Power Brake),				
46	PV, PW, PX	CONNECTOR (3 way—for 7/16 hose)	3682291	1	(16.066)
46	COE (2-Spd. Axle—Vac. Shift)	CONNECTOR, three way	3684718	1	(16.066)
47-55	COE (exc. 261)	CONNECTOR (3 way—1 ext.—2 int. thd.)	3686099	1	(4.931)
48-55	UTIL (1st Ser.) (exc. COE),				
50-52	HS, JR, JS, KR, KS,				
55-57	1½ TON SBC 6 cyl. w/2-SPD., Brake Booster,				
55-56	2 TON SBC w/235	CONNECTOR (3 way—1 ext.—2 int. thd.)	3690748	1	(4.931)
49-53	PASS.	CONNECTOR, silencer, w/s wiper manifold	3692459	1	(10.154)
54-57	COMM., 1½ TON (exc. D-D)	CONNECTOR (1½—14 dry seal w/¼ pipe			
55-57	PASS.	extension)	3707979	1	(16.066)
55-57	COMM., 1½ TON (8 cyl.)	CONNECTOR (⅜—18 pipe thd. w/¾ exten-			
		sion—brass)	3724144	1	(16.066)
55-57	2 TON (2nd Ser.),				
55-57	1½ TON (2-SPD) (2nd Ser.),				
55-57	1½ TON w/Brake booster (2nd Ser.)(exc. 2-SPD.)	CONNECTOR (2 way—for ¼ hose)	3719364	1	(16.066)
57	PASS. w/T.G. (exc. P.B.)	CONNECTOR, wiper to manifold	3738707	1	(14.154)
55-57	PASS. w/C.A.C., Elect. w/s wiper (exc. P.B.)	ELBOW (⅜—24 int. thd.—¼—18 ext. thd.)	3718909	1	(3.766)
55-57	2 TON (2nd Ser.)	ELBOW (¾—18 int. thd.—½ pipe ext. thd.)	187712	1	(8.963)
57	PASS,. w/P.B.	ELBOW (Bendix 378079)	3739875	1	(4.931)
57	PASS. w/T.G. and dual 4BC	ELBOW (¼)	3744155	1	(4.205)

3.281 SLEEVE, Intake Manifold to Cylinder Head

39-49	ALL,				
50-53	ALL w/216	(1 13/32 O.D. closed x ⅜ wide)	837273	3	.15
50-57	ALL, CORV. (6 cyl.) (exc. 216)	(1 17/32 O.D. closed x ⅜ wide)	3835506	3	.15

3.288 STUD—WASHER, Intake Manifold (also see groups 3.275 and 8.981)

34-42	ALL (exc. COE) (on WC, YT, MY, MT w/o gov. only),				
46-50	ALL (exc. D-D, 2 TON),				
51-54	ALL (exc. D-D, COE),				
55-57	ALL 6 cyl. (w/o gov.)	manifold to carb. (⅜—16—24 x 1⅞)	494520*	2	.15
37-52	ALL (w/governor),				
53-54	ALL (w/gov.) (exc. P.G., H.T., D-D),				
55-57	COMM., UTIL. (6 cyl.) (w/gov.) (exc. D-D)	manifold to carb. (⅜—16—24 x 3 1/32)	596217	A.R.	.15
55-57	ALL, CORV. (8 cyl.) (exc. gov.)	mfld. to carb. (5/16—18—24 x 1 9/16)	3836527	A.R.	.10
55-57	COMM. UTIL. (8 cyl.) (w/gov.),				
56-57	PASS. 8 cyl. w/gov.	mfld. to carb. (5/16—18—24 x 3½)	3718268	4	.20
56-57	PASS., CORV., w/4BC, dual 4BC	(Carter 105A-11)	1434812	A.R.	.10
56-57	D-D 8 cyl.	left side, front hole	3726578	1	.25
56-57	D-D 8 cyl.	left side #2 hole	3731702	A.R.	.25
55-57	ALL 8 cyl. (exc. 4BC, Velocity type gov.), dual 4BC),				
56	CORV.	WASHER, frt. mtg. stud (11/32 I.D. x 11/16 O.D.)	3719427	2	.05

*NOTE: Used in inside hole of flange w/o governor and in both holes of flange with governor on 1940 Commercial and WA, WB.

3.402 CLEANER, Carburetor Air

32	PASS.,				
33	SDL.,				
35-49	PASS. (use w/gov.),				
32-42	COMM., UTIL. (exc. COE),				
46-53	COMM., 1½ TON (exc. D-D),				
54-55	COMM., 1½ TON (6 cyl.) (exc. D-D, hvy. duty eng.)	(reg. prod.)	1529264	1	6.00
37-53	PASS.	w/silencer (reg. prod.) (cannot use w/gov.)	1551195	1	10.80

35-40	ALL (exc. EC, WC, COE),				
41-48	PASS. (not used w/gov. on PASS.)	oil bath, w/silencer (hvy. duty)	1528964	1	7.15
33-37	COMM., UTIL.,				
34-39	PASS.,				
39-46	COE, OE, OF (exc. PP, PR, PS)	oil bath (hvy. duty),			
40-48	ALL (exc. hvy. duty eng.)	oil bath (use w/gov.),			
49-57	COMM., 1½ TON (6 cyl.) (exc. D-D, H.T., auto. choke)	oil bath (use w/gov.) (1 pt. capacity)	1525918▲	1	5.25
46-53	COE (exc. OH, OI, OJ)	oil bath (2 qt. capacity)	1544981	1	38.35
40	WB, WC,				
41-42	COMM., UTIL.,				
46-57	COMM., UTIL. (6 cyl.) (exc. D-D, COE, H.T.)	oil bath w/shield (1 qt. capacity)	1542078	1	15.90
53-54	CORV. 6 cyl	(2½ O.D. x 4⅛ O.L.) chrome	3706476	3	3.15
41-55	D-D (1st Ser.)	w/out oil bath	864133	1	5.70
49-54	PASS. (use w/gov.)	oil bath, w/silencer (hvy. duty) (1 pt. cap.)	1544771	1	23.35
54-55	CORV. 6 cyl	black w/chrome cover and wing nut	1551969	2	13.80
55-57	CORV. 8 cyl. (exc. dual 4BC)		1552185	1	23.50
35-54	PASS. (w/o gov.),				
54-55	COE (w/o gov.),				
54-57	COMM. 6 cyl. (w/o gov.) (exc. D-D)	oil bath, w/silencer (hvy. duty—1 pt. cap.)	1551238▲	1	7.75
55-56	PASS. 6 cyl.,				
56	PASS. 8 cyl. w/gov. (exc. C.A.C.)	oil bath, w/silencer (1 pt. cap.)	1552041	1	28.80
55-56	PASS. 6 cyl	w/silencer, w/o oil bath	1552042	1	22.20
55	PASS. w/4BC	oil bath, w/silencer (1 pt. cap.)	1552303	1	33.65
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
55-57	COMM., 1½ TON (8 cyl.) (exc. D-D)	oil bath, w/silencer (1 pt. cap.)	1552372	1	20.70
55-57	1½ TON 8 cyl. w/Brake Booster and 2 SPD.,				
55-57	2 TON 8 cyl. (exc. 4BC)	oil bath, w/silencer (1 qt. cap.)	1552674	1	21.50
56	PASS. w/4BC	oil bath w/silencer (1qt. cap.)	1552619▲	1	34.95
56-57	PASS. w/dual 4BC		1552413	2	21.60
56-57	CORV. w/dual 4BC	chromed (7⅜ dia. cover)	1552558	2	12.30
56-57	D-D 8 cyl	oil bath w/silencer (1 pt. cap.)	1552611	1	18.65
57	PASS. 6 cyl. (exc. oil bath, pos. vent.),				
57	PASS. 8 cyl. w/gov	w/silencer	1552726	1	22.80
57	PASS. 6 cyl. (exc. pos. vent)	oil bath w/silencer (hvy. duty)	1552727	1	30.20
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	oil bath w/silencer	1552730	1	22.80
57	PASS. w/4BC	oil bath w/silencer	1552811	1	37.25
57	Ser. 6 w/4BC	w/silencer	1552798	1	42.10
57	D-D (2 TON)	w/silencer	1553083	1	24.30
50-55	D-D (1st Ser.)	CLEANER UNIT (oil bath)	3699872*	1	26.75
54-55	CORV. 6 cyl	BREATHER, cleaner duct	1551974	1	3.25

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

*NOTE: Replacement parts for 3699872 may be procured through your normal G.M.P.D. warehouse on special order.

3.403 SUPPORT—GASKET—STUD—BRACKET, Air Cleaner

49-54	PASS.		3690255	1	.75
54-55	D-D w/H.T. (1st Ser.)	(2 holes 17/32 dia.)	3711028	1	1.40
54-55	COE	carb. to air cleaner upper pipe	2243570	1	1.40
55-56	PASS. 6 cyl	w/out oil bath	3714218	1	.10
55-56	PASS. 6 cyl	w/oil bath	3713522	1	.15
55-57	D-D 6 cyl. w/H.T. (2nd Ser.)		3720125	1	1.95
57	PASS. 6 cyl. (exc. oil bath, pos. vent)	2 5/32 long w/notch	3734228	1	.10
57	PASS. 6 cyl. w/oil bath (exc. pos. vent),				
57	PASS. 6 cyl. w/pos. vent. (exc. P.B.)	w/5/16 dia. hole	3734230	1	.15
57	D-D (2 TON)		3740599	1	.55
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC)	GASKET, air cleaner to silencer (rubber—			
55-57	COMM., 1½ TON (8 cyl.) (exc. D-D)	1 29/32 I.D. x 2⅝ O.D.)	1552079	1	.70
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	GASKET, to carb. (2⅝ I.D. x 3⅛ O.D.)	3708408	1	.05
55-57	CORV. 8 cyl.,				
55-57	PASS. w/Carter 4BC, dual 4BC	GASKET, to carb	3712573	A.R.	.10
56	PASS. w/Roch. 4BC	GASKET, to carb	3733104	1	.20

57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	GASKET, to carb. (4¼ I.D. x 4⅝ O.D.)	561624	A.R.	.10
55	PASS. w/4BC	STUD, to silencer (¼—20—20 x 8½ lg.)	1345502	1	.40
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
55-57	COMM., 1½ TON (8 cyl.)	STUD, to silencer,			
57	PASS. w/dual 4BC	w/cleaner elbow (¼—20—20 x 7⁹⁄₃₂)	3705379	1	.15
56	PASS. w/4BC	STUD, to silencer (¼—20 x 8)	3719981	1	.20
56-57	PASS. w/dual 4BC	STUD, to silencer (¼—20 x8¾)	3732487	4	.30
57	PASS. 6 cyl.	STUD, (¼—20 x2⅛)	3734232	1	.10
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	STUD, (¼—20 x 5⁷⁄₃₂)	3734234	1	.15
57	PASS. w/4BC	STUD, (¼—20 x 6½)	3734388	1	.15
57	PASS. 8 cyl. w/gov.	STUD, (¼—20 x 3)	3735357	1	.15
57	Ser. 6 w/4BC	STUD, (¼—20 x 8⁷⁄₁₆)	3735756	1	.15
57	PASS. w/dual 4BC	BRACKET (1 x 3⅜)	3738392	2	.15

3.406 RESERVOIR—GASKET, Air Cleaner Oil

55-56	PASS. w/4BC		1551881	1	7.55
55-56	PASS. w/4BC	GASKET (6⁵⁄₁₆ O.D. x 5⁹⁄₁₆ I.D.)	1551322	1	1.25
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	GASKET (3½ I.D. x 4 O.D.)	1552752	1	.55
57	PASS. w/4BC	GASKET (3¹³⁄₁₆ I.D. x 4⅝ O.D.)	1552831	1	.80

3.407 PIPE—HOSE—SPRING—DUCT—ELBOW, Air Cleaner to Carburetor

46-53	COE (exc. OH, OI, OJ) (w/gov.)	(19⁹⁄₃₂ overall)	3681939	1	2.50
46-53	COE (exc. OH, OI, OJ) (w/gov.)	(elbow)	3681992	1	2.20
51-53	COE	(2½ O.D. x 21¹¹⁄₁₆ devel. length)	3696512	1	3.55
54-55	COE	with support	3708160*	1	6.65
54-55	COE	lower, w/bracket	3705953	1	7.65
57	D-D (2 TON)	w/clamp	3740593	1	1.75
46-53	COE (w/gov.)	HOSE (2½ I.D. x 12⅞ long—rubber)	3695605	1	1.05
54-55	COE,				
56-57	D-D 8 cyl.	HOSE (2½ I.D. x 24 O.L.) (stamped 2243591)	2243591	1	5.30
46	PP, PR, PS	SPRING, pipe support	369511	1	(3.616)
54-55	CORV. 6 cyl.	DUCT	3710012	1	10.50
54-55	CORV. 6 cyl.	ELBOW, front	3710008	1	1.95
54-55	CORV. 6 cyl.	ELBOW, rear	3710007	1	1.95
56	PASS. w/dual 4BC	ELBOW, triangle shaped adapter	1552694	1	40.50
57	PASS. w/dual 4BC	ELBOW, triangle shaped (5⅝ high)	1552911	1	43.75

*NOTE: On jobs w/o positive ventilation, plug hole in small pipe welded to assy.

3.410 COVER—ELEMENT—BASE, Air Cleaner

37-48	PASS.	w/felt (7¾ O.D.)	1544808	1	1.95
49-54	PASS.	w/felt	1551005	1	2.55
55-57	PASS. 6 cyl.,				
57	PASS. 8 cyl. w/gov.	w/felt	1552062	1	3.80
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	COMM., 1½ TON (8 cyl.) (exc. D-D)		1552377	1	3.40
55	PASS. w/4BC	w/inlet	1552339	1	9.35
56	PASS. w/4BC	use w/1552619 cleaner	1553150	1	11.40
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	use w/1552750 cleaner	1552841	1	6.90
57	PASS. w/4BC	use w/1552811 cleaner	1552978	1	15.60
37-48	PASS.	ELEMENT (5½ I.D. x 7 O.D. x 1⅜ high)	1528439▲	1	1.10
49-57	PASS. 6 cyl.,				
57	PASS. 8 cyl. w/gov.	ELEMENT	1528698▲	1	1.50
54-55	CORV. 6 cyl.	ELEMENT (type 2)	1528440▲	2	1.05
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	COMM, 1½ TON (8 cyl.) (exc. D-D)	ELEMENT	1552461▲	1	4.35
55-56	PASS. w/4BC	ELEMENT	1552313	1	16.40
57	PASS. w/4BC	ELEMENT, use w/1552811 cleaner	1553015▲	1	7.80
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	ELEMENT, use w/1552730 cleaner	1553014▲	1	4.50
57	PASS. w/4BC	BASE, use w/1552811 cleaner	1552979	1	15.60
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	BASE, w/silencer, use w1552730 cleaner	1552976	1	16.00

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

3.425 SWIVEL—Throttle Control Rod

53	PASS.,				
53-55	CORV.,				
54-55	D-D w/H.T. (1st Ser.)	front rod (15/16 O.L.) (1/4—20 thread)	3702380	1	.20
53	PASS., w/P.G.,				
54-55	COMM. w/H.T. (1st Ser.),				
55	D-D (2nd Ser.) (exc. H.T.)	carb. rod (use w/3703528 clip),			
55	D-D w/H.T. (2nd Ser.)	throttle lever adj. rod	3703516	A.R.	.20
54-57	COMM. 6 cyl. w/H.T.,				
56-57	COMM., 1½ TON (8 cyl.)	throttle valve lever control rod	3705971	1	.20
54-57	ALL 6 cyl. w/H.T. (exc. D-D)	accel. rod to accel. control lever	3708448	1	.20
53-54	PASS., CORV.,				
55	CORV. 6 cyl.	accel. front rod,			
53-54	PASS. w/P.G.	carb. to accel. lever rod	3705528	A.R.	.20
55-57	PASS. 6 cyl. w/P.G.,				
55-57	COMM. w/H.T. (2nd Ser.) (exc. D-D),				
55-57	CORV. 8 cyl. w/PG	carb. to accel. rod,			
55-57	PASS.,				
55-57	COMM., UTIL. (8 cyl.) (exc. H.T.)	accel. control rod,			
55-57	PASS. 8 cyl. w/P.G.,				
55-57	CORV.	bellcrank rod	3711199	A.R.	.20
55-57	D-D 6-cyl. (2nd Ser.) (exc. 2 TON)	throttle rod	3721364	1	.30
55	COMM. 8 cyl. w/H.T.	accel. control rod	3719812	1	.55
56-57	PASS., CORV. (8 cyl.) (exc. dual 4BC)	accel. control rod,			
56-57	1½ TON 6 cyl. w/H.T.	carb. to accel. lever rod	3716800	1	.20
56-57	COMM., 1½ TON (8 cyl.) w/H.T.	throttle upper rod	3728078	1	.55
56-57	PASS., CORV. w/dual 4BC	accel. rod to frt. accel. rod	3729810	1	.65
57	D-D (2 TON)	accel. pedal rod	3728234	1	(4.020)

PARTS, Throttle Control Rod



3703528



3700188

53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
54-55	COMM. w/H.T. (1st Ser.),				
55-56	D-D (2nd Ser.) (exc. H.T.)	CLIP, carb. to accel. lever rod attach.,			
53-54	PASS.	accel. front rod swivel (use w/3703516),			
55-56	D-D w/H.T. (2nd Ser.)	throttle lever adj. rod swivel	3703528	A.R.	.20
37-52	PASS. (w/Roch.),				
49	COMM., UTIL. (exc. D-D, COE),				
53-55	CORV. 6 cyl.	CLIP, carb. to accel. rod attach.,			
55-57	CORV.	accel. to control rod swivel clip,			
55	CORV. 8 cyl	trans. throttle bellcrank rod,			
53-57	PASS. 6 cyl. (exc. P.G.),				
55-57	COMM. 6 cyl. w/H.T. (2nd Ser.) (exc. D-D)	carb. to accel. lever rod,			
55-57	ALL 8 cyl. (exc. 4BC, H.T.)	accel. rod swivel	3700188	A.R.	.20
55-57	PASS.,				
56-57	COMM. 8 cyl.	CLIP, accel. control rod,			
55-57	PASS. 6 cyl. w/P.G.,				
56-57	COMM. 8 cyl.	trans. throttle control rod,			
55-57	PASS., CORV. (8 cyl.) w/P.G.	trans. throttle bellcrank rod,			
55-57	PASS. 8 cyl. (exc. 4BC)	bellcrank to carb. rod	3711177	A.R.	.15
56	D-D 8 cyl. w/H.T.	CLIP, throttle control rod inter. rod	3712389	2	(4.020)
56-57	ALL 8 cyl. w/H.T.	CLIP, throttle valve control upr. rod swivel,			
57	PASS. 8 cyl. w/A.T.	throttle valve control rod	1455017	A.R.	.05

54-55	CORV. 6 cyl.,				
56-57	CORV.,				
54-57	PASS.	BUSHING, accel. rod,			
55-57	D-D (2nd Ser.)	carb. to accel. lever rod,			
55-57	COMM., UTIL. (8 cyl.)	accel. rod (rubber)	3707710	1	.15
53	CORV.,				
54	PASS.	BUSHING, accel. rod bell crank (nylon)	3707712	2	.10
54-55	D-D w/H.T. (1st Ser.)	BUSHING, accel. and carb. control lever	3707646	1	.30
55-57	PASS.,				
55-57	CORV. 8 cyl.	BUSHING, accel. pedal rod (nylon)	3710620	2	.10
55	COMM. 8 cyl. w/H.T.	SPRING, throttle valve control downshift detent (16 coils—3 long)	3719813	1	(4.019)
56-57	ALL 8 cyl. w/H.T.	SPRING, throttle valve control downshift detent (27 coils—4 59/64 long)	3728229	1	(4.019)
33-37	CA, CC, D, P, E, Q, FA, FD, GA,				
50-55	D-D (1st Ser.)	CLEVIS, accel. to lever (1/4—28 thd. 2 O.L.)	372701	1	.25
56-57	PASS., CORV. w/dual 4BC	CLEVIS, throttle lever	3731412	1	.55
54-56	PASS.	SLEEVE, accel. control lever rod,			
56-57	CORV.,				
55-57	D-D (2nd Ser.)	accel. control rod,			
55-57	COMM., UTIL. (8 cyl.)	accel rod (1/4 I.D. x 3/8 O.L.—nylon	3707713	1	.15
55-57	PASS. w/C.A.C.,				
55	COMM., UTIL. (8 cyl.)	BOLT, throttle rod cable eye (10—24)	3720896	1	.30
53-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	WASHER, throttle valve lever control rod swivel,			
56-57	PASS., CORV. w/dual 4BC	throttle lever control rod clevis,			
57	D-D (2 TON)	control rod (1/4 I.D. x 1/2 O.D.)	410224	A.R.	(4.019)
55	COMM. 8 cyl. w/H.T.	WASHER, throttle valve control downshift detent spring seat (1/4 I.D. x 25/32 O.D.)	3719814	2	(4.019)
53-55	CORV.	JOINT, accel. front rod ball (1/4—24 thds.)	455968	1	.75

3.430 ROD—END—BUSHING, Carburetor to Accelerator Lever

40-49	PASS., COMM. (exc. D-D),				
40-49	WA, WB, YR, YS, MR, MS, OE, OF, OR, OS, PJ, PK, QJ, QK, RJ, RK, SJ, SK	w/out gov.	3659429	1	.40
40-49	ALL (exc. COE) (w/gov. and full throttle)		3659443	1	.50
40-48	K, WA, WB, A, YR, YS, B, MR, MS, CK, D, OR, OS, PJ, PK, E, F	w/gov. and half throttle	3659547	1	.40
48-55	D-D (1st Ser.) (exc. H.T.)	bell crank	3690315	1	.60
50	ALL (exc. D-D, SBC, 2 TON),				
51-52	ALL (exc. D-D, SBC, COE),				
53-54	ALL (exc. P.G., D-D, H.T., SBC, COE),				
55-57	COMM., UTIL. (6 cyl.) (exc. D-D, H.T., COE)	(12 11/16 dev. length)	3717031	1	.75
50-53	ALL (exc. D-D, COE),				
54-55	COMM., UTIL. (exc. O/D, H.T., D-D, COE)	(12 15/32 O.L.—used w/gov.)	3696703	1	.50
50-53	COE (w/gov.)		3693305	1	.30
51-53	COE	(20 11/16 O.L.—not used w/gov.)	3696831	1	.40
53-54	PASS. w/P.G.	(13 1/4 dev. length w/1/4—20 thds.)	3703515	1	.40
53-55	CORV. 6 cyl.	front	3706982	1	.55
54-55	D-D w/H.T. (1st Ser.)	(12 5/16 dev. length, w/1/4—20 thds.)	3711252	1	.60
54-55	COE	(24 7/16 dev. length)	3705955	1	.60
55-57	PASS. 6 cyl. w/P.G.	(12 3/4 O.L.)	3710631	1	.40
55-57	PASS. 6 cyl. (exc. P.G.)	w/bracket (12 1/4 O.L.)	3711376†	1	.40
55	PASS. w/4BC	control bell crank to carb	3716053	1	.45
55	PASS. 8 cyl.	control (9 3/4 O.L.)	3718047	1	.40
55	PASS. w/4BC	accel. control	3722030	1	.45
55	CORV. 8 cyl. (1st design)	control (7 3/4 O.L.)	3721146	1	.45
55-57	CORV. 8 cyl. (2nd design) (exc. dual 4BC)	control (11 O.L.)	3722021	1	.40
55-57	D-D 6 cyl. (2nd Ser.) (exc. H.T. 2 TON)		3720837	1	.55
55-57	D-D 6 cyl. w/H.T. (2nd Ser.)	(13 1/4 O.L. w/1/4—20 thds.)	3720838	1	.80
55-57	D-D 6 cyl. w/H.T. (2nd Ser.)	throttle lever adj. (4 3/4 lg. w/1/4—20 thds.)	3721993	1	.55
55	COMM., UTIL. (8 cyl.) (exc. H.T.)	(10 1/4 O.L. w/1/4—36 thds.)	3719791	1	.30
55	COMM. 8 cyl. w/H.T.	w/brkt. (9 11/16 O.L. w/1/4—20 thds.)	3719806	1	.65
55-57	COMM., UTIL. (6 cyl.) w/gov. (exc. D-D,)		3729385	1	.50

†NOTE: On 3-SPD w/out O/D, cut off 1" welded arm.

55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	control (10 1/8 O.L.)	3724694	1	.40
56-57	PASS. w/4BC	control (11 O.L.)	3726111	1	.35
56-57	CORV. w/dual 4BC	control (7 7/8 O.L.)	3728699	1	.45
56-57	PASS., CORV. w/dual 4BC	throttle lever control (1/4—28 x 7 15/16)	3731410	1	.70
56-57	PASS. w/dual 4BC	control (7 1/16 O.L.)	3728696	1	.55
56	D-D 8 cyl. w/H.T.	control (20 21/64 dev. length)	3726585	1	1.00
56-57	D-D 8 cyl. (exc. H.T.)	control (12 3/4 dev. length)	3726584	1	.40
56-57	ALL 8 cyl. w/H.T. (exc. D-D)	control (8 1/2 dev. length)	3726449	1	.30
56-57	COMM.,UTIL. (8 cyl.) (exc. D-D, H.T.,4BC)	control (10 41/64 dev. length)	3726457	1	.25
57	Ser. 6 w/4BC	control (10 7/8 O.L.)	3734411	1	.40
57	D-D (2 TON)	control (15 5/16 dev. length)	3741529	1	.95
54-57	ALL 6 cyl. w/H.T. (exc. D-D)	ROD UNIT (consists of rod, swivel and clip) (15 dev. length, w/1/4—36 thd.)	3717201	1	1.00
55	PASS. w/4BC	ROD UNIT (consists of clips, tube assy., control rod, bellcrank rod and spring)	3725073*	1	1.80
55	COMM., 8 cyl. w/H.T.	END (3 1/4 O.L.)	3719809	1	1.35
56-57	PASS., CORV. w/dual 4BC	END (1 41/64 O.L.)	3731411	1	1.25
56-57	D-D 8 cyl.	BUSHING, accel. control rod lever shaft (7/8 dia.—rubber)	3726583	1	.20

*NOTE: For use when installing carburetor 3724158 on jobs built with 3717687. When installing on jobs with O/D also use bracket 3722513 and lever 3722514, and replace attaching studs in manifold with 3836527.

3.431 ROD, Accelerator Pedal to Lever

42-46	COMM., UTIL. (exc. COE) (w/3681341)	(1/4 hole one end)	3672647	1	.75
41-48	PASS.	(hole in one end)	3667600	1	1.10
47-49	COMM., UTIL. (exc. D-D, COE)	(1/4 hole one end)	3684272	1	.50
47-52	COE	(1/4 hole one end)	3685743	1	.55
48-52	D-D	(1/4 hole one end)	3687538	1	.55
49	PASS.	(rd. knob one end)	3688133	1	1.10
50-52	PASS.	(rd. knob one end)	3697211	1	1.10
50-52	COMM., UTIL. (exc. D-D, COE)	(17 1/4 overall length)	3692751	1	.85
53-54	PASS.	front (1/4—36 thds. one end)	3707709	1	.40
53-54	PASS.	rear (rd. knob one end—5 5/16 O.L.)	3702379	1	.40
53-57	COMM., UTIL. (6 cyl.) (exc. H.T., D-D, COE)	(rd. knob one end—17 3/16 O.L.)	3701623	1	.50
53-55	D-D (1st Ser.) (exc. H.T.)	(rd. knob one end—5 3/4 O.L.)	3701627	1	.40
53-55	COE	(rd. knob one end—5 1/16 O.L.)	3701625	1	.50
53-55	CORV. 6 cyl.	front	3708432	1	.65
53-55	CORV. 6 cyl.	rear	3706250	1	.50
54-57	ALL 6 cyl. w/H.T. (exc. D-D),				
57	D-D (2 TON)	(15 dev. length)	3707603	1	.50
54-55	D-D w/H.T. (1st Ser.)	6 5/16 O.L.)	3707647	1	.40
55-57	PASS. 6 cyl.	control (9 5/8 O.L.)	3710629	1	.40
55	PASS.		3722966	1	.40
55	CORV. 8 cyl.		3716047	1	2.50
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	(rd. knob one end—11 O.L.)	3720846	1	.85
55-57	COMM., UTIL. (8 cyl.) (exc. D-D)	(rd. knob one end—4 O.L.)	3719787	1	.55
55-57	CORV.	(5 7/8 O.L.)	3722017	1	2.50
56-57	PASS.	(5 O.L.)	3722038	1	.40
56-57	D-D 8 cyl.	(5 7/8 O.L.)	3726798	1	1.00
57	D-D (2 TON)	accel. control (18 dev. length)	3741530	1	.95
55	PASS. w/4BC	ROD UNIT (consists of accel. rod, bellcrank, swivel, clip)	3716680	1	(3.579)

3.440 CHECK, Carburetor Throttle Return

50-56	PASS. 6 cyl. w/P.G.		7003220	1	2.70

3.451 PEDAL—COVER, Accelerator

35-39	PASS. (exc. EC)	(rubber—2 1/4 x 8 13/16 overall)	594286	1	1.60
37-40	1/2 TON, COE	(rubber—1 15/16 x 7 3/8 overall)	3653533	1	1.50
40-48	PASS.,				
53-55	CORV. 6 cyl.	w/bracket (rubber—1 3/4 x 8 7/8 overall)	3658481*	1	1.60
41-42	COMM., UTIL.	(rubber—2 5/8 x 7 13/16 overall)	3656989	1	1.60
42-46	COMM., UTIL.	(rubber—2 7/8 x 8 1/16 overall)	3681341	1	1.60

*NOTE: When using 3658481 on 1940 remove bracket riveted to floor board.

47-52	COMM., UTIL.	(rubber—2⅝ x 8 1/16 O.L.)	3682873	1	1.60
49-54	PASS.	w/bracket (rubber—1¾ x 8⅞ overall)	3688127	1	1.60
53-57	COMM., UTIL.	(rubber—2⅞ x 8 1/16)	3701621	1	1.60
55-57	PASS., CORV.	w/brkt. (rubber—1¾ x 9)	3711379	1	1.60
48-57	PASS.	COVER, pedal	987107	1	1.30

3.452 BRACKET—REINFORCEMENT—SUPPORT—ANTI-SQUEAK, Accelerator Pedal

42-46	COMM., UTIL. (exc. COE),				
47-55	COMM., UTIL. (1st Ser.)	(base size 1 13/16 x 2) (use w/pedals 3681341			
55	D-D (2nd Ser.)	and 3682873) (three 3/16 holes)	3672716	1	.20
55	COMM., UTIL. (2nd Ser.) (exc. D-D),				
56-57	COMM., UTIL. (exc. FFC w/4 SPD.),				
56-57	½ TON (FFC) (4-SPD.)	(two 3/16 holes)	3725710	1	.30
56-57	FFC (4-SPD.) (exc. ½ TON)		3726282	1	.40
55-57	CORV. 8 cyl.	REINFORCEMENT, dash support	3716744	1	.35
55-57	CORV. 8 cyl.	SUPPORT	3716048	1	.65
55-57	PASS., CORV.	ANTI-SQUEAK, pedal rod (1 3/8 x 1 3/16 x 1/16 thk.)	3710621	1	.10

3.457 PIN, Accelerator Pedal

47-57	COMM., UTIL.	(5/16 x 2 21/32)	3684274	1	.30

3.459 SPRING—BRACKET—PIN—CLIP, Accelerator

34-36	ALL	pull back (4 3/16 free length two hook ends)	476461	1	.30
37-40	ALL (exc. COE)	pull back and control lever (2 9/16 free length—two hook ends)	3650230	1	.30
40-55	COE	pull back (2⅝ free length—two loop ends)	3654040	1	.30
41-49	ALL (exc. D-D, COE)	pull back (5 13/16 free length—two hook ends)	3659431	1	.30
48-55	D-D (1st Ser.)	pull back (3⅛ free length—two hook ends)	3687550	1	.35
50-52	ALL (exc. D-D, COE),				
53-57	COMM., UTIL. (6 cyl.) (exc. H.T., D-D, COE),				
57	D-D (2 TON)	pull back (5¾ free length, two hook ends)	3695705	1	.30
53-54	PASS. (exc. P.G.)	(6¾ free length, 2 hook ends 2⅜ lg.)	3703450	1	.30
53-55	CORV. 6 cyl.,				
53-54	PASS. w/P.G.	(8 free length, 2 hook ends 3⅜ lg.)	3705604	1	.30
54-55	COMM. w/H.T. (1st Ser.),				
55-57	ALL 6 cyl. w/H.T. (2nd Ser.) (exc. D-D)	accel. and carb. control lever torsion	3705991	1	.30
54-57	ALL 6 cyl. w/H.T. (exc. D-D)	pull back	3710404	1	.30
55-57	PASS. 6 cyl. w/P.G.	pull back (5½ lg.—ends hooked)	3710633	1	.30
55-57	PASS. 6 cyl. (exc. P.G.),				
57	Ser. 6 w/4BC	pull back (6½ lg.—ends hooked)	3710635	1	.30
55	PASS. 8 cyl. (exc. 4BC)	pull back (7 15/16 lg.—ends hooked)	3720331	1	.30
55	PASS., CORV. w/4BC (w/bellcrank boss)	pull back (3 13/16 lg.—31 coils—ends hooked)	3718857	1	.30
55-57	CORV. 8 cyl.	pull back (5 3/32 free length)	3722020	1	.30
55-57	PASS. 4BC w/Oil Filter w/C.A.C.	pull back (6 7/16 lg.—ends hooked)	3722032	1	.30
55-57	PASS. w/4BC (exc. Oil Filter w/C.A.C.)	pull back (5 11/16 lg.—42 coils—ends hooked)	3733110	1	.35
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	pull back (7⅝ lg.—ends hooked)	3720848	1	.35
55-57	COMM., UTIL. (8 cyl.) (w/vel. gov.)	pull back (9 11/32 lg.—ends hooked)	3727668	1	.45
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC, gov.)	pull back (7 1/16 free length—2 hook ends)	3724695	1	.30
56-57	PASS., CORV. w/dual 4BC	front pull back (4 9/32 free length)	3731413	1	.30
56-57	PASS., CORV. w/dual 4BC	rear pull back (2 35/64 free length)	3731414	1	.25
55	COMM., UTIL. (8 cyl.,)				
56-57	COMM., UTIL. (8 cyl) (exc. gov., D-D),				
56	D-D 8 cyl. w/H.T.	pull back (7 29/32 lg.—ends hooked)	3726586	1	.40

3.459 SPRING—PIN—CLIP, Accelerator



3659432



838421

55	CORV. 8 cyl.,				
55	PASS. w/4BC,				
56-57	PASS. 8 cyl. w/gov.	BRACKET, spring (one 5/32—two 11/32 holes)	3718861	1	.20
55-57	COMM., UTIL. (2nd Ser.) (exc. H.T.)	BRACKET, spring (one 9/32—two 3/16 holes)	3713046	1	.20
55-56	CORV. 8 cyl. (exc. dual 4BC)	BRACKET, spring	3722019	1	.25
56-57	PASS., CORV. w/dual 4BC	BRACKET (one 13/32 dia. hole)	3729808	2	.25
37-40	ALL (exc. COE)	PIN, lever spring (pressed in block) (9 serrations—1 3/8 length overall)	838421	1	.30
41-52	ALL (exc. D-D, COE),				
53	COMM., 1½ TON (exc. D-D)	CLIP, pull back spring (¾ x 1¼)	3659432	1	.10
53	2 TON (exc. COE)	CLIP, pull back spring (¾ x 1 11/16)	3701299	1	.10

3.469 GROMMET—SEAL—WASHER, Accelerator Rod Toe Board

35-40	PASS. (exc. EC)	(7/16 I.D.—3 attach. holes—round w/flat on top)	378431	1	.40
37	½ TON				
41-54	ALL (exc. AK, AL, AM, AN, Y, D-D),				
53-55	CORV.,				
55-57	COMM., UTIL. (exc. D-D)	SEAL (felt—7/16 I.D. x 1¾ O.D. x ⅜ thick)	3695652	1	.10
55-57	CORV. 8 cyl.	SEAL (rubber—1 13/16 I.D. x 2½ O.D.)	3717676	1	.25
41-52	ALL (exc. AK, AL, AM, AN, Y, D-D),				
53-57	COMM., UTIL. (exc. D-D)	WASHER (fibre ⅝ I.D. x 1¾ O.D.)	3658395	2	.10
53-55	CORV. 6 cyl.,				
53-54	PASS.	WASHER (fibre ½ I.D. x 1⅜ O.D.)	3702381	2	.10

3.481 ROD—CABLE, Hand Throttle with Button, Wire and Tube

29-38	ALL,				
39	COMM., UTIL. (exc. COE),				
40-46	COMM., UTIL. (FFC)	(47⅝ length overall—plain rd. knob)	604302	1	1.40
39	PASS.	(47¾ length overall—plain sq. knob)	604312	1	1.40
40	KA, KB, KH (STA. WAG. on KB)	(36 1/16 length overall—rect. knob "T")	3654270	1	1.40
39-46	COE,				
40-46	COMM., UTIL. (exc. FFC)	(56 9/16 overall—sq. knob "T")	3654274†	1	1.40
41-48	PASS.	(36¼ length overall—rd. knob "T")	3664776	1	1.40
47-53	COMM., UTIL. (exc. D-D, COE),				
54	FFC	(34¼ length overall—rd. knob "T")	1992564	1	1.40
47-53	COE	(47½ length overall—rd. knob "T")	1992569	1	1.40
48-53	D-D	(56⅜ length overall—rd. knob "T")	1992588	1	1.40
49	PASS.	(37⅝ length overall—rd. knob "T")	1992566	1	1.40
50	PASS.	(37⅝ length overall—rd. knob "T")	1992591	1	1.40
54-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE, FFC)	(39 9/16 O.L.—threaded ferrule)	1992619	1	1.40
54-55	D-D (1st Ser.)	(47 7/8 O.L.—rd. knob "T")	1992621	1	1.40
54-55	COE	(47 7/8 O.L.—rd. knob "T")	1992620	1	1.40
55	PASS. w/C.A.C.	(15 O.L.—black knob)	3720942	1	1.40
55	COMM., UTIL. (2nd Ser.) (exc. SBC),				
56-57	COMM., UTIL. (6 cyl.) (w/deluxe equip.)	(46¾ O.L.—"T" on chrome knob)	1992638	1	1.65
55-57	COMM., UTIL. (2nd Ser.) (exc. SUB PICK-UP)	(46 5/16 O.L.—"T" on black knob)	1992640	1	1.40
56-57	COMM., UTIL. (8 cyl.) (w/deluxe equip.)	(64⅝ O.L. black "T" on chrome knob)	1992661	1	1.40
56-57	COMM., UTIL. (8 cyl.) (exc. D-D, SUB. PICK-UP)	(66¾ O.L. white "T" on black knob)	1992654	1	1.40
56	PASS. w/C.A.C.	CABLE, C.A.C. engine idle	3136327	1	1.20

†NOTE: On 41-46 COE, cut 16 from cable and casing.

3.483 NUT—GUIDE—BRACKET—CLIP, Hand Control Wires and Tubes

30-52	ALL	spark — throttle — choke — hood catch — light switch (hex. ⅜—24)	357899	A.R.	.05
34-50	ALL	GUIDE, throttle tube at bracket and throttle rod			
51-57	COMM., UTIL. (exc. COMM. w/H.T.)	throttle rod stop (brass 1/16 I.D. x 5/16 O.D. x ⅜			
55-57	PASS. w/C.A.C.	long—No. 8—32 thd. hole)	375437	A.R.	.05
55	COMM., UTIL. (8 cyl.)	BRACKET, throttle rod and tube	3724106	1	.10
56-57	COMM., UTIL. (8 cyl.) (exc. D-D)	BRACKET, hand control wires and tube	3730614	1	.20
53-55	CORV. 6 cyl.	CLIP, choke cable (used w/3 cables)	3706418	2	.10
54	COMM., UTIL. (exc. FFC)	CLIP, attaches throttle and choke rod to inst. panel	3707498	2	.05

3.521 ROD, Hand Choke with Button, Wire and Tube

29-38	ALL,				
39	COMM., UTIL. (exc. COE),				
40-46	COMM., UTIL. (FFC)	(47⅝ length overall—plain rd. knob)	604302	1	(3.481)
39	PASS.	(47¾ length overall—plain sq. knob)	604312	1	(3.481)
39-46	COE	(60⅝ length overall—sq. knob "C")	3657243	1	1.40
40	KA, KB, KH (STA. WAG. on KB)	(39⅝ length overall—rect. knob "C")	3654202	1	1.40
41-48	PASS.	(39^{13}⁄$_{16}$ length overall—rd. knob "C")	3664775	1	1.40
47-53	COMM., UTIL. (exc. D-D, COE),				
54-55	FFC (1st Ser.)	(35 length overall—rd. knob "C")	1991581	1	1.40
47-53	D-D, COE	(71¼ length overall—rd. knob "C")	1991588	1	1.40
49	PASS.	(33⅜ length overall—rd. knob "C")	1991582	1	1.40
50	PASS.	(34⅛ length overall—rd. knob "C")	1991611	1	1.40
51-52	PASS.	(34⅛ length overall—rd. knob "C")	1991619	1	1.40
53-55	CORV. 6 cyl.	(white band and cap stainless) (longest wire—47^{3}⁄$_{32}$)	1991648	1	2.75
53	SDL.	(40¾ length overall)	1991633	1	1.40
54-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE, FFC, H.T.)	(33^{7}⁄$_{16}$ O.L.—rd. knob "C")	1991665	1	1.40
54-55	D-D, COE (1st Ser.) (exc. H.T.)	(71^{9}⁄$_{16}$ O.L.—rd. knob "C")	1991666*	1	1.40
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D, SBC)	(46 O.L.—"C" on chrome knob)	1991679	1	1.85
55-57	COMM., UTIL. (2nd Ser.) (exc. SUB PICK-UP)	(65^{9}⁄$_{16}$ O.L.—"C" on black knob)	1991689	1	1.40

*NOTE: When using on D-D, coil or cut off 4¼ inches

3.579 CRANK—LEVER—BRACKET—SUPPORT, Accelerator Rod

48-55	D-D (1st Ser.) (exc. H.T.)	bell (1¾ and 1⅞ ctr. to ctr. of holes)	3687540	1	1.00
53-54	PASS.,				
53-55	CORV. 6 cyl.	bell	3709358	1	.70
55-56	PASS., CORV. (8 cyl.) w/P.G.,				
57	CORV. w/P.G.	bell (w/two ¼, two ½ holes)	3713739	1	(4.040)
55	PASS. w/4BC	CRANK UNIT (consists of bell crank, accel rod, swivel, clip)	3716680	1	1.05
40-55	COE	LEVER, throttle control (hand operated)	3690701†	1	.55
41-49	ALL (exc. D-D, COE)	LEVER (cast 3659433)	3659433	1	.55
50-52	ALL (exc. D-D, COE),				
53-57	COMM., UTIL. (6 cyl.) (exc. H.T., D-D, COE)	LEVER	3693371	1	.40
53	PASS. (exc. P.G., SDL.),				
54	PASS. (exc. P.G.)	LEVER (w/one ^{3}⁄$_{16}$, two ¼, two ⅜ holes)	3703449	1	.40
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	LEVER (w/two ⅜, four ¼ holes)	3702695*	1	.40
54-57	ALL 6 cyl. w/H.T. (exc. D-D)	LEVER, carb. control (w/two ^{7}⁄$_{16}$, one ¼ holes)	3707604	1	.40
54-57	ALL 6 cyl. w/H.T.	LEVER, accel. control (has 5 holes)	3707605	1	.45
54-55	D-D w/H.T. (1st Ser.)	LEVER, carb. control (w/two ^{29}⁄$_{64}$, one ¼ holes)	3707641	1	.45
54-55	D-D w/H.T. (1st Ser.)	LEVER, accel. control (has 5 holes)	3707644	1	1.05
55-57	PASS. 6 cyl. (exc. P.G.)	LEVER, throttle rod ("Y" shape—5⅝ O.L.)	3710640	1	.35
55-57	PASS. 6 cyl. w/P.G.	LEVER, throttle rod (6 O.L.)	3710630	1	.35
55-57	PASS. 6 cyl.	LEVER, accel. rod (dash panel)	3722070	1	.30
53-55	CORV. 6 cyl.	LEVER, carb. cross shaft	3706255	1	.40
55	CORV. 8 cyl. (1st design)	LEVER, accel. rod (^{33}⁄$_{64}$ hole x 8^{13}⁄$_{16}$ long)	3716050	1	.45
55-57	CORV. 8 cyl. (2nd design)	LEVER, accel. rod	3722018	1	.55
55-57	PASS. 8 cyl.	LEVER, accel. rod (dash panel)	3722034	1	.50
55-57	D-D 6 cyl. (2nd Ser.) (exc. H.T., 2 TON)	LEVER, accel. control	3720836	1	.55
55-57	D-D 6 cyl. w/H.T. (2nd Ser.)	LEVER, accel. and trans. throttle valve control	3720849	1	.85
55	COMM., UTIL. (8 cyl.)	LEVER, accel. rod	3719788	1	.45
56-57	D-D 8 cyl.	LEVER, accel. control rod	3726579	1	1.05
56-57	COMM., UTIL. (8 cyl.) (exc. D-D)	LEVER, throttle rod control	3735368	1	.20
56-57	COMM., UTIL. (8 cyl.) (exc. D-D)	LEVER, accel. rod control	3726455	1	.55
57	D-D (2 TON)	LEVER, carb. control	3741524	1	.75
41-55	COE	BRACKET, accel. lever shaft (2¼ inside legs—w/1" welded spacer)	3703573§	1	.75
53-54	PASS.	BRACKET, bell crank, w/½ pin (cadmium)	3702355	1	.40

*NOTE: 3702695 may also be used on 1953 SDL by removing extra horizontal tang.

†NOTE: When 3690701 is used on 1940-48 COE use 3690694 Shaft and 3703573 Brkt.

§NOTE: On 1941-48 COE, 3690701 Lever and 3690694 Shaft must also be used.

53-55	CORV. 6 cyl.	BRACKET, bell crank	3706252	1	.50
55	COMM., UTIL. (8 cyl.)	BRACKET, accel. lever shaft (two 3/8 and two 1/4—28 holes)	3724091	1	.60
56-57	COMM., UTIL. (8 cyl.) (exc. D-D)	BRACKET, accel. control lever	3726283	1	.20
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	BRACKET, accel. control lever	3726084	1	1.10
56-57	D-D 8 cyl.	BRACKET, accel. rod inner	3726799	1	1.05
56-57	D-D 8 cyl.	BRACKET, accel. rod outer	3726577	1	.50
55-57	PASS.	SUPPORT, accel. pedal rod	3722048	1	.40

3.582 STUD—BUSHING—WASHER—NUT, Throttle and Accelerator Lever

37-49	ALL (exc. COE)	(5/16—18 x 2 7/32—thd. one end only)	3835384	1	.25
50-57	ALL 6 cyl. (exc. H.T., D-D, COE),				
53-55	CORV.,				
55	PASS. w/4BC,				
55-57	ALL 8 cyl. w/H.T.	(5/16—18 x 2 3/32—thd. one end only)	3835566	1	.25
54-57	ALL 6 cyl. w/H.T. (exc. D-D)	accel. control,			
57	D-D (2 TON)	carb. control (5/8 hex. hd., w/5/16—18 thd.)	3705994	1	.25
54-57	ALL 6 cyl. w/H.T.	BUSHING, accel. and carb. control (1 3/8 O.D.) x 3/8 I.D.)	3707601	1	.25
54-57	ALL 6 cyl. w/H.T. (exc. D-D)	WASHER, accel. and carb. control (15/32 I.D. x			
57	D-D (2 TON)	3/4 O.D. x 1/32)	3705982	2	.10
53-55	CORV. 6 cyl.	NUT, bell crank anchor	3706510	1	.30

3.585 SHAFT—BRACKET—LEVER—PIN—COUPLING, Accelerator Lever Cross

49-55	COE	(3/8 dia. x 3—drld. both ends)	3690694	1	.20
57	D-D (2 TON)	control lever (8 1/2 O.L.)	3741525	1	.95
57	D-D (2 TON)	BRACKET, shaft	3741523	1	8.25
57	D-D (2 TON)	LEVER, accel. control inner	3741528	1	.15
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	PIN, accel. control lever (1/2 x 3 1/2)	3720852	1	.30
53	CORV.	COUPLING, universal	3706256	2	.60
54-55	CORV. 6 cyl.	COUPLING, universal (w/Carter 114-123S)	3709592	2	.50

3.601 MANIFOLD—LOCK, Engine Exhaust (intake manifold in group 3.265)

37-39	ALL (exc. COE)	(cast 838397)	602366	1	11.45
39-49	D-D, COE	(cast 3835440)	3690880	1	13.75
40-48	ALL (exc. D-D, COE)	(cast 839130)	604341	1	13.75
49	ALL (exc. D-D, COE),				
50-53	ALL w/216	(cast 3835388)	3691971	1	13.75
50-57	ALL 6 cyl. (exc. 216, D-D, COE),				
57	D-D (2 TON)	(cast 3835587)	3694164	1	13.75
50-57	D-D 6 cyl. (exc. 2 TON),				
50-55	COE	(cast 3835580)	3694165	1	13.75
53-54	CORV.		3707904	1	20.15
55-56	PASS. w/C.A.C. (1st design)	R.H.	3719630	1	10.05
55-56	ALL, CORV. (8 cyl.) (exc. D-D, C.A.C., dual 4BC)	R.H.	3728750	1	9.50
55	ALL, CORV. (8 cyl.),				
56	ALL 8 cyl. (exc. dual 4BC)	L.H.	3837069	1	10.05
56	CORV. (1st design)	(2 bolt flange)	3725563	2	16.70
56	PASS. w/dual 4BC,				
56	CORV. (2nd design)	L.H. (3 bolt flange)	3731557	1	20.55
56	PASS. w/dual 4BC,				
56	CORV. (2nd design)	R.H. (3 bolt flange)	3734080	1	20.55
56	PASS. w/C.A.C. (2nd design),				
56	D-D 8 cyl.	R.H.	3728748	4	10.05
57	ALL, CORV. (8 cyl.)	L.H.	3733975	1	10.05
57	PASS., CORV. (8 cyl.)	R.H.	3740120	1	10.05
57	Ser. 3-4-6 (8 cyl.) (exc. D-D)	R.H.	3732494	1	9.50
57	D-D 8 cyl.	R.H.	3732498	1	13.75
55	CORV. 8 cyl.,				
55-56	PASS. 8 cyl. (exc. dual 4BC)	LOCK, end bolt	3836950	4	.05
56	PASS. w/dual 4BC,				
56-57	CORV.,				
57	ALL 8 cyl.	LOCK, end bolt	3733122	4	.05

3.602 COVER—SHIELD—SPACER, Manifold

55	CORV. 8 cyl.,				
55-56	PASS. 8 cyl. (exc. 4BC)		3713536	1	.30
55-56	PASS. w/C.A.C.	SHIELD (12 13/16 long x 4 13/32 wide w/six 3/16 holes)	5917916	1	1.95
55-56	PASS. w/C.A.C.	SPACER, shield (5/16 I.D. x 3/8 O.D. x 1/2 long)	5917917	6	.10

3.603 TUBE, Exhaust Manifold Choke Heat

57	PASS., CORV. (8 cyl.)		3739717	1	.80

3.609 PIPE—CAP, Engine to Muffler Exhaust (tail pipe in group 3.705)

34-36	COMM., UTIL.	(stamped 373091)	373091	1	6.55
36	FC	(stamped 475241)	475241	1	4.50
37-38	PASS.	(stamped 594131)	594131	1	4.50
37-40	COMM., UTIL. (exc. COE)	(stamped 3652725)	3652725	1	7.15
39	PASS.	(stamped 350505)	350505	1	4.50
39-40	COE	(stamped 3651001)	3651001	1	5.50
40	PASS.	(stamped 3653386)	3653386	1	4.60
41-48	PASS. (exc. CONV.)	(stamped 3657963)	3657963	1	4.60
41-48	CONV.	(devel. length 44 7/8) (stamped 3659737)	3659737	1	4.60
41-46	COMM., UTIL. (exc. COE)	(devel. length 83 3/8) (stamped 3656596)	3656596	1	5.70
41-46	COE	(devel. length 69 7/8) (stamped 3656608)	3656608	1	5.70
47-48	COMM., UTIL. (exc. D-D, COE)	(devel. length 83 5/8) (stamped 3684108)	3684108	1	5.85
47-49	COE	(devel. length 64 7/8) (stamped 3685035)	3685035	1	5.85
48-49	D-D	(devel. length 72 3/4) (stamped 3687496)	3687496	1	5.85
49-52	PASS. (exc. CONV., P.G.)	(devel. length 52 13/16) (stamped 3700499)	3700499*	1	4.60
49-50	CONV. (exc. P.G.)	(stamped 3690589)	3690589	1	4.70
49	COMM., UTIL. (exc. D-D, COE)	(devel. length 82) (stamped 3691277)	3691277	1	5.85
50	PASS. w/P.G. (exc. CONV.)	(stamped 3693548)	3693548	1	5.05
50	CONV. w/P.G.	(stamped 3693598)	3693598	1	4.70
50-53	COMM., UTIL. w/216	(devel. length 79 5/8) (stamped 3693712)	3693712	1	5.85
50-55	D-D, COE (1st Ser.)	(devel. length 63 3/16) (stamped 3693714)	3693714	1	5.85
50-53	UTIL. w/235 (exc. COE),				
54-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	(devel. length 79 5/8) (stamped 3693715)	3693715	1	5.85
51-52	CONV. (exc. P.G.)	(devel. length 41 11/16) (stamped 3697054)	3697054	1	4.70
51-52	PASS. w/P.G. (exc. CONV.),				
53	PASS. (exc. SDL., CONV.)	(2 O.D.—53 3/8 dev. length) (stamped			
54	PASS. (exc. CONV.)	3701055)	3701055	1	4.70
51-52	CONV. w/P.G.,				
53-54	CONV.	(devel. length 41 7/16) (stamped 3697058)	3697058	1	4.70
53	SDL.	(1 7/8 O.D. w/2 O.D. at muffler end—52 3/4 dev. length) (stamped 3704564)	3704564	1	4.70
53-55	CORV. 6 cyl.	L.H. (stamped 3706225)	3706225	1	6.90
53-55	CORV. 6 cyl.	R.H. (stamped 3706226)	3706226	1	12.65
55	CORV. 8 cyl.	L.H. (stamped 3717353)	3717353	1	11.30
55	CORV. 8 cyl.	R.H. (stamped 3717354)	3717354	1	11.30
55-57	PASS. 6 cyl. (exc. CONV.)	(stamped 3714333)	3714333	1	4.15
55-57	CONV. 6 cyl.	(dev. length 45 5/16—stamped 3710078)	3710078	1	4.90
55-56	PASS. 8 cyl. (exc. CONV., Dual Exh.)	(stamped 3714331)	3714331	1	3.45
55-56	CONV. 8 cyl. (exc. Dual Exh.)	(dev. length 25—stamped 3710081)	3710081	1	4.25
55-56	ALL 8 cyl. (exc. Dual Exh.)	crossover pipe, w/flanges	3708723	1	8.20
55-56	PASS. w/4BC (1st design) (exc. CONV.),				
55-56	CONV. w/4BC	L.H. w/2 hole flange (stamped 3714631)	3714631	1	4.90
55-56	PASS. w/4BC (1st design) (exc. CONV.),				
55-56	CONV. w/4BC	R.H. w/2 hole flange (stamped 3714636)	3714636	1	4.70
55-56	COMM., UTIL. (6 cyl.) (2nd Ser.) (exc. D-D),				
57	Ser. 3-4 (6 cyl.) (exc. D-D)	w/flange (stamped 3732326)	3732326	1	5.60
55-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	w/flange (stamped 3721273)	3721273	1	5.15
55-56	COMM., UTIL. 8 cyl.	(stamped 3725672)	3725672	1	5.60
56	PASS. w/4BC (exc. CONV.) (2nd design)	L.H. w/2 hole flange (stamped 3732957)	3732957‡	1	4.75

*NOTE: Requires one flange 3696701 group 3.610 on 1949-50 models.

‡NOTE: Used w/muffler 3731871 to supersede 1st design pipe, 3714631, and muffler 3719457.

56	PASS. w/4BC (exc. CONV.) (2nd design)	R.H. w/2 hole flange (stamped 3732958).	3732958†	1	4.70
56	PASS. w/dual 4BC (exc. CONV.)	L.H. w/3 hole flange (stamped 3735491).	3735491	1	7.15
56	PASS. w/dual 4BC (exc. CONV.)	R.H. w/3 hole flange (stamped 3735492)	3735492	1	7.15
56	CORV.	L.H., w/2 hole flange (stamped 3727919)	3727919	1	11.30
56	CORV.	R.H., w/2 hole flange (stamped 3727920)	3727920	1	11.30
56	CORV.	L.H. w/3 hole flange (stamped 3733087).	3733087	1	13.75
56	CORV.	R.H. w/3 hole flange (stamped 3733084).	3733084	1	13.75
57	PASS. 8 cyl. (exc. CONV., 4BC, dual 4BC)	part no. stamped on (19½ long)	3741253	1	3.45
57	PASS. w/4BC or dual 4BC (exc. CONV.)	L.H. (29 39/64 O.L.) (w/3 hole flange)	3734455	1	7.15
57	PASS. w/4BC or dual 4BC (exc. CONV.)	R.H. (23 29/32 O.L.) (w/3 hole flange)	3734456	1	7.15
57	CONV. 8 cyl. (exc. 4BC, dual 4BC)		3733069	1	4.25
57	CONV. w/4BC or dual 4BC	L.H. (39½ dev. length) (w/3 hole flange).	3734459	1	8.50
57	CONV. w/4BC or dual 4BC	R.H. (38 19/32 dev. length) (w/3 hole flange)	3734460	1	8.50
57	CORV.	L.H. (45 29/32 O.L.)	3735167	1	13.75
57	CORV.	R.H. (44 1/16 O.L.)	3735164	1	13.75
57	Ser. 3 (8 cyl.) (exc. D-D)	(61 9/64 O.L.)	3742207	1	6.80
57	D-D 8 cyl.	(47¼ O.L.)	3742205	1	7.95
57	Ser. 4 (8 cyl.)	(60 39/64 O.L.)	3742209	1	6.80
57	Ser. 6 (6 cyl.)	(2 O.D.—2 hole flange—54¾ long)	3741397	1	7.25
57	Ser. 6 (8 cyl.) (exc. 4BC)	part no. stamped on (50⅞ dev. length)	3741418	1	7.25
57	Ser. 6 w/4BC	L.H.	3741903	1	9.25
57	Ser. 6 w/4BC	R.H.	3741904	1	9.25
57	PASS. (exc. 4BC, dual 4BC)	exhaust crossover, w/flanges	3734403	1	8.20
57	PASS. w/4BC, dual 4BC	L.H., exhaust crossover (15 29/32 dev. length)	3743231	1	1.40
57	PASS. w/4BC dual 4BC	R.H., exhaust crossover (15½ dev. length)	3743232	1	1.40
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	exhaust crossover	3737608	1	9.95
57	D-D (2-TON)	(stamped 3742870)	3742870	1	15.25
55-56	PASS. 8 cyl. (exc. STA. WAG.)	CAP, exhaust pipe	3721543	1	.30

†NOTE: Used w/muffler 3731872 to supersede 1st design pipe, 3714636, and muffler 3714634.

3.610 FLANGE, Exhaust Pipe Packing

37-49	ALL (exc. GJ, GK),				
51-53	PASS. w/216	(2 1/16 I.D.—cast 593607)	593607	1	.60
49-50	PASS. (exc. CONV.)	(2 I.D.)	3696701*	1	.40
51-57	PASS. w/235	exh. pipe packing,			
53-55	CORV. 6 cyl.	exh. pipe to crossover pipe (2 3/16 I.D.—			
55-56	ALL 8 cyl. (exc. Dual Exh.)	cast 3696988)	3696988	1	.60
57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	CORV.,				
57	Ser. 6 w/4BC	3 hole	3734402	A.R.	.30
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	2 hole	3739039	1	.60

*NOTE: Use with exhaust pipe 3700499 on 1949-50 models.

3.611 PACKING—GASKET, Exhaust Pipe

34-46	ALL,				
51-52	PASS. w/P.G.,				
53	PASS. (exc. SDL.),				
53-55	CORV. 6 cyl.,				
54-57	PASS. 6 cyl.,				
57	PASS., CORV. w/4BC, dual 4BC	exhaust pipe,			
57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	crossover pipe (2 1/32 I.D. x 2½ O.D.)	3696990	A.R.	.30
37-49	ALL (exc. GJ, GK),				
51-52	PASS. (exc. P.G.),				
53	SDL.,				
57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	(1⅞ I.D. x 2⅜ O.D. x ⅝ thick)	593606	1	.30
55-56	ALL 8 cyl. (exc. Dual Exh.)	(1⅞ I.D. x 2½ O.D.)	3709586	1	.30
49-50	PASS.,				
50-56	COMM., UTIL. (6 cyl.)	GASKET, flange (2 1/32 I.D.)	3692831	1	.15
53-55	CORV. 6 cyl.,				
55-56	ALL, CORV. 8 cyl. (exc. dual 4BC)	GASKET, flange (2 I.D.)	3711569	A.R.	.15
56	PASS. w/dual 4BC,				
56-57	CORV.,				
57	ALL 8 cyl. (exc. Ser. 6)	GASKET, exhaust pipe (triangle type outlets).	3732426	A.R.	.20

56-57	Ser. 3-4-6 (6 cyl.),				
57	Ser. 6 w/4BC	GASKET, exh. pipe to manifold,			
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	crossover pipe (2½ O.D. x 2 I.D.) (cast iron)	3731062	A.R.	.45
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	GASKET, cast iron (2 13/32 I.D. x 3 9/32 O.D.)	3737679	1	.65

3.616 SPRING—BRACKET—RETAINER, Exhaust Pipe Support

32-48	PASS., BB, CB	(½ O.D.—18 coils—two hook ends)	369511	1	.30
32-39	COMM., UTIL.,				
39-46	COMM. (exc. KF, AN, BN, DS),				
47-48	COMM., UTIL	(⅝ O.D.—26 coils—two hook ends)	368244	1	(0.844)
39-46	UTIL., KF, AN, BN, DS	(⅝ O.D.—two hook ends—4¼ O.L.)	3651557	1	.20
53-55	CORV. 6 cyl.	BRACKET, attached to flywheel hsg	3706211	1	.70
53-57	CORV	BRACKET, left support, center insulator to frame	3706233	1	.30
53-57	CORV	BRACKET, right support center insulator to frame	3706234	1	.30
53-57	CORV	RETAINER, exhaust pipe clamp and insulator	3696888	A.R.	(3.704)

3.640 THERMOSTAT, Exhaust Manifold Heat Control Valve

37-57	ALL, CORV. (6 cyl.) (exc. D-D, COE)		838573	1	.65
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)		838292	1	.65

3.641 SPRING, Manifold Heat Control Valve

37-57	ALL, CORV. (6 cyl.)	anti-rattle (¼ wide stock—coiled)	602799	1	.40

3.647 VALVE ASSY.—SPACER, Exhaust Manifold

55	ALL, CORV. (8 cyl.),				
56	PASS. 8 cyl. (exc. dual 4BC),				
56	COMM., 1½ TON (8 cyl.) (exc. hvy. duty)	w/thermostat	3725981	1	3.25
56	PASS. w/dual 4BC,				
56	CORV	w/triangle type outlets	3731396	1	4.25
57	ALL, CORV. (8 cyl.) (exc. Ser. 6)	w/triangle type gaskets	3734204	1	4.25
56	1½ TON 8 cyl. (hvy. duty),				
56	2 TON 8 cyl.	SPACER, to manifold	3734978	1	.95
57	Ser. 6 (8 cyl.)	SPACER, exhaust pipe to manifold	3737631	1	.95

3.650 SHAFT, Manifold Heat Control Valve

39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	w/valve (shaft length 5)	596265	1	2.50

3.654 WASHER, Manifold Heat Control Valve

41-55	COE,				
41-57	D-D 6 cyl. (exc. 2 TON)	shaft	3835182	A.R.	.05

3.655 WEIGHT—SPACER, Exhaust Manifold Valve Shaft

39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	(cast 3835181)	3835181	1	.75
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	SPACER (½ x ¾ overall)	596271	1	.05

3.701 MUFFLER, Engine Exhaust

29-34	ALL (exc. CA, DA)	unit, consists of muffler and two adapters			
35-40	COMM., UTIL.	(20 7/16 length less tail pipe flange—exh. pipe hole 2 1/16—flange 1½ O.D.)	603746	1	8.25

37-39	PASS.	(stamped 593172)	593172	1	8.25
40	PASS. (exc. CONV.)	(17½ length of shell—2 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3659201*	1	9.45
41-48	PASS.	(19½ length of shell—2 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3656598	1	7.70
41-49	COMM., UTIL.	(1 7/8 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3698040	1	9.45
49-52	PASS. (exc. CONV., P.G.)	(1 7/8 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3698039	1	9.45
49-52	CONV. (exc. P.G.)	aluminized	3698038	1	11.00
50-52	PASS. (exc. CONV., P.G.)	(2 O.D. exhaust pipe flange—1 13/16 tail pipe flange)	3698041	1	9.45
50-52	PASS. w/P.G. (exc. CONV.),				
53	PASS. (exc. CONV.)	aluminized	3698713	1	11.00
50-52	CONV. w/P.G.	(2 O.D. exhaust pipe flange—1 11/16 tail pipe flange)	3698042	1	9.45
50-56	COMM., UTIL.,	(2 O.D. exhaust pipe flange—1 51/64 tail			
57	Ser. 3-4	pipe flange)	3693710	1	7.70
50-56	COMM., UTIL.,				
57	Ser. 3-4	aluminized	3704250	1	8.60
53-54	CONV.	(2 I.D. inlet—1 13/32 O.D. outlet) (22 5/8 O.L.)	3698714	1	9.45
54-57	PASS. 6 cyl. (exc. CONV.)	(2 O.D. exh. pipe flg.—1 7/8 tail pipe flg.)	3704989	1	11.65
54-57	PASS. 6 cyl. (exc. CONV.)	aluminized	3704991	1	13.55
55-57	PASS. 8 cyl. (exc. CONV., Dual Exh.)	(34 O.L.—stamped 3714330)	3714330	1	12.05
55-57	CONV. (exc. Dual Exh.)	(28 O.L.—stamped 3711286)	3711286	1	12.05
55-56	PASS. w/4BC Dual Exh. (1st design) (exc. CONV.),				
55-57	CONV. w/4BC Dual Exh.	L.H. (28 O.L.—stamped 3719457)	3719457	1	12.05
55-56	PASS. w/4BC Dual Exh. (1st design) (exc. CONV.)	R.H. zinc coated tail pipe end plate (28			
55-57	CONV. w/4BC Dual Exh., dual 4BC	O.L.—stamped 3714634)	3714634	1	12.05
53-55	CORV. 6 cyl.	left, w/muffler front pipe	3706221	1	17.60
53-55	CORV. 6 cyl.	right, w/muffler front pipe	3706222	1	17.60
55-56	CORV. 8 cyl.	left, w/exhaust pipe extension	3718851	1	17.60
55-56	CORV. 8 cyl.	right, w/exhaust pipe extension	3718852	1	17.60
56-57	PASS. w/4BC Dual Exh. (2nd design) (exc. CONV.),				
56-57	PASS. w/dual 4BC (exc. CONV.)	L.H. (stamped 3731871) (33 3/16 O.L.)	3731871†	1	13.50
56-57	PASS. w/4BC Dual Exh. (2nd design) (exc. CONV.),				
56-57	PASS. w/dual 4BC (exc. CONV.)	R.H. (stamped 3731872) (33 3/16 O.L.)	3731872‡	1	13.50
57	CORV.	L.H., w/exhaust pipe extension	3736957	1	17.60
57	CORV.	R.H., w/exhaust pipe extension	3737644	1	17.60
57	Ser. 6 (6 cyl.),				
57	Ser. 6 w/4BC	(38 5/8 O.L.)	3741399	A.R.	11.75
57	Ser. 6 (8 cyl.) (exc. 4BC)	(38 5/8 O.L.)	3741413	1	11.75

*NOTE: When 3659201 is used on 1940 Pass. (exc. CONV.) it will be necessary to cut 2¼" from the tailpipe end of the muffler outlet.

†NOTE: Use w/pipe 3732957 to supersede 1st design muffler, 3719457, and pipe, 3714631.

‡NOTE: Use w/pipe 3732958 to supersede 1st design muffler, 3714634, and pipe, 3714636.

3.704 BRACKET—SUPPORT—INSULATOR—RETAINER—STRAP—BOLT, Muffler

34-36	UTIL.	(when installing on AN, BN, DS offset 1½			
37-46	COMM., UTIL (exc. KC, AK, BK, CK, DP)	hole 5 in. to eliminate hd. brake rod interference)	592240	1	.50
37-46	½ TON	(2⅛ x 6⅛)	3658372	1	.50
41-49	PASS.,				
50	PASS. (exc. P.G.),				
50	CONV. w/P.G.	insulator (3 x 4 3/16 overall)	3661832	1	.55
47-55	½ TON (1st Ser.)	(3¼ x 6)	3676257	1	.55
47-55	COMM., UTIL. (1st Ser.) (exc. ½ TON)	(9 7/32 x 3 3/16)	3683739	1	.55
50	PASS. w/P.G. (exc. CONV.)	supt. insulator (3 1/16 wide x 4 3/16 long)	3693055	1	.55
51-54	PASS. (exc. CONV.)	tail pipe front insulator frame	3696804	1	.75
51-54	CONV.	tail pipe front insulator frame	3696873	1	.25
55-57	PASS.	tail pipe frt. supt. (5 lg. w/1 sq.—2 rd. 11/32 holes)	3718845	A.R.	.25
55-56	PASS. (exc. CONV., Dual Exh.)	tail pipe frt. ins. frame (6 5/8 lg.)	3710133	1	.85
55-57	CONV. w/Dual Exh.	tail pipe frt. ins. frame, L.H. (3½ lg.)	3717955	1	.85


55-56	PASS. w/Dual Exh. (exc. CONV.)	tail pipe frt. ins. frame, L.H. (1 sq., 2 rd. $^{11}/_{32}$ holes)	3716849	1	.30
55-57	PASS. w/Dual Exh.	tail pipe frt. ins. frame, R.H. (1 sq., 2 rd. $^{11}/_{32}$ holes)	3716850	1	.30
55-57	COMM., UTIL. (2nd Ser.)	muffler supt. ins. frame	3722795	A.R.	.65
57	PASS. (exc. CONV., Dual Exh.)	tail pipe front ins. frame	3733274	1	.85
41-48	PASS.,				
49-50	PASS. (exc. CONV.)	SUPPORT (11 $^{1}/_{4}$ length overall)	3661833	1	.85
49-50	CONV.	SUPPORT (1 $^{7}/_{8}$ x 4)	3692085	1	.55
55	COMM., UTIL. (2nd Ser.) (exc. D-D)	SUPPORT, w/reinforcement (7 $^{1}/_{8}$ O.L.)	3721806	1	.85
55	D-D (2nd Ser.),				
56-57	COMM., UTIL.	SUPPORT (4 $^{7}/_{8}$ long)	3722793	A.R.	.75
41-50	PASS.	INSULATOR (two metal brackets moulded in rubber) (square holes)	3661831	1	.55
51-57	PASS.	INSULATOR (rubber—1 $^{3}/_{4}$ x 3 $^{5}/_{8}$)	3720456	A.R.	.55
53-57	CORV.	INSULATOR	3696882	2	(3.709)
51-54	PASS.	RETAINER, tail pipe insulator rebound (1 $^{3}/_{8}$ wide—L shaped)	3696875	A.R.	.20
55-57	PASS. w/Dual Exh.				
51-55	CONV. w/4BC.	RETAINER, muffler to tail pipe clamp,			
51-56	PASS. (exc. CONV., 4BC)	tail pipe frt. supt. brkt.,			
53-56	CORV.	insulator, tail pipe, exhaust pipe clamp,			
57	ALL, CORV.	tail pipe clamp (1 $^{3}/_{16}$ x 1 $^{3}/_{8}$),	3696888	A.R.	.10
29-31	ALL,				
32-34	N, O, DC.	STRAP (1 wide x 12 $^{11}/_{16}$ overall length—both			
34-57	COMM., UTIL.	ends hooked)	344194	A.R.	.50
29-31	ALL,				
32-34	N, O, DC.	BOLT, strap ($^{5}/_{16}$—24 x 2 $^{5}/_{8}$ overall—$^{1}/_{4}$ x 1 $^{1}/_{4}$			
34-57	COMM., UTIL.	strap slot in head)	344193	A.R.	.30

3.705 PIPE—EXTENSION—BEZEL—DUCT—PLATE, Muffler Tail (exhaust pipe in group 3.609)


33	UTIL.,				
46-48	2-SPD. AXLE (Vac. Shift) (exc. SBC)	short (1 $^{3}/_{4}$ O.D. x 8 $^{3}/_{8}$ devel. length)			
49	UTIL. (exc. SBC)	(stamped 3692278)	3692278	1	1.30
37-39	PASS.	(stamped 350506)	350506	1	4.15
37-40	$^{1}/_{2}$ TON	(stamped 599415)	599415⊕	1	2.85
37-40	GD, GE, HD, HE, JD, JE, KD, KE (PANEL, PICK-UP)	(stamped 599397)	599397	1	2.85
40	PASS. (exc. CONV.)	(stamped 3653725)	3653725	1	4.15
41-46	$^{1}/_{2}$ TON	(stamped 3656764)	3656764	1	3.25
41-49	AL, AM, BL, BM, DR, ER, FR, GR	(stamped 3657135)	3657135	1	3.85
41-49	AN, YR, BN, MR, OR, DS, PJ, ES, FS, GS (PAN.)	(stamped 3656962)	3656962	1	4.70
41-46	SBC	(stamped 3656982)	3656982	1	8.20
47-49	EP, FP, GP	(stamped 3683656)	3683656	1	3.45
47-49	QX, RX, SX	(1 $^{3}/_{4}$ O.D. x 197 $^{3}/_{4}$ length overall) (stamped 3683464)	3683464	1	9.75
47-49	QL, RL, SL	(1 $^{3}/_{4}$ O.D. x 137 length overall) (stamped 3684293)	3684293	1	6.40
41-49	AN, BN, DS, ES, FS, GS (exc. PANEL)	(1 $^{3}/_{4}$ O.D. x 89 $^{1}/_{32}$ length overall)			
41-49	UTIL. (exc. SBC)	(stamped 3684840)	3684840‡	1	4.15
41-48	PASS. (exc. CONV.)	(87 $^{7}/_{8}$ O.L.) (stamped 3687978)	3687978	1	4.70
41-48	CONV.	(93 $^{5}/_{8}$ O.L.) (stamped 3687994)	3687994	1	4.70
48-49	FT, GT	(71 O.L.) (stmpd. 3687617)	3687617	1	3.45
48-49	FU, GU	(94 $^{3}/_{8}$ O.L.) (stmpd. 3689136)	3689136	1	3.85
49-51	PASS. (exc. CONV., P.G.),				
52	PASS. (exc. CONV., STA. WAG., P.G.)	(94 O.L.) (stmpd. 3697600)	3697600	1	4.70
49-52	PASS. (exc. CONV., P.G.)	aluminized (94 O.L.) (stmpd. 3698043)	3698043	1	5.85
49-52	CONV.	(104 O.L.) (stmpd. 3697601)	3697601	1	5.05
50-51	PASS. w/P.G. (exc. CONV.),				
52	PASS. w/P.G. (exc. CONV., STA. WAG.)	(94 O.L.) (stmpd. 3697602)	3697602	1	4.70
50-51	PASS. w/P.G. (exc. CONV.),				
52	PASS. w/P.G. (exc. CONV., STA. WAG.)	aluminized (59 O.L.) (stmpd. 3701862)	3701862	1	6.20

⊕NOTE: When installing 599415 on 1937-38 cut 1 $^{1}/_{2}$ from front end of pipe and reslot.

‡NOTE: When using 3684840 on some models it may be necessary to cut off at muffler end. Use old muffler tail pipe as guide.



PASSENGER SINGLE EXHAUST SYSTEM



1957 PASSENGER CHASSIS WITH DUAL EXHAUST

50	½ TON,				
51-55	½ TON (SGL. UNIT) (1st Ser.)	(59 O.L.) (stmpd. 3696806)	3696806	1	3.75
50-55	¾ TON (1st Ser.) (exc. D-D)	(63¾ O.L.) (stmpd. 3696161)	3696161	1	3.85
50-55	¾ TON D-D (1st Ser.)	(79¼ O.L.) (stmpd. 3692824)	3692824	1	4.15
50-55	1 TON (1st Ser.) (exc. PANEL),				
55-57	1 TON (2nd Ser.) (exc. PANEL, STAKE)	(59¾ O.L.) (stmpd. 3715243)	3715243	1	3.85
50-55	1 TON (PANEL) (1st Ser.)	(87⅜ O.L.) (stmpd. 3689574)	3689574	1	4.70
50-55	1 TON D-D (1st Ser.)	(103 O.L.) (stmpd. 3692825)	3692825	1	5.05
50-53	1½ TON SBC	(138 O.L.) (stmpd. 3689575)	3689575	1	8.60
50-57	UTIL. (exc. SBC),				
56-57	¾, 1 TON STAKE	(7⅜ O.L.) (stmpd. 3692828)	3692828	A.R.	1.30
50-53	2 TON SBC (exc. VZ, Z)	(199 O.L.) (stmpd. 3689579)	3689579	1	11.20
51-53	½ TON (exc. SGL. UNIT)	(55½ O.L.) (stmpd. 3696178)	3696178	1	3.50
52	STA. WAG. (exc. P.G.)	(92¾ O.L.) (stmpd. 3701130)	3701130	1	4.70
52	STA. WAG. w/P.G.	(92¾ O.L.) (stamped 3701131)	3701131	1	4.70
52-53	VZ, Z	(226⅜ O.L.) (stamped 3701287)	3701287	1	11.20
53	PASS. (exc. CONV., STA. WAG.)	(93¼ O.L.) (stamped 3697963)	3697963	1	5.05
53	PASS. (exc. CONV., STA. WAG.)	aluminized (93¼ O.L.) (stamped 3698719)	3698719	1	5.85
53-54	CONV.	(1⅞ O.D.—104 O.L.) (stamped 3697976)	3697976	1	5.35
53-55	CORV. 6 cyl.	left (stamped 3706229)	3706229	1	5.50
53-55	CORV. 6 cyl.	right (stamped 3706230)	3706230	1	5.50
53	STA. WAG.	(1⅞ O.D.—94 O.L.) (stamped 3701620)	3701620	1	4.70
54	PASS. (exc. CONV., STA. WAG.)	(81 O.L.—1⅞ dia.) (stamped 3704898)	3704898	1	4.70
54	PASS. (exc. CONV., STA. WAG.)	aluminized (80¾ O.L.) (stamped 3704998)	3704998	1	6.20
54	STA. WAG.	(80¾ O.L.) (stamped 3704999)	3704999	1	4.70
54-55	½ TON (1st Ser.) (exc. SGL. UNIT)	(55½ O.L.—1⅞ dia.) (stmpd. 3705359)	3705359	1	3.45
54-55	1½ TON SBC (1st Ser.)	(138 O.L.—1⅞ dia.) (stamped 3705873)	3705873	1	8.60
54-55	Y (1st Ser.)	(199 O.L.—1⅞ dia.) (stamped 3705867)	3705867	1	11.20
54-55	Z (1st Ser.)	(226⅜ O.L.—1⅞ dia.) (stmpd. 3705870)	3705870	1	11.20
55	PASS. (exc. 4BC, CONV., STA. WAG., SDL.)	(96 O.L.—1⅞ dia.) (stmpd. 3718815)	3718815†	1	4.50
55	SDL., STA. WAG.	(96¾ O.L.) (stamped 3718817)	3718817	1	4.70
55	CORV. 8 cyl.	L. H. (31$^{13}/_{32}$ O.L.) (stamped 3720131)	3720131	1	5.30
55	CORV. 8 cyl.	R.H. (31½ O.L.) (stamped 3720132)	3720132	1	5.30
55	CONV.,				
55	PASS. w/Dual Exh.	L.H. (97¼ O.L.) (stamped 3718816)	3718816	1	4.70
55	PASS. w/Dual Exh.	R.H. (94 O.L.) (stamped 3714630)	3714630	1	5.85
55-57	½, ¾ TON (2nd Ser.) (exc. H, Ser. 3A, D-D)	(63⅞ O.L.) (stamped 3719084)	3719084	1	3.85
55-57	½ TON (2nd Ser.) (exc. M, Ser. 3B, SGL. UNIT)	(54 O.L.) (stamped 3719802)	3719802	1	3.45
55-57	½ TON SGL. UNIT (2nd Ser.)	(68⅞ O.L.) (stamped 3722262)	3722262	1	3.90
55-57	D-D (2nd Ser.) (exc. 2 TON)	(97⅞ O.L.) (stamped 3720676)	3720676	1	4.70
55-57	1 TON PANEL (2nd Ser.)	(87½ O.L.) (stamped 3715244)	3715244	1	4.70
55-57	1½ TON SBC (2nd Ser.)	(146¾ O.L.) (stamped 3715379)	3715379	1	8.60
55-56	2 TON SBC (2nd Ser.)	(229 O.L.) (stamped 3714605)	3714605	1	11.20
56	PASS. (exc. 4BC, CONV., STA. WAG., SDL.)	left (96⅜ O.L.) (stamped 3726110)	3726110	1	4.85
56	CONV. (exc. 4BC),				
56	PASS. w/4BC (exc. STA. WAG., SDL.)	left (97⅝ O.L.) (stamped 3726133)	3726133	1	4.85
56	PASS. w/dual exh. (exc. STA. WAG., SDL.)	right (94⅝ O.L.) (stamped 3727868)	3727868	1	6.05
56	STA. WAG., SDL. w/dual exh. (exc. 9 PASS.)	left (97⅜ O.L.) (stamped 3726107)	3726107	1	6.05
56	STA. WAG., SDL. w/dual exh. (exc. 9 PASS.)	right (97⅜ O.L.) (stamped 3726108)	3726108	1	6.05
56	STA. WAG., SDL. (exc. 9 PASS., dual exh.)	left (98 O.L.) (stamped 3726131)	3726131	1	4.85
56	STA.WAG. (9 PASS.) (exc. dual exh.)	left (98 O.L.) (stamped 3726132)	3726132	1	4.85
56	STA. WAG. (9 PASS.) w/dual exh.	left (99$^{9}/_{32}$ O.L.) (stamped 3726105)	3726105	1	6.05
56	STA. WAG. (9 PASS.) w/dual exh.	right (99$^{9}/_{32}$ O.L.) (stamped 3726106)	3726106	1	6.05
56	CORV.	left (26 O.L.) (stamped 3726707)	3726707	1	5.50
56	CORV.	right (26 O.L.) (stamped 3726708)	3726708	1	5.50
57	PASS. (exc. CONV., STA. WAG., SDL.)	L.H. (90$^{27}/_{32}$ O.L.) (stamped 3733079)	3733079	1	4.95
57	PASS. w/4BC, dual 4BC (exc. STA. WAG., SDL.)	R.H. (92⅛ O.L.) (stamped 3733072)	3733072	1	6.25
57	CONV.	L.H. (92⅛) (stamped 3733073)	3733073	1	4.95
57	STA. WAG., SDL. (exc. 9 PASS.)	L.H. (90$^{27}/_{32}$ O.L.) (stamped 3733075)	3733075	1	4.95

†NOTE: Use with 3718800, "U" bolt.

57	STA. WAG., SDL. w/4BC, dual 4BC (exc. 9 PASS.)	R.H. (92 5/32 O.L.) (stamped 3733074)	3733074	1	6.25
57	STA. WAG. (9 PASS.)	L.H. (90 3/4 O.L.) (stamped 3733077)	3733077	1	4.95
57	STA. WAG. (9 PASS.) w/4BC, dual 4BC.	R.H. (92 5/32 O.L.) (stamped 3733076)	3733076	1	6.25
57	CORV.	L.H. (28 3/4 O.L.) (stamped 3736961)	3736961	1	5.50
57	CORV.	R.H. (28 3/4 O.L.) (stamped 3737648)	3737648	1	5.50
57	Ser. 6 (SBC)	L.H. (299 3/64 O.L.) (stamped 3739009)	3739009	A.R.	11.20
57	Ser. 6 (SBC)	R.H. (299 3/64 O.L.) (stamped 3739010)	3739010	A.R.	11.20
57	Ser. 6J	(stamped 3740588)	3740588	1	
57	Ser. 6K	(stamped 3740585)	3740585	1	
54-55	CORV.	EXTENSION ASSY.	3711147	2	17.55
55-56	PASS.	EXTENSION ASSY.	987116	1	3.25
55-56	PASS. w/Dual Exh.	EXTENSION ASSY.	3717989*	2	3.70
56-57	CORV.	EXTENSION ASSY. (16 27/32 O.L.) (stamped 3726706)	3726706	2	3.60
53-55	CORV.	BEZEL, stainless steel	3706308	2	1.40
56-57	CORV.	BEZEL	3725596	2	3.15
53-55	CORV.	DUCT, left (plastic laminate)	3710085	1	4.65
53-55	CORV.	DUCT, right (plastic laminate)	3710086	1	4.65
56-57	CORV.	DUCT (plastic laminate)	3725588	2	5.25
56-57	CORV.	PLATE (tailpipe bezel mtg.)	3725600	2	.35

*NOTE: Cut 3" from end of tail pipe when used on regular production cars and dual exhaust.

3.706 BRACKET—SUPPORT, Muffler Tail Pipe

38-39	PASS.	w/clamp (5 1/4 length overall)	597116	1	.60
40	PASS.	w/clamp (4 7/8 length overall)	3652715	1	.60
41-42	PASS.,				
48	PASS.	w/clamp (6 1/2 length overall)	3658199	1	.80
41-48	PASS.	frame ("L" shape)	3658202	1	.30
46	PASS.	w/clamp (6 9/32 length overall)	3681293	1	.80
47	PASS.	w/clamp	3685789	1	.65
49-50	PASS. (exc. P.G.),				
50	CONV. w/P.G.	w/clamp (6 3/16 length overall)	3690052	1	.80
49-50	PASS.	frame ("L" shape)	3690051	1	.30
50	PASS. w/P.G. (exc. CONV.)	support	3693035	1	.80
51-52	PASS. (exc. P.G.),				
51-52	CONV. w/P.G.	support, w/insulator	3696881	1	1.70
51-52	PASS. w/P.G. (exc. CONV.)	support, w/insulator	3696885	1	1.70
53-54	PASS.	support, w/insulator	3697973	1	1.70
53-57	CORV.	left (welded to frame)	3706201	1	.35
53-57	CORV.	right (welded to frame)	3706202	1	.35
55	PASS.	frame, L.H. ("L" shape—2 3/4 length)	3710121	A.R.	.30
55	PASS. w/Dual Exh.	frame, R.H. ("L" shape—1 3/4 length)	3716848	1	.30
55-57	3/4 TON D-D (2nd Ser.) (exc. F, Ser. 3C),				
55-56	1 TON PANEL (2nd Ser.)	rear,			
55-56	1/2, 3/4 TON (exc. D-D, Stake, H, Ser. 3A), (2nd Ser.),				
55-57	F, Ser. 3C	w/clamp (8 3/8 O.L.)	3720513	1	.85
55-56	H, Ser. 3A	w/clamp (9 1/4 O.L.)	3716702	1	.85
55-57	1 TON (2nd Ser.) (exc. PANEL, STAKE)	w/clamp (10 1/2 O.L.)	3716577	1	.85
55-56	1 TON PANEL (2nd Ser.) (1st design),				
55-57	1 1/2 TON SBC (2nd Ser.)	front, w/clamp,			
55-56	2 TON SBC (2nd Ser.)	frt. and frt. inter. w/clamp (8 O.L.)	3716589	A.R.	.85
55-57	D-D (2nd Ser.) (exc. F, Ser. 3C)	front, w/clamp,			
55-56	SBC (2nd Ser.),				
57	Ser. 4C	rear, w/clamp (9 O.L.)	3717195	1	.80
55-57	SBC (2nd Ser.)	insulator to frame, rear to frame	3717198	1	.95
55-57	1 1/2 TON SBC (2nd Ser.)	inter., w/clamp,			
55-56	2 TON SBC (2nd Ser.)	rear inter., w/clamp (6 3/4 O.L.)	3717196	1	.80
55-56	PASS. w/Dual Exh. (exc. STA. WAG., SDL)	support w/insulator	3709389	A.R.	1.50
56-57	PASS.	frame ("L" shape—2 11/16 length) (bolt to frame)	3726138	A.R.	.30
56	PASS.	w/clamp (6 1/8 O.L.)	3726134	1	1.45
56	Ser. 3A (SGL. UNIT),				
57	Ser. 3A	tail pipe frame	3732876	1	.25
56-57	1 TON PANEL	tail pipe frame front	3732874	1	.20

56-57	Ser. 3G (PANEL)	tail pipe rear,			
57	Ser. 3B-3C (exc. STAKE)	tail pipe frame	3732877	1	.35
56	Ser. 3A (SGL. UNIT),				
57	Ser. 3A	w/clamp and insulator	3732879	1	.65
56-57	Ser. 3G (PANEL) (2nd design),				
57	Ser. 3B-3E (exc. STAKE),				
57	Ser. 6D-6E	w/clamp and insulator	3732880	A.R.	.65
57	PASS.	L.H., w/clamp	3733081	A.R.	1.45
57	PASS.	R.H., w/clamp	3733082	A.R.	1.45
57	Ser. 6 (SBC)	rear intermediate	3737637	A.R.	.20
57	Ser. 6D-6E-6J-6K	w/clamp and insulator,			
57	Ser. 6D-6E w/4BC	w/rr. intermediate clamp and insulator	3737635	A.R.	.80
41-49	½ TON	SUPPORT, w/clamp (4⅜ high)	3656791	1	.90
41-46	YR, YS, BN, MR, MS, DS, OE, OF, OR, OS, PJ, PK, PV, PW, COE (exc. PANEL),				
47-49	ES, QJ, FS, RJ, GS, SJ (exc. PANEL)	SUPPORT, w/clamp (9 high)	3657005	1	1.00
41-49	AN, YR, BN, MR, DS, OR, PJ, ES, FS, GS (PAN.)	SUPPORT, front and rear,			
41-49	AL, AM, YT, BL, BM, MT, DR, OY, OG, PL, PX, ER, QX, FR, FT, RX, GR, GT, SX	rear, w/clamp (6½ O.L.)	3656925	1	.90
41-49	YT, MT, OY, OG, PL, PX, QL, QX, RL, RX, SL, SX	SUPPORT, w/clamp, 4th and 5th cross members (6½ high)	3683468	1	.75
41-49	YT, MS, MT, OW, OY, OG, PL, PX, QX, RX, SX	SUPPORT, w/clamp, 6th cross member (3¼ high)	3656900	1	.60
47-49	QL, RL, SL	SUPPORT, w/clamp, use w/side member ahead of 5th crossmember	3684226	1	.65
47-49	QL, RL, SL	SUPPORT, w/clamp, rear	3684224	1	.65
48-49	FU, GU	SUPPORT, w/clamp (8¾ O.L.)	3689126	1	.60
50	½ TON,				
51-55	½ TON (SGL. UNIT) (1st Ser.)	SUPPORT, w/clamp,			
50-54	1 TON (PANEL)	front only	3689581	1	.80
50	¾ TON,				
50-55	¾ TON D-D, 1 TON PANEL, 2 TON SBC (1st Ser.)	SUPPORT, rear	3689585	1	.80
50-55	1 TON (1st Ser.) (exc. D-D, PANEL)	SUPPORT, w/clamp	3689583	1	.90
50-55	1 TON D-D, 1½ TON SBC (1st Ser.)	SUPPORT, use w/side member, ahead of 5th crossmember	3705874	1	.75
51-55	½ TON (1st Ser.) (exc. SGL. UNIT)	SUPPORT, w/clamp	3696179	1	.65
51-55	¾ TON (1st Ser.) (exc. D-D)	SUPPORT, w/clamp	3696162	1	.75
53-55	CORV	SUPPORT, left, extension	3706531	1	.80
53-55	CORV	SUPPORT, right, extension	3706532	1	.80
56-57	CORV	SUPPORT, w/clamp	3726428	2	.85

3.707 GROMMET—BOLT—WASHER, Muffler Support and Bracket

37-50	PASS.	support bracket (rubber—1⅝ O.D. x ⅜ I.D.)	593638	A.R.	.20
41-50	PASS.	BOLT, support insulator (rd. hd. carr.—5/16—18 x ⅝)	3659743	2	.08
37-40	PASS.	WASHER, bracket (7/16 I.D. x 1⅝ O.D.)	593645	2	(3.709)

3.708 CLAMP—"U" BOLT, Muffler Exhaust Pipe and Tail Pipe

33	ALL	tail pipe (1¾ I.D. w/¼ gap—clamp bolt ears both bent in)	370585	1	.45
41-49	COMM., UTIL.	exh. pipe muffler (2 dia. w/¼ gap—both clamp bolt ears bent in)	3657043	1	.45
41-49	COMM., UTIL.	exhaust pipe (2 3/32 I.D.)	3693550	1	.45
50-57	COMM., UTIL.				
50-57	COMM., UTIL.,				
55	PASS.	muffler tail pipe (1⅞ I.D.)	3689542	A.R.	.45
55-56	CORV. 8 cyl.	muffler insulator,			
57	CORV.	muffler insulator R.H.	3717360	A.R.	.25
55-57	CORV. 8 cyl.	exhaust pipe	3717894	2	.40
57	CORV.	muffler insulator L.H.	3741807	1	.25
57	Ser. 6 (8 cyl.)	pipe to muffler, less bolts	1345733	1	.25
57	Ser. 6 (8 cyl.)	pipe to muffler, w/bolts	1345732	1	.55

34-36	DA, EA, EC, ED, FA, FC, FD,				
50-52	PASS. w/P.G.	CLAMP UNIT, w/"U" bolt, exhaust pipe			
53-57	PASS.	and muffler	3694837	A.R.	.65
37-52	PASS. (exc. P.G.)	CLAMP UNIT, w/"U" bolt, exh. pipe muffler.	3693811	1	.65
37-52	PASS. (exc. EC, FC, P.G.),				
50	CONV. w/P.G.,				
53-54	CORV.,				
57	PASS. w/4BC, dual 4BC	CLAMP UNIT, w/"U" bolt, muffler to tail pipe	3693812	1	.65
51-52	CONV.,				
53-54	CORV.	CLAMP UNIT, w/"U" bolt, muffler to tail pipe	3697073	1	.70
53-54	CONV.	CLAMP UNIT, w/"U" bolt, muffler to tail pipe	3703167	1	.70
50-52	PASS. w/P.G. (exc. CONV.),				
53	PASS. (exc. CONV.),				
55-57	PASS.,				
55-57	CORV. 8 cyl.	CLAMP UNIT, w/"U" bolt, muffler to tail pipe	3719496	2	.60
34-36	DA, EA, EC, ED, FA, FC, FD,				
50-52	PASS. w/P.G.,				
53-56	PASS.	"U" BOLT, exh. pipe clamp (5/16—24—2 7/16 ctr.			
57	CONV.	to ctr.—2 7/8 inside depth)	374217	A.R.	.45
35-52	PASS. (exc. EC, FC, P.G.),				
50-52	CONV.,				
53-55	CORV. 6 cyl.	"U" BOLT, muffler to tail pipe (5/16—24—2 1/8			
57	PASS. w/4BC, dual 4BC	ctr. to ctr. x 2 9/16 inside depth)	377916	A.R.	.45
37-52	PASS. (exc. P.G.)	"U" BOLT, exh. pipe clamp (5/16—24—2 5/16 ctr.			
		to ctr.—2 3/4 inside depth)	594134	1	.45
34	DA,				
50-52	PASS. w/P.G. (exc. CONV.),				
53	PASS.	"U" BOLT, muffler to tail pipe,			
51-54	PASS. (exc. CONV.),				
55-57	PASS.,				
55-57	CORV. 8 cyl.	frt. supt. brkt.	3718800	A.R.	.35
55-57	CORV. 8 cyl.	"U" BOLT, exhaust pipe clamp (5/16—24)	3717892	1	.35
51-52	PASS. (exc. CONV., P.G.)	"U" BOLT UNIT, frt. supt. brkt.	3697071	1	.70
51-52	PASS. w/P.G. (exc. CONV.),				
53-54	PASS. (exc. CONV.)	"U" BOLT UNIT, front support bracket	3710288	1	.70

3.709 BOLT—GROMMET—WASHER—INSULATOR, Tail Pipe Bracket

41-50	PASS.	bracket (5/16—24 x 1 1/2—3/8 dia. x 15/16 length			
		shldr.—hex. hd.)	3658201	1	.25
37-50	PASS.	GROMMET, bracket (3/8 I.D. x 1 5/8 O.D.)	593638	1	(3.707)
37-50	PASS.	WASHER, bracket (7/16 I.D. x 1 5/8 O.D.)	593645	1	.05
53-57	CORV.	INSULATOR (one 11/64 and one 11/32 hole)	3696882	A.R.	.75

3.724 GASKET UNIT, Carburetor

32-49	ALL (exc. COE)	(Carter 152A)	609994*	1	1.21
32-51	ALL (w/Roch.—1st type)		7001386	1	.45
32-57	ALL (2nd type) (w/7003526-3864-3986-				
	4476-4478-4915-4468)	(air horn and throttle body gaskets)	7004595	1	.44
37-52	PASS. w/A.C.,				
53	ALL w/235 (exc. D-D, COE),				
54-56	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)		7004085†	1	.65
54-57	ALL w/7005140	(air horn and throttle body gaskets)	7006126	1	.44
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
56-57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)		7008534	1	1.50
55	PASS., CORV. w/4BC		3716674	1	2.40
55	COMM., UTIL. (8 cyl.) (exc. gov.)		7008533	1	1.20

*NOTE: Consists of necessary gaskets to overhaul carburetor

†NOTE: Consists of Suction Tube Packing and following gaskets: Choke Hsg., Air Horn, Stat. Cover, Throttle Body, Needle Seat.

56	PASS., 8 cyl. (exc. 4BC, dual 4BC)	w/7008387-9345,			
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, A.T.	w/7010647-0719	7009949	1	1.50
56	PASS., CORV. w/4BC	(Carter 281A)	3739121	1	2.11
56-57	PASS., CORV. w/dual 4BC	use w/3720953-3730599 (Carter 286A)	3740638	1	2.40
56-57	PASS. w/Roch. 4BC		7009953	1	1.95
56	COMM., UTIL. (8 cyl.) (exc. gov.),				
57	COMM, 1½ TON (8 cyl.)	use w/7008383-8389	7009950	1	1.20
56-57	2 TON w/dist. cont. gov. (exc. 4BC)		7009951	1	2.00
57	PASS. 6 cyl.		7015749	1	.70
57	PASS., CORV. w/4BC	(Carter 296)	3742915	1	2.21
57	Ser. 6 w/4BC		7015743	1	1.90
57	PASS., CORV. w/dual 4BC	use w/3744002-4004 (Carter 307)	3744041	1	2.21

3.725 CARBURETOR ASSEMBLY AND REPAIR KIT

NOTE: A.C. denotes Automatic Choke.

32-49	ALL (exc. D-D, COE),				
50-53	ALL w/216	UNIT	7004600	1	16.50
50-56	PASS. 6 cyl. w/P.G.	UNIT (7180 stamped on mfld. face)	7007200‡	1	23.50
56	PASS. w/Roch. 4BC	UNIT	7009913	1	69.50
57	PASS. 6 cyl. (exc. P.G., gov.)	UNIT, w/inlet fitting	7015710	1	23.95
57	PASS. 6 cyl. w/P.G.	UNIT, w/inlet fitting less heat pipe	7015709	1	23.95
57	PASS. 8 cyl. (exc. A.T., 4BC, dual 4BC)	UNIT, w/bushing, swivel, sleeve	7015712	1	30.50
57	PASS. w/Roch. 4BC	UNIT, w/inlet fitting	7015711	1	69.35
57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)	UNIT, w/bushing, swivel, sleeve	7015715	1	30.50
57	Ser. 3-4 (8 cyl.) w/gov. (exc. D-D)	UNIT, w/inlet fitting	7015759	1	29.00
57	Ser. 6 (8 cyl.) (exc. 4BC)	UNIT, less inlet fitting	7015718	1	58.50
57	Ser. 6 w/4BC	UNIT, w/flange gasket less inlet fitting	7015713	1	98.50
39-49	D-D, COE	(Carter BB1-517S)	839662	1	22.50
50-51	PASS. w/P.G.				
50-53	UTIL. w/235 (exc. COE),				
54-57	COMM., UTIL. (6 cyl.) (exc. H.T., D-D, COE, 261)	(4468 stmpd. on mfld. face)	7004468	1	16.50
50-53	D-D, COE,				
54-57	D-D 6 cyl. (exc. 2 TON)	(Carter BB1-871-SC)	3705500	1	22.50
53-55	CORV. 6 cyl.	(Carter YH-2066SA)	3706989	3	23.00
53-55	PASS. 6 cyl. (A.C.) (exc. P.G., gov.),				
54-55	COMM. 6 cyl. w/H.T. (exc. D-D)	(7181 stamped on mfld. face)	7007181	1	22.95
54-57	2 TON w/261 (exc. COE)	(5140 stamped on mfld face)	7005140	1	16.50
54-55	COE	(Carter BB2-2075-S)	3705952	1	22.50
55	PASS. 8 cyl. (exc. P.G., 4BC)		7008005	1	30.50
55	PASS. 8 cyl. w/P.G. (exc. 4BC)		7008004	1	30.50
55	PASS., CORV. w/4BC	w/o bellcrank boss (Carter WCFB-2351S)	3724158	1	66.00
55-56	COMM., UTIL. (8 cyl.) (exc. gov.),				
57	Ser. 3-4 (8 cyl.) (exc. gov.)		7009912	1	29.00
55-56	COMM., UTIL. (8 cyl.) w/gov. (exc. D-D)		7008706	1	29.00
56	PASS. 6 cyl. w/gov.		7009253	1	22.95
56	PASS. 6 cyl. (exc. P.G., gov.),				
56-57	COMM. 6 cyl. w/H.T. (exc. D-D)		7009911	1	22.95
56	PASS, CORV. w/4BC	(Carter WCFB 2366S—SA)	3726255	1	66.00
56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)		7009909	1	30.50
56	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)		7009910	1	30.50
56-57	PASS., CORV. w/dual 4BC	used as rear carb	3720953	1	68.00
56-57	PASS., CORV. w/dual 4BC	used as front carb (Carter WCFB 2419-S)	3730599	1	65.00
56	2 TON w/dist. cont. gov.	(dist. control gov.)	7008393	1	58.50
57	PASS., CORV. w/4BC	(WCFB 2505S) (WCFB 2555)	3736062	1	66.50

†NOTE: Adapter Kit 7003924 must be used when converting from manual to automatic choke.


‡NOTE: Consists of 7007180 carburetor and 3707823 choke heat pipe assy.

REPAIR KIT


NOTE: Repair kits consist of necessary parts to overhaul one carburetor—including jets, nozzles, intake needle and seat, pump lever, etc.

39-40	ALL (exc. COE) (for W1-420-S)	(Carter 1013D)	609992	1	5.15
41-48	ALL (exc. FT, FU, COE) (for W1-483-S)	(Carter 1089C)	609993	1	7.05
49	ALL (exc. D-D, COE) (for W1-684-S)	(Carter 1500)	3692429	1	7.10
32-56	ALL 6 cyl. (w/Roch.),				
57	Ser. 3-4-6 (6 cyl.) (exc. H.T.)		7004363*	1	4.15

FOUR BARREL FLANGE GASKET



PART NO. 3733102
ROCHESTER 4BC



PART NO. 3726256
CARTER 4BC

50-55	COE,				
50-57	D-D 6 cyl. (exc. 2 TON)	(Carter 1539A)	3717216	1	5.80
53-55	CORV. 6 cyl.	(Carter 1771)	3718474	1	8.15
55-56	ALL 8 cyl. (exc. P.G., 4BC)		7007011*	1	5.45
55-56	PASS. 8 cyl. w/P.G. (exc. 4BC) (w/7008004)		7009189	1	7.65
55	PASS., CORV. w/4BC		3716670	1	13.75
55-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
56	PASS. 6 cyl. (exc. P.G.)		7009311	1	5.45
56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	PASS. 8 cyl. (exc. 4BC, dual 4BC, A.T.)		7009929	1	7.30
56	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)		7009928	1	7.30
56	PASS., CORV. w/4BC	(Carter 1828B)	3739123	1	12.15
56	PASS. w/Roch. 4BC		7009933	1	9.70
56-57	PASS., CORV. w/dual 4BC	w/3720953—3730599 (Carter 1850)	3740087	1	14.10
56	COMM., UTIL, (8 cyl.) (exc. gov.),				
57	COMM., 1½ TON (8 cyl.)		7009930	1	7.00
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	(use w/7008393, 7010717)	7009934	1	9.50
57	PASS. 6 cyl.	use w/7009656-7	7015729	1	6.00
57	PASS. w/4BC	w/2 step power valve	7015730	1	9.70
57	PASS., CORV. w/4BC	use w/3733246, 3736062 (Carter 1856)	3742918	1	13.75
57	PASS., CORV. w/dual 4BC	use w/374002-4004 (Carter 1870)	3744042	1	13.48
57	Ser. 6 w/4BC	use w/7009661	7015723	1	11.60

*NOTE: Gaskets not included in this kit. Use required unit listed in 3.724.

3.726 GASKET—INSULATOR, Carburetor to Manifold

32-49	ALL (w/gov.)	both side of gov. ($1\frac{17}{32}$ I.D.—2 slots—$2\frac{3}{16}$ x 3½ overall x 1/16 thick)	3651972	2	.08
50-53	ALL w/216 (w/gov.)				
37-52	PASS. w/7005060,				
39-42	COE (w/out gov.)	carb. to spacer ($1\frac{3}{4}$ I.D.—4 slots—2¼ x $3\frac{1}{8}$ overall x ⅛ thick)	839632	2	.24
48-49	D-D (w/out gov.)				
53-57	PASS. 6 cyl. (w/gov.)	($3\frac{13}{16}$ O.L.)	3723576	2	.10
55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	(two 1½ holes—$4\frac{7}{8}$ O.L.)	3704952	1	.12

55-56	PASS., CORV. w/4BC	(four $1^{13}/_{32}$ holes—$6^{3}/_{8}$ O.L.) (Carter 1A 114)	3715082	A.R.	.25
55-57	ALL 8 cyl. (w/velocity type gov.)	carburetor and governor	3718359	A.R.	.15
56-57	PASS., CORV. w/dual 4BC		3739168	2	.20
50-52	D-D,				
51-55	COE	between carb. spacer and carb.,			
53	SBC w/235	between gov. and inlet mfld.,			
54-57	COMM., UTIL. (6 cyl.) (exc. H.T., O/D)	between gov. and carb.	3712549	A.R.	.20
56-57	PASS., CORV. w/4BC	see above illustration	3726256	1	.38
56-57	PASS. w/Roch. 4BC	see above illustration	3733102	1	.25
56-57	COMM., UTIL. (8 cyl.) (exc. gov., 4BC)	carburetor,			
56-57	COMM., UTIL. (8 cyl.) (w/velocity type gov.)	gov. adapter	3733281	A.R.	.15
50	UTIL. w/235 (exc. SBC),				
51-53	UTIL. w/235 w/gov.,				
53	PASS. (exc. P.G.),				
54-57	COMM., UTIL. (6 cyl.) w/gov. (exc. D-D)		5756449	A.R	.10
34-40	PASS. (exc. DC, EC, F) (w/o gov.)	INSULATOR ($^{39}/_{64}$ thick—$2^{11}/_{16}$ ctr. to ctr. bolt holes)	3692797	1	.50
41-53	ALL w/216				
37-39	GC, GD, GE, S, HC, HD, HE, T, JC, JD, JE, V (exc. COE),				
40	KC, KD, KE, KF, WA, WB	INSULATOR, w/sleeve ($1^{5}/_{8}$ I.D. top—$1^{1}/_{16}$ I.D. bottom—$^{1}/_{4}$ x $^{3}/_{16}$ slot on top of sleeve—stencilled "FRONT") (not used with gov.)	605392	1	.40
41-49	ALL (exc. PASS., COE, 2 TON) (use in place of 3692797 to slow down engine)				
50	PASS. w/P.G.,				
51-53	ALL w/235 (w/Roch.),				
54	ALL (w/Roch.) (exc. SBC),				
55-57	ALL 6 cyl. (w/Roch.)	INSULATOR ($2^{15}/_{16}$ ctr. to ctr. of bolt holes)	3692799	1	.50
53-55	CORV	INSULATOR	3706391	3	.45

3.729 BODY—SPACER—GASKET—VALVE, Carburetor

32-49	ALL,				
50-51	ALL w/216 (use w/7002539-40, 7004039)	throttle (cast 7002105)	7002104	1	6.55
37-52	PASS. w/A.C. (exc. P.G.)	throttle	7005057	1	7.50
50-51	PASS. w/P.G. (w/7003060)	throttle (use w/return check)	7003235	1	6.55
50-51	PASS. w/P.G. (w/7003986)	throttle	7004521	1	6.50
32-53	ALL w/216 (w/7004600)	throttle (cast 7002105)	7004517	1	6.50
50-52	UTIL. w/235 (w/7004476)	throttle (cast 7002128)	7004572	1	6.50
52	PASS. w/A.C., w/P.G. (w/7003526)	throttle (cast 7003538)	7004082	1	7.30
53	PASS. (exc. P.G., SDL.) (w/7004915),				
54	PASS. w/7005921,				
54-55	COMM. w/7005921 (1st Ser.)	w/small cam lift (cast 7003538)	7005645	1	7.30
53-54	PASS. w/P.G. (w/7004478-5922)	w/large cam lift (cast 7003538)	7005647	1	7.30
54-55	CORV. 6 cyl.	(Carter 1-1083S)	3708200	3	7.75
53	UTIL. w/235 (exc. COE) (w/7004468),				
54-57	COMM., UTIL. (6 cyl.) (exc. H.T., D-D, COE, 261)	(cast 7002128)	7005643	1	6.50
54-57	2 TON w/261 (exc. COE) (w/7005140)	throttle (cast 7005140)	7006144	1	6.50
54-57	COMM. w/H.T. 6 cyl.,				
55-56	PASS. 6 cyl. (exc. gov., P.G.)	throttle (cast 7003538)	7007984	1	7.30
55-56	PASS. 6 cyl. w/P.G.	throttle (cast 7003538)	7007983	1	7.30
55-56	PASS. 6 cyl. w/gov.	throttle	7009529	1	6.00
55	PASS. 8 cyl. (exc. P.G., 4BC)	throttle	7007227	1	7.25
55	PASS. 8 cyl. w/P.G. (exc. 4BC)	throttle	7001721	1	7.25
55	PASS., CORV. w/4BC (w/3717687)	throttle (Carter 1-1072S)	566233	1	19.85
55	PASS., CORV. w/4BC (w/3724158)	throttle (Carter 1-1334S)	3725019	1	19.85
55-56	COMM., UTIL. (8 cyl) (exc. gov.),				
57	Ser. 3-4 (8 cyl.) (exc. gov.)	throttle	7009615	1	7.50
55-56	COMM., UTIL. (8 cyl.) w/gov.,				
57	Ser. 3-4 (8 cyl.) w/gov.	throttle	7007985	1	7.25
56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)	(use w/7009909)	7009465	1	7.25
56-57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)	(use w/7009910)	7009494	1	7.25
56	PASS., CORV. w/4BC	(use w/3726255)	3730842	1	19.85
56-57	PASS. w/Roch. 4BC	throttle	7010193	1	19.45
56-57	CORV	throttle use w/3730599 (Carter 1-1398S)	3732770	1	19.85
56-57	CORV	throttle, use w/3720953 (Carter 1-1396S)	3732771	1	19.85
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	(w/7008393)	7010232	1	17.25
57	PASS. 6 cyl. (exc. P.G., gov.)	use w/7009657	7010784	1	7.30

57	PASS. 6 cyl. w/P.G.	use w/7009656	7010783	1	7.30
57	PASS., CORV. w/4BC	use w/3736062 (Carter 1-1455S)	3742261	1	19.84
57	Ser. 6 w/4BC	use w/7009661	7010789	1	55.00
57	PASS., CORV. w/dual 4BC	throttle, use w/3744002 (Carter 1-1485S)	3744031	1	19.84
57	PASS., CORV. w/dual 4BC	throttle, use w/3744004 (Carter 1-1488S)	3744032	1	19.84
54-55	COE (w/o gov.)	SPACER (cast iron)	2193996	1	3.00
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	GASKET, body	7009761	1	.29
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	VALVE, auxiliary throttle	7008958	1	5.20

3.730 HORN ASSEMBLY—SCREW, Carburetor Air

32-36	ALL (w/Roch.),				
41-49	ALL (w/Roch.),				
50-51	ALL w/216 (w/7002539)	(cast 7002054—thin flanges)	7002053	1	5.85
32-36	ALL,				
41-49	ALL (exc. D-D, COE),				
50-51	ALL w/216 (w/7004039)	(cast 7003911—reinforced flanges)	7004338	1	6.00
37-52	PASS. w/A.C. (exc. P.G.)	(stmpd. 4617)	7005055	1	7.40
50-51	UTIL. w/235 (exc. COE) (w/7002051)	(cast 7002054—thin flanges)	7002048	1	5.85
50-51	PASS. w/P.G. (w/7003060)	w/main well and support (cast 7002846 —thin flanges)	7003143	1	7.30
50-51	PASS. w/P.G. (w/7003986)	w/main well and support (stmpd. 4499 —reinforced flanges)	7004505	1	7.40
32-49	ALL,				
50-53	ALL w/216 (w/7004600)	w/main well support (stmpd. 4509)	7004669	1	7.40
50-52	UTIL. w/235 (w/7004476)	w/main well support (stmpd. 4519)	7004668	1	7.40
52	PASS. w/A.C. w/P.G. (w/7003526)	w/main well and power valve support (stmpd. 3528)	7004071	1	7.50
53	PASS. (exc. SDL.) (w/7004478-4915)	w/main well support (stamped 5423)	7005644	1	7.50
53	UTIL. w/235 (exc. COE),				
54-57	COMM., UTIL. (6 cyl.) (exc. H.T., D-D, COE, 261) (w/7004468)	w/main well support (stamped 4623)	7005642	1	7.40
54	PASS.,				
54-55	COMM. w/H.T. (1st Ser.) (exc. D-D)	w/main well supt. (stamped 5925)	7006122	1	7.50
54-57	ALL w/261 (exc. COE)	w/main well supt. (stamped 5598)	7006124	1	7.40
55	PASS. 6 cyl.,				
55	COMM. w/H.T. (2nd Ser.) (exc. D-D)	w/main well support (stamped 7632)	7007982	1	7.50
55	PASS., CORV. w/4BC	(Carter 6-1031S)	3720685	1	15.55
55	COMM., UTIL. (8 cyl.)		7001725	1	4.85
55-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
56	PASS. 6 cyl.	w/main well support (use w/7009911)	7009505	1	7.50
55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)		7009459	1	4.24
56	PASS., CORV. w/4BC	use w/3726255 (Carter 6-1178-S)	3738805	1	15.53
56	PASS. w/Roch. 4BC		7010190	1	15.05
56-57	PASS., CORV. w/dual 4BC	use w/3730599 (Carter 6-1115S)	3732779	1	14.65
56-57	PASS., CORV. w/dual 4BC	use w/3720953 (Carter 6-1123S)	3732780	1	19.85
56-57	COMM., UTIL. (8 cyl.) (exc. 4BC)	use w/7009912	7009613	1	4.85
57	PASS. 6 cyl.	use w/7009656-7	7010782	1	8.00
57	PASS. w/Roch. 4BC	use w/7009846	7010810	1	15.05
57	PASS., CORV. w/4BC	use w/3736062 (Carter 6-1289S)	3742265	1	15.55
57	PASS., CORV. w/dual 4BC	use w/3744002 (Carter 6-1180S)	3739897	1	14.66
57	PASS., CORV. w/dual 4BC	use w/3744004 (Carter 6-1298S)	3744036	1	19.84
57	Ser. 6 w/4BC	use w/7009661	7010786	1	15.05
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW, w/washer, to float bowl (Carter 101-152S)	7000744	A.R.	.10
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	SCREW, air horn attach. w/washer and spring	7000249	13	.07
	Not required in this group. See group 3.741	SCREW, w/washer to float bowl	563126	7	.10
	Not required in this group. See group 3.741	SCREW, w/washer, to float bowl	1346866	A.R.	.10

3.731 GASKET, Carburetor Air Horn

36-38	ALL	(Carter 20-58) (5/32 I.D. x 1/4 O.D.)	837909	1	.10
32-36	ALL (use w/609428 carb.),				
39-49	ALL (exc. D-D, COE)	(Carter 20-71) (7/32 I.D. x 9/32 O.D.)	838894	1	.10
55	PASS., CORV. w/4BC	(Carter 121-265)	3721037	1	.60
56-57	PASS., CORV. w/4BC, dual 4BC	(Carter 121-281)	3732785	1	.60

3.732 COVER—GASKET—SCREW, Carburetor Dust

55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 118-102S)	566252	A.R.	1.20
55-57	PASS., CORV. w/4BC, dual 4BC	GASKET (Carter 121-208)	1346579	A.R.	.25
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW, w/washer (Carter 101-184S)	1346566	A.R.	.10

3.733 BRACKET—SCREW, Carburetor Choke Tube

32-50	ALL (w/Roch.),				
51	COMM., UTIL. (w/Roch.) (1st type)	throttle and choke	7002116	A.R.	.44
51	PASS. (1st type)	choke control	7002793	A.R.	.44
32-53	ALL (w/Roch.) (2nd type) (exc. A.C.),				
54-57	COMM., UTIL. (6 cyl.) (w/Roch.) (exc. H.T.)	throttle and choke control	7003936	1	.43
54-55	COE	choke control (Carter 62-195S)	3710371	1	.45
55-57	COMM., UTIL. (8 cyl.) (exc. 4BC)	choke control	7006812	1	.44
53	COE,				
53-57	D-D 6 cyl. (2nd Ser.) (exc. 2 TON)	choke control	3728592	1	.45
53-55	CORV. 6 cyl.	(Carter 62-194S)	3708214	3	2.15
57	Ser. 6 w/4BC	choke control (stamped RP)	7010505	1	4.00
53-55	CORV. 6 cyl.,				
55-56	PASS., CORV. w/4BC, dual 4BC	SCREW, bracket attach. (Carter 101-284)	560926	A.R.	(3.750)

3.734 BOWL—PLUG—INSERT, Carburetor Float


32-49	ALL (w/Roch.),				
50-51	ALL w/216 (w/7002539-40)	(cast 7002089—thin flange)	7002889	1	6.55
32-49	ALL (w/Roch.),				
50-51	ALL w/216 (w/7004039)	(cast 7003913—reinforced type)	7004321	1	6.80
32-53	ALL w/216 (w/7004600-7005060)	(cast 7004516—reinforced type)	7004733	1	7.15
50-51	ALL w/235 (exc. D-D, COE) (w/7002051-7003060)	(cast 7002046—thin flange)	7002890	1	6.55
50-57	ALL (w/7003526-3986-4468-4476-4478-4915-4982-5921-5922-7180-7181-8369-9255-9656-9657-9784-9911)	(cast 7004497—reinforced type)	7004506	1	6.80
54-57	ALL (w/7005140)	(cast 7005604)	7006125	1	6.80
55	PASS. 8 cyl. (exc. 4BC)		7007239	1	6.05
55	COMM., UTIL. (8 cyl.)		7008539	1	6.05
56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)	use w/7009909	7009464	1	6.05
56	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)	use w/7009910	7009496	1	6.05
56	PASS. w/Roch. 4BC		7010192	1	23.30
56	COMM., UTIL. (8 cyl.) (exc. D-D)	use w/7009912	7009614	1	6.20
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	use w/7008393-7010717	7010230	1	6.20
57	PASS. 8 cyl. (exc. A.T., 4BC, dual 4BC),				
57	Ser. 3 (8 cyl.) (exc. H.T.),				
57	Ser. 4 (8 cyl.)		7010849	1	6.05
57	PASS. 8 cyl .w/A.T. (exc. 4BC, dual 4BC)	use w/7010648	7010850	1	6.05
57	PASS. w/Roch. 4BC	use w/7009846	7010785	1	23.20
57	Ser. 6 w/4BC	use w/7009661	7010787	1	23.20
55-57	PASS., CORV. w/4BC, dual 4BC	PLUG, fuel level sight (Carter 11B-146)	1875151	A.R.	.17
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
56	Ser. 3-4-6 (8 cyl.) w/gov.,				
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	INSERT	7009212	2	.23

3.735 GASKET, Carburetor Bowl to Flange (or Body) (also see group 3.724)


39-48	D-D, COE (for BB1-517-S, BB1-699-S)	(Carter 121-13)	603889	1	.17
53-55	CORV. 6 cyl.	(Carter 121-209)	3708225	3	.17
50-57	D-D 6 cyl. (exc. 2 TON),				
50-53	COE	body (Carter 121-168)	3695007	1	.17
54-55	COE	body (Carter 121-245)	3710363	1	.17
55-57	PASS., CORV. w/4BC, dual 4BC	body (Carter 121-267)	3721036	A.R.	.25

3.737 COVER, Carburetor Float Bowl


53-55	CORV. 6 cyl.	w/strainer and gasket (Carter 146-225S)	3708228	3	3.00




CARBURETOR—EXPLODED VIEW



CARBURETOR FAST IDLING LINKAGE




MANUAL CHOKE CARBURETOR




SIX CYLINDER AUTOMATIC CHOKE CARBURETOR


THROTTLE BODY COMPONENTS




THROTTLE BODY AND FLOAT BOWL COMPONENTS




AIR HORN—UPPER COMPONENTS




AIR HORN—LOWER COMPONENTS




1955 FOUR BARREL CARBURETOR




1955 CARBURETOR—HORN AND CHOKE




1955 CARBURETOR—THROTTLE BODY AND BOWL




1956 ROCHESTER FOUR BARREL CARBURETOR AIR HORN ASSY.



1956-57 ROCHESTER FOUR BARREL CARBURETOR THROTTLE BODY AND BOWL



1956-57 DUAL FOUR BARREL CARBURETOR LINKAGE



1953-55 CORVETTE 6 CYL. ACCELERATOR LINKAGE

3.738 GASKET, Carburetor Bowl Cover

32-36	ALL	(Carter 121-12)	836660	1	.17
37-38	ALL (econ. eng. 1938)	(Carter 121-46)	838535	1	.17
32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 121-67)	838895	1	.17
53-55	CORV. 6 cyl.	(Carter 121-183)	3708224	3	.25
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	to air horn	7006061	1	.70

3.740 CONNECTOR—STRAINER—NUT—GASKET—SPRING, Carburetor Fuel Inlet

55-56	ALL 8 cyl. (exc. 4BC, dual 4BC),				
57	Ser. 6 (8 cyl.)	(3/16 tube—7/16—24 nut—1/8 pipe thd.)	7006854	1	.22
57	PASS. 6 cyl.	gas pipe (carb. end) and fuel inlet filter	7010009	1	.50
55-57	PASS., CORV. w/4BC, dual 4BC	STRAINER, carb. bowl (Carter 30-75)	566009	A.R.	.35
56-57	PASS. w/Roch. 4BC				
57	Ser. 6 w/4BC	STRAINER	7003083	1	.220
57	PASS. 6 cyl.	STRAINER	7009520	1	.5
53-55	CORV. 6 cyl.,				
55-56	PASS., CORV. w/4BC	NUT, w/gasket, strainer (Carter 15-35S) use			
56-57	PASS., CORV. w/dual 4BC	w/3720953-3730599 on duals	1875025	A.R.	.45
56	PASS. w/Roch. 4BC	NUT, strainer	7010180	1	.50
57	PASS. w/Roch. 4BC	NUT, w/7009846,			
57	Ser. 6 w/4BC	w/7009661	7000262	1	.50
57	PASS., CORV. w/4BC	NUT, w/gasket, w/3733246-6062,			
57	PASS., CORV. w/dual 4BC	w/3744002-4004 (Carter 15-63S)	7010635	A.R.	.52
53-55	CORV. 6 cyl.,				
55-56	PASS., CORV. w/4BC,	GASKET, strainer nut,			
56-57	PASS., CORV. w/dual 4BC	use w/3720953-3730599 (Carter 20-35)	1875030	A.R.	.10
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	GASKET, strainer nut	7001597	1	.07
57	PASS. 6 cyl.	GASKET, carb. gas pipe conn.	7010010	1	.07
57	PASS., CORV. w/4BC	GASKET, w/3733246-6062,			
57	PASS., CORV. w/dual 4BC	w/3744002-4004 (Carter 20-127)	7010634	A.R.	.09
57	PASS. 6 cyl.	SPRING	7010007	1	.15

3.741 BOLT—SCREW, Carburetor Body

32-57	All 6 cyl. (w/Roch.) (exc. A.C.)	w/1/washer, throttle body to float bowl attaching (5/16—24 x 7/8)	7002112	2	.07
32-57	ALL, CORV. (6 cyl.) (w/Roch.)	w/1/washer, main well, support, air horn attaching (No. 10—32 x 9/16)	7000745	A.R.	.09
32-57	ALL 6 cyl. (w/Roch.)	air horn attach., w/1/washer (No. 12—28 x 15/16)	7003823	4	.07
37-53	PASS. w/A.C.,				
54-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	throttle body to float bowl (5/16—24 x 1 1/8)	7002877	2	.07
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	air horn attach. (10—32 x 15/16)	7006119	7	.07
55-56	ALL 8 cyl.,				
57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	Ser. 3-4-6 (8 cyl.)	throttle body to air horn (12—28 x 13/16)	7005188	3	.07
55-57	PASS., CORV. w/4BC, dual 4BC	w/washer, throttle body attach. (Carter 101-298S)	3721033	A.R.	.08
53-55	CORV. 6 cyl.	w/washer, throttle body attach. (Carter			
55-57	PASS., CORV. w/4BC, dual 4BC	101-149S)	7000650	A.R.	.10
55-57	PASS., CORV. w/4BC, dual 4BC	w/washer, throttle body to float bowl (Carter 101-382S)	3721034	A.R.	.10
55-57	PASS., CORV. w/4BC, dual 4BC	w/washer, air horn to float bowl (Carter 101-307S)	1346866	A.R.	(3.730)
55-57	PASS., CORV. w/4BC, dual 4BC	w/washer, air horn to float bowl (Carter 101-335S)	563126	A.R.	(3.730)
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	SCREW, w/spring, large (3/8—24 x 1 1/8)	7004324	1	.22

3.745 FLOAT—GAUGE, Carburetor

32-49	ALL (exc. D-D, COE)	(Carter 21-45S)	836636	1	1.40
39-55	COE,				
39-57	D-D (6 cyl.) (exc. 2 TON)	w/lever (Carter 21-49S)	603885	1	1.40

32-57	ALL 6 cyl. (w/Roch.)	w/lever	7002672	1	1.95
53-55	CORV. 6 cyl.	w/lever (Carter 21-128S)	3708208	3	1.40
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	w/lever	7000273	1	1.20
55-57	PASS., CORV. w/4BC, dual 4BC	w/lever, primary (Carter 21-143S)	1163049	A.R.	2.15
55-56	PASS., CORV. w/4BC	w/lever, secondary (Carter 21-146S)	563884	1	2.15
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC		7000199	2	2.35
56-57	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/4BC	w/lever, secondary (Carter 21-168-S)	7009566	A.R.	2.16
32-57	ALL 6 cyl. (w/Roch.)	GAUGE, float level (stmpd. 3696192)	3696192	1	.32

3.747 PIN, Carburetor Float Lever

32-49	ALL (exc. D-D, COE)	(Carter 24-15)	836689	1	.08
32-57	ALL (w/Roch.) (exc. 4BC)		7002081	1	.07
53-55	CORV. 6 cyl.	hinge w/3706989 (Carter 24-27)	3708209	3	.10
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 24-24)	1875363	A.R.	.10
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	hinge	7001595	2	.07

3.750 PARTS, Automatic Choke Thermostat Control

37-56	PASS. 6 cyl. w/A.C. (exc. P.G.),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	HOUSING	7009284	1	1.85
52-53	PASS. w/A.C. w/P.G.	HOUSING (cast 7003532)	7003531	1	1.45
54-56	PASS. 6 cyl. w/P.G.	HOUSING, w/plug	7005929	1	1.45
55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	HOUSING, w/plugs	7006841	1	1.85
55	PASS., CORV. w/4BC	HOUSING, use w/3720685 horn (Carter 170-372S)	3721039	1	2.00
55	PASS., CORV. w/4BC	HOUSING, use w/3743320 horn (Carter 170-457S)	3742394	1	1.99
56	PASS., CORV. w/4BC (1st design)	HOUSING, use w/3738804 horn (Carter 2366-SA)	3738807	1	1.73
56	PASS., CORV. w/4BC (2nd design)	HOUSING, use w/3738805 horn (Carter 170-499-S)	3738808	1	1.73
56-57	PASS. w/Roch. 4BC	HOUSING	7009689	1	1.95
56	PASS. w/4BC	HOUSING (use w/3726255)	566256	1	2.00
56-57	PASS., CORV. w/dual 4BC	HOUSING (use w/3720953) (Carter 170-442S)	3739491	1	1.99
57	PASS. 6 cyl. (exc. P.G.)	HOUSING, w/plugs	7011085	1	1.85
57	PASS. 6 cyl. w/P.G.	HOUSING, w/plugs	7011084	1	1.45
57	PASS., CORV. w/4BC	HOUSING (Carter 170-460S)	3742271	1	1.99
57	PASS., CORV. w/dual 4BC	HOUSING, w/3744004 (Carter 170-507S)	3744040	1	1.99
37-53	PASS.,				
54-57	PASS. 6 cyl. (exc. P.G.),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	COVER, w/gasket (molded 7002830)	7004072†	1	3.05
54-57	PASS. 6 cyl. w/P.G.	COVER, w/gasket	7006137†	1	3.50
55	PASS. 8 cyl. (exc. P.G., 4BC)	COVER, w/gasket	7007117†	1	3.50
55	PASS. 8 cyl. w/P.G. (exc. 4BC)	COVER, w/gasket	7003071†	1	3.50
55-56	PASS., CORV. w/4BC.,				
56-57	PASS., CORV. w/dual 4BC	COVER, w/coil (Carter 170AB238S)	563134†	1	3.20
56-57	PASS. w/Roch. 4BC	COVER, w/coil and gasket	7010191†	1	3.50
56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)	COVER, w/gasket (use w/7009909-9911)	7009442	1	3.50
56	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)	COVER, w/gasket (use w/7009910)	7009066	1	3.50
57	PASS. 8 cyl. (exc. A.T., 4BC, dual 4BC)	COVER, w/gasket	7010927	1	3.50
57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)	COVER, w/gasket	7010848	1	3.50
57	PASS., CORV. w/4BC	COVER, w/coil, use w/3736062 (Carter 170-AB-433S)	3742272	1	6.04
57	PASS., CORV. w/4BC	COVER, w/coil, use w/3733246 (Carter 170-AD-433S)	3742273	1	6.04
37-56	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	TUBE, choke suction, w/seal	7002881	1	.55
57	PASS. 6 cyl.	TUBE, choke suction, w/seal	7010017	1	.55
37-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	PACKING, choke suction tube	7002883	1	25/.50
37-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
56-57	PASS. 8 cyl. (exc. Carter 4BC, dual 4BC)	GASKET, thermostat housing cover	7002760	1	.07

†NOTE: Includes thermostat.

37-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. DD)	GASKET, choke housing to air horn	7002841	1	.07
55-56	PASS., CORV. w/4BC, dual 4BC	GASKET, choke hsg. use w/3732780 horn (Carter 121-243)	565215	1	.10
55-56	PASS., CORV. w/4BC,	GASKET, choke housing, use w/3739898-3743320 horns	1175241	1	.09
56-57	PASS., CORV. w/dual 4BC	GASKET, coil hsg. (Carter 121-78)	7000610	1	.10
55-57	PASS., CORV. w/4BC, dual 4BC	GASKET, choke hsg. to air horn	7007502	1	.07
55-57	PASS. 8 cyl. (exc. Carter 4BC)	GASKET, choke hsg., used w/3744004 (Carter 121-298)	3742916	1	.10
57	PASS., CORV. w/4BC				
57	PASS., CORV. w/dual 4BC				
37-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	PLATE, thermostat baffle	7002859	1	.22
55-57	PASS. 8 cyl. (exc. Carter 4BC)	PLATE, thermostat baffle	7006643	1	.22
55-57	PASS., CORV. w/4BC, dual 4BC	PLATE, thermostat baffle (Carter 186-34)	1346588	1	.17
57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)	PLATE, thermostat baffle (2 dia. w/⅛ dia. hole)	7010739	1	.50
37-53	PASS.,				
54-57	PASS. 6 cyl. (exc. P.G.),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
55-57	PASS., CORV. (8 cyl.)	RETAINER, thermostat housing cover	7000614	A.R.	.09
54-57	PASS. 6 cyl. w/P.G.	RETAINER (2 teeth)	7001647	1	.07
54-57	PASS. 6 cyl. w/P.G.	RETAINER (triangle shape)	7001649	2	.06
55-57	PASS. 8 cyl. (exc. Carter 4BC)	RETAINER, cover	7006846	1	.06
57	PASS., CORV. w/4BC	RETAINER, choke coil hsg. (Carter 63-190)	3742268	1	.26
57	PASS., CORV. w/4BC	RING, choke delayer plate retaining (Carter 63-144)	3742267	1	.17
37-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	SCREW, housing (self-lock 8—32 x 9/16)	7005654	2	.07
55-57	PASS. 8 cyl. (exc. Carter 4BC)	SCREW, housing (8—32 x 13/16)	7004821	2	.07
53-55	CORV. 6 cyl.,				
55-56	PASS., CORV. w/4BC, dual 4BC (1st design)	SCREW, tube brkt. (Carter 101-284)	560926	2	.10
55-57	PASS., CORV. w/4BC, dual 4BC (2nd design)	SCREW, housing (Carter 101-275)	7002481	1	.10
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW, housing (Carter 101-363)	1165640	2	.10
56	CORV.	BOLT, used to attach carb. choke manifold heater	3725632	1	.35
56-57	PASS., CORV. w/dual 4BC	PIPE, carb. choke vacuum passage stand (Carter 145-142)	3732788	1	.10
37-53	PASS.,				
54-57	PASS. 6 cyl.,				
54-57	ALL 6 cyl. w/H.T. (exc. D-D, hvy. duty eng.)	STRAP, manifold heater	3836694	1	.20
55-56	PASS., CORV. w/4BC (1st design),				
56-57	PASS., CORV. w/dual 4BC	PLUG, choke hsg. (Carter 47-14)	7002449	1	.03
56-57	PASS., CORV. w/4BC (2nd design)	PLUG, choke hsg. (Carter 47-30)	1172236	1	.03
56-57	PASS. w/Roch. 4BC	PLUG, choke hsg. (9/16 dia.)	7007893	1	.06
56	CORV.	HEATER, carb. choke	3725631	1	.45
37-52	PASS.	KIT, adapter	7003924*	1	1.40

*NOTE: 7003924 must be used for initial installation of Automatic Choke Carburetors.

3.751 VALVE—SCREW, Carburetor Choke

32-56	ALL 6 cyl. (w/Roch.),				
57	Ser. 3-4-6 (6 cyl.) (exc. D-D)		7002086	1	.37
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)		7000255	1	.37
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 7-173)	1346547	1	.35
56	PASS. w/Roch. 4BC		7008744	1	.80
57	PASS. 6 cyl.	w/2 3/16 dia. holes	7010006	1	.37
57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC		7000191	1	.80
32-49	ALL (exc. CC, D-D, COE),				
53-57	CORV.,				
55-57	PASS. w/4BC, dual 4BC	SCREW, valve (Carter 39-11)	342146	A.R.	(3.761)
32-57	ALL (w/Roch.)	SCREW, valve (No. 6—32 x 17/64 O.L.)	7007627	2	.07

3.752 PARTS, Carburetor Choke

32-36	ALL (w/609428 carb.),				
41-49	All (exec. D-D, COE)	SHAFT, w/lever (Carter 14-270S)	839509	1	.60

32-57	ALL 6 cyl. (w/Roch.) (exc. A.C.)	SHAFT, w/lever	7002082	1	.80
37-52	PASS. w/A.C.	SHAFT, w/lever and link (5 5/64 O.L.)	7002850	1	1.00
53-55	CORV. 6 cyl.	SHAFT, w/lever (Carter 14-471S)	3708206	3	.85
53	PASS. (exc. SDL.),				
54-56	PASS. 6 cyl. (exc. P.G.),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	SHAFT, w/lever and link	7005185	1	1.00
54-56	PASS. 6 cyl. w/P.G.	SHAFT, w/lever and link (notch in link)	7005931	1	1.00
54-57	D-D 6 cyl. (exc. 2 TON),				
54-55	COE	SHAFT, w/lever (Carter 14-474S)	3710366	1	.70
55-57	PASS., CORV. w/4BC, dual 4BC	SHAFT, w/lever and link (Carter 14-439S)	1346550	1	1.30
55-56	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
57	PASS. 8 cyl. (exc. A.T., 4BC, dual 4BC)	SHAFT, w/lever and link (5 5/16 O.L.)	7000253	1	.90
55-57	COMM., UTIL. (8 cyl.) (exc. 4BC)	SHAFT, w/lever	7006806	1	.70
56-57	PASS. w/Roch. 4BC	SHAFT, w/lever	7008185	1	1.15
57	PASS. 6 cyl. (exc. P.G.)	SHAFT, w/lever and link (5 1/4 long)	7010004	1	1.00
57	PASS. 6 cyl. w/P.G.	SHAFT, w/lever and link (5 1/4 long)	7010021	1	1.00
57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)	SHAFT, w/lever and link (5 1/8 long)	7010733	1	.90
57	Ser. 6 w/4BC	SHAFT, w/lever and link (5 3/16 long)	7010467	1	1.50
32-57	ALL 6 cyl. (w/Roch.) (exc. A.C.)	LEVER, w/swivel	7002084	1	.80
37-52	PASS. w/A.C.	LEVER, w/collar (.164 hole in lever)	7002860	1	.37
37-52	PASS. w/A.C.	LEVER, choke trip (L shape w/arm 1/8 wide)	7002863	1	.22
53-55	CORV. 6 cyl.	LEVER (Carter 14-473S)	3708207	1	.70
53	PASS. (exc. SDL.),				
54-55	PASS. 6 cyl.,				
54-55	COMM., 6 cyl. w/H.T. (exc. D-D) (1st design)	LEVER, w/collar (.133 hole in lever)	7005170	1	.38
55-57	COMM. 6 cyl. w/H.T. (exc. D-D) (2nd design),				
56-57	PASS. 6 cyl.	LEVER, w/collar (1/4 I.D.)	7009262	1	.38
53	PASS. (exc. SDL.),				
54-57	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	LEVER, choke trip (hook shape w/arm 5/32 wide)	7005179	1	.22
55	PASS. 8 cyl. (exc. 4BC)	LEVER, w/collar (3/8 hole in lever)	7006616	1	.44
55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	LEVER, choke trip	7006596	1	.13
55-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov.)	LEVER, w/swivel	7006803	1	.80
55-57	PASS., CORV. w/4BC, dual 4BC	LEVER, w/screw (Carter 14-383S)	7002443	1	.30
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)	LEVER, w/collar (use w/7009909-9910)	7009248	1	.44
56-57	PASS. w/Roch. 4BC	LEVER, w/collar	7008547	1	.44
56-57	PASS. w/Roch. 4BC	LEVER, fast idle cam trip	7000196	1	.22
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	LEVER w/swivel	7009357	1	.80
32-53	ALL (exc. D-D, COE, A.C.),				
53-55	CORV. 6 cyl.,				
54-57	COMM., UTIL. (exc. H.T., 4BC, D-D, COE)	RETAINER, lever (Carter 63-44)	838884	1	.10
53-55	CORV. 6 cyl.	RETAINER, rod (Carter 172-24)	1346650	3	.10
37-52	PASS. w/A.C.	SPACER, choke trip lever	1875354	1	.04
37-52	PASS. w/A.C.	ROD, choke (1.60 O.D. both ends)	7002880	1	.38
53-55	CORV. 6 cyl.	ROD (Carter 115-221)	3708221	3	.45
53	PASS. (exc. SDL.),				
54-56	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	ROD, choke (.129 O.D. both ends)	7005172	1	.35
55-57	PASS., CORV. w/4BC, dual 4BC	ROD, choke connector (Carter 115-215)	566249	1	.45
55-57	ALL 8 cyl. (exc. dist. cont. gov., 4BC, dual 4BC)	ROD, choke	7005817	1	.38
56-57	PASS. w/Roch. 4BC	ROD, choke	7009776	1	.75
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	ROD, pump connector	7009396	1	.60
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	ROD, choke	7009397	1	.85
57	PASS. 6 cyl.	ROD (3 21/32 long)	7010018	1	.35
57	Ser. 6 w/4BC	ROD (4 9/64 long)	7010503	1	.50
37-57	PASS. 6 cyl. w/A.C.,				
54-57	COMM. 6 cyl. w/H.T.	CLIP, choke rod	7003137	1	.07
37-52	PASS. w/A.C. (exc. P.G.)	PISTON, choke (.104 center hole)	7004625	1	.44
52-53	PASS. w/A.C. w/P.G.	PISTON, choke (.070 center hole)	7003977	1	.38
53	PASS. (exc. P.G., SDL.),				
54-55	PASS. 6 cyl. (exc. P.G.),				
54-55	COMM. 6 cyl. w/H.T. (1st Ser.) (exc. D-D)	PISTON, choke (.035 center hole)	7005190	1	.38
55-57	COMM. 6 cyl. w/H.T. (2nd Ser.) (exc. D-D),				
56-57	PASS. 6 cyl. (exc. P.G.)	PISTON, choke (27/64 dia. x 7/16)	7009298	1	.38

54-57	PASS. 6 cyl. w/P.G.	PISTON, choke (.046 center hole)	7005933	1	.38
55-56	PASS., CORV. w/4BC (1st design),				
56-57	PASS., CORV. w/dual 4BC	PISTON, choke (Carter 160-91)	1457554	1	.30
55-57	PASS. 8 cyl. (exc. A.T., 4BC, dual 4BC)	PISTON, choke (23/32 length)	7008937	1	.37
55-56	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)	PISTON, choke (3/4 length)	7008934	1	.37
56-57	PASS. w/Roch. 4BC	PISTON, choke	7009691	1	.37
56-57	PASS., CORV. w/4BC (2nd design)	PISTON, choke (Carter 160-117)	1172253	1	.35
57	PASS. 8 cyl. w/A.T. (exc. 4BC, dual 4BC)	PISTON, choke	7009865	1	.37
37-53	PASS. w/A.C.,				
54-57	PASS. 6 cyl. (exc. P.G.),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
55	PASS., CORV. (8 cyl.),				
56-57	PASS., CORV. (8 cyl.) (exc. 4BC),				
56-57	PASS., CORV. w/4BC (1st design)	PIN, choke piston (5/32 long) (Carter 150-62)	7004748	1	.03
54-57	PASS. 6 cyl. w/P.G.	PIN, choke piston	7002854	1	.03
56-57	PASS., CORV. w/4BC (2nd design)	PIN, choke piston (Carter 150-190)	1172252	1	.03
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW, clamp, w/washer (Carter 101-354S)	7005917	1	.10
37-52	PASS.,				
54-57	PASS. (exc. Carter 4BC),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	SCREW, trip lever (6—32 x 5/16)	1875051	1	.04

3.753 SPRING, Carburetor Choke

32-57	ALL 6 cyl. (w/Roch.) (exc. A.C.)	valve	7002356	1	.16
53-55	CORV. 6 cyl.	valve (Carter 61-282)	839995	3	.17
55-57	COMM., UTIL. (8 cyl.)	valve	7006805	1	.16

3.758 VALVE, Carburetor Throttle

50-53	COE,				
50-57	D-D 6 cyl. (exc. 2 TON)	(Carter 2-137)	3695010	1	.30
53-55	CORV. 6 cyl.	(Carter 2-134)	3708202	3	.17
54-55	COE	(Carter 2-162)	3710364	1	.35
55-57	PASS., CORV. w/4BC	primary (Carter 2-92)	1875428	2	.17
55-56	PASS., CORV. w/4BC	secondary (Carter 2-161)	566234	2	.17
56-57	PASS., CORV. w/dual 4BC	primary and secondary (w/3720953-3730599),			
57	PASS., CORV. w/4BC, dual 4BC	secondary (w/3744002-4004) (Carter 2-193)	3739489	A.R.	.52
56-57	PASS., CORV. w/4BC, dual 4BC	auxiliary throttle (Carter 2-181)	3732773	1	.35
57	PASS., CORV. w/dual 4BC	primary (w/3744002-4004) (Carter 2-204)	3744033	2	.35

3.759 SHAFT—WASHER, Carburetor Throttle Valve, with Lever

39-49	D-D, COE (for BB1-517-S, BB1-699-S)	(Carter 3-351S)	603895	1	1.05
41-48	ALL (exc. D-D, COE)	(Carter 3-470S)	839561	1	1.05
49	ALL (exc. GT, GU, COE)	(spacer between lever and shaft) (offset lever)	3688210	1	1.05
53-55	CORV. 6 cyl.	(Carter 3-904S)	3710506	3	1.20
50-53	COE,				
50-57	D-D, 6 cyl., (exc. 2 TON)	(Carter 3-736S)	3700266	1	1.30
54-55	COE	(Carter 3-864S)	3710365	1	1.30
53-55	CORV. 6 cyl.,				
55	PASS. w/4BC (w/3717687)	primary (Carter 3-849S)	566235	1	2.75
55	CORV. 8 cyl.,				
55	PASS. w/4BC (w/3724158)	primary (Carter 3-1007S)	3725020	1	2.60
55-56	PASS., CORV. w/4BC	secondary (Carter 3-851S)	566236	1	1.75
56-57	PASS., CORV. w/4BC	primary	3730843	1	2.60
56-57	PASS., CORV. w/dual 4BC	secondary (front carb.) (Carter 3-850)	3732774	1	1.45
56-57	PASS., CORV. w/dual 4BC	throttle (rear carb.) (Carter 3-1054-S)	3732775	1	1.75
56-57	PASS., CORV. w/dual 4BC	primary, use w/3720953 (Carter 3-1056-S)	3732776	1	2.60
56-57	PASS., CORV. w/dual 4BC	primary, use w/3730599 (Carter 3-1057-S)	3732777	1	2.60
56-57	PASS., CORV. w/dual 4BC	auxiliary w/weight (Carter 3-1058-S)	3732778	A.R.	2.60
57	PASS., CORV. w/4BC	secondary w/weight (Carter 3-1118-S)	3742263	1	2.59
57	PASS., CORV. w/dual 4BC	primary, use w/3744002 (Carter 3-1141S)	3744034	1	2.59
57	PASS., CORV. w/dual 4BC	primary, use w/3744004 (Carter 3-1142S)	3744035	1	2.59
55-57	PASS., CORV. w/4BC, dual 4BC	WASHER, spring (Carter 136-84)	563132	A.R.	.10

3.761 SCREW—SPRING—WASHER—RING, Carburetor Throttle Valve and Throttle Lever Adjusting

29-57	ALL 6 cyl. (exc. D-D, COE)	valve (Carter 39-11) (sltd. rd. hd. No. 3—48 x 7/32)	342146	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC				

32-36	ALL (w/609428),				
39-49	ALL (exc. D-D, COE),				
50-55	COE,	lever adj. (Carter 101-121) (fill. sltd. hd.			
50-57	D-D 6 cyl. (exc. 2 TON)	No. 10—26 x $^{13}/_{16}$)	839062	1	.08
32-57	ALL 6 cyl. (w/Roch. Carb.) (exc. A.C.)	throttle shaft and lever (No. 10—32 x $^{3}/_{4}$)	7002121	1	.07
37-57	PASS. 6 cyl. w/A.C.,				
54-57	COMM. 6 cyl. w/H.T.	throttle idle adjustment (10—32 x $^{7}/_{8}$)	7002873	1	.07
55-57	PASS., CORV. w/4BC,				
57	PASS., CORV. w/dual 4BC (w/3744004)	valve, primary (Carter 101-348)	563892	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	valve, secondary (Carter 101-337)	563127	A.R.	.03
55-57	PASS., CORV. w/4BC,				
57	PASS., CORV. w/dual 4BC (w/3744004)	lever adj. (Carter 101-376)	566247	1	.17
56-57	PASS., CORV. w/dual 4BC	air idle (Carter 30A-66)	3732781	1	.85
56-57	PASS., CORV. w/4BC, dual 4BC	auxiliary throttle valve (Carter 701-414)	7009572	A.R.	.03
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	fast idle stop screw (w/7008393-4)	7001619	1	.07
53-57	CORV.,				
56-57	PASS., w/4BC,				
57	PASS. w/dual 4BC (w/3744004)	SPRING, adjusting screw (Carter 61-291)	1451460	1	.10
55-57	PASS., CORV. w/4BC,				
57	PASS., CORV. w/dual 4BC (w/3744004)	WASHER, lever adj. screw (Carter 136-174)	566255	1	.03
53-55	CORV. 6 cyl.	RING (Carter 3-9045)	3708215	3	.10

3.762 PARTS, Carburetor Throttle

32-49	ALL (exc. D-D, COE)	LEVER (Carter 114-17S)	836704	1	.35
53-55	CORV. 6 cyl.	LEVER (Carter 114-84S)	3708220	3	.35
55	PASS., CORV. w/4BC	LEVER, primary (rear carb. on duals) (Carter			
56-57	PASS., CORV. w/dual 4BC	4A-139)	566237	1	.45
55-56	PASS., CORV. w/4BC	LEVER, secondary (front carb. on duals) (Car-			
56-57	PASS., CORV. w/dual 4BC	ter 53A-365)	566243	1	.35
56-57	PASS., CORV. w/4BC, dual 4BC	LEVER, primary (front carb. on duals) (Carter 4A-158)	7008344	1	.45
56-57	PASS., CORV. w/dual 4BC	LEVER, secondary (rear carb.) (Carter 53A-405)	3732783	1	.50
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	LEVER	7009368	1	9.20
57	Ser. 6 w/4BC	LEVER, w/bearing	7010482	1	9.50
55-57	PASS., CORV. w/4BC	ARM, secondary lockout (Carter 53A-338)	563111	1	.25
55	PASS., CORV. w/4BC	ARM, inner (Carter 114-118)	566248	1	.25
56-57	PASS., CORV. w/4BC, dual 4BC	ARM, inner shaft (front carb. on duals) (Carter 114-128)	7008357	1	.25
56-57	PASS., CORV. w/4BC, dual 4BC	ARM, outer shaft (front carb. on duals) (Carter 114-127)	7008356	1	.35
56-57	PASS., CORV. w/dual 4BC	ARM, inner shaft (rear carb.) (Carter 114-131)	1463322	1	.35
56-57	PASS., CORV. w/dual 4BC	ARM, secondary shaft lockout (rear carb.) (Carter 53A-397)	7009567	1	.23
55	PASS., CORV. w/4BC	ARM, outer shaft (rear carb. on duals) (Carter			
56-57	PASS., CORV. w/dual 4BC	114-97)	563989	1	.35
56-57	PASS., CORV. w/dual 4BC	SPRING, secondary shaft lockout (Carter 61-535)	7008353	1	.20
32-49	ALL (exc. D-D, COE)	ROD, connector	3692979	1	.45
55-57	PASS., CORV. w/4BC, dual 4BC	ROD, lever connecting (Carter 115-208)	563893	1	.45
55-57	PASS., CORV. w/4BC, dual 4BC	ROD, connector (Carter 115-216)	566250	A.R.	.45
32-49	ALL (exc. D-D, COE)	CLIP, connector rod clevis	7002139	1	.07
56-57	PASS. w/Roch. 4BC	CLIP, secondary lever link	836159	2	(3.841)
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW (Carter 101-74)	1875292	A.R.	.10
55-57	PASS., CORV. w/4BC, dual 4BC	WASHER (Carter 136-159)	1459371	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	WASHER, secondary shaft (Carter 136-172)	563896	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	WASHER, connector rod (Carter 136-37)	7000731	A.R.	.03
56-57	PASS., CORV. w/4BC, dual 4BC	NUT, flange stud (Carter 105A-11)	1434812	4	.30
56-57	PASS. w/Roch. 4BC	LINK, secondary lever	7000241	1	.70
53-55	CORV. 6 cyl.	CONNECTOR, coupling	3709594	2	1.75
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	GASKET, lever to body	7009375	1	.07
57	Ser. 6 w/4BC	GASKET, lever to body	7010488	1	.07
55-57	PASS., CORV. w/4BC, dual 4BC	RETAINER, conn. rod anti-rattle (Carter 63-35)	1875046	A.R.	.08

3.763 SPRING, Carburetor Throttle Shaft Lever

55	PASS., CORV. w/4BC	(Carter 61-453)	563115	1	.15
55-57	PASS., CORV. w/4BC, dual 4BC	secondary (Carter 61-483)	563888	A.R.	.17

56-57	PASS., CORV. w/4BC,				
56-57	PASS., CORV. w/dual 4BC (3730599) . .	flex (Carter 61-552)	7008801	1	.17
56-57	PASS., CORV. w/dual 4BC	(Carter 61-328)	1332552	1	.17
57	PASS., CORV. w/dual 4BC (3744002)	flex (Carter 61-548)	7008354	1	.17

3.766 CAM—LEVER—SPRING—ELBOW—SCREW, Carburetor Fast Idle

37-52	PASS. w/A.C. (exc. P.G.)	(one .315 hole, one .164 hole)	7004631	1	.55
52	PASS. w/A.C. w/P.G	(one .315 hole, one .164 hole)	7003542	1	.46
53	PASS. (exc. P.G., SDL.),				
54-57	PASS. 6 cyl. (exc. P.G.),				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	(one .315 hole, one .133 hole)	7005178	1	.55
53	PASS. w/P.G	(one .315 hole, one .133 hole)	7005176	1	.55
54-57	PASS. 6 cyl. w/P.G	(stamped 5938)	7005938	1	.55
55	PASS. 8 cyl. (exc. 4BC)		7000296	1	.55
55-56	PASS., CORV. w/4BC	(Carter 181-194S)	563135	1	.50
55-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov.)		7006810	1	.55
56-57	PASS. w/Roch. 4BC		7009757	1	.55
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC)		7008494	1	.55
56-57	PASS., CORV. w/dual 4BC	(rear carb.) (Carter 181-204-S)	3732789	1	.50
56-57	2 TON w/dist. cont. gov. (exc. 4BC)		7009395	1	.55
57	PASS., CORV. w/4BC		1875236	1	.52
57	Ser. 6 w/4BC		7010821	1	.40
32-57	ALL 6 cyl. (w/Roch.) (exc. A.C.)	LEVER	7002103	1	.37
55-57	PASS., CORV. w/4BC, dual 4BC	LEVER, cam trip (Carter 14-440)	1459332	1	.17
53-55	CORV. 6 cyl.	LEVER (Carter 53A-367)	3708211	3	.25
32-57	ALL 6 cyl. (w/Roch.) (exc. A.C.)	SPRING, lever	7002102	1	.22
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 (8 cyl.) (exc. 4BC)	SPRING, fast idle stop screw	7001690	1	.07
57	Ser. 6 w/4BC	SPRING, (½ free length—4 coils)	7003176	1	.07
55	PASS. w/4BC, C.A.C., Elect. W/S Wiper	ELBOW (⅜—24 int. thd.) (¼—18 ext. thd.)	3718909	1	.95
55	PASS., CORV. w/4BC	SCREW, adjustment (Carter 101-120)	1875404	1	.10
56-57	PASS. w/Roch. 4BC	SCREW, adjustment	7009837	1	.22
57	Ser. 6 w/4BC	SCREW, adjustment	7003122	2	.07

3.767 SPRING—SCREW, Carburetor Fast Idle Cam

55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 61-454)	1459342	1	.17
37-57	PASS. (exc. Carter 4BC, dual 4BC),				
54-57	COMM. w/H.T. (exc. D-D),				
55-57	UTIL. 8 cyl.	SCREW (12—28 x ⅜ w/⅜₁₆ dia. shldr.)	7003561	1	.22
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW (Carter 101-324)	1459352	1	.17
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	SCREW (10—32 x 1 fill. hd.)	7006213	1	.07

3.774 NOZZLE, Carburetor

32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 12-274S)	839488	1	.80
50-55	COE,				
50-57	D-D 6 cyl. (exc. 2 TON)	(Carter 12-344)	3695008	1	1.05

3.775 PLUG—SCREW, Carburetor Nozzle Passage

29-49	ALL (exc. D-D, COE)	(Carter 11B-12)	836331	7	.03
32-48	ALL (exc. COE)	(Carter 11B-27)	836643	1	(3.832)
32-36	ALL (w/609428 carb.),				
34-49	ALL (exc. D-D, COE)	(Carter 11B-62)	837367	1	.03
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-305)	1166538	A.R.	.06
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-306)	1166539	A.R.	.06
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-272)	1346670	A.R.	.06
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-79)	1875256	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-41) (rear carb. on duals)	1875258	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-134)	1875295	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-35)	7002439	A.R.	03
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-223)	7000777	A.R.	.03
55-57	PASS., CORV. w/4BC, dual 4BC	idle port (Carter 11B-294)	566240	A.R.	.10

55-57	PASS., CORV. w/4BC	spark port expansion (Carter 47-13)	609349	1	.06
32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	SCREW (Carter 11B-164)	839491	1	.15

3.776 GASKET, Carburetor Nozzle Screw

32-36	ALL (w/609428 carb.),				
34-49	ALL (exc. D-D, COE)	(Carter 20-45)	837370	1	.10
50-55	COE,				
50-57	D-D 6 cyl. (exc. 2 TON)	(Carter 20-30)	603892	1	.08
32-49	ALL (exc. COE)	(Carter 136-20)	836845	1	(3.841)

3.786 VENTURI—SCREW, Carburetor

55	PASS. 8 cyl. (exc. P.G., 4BC)		7007990	1	5.45
55	PASS. 8 cyl. w/P.G. (exc. 4BC)	(w/7008004 carb.)	7009075†	1	5.45
55	COMM., UTIL. (8 cyl.)		7008725	1	5.45
56-57	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)		7009216	1	4.75
56-57	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)		7009215	1	5.45
56	PASS. w/Roch. 4BC	primary	7009697	1	3.05
56-57	PASS. w/Roch. 4BC	secondary	7009699	1	7.30
56-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov., 4BC)		7009218	1	4.75
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	(w/7008393-7010717)	7009376	1	5.45
57	PASS. w/Roch. 4BC	primary, use w/7009846	7011261	1	8.05
57	Ser. 6 w/4BC	primary, use w/7009661	7010896	1	8.05
57	Ser. 6 w/4BC	secondary, use w/7009661	7010897	1	7.30
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	SCREW, to throttle body (8—32 x $1\frac{3}{16}$)	7000293	2	.07

†NOTE: Essential to replace pump w/7008447 plunger and pump return spring w/7008694.

3.790 GASKET, Venturi Cluster

56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	to bowl	7007803	2	.22

3.792 JET, Carburetor Metering Rod, with Gasket

38-40	ALL (exc. COE)	(Carter 120-129S) (stamped 95)	838798	1	.45
32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 120-115S) (stamped 93)	838080	1	.50
41-49	D-D, COE (for BB1-517-S, BB1-699-S),				
54-55	COE	1 step lean,			
50-53	D-D, COE (BB1-745-S),				
54-57	D-D 6 cyl. (exc. 2 TON)	1 step richer (Carter 159-99)	608068	1	.50
50-53	D-D, COE (BB1-745-S),				
54-57	D-D 6 cyl. (exc. 2 TON)	1 step lean (Carter 159-129)	3695334	1	.50
41-49	D-D, COE,				
54-55	COE	2 step lean,			
50-53	D-D, COE,				
54-57	D-D 6 cyl. (exc. 2 TON)	standard (Carter 159-100)	608071	1	.50
32-53	ALL w/216 (w/7002540-4600)	1 step rich	7001498	1	.60
32-36	ALL (w/Roch. Carb.)	main (standard),			
37-40	ALL (w/Roch. Carb. 7002540-4600)	1 step lean,			
41-49	ALL (w/Roch. Carb. 7002539),				
50-51	ALL w/216 (w/7004039)	main (standard),			
53	ALL w/216 (w/7004600)	1 step lean	7002651	1	.60
32-36	ALL (w/Roch. Carb.),				
41-49	ALL (w/Roch. Carb.),				
50-51	ALL w/216 (w/7002539-4039)	1 step lean	7002650	1	.60
32-51	ALL w/7002539-4039	1 step rich,			
37-53	ALL w/7002540-4600-5060	main (standard),			
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	standard	7002652	1	.60
51	PASS. w/P.G. (w/7003986)	standard,			
50-52	PASS. w/P.G. (w/7003526)	1 step lean	7002656	1	.60
50-51	ALL w/235 (w/7002051-3060-3864)	standard,			
52	UTIL. w/235 (w/7004476)	1 step lean,			
52	PASS. w/A.C. (w/7003526)	1 step rich	7002658	1	.60

50-51	ALL w/235 (w/7002051-3060-3864)...	1 step lean,			
50-51	PASS. w/P.G. (w/7003986).....	1 step rich,			
52	PASS. w/A.C. (w/7003526).....	standard.....	7002657	1	.60
50-51	ALL w/235 (w/7002051-3060-3864)....	1 step rich,			
52	UTIL. w/235 (w/7004476).....	standard.....	7002659	1	.60
32-51	ALL (w/7002540, 7004600),				
52	ALL (w/7002540, 7004600) (exc. P.G.)..	2 step rich.....	7001607	1	.60
52	UTIL. w/235 (w/7004476).....	1 step rich.....	7002660	1	.60
53-57	ALL (w/7004468-4478-5921-5922-5982-5140-9255-9656-9657-9658).....	main, standard,			
55-56	ALL (w/7007200-7181-9911).....	1 step rich (stamped 58).....	7002958	1	.60
53-55	CORV. 6 cyl.....	(Carter 120-158).....	1338015	3	.50
53-57	ALL (w/7004468-4478-5921-5922).....	1 step lean,			
55-56	ALL w/7007200-7181-9911).....	standard (stamped 57).....	7002957	1	.60
53-55	ALL (1st Ser.) (exc. D-D, COE),				
55-57	COMM. 6 cyl. (exc. D-D, H.T.),				
55-57	UTIL. w/235.....	main, 1 step rich,			
55-56	PASS. 6 cyl. w/gov.....	standard (stamped 59).....	7002959	1	.60
54-57	2 TON w/261 (exc. COE).....	main, standard (stamped 65).....	7002965	1	.60
54-57	2 TON w/261 (exc. COE).....	1 step lean (stamped 64).....	7002964	1	.60
54-57	2 TON w/261 (exc. COE).....	1 step rich (stamped 66)	7002966	1	.60
55-56	PASS. 6 cyl. w/gov.....	1 step lean (stamped 60).....	7002960	1	.60
55-57	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)	standard,			
55	PASS. 8 cyl. (exc. P.G., 4BC).....	1 step lean,			
56	2 TON w/dist. control gov.....	1 step lean (stamped 51).....	7002951	2	.60
55-56	PASS. 8 cyl. w/P.G. (exc. 4BC)	1 step rich,			
55-56	PASS. 8 cyl. (exc. P.G., 4BC)	standard,			
55-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov.).....	1 step lean.....	7002952	2	.60
55-56	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)..	1 step rich,			
55-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov., 4BC),				
57	PASS. 8 cyl. (exc. P.G., 4BC, dual 4BC)..	standard.....	7002953	2	.60
55	PASS. 8 cyl. w/P.G. (exc. 4BC).....	1 step lean (stamped 50).....	7002950	2	.60
54-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
55-56	PASS. 6 cyl.....	1 step lean (stamped 56).....	7002956	1	.60
55	COMM., UTIL. (8 cyl.).....	1 step rich.....	7002954	2	.60
55-56	PASS., CORV. w/4BC.....	primary (Carter 120-155).....	3721035	2	.50
55	PASS., CORV. w/4BC,				
56-57	PASS., CORV. w/dual 4BC (w/3720953-3730599).....	secondary (Carter 120-187).....	563894	2	.50
56	PASS., CORV. w/4BC.....	secondary (Carter 120-227).....	3736419	2	.50
56	PASS. w/Roch. 4BC.....	primary, 1 step lean (stamped 47).....	7002647	2	.60
56	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC.....	primary, standard.....	7002648	2	.60
56	PASS. w/Roch. 4BC.....	secondary.....	7002646	2	.60
56-57	PASS., CORV. w/dual 4BC (w/3720953-3730599),				
57	PASS., CORV. w/4BC.....	primary (Carter 120-165).....	1346577	2	.50
57	PASS. 6 cyl.....	standard (square approach).....	7002955	2	.60
57	PASS. w/Roch. 4BC.....	primary, use w/7009846.....	7002645	2	.60
57	PASS. w/Roch. 4BC.....	secondary (60° approach).....	7002649	2	.60
57	PASS., CORV. w/4BC.....	secondary (Carter 120-177).....	3742270	2	.52
57	PASS., CORV. w/dual 4BC (w/3744002-4004).....	primary (Carter 120-166).....	1459366	2	.50
57	PASS., CORV. w/dual 4BC (w/3744002-4004).....	secondary (Carter 120-217).....	3744038	2	.52

3.794 SUPPORT ASSY., Main Jet and Power Valve

32-36	ALL (w/Roch. Carb.),				
41-49	ALL (w/Roch. Carb.),				
50-51	ALL w/216 (w/7002539).....	(cast 7002063—stamped 50).....	7002061	1	2.20
32-36	ALL,				
41-49	ALL (exc. D-D, COE),				
50-51	ALL w/216 (w/7004039).....	(cast 7003918—stamped 63).....	7003922	1	2.20
37-53	ALL w/216 (w/7004600, 7005060).....	(stamped 4513).....	7004512	1	2.20

50-51	UTIL. w/235 (w/7002051)	(cast 7002063—stamped 51)	7002158	1	2.20
50-51	PASS. w/P.G. (w/7003060)	(cast 3267—stamped 60)	7003079	1	2.20
50-51	UTIL. w/235 (w/7003864)	(cast 7003918—stamped 64)	7003921	1	2.20
50-51	PASS. w/P.G. (w/7003986)	(cast 7003820—stamped 95)	7004523	1	1.85
52	PASS. w/A.C. w/P.G. (w/7003526)	(cast 7003820—stamped 4530)	7003822	1	2.20
52	UTIL. w/235 (w/7004476)	(cast 7003820—stamped 4570)	7004571	1	2.20
53	PASS. (exc. SDL.)	(stamped 5423 and 58)	7005422	1	2.20
53-57	UTIL. w/235 (exc. COE),				
54-57	COMM. 6 cyl. (exc. H.T., D-D)	(stamped 4623)	7005428	1	2.20
53-54	PASS.,				
54	COMM. w/H.T. (exc. D-D)	(stamped 5925)	7005924	1	2.20
54-57	2 TON w/261 (exc. COE)	(stamped 5598)	7005597	1	2.20
54-57	COMM. 6 cyl. w/H.T. (exc. D-D),				
55-56	PASS. 6 cyl.	(cast 7005926)	7007165	1	2.20
57	PASS. 6 cyl.	(stamped 10239)	7010240	1	2.20

3.798 JET—GASKET, Carburetor Low Speed

39-40	ALL (exc. COE)	(Carter 11-144) (stamped 603648)	603648	1	.30
32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 11-173S)	839512	1	.50
41-42	ALL (exc. YT, MT, COE) (econ. eng.),				
46-48	PASS., COMM. (econ. eng.),				
46-47	OR, OS, PJ, PK, QJ, QK (econ. eng.)	(Carter 11-147) (stamped 838599)	838599	1	.35
50-55	COE,				
50-57	D-D 6 cyl. (exc. 2 TON)	(Carter 123-58)	3695012	1	.35
53-55	CORV. 6 cyl.	(Carter 11-202S)	3708204	3	.50
55-56	PASS., CORV. w/4BC	(Carter 11-263S)	3721027	2	.50
56-57	PASS., CORV. w/dual 4BC	w/3720953-3730599 (Carter 11-294S)	3740430	2	.52
57	PASS., CORV. w/4BC	(use w/3744002-4004 on duals) (Carter			
57	PASS., CORV. w/dual 4BC	11-302S)	3742917	A.R.	.52
32-36	ALL (w/609428 carb.),				
39-49	ALL (exc. COE)	GASKET, (Carter 136-27)	837336	1	(3.834)

3.806 ROD, Carburetor Metering

32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	std. (stamped 67-46, 75-485)	839577	1	.50
41-49	ALL (exc. COE)	1 step lean (stamped 68-49, 75-517)	605554	1	.50
41-49	ALL (exc. COE) (econ. eng.)	1 step lean (stamped 655-49, 75-518)	605562	1	.50
53-55	CORV. 6 cyl.	standard (Carter 75-936)	3708218	3	.50
55-56	PASS., CORV. w/4BC	standard (Carter 75-1161)	3721032	2	.50
55-56	PASS., CORV. w/4BC	1 step lean (w/3726255)	3738806	2	.45
56-57	PASS., CORV. w/dual 4BC	standard w/3720953-3730599 (Carter			
		75-1255)	3732784	2	.50
56	PASS., CORV. w/dual 4BC	(Carter 75-1356)	3742682	4	.52
57	PASS., CORV. w/4BC	standard (Carter 75-1349)	3742269	2	.52
57	PASS., CORV. w/dual 4BC	standard (w/3744002-4004) (Carter 75-			
		1350)	3744037	2	.52

3.807 COVER—ARM—SCREW, Carburetor Metering Rod Hole

32-37	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 129-18)	836678	1	.03
53-55	CORV. 6 cyl.	ARM (Carter 111-59S)	3708219	3	.60
55-57	PASS., CORV. w/4BC, dual 4BC	ARM (Carter 111-60S)	1346570	A.R.	.35
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW, arm clamp (Carter 101-33)	1346564	A.R.	.10

3.810 SPRING, Carburetor Metering Rod

32-49	ALL (exc. D-D, COE),				
53-55	CORV. 6 cyl.	(Carter 61-242)	839397	1	.17
55	PASS., CORV. w/4BC	(Carter 61-544)	3721031	1	.17
56-57	PASS., CORV. w/4BC, dual 4BC	(Carter 61-382)	7002455	A.R.	.17

3.811 DISC, Carburetor Metering Rod

55-56	PASS., CORV. w/4BC	(Carter 129-26)	3721038	2	.03
56-57	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/4BC	upper (Carter 129-19)	7009578	2	.03
56-57	PASS., CORV. w/dual 4BC,				
57	PASS., CORV. w/4BC	lower (Carter 136-150)	3732787	2	.03

3.814 NEEDLE—GASKET, Carburetor Intake (with Seat and Gasket)

29-49	ALL (exc. D-D, COE)	unit (Carter 25-33S)	601427	1	1.40
39-53	D-D, COE (for BB1-517-S, BB1-699-S),				
54-57	D-D 6 cyl. (exc. 2 TON)	unit, less gasket (Carter 25-44S)	603925	1	1.40
32-57	ALL 6 cyl. (w/Roch.) (exc. D-D, COE)	unit, w/gasket (two grooves around O.D.)	7002359	1	1.55
53-55	CORV. 6 cyl.	unit (Carter 25-228S)	3708210	3	1.40
54-55	COE	w/seat (Carter 25-63S)	3710369	1	1.40
55	ALL 8 cyl. (exc. 4BC)	unit	7006941	1	1.55
55-57	PASS., CORV. w/4BC, dual 4BC	w/seat, intake primary (Carter 25-278S)	3721028	A.R.	1.40
55	PASS., CORV. w/4BC	w/seat, intake secondary (Carter 25-279S)	3721029	1	1.40
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	unit, w/strainer, gasket clip and seat	7006134	1	1.95
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC,				
56-57	COMM., UTIL. (8 cyl.) (exc. 4BC)	unit, w/seat and gasket	7009458	1	1.55
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	GASKET, seat (Carter 20-31)	603926	1	.10

3.822 SCREW, Carburetor Idle Adjusting

32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 30A-40)	837368	1	.50
32-57	ALL 6 cyl. (w/Roch Carb.) (exc. D-D)		7002357	1	.50
53-55	CORV. 6 cyl.	(Carter 30A-44)	1458268	3	.45
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)		7007008	2	.48
55-57	PASS., CORV. w/4BC	(Carter 30A-58)	1163770	2	.50
56-57	PASS. w/Roch. 4BC		7009638	2	.28
56-57	PASS., CORV. w/dual 4BC	(Carter 30A-67)	3732782	2	.70
57	Ser. 6 w/4BC		7004402	2	.28

3.823 SPRING, Carburetor Idle Adjusting Screw

32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	(Carter 61-97)	837366	1	.15
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON),				
56-57	PASS., CORV. w/dual 4BC	(Carter 61-57) (air idle) (¼ I.D.)	1875042	1	.10
32-57	PASS. w/Roch. Carb. (exc. 4BC),				
32-57	COMM., UTIL. w/Roch. Carb.	lock spring	7003190	1	.07
53-55	CORV. 6 cyl.	(Carter 61-426)	1458269	3	.10
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 61-84) (Carb. idle)	563887	A.R.	.10
56-57	PASS. w/Roch. 4BC		7008314	2	.07

3.825 CHECK—BALL—SPRING—GUIDE, Carburetor Pump Outlet Valve

34-49	ALL (exc. D-D, COE)	(Carter 122-47S)	837531	1	.45
41-55	COE,				
41-57	D-D 6 cyl. (exc. 2 TON)	(Carter 149-65S)	605652	1	.50
32-57	ALL (w/Roch. Carb.)	BALL, check valve (.1875)	7002117	1	25/1.25
32-57	ALL (w/Roch. Carb.) (exc. 4BC)	SPRING, check valve	7002118	1	.16
53-55	CORV. 6 cyl.	SPRING, check valve (Carter 61-464)	3708212	3	.17
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	SPRING, discharge ball	7006059	1	.16
32-51	ALL (w/7002050-51-7003060)	GUIDE, spring (round)	7002119	1	.16
32-57	ALL 6 cyl. (exc. 7002050-2051-3060-3526)	GUIDE, spring (flat)	7003838†	1	.14
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)	GUIDE, spring (flat)	7000286	1	.06

†NOTE: Also used with Roch. 4BC.

3.826 CHECK—BALL—RETAINER, Carburetor Pump Inlet Valve

32-36	ALL (w/609428 carb.),				
37-48	ALL (exc. COE)	(Carter 122-45S)	837529	1	.45
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	(Carter 149-13S)	603917	1	.50
49	ALL (exc. GT, GU, COE)	(Carter 122-87S)	3688873	1	.45

56-57	PASS., CORV. w/dual 4BC	(Carter 122-102-S)	3732786	1	.45
32-52	ALL w/7002540-3986-4039-4600,				
39-52	D-D, COE (for BB1-517-S, BB1-699-S),				
53-57	ALL	BALL, valve (Carter 116-13) (st. steel),			
56-57	PASS., CORV. w/4BC, dual 4BC	pump intake and discharge check	1875237	1	(3.862)
32-52	ALL (w/Roch.),				
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	BALL, valve check (.156 dia.) (aluminum)	7002120	1	25/1.25
55-57	PASS., CORV. w/4BC, dual 4BC	RETAINER, intake check ball (Carter 63-57)	1447265	A.R.	.10

3.832 PLUG—NEEDLE, Carburetor Discharge Ball Check

32-49	ALL (exc. D-D, COE)	low speed jet passage (Carter 11B-27)	836643	1	.15
53-55	CORV. 6 cyl.	(Carter 11B-253)	3708232	3	.17
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 11B-129S)	7000616	A.R.	.17
55-57	PASS., CORV. w/4BC, dual 4BC	NEEDLE (Carter 17-50)	1438299	A.R.	.25

3.834 GASKET, Carburetor Idle Passage Plug

32-48	ALL (exc. COE)	conical (Carter 136-20)	836845	2	(3.841)
32-49	ALL (exc. D-D, COE)	conical (Carter 136-27)	837336	2	.02
32-49	ALL (exc. D-D, COE)	flat (Carter 136-48)	3683686	2	.02
32-48	ALL (exc. COE)	flat (Carter 136-49)	3683687	2	(3.841)

3.838 PLUNGER—HOUSING ASSY.—PUMP—ROD—PISTON—BOOT, Carburetor (with Leather and Shaft)

33-40	ALL (exc. COE)	(Carter 64-30S)	837142	1	1.55
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	(Carter 161-11S)	603904	1	.50
32-36	ALL (w/609428 carb.),				
41-48	ALL (exc. COE)	(Carter 64-72S)	839528	1	1.20
49	ALL (exc. D-D, COE)	(Carter 64-119S)	3688180	1	1.05
32-56	ALL 6 cyl. w/Roch.,				
57	Ser. 3-4-6 (6 cyl.)	w/spring and rod	7002091	1	2.15
53-55	CORV. 6 cyl.	w/rod (Carter 203-685)	3710508	3	2.60
55	PASS. 8 cyl. w/P.G. (exc. 4BC)	w/spring and rod	7008447	1	2.15
55-57	PASS., CORV. w/4BC, dual 4BC	w/rod, spring and retainer (Carter 64-165S)	566245	A.R.	2.50
56	PASS., CORV. w/4BC	w/spring, rod, and retainer (Carter 64-180S)	1169142	1	2.50
56	PASS. w/Roch. 4BC	w/spring, rod, and retainer	7009805	1	2.60
57	PASS. 6 cyl.	w/spring and rod	7010012	1	2.15
57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	w/spring and ret., use w/7007511, 7007513	7010898	1	2.60
53-55	CORV. 6 cyl.	HOUSING ASSY., diaphragm (Carter 170-297S)	3708231	3	1.55
55	PASS. 8 cyl. (exc. P.G., 4BC),				
55-56	COMM., UTIL. (8 cyl.)	PUMP,	7000278	1	2.15
56-57	PASS. 8 cyl. (exc. A.T., 4BC, dual 4BC),				
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	PUMP	7009353	1	2.15
56-57	PASS. 8 cyl. w/P.G. (exc. 4BC, dual 4BC)	PUMP, complete	7009485	1	2.15
56-57	PASS. w/Roch. 4BC	ROD, pump connector	7009687	1	.38
57	Ser. 6 w/4BC	ROD, pump lever (3⅛ long)	7010504	1	.38
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	PISTON, pump (Carter 160-10)	607305	1	.70
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	BOOT, pump rod (rubber)	7006372	1	.16

3.840 LEATHER, Carburetor Plunger Seal

32-40	ALL (exc. COE)	(Carter 6'-25)	836650	1	.38

3.841 SMALL PARTS, Carburetor Pump

32-36	ALL (w/609428 carb.),				
41-48	ALL (exc. COE)	SPRING, piston (Carter 61-96)	837362	1	.17
41-55	COE,				
41-57	D-D 6 cyl. (exc. 2 TON)	SPRING, piston (Carter 61-59)	605650	1	.15

32-36	ALL (w/609428 carb.),				
37-54	PASS. (exc. SDL.),				
37-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE, RJH O8-125S),				
53-57	CORV.	SPRING, retainer, arm (hairpin type) (Carter			
55-57	ALL (2nd Ser.) (exc. D-D)	150-A10)	836159	A.R.	.02
32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE),				
55-57	PASS., CORV. w/4BC, dual 4BC	SPRING, anti-rattle, conn. rod (Carter 61-128)	839539	A.R.	.10
32-53	ALL (w/Roch. Carb.)	SPRING, pump return	7002101	1	.16
53-55	CORV. 6 cyl.	SPRING, pump return, lower (Carter 61-413)	563114	3	.17
53-55	CORV. 6 cyl.	SPRING, pump return, upper (Carter 61-504)	3708213	3	.17
54-57	ALL 6 cyl. (w/Roch. Carb.)	SPRING, pump return	7005954	1	.14
55-57	PASS. 8 cyl. w/A.T. (exc. Carter 4BC, dual 4BC),				
57	Ser. 6 w/4BC	SPRING, pump return (stained yellow)	7008694	1	.13
55-57	ALL 8 cyl. (exc. P.G., T.G., 4BC, dual 4BC)	SPRING, pump return	7004597	1	.22
55-57	PASS., CORV. w/4BC, dual 4BC	SPRING, pump return, lower (Carter 61-171)	1875351	A.R.	.17
32-36	ALL (w/609428 carb.)	WASHER, pump lever shaft oil ret. (Carter			
41-49	ALL (exc. D-D, COE)	163-14)	839542	1	.10
32-36	ALL (w/609428 carb.),				
41-49	ALL (exc. D-D, COE)	RETAINER, anti-rattle spring (Carter 63-35)	1875046	1	(3.762)
32-52	ALL w/Roch.,				
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	RETAINER, inlet screen	7001605	1	.07
53-55	CORV. 6 cyl.	RETAINER, upper spring (Carter 63-135)	3708216	3	.10
53-55	CORV. 6 cyl.	RETAINER, diaphragm spring (Carter 63-178)	3708217	3	.10
	Not required in this group. See group 3.852	RETAINER	560923	A.R.	.10
32-49	ALL (exc. D-D, COE)	SCREEN, pump strainer (Carter 30-20)	837471	1	.17
32-52	ALL w/Roch.,				
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	SCREEN, inlet ($^{23}/_{64}$ O.D.) (flat)	7001604	1	.25
32-49	ALL (exc. D-D, COE)	PLUG (Carter 11B-25)	836666	1	.15
32-49	ALL (exc. D-D, COE)	GASKET, plug, conical (Carter 136-20)	836845	1	.02
32-49	ALL (exc. D-D, COE)	GASKET, plug, conical (Carter 136-19)	836846	1	.02
32-49	ALL (exc. D-D, COE)	GASKET, plug, flat (Carter 136-50)	3683685	1	.02
32-49	ALL (exc. D-D, COE)	GASKET, plug, flat (Carter 136-49)	3683687	2	.02
56-57	PASS. w/Roch, 4BC	CLIP, pump	7003137	1	.06

3.842 LEVER—CLIP, Carburetor Pump

55-57	PASS., CORV. w/4BC, dual 4BC	w/countershaft (Carter 53A-333S)	1346557	A.R.	1.05
55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
55-57	COMM., UTIL. (8 cyl.) (exc. 4BC)	actuating—inside ($1^{3}/_{32}$ O.L.)	7000266	1	.24
55-57	PASS. 8 cyl. (exc. 4BC, dual 4BC),				
55-57	COMM., UTIL. (8 cyl.) (exc. 4BC)	actuating—outside, w/shaft	7000263	1	.30
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	w/pump and shaft	7009519	1	.47
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	CLIP, pump shaft and lever	7007616	1	.03
56-57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	CLIP, pump plunger	836159	1	(3.841)

3.843 LINK, Carburetor Pump Connector

49	ALL (exc. D-D, COE)	(Carter 117-132)	3688179	1	.15
32-52	ALL (w/Roch. carb.)	(groove on each end)	7002820	1	.22
53-55	CORV. 6 cyl.	(Carter 117-154)	3708222	3	.17
53-57	ALL 6 cyl. (exc. D-D, COE)	(curved) (grooved each end and center)	7005136	1	.19
55	ALL 8 cyl. (exc. 4BC),				
56-57	PASS. 8 cyl. (exc. 4BC, dual 4BC,				
56-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov.)	lever actuating	7005816	1	.38
55-57	PASS., CORV. w/4BC, dual 4BC	arm connector (Carter 117-165)	1166219	A.R.	.10
56-57	PASS., CORV. w/dual 4BC	throttle operating (rear carb.) (Carter 115-247)	1463323	1	.45

3.844 HOUSING—JET—PLUG—GASKET—SCREW—WASHER, Carburetor Pump

55-57	PASS., CORV. w/4BC, dual 4BC	w/jet (Carter 48-233S)	3721030	1	1.75
32-36	ALL (w/609428 carb.),				
37-49	ALL (exc. D-D, COE)	JET (Carter 48-43) (stamped 72)	837509	1	.25
29-49	ALL (exc. D-D, COE)	PLUG, passage (Carter 11B-16)	836242	1	.17
32-48	ALL (exc. COE)	GASKET, carb. pump cyl. upr. (Carter 20-29)	836680	1	.17
34-49	ALL (exc. COE)	GASKET, passage plug (Carter 136-27)	837336	1	(3.834)
53-55	CORV. 6 cyl.	GASKET (Carter 121-246)	3708226	3	.17
55-57	PASS., CORV. w/4BC, dual 4BC	GASKET (Carter 121-241)	1163772	A.R.	.10
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW (Carter 101-278)	7002482	A.R	.60
53-55	CORV. 6 cyl.	WASHER (Carter 136-177)	3708227	3	.03

3.845 ARM, Carburetor Pump

50-53	D-D, COE,				
54-57	D-D 6 cyl. (exc. 2 TON)	(Carter 53A-285S)	3695354	1	1.05
53-55	CORV. 6 cyl.	(Carter 117-164)	3708223	3	.45
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 111-47S)	1338013	A.R.	.30

3.852 PARTS, Carburetor Idle Vapor Vent

55-57	PASS., CORV. w/4BC, dual 4BC	CAP (Carter 150-186S)	563548	A.R.	.35
55-57	PASS., CORV. w/4BC, dual 4BC	SPRING (Carter 61-474)	563531	A.R.	.10
55-57	PASS., CORV. w/4BC, dual 4BC	RETAINER (Carter 63-149)	560923	A.R.	(3.841)
55-57	PASS., CORV. w/4BC, dual 4BC	ARM, actuating (Carter 53A-344)	1459754	A.R.	.17
55-57	PASS., CORV. w/4BC, dual 4BC	SCREW, w/washer (Carter 101-277S)	1346567	A.R.	.10
57	PASS., CORV. w/dual 4BC	TUBE, cross over bowl vent (Carter 145-148)	3744039	4	.86

3.858 VALVE UNIT—PISTON—LINK, Carburetor Power

32-53	ALL (w/Roch.),				
54-57	COMM. 6 cyl. (exc. H.T., D-D),				
54-57	UTIL. 6 cyl. (exc. 261, COE)	w/springs	7002360	1	37
54-57	PASS. 6 cyl.,				
54-57	COMM., 6 cyl. w/H.T. (exc. D-D)		7006121	1	.38
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC)		7006331	1	1.10
56	PASS. w/Roch. 4BC		7009349	1	1.10
57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC		7008614	1	1.10
32-52	ALL (w/Roch. carb.),				
53	ALL w/216	PISTON, w/rod	7002068	1	.80
53	PASS., UTIL. w/235,				
54-56	PASS. w/6 cyl.				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	PISTON, w/bleed tube	7005174	1	.85
54-57	COMM. 6 cyl. (exc. H.T., D-D),				
54-57	UTIL. 6 cyl. (exc. COE)	PISTON, w/bleed tube	7005601	1	.85
55-57	ALL 8 cyl. (exc. 4BC, dual 4BC, dist. cont. gov.)	PISTON, w/rod	7006011	1	.47
55-57	PASS., CORV. w/4BC, dual 4BC	PISTON, vacuum (Carter 160-110S)	1346583	A.R.	.50
56	PASS. w/Roch. 4BC	PISTON, power actuating	7000204	1	.47
57	PASS. 6 cyl.	PISTON, w/bleed tube	7010002	1	.85
57	PASS. w/Roch. 4BC,				
57	Ser. 6 w/4BC	PISTON	7008612	1	.47
55-57	PASS., CORV. w/4BC, dual 4BC	LINK, vacuum piston (Carter 117-162)	566251	A.R.	.17

3.859 SPRING, Carburetor Power Piston

32-49	ALL (w/Roch. carb.)	(power vac. piston—33 coils—$2\frac{3}{16}$ free			
50-53	ALL w/216	length) (silver)	7002071	1	.16
50-53	ALL w/235 (exc. D-D, COE),				
54-57	COMM. 6 cyl. (exc. D-D, H.T.)	(power vac. piston—41 coils—$2\frac{17}{64}$ free			
54-57	UTIL. 6 cyl.	length—copper finish) (red)	7002366	1	.16
54-56	PASS. 6 cyl.,				
54-57	COMM. 6 cyl. w/H.T. (exc. D-D)	(power vac. piston—33 coils) (blue)	7002896	1	.16
55-57	PASS., CORV. w/4BC, dual 4BC	(Carter 61-332)	1451462	1	.17
57	PASS. 6 cyl.	(power vac. piston) (lt. green)	7011281	1	.16

3.862 CHECK—BALL, Carburetor Power Valve

48-49	D-D (for BB1-699-S)	(Carter 149-103S)	3692189	1	.70
50-53	D-D, COE,				
54-57	D-D 6 cyl. (exc. 2 TON)	(Carter 149-112S)	3704805	1	.70
54-55	COE	(Carter 149-115S)	3710367	1	.70
32-52	ALL w/7002540-3986-4039-4600-5060,				
39-52	D-D, COE (for BB1-517-S, BB1-699-S),				
53-57	ALL,				
56-57	PASS., CORV. w/4BC, dual 4BC	BALL, check (Carter 116-13) (stainless steel)	1875237	A.R.	.03

3.863 JET, Carburetor Power

50-53	D-D, COE,				
54-57	D-D 6 cyl. (exc. 2 TON)	(Carter 162-27)	3704806	1	.17
54-55	COE	(Carter 162-28)	3710368	1	.17

3.865 GOVERNOR, Carburetor

41-49	ALL w/235 (exc. SBC, COE)	(King Seeley V5S-207)	3686282	1	12.65
40-53	ALL w/216	(KS V5S-180-D—stamped 3676577)	3676577	1	13.69
50-53	UTIL. (exc. SBC, COE),				
54-55	COMM., UTIL. (6 cyl.) (exc. hvy. duty, D-D, COE, SBC) (2600-3600 RPM)	(KS V6S-259—stamped 3728568)	3728568*	1	13.60
50-55	COE (exc. 261)	(KS V6-260—stamped 3692529)	3692529*	1	13.60
50-55	SBC w/235 (1st Ser.),				
53	PASS. (exc. SDL.),				
54	PASS. (exc. P.G.),				
55-57	COMM., UTIL. w/235 (2nd Ser.) (exc. D-D) (1650-2800 RPM)	(KS-V65S-451—stamped 3730732)	3730732	1	13.60
54-55	2 TON w/261 (2400-3400 RPM)	(stamped KS V6-353 and 3708344)	3708344	1	13.60
54-57	2 TON SBC w/261,				
56-57	2 TON (1900-2900 RPM)	(KS V65S-354) (stamped 3703685)	3703685	1	13.60
54-55	COE w/261	(stamped KS V6-367 and 3708336)	3708336	1	13.60
55-57	2 TON w/261 (exc. D-D) (2700-3600 RPM)	(KS V65-353)	3728569	1	13.60
55	PASS. 6 cyl.	(KS V6US-426) (used w/7008369 Carb.)	3723575†	1	27.25
55-56	COMM., UTIL. (8 cyl.) (exc. D-D),				
57	Ser. 3-4 (8 cyl.) (exc. D-D) (3000-3800 RPM)	(KS V9S-449)	3729595	1	18.15
56-57	PASS. 6 cyl.	(KS V6US-447)	3729592	1	27.25
56	ALL 8 cyl. (exc. D-D),				
57	ALL 8 cyl. (exc. D-D, Ser. 6) (2400-3600 RPM)	(KS V9US-448)	3729482	1	18.15
56-57	COMM., UTIL. (6 cyl.) (exc. D-D, 261) (2600-3600 RPM)	(KSV6S-450)	3729591**	1	13.60

*NOTE: Not tapped or drilled for vacuum advance pipes. Not required on these models.

†NOTE: Carburetor 7008369, which is obtainable on special order only, must be used on initial installation.

**NOTE: Velocity type.

3.870 SEAL—ADAPTER—KIT and PARTS, Carburetor Governor

37-57	ALL	w/wire (wire 16 in.)	596330	1	.40
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	throttle shaft in hsg	7009387	1	.60
55-57	COMM., UTIL. (8 cyl.) (exc. dist. cont. gov.)	ADAPTER	3718358	1	.25
40-49	ALL (exc. D-D, COE)	KIT, gov. installation (for use w/3676577, 3686282)	3699494	1	1.95
50-53	ALL w/216				
51-57	UTIL. w/235 (exc. SBC, COE)	KIT, gov. installation (for use w/3693461—3708344)	3699495	1	.85
54-57	COMM. 6 cyl. (exc. H.T., D-D)				
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	LEVER, w/pin	7009389	1	.85
57	Ser. 6 w/4BC	LEVER, w/pin	7010497	1	.85
57	Ser. 6 w/4BC	LEVER, w/bushing	7010512	1	.60
57	Ser. 6 w/4BC	LEVER, throttle secondary	7010511	1	.35
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	DIAPHRAGM	7009379	1	1.75
57	Ser. 6 w/4BC	DIAPHRAGM, w/protector plates and rods	7010491	1	2.50

56-57	2 TON w/dist. cont. gov.	POST	7009385	1	2.30
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	GASKET, to throttle body	7009386	1	.07
57	Ser. 6 w/4BC	GASKET, to throttle body	7010496	1	.07
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	RETAINER, throttle shaft seal (in hsg. cover)	7009388	1	.12
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	SPRING	7009392	1	.23
57	Ser. 6 w/4BC	SPRING, secondary lever torsion (3½ turns)	7010515	1	.10
57	Ser. 6 w/4BC	SPRING, 1" free length, 9 coils	7010499	1	.30
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	COVER, gov. hsg.	7009394	1	.23
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	COVER, gov. diaph.	7009436	1	4.60
57	Ser. 6 w/4BC	COVER, diaphragm	7010494	1	4.60
57	Ser. 6 w/4BC	COVER, housing (4¾ long, 4 holes)	7010501	1	.30
56-57	2 TON w/dist. cont. gov. (exc. 4BC)	HOUSING	7010234	1	9.20
57	Ser. 6 w/4BC	HOUSING, w/plug, seal, and retainer	7010791	1	9.20
56-57	2 TON w/dist. cont. gov.	SCREW, hsg. cover and diaphragm cover	7009424	A.R.	.07
57	Ser. 6 w/4BC	SCREW, attch. (10—32 x ¾)	7010422	4	.07
56	2 TON w/dist. cont. gov.	PIPE, vacuum control	3724314	1	.50
57	Ser. 6 (8 cyl.) (exc. 4BC)	PIPE, vacuum control	3739274	1	.55
57	Ser. 6 w/4BC	LINK, secondary lever (1⅜ long)	7010500	1	.50
57	Ser. 6 (8 cyl.)	NUT, inverted flared tube (¼)	3739276	2	.25

3.890 FUEL FILTER—ADAPTER and PARTS

53-56	CORV.,				
56	ALL (exc. D-D 6 cyl.)	UNIT	987500**	1	2.35
57	ALL	UNIT	987629	1	2.45
57	ALL	ADAPTER (1 long)	3737888	1	.25
40-49	ALL	GASKET, filter head	5451936	1	.10
50-54	ALL (exc. D-D, COE),				
55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	GASKET, filter head (2⅞₄ O.D.)	5452822	1	.12
53-57	CORV.,				
56-57	ALL (exc. D-D 6 cyl.)	GASKET, strainer (AC-CF-115) (cork)	854341▲	1	.10
53-57	CORV.,				
56-57	ALL (exc. D-D 6 cyl.)	GASKET, filter bowl (AC-106) (cork)	1537716	1	.08
40-49	ALL	ELEMENT	5451937	1	.70
50-54	ALL (exc. D-D, COE),				
55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	ELEMENT	5452784	1	.60
40-49	ALL	BOWL	5451938	1	.26
50-54	ALL (exc. D-D, COE),				
55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	BOWL	5452821	1	.35
53-57	CORV.,				
56-57	ALL (exc. D-D 6 cyl.)	BOWL (AC-CF-20) (glass)	854237	1	.35
40-49	ALL	SCREW, thumb, w/gasket	5451941	1	.26
50-54	ALL (exc. D-D, COE),				
55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	SPRING (5 coils)	5453828	1	(4.669)
50-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE),				
53-54	SDL	ELBOW (60 degrees)	3693886	1	.40
57	PASS. w/C.A.C. and A.T.	ELBOW, filter to carb. (45°)	9409927	1	(8.963)
57	PASS. w/C.A.C. and A.T.	SUPPORT	3743234		.15
53-57	CORV.,				
56-57	ALL (exc. D-D 6 cyl.)	STRAINER, w/gasket (AC-109-A)	854273▲	1	1.00
56	PASS. w/Roch. 4BC	ADAPTER, w/987500 (inv. flared ⅛ tube)	3739680	1	.35

** NOTE: When using on CORV., fittings may be discarded.

▲NOTE: Prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

3.900 PUMP ASSEMBLY—HOSE—ELBOW, Fuel, with Gasket

37-54	ALL,				
55	COMM., UTIL. (1st Ser.)	(angle outlet) (AC-9798 or AC-9832)	5592627▲	1	6.25
42-52	ALL (1st design)	fuel and vacuum, sgl. action (AC-9803)	5592626▲	1	15.45
52-54	ALL (2nd design),				
53-54	CORV.,				
55	COMM., UTIL. (1st Ser.)	fuel and vacuum, dbl. action (AC-9797)	5592675▲	1	15.45
54-55	CORV. 6 cyl.	fuel and vacuum, dbl. action (Type 4132)	5593235▲	1	15.45
55-57	ALL 6 cyl. (2nd Ser.)	(flange stamped 4149)	5593247▲	1	6.25
55	ALL, CORV. (8 cyl.),				
56-57	ALL 8 cyl. (exc. dual 4BC)	(flange stamped 4262 or 4150)	5593256▲	1	8.25

56-57	PASS. w/dual 4BC,				
56-57	CORV.	(type 4346) w/2 gaskets	5593951▲	1	15.45
55	ALL 6 cyl. (exc. SBC),	PUMP UNIT, vacuum (consists of all parts			
55-57	SBC 6 cyl. (exc. elect. wipers)	necessary for complete installation)	5593258▲	1	14.25
55	ALL 8 cyl.	PUMP UNIT, vacuum (consists of all parts necessary for complete installation)	5593259▲	1	14.25
55-57	SBC 6 cyl. (exc. elect. wipers)	HOSE, vacuum pump ($\frac{7}{32}$ I.D. x $\frac{13}{32}$ O.D. x $1\frac{3}{4}$)	3705441	A.R.	.10
37-51	ALL	ELBOW, inverted flared tube ($\frac{5}{16}$—20 deg.)	3707972*	2	.40

*NOTE: This special 20° angle fitting provides for installation of part 5592627 on 1937-51 models without bending fuel lines.

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

3.901 KIT, Fuel Pump Repair

37-51	ALL	(AC-RA 228)	5592945▲	1	2.45
42-51	ALL	(fuel and vacuum-AC-R134)	5591844▲	1	6.35
52	ALL	(fuel and vacuum—sgl. acting—AC-R219)	5592878▲	1	5.35
52-54	ALL,				
53-54	CORV.,				
55	COMM., UTIL. (1st Ser.)	(fuel and vacuum—dbl. acting—AC-R225)	5592925▲	1	5.35
52-54	ALL,				
55	COMM., UTIL. (1st Ser.)	(AC-RA 231)	5592988▲	1	2.45
54-55	CORV. 6 cyl.	(fuel and vacuum—dbl. acting—AC-R-260)	5593475▲	1	5.35
55-57	ALL 6 cyl. (2nd Ser.) (exc. SBC)	(AC-R-271)	5593568▲	1	2.90
55	PASS. 8 cyl.,				
55	CORV. 8 cyl. (w/pump stamped 4150)	(AC-R-281)	5593668▲	1	2.80
55-57	ALL, CORV. (8 cyl.) (w/pump stamped 4262) (exc. dual 4BC)	(AC-R-300) w/bushing	5593804▲	1	3.50
55	ALL w/5593258,				
55-57	SBC 6 cyl.	(fuel and vacuum—AC-R-272)	5593566▲	1	5.80
55	ALL w/5593259	(fuel and vacuum—AC-R-279)	5593659▲	1	5.35
56-57	PASS. w/dual 4BC,				
56-57	CORV.	(AC-R-357)	5620771▲	1	3.60

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

3.903 BOWL, Fuel Pump

37-55	ALL, CORV. (6 cyl.)	w/gasket (glass—$1\frac{15}{16}$ I.D. AC-FP-8)	5590159▲	1	.47

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

3.904 GASKET, Fuel Pump Bowl

29-36	ALL (exc. D, P)	(cork—$1\frac{5}{8}$ I.D. x $2\frac{1}{8}$ O.D.) (AC-FG-1)	5590037▲	1	.10
37-55	ALL, CORV. (6 cyl.)	(cork—$1\frac{7}{8}$ I.D. x $2\frac{5}{16}$ O.D.) (AC-FG-3)	5590039▲	1	.10
55-57	ALL 6 cyl. (2nd Ser.)	(rubber—$\frac{1}{4}$ I.D. x $2\frac{11}{32}$ O.D.)	5593899	1	(3.910)
55-57	ALL, CORV. (8 cyl.) (exc. dual 4BC)	(rubber—$\frac{1}{4}$ I.D. x 3 O.D.)	5593898	1	(3.910)

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those states having such laws.

3.906 BAIL, Fuel Pump Bowl, with Screw

37-49	ALL,				
50-53	ALL (exc. D-D, COE),				
53-55	CORV. 6 cyl.,				
54	PASS.,				
54-55	COMM., UTIL. (1st Ser.) (exc. D-D),				
56-57	ALL, CORV. (exc. D-D 6 cyl.)	less nut ($3\frac{1}{16}$ height O.L.) (AC-FP-2)	5590153[A]	1	.42

[A]NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those states having such laws.

3.910 DIAPHRAGM—RETAINER, Fuel Pump Pulsator

55-57	ALL 6 cyl. (2nd Ser.)	(rubber—$\frac{1}{4}$ I.D. x $2\frac{11}{32}$ O.D.)	5593899	1	.20
55-57	ALL, CORV. (8 cyl.) (exc. dual 4BC)	(rubber—$\frac{1}{4}$ I.D. x 3 O.D.)	5593898	1	.26
56-57	PASS. w/dual 4BC,				
56-57	CORV.	(rubber—$3\frac{7}{16}$ I.D. x $3\frac{1}{8}$ O.D.)	1538358	3	.21
37-54	ALL,				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)	RETAINER ($\frac{15}{16}$ x 1 O.L.)	1521956	1	.04

3.925 DIAPHRAGM UNIT, Fuel and Vacuum Pump

37-51	ALL	fuel pump (AC-D-15)	1538507[A]	1	1.70
	NOTE: 1538507 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 bowl gasket.				
42-51	ALL (w/5591547 pump)	fuel side (AC-D-54)	5591843[A]	1	1.60
	NOTE: 5591843 consists of: diaphragm w/pull rod, 2 valves, 1 valve plate, 4 gaskets.				
42-52	ALL	vacuum side—sgl. acting (AC-D-53)	5591738[A]	1	1.85
	NOTE: 5591738 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 valve plate, 1 cover gasket, 1 spring, 1 spring seat.				
52-55	ALL, CORV. 6 cyl.,				
55-57	SBC 6 cyl.	vacuum side—dbl. acting (AC-D-154)	5593410[A]	1	2.55
	NOTE: 5593410 consists of: diaphragm w/pull rod, 4 valve cages, 3 cage gaskets, 1 flange gasket, 1 oil seal and 1 oil seal retainer.				
52	ALL (w/5592626)	fuel side—sgl. acting (AC-D-127)	5592876[A]	1	1.60
	NOTE: 5592876 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 bowl gasket, 1 oil seal, 1 seal retainer and 1 flange gasket.				
52-55	ALL (w/5592675),				
53-54	CORV.	fuel side —dbl. acting (AC-D-132)	5592922[A]	1	1.60
	NOTE: 5592922 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 bowl gasket and 1 flange gasket.				
52-55	ALL (w/5592627)	fuel pump (AC-D-128)	5592877[A]	1	1.20
	NOTE: 5592877 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 bowl gasket and 1 flange gasket.				
54-55	CORV. 6 cyl.	fuel side (AC-D-158)	5593476[A]	1	1.85
	NOTE: 5593476 consists of diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 oil seal, 1 oil seal retainer, 1 bowl gasket and one flange gasket.				
55-57	ALL 6 cyl. (2nd Ser.) (exc. SBC)	fuel pump (AC-D-167)	5593569[A]	1	1.85
	NOTE: 5593569 consists of: diaphragm w/pull rod, 1 pulsator diaphragm, 2 valves, 2 valve gaskets and 1 flange gasket.				
55	ALL CORV. (8 cyl.),				
56-57	ALL 8 cyl. (exc. dual 4BC)	fuel pump (AC-D-195)	5593777[A]	1	2.20
	NOTE: 5593777 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 oil seal, 1 oil seal retainer, 1 pulsator diaphragm and 1 flange gasket.				
55	ALL (w/5593259)	fuel pump (AC-D-176)	5593660[A]	1	2.20
	NOTE: 5593660 consists of: diaphragm w/pull rod, 2 valves, 2 valve gaskets, 1 oil seal, 1 oil seal retainer, 2 plugs, 2 flange gaskets and 1 pulsator diaphragm.				

55	ALL (w/5593258).				
55-57	SBC 6 cyl.	fuel side (AC-D-168)	5593567[A]	1	2.05
	NOTE: 5593567 consists of: diaphragm w/pull rod, 1 pulsator diaphragm, 2 valves, 2 valve gaskets, 1 oil seal, 1 oil seal retainer and 1 gasket.				
55	ALL (w/5593259)	vacuum side (AC-D-173)	5593661[A]	1	2.55
	NOTE: 5593661 consists of: diaphragm w/pull rod, 4 valves, 3 valve gaskets, 1 oil seal, 1 oil seal retainer and 1 gasket.				
56-57	PASS. w/dual 4BC,				
56-57	CORV.	fuel pump (AC-R-357)	5620770[A]	1	3.20
	NOTE: Consists of 1 pull rod and diaphragm assy., 3 pulsator diaphragms, 6 valve assy., valve gaskets, 1 oil seal, 1 oil seal retainer and 2 flange gaskets.				
	[A]NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.				

3.927 SPRING, Fuel Pump Diaphragm

35-51	ALL	diaphragm	1522264	1	.11
55-57	ALL, CORV. (8 cyl.)	rocker arm (10 coils) (painted red)	5620840	1	.15

3.930 SEAL—RETAINER, Fuel and Vacuum Pump Oil

52	ALL (w/sgl. acting pump)	vacuum diaphragm pull rod (leather)	1523122	1	.81
52	ALL (w/sgl. acting pump)	fuel diaphragm pull rod (rubber),			
52-55	ALL, CORV. (6 cyl.) (1st Ser.),				
55-57	ALL, CORV. (8 cyl.),				
55-57	SBC 6 cyl. (2nd Ser.) (exc. elect. wipers).	fuel and vacuum diaphragm pull rods	5592331	A.R.	.22
52-55	ALL, CORV. (6 cyl.) (1st Ser.),				
55-57	ALL, CORV. (8 cyl.),				
55-57	SBC 6 cyl. (2nd Ser.) (exc. elect. wipers).	RETAINER, seal (used w/5592331)	5592332	A.R.	.11

3.932 GASKET, Fuel Pump to Mounting


37-57	ALL 6 cyl.	(has 2 attach. holes—one large slot)	838263	1	.03
52-54	ALL (w/dbl. acting pump),				
53-55	CORV. 6 cyl.,				
55	COMM., UTIL. (w/dbl. acting pump) (1st Ser.),				
55-57	SBC 6 cyl. (w/dbl. acting pump) (2nd Ser.)	(2 attach. holes—one small slot)	3701796	1	.01
55-57	ALL, CORV. (8 cyl.)	flange (2 attach. holes—one large slot)	3705042	1	.01
55-57	ALL, CORV. (8 cyl.)	mounting slot (4 attach. holes—one large slot)	3705044	1	.03

3.935 ROD, Fuel Pump


55-57	ALL, CORV. (8 cyl.)	(½ dia. x 5¾ length)	3704817	1	1.05

3.947 PLATE, Fuel Pump Mounting


55-57	ALL, CORV. (8 cyl.)	(4 attach. holes—one large slot)	3719599	1	.50




1939-48 PASS. SYNCHRO-MESH TRANSMISSION (STEERING COLUMN GEARSHIFT)




FOUR SPEED TRANSMISSION—EXPLODED VIEW




1948-57 FOUR SPEED SYNCHRO-MESH TRANSMISSION




TRUCK HEAVY DUTY THREE SPEED TRANSMISSION




TRUCK HYDRAMATIC TRANSMISSION—CROSS SECTION




TRUCK HYDRAMATIC TRANSMISSION ASSEMBLY—EXPLODED




TRUCK HYDRAMATIC TRANSMISSION—FLYWHEEL AND FLUID COUPLING







TRUCK HYDRAMATIC TRANSMISSION (REAR UNIT)




TRUCK HYDRAMATIC TRANSMISSION (FRONT OIL PUMP)




TRUCK HYDRAMATIC TRANSMISSION—GOVERNOR AND REAR OIL PUMP




—FRONT SERVO—




TRUCK HYDRAMATIC TRANSMISSION—REAR SERVO—




1949-54 PASSENGER TRANSMISSION—CROSS SECTION



1949-54 PASSENGER TRANSMISSION—EXPLODED




THREE SPEED TRANSMISSION W/OVERDRIVE—EXPLODED




NOTE: FOR 1953-57 CONVERTER SECTION SEE PAGE 343

1950-52 POWER GLIDE TRANSMISSION—CONVERTER SECTION




NOTE: FOR 1953-57 MAIN VALVE BODY, THROTTLE VALVE BODY, AND GOVERNOR ASSY. SEE PAGES 344 AND 345


POWER GLIDE TRANSMISSION—HOUSING SECTION



POWER GLIDE TRANSMISSION—HI-LO CLUTCH SECTION




POWER GLIDE TRANSMISSION—REVERSE AND PLANETARY SECTION




4.228—1953-56 LOW SERVO PARTS

POWER GLIDE TRANSMISSION—CASE SECTION




POWER GLIDE TRANSMISSION—REAR PUMP SECTION




1955-56 P.G. TRANSMISSION


1953-56 POWER GLIDE TRANSMISSION—CROSS SECTION




1953-57 POWER GLIDE TRANSMISSION—CONVERTER SECTION




1953-57 POWER GLIDE TRANSMISSION THROTTLE VALVE




1953-57 POWER GLIDE TRANSMISSION THROTTLE VALVE BODY ASSY.




1953-57 POWER GLIDE TRANSMISSION GOVERNOR




1953-57 POWER GLIDE TRANSMISSION MAIN VALVE BODY




1957 TURBOGLIDE TRANSMISSION HOUSING & CONVERTER—EXPLODED




1957 TURBOGLIDE TRANSMISSION CLUTCH & GEARS—EXPLODED




1957 TURBOGLIDE TRANSMISSION VALVE BODY—EXPLODED




1948-54 PASS., COMM. STEERING COLUMN GEARSHIFT MECHANISM




1950-52 POWER GLIDE—CONTROL MECHANISM




1953-54 POWER GLIDE—CONTROL MECHANISM




1955-57 PASSENGER FOUR BARREL CARBURETOR LINKAGE




1955-57 CORVETTE TRANSMISSION CONTROLS




TRUCK HYDRAMATIC TRANSMISSION—LINKAGE MECHANISM



TRUCK HYDRAMATIC TRANSMISSION—CONTROL MECHANISM



TRUCK HYDRAMATIC TRANSMISSION—V-8 LINKAGE MECHANISM



1955-57 GEARSHIFT CONTROL PARTS



YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	4.003 TRANSMISSION ASSEMBLY (less hand brake)				
41-48	PASS.		591187	1	111.50
48-54	COMM. (3-SPD.) (exc. hvy. duty)	(see NOTE I)	3845029	1	123.00
48-50	ALL,				
51-57	COMM. (4-SPD.)	(see NOTE II)	591703*	1	174.50
49-54	PASS. (exc. P.G.)		3709812	1	123.00
51-57	UTIL. (4-SPD.)	(includes prop. shaft brake)	591550†	1	205.00
54-57	½ TON w/H.T.		8615375	1	339.00
55-56	PASS. (exc. P.G., O/D)	(see NOTE III)	3731850	1	123.00
55-56	PASS. w/P.G. 6 cyl.		3719238	1	277.25
55-56	PASS. w/P.G. 8 cyl.		3719241§	1	277.25
55-56	½ TON (3-SPD.) (exc. O/D, hvy. duty)	(see NOTE IV)	3845197	1	123.00
55	½ TON (1st Ser.),				
55-56	COMM. (3-SPD.) (hvy. duty) (2nd Ser.)	(see NOTE V)	3731577	1	162.50
55-56	¾ TON (3-SPD.) (exc. hvy. duty)	(see NOTE VI)	3845143	1	123.00
55-56	CORV. (3-SPD.) 8 cyl.	(see NOTE VII)	3731933	1	140.00
55-57	ALL w/H.T. (2nd Ser.) (exc. ½ TON)		8615385††	1	398.50
56-57	PASS. (3-SPD) (close ratio) (2nd design)	See Hvy. Duty parts section for 1st design	3731937	1	123.00
57	PASS. (exc. A.T., O/D, close ratio)		3740406	1	123.00
57	PASS. 6 cyl. w/P.G.		3738791	1	277.25
57	PASS. 8 cyl. w/P.G. (exc. dual 4BC)		3738793	1	277.25
57	CORV. (3-SPD.)		3737326	1	150.00
57	½ TON (3-SPD.) (exc.O/D, hvy. duty)		3737329	1	123.00
57	¾ TON (3-SPD.) (exc. hvy. duty)		3737334	1	123.00
57	Ser. 3 (3-SPD.) (hvy. duty)		3731577	1	162.50

NOTE I: On ¾ TON models remove "U" joint, rear brg. support and replace w/3845019 rear brg. support, 3845092 "U" joint frt. yoke, 3845023 rear brg. oil slinger and replace speedometer drive gear by 3692234 speedometer drive gear unit.

NOTE II: Rear bearing retainer, output flange and speedo. gears may differ from same prod. models. Transfer such items from replaced transmission or obtain new from service parts stock.

NOTE III: When replacing transmission it will be necessary to install new levers 3845093 1st and reverse and 3708667 on 1955 or 3728300 on 1956 2nd and 3rd or transfer old levers.

NOTE IV: When replacing transmission both the 1st and reverse, 2nd and 3rd shifter shaft and plate assys. or the trans. cover assy. will have to be transferred from the old trans.

NOTE V: On ¾, 1 TON models remove rear brg. ret. assy. and replace with 3721040 retainer assy. Transfer old "U" joint front flange and brake drum assy. It may be necessary to replace both outer shifting levers from old transmission.

NOTE VI: When replacing transmission the speedo. driven gear may have to be replaced with 3845071. Also both 1st and reverse, 2nd and 3rd shifter shaft and plate assy. or the trans. cover assy. will have to be transferred from the old trans.

NOTE VII: When installing on 1955 model or 1956 models with 3.27 axle ratio, the speedo. driven gear and shaft assy. (3726645) must be replaced by speedo. driven gear (3708142).

*NOTE: Not used w/dual shoe prop. shaft brake. See illustration at group 5.610

†NOTE: Used w/dual shoe prop. shaft brake. See illustration at group 5.610

††NOTE: Require oil cooler on hvy. duty jobs.

§NOTE: When using as a replacement for transmission to serial No. C-206 it will be necessary to use 3—3722375 Bolt, 4—120383 Washer, 1—120370 Nut and increase ⅜ hole in rear engine mounts to 7/16.

	4.004 KIT—CONTROL ASSY., Transmission				
37-39	PASS., COMM.,				
40-47	COMM. (3-SPD.)	gearshift lever	609928*	1	1.35
37-53	PASS. (exc. P.G.)	thrust washer and needle brg.	3692617†	1	1.35
41-54	COMM. (3-SPD.),				
41-53	PASS. (hvy. duty),				
54	PASS.	thrust washer and needle brg.	3711626#	1	3.60
55-57	PASS., COMM. (exc. hvy. duty)	thrust washer and needle brg.	3725035‡	1	4.70

55	PASS. (exc. P.G.)	control, lever repair	3731061 ⊕	1	2.45
48-52	½, ¾ TON,				
53	½, ¾ TON (exc. D-D)	CONTROL ASSY. (shaft and housing)	3686801	1	6.20
49-54	PASS.	CONTROL ASSY. (shaft and housing)	3688157	1	5.65
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D),				
55	COMM. (3-SPD.) (2nd Ser.) 6 cyl.	CONTROL ASSY. (shaft and housing)	3700376	1	5.15
55	COMM. (3-SPD.) 8 cyl.,				
56-57	COMM. (3-SPD.)	CONTROL ASSY. (shaft and housing)	3722057	1	6.20

*NOTE: Consists of 1 Hsg., 1 Seat, 1 Spring, 1 Gasket, 1 Ball Retainer.

†NOTE: Consists of 1—591793 Washer, 2—590826 Washer, 2—591091 Washer, 14—435844 Roller. 1953 Models also require 24—7450247 Roller.

#NOTE: Consists of 1—591793 Washer, 2—591212 Washer, 2—591091 Washer, 1—3845097 Washer, 14—435844 Roller, 50—435847 Roller. 1953-54 Models also require 24—7450247 Roller.

‡NOTE: Consists of 2—3845097 Washer, 1—3845110 Washer, 1—3845109 Pin, 2—591091 Washer, 14—435844 Roller, 50—435847 Roller, and 24—7450247 Roller.

⊕NOTE: Consists of 1 each of 3727976 lever, 3727977 lever, 3726438 ring, 3725633 spacer, 3726338 seat.

4.005 GASKET—SEAL, Transmission

31-47	ALL (4-SPD.)	(see NOTE 1)	606664	1	.85
37-54	ALL (3-SPD.) (exc. hvy. duty)	(see NOTE 1)	3689488	1	1.10
50-52	PASS. w/P.G.	(see NOTE 2)	3701030	1	3.35
48-57	ALL (4-SPD.)	(see NOTE 3)	3697378	1	.60
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	(for complete repair)	3703919	1	3.50
54-57	COMM. (3-SPD.) (hvy. duty)	(see NOTE 9)	3723039	1	1.65
54-57	ALL w/H.T.	(for complete repair) (see NOTE 4)	3712595	1	4.75
55-57	ALL, CORV., (3-SPD.) (exc. O/D, hvy. duty)	(see NOTE 7)	3719636	1	.30
55	PASS. w/P.G.,				
55	CORV. (8 cyl.) w/P.G. (to trans. serial No. C-1231)	(for complete repair) (see NOTE 8)	3714456*	1	2.95
55-56	PASS. w/P.G. (after trans. Serial No. C-103),				
56-57	PASS., CORV. w/P.G.	(for complete repair) (see NOTE 8)	3716678†	1	3.10
55-57	PASS., ½ TON O/D	overdrive	3712724	1	(4.460)
50-52	PASS. w/P.G.	SEAL UNIT, "O" ring (see NOTE 5)	3698460	1	2.05
53-57	PASS., CORV. w/P.G.	SEAL UNIT, "O" ring (see NOTE 6)	3703918	1	2.05

NOTE 1: Consists of bearing retainer gaskets, cover gaskets, "U" joint seal and shims.

NOTE 2: Consists of 1 hsg. to case gskt., 1 valve body to case gskt., 2 side cover gskts., 1 rear oil pump gskt., 1 servo cover gskt., 1 modulator housing gskt., 1 manual valve seal, 1 oil suction pipe seal, 1 valve spring plug gskt., and 1 ball collar seal.

NOTE 3: Consists of 1 clutch gear brg. ret. gskt., 1 trans. cover gskt., 1 rear brg. ret. gskt. and power take-off gskt.

NOTE 4: It will be necessary to use 3689826 "O" Ring Seal and 3692836 shims only on early 1954 ½ Ton jobs. When using on models equipped with prop. shaft brake, 8615618 rear bearing retainer gasket must be used in place of 8611998. Consists of 1 case frt. cover seal, 1 "U" joint "O" ring seal, 1 torus cover seal, 1 oil pan plug gasket, 1 oil pan gasket, 1 press. reg. gasket, 1 rear brg. ret. gasket, 1 rear servo body gasket, 1 case side cover gasket and 2 ball collar shims.

NOTE 5: Consists of 1 converter cover, 1 turbine bolt, 1 frt. pump, 1 "U" joint and 1 primary pump hub "O" ring seal.

NOTE 6: Consists of one seal each for converter cover, ball joint collar, and frt. oil pump body.

NOTE 7: Consists of 1—transmission cover gasket, 1—clutch gear bearing retainer gasket, 1—transmission extension gasket and 1—"O" ring seal.

NOTE 8: Consists of 1 gskt. ea. for: valve body to case, hsg. side cover, rr. oil pump, servo cover, governor cover, hsg. side cover—L.H., low and drive valve and 1 parking lock lever shaft oil seal and 1 oil pump suction pipe seal.

NOTE 9: Consists of 1 cover gasket, 3 clutch gear brg. ret. gskts., 1 rear brg. retainer gasket and 1 oil seal assembly. When using on 1954 models exc. ½ TON, 3845021 oil seal must be used in place of 591448 seal.

*NOTE: Use with valve body cast 3709023.

†NOTE: Use with valve body cast 3719233.

4.006 LEVER ASSEMBLY—SWIVEL—SEAL—BRACKET—LINK—BOLT, Gearshift (Hand)

37-39	PASS. (ctr. shift 3-SPD.),				
37-47	COMM. (3-SPD.)	(27 13/16 developed length)	591219	1	5.30
40-48	PASS.	less grip	3653695	1	1.15
29-47	ALL (4-SPD.) (exc. COE)	(w/reverse latch rod)	591216	1	7.45
39-47	COE	lower (w/cap, spring and cup)	3650879	1	3.70
39-46	COE	upper (w/reverse cable)	3650788	1	9.45
47	COE	upper (w/reverse cable)	3682882	1	9.45
48-53	COMM. (3-SPD.),				
49-52	PASS. (3-SPD.)	less grip	3686799	1	1.20
48-57	ALL (4-SPD.) (exc. D-D, COE, 2-SPD.),				
56-57	UTILITY (2-SPD.) (2nd Ser.)	(28 11/16 dev. length)	3720367†	1	4.90
48-55	D-D (4-SPD.) (1st Ser.)	(28 11/16 dev. length)	3690381	1	4.55
48-55	COE	lower (8 11/32 length)	3684588	1	3.60
48-55	COE	upper (w/ball, spring ret.)	3696510	1	7.15
50-52	PASS. w/P.G.	control, less grip	3694329	1	1.00
53-55	CORV. w/P.G.	control	3706410	1	8.25
53-54	PASS. (exc. P.G.),				
54-56	COMM. (3-SPD.)	less grip	3723916	1	1.15
53-54	PASS. w/P.G.,				
54-56	ALL w/H.T.	control, w/bushing, less grip	3723914	1	1.40
55-57	PASS.	control, less grip (chrome)	3719852	1	1.40
55	CORV. (3-SPD.),				
56-57	CORV.	control	3723115	1	8.75
55-57	D-D (4-SPD.) (2nd Ser.)	(37 17/64 dev length) (less grip)	3715869	1	5.90
56-57	CORV. (3-SPD.)	control w/brkt.	3725641	1	29.75
57	Ser. 3 (3-SPD.),				
57	ALL w/H.T.	control (10 3/32 O.L.)	3716517	1	.90
42-54	PASS. (3-SPD.),				
48-55	1/2, 3/4 TON (3-SPD.) (1st Ser.),				
54-55	1 TON (3-SPD.) (hvy. duty) (1st Ser.)	SWIVEL, lever (2 3/16 overall length)	3708901	1	1.00
50-52	PASS. w/P.G.	SWIVEL, control lever (2 11/16 overall length)	3698688	1	1.00
53-54	PASS. w/P.G.,				
54-56	ALL w/H.T.	SWIVEL, control lever (2 1/32 O.L.)	3701570	1	1.00
55-56	COMM. (3-SPD.) (2nd Ser.)	SWIVEL, control lever (2 3/16 O.L.) (2 threaded sections)	3713934	1	1.00
57	Ser. 3 (3-SPD.)	SWIVEL, control lever (1 O.D.)	3716522	1	1.00
53-54	PASS. (exc. P.G.)	SEAL, "O" ring (rubber—13/16 I.D.)	3707842	1	.10
39-55	COE	BRACKET, lower lever (3 overall length)	3650594	1	1.05
39-46	COE	LINK, lever	3650596	1	3.40
47-55	COE	LINK, lever	3685031	1	3.60
39-55	COE	BOLT, lever link (3/8—24 x 3 13/16 length)	3650597	2	.15
53-55	CORV.	BOLT, lever (2 thd. sections)	3706340	1	.45

†NOTE: On 2-SPD. axle models drill a .126-.130 dia. hole thru lever 3.69 from top of lever for control bracket stop pin.

4.007 SHAFT—BUSHING, Gearshift Control

39	PASS.	assy. (31 1/4 length)	3650300	1	5.35
40-48	PASS.	assy.	3654491	1	4.15
48-53	COMM. (3-SPD.) (exc. D-D)	upper (23 1/8 O.L.)	3686816	1	3.45
48-57	COMM. (3-SPD.),				
53-54	ALL P/S,				
54-57	1 TON (3-SPD.) (hvy. duty)	lower w/lever (10 5/8 long)	3686802	1	2.20
48-53	3/4 TON D-D	upper (25 1/8 O.L.)	3691349	1	3.60
49-52	PASS. (exc. P.G.)	upper (29 7/8 O.L.)	3688161	1	4.15
49-54	PASS. (exc. P.G., P/S)	lower w/lever (5 9/16 long)	3688158	1	2.10
50-52	PASS. w/P.G.	control	3698689*	1	4.35
53-54	PASS. (exc. P.G., P/S)	upper (29 1/4 O.L.)	3701539	1	4.15
53-54	PASS. w/P.G. (exc. P/S)	control (35 O.L.)	3701571	1	4.35
53-54	ALL P/S (exc. P.G.)	upper (20 3/4 O.L.)	3704085	1	4.15
53-54	ALL P/S w/P.G.	control (31 O.L.)	3704076	1	4.35
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)	upper (22 1/4 O.L.)	3705435	1	3.45
54-55	D-D (1st Ser.)	upper (23 7/8 O.L.)	3705487	1	3.60
54-55	COMM. w/H.T. 6 cyl. (exc. D-D)	(32 1/2 O.L.)	3720930	1	4.15
54-55	D-D w/H.T. (1st Ser.)	(34 3/4 O.L.)	3707643	1	4.15
55	COMM. (3-SPD.) (2nd Ser.) 6 cyl. (exc. D-D)	upper (22 1/4 O.L.)	3720925	1	3.45
55	COMM. (3-SPD.) 8 cyl.,				
56	COMM. (3-SPD.) (exc. D-D)	upper (21 3/8 O.L.)	3722061	1	3.45

55-56	D-D (3-SPD.) (2nd Ser.)	upper (28 O.L.)	3720452	1	3.80
55-56	D-D w/H.T. (2nd Ser.)	(38 O.L.)	3720443	1	4.15
55	COMM. w/H.T. 8 cyl.,				
56	COMM. w/H.T. (exc. D-D)	control (31 11/16 O.L.)	3723326	1	4.15
56-57	CORV. (3-SPD.)	(4 5/8 O.L.)	3725644	1	3.25
56-57	CORV. w/P.G.	(3 3/4 O.L.)	3726786	1	2.60
56	1½ TON w/H.T.	(29 3/8 O.L.)	3724041	1	4.15
57	Ser. 3 (3-SPD.) (exc. D-D)	upper (18½ O.L.)	3717281	1	3.45
57	D-D (3-SPD.)	upper (25 1/8 O.L.)	3737687	1	4.15
57	Ser. 3 w/H.T. (exc. D-D)	28 3/32 O.L.)	3736955	1	4.15
57	D-D w/H.T.	(35 1/8 O.L.)	3737688	1	4.15
57	Ser. 4 w/H.T.	(27 1/8 O.L.)	3735889	1	4.15
40-48	PASS.	BUSHING (3 O.L.)	3653736	1	.95
50-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	BUSHING, control shaft (1 O.D. x 5/8 long)	3693802	1	.60

*NOTE: On 1950-51 models, 3698688 (group 4.006) must also be used.

4.008 PIN, Gearshift Lever Fulcrum

ALL	ALL (4-SPD.)	(13/16 O.L.)	590282	2	.05
56-57	CORV. (3-SPD.)	(27/32 O.L.)	3725643	1	.50

4.009 KNOB, Gearshift Hand Lever

ALL	ALL (exc. strg. col. shift),				
39-46	2-SPD. (Mech. Shift)	(2 1/32 diameter)	374993	1	.70
39	PASS. (strg. col. shift)	(5/16 hole diameter)	3650273	1	.90
40-48	PASS.	(3/8 hole diameter)	3665490	1	.90
48-53	COMM. (3-SPD.)	(3/8 hole diameter)	3686898	1	.70
49-52	PASS. (exc. P.G.)	light ivory	3699416	1	.70
50-52	PASS. w/P.G.	light ivory	3699926	1	.55
53-54	PASS. (exc. P.G.),				
54-57	COMM. (3-SPD.)				
57	ALL w/H.T.	black (1 3/16 O.D. x 1 13/16 O.L.)	3718171	1	.70
53-54	PASS. w/P.G.,				
54-56	ALL w/H.T.	black (7/8 O.D.)	3701927	1	.55
53-55	CORV. w/P.G.	(white tenite)	3706325	1	.85
55-57	PASS.	black (15/16 O.D.)	3710565	1	.55
55	CORV. (3-SPD.),				
56	CORV.	(chrome)	3729123	1	1.55
57	CORV.	(chrome)	3723116	1	.95

4.015 CAP—SEAL—SPRING—GROMMET—RETAINER—ESCUTCHEON—RING, Gearshift Lever

ALL	ALL (4-SPD.)	(bayonet type) (1 29/32 O.D.)	590387	1	.40
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	SEAL, rubber (bellows type)	3686796	1	.35
40-47	ALL (4-SPD.) (exc. COE)	SEAL, floor (sponge rubber)	3653421	1	.50
47-55	COE	SEAL, floor (canvas)	3686346	1	1.75
48-55	ALL (4-SPD.) (1st Ser.) (exc. D-D, COE)	SEAL, floor (sponge rubber)	3687200	1	.65
53-54	CORV.	SEAL (¼ I.D. x 7/16 O.D.)	3706357	1	.10
55-57	CORV. (3-SPD.) 8 cyl.	SEAL (rubber—4 5/32 O.L.)	3733482	1	.70
55-57	ALL (4-SPD.) (2nd Ser.)	SEAL, floor (rubber—4 7/16 x 5 3/4)	3716150	1	.70
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D),				
55-57	COMM. (3-SPD.) (2nd Ser.)	SPRING, seal (9 coils—1¼ height)	3721848	1	.10
55-56	PASS.	GROMMET (rubber—55/64, 19/32)	3710567	1	.25
57	PASS.	GROMMET	3735376	1	.20
53-55	CORV. w/P.G.	RETAINER, seal	3706332	1	.10
55	CORV. (3-SPD.) 8 cyl.	ESCUTCHEON	3724067	1	1.45
55	CORV. (3-SPD.) 8 cyl.	RING, escutcheon retaining	3724483	1	.35

4.016 LEVER—BOLT—BUMPER—BUSHING—SPRING—GROMMET, Gearshift Control Shaft

40-48	PASS.	(3¼ between hole centers)	3653137	1	.60
48-53	ALL (3-SPD.) (exc. FK, FJ),				
54	PASS. (3-SPD.),				
54-55	D-D (3-SPD.) (1st Ser.)	assy., housing 1st and reverse	3686811	1	1.30

48-52	COMM. (3-SPD.),				
53-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D),				
55	COMM. (3-SPD.) 6 cyl. (2nd Ser.)	assy., housing 2nd and 3rd (4¼ O.L.)	3686812	1	1.30
59-54	PASS. (3-SPD.),				
53-55	D-D (3-SPD.) (1st Ser.)	assy., housing 2nd and 3rd (5¼ O.L.)	3688159	1	1.30
50-54	PASS. w/P.G.,				
54-55	COMM. w/H.T. (1st Ser.)	control shaft	3696180*	1	.85
53-55	CORV. w/P.G.	assy.	3706406	1	.55
53-54	ALL P/S w/P.G.	w/link (teeth in keyhole slot)	3704077	1	1.20
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)				
55-57	COMM. (3-SPD.) (2nd Ser.)	assy., housing 1st and reverse (4¼ O.L.)	3700379	1	1.25
55-57	PASS. (3-SPD.)	shifter tube, 1st and reverse (3⅛ between hole centers) (stamped "L")	3732059	1	.70
55-57	PASS. (3-SPD.)	shifter tube, 2nd and 3rd (3⅛ between hole centers) (stamped "U")	3732060	1	.75
55	COMM. (3-SPD.) 8 cyl.,				
56-57	COMM. (3-SPD.)	assy., housing 2nd and 3rd (4¼ O.L.)	3722058	1	1.30
55-57	ALL w/H.T.	w/link (teeth in keyhole slot)	3723577	1	1.50
56-57	CORV. w/P.G.	control shaft	3726788	1	1.05
56-57	CORV. (3-SPD.)	assy., control shaft	3725642	2	3.30
50-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	BOLT, "T" control shaft lever (5/16—24 x 1⅝)	3696181	1	.20
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	BUMPER, lever (½ I.D. x ⅞ O.D.)	3689221	1	.10
55-57	PASS. w/P.G.	BUMPER, tube lever (¼ O.D. x 13/32 long)	3711059	1	.10
39-54	PASS.,				
48-57	COMM. (3-SPD.)	BUSHING, lever,			
55-57	PASS. (exc. P.G.)	2nd and 3rd shifter lever,			
55-57	ALL w/H.T. (2nd Ser.)	lever (⅜ I.D. x 9/16 O.D.)	3652244	A.R.	.15
53-54	PASS.,				
54-56	COMM. (3-SPD.)	BUSHING, control upper shaft,			
54-56	ALL w/H.T.	control shaft (15/32 I.D.)	3720927	1	.30
57	COMM. (3-SPD.)	BUSHING, upper shaft,			
57	ALL w/H.T.	shaft (15/32 I.D.)	3716518	1	.25
39	PASS.	SPRING, anti-rattle, control shaft (21/32 I.D.)	3650301	1	.15
40-48	PASS.	SPRING, anti-rattle, control shaft lever (coil, 1 1/16 I.D.)	3653202	1	.10
40-52	PASS. (exc. P.G.),				
48-53	COMM. (3-SPD.)	SPRING, anti-rattle, shift lever (hairpin type)	3653747	1	.10
40-52	PASS.,				
48-53	COMM. (3-SPD.)	SPRING, anti-rattle, control shaft (coil type)	3655726	1	.10
40-48	PASS.	SPRING, anti-rattle, control shaft (snaps over shaft and mast jacket)	606418	1	.15
49-52	PASS.,				
48-57	COMM. (3-SPD.)	SPRING, control shaft	3692295	1	.10
50-52	PASS. w/P.G.	SPRING, anti-rattle (hairpin type)	3693784	1	.30
50-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	SPRING, control shaft (5 coils)	3693704	1	.10
53-54	PASS.,				
54-56	COMM. (3-SPD.),				
54-56	ALL w/H.T.	SPRING, anti-rattle, shift lever (hairpin type)	3701535	1	.10
53-55	CORV. w/P.G.	SPRING, control shaft (8 coils)	3706353	1	.30
55-57	PASS. w/P.G.	SPRING, tube return (5 coils—2 5/16 long)	3716989	1	.15
55	CORV. (3-SPD.),				
56-57	CORV.	SPRING, control shaft (8 coils)	3723121	1	.30
57	COMM. (3-SPD.),				
57	ALL w/H.T.	SPRING, anti-rattle	3716519	1	.20
55-57	PASS.	GROMMET, tube lever (7/16 I.D. x ¾ O.D.)	3712382†	2	.20
56-57	CORV. w/P.G.	RETAINER ASSY., control shaft	3726789	1	2.15

*NOTE: When using 3696180 on 1950 models it will be necessary to use 3696181 "T" bolt.
†NOTE: Requires one on P.G. models.

4.017 SWIVEL—PLATE—SLEEVE—RING—SPACER, Gearshift Lever, also Small Adjusting and Attaching Parts

40-47	PASS.,				
48	ALL (3-SPD.)	control rod (1⅜ length)	3653745	1	.35

48	¾ TON D-D (w/unthreaded rod),				
49-54	PASS.,				
49-55	COMM. (3-SPD.) 6 cyl.	control rod,			
54-55	COMM. w/H.T. 6 cyl.	shifter rod (2⅛ long)	3691651	A.R.	.35
55-57	PASS.	control rod (1 7/16 O.L.)	3712384	A.R.	.30
55-56	PASS. w/P.G.	PLATE, control selector (2 holes ¼ I.D.)	3711060	1	.30
55-57	CORV. (3-SPD.)	PLATE, guide	3723123	1	.70
56-57	CORV. w/P.G.	PLATE, guide	3726787	1	.85
57	PASS w/A.T.	PLATE, control selector	3737561	1	.30
55-57	PASS.	SLEEVE, control rod swivel	3712388	A.R.	.15
55	PASS. (exc. P.G.)	RING, shifter tube adj. (uses ¼ inch bolts)	3719313	1	.55
55-56	PASS. w/P.G.	RING, shifter tube adj. (⅝ thk.) (uses 5/16 inch bolts)	3729478	1	.55
56-57	PASS. (exc. P.G.)	RING, shifter tube adj. (⅞ thk. w/groove) (uses 5/16 inch bolts)	3726438	1	.60
57	PASS w/P.G.	RING, shifter tube adj.	3738969	1	.55
55	PASS. (exc. P.G.)	SPACER, tube lever (1/16 thk.—⅝ aperture)	3711082	1	.25
56	PASS. (exc. P.G.)	SPACER, tube lever (1/16 thk. w/15/32 aperture)	3728056	1	.25
39	PASS.	SPRING, anti-rattle, swivel (13/32 I.D. x 13/16 O.D.)	3650298	1	.10
39	PASS.	LOCK, swivel pin (round type)	475508	A.R.	(5.030)
39	PASS.	LOCK, swivel pin	3652249	1	.10
48	¾ TON D-D,				
49-54	PASS.,				
49-55	COMM. (3-SPD.) 6 cyl.	CLAMP, control rod,			
54-55	COMM. w/H.T. 6 cyl.	shifter control rod (9/16 x 15/16 x 1 1/16)	3692229	A.R.	.20
55-57	PASS.	CLAMP, control rod (11/32 I.D.)	3725298	A.R.	.15
55	COMM. (3-SPD.) 8 cyl.,				
56-57	COMM. (3-SPD.)	CLAMP, inner, control rod,			
55	COMM. w/H.T. 8 cyl.,				
56-57	ALL w/H.T.	inner, shifter control rod (1 5/16 x 1 x 11/16)	3722036	A.R.	.15
55	COMM. (3-SPD.) 8 cyl.,				
56-57	COMM. (3-SPD.)	CLAMP, outer, control rod,			
55	COMM. w/H.T. 8 cyl.,				
56-57	ALL w/H.T.	outer, shifter control rod (1 5/16 x 1 1/16 x ⅞)	3722054	A.R.	.15
55-57	PASS.	WASHER, hsg., upper (4—3/32 holes) (.032 thk.)	3715229	A.R.	.10
55-57	PASS.	WASHER, hsg., upper (3—3/32 holes) (.038 thk.)	3715230	A.R.	.10
55-57	PASS.	WASHER, hsg., upper (2—3/32 holes) (.044 thk.)	3715231	A.R.	.10
55-57	PASS.	WASHER, hsg., upper (1—3/32 hole) (.050 thk.)	3715232	A.R.	.10
55-57	PASS.	WASHER, hsg., lower (.080 thick) (w/tang)	3715228	A.R.	.15
57	PASS.	WASHER, hsg., lower (.124 thick) (w/nut)	3735954	1	.15
55-57	PASS.	SEAL, tube (felt) (1⅛ I.D. x 1 15/16 O.D.)	3711055	1	.20
55	COMM. (3-SPD.) 8 cyl.,				
56-57	COMM. (3-SPD.)	PIN, control rod clamp,			
55	COMM. w/H.T. 8 cyl.	shifter control rod clamp (29/32 O.L. x 11/32			
56-57	ALL w/H.T.	O.D.)	3722056	A.R.	.10
55	PASS.	SCREW w/lockwasher, shifter tube adj. ring			
56	PASS. w/P.G.	(¼—28 x ⅜)	3724184	3	.10
55-57	CORV. (3-SPD.)	RETAINER	3723124	1	1.05
55-57	CORV. (3-SPD.)	SHIM, retainer (plastic)	3723130	A.R.	.10

4.018 SUPPORT—BRACKET—SCREW—CLAMP—BOLT, Gearshift Control

39	PASS.	lower, w/operating lever and link	603549	1	1.85
40-48	PASS.	lower	3653594	1	.85
42-48	PASS.	upr. (die casting)	3682826	1	.80
48-53	COMM. (3-SPD.),				
49-52	PASS. (exc. P.G.)	upper (die casting) (1⅝ length)	3686806	1	.80
50-54	PASS. w/P.G. (exc. P/S)	lower	3702888*	1	.75
50-52	PASS. w/P.G.	upper (cast 3694300)	3694300	1	.70
53-54	PASS. (exc. P.G.),				
54-55	COMM. (3-SPD.) (1st Ser.)	upper (die casting—1 19/32 O.L.)	3698234	1	.70
53-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	upper (die casting—1½ O.L.)	3701574	1	.70
53-54	ALL P/S w/P.G.	lower	3704080	1	.70
54-55	COMM. w/H.T. (1st Ser.),				
55-56	COMM. w/H.T. (2nd Ser.) (exc. D-D)	lower (3 13/32 long)	3707606	1	.80
55-57	COMM. (3-SPD.) (2nd Ser.)	upper (die casting—1 1/16 I.D.)	3713938	1	.90
55-56	D-D, 1½ TON w/H.T. (2nd Ser.),				
57	ALL w/H.T.	lower (1" large O.D.) (3 11/16 O.L.)	3714091	1	.70

55-57	CORV. (3-SPD.)	BRACKET	3723120	1	5.70
40-54	PASS. (3-SPD.)	SCREW, upper support to mast jacket (¼—28 x 7/16 oval, cross recess head)	451181	2	(8.909)
48-57	COMM. (3-SPD.)				
50-52	PASS. w/P.G.	SCREW, upr. supt. to mast jacket, w/lock washer (¼—28 x ½)	450986	1	(8.913)
53-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	SCREW, upr. supt. control (¼—28 x ⅝)	439983	2	(8.908)
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	CLAMP (joins upr. and lwr. shafts—2⅜ length)	3686831	1	.50
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	CLAMP, lower housing	3687429	1	(4.022)
50-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	CLAMP, lwr. supt.	3689993	1	.25
40-48	PASS.	U-BOLT, lower support	3653721	1	.30
40-48	PASS.	U-BOLT, to cowl	3664750	1	(6.765)

*NOTE: On 1950 models, 3696180 and 3696181 (group 4.016) must also be used.

4.019 ROD—SPRING—WASHER—CLEVIS, Gearshift Control

40-48	PASS.	(⅜ x 17 w/2⅜ thd.)	3664239	1	.55
48-53	COMM. (3-SPD.) (exc. D-D)	1st and reverse (25 11/16 dev. length) (no thds.)	3692227	1	1.10
49-54	PASS. (exc. P.G., P/S)	1st and reverse (22 5/16 dev. length)	3696679	1	.70
48-55	D-D (3-SPD.) (1st Ser.)	upr., 1st and reverse (⅝ tubing)	3703585	1	3.20
48-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D, H.T., FT)	upr., 2nd and 3rd (dev. length 14 11/16)	3698271	1	.55
48-52	D-D (3-SPD.)	upr., 2nd and 3rd (38½ dev. length) (no thds.) (used w/clamp type swivel)	3691665	1	1.45
48-53	½, ¾ TON (3-SPD.) (exc. D-D),				
54-55	½, ¾ TON (3-SPD.) (6 cyl.) (exc. D-D), hvy. duty)	lwr., 2nd and 3rd (10 7/16 dev. length)	3686819	1	.70
48-53	¾ TON D-D (3-SPD.),				
54-55	¾ TON D-D (3-SPD.) (1st Ser.) (exc. hvy. duty)	lwr., 1st and reverse (13 dev. length)	3687513	1	.90
48-53	¾ TON D-D (3-SPD.),				
54-55	¾ TON D-D (3-SPD.) (1st Ser.) (exc. hvy. duty)	lwr., 2nd and 3rd (10¾ dev. length)	3687514	1	.90
49-54	PASS. (exc. CONV., P.G., P/S)	2nd and 3rd (25 13/16 dev. length)	3688165	1	.70
49-54	CONV. (exc. P.G.)	2nd and 3rd (25¾ dev. length)	3688479	1	.65
50-57	PASS., CORV. w/P.G.	short	3689972	1	.55
50-52	PASS. w/P.G.	long	3692144	1	.65
53-54	PASS. w/P.G. (exc. P/S)	control, long (25 O.L.)	3702693	1	.65
53-54	PASS. w/P.G.	throttle valve control (16 O.L.)	3703517	1	.55
53-54	ALL P/S (exc. P.G.)	1st and reverse (22¾ dev. length)	3704089	1	.65
53-54	ALL P/S (exc. P.G.)	2nd and 3rd (23½ dev. length)	3704087	1	.65
53-54	ALL P/S w/P.G.	control, long	3704081	1	.65
53-55	D-D (3-SPD.) (1st Ser.)	upper, 2nd and 3rd (⅝ tubing)	3703583	1	3.20
53-55	CORV. w/P.G. 6 cyl.	throttle valve control	3706412	1	.75
53-55	CORV. w/P.G. 6 cyl.	control, long	3706339	1	.60
54-55	COMM. (3-SPD.) (1st Ser.) (exc. hvy. duty)	lower, 1st and reverse (13½ dev. length)	3713866	1	.65
54-55	COMM. (3-SPD.) (hvy. duty) (1st Ser.) (exc. D-D)	lower, 1st and reverse (15½ dev. length)	3705987	1	.85
54-55	D-D (3-SPD.) (hvy. duty) (1st Ser.)	lower, 1st and reverse (15 dev. length)	3707630	1	.85
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)	upper, 1st and reverse (14⅜ dev. length)	3698267	1	.50
54-55	COMM. (3-SPD.) (hvy. duty) (1st Ser.) (exc. D-D)	lower, 2nd and 3rd (12½ dev. length)	3705988	1	.85
54-55	D-D (3-SPD.) (hvy. duty) (1st Ser.)	lower, 2nd and 3rd (11⅝ dev. length)	3707629	1	.85
54-55	COMM. w/H.T. (1st Ser.) (exc. D-D)	shifter (26 1/16 dev. length)	3707600	1	.65
54-57	ALL w/H.T. 6 cyl. (exc. D-D)	assy., throttle valve lever control (24 5/16 dev. length)	3707609	1	3.05
54-55	D-D w/H.T. (1st Ser.)	assy., shifter control (51 9/16 dev. length)	3707639	1	3.85
54-55	D-D w/H.T. (1st Ser.)	assy., throttle valve lever control (44¾ dev. length)	3707637	1	4.00
55-57	PASS. (exc. P.G.)	1st and reverse (25⅜ dev. length)	3710398	1	.75
55-57	PASS. (exc. P.G.)	2nd and 3rd lower (11 13/16 dev. length)	3728286	1	.75
55-57	PASS. (exc. P.G.)	2nd and 3rd upper (13 dev. length)	3720962	1	.60
55-57	PASS. w/P.G.	lower (13⅜ dev. length)	3735136	1	.55
55-57	PASS. w/P.G.	upper (13 3/16 dev. length)	3738318	1	.45

55-57	PASS. w/P.G. 6 cyl.	throttle valve control (14 5/16 O.L.)	3715711	1	.45
55-56	PASS. w/P.G. 8 cyl.,				
55	CORV. w/P.G. 8 cyl.	throttle valve control (18 O.L.)	3718847	1	.65
55-56	PASS. w/P.G. 8 cyl. (exc. 4BC)	bell crank (9 3/8 O.L.)	3713731	1	.40
55	PASS., CORV. w/P.G. (4BC) (1st design)	bell crank (7 1/2 O.L.)	3716055	1	.30
55-56	PASS. w/P.G. (4BC) (2nd design),				
55	CORV. w/P.G. 8 cyl.	bell crank (10 1/4 O.L.)	3722510	1	.40
55	CORV. w/P.G. 8 cyl.	control, long	3711031	1	.65
55-57	CORV. (3-SPD.) 8 cyl.	1st and reverse (15 3/32 dev. length)	3723128	1	.75
55-57	CORV. (3-SPD.) 8 cyl.	2nd and 3rd (16 1/2 dev. length)	3723129	1	.75
55	COMM. (3-SPD.) (hvy. duty) 6 cyl. (2nd Ser.) (exc. D-D)	1st and reverse (23 3/4 dev. length)	3715678	1	.85
55	COMM. (3-SPD.) 6 cyl. (2nd Ser.) (exc. hvy. duty, D-D)	1st and reverse (21 3/4 dev. length)	3716100	1	.60
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (1st design)	1st and reverse (19 1/2 O.L.)	3722023	1	.65
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty), (2nd design),				
56-57	COMM. (3-SPD.) (exc. hvy. duty, D-D)	1st and reverse (19 7/8 O.L.)	3727803	1	.65
55	COMM. (3-SPD.) (hvy. duty) 8 cyl.,				
56-57	COMM. (3-SPD.) (hvy. duty)	1st and reverse (21 3/16 O.L.)	3722027	1	.95
55	D-D (3-SPD.) (2nd Ser.) (exc. hvy. duty)	upr., 1st and reverse (21 1/8 dev. length)	3721298	1	.70
55	D-D (3-SPD.) (2nd Ser.) (exc. hvy. duty)	lwr., 1st and reverse (26 1/2 dev. length)	3723144	1	1.25
55	D-D (3-SPD.) (hvy. duty) (2nd Ser.)	upr., 1st and reverse (21 3/8 dev. length)	3721283	1	.90
55	D-D (3-SPD.) (hvy. duty) (2nd Ser.)	lwr., 1st and reverse (27 1/2 dev. length)	3721284	1	.90
55	COMM. (3-SPD.) 6 cyl. (2nd Ser.) (exc. D-D)	upr., 2nd and 3rd (9 7/8 O.L.)	3723375	1	.55
55	COMM. (3-SPD.) (hvy. duty) 6 cyl. (2nd Ser.) (exc. D-D)	lwr., 2nd and 3rd (9 5/32 O.L.)	3723376	1	.65
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (1st design)	2nd and 3rd (17 9/16 O.L.)	3722025	1	2.50
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (2nd design),				
56-57	COMM. (3-SPD.) (exc. hvy. duty, D-D)	2nd and 3rd (18 O.L.)	3727805	1	2.50
55	COMM. (3-SPD.) (hvy. duty) 8 cyl.,				
56-57	COMM. (3-SPD.) (hvy. duty) (exc. D-D)	2nd and 3rd (18 1/4 O.L.)	3727804	1	.90
55	D-D (3-SPD.) (2nd Ser.)	upr., 2nd and 3rd (22 5/8 dev. length)	3721285	1	.90
55	D-D (3-SPD.) (2nd Ser.) (exc. hvy. duty)	lwr., 2nd and 3rd (24 1/2 dev. length)	3723145	1	.90
55	D-D (3-SPD.) (hvy. duty) (2nd Ser.)	lwr., 2nd and 3rd (27 3/16 dev. length)	3721286	1	.90
55	COMM. w/H.T. 8 cyl.	throttle valve control upper (3 5/8 O.L.)	3719816	1	.30
55	COMM. w/H.T. 8 cyl.	throttle valve control inter. (15 7/8 dev. length)	3719818	1	.45
55-57	ALL w/H.T. 8 cyl.	throttle valve control lower (16 15/16 O.L.)	3719824	1	.50
55	COMM. w/H.T. 6 cyl. (2nd Ser.) (exc. D-D)	shifter, (23 5/8 dev. length)	3716103	1	.65
55	COMM., w/H.T. 8 cyl.,				
56	COMM. w/H.T. (exc. D-D)	shifter (21 13/16 O.L.)	3723325	1	.95
55-57	D-D w/H.T. (2nd Ser.)	shifter (48 3/4 dev. length)	3720444	1	5.25
55-57	D-D w/H.T. 6 cyl. (2nd Ser.)	throttle valve lever control (47 3/4 dev. length)	3720843	1	6.00
56-57	CORV. w/P.G.	control, long (13 5/8 dev. length)	3726810	1	.85
56-57	CORV. w/P.G.	bell crank (7 3/8 dev. length)	3728693	1	.35
56-57	CORV. w/P.G.	throttle valve control	3739758	1	1.20
56-57	D-D (3-SPD.)	upper, 1st and reverse (21 dev. length)	3722065	1	.90
56-57	D-D (3-SPD.)	upper, 2nd and 3rd (20 9/32 dev. length)	3722067	1	.90
56-57	D-D (3-SPD.) (exc. hvy. duty)	lower, 1st and reverse (24 3/4 dev. length)	3727807	1	2.70
56-57	D-D (3-SPD.) (exc. hvy. duty)	lower, 2nd and 3rd (25 1/4 dev. length)	3727808	1	3.15
56-57	D-D (3-SPD.) (hvy. duty)	lower, 2nd and 3rd (25 9/32 dev. length)	3722069	1	3.25
56-57	D-D (3-SPD.) (hvy. duty)	lower, 1st and reverse (26 3/4 dev. length)	3727809	1	3.60
56	1 1/2 TON w/H.T.	shifter (21 9/32 dev. length)	3724042	1	.95
56-57	ALL w/H.T. 8 cyl.	throttle control valve upper	3730180	1	.75
56-57	ALL w/H.T. 8 cyl.	throttle control valve inter.	3736518	1	.55
57	PASS. w/T.G.	lower (13 dev. length)	3736043	1	.55
57	PASS. 8 cyl. w/P.G.	throttle valve (7 7/16 center to center)	3736973	1	.50
57	PASS. w/T.G.	throttle valve (15 9/16 center to center)	3739004	1	.60
57	PASS. 8 cyl. w/A.T. (exc. 4BC)	throttle valve cross shaft (11 27/32 dev. length)	3736952	1	.35
57	PASS. w/4BC and P.G.	throttle valve cross shaft (12 15/16 dev. length)	3735882	1	.40
57	Ser. 3 w/H.T. (exc. D-D)	shifter (23 11/16 dev. length)	3733732	1	.95
57	Ser. 4 w/H.T.	shifter (22 3/4 dev. length)	3731467	1	1.50

40-47	PASS.,				
48-57	ALL (3-SPD.),				
53-57	CORV.	SPRING, anti-rattle, control rod (coil type)	371704	A.R.	(4.796)
55	COMM. w/H.T. 8 cyl.	SPRING, throttle valve control down shift detent (16 coils—3 long)	3719813	1	.35
56-57	ALL w/H.T. 8 cyl.	SPRING, throttle valve control downshift detent	3728229	1	.10
55-57	D-D w/H.T. 6 cyl. (2nd Ser.)	SPRING, lever, adj. rod (22 coils—$^{13}/_{32}$ dia.)	3721991	1	.55
53-54	PASS. w/P.G.	WASHER, throttle rod anti-rattle,			
54-57	ALL w/H.T. 6 cyl.	throttle lever cont. rod swivel,			
55	COMM. w/H.T. 8 cyl.	throttle lever cont. lwr. rod swivel (curved —$^{1}/_{2}$ O.D.)	410224	A.R.	.02
55	COMM. w/H.T. 8 cyl.	WASHER, throttle valve control downshift detent spring seat ($^{1}/_{4}$ I.D. x $^{25}/_{32}$ O.D.)	3719814	2	.15
57	PASS w/T.G.	WASHER, throttle valve control ($^{13}/_{32}$ I.D. x $^{11}/_{16}$ O.D.)	3714491	A.R.	
55-57	CORV. (3-SPD.)	CLEVIS, 1st and rev., 2nd and 3rd	3723131	A.R.	.65

4.020 ROD—SWIVEL—SPRING—CLIP, Gearshift Selector Control

40-48	PASS.	selector to control ($^{1}/_{4}$ x 20)	3664241	1	.50
39-48	PASS.	SWIVEL, selector to control rod	3702380	1	(3.425)
56-57	ALL w/H.T. 8 cyl.	SWIVEL, throttle valve control upper rod	3728078	1	(3.425)
40-48	PASS.	SPRING, anti-rattle, sel. cont. rod (flat spring)	3654543	1	.05
39-48	PASS.	SPRING, anti-rattle, oper. lever link ($^{1}/_{16}$ long)	3650253	1	.05
55-57	PASS. w/P.G. 6 cyl.	CLIP, throttle valve control rod,			
55-57	PASS., CORV. w/P.G. (8 cyl.)	throttle valve cont. bell crank rod and swivel	3711177	A.R.	(3.425)
55-57	PASS. w/P.G.	CLIP, control lower rod,			
56-57	ALL w/H.T. 8 cyl.	throttle valve inter. rod,			
55-57	CORV. (3-SPD.)	1st and reverse,			
		2nd and 3rd,			
56-57	CORV. w/P.G.	long rod	3712389	A.R.	.10
	Not required in this group. See group No. 3.425		3728234		.35

4.021 SLEEVE—LEVER—BUSHING, Gearshift Selector Control

39	PASS.	rod	3651629	1	.06
40-48	PASS.	LEVER, operating	3653139	1	.50
40-48	PASS.	BUSHING, lever	3654430	1	.15

4.022 HOUSING—COVER—PLATE—BRACKET—CLAMP—PLUG, Gearshift Lever

48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	(strg. shift)	3686797	1	1.15
53-55	CORV. w/P.G.		3706330	1	1.65
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	COVER, housing (strg. shift)	3686798	1	.95
55	CORV. (3-SPD.) 8 cyl.	COVER, lever control	3724065	1	27.50
53-55	CORV. w/P.G.	PLATE, hsg. anchor	3706584	1	.40
56-57	CORV. w/P.G.	BRACKET, shaft	3726809	1	5.80
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	CLAMP, housing (strg. shift)	3687429	1	.35
48-54	ALL (3-SPD.) (exc. FK, FJ),				
55-57	COMM. (3-SPD.)	PLUG, housing (strg. shift) ($^{3}/_{4}$)	142024	1	(8.973)

4.023 GASKET, Gearshift Lever Ball Housing

37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	(center shift)	590864	1	.07

4.025 PIN—SPRING, Gearshift Lever Pivot

40-54	ALL (exc. 4-SPD.),				
55-57	COMM. (exc. 4-SPD.),				
56-57	1$^{1}/_{2}$ TON w/H.T.	pivot ($^{5}/_{16}$ O.D.)	3653719*	2	.05
40-54	ALL (exc. 4-SPD.),				
55-56	COMM. (exc. 4-SPD.),				
56	1$^{1}/_{2}$ TON w/H.T.	SPRING, pivot pin	3654731*	1	.10
	Not required in this group. See group No. 2.664		502495		.20

*NOTE: Used on all models having a strg. col. control.

57	COMM. (3-SPD.),				
57	1, 1½ TON w/H.T.	SPRING, pivot pin	3716520	1	.05

4.026 SPRING, Gearshift Lever

29-57	ALL (4-SPD.) (ctr. shift)	(coil, 25/32 I.D.—.148 gauge)	3683582	1	.20
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.) (ctr. shift)	(coil, 2¼ length)	590869	1	.20

4.027 SEAT—RETAINER—CUP, Gearshift Lever

32-36	B, C, D, E, F (3-SPD.)	fulcrum ball	367407	1	.70
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	spring (bronze, 11/32 I.D. x 1⅜ O.D.)	590868	1	.25
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	RETAINER, fulcrum ball (center shift)	3656434	1	.50
ALL	ALL (4-SPD.)	CUP, spring (¾ I.D. x 1¾ O.D.)	590384	1	.20

4.030 CABLE—BRACKET, Gearshift Reverse Latch (4-SPEED)

39-46	COE	reverse latch (38¼ O.L.)	3650754	1	2.55
47	COE	reverse latch (41½ O.L.)	3682884	1	2.55
39-47	COE	BRACKET, reverse latch rod	3650769	1	.10

4.033 LATCH—STOP—LEVER—SPRING, Gearshift Reverse (4-SPEED)

29-47	ALL		590385	1	.35
29-47	ALL	STOP, latch	590386	1	.15
29-47	ALL	LEVER, finger (2¼ overall length)	590389	1	.10
29-47	ALL	SPRING, finger lever (1¾ overall length)	590388	1	.15

4.036 SPRING—PIN, Transmission Control Lever

55-57	PASS.	(5 coils—19/32 long)	3719853	1	.10
55-57	PASS.	PIN, spring (7/32 x 15/16)	456692	1	(8.939)

4.038 INDICATOR—SOCKET—HOUSING—PLATE—SPRING—DIAL—FRAME—COVER—ROD—CLIP—SCREW, Transmission Control

50	PASS. w/P.G.		3694304	1	.40
51-52	PASS. w/P.G.	(satin grey)	3699942	1	.85
53-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	plastic	3701576	1	.15
55-56	PASS. w/P.G.		1583388	1	3.70
56	PASS. w/P.G.	SOCKET, w/wire and connector body	2964074	1	.50
55-56	PASS.	HOUSING, lever (cast 3711875)	3711875	1	1.45
57	PASS.	HOUSING, lever	3734662	1	1.95
53-55	CORV. w/P.G.	PLATE, selector (2⅝ O.D. x 1 13/32 I.D.)	3711399	1	.65
56	CORV. (3-SPD.)	PLATE, selector	3728938	1	.45
56	CORV. w/P.G.	PLATE, selector	3728937	1	.45
56-57	CORV.	PLATE, lever and ash tray trim	3728940	1	1.65
50-52	PASS. w/P.G.	SPRING, indicator retainer	3693786	1	.06
55-56	PASS. w/P.G.	SPRING, indicator (33 coils—1" long—hook ends)	1583384	1	.10
50-52	PASS. w/P.G.	DIAL ASSY., indicator	3696730	1	1.25
53-54	PASS. w/P.G.	DIAL, indicator	3701577	1	.60
54-57	ALL w/H.T.	DIAL, indicator (clear lucite)	3705999	1	.55
55-56	PASS. w/P.G.	DIAL, indicator	1583382	1	1.15
53-54	PASS. w/P.G.	FRAME, dial (1½ between hole centers)			
54-57	ALL w/H.T.	(chrome)	3701578	1	.40
53-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	COVER, upper support (2⅝ O.L.)	3701575	1	.90
53-55	CORV. w/P.G.	COVER	3706301	1	1.95
56-57	CORV.	COVER, lever hole (laminated plastic)	3725608	1	15.95
55-56	PASS. w/P.G.	ROD, indicator actuating	3719543	1	.10
57	PASS.	ROD, indicator (5 17/32 dev. length)	3737424	1	.10
55-56	PASS. w/P.G.	CLIP, indicator actuating rod	3716765	1	.15
53-54	PASS. w/P.G.	SCREW, ind. dial frame (6—32 x ⅝)	454672	2	(8.977)
53-54	PASS. w/P.G.,				
54-57	ALL w/H.T.	SCREW, support cover (#10—24 x ½)	132042	A.R.	(8.907)

4.039 TUBE, Gearshift Control

55-56	PASS. w/P.G.	w/lwr. shift lever and felt seal (30 7/8 O.L.)	3711052	1	3.75
55-57	PASS. (exc. P.G.)	w/spring and felt seal (30 11/16 O.L.)	3711072	1	3.75
57	PASS. w/A.T.	w/lever and seal (30 27/32 O.L.)	3737239	1	3.75

4.040 LEVER—SUPPORT—CRANK—LOCK—SHAFT—SPRING—BRACKET—STUD—GROMMET—BUSHING, Transmission Control Idler

54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)	inner (4 1/2 O.L.—bent)	3698275	1	.30
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)	outer (4 1/2 O.L.—straight)	3698273	1	.25
55-57	PASS. w/A.T.	(2 holes 5/16—1 hole 19/32)	3715950	1	.55
55-57	PASS. (exc. P.G.)	(4 7/8 O.L.—bent)	3710400	1	.65
55	COMM. (3-SPD.) 6 cyl. (2nd Ser.) (exc. D-D)	(2 holes 5/8 in line)	3713505	1	.55
55-57	D-D (3-SPD.) (2nd Ser.) (exc. hvy. duty)	1st and reverse (2 holes 5/8 in line—6 O.L.)	3721302	1	.45
55	D-D (3-SPD.) (hvy. duty) (2nd Ser.)	1st and reverse (4 5/8 O.L.)	3721287	1	.40
55	D-D (3-SPD.) (2nd Ser.) (exc. hvy. duty)	2nd and 3rd (4 5/8 ctr. to ctr. holes)	3723146	1	1.00
55	D-D (3-SPD.) (hvy. duty) (2nd Ser.)	2nd and 3rd (7 3/16 ctr. to ctr. holes)	3721288	1	.70
56-57	D-D (3-SPD.)	2nd and 3rd	3722073	1	.70
55	COMM. w/H.T. 8 cyl.	throttle valve control upper rod (5 7/8 ctr. to ctr. upr. holes)	3719817	1	.40
55	COMM. w/H.T. 8 cyl.	throttle valve control inter. rod (3 15/32 ctr. to ctr. upr. holes)	3719822	1	.35
56-57	ALL w/H.T. 8 cyl.	throttle valve control upper rod	3726447	1	.50
56-57	ALL w/H.T. 8 cyl.	throttle valve control inter. rod	3729427	1	.35
57	PASS. w/T.G.	w/bracket	3744307	1	2.50
55-56	PASS. (1st design)	SUPPORT, w/shaft	3720355	1	.65
56	PASS. (2nd design)	SUPPORT, w/shaft	3732077	1	1.40
57	PASS. (exc. T.G.)	SUPPORT, w/shaft	3741285	1	
48-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)	CRANK, bell (3 17/32 ctr. to ctr. holes)	3686899	1	.55
48-55	D-D (3-SPD.) (1st Ser.)	CRANK, bell, 1st and reverse (1 1/4 ctr. to ctr. holes)	3687509	1	.60
48-55	D-D (3-SPD.) (1st Ser.)	CRANK, bell, 2nd and 3rd (3 holes 5/16)	3713872	1	1.15
50-54	PASS. w/P.G.	CRANK, control rod bell	3689987	1	.65
53-57	CORV. w/P.G.	CRANK, control rod bell	3706338	1	1.40
55-57	PASS. w/P.G.	CRANK, bell (2 holes 1/2 I.D.)	3710487	1	.65
55-56	PASS., CORV. w/P.G. (8 cyl.),				
57	CORV. w/P.G.	CRANK, t.v. rod bell (2—1/4 holes, 2—1/2 holes)	3713739	1	.30
47-55	COE,				
57	PASS. w/T.G.	LOCK, control idler lever,			
50-57	PASS., CORV. w/P.G.	control rod bell crank,			
55-57	PASS. (3-SPD.)	2nd and 3rd control rod idler lever (13/16 O.D.)	3685801	1	.10
48-55	COMM. (3-SPD.) 6 cyl.,				
56	D-D (3-SPD.)	LOCK, bell crank,			
57	Ser. 3C-3D-3F	control idler lever	358829	1	(5.057)
48-55	COMM. (3-SPD.) 6 cyl. (exc. D-D)	SHAFT, bell crank (41/64 dia. x 2 27/32 length)	3686900	1	.30
48-57	D-D (3-SPD.)	SHAFT, bell crank (41/64 dia. x 3 1/8 length)	3687515	1	.30
57	PASS. 8 cyl. w/A.T.	SHAFT, w/brkt. throttle valve cross	3736967	1	1.25
48-55	COMM. (3-SPD.) 6 cyl.	SPRING, bell crank (cone type—2 coils—1 I.D.)	3686981	1	(4.597)
54-55	COMM. (3-SPD.) (1st Ser.) (exc. D-D)	SPRING, cross shaft (idler, inner and outer levers—6 1/2 coils—1 1/16 I.D.)	3698237	1	.10
55-56	PASS., CORV. w/P.G. (8 cyl.) (exc. dual 4BC)	BRACKET, w/pin, bell crank,			
56-57	ALL w/H.T. 8 cyl.	throttle valve control upper rod lever (2			
57	CORV. w/P.G. (exc. dual 4BC)	holes 1 1/32—3 7/8 ctr. to ctr. holes)	3711507	1	.55
55	COMM. w/H.T. 8 cyl.	BRACKET, throttle valve control upr. rod lever (2 holes 1 1/32—3 13/64 ctr. to ctr. holes)	3719819	1	.65
56-57	CORV. w/P.G., dual 4BC	BRACKET, bell crank	3728694	1	.65
50-57	PASS., CORV. w/P.G.	STUD, bell crank (3/8—16 x 2)	3689974	1	.30
55-57	ALL w/H.T. 8 cyl.	STUD, throttle valve control inter. rod lever (5/16—18 x 2 3/32—thd. one end only)	3835566	1	(3.582)
55-57	PASS. w/P.G.	GROMMET, bell crank (5/16 I.D.)	3715097	1	.05
55-57	PASS.	BUSHING, idler lever (1/2 I.D. x 3/4 O.D.)	3710401	2	.10

4.041 LEVER—CLAMP, Gearshift Operating

40-48	PASS.	assembly	591043	1	1.45
48-54	ALL (3-SPD.) (exc. FJ, FK, 1 TON)	(2 7/8 ctr. to ctr. holes)	3686836	2	.70

50-57	PASS., CORV. w/P.G.	(outside control)	3709015	1	.70
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	throttle valve control outer w/nut (5/8 x 2 3/8)	3703908	1	.25
54-55	COMM. (3-SPD.) (hvy. duty) 6 cyl.	1st and rev. shifter shaft (hole ctr. to ctr. 2 1/4)	3709337	1	.85
54	1/2 TON (3-SPD.) (hvy. duty),				
54-55	3/4, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	2nd and 3rd shifter shaft (hole ctr. to ctr. 3)	3709336	1	1.00
54-57	ALL w/H.T. (exc. D-D)	trans. shifter (forged 8615293) (36 teeth)	8615293	1	1.95
54-55	D-D w/H.T. (1st Ser.)	trans. shifter (forged 8615294) (36 teeth)	8615294	1	2.25
54-55	COMM. w/H.T. 6 cyl.	trans. shifter (throttle control outer) (5 5/16 O.L.) (Stamped "A")	8618043	1	2.40
56-57	ALL w/H.T.				
55-57	PASS. (exc. P.G.)	1st and rev. (2 1/2 ctr. to ctr. holes)	3845093	1	.60
55	PASS. (exc. P.G.)	2nd and 3rd (3 1/2 ctr. to ctr. holes)	3708667	1	.75
55-57	PASS. w/P.G. 6 cyl.	throttle valve control outer w/nut (3 O.L.)	3720323	1	.30
55-56	PASS., CORV. w/P.G. (8 cyl.)	throttle valve control outer (3 1/8 ctr. to ctr. holes)	3713793	1	.40
57	CORV. w/P.G.				
55	COMM. (3-SPD.) 6 cyl. (exc. hvy. duty),				
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (1st design)	shifter shaft (2 1/2 ctr. to ctr. holes)	3845104	2	.70
55	1/2 TON (3-SPD.) (hvy. duty) (1st Ser.),				
55	COMM. (3-SPD.) (hvy. duty) 6 cyl. (2nd Ser.)	2nd and 3rd shifter shaft	3718478	1	.90
55	COMM. (3-SPD.) (hvy. duty) 8 cyl.,				
56-57	COMM. (3-SPD.) (hvy. duty)	1st and rev. shifter shaft	3723928	1	1.00
55	COMM. (3-SPD.) (hvy. duty) 8 cyl.,				
56-57	COMM. (3-SPD.) (hvy. duty)	2nd and 3rd shifter shaft	3723929	1	.90
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (2nd design)	shifter shaft (rod hole 1/4" out of line w/ shifter shaft hole)	3727806	2	.70
56-57	COMM. (3-SPD.) (exc. hvy. duty)				
55-57	D-D w/H.T. (2nd Ser.)	shifter (cast 8615293 X)	8615640	1	1.95
56-57	PASS. (exc. P.G.)	2nd and 3rd (1/8" offset in lever)	3728300	1	.75
55-57	CORV. (3-SPD.)	1st and rev.	3723219	1	.60
55-57	CORV. (3-SPD.)	2nd and 3rd	3723220	1	.75
57	PASS. 8 cyl. w/P.G.	throttle valve control outer	3736975	1	.35
57	PASS. w/T.G.	throttle valve control outer	3744423	1	4.25
57	PASS.w/T.G.	parking lock and range selector (4 3/32 O.L.)	3744305	1	4.25
53-57	PASS., CORV. w/P.G.	CLAMP, lever (w/4 teeth in keyhole slot)	3703892	1	.25

4.044 BOOT—SHIELD—BOLT—GROMMET, Gearshift Operating Lever

39	PASS.	(rubber—bellows type)	3650360	1	1.50
40-48	PASS.	(rubber—bellows type)	3654365	1	1.40
40-48	PASS.	metal (includes both halves)	604464	1	1.10
55-57	PASS. w/P.G. 8 cyl.	SHIELD, trans. control linkage (6 3/4 x 6)	3723403	1	.75
40-48	PASS.	BOLT, boot (hex. hd., shoulder, 5/16 x 1 13/32 w/1/4 —20 thd.)	3652646	1	.15
40-48	PASS.	GROMMET, rubber, oper. lever (3/16 x 7/8 opg.)	3652647	1	.10

4.045 CYLINDER—KIT, Gearshift Vacuum

39	PASS.	assy.	608221	1	15.50
40-48	PASS.	assy.	3654372	1	18.50
40-48	PASS.	KIT, cylinder repair, consists of: valve, trunnion, pin, spring and boot	604475	1	5.20

4.046 BRACKET—CUSHION—SEAT, Gearshift Cylinder

41-48	PASS.	support	3657831	1	1.45
39-48	PASS.	CUSHION (3/8 I.D. x 1 1/4 O.D. x 7/16 thick)	3650270	2	.10
39-48	PASS.	SEAT, cushion	3650332	2	.10

4.054 SWITCH ASSY.—ROD—SHIELD, Transmission Control Safety

50-54	PASS. w/P.G. (exc. P/S),				
54-55	COMM. w/H.T. (1st Ser.)		1997845	1	2.25
53-54	ALL P.G. w/P.S.	(also w/Back-Up Switch on P/S)	1998040	1	2.55
53-55	CORV. 6 cyl.		1998053	1	3.50
55-56	PASS. w/P.G.	(w/back-up switch) (stamped 136)	1998136	1	1.60
55-56	D-D, 1 1/2 TON w/H.T. (2nd. Ser.)				
57	ALL w/H.T.		1998110	1	2.25
55-56	COMM. w/H.T. (2nd Ser.) (exc. D-D)		1998111	1	2.25

55-57	CORV. w/P.G. 8 cyl.		1998112	1	3.50
57	PASS. w/P.G.	(w/back-up switch)	1998173	1	1.40
57	PASS. w/T.G.	(w/back-up switch)	1998174	1	1.40
53-55	CORV. 6 cyl.	ROD, switch	3706361	1	.25
55-57	CORV. w/P.G. 8 cyl.	ROD, switch	3711032	1	.25
53-57	CORV. w/P.G.	SHIELD, switch	3706355	1	.20
53-57	CORV. w/P.G.	SPRING, switch rod retainer	148145	1	(8.934)

4.058 CLEANER, Gearshift Cylinder Air

40-48	PASS.	(bolt on type)	1529372	1	1.10

4.073 SPRING, Gearshift Cylinder Valve

40-48	PASS.	friction (steel wire)	3655072	1	.12

4.079 TRUNNION—PIN—SPRING, Gearshift Cylinder Piston Valve

40-48	PASS.	assembly (2 overall length)	3654052	1	.50
40-48	PASS.	PIN, trunnion link (5/16 O.D. x 1 7/16 length)	3654367	1	.15
40-48	PASS.	SPRING, link pin retaining (hair pin type)	3654381	2	.05

4.081 SUPPORT, Transmission Mounting

36	FC	(8 5/16 length x 6 1/8 width overall)	476015	1	4.25
37-39	PASS.	(8 length x 4 5/8 width overall)	593954	1	3.85
40-47	½ TON	(6 3/4 length x 4 1/2 width overall) (riveted)	3652730	1	4.15
40-48	PASS.		756100†	1	4.65
48-53	½ TON	(6 3/8 length x 4 7/8 width overall) (riveted)	3688234	1	4.15
49-51	PASS. (exc. P.G.),				
50-51	CONV. w/P.G.		3690316	1	4.65
50-51	PASS. w/P.G. (exc. CONV.)	(molded 3690416)	3690416	1	3.85
52-54	PASS. (exc. P.G.)	(molded 3704551)	3704551*	1	3.05
52-54	PASS. w/P.G.,				
53-55	CORV. w/P.G.,				
56-57	CORV.	(identified by yellow marker)	3711049*	1	2.80
54	½ TON w/H.T.	(4 3/4 x 5 5/8 w/6 slots—riveted) (brkt. painted)	3710610	1	4.55

*NOTE: Requires Retainer 3704555 on 1952 and early 1953 models.
†NOTE: On 1940-46 PASS. use 3683693 lock.

4.083 PLATE ASSY.—BRACKET—RETAINER, Transmission Mounting

37-46	PASS.	guide	593955	1	1.15
50-51	PASS. w/P.G. (exc. CONV.)	BRACKET	3690419	1	1.05
55-57	CORV. w/P.G. 8 cyl.	BRACKET	3709089	1	2.95
55-57	CORV. (3-SPD.) 8 cyl.	BRACKET	3722948	1	1.40
52-53	PASS.	RETAINER	3700335*	1	.80
53-54	PASS. (w/3704551)	RETAINER	3704555	1	.80
53-57	CORV.	RETAINER	3706149	1	1.05

*NOTE: 3700335 must be used w/supt. that has 3703169 molded on upper surface.

4.084 SHIM, Transmission Mounting Support

37-53	½ TON,				
54	½ TON w/H.T.		3689606	A.R.	.06

4.087 STUD, Transmission Mounting Support

37-46	PASS.	to transmission (7/16—14—20 x 2 3/16)	593957	2	.30

4.088 LOCK, Transmission Mounting Support Bolt

33-53	½ TON		372699	1	.15
47-51	PASS. (exc. P.G.)		3683693	1	.25
50-51	PASS. w/P.G.	(3 7/8 long x 1 wide)	3690420	1	.10

4.095 PLATE—PIN—WASHER—SLEEVE, Gearshift Interlock

29-47	ALL (4-SPD.)	shifter interlock	590512	1	.45
29-47	ALL (4-SPD.)	interlock guide	590513	1	.65

48-57	ALL (4-SPD.)	PIN, shifter (¾ dia. x 57/64 O.L.)	3845117	3	.10
54-57	COMM. (3-SPD.) (hvy. duty)	PIN, trans. interlock (¼ O.D. x 5/16 O.L.)	3709315	1	.15
48-57	ALL (4-SPD.)	WASHER, interlock plate spring (⅜ I.D. x ¾ O.D. w/4 notches)	3845118	3	.10
54-57	COMM. (3-SPD.) (hvy. duty)	SLEEVE, trans. interlock ("B" etched on end—1 O.L.)	3709313	1	.60
54-57	COMM. (3-SPD.) (hvy. duty)	SLEEVE, trans. interlock (1 1/64 O.L.)	3709311	1	.60

4.097 INTERLOCK, Shifter

37-39	ALL (3-SPD.) (ctr. shift),				
40-47	COMM. (3-SPD.)		590856	1	.70
41-48	PASS.	(see NOTE Group 4.105)	591190	1	.55
48-57	ALL (3-SPD.) (exc. FK, FJ, hvy. duty),				
55-57	CORV. (3-SPD.)		3686833	1	.35
48-57	ALL (4-SPD.)		591455	1	.95

NOTE: 1939 PASS. interlock serviced only as part of Cover, Group 4.105.

4.099 LEVER, Shifter Interlock

41-48	PASS.	(see NOTE Group 4.105)	591235	1	.20

4.101 FLUID, Type "A" G.M. Automatic Transmission

50-57	ALL A.T., H.T.	(1 qt. can)	3694666	A.R.	.55
50-57	ALL A.T., H.T.	(5 qt. can)	3708201	A.R.	2.75
50-57	ALL A.T., H.T.	(55 gal. drum)	3694668	A.R.	121.00

NOTE: Also used with Power Steering.

4.103 CASE, Transmission

31-47	ALL (4-SPD.) (exc. LT)	w/drain and filler plugs (cast 590474)	590524	1	27.40
37-39	PASS. (3-SPD.)	w/drain and filler plugs (cast 590822)	590876	1	17.70
40	PASS. (3-SPD.)	w/drain and filler plugs (cast 591092)	591093	1	17.70
41-48	PASS. (3-SPD.)	w/drain and filler plugs (cast 591193)	591192	1	19.50
41-47	COMM. (3-SPD.)	w/drain and filler plugs (cast 591195)	591194	1	19.50
48-57	ALL (4-SPD.)	w/drain and filler plugs (cast 591953)	591954	1	29.95
48-54	COMM. (3-SPD.)	w/drain and filler plugs (cast 591615)	591631	1	20.85
49-54	PASS. (exc. P.G.)	w/drain and filler plugs (cast 591747)	591746	1	19.50
50-52	PASS. w/P.G.	w/housing and spacer (cast 3693245 on hsg.—3692962 on case)	3701156	1	55.90
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	w/housing (cast 3703283 on hsg.)	3703522	1	60.85
54-55	COMM. (3-SPD.) (hvy. duty)	(forged T 89B-1)	3709329	1	31.55
54-55	COMM. w/H.T. (1st Ser.),				
55-57	½ TON w/H.T. (2nd Ser.)	(cast 8615319)	8615429*	1	46.75
55-57	PASS., CORV. (exc. P.G., O/D, close ratio)	w/drain and filler plugs (cast 3845122)	3845121	1	19.40
55	PASS. w/P.G. 6 cyl. (1st design)	w/housing (cast 3708134-3708446)	3714304†	1	63.45
55-57	PASS. w/P.G. 6 cyl. (2nd design)	w/housing (cast 3708134-3719240)	3716692†	1	63.45
55-57	PASS., CORV. w/P.G. (8 cyl.)	w/housing (cast 3719243)	3722299	1	63.45
55-57	PASS. O/D	w/drain and filler plugs (cast 3845122)	3845123	1	19.40
55-57	COMM. (3-SPD.) (exc. O/D, hvy. duty)	w/drain and filler plugs (cast 3845122)	3707166	1	18.25
55-57	½ TON O/D	w/drain and filler plugs (cast 3845122)	3707132	1	19.40
55-57	ALL w/H.T. (2nd Ser.) (exc. ½ TON)	(cast 8615319)	8617015*	1	51.45
56-57	COMM. (3-SPD.) (hvy. duty)	(stamped T-89B-1C)	3731798	1	31.90
57	PASS. (3-SPD.) (close ratio),				
57	CORV. (3-SPD.)	w/drain and filler plugs (cast 3737443)	3737442	1	19.40
57	PASS. w/T.G.	w/bushing (alum.—cast 3727222)	3732215	1	44.75

*NOTE: Transmission Case and Center Brg. Cap are matched parts and must be kept together.

†NOTE: Part No. 3714304 has ⅜ holes in housing, for mounting to rear engine mounts, while holes in 3716692 have been increased to 7/16.

4.104 BUSHING—BOLT—SHIM UNIT, Transmission

50-57	PASS., CORV. w/P.G.	case, rear (2⅛ O.D. x ⅝ long)	3691924	1	.50
57	PASS. w/T.G.	(1 3/16 I.D. x ⅝ thk.)	3732210	1	.25
50-57	PASS., CORV. w/P.G.	BOLT, case to housing (⅜—16 x 1⅛) (290M)	445552	6	.06
50-57	PASS., CORV. w/P.G.	BOLT, case to housing (⅜—16 x 2⅛) (290M)	445553	1	.06

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	BOLT, case to housing (3/8—16 x 3 1/2) (290M)	445554	1	.13
53-57	PASS., CORV. w/P.G.	BOLT, case to housing (3/8—16 x 2)	192350	1	.10
55	PASS. w/P.G.	BOLT, case to housing (3/8—16 x 1 1/2) (290M)	456656	1	(8.900)
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	BOLT, case to housing (3/8—16 x 2 7/8) (290M)	455960	1	.10
49-53	ALL (3-SPD.)	SHIM UNIT, case to clutch housing (4—.002, 2—.005 and 1—.010 shims)	3694977	A.R.	.25

4.105 COVER—BOLT—PLATE—COLLECTOR—SCREW—GASKET, Transmission Case

39	PASS. (3-SPD.) (strg. col. shift)	w/shift operating mechanism	603563	1	10.70
40-48	PASS. (3-SPD.)	only	591026*	1	2.25
48-54	ALL (3-SPD.) (exc. FK, FJ)	only	3686832	1	3.55
50-52	PASS. w/P.G.	left (on housing) (cast 3689911)	3689911	1	1.40
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	right (w/filler hole) (cast 3689912)	3689912	1	1.80
31-47	ALL (4-SPD.) (exc. LT)	w/interlock plates	590527	1	10.70
48-57	ALL (4-SPD.)	w/interlock assy.	3688962	1	10.70
53-57	PASS., CORV. w/P.G.	left (on housing) (cast 3702647)	3702647	1	2.65
54-57	COMM. (3-SPD.) (hvy. duty)	(forged T 89B-148)	3709340	1	5.35
54-57	ALL w/H.T.		8614093	1	3.30
55	PASS. (3-SPD.),				
55	COMM. (3-SPD.) (exc. hvy. duty) (1st design)	w/counter bore (cast 3845044)	3845044	1	3.85
55-57	COMM. (3-SPD.) (2nd Ser.) (exc. hvy. duty) (2nd design),				
56	PASS. (3-SPD.),				
55-56	CORV. (3-SPD.)	less counter bore	3845157	1	3.85
55-57	PASS. w/P.G. (exc. C.A.C.),				
55-57	CORV. w/P.G. 8 cyl.	right (cast 3709096)	3709096	1	2.05
55-57	PASS. P.G. w/C.A.C.	right (cast 3716986—w/tapped hole for plug) (uses 3719536-plug)	3716986	1	2.20
56-57	PASS., CORV. (3-SPD.)	w/cam detent interlock shaft (scissors type) (cast 3731911)	3731900	1	3.10
57	PASS. (3-SPD.)	assy.	3731899	1	11.50
54-57	ALL w/H.T.	BOLT, side pan lwr. edge w/flat washer (1/4—20 x 15/32)	8609489†	5	.10
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	PLATE, cover	590859	1	1.00
48-57	ALL (4-SPD.)	COLLECTOR, chip (4 5/16 x 6 11/16)	591589	1	.30
55-57	ALL (3-SPD.) (exc. hvy. duty),				
55-57	CORV. (3-SPD.)	COLLECTOR, chip (3 1/16 x 4 1/16)	3845067	1	.20
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	SCREW, shifter shaft lock and cover, front	590863	2	(4.312)
55-57	PASS. P.G. w/C.A.C.	GASKET, plug	142756	1	(8.955)

*NOTE: On 1940 models, it is necessary to use interlock 591190 and lever 591235.
†NOTE: Use 7 each 180016 (8.900), 121753 (8.932) for upper edge bolts.

4.106 VALVE—SPRING—RETAINER, Transmission Line Exhaust

54-57	ALL w/H.T.	(1 17/32 O.L.)	8614794	1	.50
54-57	ALL w/H.T.	SPRING, valve (1 3/4 free length) (24 active coils)	8614352	1	.30
54-57	ALL w/H.T.	RETAINER, valve	8614174	1	.10

4.107 SEAL—RETAINER—STUD—LOCK—CLIP—WASHER, Gearshift Operating Shaft (Strg. Col.)

40-55	PASS. (3-SPD.),				
48-55	COMM. (3-SPD.) (exc. hvy. duty) (1st design)	cork, shaft (in cover)	591660	2	.06
54-57	COMM. (3-SPD.) (2nd Ser.) (2nd design),				
55-57	CORV. (3-SPD.),				
56-57	PASS. (3-SPD.)	rubber (7/16 I.D. x 17/32 O.D.)	3845164	2	.10
57	PASS. w/T.G.	parking lock and range selector (1/2 I.D.)	3727390	1	.10
40-48	PASS.,				
48-55	ALL (3-SPD.)	RETAINER, shaft seal (in cover)	591099	A.R.	.05

48-57	ALL (3-SPD.) (exc. FK, FJ, hvy. duty),				
55-57	CORV. (3-SPD.)	RETAINER, interlock (½ x 4 1/16 long)	591538	1	.15
48-57	ALL (3-SPD.) (exc. FK, FJ, hvy. duty),				
55-57	CORV. (3-SPD.)	STUD, retainer (1½ long w/2 thd. ends)	591537	2	.20
48-57	ALL (3-SPD.) (exc. FK, FJ, hvy. duty),				
55-57	CORV. (3-SPD.)	LOCK, ret. stud nut	591539	2	.05
57	PASS. w/T.G.	CLIP, throttle lever	3727400	1	.05
57	PASS. w/T.G.	WASHER, throttle lever (5/16 I.D. x 5/8 O.D.)	3732218	1	.03

4.109 GASKET, Transmission Case Cover

37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)		590862	1	.15
40-48	PASS. (3-SPD.)		591024	1	.15
48-57	ALL (3-SPD.) (exc. FK, FJ, hvy. duty),				
55-57	CORV. (3-SPD.)	(fibre)	591513	1	.15
31-47	ALL (4-SPD.) (exc. LT)		606669	1	.20
48-57	ALL (4-SPD.)		591451	1	.15
50-52	PASS. w/P.G.	housing side cover, L.H. and R.H.,			
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	R.H. only	3689910	A.R.	.06
53-57	PASS., CORV. w/P.G.	housing side cover, L.H.	3702649	1	.25
54-57	COMM. (3-SPD.) (hvy. duty)	(5 11/16 x 7 5/8) (9 holes 11/32)	3709316	1	.12
54-57	ALL w/H.T.	side (12 holes 9/32 dia.)	8614176	1	.45
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	housing side cover, R.H.	3710674	1	.05

4.110 PUMP ASSY., Torque Converter Secondary

50-52	PASS. w/P.G.		3694441	1	11.20

4.112 RING—WASHER—ROLLER—RETAINER, Secondary Pump

50-52	PASS. w/P.G.	(1 9/32 I.D.) converter pump retaining	3689768	1	.06
50-52	PASS. w/P.G.	stator race snap	3691801	1	(4.117)
50-52	PASS. w/P.G.	WASHER, w/internal teeth (1¾ O.D.)	3691568	1	.11
50-52	PASS. w/P.G.	WASHER, stator race thrust	3691800	1	(4.117)
50-52	PASS. w/P.G.	WASHER, secondary pump over-run thrust	3691803	1	(4.117)
50-52	PASS. w/P.G.	ROLLER UNIT, secondary pump	3694374	1	(4.117)
50-52	PASS. w/P.G.	RETAINER, secondary pump roller	3691802	1	(4.117)

4.115 PUMP—TURBINE AND SMALL PARTS, Torque Converter Primary

50-52	PASS. w/P.G.	primary w/cover (also includes primary pump hub, 2 drain plugs, 12 cover to pump housing bolts and L/washers)	3694360	1	50.55
53-57	PASS. w/P.G. (exc. dual 4BC)	primary, w/housing and cover	3719595 ⊕	1	38.55
53-57	CORV. w/P.G.,				
56-57	PASS. w/P.G. and dual 4BC	primary, w/housing and cover	3719594 ⊕	1	38.55
57	PASS. w/T.G.	w/housing and cover	3741480	1	39.50
50-52	PASS. w/P.G.	TURBINE (includes flange, washer, lock, hex. bolt and turbine bolt)	3691709	1	26.95
53-57	PASS., CORV. w/P.G.	TURBINE, w/hub	3702724	1	17.45
57	PASS. w/T.G.	TURBINE, assy., w/hub	3727445	1	14.75
57	PASS. w/T.G.	TURBINE, assy., w/thrust bearing	3732279	1	16.50
57	PASS. w/T.G.	TURBINE, assy., w/shaft and bushing (shaft—16 3/32 O.L.)	3732201	1	28.50
50-52	PASS. w/P.G.	HUB, pump, w/bushing (cast 3694487) (4 5/8 O.D.)	3692982	1	7.80
57	PASS. w/T.G.	BEARING, turbine needle thrust	457120	1	.85
57	PASS. w/T.G.	BEARING, turbine needle thrust, turbine blade and shaft	3732258	A.R.	2.00
57	PASS. w/T.G.	BEARING, turbine hub to converter cover	457121	1	.75
50-52	PASS. w/P.G.	BUSHING, turbine (1⅜ O.D.)	3689929	1	.30
53-57	PASS., CORV. w/P.G.	BUSHING, cover hub (1⅜ O.D. x 7/16 wide)	3702079	1	.25
57	PASS. w/T.G.	BUSHING, cover (1⅜ I.D.—⅝ thk.)	3727261	1	.25
57	PASS. w/T.G.	BUSHING, turbine hub (1 15/32 I.D.—13/32 thk.)	3732200	1	.25
57	PASS. w/T.G.	PIN, turbine to turbine shell (3/32 dia.)	3733316	3	.05
57	PASS. w/T.G.	RACE, turbine needle thrust (1 25/32 I.D. x 2½ O.D.)	3732255	2	.20

57	PASS. w/T.G.	RACE, turbine hub to converter cover needle thrust	3732257	2	.15
57	PASS. w/T.G.	RING, turbine shaft oil seal (1½ O.D.)	3727259	1	.25
57	PASS. w/T.G.	RING, turbine shaft seal (1 27/32)	3727302	3	.25
50-52	PASS. w/P.G.	SEAL, cover "O" ring (10½ I.D.)	3689754	1	.90
53-57	PASS., CORV. w/P.G.	SEAL, "O" ring (12 I.D. x .139)	3702082†	1	.90
50-52	PASS. w/P.G.	SEAL, turbine bolt "O" ring (7/16 I.D.)	3689837	1	.15
50-52	PASS. w/P.G.	SEAL, primary pump "O" ring (4¼ I.D.)	3692860	1	.35
57	PASS. w/T.G.	SEAL, cover (11 19/32 I.D.)	3732286	1	.75
50-52	PASS. w/P.G.	WASHER, turbine rear thrust (1 I.D. x 2 3/16 O.D.)	3689925	1	.25
50-52	PASS. w/P.G.	WASHER, turbine front thrust (1¼ I.D. x 2⅛ O.D.)	3691817	1	.45
50-52	PASS. w/P.G.	WASHER, turbine bolt lock (1 5/16 O.D.)	3689948	1	.15
50-52	PASS. w/P.G.	WASHER, turbine bolt plain (13/32 x 13/16)	3694418	1	.10
53-57	PASS., CORV. w/P.G.	WASHER, turbine thrust (1¼ I.D. x 2¾ O.D.)	3702718	1	.80
53-56	PASS., CORV. w/P.G.	WASHER, pump thrust	3709044	1	.90
57	PASS., CORV. w/P.G.	WASHER, pump thrust	3702744	1	.85
57	PASS. w/T.G.	WASHER, turbine shaft and ring gear thrust (.068)	3727319‡	A.R.	.65
57	PASS. w/T.G.	WASHER, turbine shaft and ring gear thrust (.085)	3727320‡	A.R.	.75
57	PASS. w/T.G.	WASHER, turbine shaft and ring gear thrust (.103)	3727321‡	A.R.	.85
50-52	PASS. w/P.G.	LOCK, turbine hub bolt (2⅛ I.D. x 2¾ O.D.)	3691873	1	.15
52	PASS. w/P.G.	LOCK, turbine bolt (5/16 I.D.)	3697543	1	.10
50-52	PASS. w/P.G.	BOLT, turbine to flange (5/16—24 x 9/16)	3691915	3	.10
53	PASS., CORV. w/P.G.	BOLT, cover to flywheel, w/lockwasher (5/16—24 x 11/16)	3702682	6	.07
53-57	PASS., CORV. w/P.G.	BOLT, cover to converter housing (5/16—24 x 13/16)	3717166	A.R.	.07
54-57	PASS., CORV. w/P.G.	BOLT, cover to flywheel, w/lockwasher (⅜—24 x 11/16)	3708352	A.R.	.10
50-52	PASS. w/P.G.	SCREW, primary pump hub attach. (10—32 x 9/16)	3691921	6	.06
50-51	PASS. w/P.G.	NUT, turbine bolt (⅜—24 x ½)	596772	1	.10
50-52	PASS. w/P.G.	NUT, turbine flanged (5/16—24)	3697544*	1	3.45
53-54	PASS., CORV. w/P.G.,				
56-57	PASS., CORV. w/P.G.	NUT, cover to hsg. (5/16—24 castellated)	442812	A.R.	.06
53	PASS., CORV. w/P.G.	NUT, anchor (5/16—24 "U" type)	3702309	6	.20
53-55	PASS., CORV. w/P.G.	NUT, anchor (⅜—24 "U" type)	3703277	3	.20
55-57	PASS. w/P.G.,	NUT, w/retainer, trans. assy. to flywheel (⅜—24)	3713686	3	.20
55-57	CORV. w/P.G. 8 cyl.				
50-53	PASS., CORV. w/P.G.	PLUG, primary pump hsg. drain (⅛ taper thd.)	103877	2	(8.971)
53-57	PASS., CORV. w/P.G.	PIN, cover to housing (3/16 x ⅜)	454779	1	(8.939)
53-55	CORV. 6 cyl.	LUG, drive	3713602	3	.10

*NOTE: When using 3697544, 181595 Bolt and 3697543 Lock must also be used.

†NOTE: Round or square seal to be used interchangeably.

⊕NOTE: Also requires 3—3708352 Bolt and 3—3713686 Nut to replace early 1953 6 lug design; and 3—3713686 Nut to replace late 1953 and all 1954 3 lug design.

‡NOTE: Used selectively.

4.117 ROLLER UNIT—CAM—BLADE—SEAL—RETAINER—WASHER—PAD—RING, Stator

50-52	PASS. w/P.G.	primary stator over run	3694374*	1	.55
50-52	PASS. w/P.G.	secondary stator over run	3694601*	1	.55
53-56	PASS., CORV. w/P.G.	over run	3703804*	1	.90
57	PASS., CORV. w/P.G.	over run	3741037#	1	
57	PASS. w/T.G.	freewheel cam	3741188†	1	.45
53-56	PASS., CORV. w/P.G.	CAM, over run (8 cams—⅞ x 3¼ O.D.)	3702099	1	3.65
57	PASS., CORV. w/P.G.	CAM, over run (8 cams 3¼ O.D.)	3719260	1	3.65
57	PASS. w/T.G.	BLADE, assy.	3727472	20	
57	PASS. w/T.G.	SEAL, piston (3 25/32 O.D.)	3727350	1	.25
50-52	PASS. w/P.G.	RETAINER, secondary stator roller and spring	3692731	1	.55
50-52	PASS. w/P.G.	RETAINER, primary stator roller and spring	3691802	1	.35
53-57	PASS., CORV. w/P.G.	RETAINER, cam roller and spring (8 tabs—3¼ O.D.)	3702100	1	.35
50-52	PASS. w/P.G.	WASHER, secondary stator thrust (2 1/16 I.D. x 2 13/16 O.D.)	3691800	1	.65

50-52	PASS. w/P.G.	WASHER, primary and secondary stator over run thrust	3691803	2	.35
53-56	PASS., CORV. w/P.G.	WASHER, stator race frt. thrust (cast iron)	3703233	2	1.95
53-56	PASS., CORV. w/P.G.	WASHER UNIT, torque converter stator and pump thrust (use w/1½ full spline length)	3709886	1	2.90
53-56	PASS., CORV. w/P.G.	WASHER, over run cam thrust (2 3/16 I.D. x 3¼ O.D. x 1/32 thk.)	3702103	1	.35
57	PASS., CORV. w/P.G.	WASHER, thrust (alum.—1 13/16 I.D. x 3¼ O.D.)	3735785	2	.40
57	PASS. w/T.G.	PAD, rear thrust (1 25/32 I.D. x 2½ O.D.)	3727362	1	1.25
50-52	PASS. w/P.G.	RING, secondary stator thrust snap (2 O.D.)	3691801	1	.06
53-57	PASS., CORV. w/P.G.	RING, over run cam retaining (3 1/32 I.D. x 3 11/32 O.D. x 1/16 thk.)	3702104	2	.10
57	PASS. w/T.G.	RING, rear thrust pad retaining (3⅞ O.D.)	3727498	1	.15

*NOTE: Consists of 8 rollers, 8 springs and 8 roller guides.

†NOTE: Consists of 6 springs and 6 rollers.

#NOTE: Consists of 8 springs and 8 rollers.

4.118 COVER ASSY.—SEAL—BOLT—PLUG, Fluid Coupling

54-57	ALL w/H.T.	black "V" on bowl	8617339	1	33.50
54-57	ALL w/H.T.	SEAL (11 5/16 I.D.)	8614291	1	1.25
54-57	ALL w/H.T.	BOLT, cover (5/16—24 x 11/16) (copper flashed)	554303	14	.10
54-57	ALL w/H.T.	PLUG, cover (⅛ hex. hd. Dryseal, Cad.)	444613	1	(8.971)

4.119 STATOR ASSY.—RACE, Torque Converter Primary and Secondary

50-52	PASS. w/P.G.	primary	3694440	1	11.75
50-52	PASS. w/P.G.	secondary	3694439	1	11.75
53-56	PASS., CORV. w/P.G.	(2¾ x 7)	3702688	1	9.90
57	PASS., CORV. w/P.G.	(2¾ x 7)	3735780	1	9.90
57	PASS. w/T.G.	w/blades	3727345	1	37.50
50-52	PASS. w/P.G.	RACE, stator	3692986	1	4.55
53-57	PASS., CORV. w/P.G.	RACE, stator (27 splines—15/16 x 2 3/16)	3702102	1	2.70

4.121 TORUS ASSY.—VALVE—SPRING, Transmission Fluid Coupling

54-57	ALL w/H.T.	front, driven	8615141	1	18.75
54-57	ALL w/H.T.	rear, drive	8615142	1	18.75
54-57	ALL w/H.T.	VALVE, check (1 17/32 I.D. x 1⅞ O.D.)	8613150	1	1.30
54-57	ALL w/H.T.	SPRING, check valve (4 active coils) (1 9/16 O.D. x 3½ free length)	8609508	1	.15

4.123 SHAFT—RING—SHIM, Transmission Input

50-52	PASS. w/P.G.	(12 9/64 long)	3689799	1	7.30
53-56	PASS. w/P.G.	(19 splines—13 1/64 O.L.)	3702072	1	7.30
53-56	CORV. w/P.G.		3719294†	1	7.30
57	PASS., CORV. w/P.G.		3740041	1	7.30
50-57	PASS., CORV. w/P.G.	RING, input shaft oil seal (1 O.D.—steel)	3689838	1	1.05
53	PASS. w/P.G.	RING, shaft stop snap (5/64 x ⅞ O.D.)	3702734	1	.05
50	PASS. w/P.G.	SHIM, input shaft drive flange (.014—2 3/16 I.D. x 3½ O.D.)	3691922	A.R.	.25
50	PASS. w/P.G.	SHIM, input shaft drive flange (.019)	3691923	A.R.	.25

†NOTE: Thrust washers 3719296, 3719297, 3719298 in group 4.162 must be used selectively.

4.124 SEAL, Transmission Case Cover

54-57	ALL w/H.T.	front (5 5/32 I.D.)	8615318	1	1.40

4.125 SEAL, Transmission Cover Oil

54-57	ALL w/H.T.	front (2 39/64 I.D. x 3 23/64 O.D. x ½ thk.)	8609473	1	2.15

4.126 KEY, Transmission Front Pump

54-57	ALL w/H.T.	drive gear	8609496	1	.20

4.127 RING, Transmission Oil Seal

54-57	ALL w/H.T.	governor (3/32 thk. x 1 3/16 O.D.)	8609440	4	.55
54-57	ALL w/H.T.	delivery sleeve (3/32 thk. x 2 O.D.)	8617567	4	.36
54-57	ALL w/H.T.	rear accumulator piston (3/32 x 2 3/8)	8611581	1	.60
54-57	ALL w/H.T.	front servo band release piston (3/32 x 1 3/4)	8611851	1	.60
54-57	ALL w/H.T.	front oil pump cover (1/8 x 2 3/8)	8613202	1	.95
54-57	ALL w/H.T.	front servo piston applv (3/32 x 1 7/16)	8614122	1	.55

4.128 COOLER—PIPE—HOSE—NUT—CLIP—SEAL, Transmission Oil

50-54	PASS. w/P.G.		8514392*	1	10.35
54-57	1, 1 1/2 TON w/H.T.,				
55-57	D-D w/H.T. (2nd Ser.)	w/pan	8522145	1	69.50
54-55	1 TON D-D w/H.T. (1st Ser.),				
55-57	D-D w/H.T. 6 cyl. (2nd Ser.)	PIPE, outlet w/brkt. (19 1/2 dev. length)	3710589	1	1.65
55-57	1 TON w/H.T. 6 cyl. (2nd Ser.),				
56-57	D-D, 1 1/2 TON w/H.T. (6 cyl.)	PIPE, inlet w/bracket (13 3/32 dev. length)	3715959	1	1.50
54-55	1 TON w/H.T.,				
55-57	D-D w/H.T. 6 cyl. (2nd Ser.),				
56-57	1, 1 1/2 TON w/H.T. (8 cyl.)	HOSE, inlet and outlet (5/8 I.D. x 63 1/2 long)	3723558†	1	2.05
55-57	PASS. w/P.G.	NUT, oil cooler inlet and outlet pipe—radiator end (5/16 flared tube, female type)	3721658⊕	A.R.	.10
55	PASS. w/P.G. 6 cyl.	CLIP, inlet and outlet pipes (2 9/16 x 3/4)	3723552	1	(4.495)
54-57	ALL w/H.T. with O.C.	SEAL, intake pipe flange	8614456	1	.30

*NOTE: For oil cooler outlet and inlet pipe cut 61" and 69" respectively from 5/16" O.D. tubing group 8.964.

†NOTE: When using as inlet hose on 6 cyl. jobs, cut 10 1/2".

⊕NOTE: Mates with male connector 110200. Early 1955 models used male nut 137398 with female connector 187343.

RING, Transmission Retainer and Snap

54-57	ALL w/H.T.	reverse carrier to shaft (3/32 x 1 11/32)	8606763	2	.20
54-57	ALL w/H.T.	pump drive gear to carrier (3/64 x 2 13/32)	8609422	1	.30
54-57	ALL w/H.T.	driving fluid coupling snap, drive gear and front pump (3/32 x 1 7/32)	8609434	6	.20
54-57	ALL w/H.T.	front and rear clutch drum ret. (3/32 x 6 3/8)	8609501	2	.50
54-57	ALL w/H.T.	reverse unit piston retaining (1/16 x 2 7/8)	8611980	1	.40
54-57	ALL w/H.T.	driven fluid coupling retainer (1/8 x 27/32)	8613260	1	.20
54-57	1/2 TON w/H.T.	rear brg. to trans. retainer (1/16 x 2 9/32)	8612215	1	.30
54-57	1/2 TON w/H.T.	rear brg. to trans. mainshaft (1/16 x 1 1/16)	8612243	1	.15
54-57	ALL w/H.T. (exc. 1/2 TON)	rear brg. retaining (3/32 x 1 9/32)	8614096	2	.20
54-57	ALL w/H.T. (exc. 1/2 TON)	rear brg. to retainer (1/16 x 2 9/16)	8614188	1	.30

4.129 WASHER, Transmission Thrust

54-57	ALL w/H.T.	mainshaft to output shaft (.055—.059) (stamped 1)	8609191	1	1.05
54-57	ALL w/H.T.	mainshaft to output shaft (.063—.067) (stamped 2)	8609192	1	1.05
54-57	ALL w/H.T.	mainshaft to output shaft (.071—.075) (stamped 3)	8609193	1	1.05
54-57	ALL w/H.T.	mainshaft to output shaft (.079—.083)	8614711	1	.90
54-57	ALL w/H.T.	mainshaft to output shaft (.087—.091)	8614712	1	.90
54-57	ALL w/H.T.	mainshaft to output shaft (.095—.099)	8614713	1	.90
54-57	ALL w/H.T.	mainshaft to output shaft (.103—.107)	8614714	1	.90
54-57	ALL w/H.T.	mainshaft to output shaft (.111—.115)	8614715	1	.90
54-57	ALL w/H.T. (exc. 1/2 TON)	front planet carrier (3/64 x 1 3/8 x 1 15/16)	8609421	1	.40
54-57	ALL w/H.T.	front planet carrier and drive gear and front pump (bronze—3/32 x 1 3/8 x 1 29/32)	8609511	A.R.	1.05
54-57	ALL w/H.T.	frt. drive gear frt. (steel) (1 3/8 I.D. x 1 13/16 O.D. w/tongue on I.D.)	8609487	1	.44
54-57	ALL w/H.T.	drive gear and front pump (bronze—3/32 x 1 3/8 x 1 13/16)	8609512	1	1.05
54-57	ALL w/H.T.	front clutch drive rear (steel) (1 3/8 I.D. x 1 15/16 O.D. w/tongue on I.D.)	8609455	1	.40
54-57	ALL w/H.T.	rev. ctr. gear (steel) (1 1/2 I.D. x 2 7/16 O.D.)	8617148	1	.40

54-55	COMM., w/H.T.,				
56-57	ALL w/H.T.	rear clutch hub (bronze) (2⅞ O.D.)	8609497	A.R.	1.25
54-57	ALL w/H.T.	reverse internal gear (3¼ O.D.)	8613114	1	1.05
54-57	ALL w/H.T.	rev. ctr. gear (bronze) (1 11/16 I.D. x 2 19/32 O.D.)	8608658	1	1.05
54-57	ALL w/H.T. (exc. ½ TON)	rear clutch hub rear (2¼ O.D. w/4 grooves)	8611869	1	1.05

4.131 PLATE, Transmission Center Bearing

54-57	ALL w/H.T.	lock (3⅞ O.L. w/2 holes 15/32 dia.)	8609426	1	.11

4.132 SLEEVE, Transmission Case Oil

54-57	ALL w/H.T.	filler (1 3/16 dia. x 1⅝ O.L.)	8611007	1	.40

4.133 TUBE—GAUGE—SEAL—INDICATOR—PLUG, Transmission Oil Filler

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	oil filler	3689937	1	.80
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	oil filler	3713407	1	.80
57	PASS. w/T.G.	w/brkt. (26⅛ dev. length)	3738411	1	1.25
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	GAUGE, oil filler level w/breather (18 O.L.)	3697699	1	.70
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	GAUGE, cap and level (14 5/16 O.L.)	3720106	1	.50
57	PASS. w/T.G.	GAUGE, cap and level	3732229	1	.55
50-57	PASS., CORV. w/P.G.	SEAL, oil filler "O" ring (1 I.D.)	3689940	1	.15
54-57	ALL w/H.T.	INDICATOR, w/cap (stmp'd. 8605800)	8605800	1	1.10
55-57	PASS. P.G. w/C.A.C.	PLUG (1¼ sq. hd.)	3719536	1	.40

4.135 SUPPORT, Transmission Forward and Brake

57	PASS. w/T.G.	(alum.) (stamped 3727212)	3727212	1	3.75

4.137 PISTON—RING—SEAL UNIT, Transmission Brake and Clutch

57	PASS. w/T.G.	brake (alum.—stamped 3727221)	3727221	1	3.95
57	PASS. w/T.G.	forward (alum.—stamped 3740833)	3740833	1	5.85
57	PASS. w/T.G.	neutral clutch (alum.—stamped 3740838)	3740837	1	4.75
57	PASS. w/T.G.	reverse (alum.—stamped 3740844)	3740844	1	5.85
57	PASS. w/T.G.	RING, neutral clutch piston hub seal (1 7/16 O.D.)	3727315	2	.25
57	PASS. w/T.G.	SEAL UNIT, brake piston (consists of 3 seals)	3739449	1	.60
57	PASS. w/T.G.	SEAL UNIT, neutral clutch (consists of 2 seals)	3739795	1	.15

4.138 RING—SPRING, Transmission Brake and Clutch Piston

57	PASS. w/T.G.	brake retainer	3727475	1	.10
57	PASS. w/T.G.	SPRING. neutral clutch piston	3727311	1	.25
57	PASS. w/T.G.	SPRING, reverse cone piston	3727341	1	.35

4.142 CONE—RING—SPRING, Transmission Forward and Neutral Clutch

57	PASS. w/T.G.	forward	3740836	1	3.25
57	PASS. w/T.G.	neutral clutch	3740843	1	4.25
57	PASS. w/T.G.	RING, forward cone (stamped 3740851)	3740851	1	3.85
57	PASS. w/T.G.	RING, forward cone retainer	3727215	1	.45
57	PASS. w/T.G.	RING, neutral clutch cone (stamped 3740840)	3740840	1	4.25
57	PASS. w/T.G.	RING, neutral clutch cone ring retaining	3727314	1	.30
57	PASS. w/T.G.	SPRING, forward cone	3727217	1	.45

4.158 GEAR—HUB—FREEWHEEL—RING—BUSHING, Transmission Front Drive

54-57	½ TON w/H.T.	(internal gear 5 3/32 O.D.—60 teeth)	8613184	1	19.75
54-57	ALL w/H.T. (exc. ½ TON)	(internal gear 4⅞ O.D.—54 teeth)	8614443	1	17.95
57	PASS. w/T.G.	sun gear w/bushing	3727243	1	8.75
57	PASS. w/T.G.	ring (5¼ O.D.—75 teeth)	3727238	1	8.95

57	PASS. w/T.G.	HUB, assy., ring gear	3727297	1	14.50
57	PASS. w/T.G.	FREEWHEEL, assy., sun gear	3742312	1	44.50
57	PASS. w/T.G.	RING, ring gear retainer (5 5/8 free dia.)	3727296	1	.30
57	PASS. w/T.G.	BUSHING, sun gear front (1 1/2 I.D.—3/8 thk.)	3727244	1	.25
57	PASS. w/T.G.	BUSHING, ring gear hub (1 9/16 I.D.—3/8 thk.)	3727301	1	.25

4.161 CARRIER AND SMALL PARTS, Transmission Planet

54-57	1/2 TON w/H.T.	front	8614293	1	41.25
54-57	ALL w/H.T. (exc. 1/2 TON)	front	8615277	1	42.50
57	PASS. w/T.G.	assy., complete	3727278	1	27.50
57	PASS. w/T.G.	BEARING, sun gear front and rear needle thrust	457119	2	(4.176)
57	PASS. w/T.G.	PINION, carrier	3727236	4	(4.175)
57	PASS. w/T.G.	RACE, needle thrust brg. fwd. (1 1/2 I.D. x 2 3/32 O.D.)	3732254	1	(4.176)
57	PASS. w/T.G.	RING, carrier thrust (1 11/32 I.D.)	3727484	1	.05
57	PASS. w/T.G.	ROLLER, pinion needle	3727273	136	(4.176)
57	PASS. w/T.G.	SPACER, pinion needle roller	3732263	12	(4.176)
57	PASS. w/T.G.	SHAFT, pinion (11/32 dia. x 1 3/8 lg.)	3732224	4	.35
57	PASS. w/T.G.	WASHER, pinion thrust (11/32 I.D.)	3727268	8	(4.176)
57	PASS. w/T.G.	WASHER, carrier thrust (1 23/32 O.D.)	3727283	1	.35

4.162 FLANGE ASSY.—BEARING—DRUM ASSY.—RETAINER—RING—WASHER, Low Sun Gear and Clutch

50-52	PASS. w/P.G.		3689720	1	5.35
53-56	PASS., CORV. w/P.G.	(stamped 220 on web of flange)	3703220	1	5.35
57	PASS., CORV. w/P.G.	(stamped 457)	3742457	1	5.35
57	PASS., CORV. w/P.G.	BEARING, low sun gear thrust	457151	A.R.	.55
54-57	1/2 TON w/H.T.	DRUM ASSY., front trans. clutch	8611456	1	19.95
54-57	ALL w/H.T. (exc. 1/2 TON)	DRUM ASSY., front trans. clutch	8614581	1	21.95
50-57	PASS., CORV. w/P.G.	RETAINER, flange (5 1/2 O.D.)	3692094	1	.70
50-57	PASS., CORV. w/P.G.	RING, flange retainer (.073—5 3/4)	3692316	A.R.	.30
50-57	PASS., CORV. w/P.G.	RING, flange retainer (.064—5 3/4)	3692317	A.R.	.30
50-57	PASS., CORV. w/P.G.	RING, flange retainer (.055—5 3/4)	3689706	A.R.	.30
50-56	PASS. w/P.G.	WASHER, low sun gear thrust (.095—1 11/32 O.D.)	3694467	A.R.	.40
50-56	PASS. w/P.G.	WASHER, low sun gear thrust (.120—1 11/32 O.D.)	3694468	A.R.	.40
50-56	PASS. w/P.G.	WASHER, low sun gear thrust (.145—1 11/32 O.D.)	3694469	A.R.	.40
53-56	CORV. w/P.G.	WASHER, low sun gear thrust (.095—1 11/32 O.D.)	3719296	A.R.	1.25
53-56	CORV. w/P.G.	WASHER, low sun gear thrust (.120—1 11/32 O.D.)	3719297	A.R.	1.25
53-56	CORV. w/P.G.	WASHER, low sun gear thrust (.145—1 11/32 O.D.)	3719298	A.R.	1.25

4.163 DRIVE PLATE—DRIVEN PLATE, Transmission Clutch

50-55	PASS., CORV. w/P.G.	drive (8 internal splines—5 1/16 O.D.)	3713694	4	1.40
54-57	ALL w/H.T.	front and rear (drive) (steel w/facing)	8609115	A.R.	1.25
56-57	PASS. w/P.G.,				
57	CORV. w/P.G.	drive (45 internal teeth) (w/facing)	3719256	4	1.40
56	CORV. w/P.G.	drive (45 internal teeth)	3719274	4	2.10
50-52	PASS. w/P.G.	driven	3689707	5	1.05
53-55	PASS., CORV. w/P.G.	driven (6 external splines)	3703210	5	1.05
54-57	ALL w/H.T.	front and rear (driven) (steel) (4 1/16 I.D.)	8603954	A.R.	.80
56-57	PASS., CORV. w/P.G.	driven (6 external splines—3 7/8 I.D.)	3719254	A.R.	1.05
57	PASS., CORV. w/P.G.	driven	3742398‡	3	1.25

‡NOTE: Used in conjunction with 2—3719254.

4.164 CLUTCH ASSY.—HUB—BEARING—RACE—PIN—SPRING—SEAT—RING—WASHER, Transmission

50-52	PASS. w/P.G.		3694476	1	30.10
53-55	PASS., CORV. w/P.G.	(drum 5 7/8 O.D.) (3/64 hole in drum)	3713697	1	30.10
56	PASS. w/P.G.		3719257	1	30.10
56-57	CORV. w/P.G.,				
57	PASS. w/P.G.	(stamped 454)	3742454	1	30.10
57	PASS. w/T.G.	neutral clutch w/front ring gear	3727294	1	49.75
50-55	PASS., CORV. w/P.G.	HUB, clutch drive	3689749	1	2.30
56	PASS., CORV. w/P.G.	HUB, clutch (cast 3719253)	3719253	1	2.85
57	PASS., CORV. w/P.G.	HUB, clutch (stamped 3742460)	3742460	1	2.85

57	PASS. w/T.G.	HUB, neutral clutch and bushing	3727304	1	19.50
57	PASS. w/T.G.	BEARING, neutral clutch thrust	457122	1	.95
57	PASS. w/T.G.	RACE, neutral clutch thrust bearing (1 9/16 I.D. x x 2 7/32 O.D.)	3732256	2	.20
54-57	ALL w/H.T.	PIN, rear clutch spring guide (1 5/8 O.L.)	8609070	6	.15
50-51	PASS., w/P.G.	SPRING, clutch piston release	3689712*	1	.95
51-57	PASS., CORV. w/P.G.	SPRING, trans. clutch (2 3/4 I.D. x 3 3/4 O.L.)	3703248	1	1.80
54-57	ALL w/H.T.	SPRING, clutch release (inner) (2 15/64 free length)	8609071	12	.20
54-57	ALL w/H.T.	SPRING, clutch release (outer) (2 31/64 free length)	8609072	12	.20
50-51	PASS. w/P.G.	SEAT, spring (3 5/32 O.D.)	3689709*	1	.35
51-57	PASS., CORV. w/P.G.	SEAT, spring	3692699†	1	.35
50-51	PASS. w/P.G.	RING, spring snap (3 5/16 I.D.)	3689711*	1	.10
51-57	PASS., CORV. w/P.G.	RING, spring snap	3692700†	1	.10
50-56	PASS., CORV. w/P.G.	WASHER, clutch hub thrust (1 5/16 I.D. x 3 O.D.)	3694444	1	.45
57	PASS., CORV. w/P.G.	WASHER, clutch hub thrust (1 3/4 I.D.)	3737901	1	.25

*NOTE: For use w/clutch having clutch valve and spring on front face.
†NOTE: For use w/clutch having ball valve in piston.

4.166 PISTON—SEAL—BALL, Transmission Clutch

50-51	PASS. w/P.G.		3691594†	1	3.30
51-52	PASS. w/P.G.		3694477⊕	1	3.95
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.		3702919	1	3.95
54-57	ALL w/H.T.	front (aluminum) (cast 8611259)	8611259	1	5.65
54-55	½ TON w/H.T.	rear (aluminum) (cast 8611520)	8611520	1	5.65
54-55	¾, 1 TON w/H.T.,				
56-57	ALL w/H.T.	rear (aluminum) (cast 8611260)	8611260	1	5.65
54-57	ALL w/H.T.	reverse (aluminum) (cast 8611934)	8611934	1	8.95
55	PASS. w/P.G.,				
55	CORV. w/P.G. 8 cyl.	w/o ball valve (cast 3713649)	3713649	1	3.05
56	PASS., CORV. w/P.G.	(cast 3719258)	3719258	1	3.05
57	PASS., CORV. w/P.G.	(stamped 3742459)	3742459	1	3.05
50-52	PASS. w/P.G.	SEAL, piston outer ring (4 25/64 I.D.)	3689710	1	.75
50-57	PASS., CORV. w/P.G.	SEAL, piston inner ring (2 1/32 I.D.)	3689713	1	.40
53-57	PASS., CORV. w/P.G.	SEAL, piston outer (rubber) (4 5/32 I.D.)	3702920	1	.75
54-57	ALL w/H.T.	SEAL, piston (w/expander)	8611029*	2	1.80
54-57	ALL w/H.T.	SEAL UNIT, reverse piston	8613275	1	2.65
51-55	PASS., CORV. w/P.G.	BALL, pressure relief valve (5/16)	7002117⊕	1	(3.825)

†NOTE: For use w/clutch having clutch valve and spring on front face.
⊕NOTE: For use w/clutch having ball valve in piston.
*NOTE: Consists of 2 seals, 1 inner and 1 outer expander for 1 piston.

4.167 SPRAG ASSEMBLY—RING—RETAINER, Transmission Forward Cone Freewheel

57	PASS. w/T.G.		3742291	1	9.75
57	PASS. w/T.G.	RING, race retaining (4 3/16 free dia.)	3738788	2	.20
57	PASS. w/T.G.	RETAINER, rr. ring gear freewheel sprag	3742294	1	.40

4.168 RACE, Transmission Forward Cone Freewheel

57	PASS. w/T.G.	sprag	3727249	1	6.25

4.169 DRUM—RING—WASHER—VALVE UNIT, Transmission Clutch

50-52	PASS. w/P.G.	w/bushing	3696293*	1	7.80
53-56	PASS., CORV. w/P.G.	w/bushing and ball relief valve	3713651	1	7.80
54-57	ALL w/H.T.	front (w/3 clutch drive pins)	8611446	1	12.40
57	PASS., CORV. w/P.G.	w/bushing and ball relief valve	3742455	1	7.50
50-57	PASS., CORV. w/P.G.	RING, clutch drum oil seal (2 O.D.—steel)	3689808	2	.75
50-57	PASS., CORV. w/P.G.	WASHER, drum thrust (bronze)	3697501	1	(4.190)
57	PASS., CORV. w/P.G.	WASHER, drum thrust (.078—stamped "2")	3737902†	1	.50
57	PASS., CORV. w/P.G.	WASHER, drum thrust (.106—stamped "3")	3737903†	1	.50
57	PASS., CORV. w/P.G.	WASHER, drum thrust (.134—stamped "4")	3737904†	1	.50
50-51	PASS. w/P.G.	VALVE UNIT, drum pressure relief	3694912	1	.40


*NOTE: Use w/clutch having ball valve in piston.
†NOTE: Used selectively.

4.172 SHAFT, Transmission Main

54-57	½ TON w/H.T.	(22 splines—41 teeth) (17 13/16 O.L.)	8614289	1	20.75

4.173 NUT—WASHER, Transmission Main Shaft

54-57	ALL w/H.T.	fluid coupling (hex. 7/8—16 x 1 1/16)	8609425	1	.40
54-57	ALL w/H.T.	WASHER, fluid coupling nut lock (2 29/32 I.D. x 1¾ O.D.—steel)	8613734	1	.15



1955-57 P.G. TRANSMISSION CARRIER ASSEMBLY

4.175 CARRIER ASSY.—GEAR—PINION, Transmission Planet

50-54	PASS., w/P.G.,				
53-55	CORV. 6 cyl.	(complete)	3702061	1	47.80
55-56	PASS. w/P.G.	(complete)	3719227	1	50.05
55-56	CORV. w/P.G. 8 cyl.	(complete)	3738798	1	46.95
57	PASS. w/P.G.	(complete)	3738395	1	55.25
57	CORV. w/P.G.	(complete)	3738798	1	46.95
57	PASS. w/T.G.	rear, complete	3727265	1	39.75
50-56	PASS., CORV. w/P.G.	GEAR, input sun	3689703	1	2.70
57	PASS., CORV. w/P.G.	GEAR, input sun	3738324	1	2.85
57	PASS. w/T.G.	GEAR, rear sun	3727239	1	4.75
50-56	PASS., CORV. w/P.G.	PINION, long	3689702	3	2.85
50-56	PASS., CORV. w/P.G.	PINION, short	3689718	3	3.20
57	PASS., CORV. w/P.G.	PINION, long	3739444	3	2.85
57	PASS., CORV. w/P.G.	PINION, short	3738322	3	3.20
57	PASS. w/T.G.	PINION, carrier	3727236	3	2.85

4.176 PLANET CARRIER SMALL PARTS

50-57	PASS., CORV. w/P.G.	BEARING, long and short pinion needle	7450410	240	.01
57	PASS. w/T.G.	BEARING, rear carrier needle thrust	457119	1	.95
57	PASS. w/T.G.	RACE, needle thrust brg. fwd. (1½ I.D. x 2 3/32 O.D.)	3732254	1	.20
57	PASS. w/T.G.	RETAINER, carrier thrust brg.	3732260	1	.15
57	PASS. w/T.G.	SHAFT, pinion (1 7/16 O.L. x 11/32 dia.)	3727269	3	.35
50-57	PASS., CORV. w/P.G.	SPACER, long and short pinion needle brg.	3689732	6	.10
57	PASS. w/T.G.	SPACER, pinion needle roller	3732263	9	.06
50-57	PASS., CORV. w/P.G.	WASHER, pinion thrust (2 holes ½ I.D.)	3689719	6	.15

50-57	PASS., CORV. w/P.G.	WASHER, input sun gear thrust (½ x 1½)	3689834	1	.40
57	PASS. w/T.G.	WASHER, pinion thrust (11/32 I.D.)	3727268	6	.15
57	PASS. w/T.G.	WASHER, rear sun gear rear thrust (29/32 I.D. x 1¼ O.D.)	3727272	1	.30
50-57	PASS., CORV. w/P.G.	PLATE, pinion shaft lock (3—¼ holes)	3694428	1	.20
50-57	PASS., CORV. w/P.G.	SCREW, lock plate (12—24 x ¼)	3694432	3	.06
54-57	ALL w/H.T.	ROLLER, frt. needle brg. (5/64 O.D. x ¾ O.L.)	440483	19	20/1.00
57	PASS. w/T.G.	ROLLER, pinion needle	3727273	102	.01

4.179 SLEEVE, Transmission Oil Delivery

54-57	ALL w/H.T.	front drum (3 3/16 O.L.)	8611654	1	7.55

4.180 SPRAG ASSEMBLY, Transmission Rear Ring Gear

57	PASS. w/T.G.	freewheel	3742295	1	9.75

4.184 DRUM ASSY., Transmission Clutch

54-57	ALL w/H.T.	rear (3 pin type)	8611652	1	8.75

4.186 HUB—WASHER, Transmission Clutch

54-57	½ TON w/H.T.	rear (w/washer)	8615451	1	7.85
54-57	ALL w/H.T. (exc. ½ TON)	rear (4 O.D.—51 teeth)	8615144	1	7.45
54-57	ALL w/H.T.	WASHER, rear hub thrust (1 9/16 O.D.) (tang on I.D.)	8615568	1	.40

4.187 GEAR—DRUM ASSY.—RING—BEARING—RACE, Transmission Rear Unit

54-57	ALL w/H.T.	clutch (internal) (6 25/64 O.D.)	8613824	1	18.25
57	PASS. w/T.G.	w/carrier and bushing, ring	3727274	1	16.25
57	PASS. w/T.G.	(internal—4 23/32 O.D.—75 teeth) ring	3727240	1	7.75
54-57	ALL w/H.T.	DRUM ASSY., (w/drive pins) brake	8613990	1	12.95
57	PASS. w/T.G.	RING, gear retaining	3727482	1	.30
57	PASS. w/T.G.	BEARING, carrier needle thrust	457120	1	(4.115)
57	PASS. w/T.G.	RACE, carrier needle thrust brg. (1 25/32 I.D. x 2½ O.D.)	3732255	2	(4.115)

4.189 CONE—RING—KEY—SPRING—RETAINER, Transmission Reverse

54-57	ALL w/H.T.	stationary (6 13/16 O.D.)	8611937	1	5.85
57	PASS. w/T.G.	assy.	3740850	1	5.50
57	PASS. w/T.G.	RING, cone (stamped 3740891)	3740891*	1	5.75
57	PASS. w/T.G.	RING, cone (stamped 3740892)	3740892*	1	5.75
57	PASS. w/T.G.	RING, cone (stamped 3740893)	3740893*	1	5.75
54-57	ALL w/H.T.	KEY, stationary cone (9/16 O.L.)	8611936	1	.25
54-57	ALL w/H.T.	SPRING, release	8615314	1	.55
54-57	ALL w/H.T.	SPRING, piston release (coil type)	8611958	6	.35
54-57	ALL w/H.T.	RETAINER, piston release spring (4 1/16 O.D.)	8611985	1	.40
54-57	ALL w/H.T.	RETAINER, release spring	8615316	1	.65

*NOTE: To be used selectively.

4.190 DRUM ASSY.—WASHER, Planet Reverse

50-57	PASS., CORV. w/P.G.	w/ring gear	3721564	1	9.50
50-57	PASS., CORV. w/P.G.	WASHER, reverse drum thrust (2 11/16 O.D.)	3697501	1	.55
55-57	PASS. w/P.G. (after trans. Ser. C-128),				
55-57	CORV. w/P.G. 8 cyl	WASHER, output shaft thrust (2 3/16 O.D.)	3720474	1	.15

GEAR, Reverse Center

54-57	ALL w/H.T.	w/flange	8608765	1	10.90

4.192 CARRIER ASSY., Transmission Planet

54-57	ALL w/H.T.	reverse	8611960	1	25.75

4.193 GEAR UNIT, Reverse

54-57	ALL w/H.T.	internal, w/spring	8615449	1	22.95

4.195 PAN—CONNECTOR—PLUG—GASKET—COOLER—FLANGE—SCREW, Transmission Oil

54-57	½, ¾, 1½ TON w/H.T.		8608630	1	5.05
57	PASS. w/T.G.		3727233	1	3.75
57	PASS. w/T.G.	CONNECTOR, pan filler tube	3732212	1	.35
54-57	ALL w/H.T.	PLUG, w/gasket	1307238	1	.33
54-57	ALL w/H.T.	GASKET, fibre (5/8 I.D. x 15/16 O.D. x 3/32)	1307237	1	.09
57	PASS. w/T.G.	GASKET	513975	1	(1.456)
54-57	1, 1½ TON w/H.T.,				
55-57	D-D w/H.T. (2nd Ser.)	COOLER, w/pan	8522145	1	(4.128)
57	PASS., CORV. w/T.G.	FLANGE, oil pan drain	3723008	1	(1.453)
57	PASS. w/T.G.	SCREW, oil pan drain plug	3739264	1	(1.453)

4.196 GASKET, Transmission Oil Pan

54-57	ALL w/H.T.	(10 3/16 x 13 13/32) (12 holes 11/32 dia.)	8608910	1	.50
57	PASS. w/T.G.	(cork—twelve 3/8 holes)	3727235	1	.20

4.197 PIPE ASSY.—SEAL, Oil Supply Pump Suction

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	w/seal and screen	3697574	1	2.35
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	w/seal and screen	3710842	1	2.35
50-57	PASS., CORV. w/P.G.	SEAL, pipe (13/16 O.D.)	3689919	1	.20

4.200 PUMP ASSY.—VALVE—BUSHING, Transmission Oil Supply

50-52	PASS. w/P.G.	front	3692987	1	21.10
53-57	PASS., CORV. w/P.G.	front (2 1/8 full spline depth)	3703256*	1	21.10
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	rear	3711668	1	16.05
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	rear	3713661	1	13.80
55-57	ALL w/H.T.	rear (Hotchkiss Drive)	8615624	1	24.40
57	PASS. w/T.G.	front, w/shaft	3727413	1	29.75
57	PASS. w/T.G.	rear	3732269	1	14.95
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	VALVE, rear pump lube metering	3709093	1	.10
57	PASS. w/T.G.	VALVE, oil pump check, tube by-pass	3727373	A.R.	.25
57	PASS. w/T.G.	BUSHING, rear oil pump	3727490	1	.25

*NOTE: When using 3703256 in place of Pump Assy. w/1 5/8 full spline depth, replace rear thrust washer with 3709886 Washer Unit.

4.203 OIL SUPPLY PUMP PARTS

50-52	PASS. w/P.G.	COVER, front pump, w/shaft and sleeve	3692988	1	6.45
53-57	PASS., CORV. w/P.G.	COVER, front pump, 1½ full spline length	3703255	1	5.75
50-54	PASS., CORV. w/P.G.	COVER, rear pump (6 cavities) (4 7/16 O.D.)	3702054	1	3.85
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	COVER, rear pump (6 cavities—4 7/16 O.D.)	3719289	1	3.85
54-57	ALL w/H.T.	COVER, rear (4 holes 17/64 dia.)	8614704	1	.95
57	PASS. w/T.G.	COVER, front pump w/shaft	3727437	1	17.50
54-57	ALL w/H.T.	BOLT, rear (1/4—20 x 5/8)	8614824	4	.12
57	PASS. w/T.G.	BOLT, front pump to case (5/16—18 x 1 3/8)	9410883	5	.10
57	PASS. w/T.G.	BOLT, front pump to case (3/8—16 x 1 3/8)	9410368	2	.15
57	PASS. w/T.G.	BOLT, stator shaft and support (5/16—24 x 1 1/8)	9410882	5	.10
50-52	PASS. w/P.G.	SEAL, front oil pump body oil (2 1/8 I.D.) (stamped 3689758)	3689758	1	1.45
53-56	PASS., CORV. w/P.G.	SEAL, front pump body oil (2 I.D.) (stamped 3702068)	3702068	1	1.35
50-57	PASS., CORV. w/P.G.	SEAL, front oil pump body "O" ring (4 3/8 I.D.)	3689826	1	.40
57	PASS. w/P.G.	SEAL, front pump	3737894	1	1.25

57	PASS. w/T.G.	SEAL, front pump ($2^{13}/_{16}$ O.D.)	3737779	1	1.35
57	PASS. w/T.G.	SEAL, rear pump body ($4^{11}/_{32}$ I.D.)	3732282	1	.10
57	PASS. w/T.G.	SEAL UNIT, front pump (consists of 3 seals)	3739800	1	.45
50-52	PASS. w/P.G.	RING, front oil pump sealing ($1^{15}/_{16}$ O.D. steel)	3689775	1	.85
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	RING, rear brg. retainer ($1^{7}/_{32}$ free dia.)	3709099	2	.15
50-57	PASS., CORV. w/P.G.	GASKET, rear oil pump ($2^{1}/_{2}$ I.D. x $4^{7}/_{16}$ O.D.—7 holes)	3719267	1	.20
57	PASS. w/T.G.	GASKET, front pump shaft ($6^{13}/_{16}$ I.D. x $7^{25}/_{32}$ O.D.—18 holes)	3732274	1	.35
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	BEARING, rear oil pump (ND 3205)	903205	1	(4.408)
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	BEARING, rear oil pump (ND 43206)	954862	1	(4.408)
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PLATE, rear oil pump brg. lock ($1^{13}/_{16}$ I.D.)	3694475	1	.35
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	RETAINER, rear brg. (3 holes—$1^{1}/_{16}$ I.D.)	3708237	1	.45
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	PIN, rear oil pump drive	3709063	1	.05

4.205 DIAPHRAGM—MODULATOR—PLUNGER—VALVE—BODY—PLATE—COVER—SPRING—SCREW—ELBOW, Vacuum Modulator

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	vac. modulator (nylon)	3709049	1	1.20
57	PASS. w/T.G.	MODULATOR, assy.	3727425	1	1.35
57	PASS. w/T.G.	PLUNGER	3727429	1	.10
57	PASS. w/T.G.	VALVE ($1^{9}/_{32}$ O.L.)	3727384	1	.30
57	PASS. w/T.G.	VALVE, accumulator check	3732298	1	.15
57	PASS. w/T.G.	BODY, valve, w/plate	3727436	1	2.25
57	PASS. w/T.G.	PLATE, valve body cover	3727383	1	.10
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	COVER, diaphragm (cast 3692971)	3692971	1	.95
50-54	PASS., w/P.G.,				
53-55	CORV. 6 cyl.	SPRING, diaphragm (4 active coils)	3691669	1	.30
50-54	PASS. w/P.G.,				
53-57	CORV. 6 cyl.	SCREW, diaphragm cover (10—24 x $^{5}/_{8}$)	132046	6	(8.907)
57	PASS. w/T.G.	SCREW, connector ($^{1}/_{2}$—20)	3727365	1	.15
57	PASS. w/T.G., dual 4BC	ELBOW, hose to carburetor	3744155	1	.95

NOTE: For Vac. Modulator Pipe cut $46^{1}/_{4}$" from $^{1}/_{4}$" O.D. tubing group 8.964.

4.208 HOUSING—BODY—PISTON—RETAINER—RING—VALVE—LEVER—PIN—GASKET, Hydraulic Modulator

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	(cast 3697577)	3697577*	1	3.40
57	PASS. w/T.G.	BODY, assy.	3738000	1	4.45
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PISTON ($^{5}/_{8}$ O.D. x $^{5}/_{8}$ O.L.)	3697578	2	.40
57	PASS. w/T.G.	PISTON, accumulator	3732299	1	.40
57	PASS. w/T.G.	RETAINER, accumulator piston	3738002	1	.10
57	PASS. w/T.G.	RING, accumulator piston retaining and inner spring retaining	274400	2	(4.265)
57	PASS. w/T.G.	VALVE	3727381	1	.30
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	LEVER ASSY., modulator control	3692968	1	.55
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PIN, control lever guide ($^{1}/_{4}$ x $1^{11}/_{32}$)	3692970	1	.06
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PIN, control lever fulcrum ($^{3}/_{16}$ x $2^{1}/_{4}$)	424286	1	(8.939)
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	GASKET, modulator housing	3692975	1	.30

*NOTE: When Housing and Plunger Unit (cast 3692974) is replaced by 3697577 Housing on 1950-53 models it is also necessary to use 2 of 3697578 Piston.

4.210 GEAR, Transmission Pump Drive

54-57	ALL w/H.T.	rear (bronze) (14 teeth)	8609428	1	5.95

4.211 GEAR, Transmission Oil Pump Driven

54-57	ALL w/H.T.	rear, w/pins (steel)	8610744	1	4.20
54-57	ALL w/H.T.	PIN, rear (3/16 x 7/8)	103723	1	(8.939)

4.212 COVER ASSY.—SLEEVE—GASKET, Servo

50-54	PASS. w/P.G.	(cast 3697555)	3697554	1	9.70
53-55	CORV. 6 cyl.		3703258	1	9.70
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	(cast 3709050)	3713636*	1	9.70
50-51	PASS. w/P.G. (1st design)	SLEEVE, cover locating (.840 x 9/16)	3692965	1	.15
51-54	PASS. w/P.G. (2nd design),				
53-55	CORV. 6 cyl.	SLEEVE, cover locating (.840 x 5/16)	3697516	1	.15
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	SLEEVE, cover locating (1 11/32 O.L.)	3713635	1	.15
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	GASKET, servo cover	3697556	1	.40
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	GASKET, servo cover	3713633	1	.40

*NOTE: When 3713636 cover is being used to replace 3713627 on the Corvette model, 3713691 seat, 3713689 valve and 3713688 spring must be removed.

4.215 PLATE, Transmission

57	PASS. w/T.G.	ditch (alum.—stamped 3727376)	3727376	1	4.25
57	PASS. w/T.G.	transfer	3727377	1	1.65

4.216 BODY ASSY.—VALVE—SPRING—SMALL PARTS, Transmission Main Valve



3702106



3703265



3694449



3702809



3703243



3697567 (+6)



3705486



3702828



3691602



3693075

50-52	PASS. w/P.G.	valve (cast 3694443)	3694445	1	22.20
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	valve (cast 3703296)	3703298	1	22.20
55-56	PASS. w/P.G.,				
55-56	CORV. w/P.G. 8 cyl.	valve (cast 3719233)	3719234*	1	22.20
57	PASS., CORV. w/P.G.	w/washer (cast 3740048)	3741035	1	22.20
57	PASS. w/T.G.	assy.	3741036	1	23.75
57	PASS. w/T.G.	by-pass valve (stamped 3732222)	3732222	1	1.60
50-52	PASS. w/P.G.	VALVE, frt. and rear pump check (1/2 dia. tab)	3694449	1	.30
53-54	PASS., CORV. w/P.G.	VALVE, frt. and rear pump check (5/8 dia. tab)	3702828	1	.30
50-52	PASS. w/P.G.	VALVE, pressure regulator (4 23/32 O.L w/ largest O.D. 15/32 long)	3691602	1	1.40
53-54	PASS w/P.G.,				
53-55	CORV. 6 cyl.	VALVE UNIT, press. regulator, w/plunger	3705486	1	1.65
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	VALVE, press. reg. governor (1 1/2 O.L.)	3702809	1	.65
53-54	PASS., CORV. w/P.G.	VALVE, press. reg. (angle shoulder—1 1/8 O.L.)	3703243	1	.50
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	VALVE, manual (6 7/8 O.L.) (std.)	3693075	1	1.40

52-54	PASS., CORV. w/P.G.	VALVE, manual (.006 O.S.—stamped ("+6").	3697567	1	1.40
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	VALVE, clutch low servo (21/32 x 15/16)	3703265	1	.55
53-54	PASS., CORV. w/P.G.	VALVE, lub. press. relief (1/8 pipe hd., 3/4 hex.			
55-57	PASS. w/P.G.	w/cap—1 O.L.)	3702106	1	.60
54-57	ALL w/H.T.	VALVE, pressure regulator (w/cushion)	8614378	1	2.15
55-57	PASS., CORV. w/P.G.	VALVE, frt. and rr. pump check (neck 3/16 wide).	3713625	1	.30
55-57	PASS., w/P.G.	VALVE UNIT, press. reg. (4 O.L. w/large O.D.			
55-57	CORV. w/P.G. 8 cyl.	1/2)	3714305†	1	1.65
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	VALVE, press. reg. (1/2 O.D. x 1 O.L.)	3713696	1	.50
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	VALVE, manual (7 3/16 O.L.)	3709039	1	1.40
55-57	PASS. w/P.G.	VALVE, by-pass disc (15/32 O.D.)	3713689	1	.10
55-57	PASS. w/P.G.	VALVE, closed throttle downshift cushion,			
55-57	CORV. w/P.G. 8 cyl.	forced downshift cushion (2 5/16 O.L.)	3713647	A.R.	.55
57	PASS. w/T.G.	VALVE, manual (5 19/32 O.L.)	3727370	1	.75
57	PASS. w/T.G.	VALVE, press. reg.	3727366	1	.95
50-54	PASS. w/P.G.	SPRING UNIT, pressure reg. valve (1 inner, 1			
		outer)	3704240	1	.35
50-54	PASS. w/P.G.	SPRING, lubrication by-pass (7 coils)	3691684	1	.06
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	SPRING, press. reg. valve (5/16 x 1 1/32)	3703242	1	.10
53-54	PASS. w/P.G.	SPRING, press. reg. gov. valve (3/8 O.D. x 7/8			
53-55	CORV. 6 cyl.	O.L.) (daub of orange paint)	3702609	1	.10
53-54	PASS., CORV. w/P.G.	SPRING UNIT, low and drive valve (1 inner,			
		1 outer)	3704242	1	.35
53-55	CORV. 6 cyl.	SPRING UNIT, press. reg. valve	3708165	1	1.35
54-57	1/2 TON w/H.T.	SPRING, press. reg. valve (2 1/8 free length)			
		(12 1/2 active coils) (orange)	8613271	1	.60
54-57	ALL w/H.T. (exc. 1/2 TON)	SPRING, press. reg. valve (2 11/16 free length)			
		(5 1/2 active coils)	8614461	1	.50
55-57	PASS. w/P.G.	SPRING UNIT, low and drive valve (1 inner, 1			
55-57	CORV. w/P.G. 8 cyl.	outer)	3718459	1	.30
55-57	PASS. w/P.G.	SPRING, press. reg. valve (20 coils—1 5/8 free			
55-57	CORV. w/P.G. 8 cyl.	height)	3713669	1	.10
55-57	PASS. w/P.G.	SPRING UNIT, press. reg. valve (w/rev. booster			
55-57	CORV. w/P.G. 8 cyl.	valve spring)	3714306‡	1	.35
55-57	PASS. w/P.G.	SPRING, by-pass disc valve (7 coils—1 3/64 free			
		length)	3713688	1	.06
55	PASS., CORV. w/P.G. (w/o by-pass hole)	SPRING UNIT, valve body cush. valve (2			
		springs and 2 retainers)	3711850#	1	.50
55-57	PASS. w/P.G. (w/by-pass hole)	SPRING UNIT, valve body cush. valve (2			
55-57	CORV. w/P.G. 8 cyl.	springs and 2 retainers)	3716676⊕	1	.50
57	PASS. w/T.G.	SPRING, press. reg. valve (14 active coils—			
		3 9/32 free height)	3727367	1	.10
57	PASS. w/T.G.	SPRING, range selector plate (12 active coils—			
		1 3/32 free height)	3727448	1	.10
57	PASS. w/T.G.	SPRING, thermostat return (8 active coils—1 9/32			
		free height—tapered)	3732216	1	.05
57	PASS. w/T.G.	SPRING, thermostat relief (11 active coils—			
		2 19/32 free height)	3732217	1	.15
57	PASS. w/T.G.	SPRING UNIT, valve (consists of 4 springs)	3740601	1	.15
54-57	1/2 TON w/H.T.	SEAL, pressure regulator plug (13/16 I.D.)	8611804	1	.25
55-57	PASS. w/P.G.	SEAL, press. reg. rev. booster valve guide (13/16			
55-57	CORV. w/P.G. 8 cyl.	O.D.)	3713642	1	.10
57	PASS. w/T.G.	SEAL, by-pass body (2 I.D.)	3740033	1	.10
55-57	PASS. w/P.G.	SEAT, by-pass disc valve (1/4 I.D. x 9/16 O.D.)	3713691	1	.15
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	SEAT, P/R rev. booster valve spring (11/16 O.D.)	3713677	1	.05
57	PASS. w/T.G.	SEAT, press. reg. valve sprg. (17/32 I.D. x 23/32			
		O.D.)	3727455	1	.05

*NOTE: Requires 3719232 case gasket.

†NOTE: Consists of 2 valves, 3 springs, 1 ring, 1 guide, 1 seal and 1 seat.

‡NOTE: Consists of 3 springs and 1 seal.


#NOTE: Must be used w/valve body cast 3709023. See following illustration.

⊕NOTE: Must be used w/valve body cast 3719233. See following illustration.

50-54	PASS. w/P.G.	THERMOSTAT, by-pass valve (3 11/32 O.L. w/1 hole 3/16 dia.)	3709006	1	.95
57	PASS. w/T.G.	THERMOSTAT, by-pass valve	3136688	1	2.25
50-54	PASS. w/P.G.	RETAINER, thermostat (1 3/8 O.L.)	3691685	1	.06
55-57	PASS. w/P.G.	RETAINER, closed and forced throttle valve			
55-57	CORV. w/P.G. 8 cyl.	spring	3719221	A.R.	.10
57	PASS. w/T.G.	RETAINER, thermostat relief spring (15/32 O.D.)	3732240	1	.05
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PLUG, by-pass valve spring (11/16—16)	3692266	1	.30
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PLUG, P/R valve to gov. (hex. hd.—1/16 thd.)	444606	1	(8.971)
54-57	1/2 TON w/H.T.	PLUG, press. reg. (w/gaskets and seals)	8614133	1	4.20
54-57	ALL w/H.T. (exc. 1/2 TON)	PLUG, pressure regulator	8614937	1	3.80
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	GASKET, valve spring plug (11/16 I.D. x 15/16 O.D.)	3694419	1	.06
54-57	ALL w/H.T.	GASKET, pressure regulator plug (15/16 O.D.)	8611827	1	.25
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	RING, clutch low servo valve retaining (11/16 O.D.)	3697570	1	.05
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	RING, press. reg. valve spring seat (7/16 O.D.)	3713645	1	.03
55-57	PASS. w/P.G.	RING, P/R reverse booster valve spring seat			
55-57	CORV. w/P.G. 8 cyl.	(1/2 O.D.)	3713675	1	.05
53-54	PASS., CORV. w/P.G.	PIN, P/R valve spring stop, P/R gov. valve spring stop (1/8 x 1)	453676	2	(8.939)
50-57	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PIN, dowel, control valve to hsg. (5/16 x 9/16)	141216	2	(8.939)
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	PIN, P/R valve spring stop (1/8 x 7/8)	455862	1	(8.939)

4.217 GASKET—BOLT and ACCUMULATOR DETAILS, Transmission Main Valve Body

VALVE BODY & CASE GASKET #3719232



Valve Body and Case Gasket #3713631 does not have this hole which acts as by-pass orifice and is not interchangeable with 3719232. Diagonal areas may or may not be incorporated in old or new gasket. Interchangeability unaffected except in case of opening indicated by arrow.

50-52	PASS. w/P.G.	valve body and case to housing	3693098	1	.80
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	valve body and case to housing	3703282	1	.70

50-55	PASS., CORV. w/P.G.	valve body to case	3694448*	1	.85
55	PASS. w/P.G. w/o by pass hole,				
55	CORV. w/P.G. 8 cyl.	valve body and case to housing	3713631†	1	.70
55-57	PASS. w/P.G. w/by pass hole,				
55-57	CORV. w/P.G. 8 cyl.	valve body and case to housing	3719232#	1	.70
57	PASS. w/T.G.	unit, (consists of 7 gaskets and 4 "O" ring seals)	3740600	1	.95
50-57	PASS., CORV. w/P.G.	BOLT, frt. oil pump to valve body attach. (¼—20 x 1 13/16)	445548	5	.10
50-57	PASS., CORV. w/P.G.	BOLT, valve body to trans. hsg. att. (¼—20 x 1⅜)	180033	A.R.	(8.900)
53-57	PASS., CORV. w/P.G.	BOLT, valve body to trans. hsg. att. (¼—20 x 1⅜) (type A)	455119	A.R.	.10
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	BOLT, valve body to trans. hsg. (¼—20 x ¾)	9409088	1	.15
57	PASS. w/T.G.	BOLT, valve body to case (7/16—20)	3732267	1	.35
50-53	PASS., CORV. w/P.G.	STOP, oil accumulator piston (⅜ x 1⅜)	3693090	1	.20
50-53	PASS., CORV. w/P.G.	SPRING, accumulator piston inner	3693094	1	.25
50-53	PASS., CORV. w/P.G.	SPRING, accumulator piston outer	3693093	1	.35
50-53	PASS., CORV. w/P.G.	SPRING, oil accumulator valve (¼ O.D.)	3693092	1	.10
57	PASS. w/T.G.	SPRING, accumulator control valve (4 active coils—1 3/32 free ht.)	3732232	1	.10
57	PASS. w/T.G.	SPRING UNIT, neutral cone accumulator (consists of inner and outer springs)	3740602	1	.15
57	PASS. w/T.G.	SPRING UNIT, vacuum modulator accumulator piston (consists of inner and outer springs)	3740603	1	.25
50-53	PASS., CORV. w/P.G.	VALVE, oil accumulator (5/16 O.D. x 1 1/16 O.L.)	3693088	1	.30
57	PASS. w/T.G.	VALVE, accumulator control (15/16 O.L.)	3732231	1	.85
57	PASS. w/T.G.	PISTON, neutral cone accumulator (1 9/16 O.L.)	3732236	1	.45
50-53	PASS., CORV. w/P.G.	WASHER, valve spring (1⅛ O.D.)	3693091	1	.06
53-55	CORV. 6 cyl.	WASHER, valve outer spring seat (23/32 O.D.)	3703257	1	.95
50-53	PASS., CORV. w/P.G.	RING, valve spring washer snap (1 3/16 O.D.)	3693095	1	.10
57	PASS. w/T.G.	RING, neutral cone accumulator spring seat	3732273	1	.07
57	PASS. w/T.G.	SEAT, neutral cone accumulator spring (¼ I.D. x ⅞ O.D.)	3732239	1	.05
57	PASS. w/T.G.	SEAL, oil pressure tube (5/16 I.D.)	3727391	4	(4.278)
57	PASS. w/T.G.	PLUG, accumulator	3732270	1	.10

*NOTE: 3694448 must only be used w/Valve Body 3694445.

†NOTE: Must be used w/valve body cast 3709023. See illustration.

#NOTE: Must be used w/valve body cast 3719233. See illustration.

4.218 LEVER—GROMMET—SEAL—SPACER, Manual Valve

50-57	PASS., CORV. w/P.G.	housing	3697508	1	1.05
57	PASS. w/T.G.	w/inner range selector and parking lock	3727396	1	2.20
57	PASS. w/T.G.	GROMMET, parking lock and range selector lever	3715097	1	(4.040)
50-57	PASS., CORV. w/P.G.	SEAL, lever shaft oil (⅞ O.D.)	3689866	1	.20
50-57	PASS., CORV. w/P.G.	SPACER, lever (¼ thick x 1 O.D.)	3689941	1	.15

4.220 SHAFT ASSY.—PAWL—ACTUATOR—BRACKET—SHAFT—SPRING—RETAINER—SEAL, Transmission Parking Lock

50-57	PASS., CORV. w/P.G.	w/lever	3709016	1	4.20
50-57	PASS., CORV. w/P.G.	PAWL, park lock (3 teeth)	3694490	1	1.15
57	PASS. w/T.G.	PAWL, (3 3/16 ctr. to ctr. holes)	3727405	1	1.85
57	PASS. w/T.G.	ACTUATOR, assy., w/rod and spring	3727410	1	1.30
57	PASS. w/T.G.	BRACKET, reaction (two 5/16 holes)	3732233	1	1.40
50-57	PASS., CORV. w/P.G.	SHAFT, park lock pawl (5¼)	3689882	1	.45
57	PASS. w/T.G.	SHAFT, pawl (1 21/32 O.L.)	3732220	1	.45
50-57	PASS., CORV. w/P.G.	SPRING, park lock pawl coil (3¾ long)	3694488	1	.40
57	PASS. w/T.G.	SPRING, pawl disengaging (1¼ free length)	3727406	1	.15
57	PAS. w/T.G.	RETAINER, pawl disengaging spring (two 17/64 holes)	3732245	1	.05
57	PASS. w/T.G.	SEAL, pawl (¼ I.D.)	3732225	1	.10

4.222 PIPE, Transmission Oil Pump Inlet

54-57	½, ¾ TON w/H.T. (w/o O.C.)	front, suction (⅝ O.D.—steel tubing)	8613234	1	2.40
54-57	1, 1½ TON w/H.T. (w/O.C.),				
55-57	D-D w/H.T. (w/O.C.) (2nd Ser.)	front suction	8615298	1	1.55

4.223 GASKET, Transmission Pump

54-57	ALL w/H.T.	front intake pipe (5/8 I.D.)	8613199	1	.50

4.224 SCREEN ASSY.—GROMMET, Transmission Oil

54-57	1/2, 3/4 TON w/H.T. (w/o O.C.)		8613216	1	2.35
54-57	1, 1 1/2 TON w/H.T. (w/O.C.),				
55-57	D-D w/H.T. (w/O.C.) (2nd Ser.)		8615412	1	2.65
57	PASS. w/T.G.		3727375	1	.65
57	PASS. w/T.G.	GROMMET, screen	3732246	1	.10

4.225 CYLINDER, Transmission Servo

54-57	ALL w/H.T.	front band release (cast 8614777)	8614777	1	2.85

4.226 BODY—PUMP—VALVE—SPRING—GUIDE—BOLT—WASHER, Transmission Front Servo

54-57	ALL w/H.T.		8614833	1	10.60
54-57	ALL w/H.T.	PUMP ASSY., oil (includes seals, rings and gears)	8613262	1	39.35
54-57	ALL w/H.T.	VALVE, oil pump relief (3/32 hole—end of valve)	8614897	1	1.05
54-57	ALL w/H.T.	SPRING, oil pump relief valve (17 1/2 coils—1 57/64 O.L.)	8614896	1	.45
54-57	ALL w/H.T.	SPRING, oil pump priming (inner) (3/8 O.D.)	8616198	1	.15
54-57	ALL w/H.T.	SPRING, oil pump priming (outer) (1/2 O.D.)	8616199	1	.12
54-57	ALL w/H.T.	SPRING, check valve (7/16 O.D.) (11 active coils)	8611744	1	.15
54-57	ALL w/H.T.	GUIDE, oil pump relief valve spring	8613899	1	.25
54-57	ALL w/H.T.	BOLT, pump cover (w/washers)	8614360	1	.75
54-57	ALL w/H.T.	WASHER, pump locating (21/64 I.D. x 1/2 O.D.)	8609486	1	.13

4.227 BODY ASSY.—VALVE—SPRING—PLUG, Transmission Front Servo Over-Run

54-57	ALL w/H.T.		8614884	1	5.00
54-57	ALL w/H.T.	VALVE, control (1 5/16 O.L.)	8614793	1	.45
54-57	ALL w/H.T.	SPRING, control valve (2 1/16 free length) (17 active coils)	8614791	1	.25
54-57	ALL w/H.T.	PLUG, valve (1/2 O.D. x 17/32 O.L.)	8614142	1	.35

4.228 PISTON—ROD—RETAINER—SPRING—RING—SEAT, Low Servo

50-52	PASS. w/P.G.	assy., w/rod (3 15/64) (casting)	3694460	1	2.55
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	(casting) (3 15/64 O.D. x 15/16 high)	3702801	1	1.70
54-57	1/2 TON w/H.T.	assy., front servo	8614851	1	6.50
54-57	ALL w/H.T. (exc. 1/2 TON)	assy., front servo	8614779	1	6.30
54-57	ALL w/H.T.	band release (1 47/64 O.D.)	8611849	1	1.25
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	(cast 3709060)	3709060	1	1.40
53-57	PASS., CORV. w/P.G.	ROD, piston (3 5/8 O.L.)	3702802	1	1.15
53-57	PASS., CORV. w/P.G.	RETAINER, piston rod spring (hair pin type)	3713624	1	.05
50	PASS. w/P.G.	SPRING, piston return (1 3/16 O.D.—use w/stamped piston)	3689840	1	.50
50-52	PASS. w/P.G.	SPRING, piston return (1 7/16 O.D.—use w/cast piston)	3694463	1	.95
53-54	PASS. w/P.G.	SPRING, piston apply (9/16 I.D. x 15/16 O.D. x			
53-55	CORV. 6 cyl.	1 1/4 O.L.)	3702805	1	.25
53-54	PASS. w/P.G.	SPRING, piston return (31/32 I.D. x 17/32 O.D. x			
53-55	CORV. 6 cyl.	2 O.L.)	3702804	1	.55
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	SPRING, piston apply (9/16 I.D.)	3710388	1	.20
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	SPRING, piston return (5 coils—2" free length)	3713630	1	.45
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	RING, piston (3 1/4 O.D.) (brake)	3719237	1	.45
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	RING, piston (2 3/4 O.D.)	3710250	1	.40
53-57	PASS. w/P.G.	SEAT, piston apply spring (7/8 O.D. x 1/16 thk.)	3702807	1	.05

4.233 STRUT—ANCHOR—SPRING, Low Brake Band

50-51	PASS. w/P.G. (1st design)	anchor (2 1/8 long)	3692046	1	.40
51-54	PASS. w/P.G. (2nd design),				
53-55	CORV. 6 cyl.	anchor (1 11/16 long x 2 1/4)	3702911	1	.40
50-51	PASS. w/P.G. (1st design)	apply (1 1/4 x 1 3/4 long)	3692048	1	.30
51-54	PASS. w/P.G. (2nd design),				
53-55	CORV. 6 cyl.	apply (1 5/8 x 1 7/8 long)	3702910	1	.40
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	anchor (use w/dbl. wrap band) (1 7/8 long)	3710251	1	.40
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	apply (use w/dbl. wrap band) (1 5/8 long)	3713613	1	.40
50-57	PASS., CORV. w/P.G.	ANCHOR, strut (1 7/16 long)	3691044	1	.30
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	SPRING, apply strut guide (11/16 I.D.—6 1/2 coils)	3694451	1	.11

SPRING, Transmission Front Servo

54-57	1/2 TON w/H.T.	booster (15/16 free length) (1 11/32 O.D.)	8609474	1	.25
54-57	ALL w/H.T. (exc. 1/2 TON)	booster (27/32 free length) (copper flashed)	8614816	1	.30
54-57	ALL w/H.T.	retracting (1 1/2 free length) (13/16 O.D.)	8609449	1	.08

4.234 VALVE—RETAINER, Transmission Shift

54-57	ALL w/H.T.	3rd and 4th (1 15/32 O.L.)	8614792	1	.80
54-57	ALL w/H.T.	RETAINER, front servo rel. spring (1 13/16 O.L.)	8611848	1	.25

4.236 LEVER, Transmission Band

54-57	ALL w/H.T.	rear actuating	8609600	1	1.80

4.237 PIN, Transmission Servo Band Actuating Lever

54-57	ALL w/H.T.	clevis (3/8 x 1 5/8)	8613172	1	.30

4.239 BODY—GASKET, Transmission Rear Servo

54-57	ALL w/H.T.		8613142	1	8.75
54-57	ALL w/H.T.	GASKET, body (2 1/4 I.D.)	8613159	1	.20

4.241 PISTON—ROD—SPRING—RETAINER—KEY—RING, Reverse Servo

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	reverse servo (3 1/4 O.D.)	3694462	1	1.40
55-57	PASS., CORV. w/P.G.	assy., reverse servo (cast 3709058)	3709059	1	2.65
54-57	ALL w/H.T.	rear servo booster (w/stem)	8610752	1	2.80
54-57	ALL w/H.T.	rear servo accumulator (w/stem)	8610751	1	3.60
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	ROD, servo piston (4 long)	3691676	1	.60
50-57	PASS., CORV. w/P.G.	SPRING, piston return (2 5/32 O.D.)	3691677	1	.35
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	SPRING, piston apply (1 5/32 I.D.)	3691678	1	.35
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	RETAINER, apply spring (1 5/8 O.D.)	3691679	1	.40
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	KEY, spring retainer (1/8 thick)	3691680	2	.06
50-57	PASS., CORV. w/P.G.	RING, servo piston (3 1/4 O.D.)	3719237	1	(4.228)

4.242 RING, Transmission Rear Servo

54-57	ALL w/H.T.	small, booster piston (3/32 x 1 11/16)	8609446	1	.70
54-57	ALL w/H.T.	large, booster piston (3/32 x 2 1/4)	8609445	1	.75
54-57	ALL w/H.T.	rear, accumulator piston (3/32 x 2 3/8)	8611581	1	(4.127)

4.244 PISTON, Transmission Rear Servo Compensating

54-57	ALL w/H.T.	w/spring	8613764*	1	2.10

*NOTE: On 3/4, 1 TON Models use one additional 8614184 rear servo compensator inner spring.

4.246 LINK—PIN—STRUT—LEVER—SPRING—ANCHOR—LOCK, Reverse Brake Band

50	PASS. w/P.G.	reverse band (solid end 1 9/16 x 1 5/16)	3694473	1	1.30
51-57	PASS., CORV. w/P.G.	reverse band (5 O.L.)	3709028	1	1.30
50-57	PASS., CORV. w/P.G.	PIN, link (2 1/16 long)	3689816	1	.15
50	PASS. w/P.G.	STRUT, rev. band (1 3/4 long x 1 5/16 wide)	3689827	1	.15
51-54	PASS., CORV. w/P.G.	STRUT, rev. band (1 5/8 long x 1 5/16 wide)	3694491	1	.15
55-57	PASS., CORV. w/P.G.	STRUT, rev. band (1 21/32 long x 1 5/16 wide)	3709024	1	.20
50-57	PASS., CORV. w/P.G.	LEVER, rev. band	3691025	1	.95
54-57	ALL w/H.T.	SPRING, rear servo, main (1 7/8 dia.) (8 active coils)	8611794	1	1.75
54-57	ALL w/H.T.	SPRING, rear servo, booster (1 5/16 dia.)	8609480	1	.35
54-57	ALL w/H.T.	SPRING, rear servo, accumulator (piston apply) (5/8 O.D.) (1 1/4 O.L. w/6 active coils)	8609061	1	.30
54-57	ALL w/H.T. (exc. 1/2 TON)	SPRING, rear servo, compensator inner (3/4 O.D.)	8614184	1	.35
50-54	PASS., CORV. w/P.G.	ANCHOR, rev. band	3691027	1	.45
55-57	PASS., CORV. w/P.G.	ANCHOR, rev. band (1 5/16 long x 1/2 wide)	3735564	1	.60
50-57	PASS., CORV. w/P.G.	LOCK, rev. band	3713675	2	(4.216)

4.247 RETAINER, Transmission Rear Servo

54-57	ALL w/H.T.	spring (2 7/8 hole ctr. to ctr.)	8609470	1	.30

4.248 PIPE, Transmission Oil

54-57	ALL w/H.T.	governor delivery (3 1/2 long)	8609435	2	.40
54-57	ALL w/H.T.	governor delivery (5/16 dia. tubing)	8614789	1	.80
54-57	ALL w/H.T.	rear pump discharge	8614128	1	.70
54-57	ALL w/H.T.	frt. pump delivery to frt. servo (3 15/16 O.L.)	8609507	1	.45
54-57	ALL w/H.T.	transfer (frt. to rear) (1 3/16 long)	8609459	1	.25
54-57	ALL w/H.T.	press. reg. rev. (3/16 dia. tubing)	8614817	1	.40
54-57	ALL w/H.T.	reverse clutch (3/8 dia. tubing)	8611963	1	.80
57	PASS. w/T.G.	pressure (31/32 long)	3727385	2	.10

4.250 BODY ASSY.—BODY PARTS, Transmission Rear Servo Accumulator

54-57	1/2 TON w/H.T.		8614856*	1	6.55
54-57	ALL w/H.T. (exc. 1/2 TON)	(daub of yellow paint on rear servo)	8615191*	1	6.55
54-57	1/2 TON w/H.T.	VALVE, check, w/rivet unit	8614877	1	.40
54-57	ALL w/H.T. (exc. 1/2 TON)	VALVE, check, w/rivet unit	8615541	1	.40
54-57	ALL w/H.T.	VALVE, exhaust (57/64 O.L.)	8614886	1	.40
54-57	ALL w/H.T.	SPRING, exhaust valve (15/16 free length) (17 active coils)	8614858	1	.20
54-57	ALL w/H.T.	PLUNGER, check valve (3/8 O.L.)	8614859	1	.85

*NOTE: Includes check valve, plug and plunger.

4.251 BAND ASSY.—PLATE, Transmission Brake

50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	low,			
50-57	PASS., CORV. w/P.G.	reverse (1 piece wrap) (steel)	5454570*	1	6.50
54-57	ALL w/H.T.	trans. rear, w/strut	8613924	1	16.90
54-57	ALL w/H.T.	trans. front servo (6 17/32 I.D.)	8615224	1	12.05
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	low (double wrap)	5454370	1	6.95
57	PASS. w/T.G.	PLATE, drive, w/facing (5 19/32 O.D. w/8 tangs)	3734925	2	1.45
57	PASS. w/T.G.	PLATE, reaction (alum.—5 17/32 O.D. w/6 lugs)	3727477	1	1.70

*NOTE: When using 5454570 as the low brake band it will be necessary to use 3702910 Apply Strut Assy. and 3702911 Anchor Strut Assy. When 5454570 is used as the reverse brake band 3709024 Strut and 3709028 Link are required.

4.252 SPRING, Transmission Band Release

54-57	ALL w/H.T.	rear (1 11/32 free length) (copper flashed)	8615089	1	.20

4.253 SCREW—NUT—COVER, Brake Band Adjusting

50-57	PASS., CORV. w/P.G.	adj. lo and reverse (1/2—16 x 2 7/32 long)	3697509	2	.25
54-57	ALL w/H.T.	trans. servo (1/2—20 x 2 5/8)	8609584	2	.30

50-57	PASS., CORV. w/P.G.	NUT, adj., screw lo and reverse (½—16)	3689846	2	.06
54-57	ALL w/H.T.	NUT, anchor band stop (¼—20)	8615432	1	.10
50-57	PASS., CORV. w/P.G.	COVER, adj. screw, lo band (1 3/16 O.D. x ¾ deep)	3689839	1	.15

4.256 GOVERNOR ASSY.—COVER—GEAR—GASKET—RING—PIN, Transmission

53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.		3717077	1	12.25
54-57	½ TON w/H.T.		8615062	1	16.80
54-55	¾, 1 TON w/H.T. (1st Ser.)		8615282	1	15.25
55-57	PASS. w/P.G. (exc. dual 4BC)		3713678	1	12.25
55-57	CORV. w/P.G. 8 cyl.,				
56-57	PASS. w/P.G. and dual 4BC		3713679	1	12.25
55-57	ALL w/H.T. (2nd Ser.) (exc. ½ TON)		8615639	1	16.80
53-54	PASS., CORV. w/P.G.	COVER, governor	3703229	1	1.30
55-57	PASS., CORV. w/P.G.	COVER, governor	3713600	1	.90
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	GEAR UNIT, w/3 pins	3705357	1	4.20
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	GEAR UNIT, w/3 pins	3711625	1	4.20
53-57	PASS., CORV. w/P.G.	GASKET, cover (one 3⅜, four ⅜ holes)	3702696	1	.10
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	RING, governor sleeve oil seal (1 O.D.)	3689838	3	(4.123)
53-57	PASS., CORV. w/P.G.	PIN, gear and sleeve (5/32 x ¾)	455346	1	(8.939)
53-57	PASS., CORV. w/P.G.	PIN, weight (.090 dia. x 1⅝)	3702148	2	.05
53-57	PASS., CORV. w/P.G.	SCREEN, trans. governor oil feed line	3743309†	1	.07

†NOTE: On 1953 and 1954 models rear oil pump gasket 3719267 must also be used.


4.259 FLANGE—PIN, Transmission Governor Drive

54-57	ALL w/H.T.	gear oil pump (w/pin)	8607755	1	3.20
54-57	ALL w/H.T.	PIN, trans. drive flange and shaft (3/16 x 1¼)	103726	1	(8.939)


4.265 BODY ASSY. AND PARTS, Transmission Low and Drive Valve




3702606



3703285



3704361



3704359

53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.		3704238	1	13.65
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.		3711651	1	13.60
53-57	PASS., CORV. w/P.G.	VALVE, low and drive (ident. by raised ring)	3703285	1	1.40
53-54	PASS., CORV. w/P.G.	VALVE, low and drive (.006 O.S.) (+6 on end of valve)	3703269	1	1.35
53-57	PASS., CORV. w/P.G.	VALVE, low and drive regulator (large O.D. ½—1 11/16 O.L.)	3702606	1	.65
53-54	PASS. w/P.G.	VALVE UNIT, clutch exh. primary and secon-			
53-55	CORV. 6 cyl.	dary control	3704361*	1	.80
53-57	PASS., CORV. w/P.G.	VALVE UNIT, throttle and detent control	3704359†	1	1.70
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PLATE, clutch exh. cover—2¼ O.L.	3697597	1	.30
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	PLATE, low and drive body end (three 7/32 holes)	3703052	1	.25

55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	PLATE, body end (three 7/32 holes)	3709087	1	.25
53-54	PASS. w/P.G.	GASKET, low and drive body end plate (three			
53-55	CORV. 6 cyl.	7/32 holes)	3709051	1	.05
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	GASKET, body end plate	3709088	1	.05
53-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	SPRING UNIT, throttle control valve	3704360‡	1	.55
53-55	CORV. 6 cyl.	SPRING, throttle valve inner	3703259	1	.60
55-57	PASS., CORV. w/P.G.	SPRING UNIT, throttle and detent control valve	3712748	1	.30
53-57	PASS., CORV. w/P.G.	CAP, low and drive regulator valve—31/32 O.D.	3702118	1	.06
53-57	PASS., CORV. w/P.G.	SLEEVE, low and drive reg. valve (1 x 1 5/16)	3702607	1	1.95
53-57	PASS., CORV. w/P.G.	SLEEVE (.006 O.S.) (+6 on end of sleeve)	3703268	1	1.95
53-57	PASS., CORV. w/P.G.	RING, regulator valve cap retainer (1 3/32 O.D.)	3702119	1	.10
53-57	PASS., CORV. w/P.G.	SCREW, end plate, w/lockwasher (10—24 x 1/2)	3702868	3	.07
53-54	PASS., CORV. w/P.G.	PIN, clutch exh. primary control valve stop (1/8 x 13/16)	110757§	1	(8.939)
53-57	PASS., CORV. w/P.G.	PIN, locating (3/16 x 3/8)	454779	2	(8.939)
	Not required in this group. See group 4.208		274400	1	.07

*NOTE: Consists of 1 primary valve, 1 secondary valve, 2 springs, 2 pins.

†NOTE: Consists of 1 throttle valve, 1 detent valve, 2 springs, 1 regulator, 1 washer.

‡NOTE: Consists of 2 pins, 1 each of the following valve springs: clutch exh. primary and secondary control, throttle, and detent.

§NOTE: Also used as secondary control valve stop pin by cutting off 1/8".

VALVE—VALVE PARTS, Transmission Oil Control

54	1/2 TON w/H.T.	inner (stamped 8615464)	8615464	1	35.50
54-55	3/4, 1 TON w/H.T. (1st Ser.)	inner (stamped 8615459)	8615459	1	39.05
54-57	ALL w/H.T.	outer (stmp'd 8615466)	8615466	1	19.25
54-57	ALL w/H.T.	by-pass (5/8 O.L.)	8614814	1	.65
54-57	ALL w/H.T.	manual control (4 O.L.)	8614164	1	1.25
55-57	1/2 TON w/H.T.	inner (stamped 8617077)	8617077	1	41.55
55-57	ALL w/H.T. (2nd Ser.) (exc. 1/2 TON)	inner (stamped 8617078)	8617078	1	41.55
57	PASS. w/T.G.	(1 19/32 O.L.)	3727368	1	.30
54-57	ALL w/H.T.	SPRING, oil ball check (7/16 free length) (5 active coils)	8613839	1	.25
54-57	ALL w/H.T.	SPRING UNIT, w/plunger, manual valve detent	8617356	1	.25
57	PASS. w/T.G.	SPRING, valve (1 5/8 free height)	3727369	1	.15
54	COMM. w/H.T.,				
55-57	ALL w/H.T. (exc. 1/2 TON)	RETAINER, detent plunger (cast 8611954)	8611954	1	1.35
55-57	1/2 TON w/H.T.	RETAINER, detent plunger (cast 8617072)	8617151	1	3.75
54-57	ALL w/.H.T.	PIN, over-run control valve; timing valve plug retainer (1/16 dia. x 15/16 O.L.)	8614136	2	.05
57	PASS. w/T.G.	PIN, valve spring (19/32 O.L. flared end)	3732272	1	.05
54-57	ALL w/H.T.	PLATE, oil control valve spacer (1/32 thick)	8614754	1	.30

4.278 LEVER ASSY.—SEAL—SHIELD—SCREW, Transmission Throttle Valve

53-57	PASS., CORV. w/P.G.	inner	3709012	1	1.45
54	COMM. w/H.T.,				
55-57	ALL w/H.T. (exc. 1/2 TON)	inner	8609591	1	1.40
55-57	1/2 TON w/H.T.	inner (stamped "9")	8617071	1	1.40
57	PASS. w/T.G.	inner	3727398	1	1.10
53-57	PASS., CORV. w/P.G.	SEAL, lever shaft (3/8 I.D. x 9/16 O.D. x 3/32 thk.)	3702648	1	.06
57	PASS. w/T.G.	SEAL, lever shaft "O" ring (9/16 I.D.)	3727391	1	.06
53-57	PASS., CORV. w/P.G.	SHIELD, lever shaft seal	3702701	1	.05
53-57	PASS., CORV. w/P.G.	SCREW, inner lever adj. (sltd. 1/4—20 x 1 9/16)	3703893	1	.15

4.279 LEVER ASSY., Transmission Detent

54-57	ALL w/H.T.	inside	8614134	1	3.80

4.282 SEAL UNIT—PIN UNIT, Transmission Control Valve

54-57	ALL w/H.T.	includes 1 pin (1/16 x 1/2), 3 seals and 4 washers	8615503	1	.95
54-57	ALL w/H.T.	PIN UNIT, inner lever; 1 pin (1/16 x 1/2), 2 seals and 2 washers	8615193	1	.30

4.290 BRACKET ASSY.—PISTON—SPRING—PIN—RETAINER, Transmission Parking Brake

54-57	ALL w/H.T.		8614077	1	16.00
54-57	ALL w/H.T.	PISTON, blocker (1 O.L.)	8614080	1	.85
54-57	ALL w/H.T.	PISTON, reverse blocker (⅞ O.L.)	8613177	1	.85
54-57	ALL w/H.T.	SPRING, reverse blocker piston (5/16 O.D.) (10 active coils)	8613086	1	.15
54-57	ALL w/H.T.	SPRING, blocker piston release (7/16 O.D.) (8 active coils)	8614081	1	.15
54-57	ALL w/H.T.	PIN, blocker piston stop (1 5/16 O.L.)	8613173	1	.08
54-57	ALL w/H.T.	RETAINER, blocker piston pin (5/16 dia. hole)	8614082	1	.20

4.293 ROLLER, Transmission Reverse Shifter Crank

54-57	ALL w/H.T.	(steel—¾ O.D.)	8609594	1	.55

4.294 ANCHOR—LOCK—BOLT, Transmission Parking Brake

54-57	ALL w/H.T.		8611929	1	3.80
54-57	ALL w/H.T.	LOCK, support bolt (1 3/16 O.D.—5 slots)	8609022	1	.06
54-57	ALL w/H.T.	BOLT, support (7/16—20 x 2 15/16)	8611961	1	.95

4.295 SPRING, Transmission Parking Brake

54-57	ALL w/H.T.	anchor return (1¾ O.L.—hook ends)	8613179	1	.25

4.302 LEVER—SPACER—ECCENTRIC—NUT—LOCK, Shifter

40-48	PASS.	shifter yoke (¾ x 2⅝ length)	591032	1	.20
48-57	ALL (4-SPD.)	unit (1 each: lever, eccentric, nut, lock)	3704888	1	1.75
54-57	COMM. (3-SPD.) (hvy. duty)	1st and reverse (forged T89 B-41)	3709344	1	3.20
54-57	COMM. (3-SPD.) (hvy. duty)	2nd and 3rd (forged T89 B-40)	3709343	1	3.20
48-52	ALL (4-SPD.)	SPACER, reverse lever (½ I.D. x 1 1/16 O.D. x 15/16)	591387	1	.15
53-57	ALL (4-SPD.)	ECCENTRIC, reverse lever (1⅛ dia. hd. x 1⅜ O.L. w/½—20 thd.)	591950	1	1.00
53-57	ALL (4-SPD.)	NUT, lever (½—20 castellated—⅜ thk.)	591951	1	.10
53-57	ALL (4-SPD.)	LOCK, lever nut (1/16 wire)	591952	1	.03

4.303 YOKE—FORK—HEAD, Gearshift

37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	1st and reverse	590852	1	2.55
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	2nd and 3rd speed	590854	1	2.70
40-48	PASS.	1st and reverse	591737	1	2.55
40-48	PASS.	2nd and 3rd speed	591738	1	2.55
31-47	ALL (4-SPD.) (exc. LT)	all forward speeds	590514	2	4.15
31-47	ALL (4-SPD.) (exc. LT)	reverse	590515	1	4.35
48-57	ALL (4-SPD.)	1st and 2nd speed	591906	1	4.65
48-57	ALL (4-SPD.)	3rd and 4th speed	591495	1	4.15
48-54	ALL (3-SPD.) (exc. FK, FJ, hvy. duty)	FORK, 1st and reverse (less shaft)	591798	1	2.10
48-55	ALL (3-SPD.) (exc. FK, FJ, hvy. duty),				
56	PASS. (3-SPD.) (1st design),				
56-57	COMM. (3-SPD.) (exc. hvy. duty)	FORK, 2nd and 3rd (less shaft) (hollow drilled)	3845048	1	1.45
54-57	COMM. (3-SPD.) (hvy. duty)	FORK, 1st and reverse (forged T85 B-24)	3709308	1	2.55
54-57	COMM. (3-SPD.) (hvy. duty)	FORK, 2nd and 3rd (forged T85 B-23)	3709307	1	3.35
55-56	PASS., CORV. (3-SPD.) (1st design)	FORK, 1st and reverse (less shaft) (hollow drilled)	3845045	1	2.20
55-57	COMM. (3-SPD.) (exc. hvy. duty)	FORK, 2nd and 3rd (less shaft)	3729706	1	1.40
55-56	CORV. (3-SPD.) (1st design)	FORK, 2nd and 3rd (less shaft) (dble. dia. end)	3731928	1	1.40
56-57	PASS. (3-SPD.) (2nd design) (exc. close ratio)	FORK, 1st and reverse (less shaft) (dble. dia. end)	3731918	1	2.20
56-57	PASS., CORV. (3-SPD.) (2nd design)				
56-57	PASS. (3-SPD.) (close ratio),				
56-57	CORV. (3-SPD.) (2nd design)	FORK, 2nd and 3rd (less shaft)	3731934	1	1.40
48-57	ALL (4-SPD.)	HEAD, reverse shifter	591905	1	2.55

4.305 BAR, Gearshift Guide

40-48	PASS.		591318	1	1.85

4.309 SHAFT, Gear Shifter

37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	1st and reverse	590853	1	1.05
37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	2nd and 3rd speed	590855	1	1.05
48-54	ALL (3-SPD.) (exc. FK, FJ)	1st and reverse w/plate	591775	1	2.35
48-54	COMM. (3-SPD.)	2nd and 3rd w/plate	591782	1	2.35
49-54	PASS.	2nd and 3rd w/plate	591780	1	2.35
55	PASS. (3-SPD.),				
55	COMM. (3-SPD.) 6 cyl. (exc. hvy. duty) (1st design)	1st and reverse w/plate (4 O.L.)	3707160	1	2.35
55	COMM. (3-SPD.) 6 cyl. (2nd Ser.) (exc. hvy. duty) (2nd design)	1st and reverse w/plate (grooved shaft) (sleeve 1 7/16 O.L.)	3845159	1	2.35
56	PASS. (3-SPD.) (1st design)				
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (1st design)	1st and reverse w/plate (4 5/8 O.L.)	3845146	1	2.35
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (2nd design),				
56-57	COMM. (3-SPD.) (exc. hvy. duty)	1st and reverse w/plate (grooved shaft)	3845181	1	2.35
55-56	CORV. (3-SPD.) (1st design)	1st and reverse w/plate (grooved shaft)	3845190	1	2.60
56-57	PASS. (3-SPD.) (2nd design)	1st and reverse w/plate (grooved shaft) (sleeve 15/16 O.L.)	3731923	1	2.35
56-57	CORV. (3-SPD.) (2nd design)	1st and reverse w/plate	3731940	1	2.50
55	PASS.	2nd and 3rd w/plate	3845049	1	2.35
55-56	CORV. (3-SPD.) (1st design)	2nd and 3rd w/plate (grooved shaft)	3845192	1	2.60
55	COMM. (3-SPD.) 6 cyl. (exc. hvy. duty) (1st design)	2nd and 3rd w/plate (5 O.L.)	3845083	1	2.35
55	COMM. (3-SPD.) 6 cyl. (exc. hvy. duty) (2nd design)	2nd and 3rd w/plate (grooved shaft)	3845187	1	2.35
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (1st design)	2nd and 3rd w/plate (4 1/8 O.L.)	3845148	1	2.35
55	COMM. (3-SPD.) 8 cyl. (exc. hvy. duty) (2nd design),				
56-57	COMM. (3-SPD.) (exc. hvy. duty)	2nd and 3rd w/plate (grooved shaft)	3845184	1	2.35
56	PASS. (3-SPD.) (1st design)	2nd and 3rd w/plate (sleeve 1 13/16 O.L.)	3845162	1	2.35
56-57	PASS. (3-SPD.) (2nd design)	2nd and 3rd w/plate (sleeve 1 1/2 O.L.)	3731926	1	2.35
56-57	CORV. (3-SPD.) (2nd design)	2nd and 3rd w/plate	3731941	1	2.50
31-47	ALL (4-SPD.) (exc. LT)	1st and 2nd speed	590517	1	1.50
31-47	ALL (4-SPD.) (exc. LT)	3rd and 4th speed	590516	1	1.50
31-47	ALL (4-SPD.) (exc. LT)	reverse	590518	1	1.50
48-57	ALL (4-SPD.)	1st and 2nd speed	591584	1	1.50
48-57	ALL (4-SPD.)	3rd and 4th speed	591585	1	1.50
48-57	ALL (4-SPD.)	reverse	591587	1	1.50
40	PASS.	operating shaft w/pin	591027	1	.85
41-48	PASS.	operating shaft w/pin	591209	1	.85

4.311 RETAINER—CAM—SPRING—BALL—PIN—RING, Gearshift Detent

31-47	ALL (4-SPD.) (exc. LT)	shifting shaft (3 3/16 overall length)	590519	1	.15
56-57	PASS., CORV. (3-SPD.)	CAM, 1st and reverse (scissors type) (one 1/4 hole)	3731914	1	.50
56-57	PASS., CORV. (3-SPD.)	CAM, 2nd and 3rd (scissors type) (one 1/4 hole)	3731913	1	.50
29-31	UTIL. (4-SPD.),				
32-39	ALL (exc. CC, DC),				
40-57	ALL (4-SPD.)	SPRING, fork lock ball (10 coils)	551946	A.R.	.08
40-48	PASS.	SPRING, yoke lock ball (19/64 dia. x 1 5/32)	591037	1	.10
48-56	PASS., CORV. (3-SPD.) (1st design),				
48-57	COMM. (3-SPD.) (exc. FK, FJ, hvy. duty)	SPRING, shifter fork (9/32 O.D.—15 coils)	591796	2	.07
48-57	ALL (4-SPD.)	SPRING, reverse shifter pin. (5/8 dia. x 3)	591582	1	.15
40-48	PASS.	SPRING, operating shaft (7/32 long—4 1/2 coils)	591031	1	.05
54-57	COMM. (3-SPD.) (hvy. duty)	SPRING, lever poppet (13/16 O.L.—7 active coils)	3709310	1	.07
56-57	PASS., CORV. (3-SPD.) (2nd design)	SPRING, cam detent (scissors type) (1 1/8 long—14 coils)	3737068	1	.10
40-47	PASS. (3-SPD.),				
48-57	ALL (3-SPD.)	BALL, locating (5/16)	104919	2	(8.899)

29-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.),				
33-57	ALL (4-SPD.)	BALL, locating (3/8)	453593	A.R.	(8.899)
48-57	ALL (4-SPD.)	PIN, reverse shifter (5/16 dia. x 1 1/8 long)	591581	1	.10
56-57	PASS., CORV. (3-SPD.)	PIN, cam detent (scissors type) (5/8 O.L.)	3731912	1	.15
56-57	PASS., CORV. (3-SPD.)	RING, cam detent retaining (scissors type)	3727267	1	.05

4.312 SCREW—RING—ROLLER—WASHER—PIN, Gear Shifter Shaft and Fork (Yoke)

37-39	ALL (3-SPD.),				
40-47	COMM. (3-SPD.)	shaft lock (5/16—18 x 15/16 to end)	590863	2	.06
48-55	ALL, CORV. (3-SPD.) (exc. FK, FJ, hvy. duty),				
56	PASS., CORV. (3-SPD.) (1st design),				
56-57	COMM. (3-SPD.) (exc. hvy. duty)	RING, fork, retainer	591779	2	.05
56-57	PASS., CORV. (3-SPD.) (2nd design)	RING, fork, retainer (scissors type)	3715212	2	.05
56-57	PASS., CORV. (3-SPD.)	ROLLER, shifter fork (scissors type) 3/16 I.D. x 5/16 O.D.	3731920	2	.10
56-57	PASS., CORV. (3-SPD.)	WASHER, shaft (scissors type) (3/16 I.D. x 3/8 O.D.)	3731921	2	.05
48-57	ALL (4-SPD.)	PIN, shifter yoke (3/16 x 1 long)	142359	3	(8.940)

4.317 RETAINER—EXTENSION—VENTILATOR—SUPPORT—BUSHING—PLUG—BOLT, Transmission Rear Bearing

39-40	VE, VF, WC, WD (4-SPD.)	(cast 591341),			
41-47	UTIL., AN, BN, DS, ES (4-SPD.)	(used on WC w/prop. shaft brake)	591166	1	5.65
40	ALL (4-SPD.) (exc. WD)		591119	1	8.15
31-39	ALL (4-SPD.) (exc. LT, VE, VF),				
41-47	COMM. (4-SPD.) (exc. AN, BN, DS, ES)		591356	1	8.55
48-53	COMM. (4-SPD.) (exc. 1 TON),				
54	1/2 TON (4-SPD.)		591679	1	8.10
48-50	UTILITY,				
48-55	3/4, 1 TON (4-SPD.) (1st Ser.),				
55-57	1/2 TON (4-SPD.)		591701	1	5.65
52-54	1 TON (w/prop. shaft brake),				
51-57	UTILITY (4-SPD.)	(cast 591673)	591674	1	11.25
54	1/2 TON (3-SPD.) (hvy. duty),				
54-55	3/4, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	(forged T89 B-7)	3709332	1	12.95
54	1/2 TON w/H.T.	w/bushing	8614904	1	16.75
54-55	3/4, 1 TON w/H.T. (1st Ser.)	w/bushing	8614094	1	16.50
55-57	1/2 TON (3-SPD.) (hvy. duty)		3719075	1	13.40
55-57	1/2 TON w/H.T.	w/bushing	8615572	1	18.45
55-57	3/4, 1 TON (3-SPD.) (hvy. duty) (2nd Ser.)		3721040	1	20.80
55-57	ALL w/H.T. (2nd Ser.) (exc. 1/2 TON)		8615579	1	21.00
55-57	3/4, 1 TON (4-SPD.) (2nd Ser.)	(use w/8 x 2 1/2 inch prop. shaft brake)	3845107	1	11.10
53-55	CORV. 6 cyl.	EXTENSION w/bushing (cast 3706136)	3706147	1	16.30
55-57	ALL (3-SPD.) (exc. O/D, hvy. duty)	EXTENSION (cast 3707195)	3707171	1	10.00
55-57	PASS. w/P.G.,				
55	CORV. w/P.G. 8 cyl.	EXTENSION w/bushing (cast 3708241)	3713626	1	7.15
55-57	CORV. (3-SPD.) 8 cyl.	EXTENSION w/bushing	3737449	1	11.10
56-57	CORV. w/P.G.	EXTENSION w/bushing	3727024	1	7.15
57	PASS. w/T.G.	EXTENSION, w/bushing	3727496	1	7.50
57	PASS. w/T.G.	VENTILATOR, extension	3720502	1	(5.387)
48-53	COMM. (3-SPD.),				
54	1/2 TON (3-SPD.)	SUPPORT ASSY. (1 1/16 I.D.) (cast 591634)	591633	1	2.15
49-54	PASS. (exc. P.G.)	SUPPORT ASSY. (cast 591860)	591859	1	4.50
54	3/4 TON (3-SPD.),				
54-55	3/4, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	SUPPORT ASSY. (1 1/16 I.D.) (cast 3845020)	3845019*	1	4.50
55-57	PASS., 1/2, 3/4 TON,				
55-57	CORV. 8 cyl.	BUSHING, extension (1 1/2 I.D. x 1 5/8 O.D.)	3717682	1	.30
48-54	COMM. (3-SPD.)	PLUG, retainer support (3/8)	591697	1	(4.412)
51-57	ALL (w/prop. shaft brake)	BOLT, retainer attaching (1/2—13 x 2 1/4)	122466	1	(8.900)
	Not required in this group. See group 5.387		1456254	10	.10

*NOTE: When using on heavy duty remove bushing.

4.318 GASKET—SEAL—SHIELD, Transmission Rear Bearing Retainer

31-47	ALL (exc. LT, VE, VF, WD) (4-SPD.)		606667	1	.10
48-57	ALL 4-SPD.		591672	1	.20

49-54	PASS. (exc. P.G.)	(support gasket)	591754	1	.05
54-57	COMM. (3-SPD.) (hvy. duty)	(4 3/8 I.D.)	3709321	1	.15
54-55	COMM. w/H.T. (1st Ser.),				
55-57	1/2 TON w/H.T. (2nd Ser.)	(6 7/8 I.D.) (5 holes 3/8 dia.)	8611998	1	.65
55-57	ALL, CORV. (3-SPD.) (exc. O/D, hvy. duty)	extension (5 holes 15/32 I.D.)	3707172	1	.05
55-57	ALL w/H.T. (2nd Ser.) (exc. 1/2 TON)	(6 7/8 I.D.—7 holes 25/64 dia.)	8615618	1	.60
39-40	VE, VF, WC, WD (4-SPD.),				
41-47	UTIL., AN, BN, DS, ES (4-SPD.)	SEAL, oil (stamped 591353)	591353	1	1.55
48-57	ALL 4-SPD.,				
55	1/2 TON (3-SPD.) (hvy. duty) (1st Ser.),				
55-57	COMM. (3-SPD.) (hvy. duty) (2nd Ser.)	SEAL, oil (2 3/8 I.D. x 3 O.D. x 1/2 thick)	591448	1	1.40
53-57	CORV. 6 cyl.	SEAL ASSY., oil (cast 3706126)	3706126	1	2.50
54	3/4 TON (3-SPD.),				
54-55	3/4, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	SEAL, support oil (stmp'd. 3845021)	3845021	1	1.45
54-57	ALL w/H.T. (exc. 1/2 TON)	SEAL, oil (2 1/2 O.D.)	8614102	1	2.25
55-57	PASS., CORV.,				
55-57	COMM. (exc. 1 TON)	SEAL, oil (2 3/8 O.D.) (stmp'd. 8612229)	8612229	1	2.65
55-57	PASS. w/P.G.	SEAL, trans. case ext. "O" ring (4 3/8 I.D.)	3689826	1	(4.203)
57	PASS., CORV. w/P.G.	SEAL "O" ring (4 3/8 I.D.)	3741263	1	.20
53-55	CORV. 6 cyl.	SHIELD, oil	3706145	1	.25

4.329 ADAPTER, Speedometer

37-57	For models and comb. see Group 4.337	ratio 17:15 (stamped 1563872)	1565813*	A.R.	16.80
37-57	For models and comb. see Group 4.337	ratio 17:16 (stmp'd. 1563871)	1565812*	A.R.	16.80
37-57	For models and comb. see Group 4.337	ratio 16:17 (stmp'd. 1564409)	1565814*	A.R.	16.80
39-46	V, W, Y, M, O, P (2-SPD.) (Mech. Shift)	(w/axle ratios 5.64—8.22; 6.03—7.99)	3652705*	A.R.	9.90
46-55	2-SPD. (Vac. Shift) (1st Ser.)	(w/axle ratio 6.13—8.10)	3682957	1	12.00
48-55	3/4 TON (1st Ser.) (exc. FR)	ratio 15:17 (w/15—6 and 8 ply tires)	1580273	1	16.80
55	3/4 TON w/hvy. duty, 4-SPD. (2nd Ser.) (exc. D-D)	ratio 18:14 (w/7.00—17—6 and 8 ply tires)	1583876	1	17.60
55-57	2-SPD. (Vac. Shift) (2nd Ser.) (exc. H.T.)	(w/axle ratios 8.72—6.40; 7.95—5.83)	3714874	1	12.00

*NOTE: Above adapters used only as required in combination with speedometer gears to correct odometer reading for various tire sizes, transmission and rear axle gear ratio combinations—See Group 4.337 (speedo. gears unit) for usages.

LEVER—ROD—CONTROL, Speedometer Gear Adapter (2-SPEED)

46-55	ALL (Vac. Shift)	w/arm (use w/3682957) (EATON—stmp'd. 17401)	5239407	1	.95
48-53	ALL (Vac. Shift) (exc. FFC)	ROD, control lever (4 21/32 length)	3687082	1	.20
48-55	SBC, FFC (2-SPD.) (1st Ser.)	ROD, control lever (3 15/16 length)	3687326	1	.10
54-55	ALL (Vac. Shift) (1st Ser.) (exc. FFC)	ROD, control lever (4 3/8 length)	3709882	1	.15
55-57	2-SPD. (Vac. Shift) (2nd Ser.) (exc. H.T.)	CONTROL ASSY. adapter	3715172	1	3.10

4.330 KEY—PIN, Speedometer Adapter

37-57	ALL, CORV.	(also included w/adapters 1565811-12-13-14-1580273-3876)	867209	1	.45
39-46	2-SPD.	(also included w/adapters 3652705)	603970	1	.35
46-57	2-SPD. (Vac. Shift)	PIN, gear	3685040	1	.10

4.337 UNIT—GEAR, Speedometer (Transmission) Driven Gear (also see Gp. 4.338)

Speedometer Part No.	Gear Teeth	List Price	Speedometer Part No.	Gear Teeth	List Price	Speedometer Part No.	Gear Teeth	List Price
364442	4-12	2.15	605061	4-12	2.85	3692233	5-14	2.85
602517	6-19	2.15	605062	5-14	2.85	3692234	6-19	2.85
602518	5-14	2.65	605063	6-19	2.65	3692235	6-20	2.85
602519	4-12	2.65	1344675*	--	3.10	3695417	6-18	2.65
602526	5-14	2.15	3689121	4-15	2.85	3702814	4-11	2.65
602527	4-14	1.70	3689178	4-13	2.85	3704230	5-13	2.65
602798	4-12	2.25	3689179	4-14	2.85	3707598	7-20	2.85
603074	4-15	2.65	3689223	4-12	2.85	3709359	7-20	2.85
603075	4-13	2.65	3690720	6-20	2.85			

NOTE: For usage of the above speedometer gears, together with adapters (group 4.329) for various tire sizes, transmission, and rear axle ratios, use table below:
The following combinations are based on tires having highway type treads. For other types, sizes, and odometer correction factors see Service and Mechanical Dept. (Product Data Book, Section XII).

*NOTE: Not required in this group. See group 4.338.

Passenger and Commercial equipped with 3-Speed Transmission

Years	Models	Tire or Wheel Sizes	Ring-Pinion Gear Teeth	Speedo. Adapter	Speedo. Gear No.
33-36	CC, DC, EC, FC	5.25-17—4-ply	37-9	None	364442
37-39	PASS.	6.00-16—4 and 6 ply; 6.25-16—6 ply	38-9	None	602517
37-39	GA, HA, JA, JB	5.50-18—4 and 6 ply	38-9	None	602519
37-40	GC, GD, HC, HD, JC, JD, KC	15" wheel	37-9	None	602519
37-40	GC, HC, JC, KA, KC, KH	6.00-16—4 and 6 ply; 6.25-16—4 and 6 ply	37-9	None	602519
37-40	½ TON	6.50-16—4 and 6 ply	37-9	None	602519
37-40	PASS.	6.00-16—4 and 6 ply; 6.25-16—6 ply	41-11	None	602518
37-40	½ TON	6.50-18—4 and 6 ply	37-9	None	602518
37-40	GC, HC, JC, KA, KC, KH	5.50-18—4 and 6 ply	37-9	None	602518 602519
37-39	½ TON	15" wheel—4 and 6 ply; 6.00-16—4 and 6 ply; 6.25-16—4 and 6 ply; 6.50-16—4 and 6 ply	42-11	None	602518
37-39	½ TON	5.50-18—4 and 6 ply	42-11	None	602518
40	KD	15" wheel	41-9	1565814	602517
40	KD	7.00-17—6 and 8 ply; 7.50-17—8 ply	41-9	None	602519
41-46	½ TON	15" wheel	37-9	None	605061
41-48	PASS., ½ TON	6.00-16—4 and 6 ply; 6.25-16—4 and 6 ply; 6.50-16—4 and 6 ply	37-9	None	605061
41-48	½ TON	6.50-17—6 ply	37-9	None	605061 605062
41-48	PASS., ½ TON	5.50-18—4 ply; 6.00-18—4 and 6 ply	37-9	None	605062
41-48	PASS., ½ TON	5.50-18—6 ply	37-9	1565814	605062
41-48	PASS.	6.00-16—4 and 6 ply; 6.25-16—4 and 6 ply; 6.50-16—4 and 6 ply	41-11	None	605062
42-48	PASS.	5.50-18—4 and 6 ply; 6.00-18—4 and 6 ply	41-11	1565814	605062
41-48	AL, BL, DR, ER, FR	15—6 and 8 ply	32-7	1565814	605063
41-48	AL, BL, DR, ER, FR	7.50-17—8 ply	32-7	1565813	605063
41-48	AL, BL, DR, ER, FR	7.00-17—6 and 8 ply	32-7	1565812	605063
48	FT	15—6 and 8 ply	36-7	1580273	605063
41-42	AM, BM	7.00-17—6 and 8 ply; 7.50-17—8 ply; 15" wheel	41-9	None	605061
48	FT	7.00-17—6 and 8 ply; 7.50-17—8 ply	36-7	None	3690720
48-53	½ TON	6.00-16—6 ply	37-9	None	3695417
49-52	PASS. (exc. P.G.)	6.70-15—4 and 6 ply	37-9	None	3695417
49-52	PASS. (exc. P.G.)	6.70-15—4 ply	41-11	None	3692233
48-55	¾ TON (exc. D-D) (1st Ser.)	15—6 ply	32-7	None	3692234
48-55	¾ TON D-D (1st Ser.)	15—6 ply	36-7	None	3692234
48-55 54-55	¾ TON (1st Ser.), 1 TON (hvy. duty) (1st Ser.)	7.50-17; 7.00-17	36-7	None	3692235
50-54 53-55	PASS. w/P.G., CORV. 6 cyl.	(5-13 teeth) (6.70-15—4 ply)	39-11	None	3704230
53-54	PASS. (exc. P.G.)	(4-11 teeth) (6.70-15)	37-10	None	3702814
54	½ TON	6.00 x 16—6 ply	39-10	None	3709359
54-55	¾ TON (hvy. duty) (1st Ser.)	6.00 x 16—6 ply	36-7	None	3692234
55-57	¼ TON (hvy. duty)	15"; 6.70 x 15; 6.50 x 16—6 ply	39-10	None	3707598
55-57	¾ TON (hvy. duty) (2nd Ser.) (exc. D-D)	7.00 x 17	32-7	1583876	3689121
55-57	¾ TON (hvy. duty) (2nd Ser.) (exc. D-D)	15"; 6.50 x 16	32-7	None	3689178
55-57	¾ TON (hvy. duty) (2nd Ser.) (exc. D-D)	7.50 x 17	32-7	1565813	3689178
55-57	D-D (hvy. duty) (2nd Ser.)	7.00 x 17; 7.50 x 17; 7.00 x 18	36-7	None	3689178
55-57	1 TON (hvy. duty) (2nd Ser.)	7.00 x 17—8 ply; 7.00 x 18—8 ply; 7.50 x 17	36-7	None	3689178
56-57	¼ TON (hvy. duty)	7 x 17.5	39-10	1565812	3707598
56-57	¾ TON (hvy. duty) (exc. D-D)	7 x 17.5	32-7	None	3689178
56-57	¾ TON (hvy. duty) (exc. D-D)	8 x 17.5	32-7	1565812	3689178
56-57	¾ TON (hvy. duty) (exc. D-D)	8 x 19.5	32-7	1565813	3689178
56-57	D-D, 1 TON (hvy. duty)	8 x 19.5—8 ply	36-7	None	3689178
56-57	1 TON (hvy. duty)	8 x 17.5—8 ply	36-7	None	3689179

Commercial and Utility Trucks equipped with 4-Speed Transmission

37-40	½ TON	15" wheel; 6.00-16—4 and 6 ply; 6.25-16—4 and 6 ply; 6.50-16—4 and 6 ply; 5.50-18—4 ply	37-9	1565814	602526
37-40	½ TON	6.50-17—6 ply; 5.50-18—6 ply	37-9	None	602526

37-39	½ TON	5.50-18—4 ply; 6.50-17—6 ply; 6.00-16—4 and 6 ply; 6.25-16—4 and 6 ply; 6.50-16—4 and 6 ply	42-11	1565812	602526
37-39	GD, HD, JD	15" wheel	37-9	None	602798
37-39	GE, HE, JE	7.50-17—8 ply	37-9	None	602798
37-39	½ TON	15" wheel; 5.50-18—6 ply	42-11	None	602526
37-47	S, T, V, W, Y, M, OR, OS, OW, OY, PJ, PK, PL, QJ, QK, QL	6.00-20—6 and 8 ply; 30 x 5—6 and 8 ply	37-6	1565814	603074
37-47	S, T, V, W, Y, M, OR, OS, OW, OY, PJ, PK, PL, QJ, QK, QL	6.50-20—6 ply; 7.00-20—8 ply; 32 x 6—8 and 10 ply; 32 x 7—10 ply	37-6	None	603074
37-47	S, T, V, W, Y, M, OR, OS, OW, OY, PJ, PK, PL, QJ, QK, QL	7.50-20—8 ply	37-6	1565812-1565813	603074
37-47	S, T, V, W, Y, M, OR, OS, OW, OY, DS, PJ, PK, PL, ES, QJ, QK, QL	6.00-20—6 and 8 ply; 30 x 5—6 and 8 ply	38-7	1565814	603075
37-47	S, T, V, W, Y, M, OR, OS, OW, OY, DS, PJ, PK, PL, ES, QJ, QK, QL	6.50-20—6 ply; 7.00-20—8 ply; 32 x 6—8 and 10 ply; 32 x 7—10 ply	38-7	None	603075
37	UTILITY	6.00-20—6 ply; 32 x 6—6 ply	38-7	None	602527
46-47	2 TON	7.50-20—8 ply	37-6	None	602527
39-47	ALL (2-SPD.)	8.25-20—10 ply	8.22 and 5.64	1565812-3652705	603075
39-42	V, W, Y, M (2-SPD.)	8.25-20—10 ply	8.22 and 6.17	1565812-606431	603074
40-42	KD, AL, BL	15" wheel; 7.00-17—6 and 8 ply; 7.50-17—8 ply	41-9	None	603075
40-42	KE, KF, AM, AN, BM, BN	15" wheel; 7.00-17—6 and 8 ply; 7.50-17—8 ply	41-9	None	602798
41-42	½ TON	5.50-18—4 ply	37-9	None	602798
46-47	½ TON	6.00-16—6 ply; 6.00-18—6 ply	37-9	None	602798
48-53	½ TON	5.50-15—6 and 8 ply; 6.00-16—6 ply; 6.50-16—6 ply	37-9	None	3689223
48-55	¾ TON (1st Ser.) (exc. D-D)	7.00-17—6 and 8 ply	32-7	None	3689223
48-55	¾ TON (1st Ser.) (exc. D-D)	7.50-17—8 ply	32-7	1565812	3689223
48-55	¾ TON (1st Ser.) (exc. FR)	5.50-15—6 and 8 ply	36-7	None	3689121
55-57	¾ TON (2nd Ser.) (exc. D-D)	7.00 x 17	32-7	1583876	3689121
48-57	1½ TON (2nd Ser.) (exc. 2-SPD.)	6.50-20; 7.00-20	37-6	None	3689121
48-55	1½ TON (1st Ser.)	7.50-20—8 and 10 ply	37-6	1565812	3689121
48-55	1½ TON (1st Ser.)	10.00-18—12 ply	37-6	1565813	3689121
54-55	2 TON (2-SPD.) (1st Ser.)	7.50-20—10 ply, 8.25-20—10 or 12 ply	8.86 and 6.7	None	3689121
55-57	2 TON (hvy. duty) (2nd Ser.)	7.50 x 20; 8.25 x 20	36-5	1565814	3689121
55-57	2 TON (hvy. duty) (2nd Ser.)	9.00 x 20; 10.00 x 20	36-5	None	3689121
55-57	ALL (2-SPD.) (2nd Ser.)	7.50 x 20	8.72 and 6.40	None	3689121
56-57	1½ TON (exc. 2-SPD.)	7 x 22.5; 8 x 19.5	37-6	None	3689121
56-57	2 TON (hvy. duty)	8 x 22.5; 9 x 22.5	36-5	1565814	3689121
56-57	2 TON (hvy. duty) (exc. D-D)	10 x 22.5	36-5	None	3689121
48-55	¾ TON (1st Ser.) (exc. D-D)	15"; 6 and 8 ply	36-7	None	3689178
55-57	¾ TON (2nd Ser.) (exc. D-D)	15"; 6.50 x 16	32-7	None	3689178
55-57	¾ TON (2nd Ser.) (exc. D-D)	7.50 x 17	32-7	1565813	3689178
48-55	¾ TON D-D (1st Ser.)	7.50-17—8 ply	36-7	None	3689178
48-55	¾ TON D-D (1st Ser.)	7.00-17—6 and 8 ply	36-7	1565814	3689178
55-57	D-D (2nd Ser.)	7.00 x 17; 7.50 x 17; 7.00 x 18	36-7	None	3689178
48-55	1 TON (1st Ser.)	7.00-17—6 and 8 ply	36-7	1565814	3689178
48-55	1 TON (1st Ser.)	7.50-17—8 ply; 7.00-18—8 ply	36-7	None	3689178
55-57	1 TON (2nd Ser.)	7.00 x 17—8 ply; 7.50 x 17—8 ply; 7.00 x 18—8 ply	36-7	None	3689178
48-55	1½ TON (1st Ser.)	6.50-20—6 and 8 ply; 7.00-20—8 and 10 ply (7.38 axle ratio)	38-7	None	3689178
48-55	1½ TON (1st Ser.)	7.50-20—8 and 10 ply	38-7	1565812	3689178
55	1½ TON (2-SPD.) (2nd Ser.)	7.50 x 20—8 or 10 ply	7.94 and 5.83	3714874	3689178
48-55	ALL (2-SPD.) (1st Ser.)	8.25-20—10 and 12 ply; 9.00-20—10 ply	8.10 and 6.13	None	3689178
48-55	2 TON (1st Ser.)	8.25-20—10 and 12 ply; 9.00-20—10 ply	37-6	None	3689178
55	2 TON (2-SPD.) (2nd Ser.)	7.50 x 20—8 or 10 ply; 8.25 x 20—10 or 12 ply; 9.00 x 20—10 ply	7.94 and 5.83	3714874	3689178

55-57	2 TON (2-SPD.) (2nd Ser.)	9.00 x 20; 10.00 x 20	8.72 and 6.40	None	3689178
55-56	2 TON (hvy. duty) (2nd Ser.)	8.25 x 20,			
56-57	1½ TON (exc. 2-SPD.)	8.25 x 20; 10.00 x 20,			
57	2 TON (reg. prod.)	8.25 x 20	37-6	1565814	3689178
55-56	2 TON (hvy. duty) (2nd Ser.)	9.00 x 20—10 ply,			
57	2 TON (reg. prod.)	9.00 x 20; 10.00 x 20	37-6	None	3689178
56-57	¾ TON (exc. D-D)	7 x 17.5	32-7	None	3689178
56-57	¾ TON (exc. D-D)	8 x 17.5	32-7	1565812	3689178
56-57	¾ TON (exc. D-D)	8 x 19.5—8 ply	32-7	1565813	3689178
56-57	D-D, 1 TON	8 x 19.5	36-7	None	3689178
56	1½ TON (2-SPD.)	8 x 22.5	7.95 and 5.83	None	3689178
57	1½ TON (2-SPD.)	8 x 22.5	8.72 and 6.40	None	3689179
56-57	2 TON (exc. 2-SPD. D-D)	9 x 22.5; 10 x 22.5	37-6	None	3689178
56	2 TON (2-SPD.)	9 x 22.5; 10 x 22.5	7.95 and 5.83	1565812	3689178
56-57	2 TON (2-SPD.) (exc. D-D)	10 x 22.5	8.72 and	None	3689178
56-57	1½ TON (2-SPD.)	10.00 x 20	6.40	None	3689178
48-55	ALL (2-SPD.) (1st Ser.)	7.50-20	8.10 and 6.13	None	3689179
48-55	ALL (2-SPD.) (1st Ser.)	10.00-18—12 ply	8.10 and 6.13	1565812	3689179
48-55	2 TON (1st Ser.),				
53-55	1½ TON (1st Ser.)	7.50-20; 8.25-20	37-6	None	3689179
55-57	1½ TON (2nd Ser.) (exc. 2-SPD.),				
55	2 TON (hvy. duty) (2nd Ser.)	7.50-20	37-6	None	3689179
55-57	2 TON (reg. prod.) (2nd Ser.)	7.50 x 20	37-6	None	3689179
55-57	ALL (2-SPD.) (2nd Ser.)	8.25 x 20	8.72 and 6.40	None	3689179
56-57	1 TON	8 x 17.5—8 ply	36-7	None	3689179
56-57	1½ TON (exc. 2-SPD.)	8 x 22.5	37-6	None	3689179
56-57	2 TON (exc. 2-SPD.)	8 x 22.5	37-6	None	3689179
56-57	2 TON (2-SPD.)	8 x 22.5; 9 x 22.5	8.72 and 6.40	None	3689179
54-55	½ TON (1st Ser.)	6.00 x 16—6 ply,			
55-57	½ TON (2nd Ser.)	6.70 x 15; 6.50 x 16—6 ply	39-10	None	3707598
56-57	½ TON	7 x 17.5	39-10	1565812	3707598

4.338 GEAR—PLUG—FITTING—RETAINER—SEAL, Speedometer Driven

55-57	PASS. (exc. P.G., O/D),				
56-57	CORV. (3-SPD.) w/3.70 axle ratio	(22 teeth) (nylon) (solid blue)	3708699	1	.55
55-57	PASS., CORV. w/A.T.	(21 teeth) (nylon) (solid red)	3708142	1	.55
55-57	½ TON O/D,				
56-57	CORV. (3-SPD.) w/4.11 axle ratio	(24 teeth) (nylon) (solid yellow)	3708143	1	.55
55-57	PASS. O/D	(25 teeth) (nylon) (no color ident.)	3738400	1	.55
55-57	½ TON (3-SPD.) (exc. hvy. duty)	(6.50—16, 6.70—15),			
55	¾ TON (1st Ser.) (exc. D-D)	w/5.14 axle ratio,			
55	¾ TON D-D (1st Ser.)	(7.00—17, 7.50—17),			
55-57	D-D (3-SPD.) (2nd Ser.) (exc. hvy. duty)	(7.00—17),			
55-57	¾ TON (3-SPD.) (exc. hvy. duty, D-D)	(6.50-16-6 ply) (20 teeth-steel),			
57	CORV. (3-SPD.)	w/4.56 axle ratio	3845071	1	1.05
55-57	¾ TON (3-SPD.) (2nd Ser.) (exc. duals, hvy. duty, D-D)	15"; 7.00 x 17, 7.50 x 17,			
56-57	½ TON (3-SPD.) (exc. hvy. duty, O/D)	(7 x 17.5),			
56-57	½ TON (3-SPD.) (exc. hvy. duty, O/D)	6.00 x 18,			
56	¾ TON (3-SPD.) (exc. hvy. duty)	ALL (19 teeth—steel)	3845077	1	1.05
56	CORV. (3-SPD.)	w/shaft (used w/3.27 axle)	3726645	1	.70
29-36	ALL (3-SPD.),				
29-47	ALL (4-SPD.)	PLUG, gear	590104	1	.25
29-36	ALL (3-SPD.),				
29-47	ALL (4-SPD.)	FITTING, gear	590106	1	.60
55-57	ALL CORV. (3-SPD.) (exc. hvy. duty),				
55-56	CORV.	FITTING, gear (2⅝ O.L.)	3708147	1	.60
54-55	½ TON w/H.T. (1st Ser.)	FITTING w/gear (6.00 x 16),			
55	½ TON w/H.T. (2nd Ser.)	(6.70 x 15) (23 teeth)	514865*	1	1.87

*NOTE: Also listed in tubeless tire section of this group.

54-57	½ TON w/H.T.	FITTING w/gear, 15"—6 ply; 6.50 x 16 (22 teeth)	1344675*	1	(4.337)
54-57	¾ TON w/H.T. (exc. D-D)	FITTING w/gear, (7.00 x 17; 7.50 x 17), (15 teeth) (daub of brown and blue paint)	3707624*	1	2.50
54-57	¾ TON w/H.T. (exc. D-D)	FITTING w/gear (15"),			
55-57	¾ TON D-D w/H.T. (2nd Ser.)	(7.00 x 18),			
54-55	¾ TON D-D w/H.T. (1st Ser.)	(7.50 x 17—8 ply),			
54-57	1 TON w/H.T.	(7.00 x 18; 7.50 x 17),			
56-57	1½ TON w/H.T.	(10.00 x 20) (daub of blue and green paint) (16 teeth)	3707625*	1	2.50
54-55	¾ TON D-D w/H.T. (1st Ser.)	FITTING, w/gear (16"-6 ply),			
56-57	Ser. 4 w/H.T.	(6.50 x 20) (daub of green and white paint) (19 teeth)	3707628*	1	2.50
54-57	¾ TON w/H.T. (exc. D-D)	FITTING, w/gear (6.50 x 16),			
54-55	D-D w/H.T. (1st Ser.)	(7.00 x 17),			
54-57	1 TON w/H.T.	(7.00 x 17—8 ply),			
55-57	D-D w/H.T. (2nd Ser.)	(7.00 x 17; 7.50 x 17),			
56-57	1½ TON w/H.T.	(8.25 x 20) (daub of blue and orange paint) (17 teeth)	3707626*	1	2.50
54-55	¾ TON D-D w/H.T. (1st Ser.)	FITTING w/gear (15"),			
56-57	1½ TON w/H.T.	(7.00 x 20) (daub of green and orange paint) (18 teeth)	3707627*	1	2.50
55-57	ALL CORV. (3-SPD.) (exc. hvy. duty),				
55-56	CORV.	RETAINER, gear fitting (9/32 I.D.)	3708148	1	.10
55-56	ALL (3-SPD.) (exc. hvy. duty),				
55	CORV.	SEAL, gear fitting "O" ring (1 1/16 I.D.)	3708146	1	.05

*NOTE: Also listed in tubeless tire section of this group.

FITTING, Speedometer Driven, Tubeless Tires

56-57	½ TON w/H.T.	w/gear (6.70 x 15) (23 teeth)	514865†	1	1.87
56-57	½ TON w/H.T.	w/gear (6.50 x 16, 7 x 17.5) (22 teeth)	1344675†	1	(4.337)
56-57	¾ TON w/H.T. (exc. D-D)	w/gear (8 x 17.5) (daub of brown and blue paint) (15 teeth)	3707624†	1	2.25
56-57	¾ TON w/H.T. (exc. D-D)	w/gear (7 x 17.5; 8 x 19.5) (16 teeth),			
56-57	D-D, 1 TON w/H.T.	(8 x 19.5) (daub of blue and green paint)	3707625†	1	2.25
56-57	1 TON w/H.T.	w/gear (8 x 17.5—8 ply) (17 teeth),			
56-57	1½ TON w/H.T.	(8 x 22.5) (daub of blue and orange paint)	3707626†	1	2.25
56-57	1½ TON w/H.T.	w/gear (7 x 22.5) (daub of green and orange paint) (18 teeth)	3707627†	1	2.25
56-57	1½ TON w/H.T.	w/gear (8 x 19.5) (daub of green and white paint) (19 teeth)	3707628†	1	2.25

†NOTE: Also listed in main section of this group.

4.342 CABLE—CABLE KIT, Speedometer

37-38	PASS.,				
53-54	PASS. w/P.G.	assembly (66⅛)	1563139	1	1.30
37-38	COMM., UTIL.,				
53-55	PASS., CORV. (exc. P.G., O/D, CONV.),				
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D, H.T., O/D),				
56-57	PASS., CORV. (exc. A.T., O/D)	assembly (58⅝)	1562889	1	1.30
39-40	ALL (exc. COE),				
41-48	PASS.,				
47-48	EP, ER, FP, FR,				
55-57	CORV. w/P.G. 8 cyl.	assembly (61⅛)	1563435	1	1.30
41-55	1 TON D-D, COE	assembly (106⅛)	1565000	1	1.65
41-47	COMM., UTIL. (exc. EP, ER, D-D, COE),				
49-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE),				
50-52	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
55-57	PASS. w/P.G., O/D,				
55-57	½ TON O/D,				
55-57	ALL w/H.T. (2nd Ser.) (exc. D-D)	assembly (63⅝)	1562669	1	1.30
49-52	PASS. (exc. P.G.)	assembly (56⅛)	1564778	1	1.30
49-57	D-D (exc. 1 TON)	assembly (98⅝)	1563768	1	2.70

37-57	ALL, CORV.	KIT (consists of: cable, tip, staking tool) (AC-615)	846890▲*	1	1.48

*NOTE: Max. length of cable in kit 846890 is 81". Cut to required length.

CABLE and CASING ASSY.

37-48	PASS.,				
39-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE),				
50-57	PASS., CORV. w/P.G.,				
55-57	PASS., ½ TON O/D,				
55-57	ALL w/H.T. (2nd Ser.) (exc. D-D)	(cable 68⅝, casing 67½) (AC-CC-1)	1567793▲	1	2.86
37-38	COMM., UTILITY,				
49-54	PASS. (exc. CONV., P.G.),				
55-57	PASS., CORV. (exc. A.T., O/D),				
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D, H.T., O/D)	(cable 58⅝, casing 57¼) (AC-CC-17)	1582863▲	1	2.74
41-46	½ TON (4-SPD.),				
48-53	ALL (2-SPD.) (Vac. Shift) (exc. COE)	(cable 81⅛, ¼ casing 79 13/16) (AC-CC-6)	1567798▲	1	3.30
41-55	D-D, COE (4-SPD.) (1st Ser.)	(cable 106⅛, casing 105)	1564997	1	5.10
48-57	D-D (exc. 1 TON)	(cable 98⅝, casing 97½) (1563678)	1560601	1	4.40
49-54	CONV. (exc. P.G.)	(cable 58⅝, casing 57½)	1581819	1	4.12

▲NOTE: The prices shown are subject to the provisions of the Fair Trade Acts of those States having such laws.

4.343 GEAR, Speedometer Drive

55-57	PASS. (exc. P.G., O/D),				
56-57	CORV. (3-SPD.) (exc. 3.27 axle ratio)	(8 teeth) (1¾ O.D. x 17/32 thick)	3708145	1	1.05
55-57	PASS. w/A.T.,				
55-57	CORV. w/3.55 or 3.27 axle ratio,				
57	CORV. (3-SPD.) w/3.70 or 4.11 axle ratio	(8 teeth) (1 27/32 O.D. x 59/64 thick)	3708144	1	1.05
55-56	PASS., ½ TON O/D,				
57	½ TON O/D (tube tires)	(8 teeth) (1¾ O.D. x 1¼ thick)	3708678	1	1.60
55-57	½ TON (3-SPD.) (exc. hvy. duty, O/D)	(7 teeth) (1 59/64 O.D. x 29/64 thick)	3845073	1	1.05
55-57	¾ TON (3-SPD.) (exc. hvy. duty),				
57	CORV. (3-SPD.) w/4.56 axle ratio	(6 teeth) (1 59/64 O.D. x 29/64 thick)	3845079	1	1.05
57	PASS., ½ TON O/D	(8 teeth) (1¾ O.D. x 1¼ thk.)	3739602	1	1.60

4.345 SPACER, Speedometer Drive Gear

48-54	ALL (3-SPD.) (exc. FK, FJ)	(1 1/64 I.D. x 1⅝ O.D. x ⅜ thick)	591623	1	.25
54	COMM. (3-SPD.) (hvy. duty),				
55	¾, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	(1⅜ I.D. x 1 13/32 long)	3709338	1	.55
55	½ TON (3-SPD.) (hvy. duty) (1st Ser.),				
55-57	COMM. (3-SPD.) (hvy. duty) (2nd Ser.)	(1 25/64 I.D. x 59/64 thick)	3719074	1	1.10

4.351 GEAR, Transmission Main Drive (Clutch)

35-36	EC, FC (3-SPD.)	17 helical teeth (8 17/64 length)	590772	1	11.35
37-39	PASS., COMM. (3-SPD.)	19 helical teeth (identified by a 5/32 drilled hole between threaded portion and gear)	609321	1	13.40
40-52	ALL (3-SPD.)	19 helical teeth (shaft dia. 1 3/32—9 3/16 O.L.)	609320	1	13.40
48-57	ALL (4-SPD.)	17 helical teeth (9⅜ length, hole 1¾ I.D.)	591501	1	14.20
53	PASS., COMM. (3-SPD.) (1st design)	19 helical teeth (shaft dia. 23/32—9 3/16 O.L.)	3699251*	1	13.40
53-54	PASS. (exc. P.G.) (2nd design),				
53-54	COMM. (3-SPD.) (2nd design) (exc. hvy. duty)	19 helical teeth (shaft dia. ¾—9 3/16 O.L.)	3705067	1	13.40
54-57	COMM. (3-SPD.) (hvy. duty)	17 helical teeth (1⅛ shaft dia. x 9¼ O.L.)	3709335	1	18.20
55-56	ALL (3-SPD.) (exc. hvy. duty)	19 helical teeth (13/16 O.D. gear end)	3712749	1	13.40

*NOTE: Can be used to correct high gear disengagement on 1949-52 models, but also requires 1 ea. 591851-591852 spacers, 24—7450247 rollers, and either 1—3699258 (PASS.) or 1—3699259 (COMM.) mainshaft.

55-56	CORV. (3-SPD.)	w/synchronizer spring	3731500	1	17.95
57	ALL (3-SPD.) (exc. hvy. duty, close ratio)	w/synchronizer spring	3719278	1	13.40
57	PASS. (3-SPD.) (close ratio),				
57	CORV. (3-SPD.)	w/synchronizer spring	3738608	1	17.95
31-47	ALL (4-SPD.) (exc. LT)	UNIT (consists of: 1 gear w/17 spur teeth; $8\frac{15}{16}$ length, $1\frac{9}{16}$ I.D. and 1—591605 Retainer)	3847311†	1	14.40

†NOTE: When using 3847311 on 1931-37 models it will be necessary to cut off the clutch gear bearing retainer sleeve at the shoulder.

4.352 BEARING—ROLLER—SPACER—RETAINER, Transmission Main Shaft Front Pilot and Main Drive Gear

31-47	ALL (4-SPD.) (exc. LT)	roller (Hyatt 93424C)	141854	1	1.05
37-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	ROLLER, front pilot bearing ($\frac{3}{16}$ dia. x $\frac{33}{64}$)	435844	14	14/.85
48-57	ALL (4-SPD.),				
54-57	COMM. (3-SPD.) (hvy. duty)	ROLLER, front pilot bearing ($\frac{7}{32}$ dia. x $\frac{3}{4}$)	7450010	A.R.	18/1.45
53-57	ALL (3-SPD.) (exc. hvy. duty)	ROLLER, rear bearing ($\frac{1}{8}$ x $\frac{1}{2}$)	7450247	24	24/.90
48-57	ALL (4-SPD.)	SPACER, pilot bearing roller ($1\frac{3}{64}$ I.D. x $1\frac{23}{64}$ O.D. x $\frac{5}{32}$ thick)	591436	1	.30
53-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	SPACER, front roller ($1\frac{1}{16}$ I.D. x 1 O.D. x $\frac{1}{64}$ thk.)	591851	1	.05
53-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	SPACER, rear roller ($\frac{7}{8}$ I.D. x $1\frac{1}{16}$ O.D. x $\frac{7}{64}$ thk.)	591852	1	.05
48-57	ALL (4-SPD.)	RETAINER, pilot bearing roller (ring type) ($1\frac{15}{64}$ free dia. x $\frac{3}{16}$ wide)	591443	1	.10

4.355 BEARING, Transmission Main Drive Gear (Ball)

29-31	AC, AD, AE (3-SPD.)	(ND 3207)	903207	1	(5.436)
32-36	ALL (3-SPD.) (exc. CC, DC, EC, FC)	(ND 3208 w/cup)	590545	1	4.75
37-57	ALL (3-SPD.) (exc. hvy. duty)	(ND 43207)	954388	1	5.80
54-57	ALL (3-SPD.) (hvy. duty)	(ND 43307-L1A)	954869	1	(4.408)
31-47	ALL (4-SPD.) (exc. LT)	(ND 3209-L)	954373	1	7.25
48-57	ALL (4-SPD.)	(ND 41209)	954358	1	8.90
55-56	CORV. (3-SPD.),				
56-57	TAXI-CAB (3-SPD.)	(ND 41207)	954998	1	6.90
57	PASS. (3-SPD.) (close ratio),				
57	CORV. (3-SPD.)	(ND 497207VL1250V)	900533	1	8.85

4.356 RETAINER—PLATE—BOLT, Transmission Main Drive Gear Bearing

32-36	ALL (3-SPD.) (exc. CC, DC, EC, FC)	($4\frac{3}{16}$ O.D. x $\frac{51}{64}$ length, w/6 holes $\frac{1}{4}$ dia.)	590550	1	1.45
33-36	CC, DC, EC, FC (3-SPD.)	($3\frac{13}{16}$ O.D. x $\frac{3}{4}$ length, w/4 holes $\frac{1}{4}$ dia.)	473217	1	1.45
37	ALL (3-SPD.)	($4\frac{3}{16}$ O.D. x $\frac{45}{64}$ length, w/6 holes $\frac{1}{4}$ dia.)	590851	1	1.45
38-39	ALL (3-SPD.),				
40	COMM. (3-SPD.)	($4\frac{3}{16}$ O.D. x $3\frac{3}{16}$ length, w/6 holes $\frac{1}{4}$ dia.)	607406	1	2.40
40-54	PASS. (exc. P.G.),				
41-47	COMM. (3-SPD.)	($4\frac{3}{16}$ O.D. x $3\frac{3}{16}$ length, w/4 holes $\frac{5}{16}$ dia.)	604932	1	2.40
48-54	COMM. (3-SPD.) (exc. hvy. duty)	(stamped 591620) ($4\frac{5}{8}$ O.D. x $3\frac{3}{16}$ length,			
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	w/4 holes $\frac{21}{64}$ dia.)	591620	1	2.15
38-46	ALL (4-SPD.)	(stamped 591327) (use only w/main drive gears having no oil return grooves on shaft)	591327	1	2.05
46-47	ALL (4-SPD.)	(stamped 591605) (use only w/main drive gear having oil return grooves on shaft)	591605	1	2.05
48-57	ALL (4-SPD.)	(stamped 591446) ($4\frac{11}{16}$ O.D. x $3\frac{3}{16}$ length, w/4 holes $\frac{21}{64}$ dia.)	591446	1	2.30
54-57	COMM. (3-SPD.) (hvy. duty)	($4\frac{11}{16}$ O.D. x $3\frac{3}{16}$ O.L.) (forged T89 B-6)	3709331	1	2.90
31-40	ALL (3-SPD.) (exc. CC, DC, EC, FC)	PLATE, lock, lower (2 holes $\frac{1}{4}$ dia. $1\frac{7}{8}$ center			
31-47	ALL (4-SPD.) (exc. LT)	to center)	591241*	1	.20
31-40	ALL (3-SPD.) (exc. CC, DC, EC, FC)	PLATE, lock, upper (2 holes $\frac{1}{4}$ dia. $1\frac{49}{64}$ center			
31-47	ALL (4-SPD.) (exc. LT)	to center)	591242*	2	.20
31-40	ALL (3-SPD.) (exc. CC, DC, EC, FC),				
31-47	ALL (4-SPD.) (exc. LT)	BOLT, retainer (hex-hd., $\frac{1}{4}$—20 x $\frac{3}{4}$)	591243*	6	.10

*NOTE: Used on 1931-40 models with 3 and 4-Speed trans. having 6 holes ($\frac{17}{64}$ dia.) in Bearing Retainer.

4.357 NUT, Transmission Main Drive Gear Bearing

37-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	($1\frac{3}{8}$—12 L.H. thread)	591150	1	.50
48-57	ALL (4-SPD.)	($1\frac{1}{4}$—12 L.H. thread)	591441	1	.50

4.358 GASKET, Transmission Main Drive Gear Bearing Retainer

37-40	G, H, J, KC, KD, KE, KF (3-SPD.)	(3 3/64 I.D. x 4 1/8 O.D., w/6 holes 9/32 dia.)	590850	1	.10
40-57	ALL, CORV. (3-SPD.) (exc. KC, KD, KE, hvy. duty)	(3 3/64 I.D. x 4 5/32 O.D. w/4 holes 11/32 dia.)	591022	1	.10
31-47	ALL (4-SPD.) (exc. LT)	(3 11/32 I.D. x 4 3/16 O.D., w/6 holes 9/32 dia.)	606666	1	.05
48-57	ALL (4-SPD.)	(3 9/16 I.D. x 4 21/32 O.D., w/4 holes 11/32 dia.)	591445	1	.10
54-57	COMM. (3-SPD.) (hvy. duty)	(.010) (4 holes 3/8—4 21/32 O.D.)	3709317	A.R.	.05
54-57	COMM. (3-SPD.) (hvy. duty)	(.015)	3709318	A.R.	.10

4.374 DEFLECTOR—SLINGER—WASHER, Transmission Main Drive Gear Bearing Oil

48-57	ALL (4-SPD.)	oil (1 11/16 I.D. x 2 7/8 O.D.)	591691	1	.15
31-47	ALL (4-SPD.) (exc. LT)	SLINGER, oil (1 25/32 I.D. x 2 31/32 O.D.)	590479	1	.20
48-57	ALL (4-SPD.)	SLINGER, oil (1 13/16 I.D. x 2 13/16 O.D.)	591440	1	.20
54-57	COMM. (3-SPD.) (hvy. duty)	WASHER, retaining (1 3/8 I.D. x 2 5/8 O.D.)	3709322	2	.15

4.376 LOCK—RING—WASHER, Transmission Main Drive Gear Bearing

31-47	ALL (4-SPD.)	bearing (3 3/32 I.D. x 3 15/32 O.D. x 3/32 thick)	590477	1	.20
31-47	ALL (4-SPD.)	bearing (1 11/16 I.D. x 2 1/16 O.D. x 1/16 thick)	590476	1	.10
37-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, brg. locating (2 43/64 I.D. x 2 53/64 O.D. x 1/16)	590849	1	.20
54-57	COMM. (3-SPD.) (hvy. duty)	RING, snap (5/64 thick)	3709351	1	.10
54-57	COMM. (3-SPD.) (hvy. duty)	RING, snap (3/32 thick)	3709353	1	.10
54-57	COMM. (3-SPD.) (hvy. duty)	RING, snap (7/64 thick)	3709355	1	.10
48-57	ALL (4-SPD.)	RING, brg. locating (3 3/16 I.D. x 3 1/2 O.D. x 1/16)	591405	1	.20
54-57	COMM. (3-SPD.) (hvy. duty)	WASHER (1 3/8 I.D. x 1 13/16 O.D. x 1/16 thick)	3709350	1	.20

4.380 CLUTCH, Transmission 2nd-3rd and 3rd-4th Speeds

33-36	CC, DC, EC, FC	2nd and 3rd (3 11/16 long)	473503	1	6.70
37-39	PASS., COMM.	2nd and 3rd, w/synchronizer, assy.	602339	1	14.40
40-53	ALL (3-SPD.) (1st design)	2nd and 3rd, w/synchronizer, assy. (2 lugs)	605020	1	14.40
53-54	ALL (3-SPD.) (2nd design) (exc. hvy. duty)	2nd and 3rd, w/synchronizer, assy. (4 lugs)	3705112	1	14.40
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	2nd and 3rd w/synchronizer (8 ext. splines)	3733889	1	14.40
54-57	COMM. (3-SPD.) (hvy. duty)	w/synchronizer	3709345*	1	16.65
48-57	ALL (4-SPD.)	3rd and 4th (30 T) (4 1/4 O.D.)	591429	1	4.80

*NOTE: Consists of 2nd and high clutch hub, 2nd and high speed clutch sleeve and shifting plate with synchronizer spring.

4.381 RETAINER, Transmission Synchronizing Ring

37-54	ALL (3-SPD.)	(2 I.D. x 2 3/16 O.D. x 1/16 thick)	591361	2	.10
55-56	ALL (3-SPD.) (exc. hvy. duty)	(2 1/16 I.D. x 2 1/4 O.D. x 1/16 thick)	3845040	1	.10
48-57	ALL (4-SPD.)	2nd speed (4 11/32 I.D. x 4 23/32 O.D. x 1/16)	591565	1	.15
55-57	CORV. (3-SPD.),				
57	ALL, (3-SPD.) (exc. hvy. duty)	(2 3/32 I.D.)	3845202	1	.10

4.383 RING, Transmission Synchronizing

40-53	ALL (3-SPD.) (1st design)	w/2 internal lugs	591087	2	2.20
53-54	ALL (3-SPD.) (2nd design) (exc. hvy. duty)	w/2 teeth and 2 lugs—internal	591886	2	2.20
54-57	COMM. (3-SPD.) (hvy. duty)	blocking (2 13/16 I.D. x 3 7/32 O.D. w/3 inside slots)	3709348	2	4.50
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	(2 3/32 O.D. at small end)	3845039	1	2.20
48-57	ALL (4-SPD.)	2nd speed (w/2 internal teeth)	591566	1	5.25

4.384 HUB—RING—CONE—PLATE—KEY—SPRING, Transmission Synchronizing

48-57	ALL (4-SPD.)	clutch—3rd and 4th speed	591912	1	6.05
48-57	ALL (4-SPD.)	RING, clutch hub ret. (.083)	591431	1	.10
48-57	ALL (4-SPD.)	RING, clutch hub ret. (.087—marked w/red)	591432	1	.10
48-57	ALL (4-SPD.)	RING, clutch hub ret. (.091—marked w/blue)	591433	1	.10

48-57	ALL (4-SPD.)	RING, clutch hub ret. (.095—marked w/yellow)	591434	1	.10
54-57	COMM. (3-SPD.) (hvy. duty)	RING, clutch hub retainer	3709351	1	(4.376)
48-57	ALL (4-SPD.)	CONE, 3rd spd. gear synchronizer	591602	1	4.45
48-57	ALL (4-SPD.)	CONE, clutch gear synchronizer (bronze)	591603	1	4.45
54-57	COMM. (3-SPD.) (hvy. duty)	PLATE, shifting (steel 1 1/16 O.L.)	3709306	3	.25
48-57	ALL (4-SPD.)	KEY, clutch—3rd and 4th speed	591913	3	.30
48-57	ALL (4-SPD.)	SPRING, clutch key—3rd and 4th speed	591914	2	.10

4.395 GEAR, Transmission 2nd Speed

33-36	CC, DC, EC, FC	(24 helical teeth)	473502	1	8.55
37-39	ALL (3-SPD.)	w/energizing spring (26 helical teeth) (identify by 3 holes drilled thru hub)	590929	1	9.05
40-53	PASS. (exc. P.G.) (1st design)	w/energizing spring (2 slots) (26 helical			
40-53	COMM. (3-SPD.) (1st design)	teeth)	591110	1	9.05
48-57	ALL (4-SPD.)	w/bushing (35 helical teeth—ident. by two 5/8 holes)	591578	1	13.10
53-54	PASS. (exc. P.G.) (2nd design)	w/energizing spring (4 slots) (26 helical			
53-54	COMM. (3-SPD.) (2nd design)	teeth)	591889	1	9.80
54-57	COMM. (3-SPD.) (hvy. duty)	w/bushing	3709342	1	14.75
55-56	ALL (3-SPD.) (exc. hvy. duty)	w/energizing spring (4 slots) (26 helical teeth) (1/4 I.D.)	3845054	1	9.80
55-56	CORV. (3-SPD.)	w/energizing spring	3729702	1	10.55
57	ALL (3-SPD.) (exc. hvy. duty, close ratio)	w/energizing spring	3737859	1	9.80
57	PASS. (3-SPD.) (close ratio),				
57	CORV. (3-SPD.)	w/energizing spring	3737447	1	11.75

4.397 PIN—RING, Transmission 2nd Speed Gear Thrust Washer and Mainshaft

55-56	ALL, CORV. (3-SPD.) (exc. hvy. duty)	thrust washer drive	3845109	1	.05
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, retainer, at rear brg., .086 thick	3707188	1	(4.412)
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, retainer, at rear brg., .089 thick	3707189	1	(4.412)
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, retainer, at rear brg., .092 thick	3707190	1	(4.412)
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, retainer, at rear brg., .095 thick	3707191	1	(4.412)

4.398 WASHER, Transmission Shaft and 2nd Speed Gear Thrust

33-36	CC, DC, EC, FC	gear rear thrust (1 I.D. x 1 11/16 O.D. x 1/8			
37-54	ALL (3-SPD.)	thick—steel)	591793	1	.30
48-57	ALL (4-SPD.)	gear front thrust (1 5/8 I.D. x 2 3/8 O.D. x 5/32 thick—steel)	591422	1	.40
55-56	ALL., CORV. (3-SPD.) (exc. hvy. duty)	gear thrust (3/4 I.D. x 1 25/32 O.D. x 3/16 thick —steel)	3845110	1	.35
57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	(1 3/16 I.D. x 1 25/32 O.D.)	3736753	1	.45

4.399 BUSHING, Transmission Main Shaft

48-57	ALL (4-SPD.)	3rd spd. (1 3/4 O.L. w/6 grooves)	591482	1	1.90

4.403 SHAFT, Transmission Main

37-39	PASS. (3-SPD.)	(7 1/2 long—6 splines)	603196	1	9.05
37-39	COMM. (3-SPD.)	(9 11/16 long—6 splines)	603198	1	9.30
40-47	ALL (3-SPD.),				
48	PASS.	(9 5/8 long—6 splines)	605022†	1	9.30
48-52	COMM. (3-SPD.)	(11 13/16 long—6 splines)	3688968	1	10.20
31-40	ALL (4-SPD.) (exc. LT)	(10 1/2 long—6 splines—w/3/8—24 tapped			
41-47	COMM. (4-SPD.) (exc. 1 TON)	hole)	364160	1	7.90
41-47	UTIL., AN, BN, DS, ES (4-SPD.)	(11 long—6 splines—w/3/8—24 tapped holes)	605023	1	9.90
48-57	ALL (4-SPD.)	(11 7/8 long—11 teeth on large dia.)	3692608§	1	14.80
49-52	PASS. (exc. P.G.)	(12 1/2 long—6 splines)	3690870	1	10.20

†NOTE: When using shaft 605022 as initial replacement on 1940 jobs it is necessary to use clutch assy. 605020.

§NOTE: When using 3692608 in place of Main Shaft having 22 teeth on large diameter, it is also necessary to use 3705458 first and reverse gear.

53-54	PASS. (exc. P.G.)	(13 11/16 long—6 splines)	3699258*	1	10.35
53-55	CORV. 6 cyl.	extension, output	3703246	1	21.10
53-54	COMM. (3-SPD.)	(13 long—6 splines)	3699259*	1	10.20
54	COMM. (3-SPD.) (hvy. duty),				
55	3/4, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	(12 1/8 long—6 splines)	3709330	1	14.65
54-57	1/2 TON w/H.T.	(17 13/16 O.L.) (22 splines—41 teeth)	8614289	1	(4.172)
54-57	ALL w/H.T. (exc. 1/2 TON)	(17 13/16 O.L.) (22 splines—33 teeth)	8615283	1	20.75
54	1/2 TON w/H.T.	output	8614907	1	36.85
54-57	ALL w/H.T. (exc. 1/2 TON)	output	8615268	1	38.50
55-57	1/2 TON w/H.T.	output (13 7/16 long)	8615611	1	40.00
55-56	ALL (3-SPD.) (exc. O/D, hvy. duty)	(22 1/32 long—6 splines)	3721575	1	12.95
55-56	PASS., 1/2 TON O/D	(13 1/8 long—6 splines)	3715095	1	10.20
55	1/2 TON (hvy. duty) (1st Ser.),				
55-57	COMM. (hvy. duty) (2nd Ser.)	(11 13/16 long—6 and 10 splines)	3718479	1	14.65
57	ALL (3-SPD.) (exc. O/D, hvy. duty)	(22 1/32 long—6 splines)	3728170	1	12.95
55-57	CORV. (3-SPD.)	(22 1/32 long—6 splines)	3740860	1	12.50
57	PASS., 1/2 TON O/D		3741268	1	10.20

*NOTE: Can be used to correct high gear disengagement on 1949-52 models but also requires 1 ea. 591851—591852 spacers, 24—7450247 rollers, and either 1—3699250 (PASS.) or 1—3699251 (COMM.) gear.

4.404 WASHER, Transmission Main Shaft Universal Joint Attaching

33-47	CC, DC, EC, FC, G, H, J, KD, KE, KF, AL, AM, BL, BM, DR, ER (3-SPD.)	plain (25/64 I.D. x 1 1/32 O.D. x 3/16 thick)	590936	1	.10
40-54	PASS., 1/2 TON (3-SPD.),				
48-54	3/4 TON (3-SPD.),				
54	COMM. (3-SPD.) (hvy. duty)	plain (25/64 I.D. x 1 1/8 O.D. x 3/16 thick)	3652935	1	.10
41-47	ALL,				
48-54	PASS., COMM. (3-SPD.),				
53-57	CORV. w/P.G.	lock (special 3/8)	838819	1	(0.609)
31-40	ALL (4-SPD.) (exc. LT, VE, VF, WD),				
41-42	AL, AM, BL, BM (4-SPD.)	plain (13/32 I.D. x 1 13/32 O.D. x 3/16 thick)	367219	1	.10
41-47	COMM., UTIL. (4-SPD.) (exc. AL, AM, BK, CK, DP, EP)	(13/32 I.D. x 1 7/16 O.D. x 15/64 thick—w/large			
42-47	1/2 TON (4-SPD.)	chamfer)	3667936	1	.25
48-57	ALL (4-SPD.),				
54-57	ALL w/H.T. (exc. 1/2 TON),				
55-57	1/2 TON (3-SPD.) (hvy. duty),				
55-57	3/4 TON (3-SPD.) (hvy. duty) (2nd Ser.)	(17/32 I.D. x 1 5/8 O.D. x 5/16 thick)	591472	1	.25
53-55	CORV. 6 cyl.	extension	3706113	1	.10
54	1/2 TON w/H.T.	front yoke (13/32 I.D. x 1 3/8 O.D.)	8614911	1	.75

4.405 BOLT, Transmission Main Shaft Universal Joint Attaching

31-47	ALL (exc. AE, LT, CC, DC, EC, FC, VE, VF, WD),				
48-54	ALL (3-SPD.)	(3/8—24 x 1 1/16 hex. hd.)	367266	1	.10
48-53	1/2, 3/4 TON (4-SPD.),				
54	1/2 TON (4-SPD.)	(1/2—20 x 1 3/8 hex. hd.)	3686947	1	.10
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.,				
54-55	1/2 TON w/H.T. (1st Ser.)	(3/8—24 x 1 1/4 w/pin thru ctr.)	3690869	1	.35

4.408 BEARING, Transmission Main Shaft Rear

31-47	ALL (4-SPD.) (exc. LT),				
54-57	COMM. (3-SPD.) (hvy. duty)	(ND 330X1A)	903307	1	7.60
32-36	ALL (3-SPD.) (exc. CC, DC, EC, FC)	(ND 7506)	954387	1	4.90
33-34	CC, DC (3-SPD.),				
50-54	PASS. w/P.G.,				
53-55	CORV. 6 cyl.	(ND 3205)	903205	1	3.70
37-54	ALL (3-SPD.) (exc. hvy. duty)	(ND 43305)	954168	1	5.20
48-57	ALL (4-SPD.)	(ND 43307-L1A)	954869	1	7.95
54	PASS. (hvy. duty) (TAXI and POLICE)	(10 ball hi-radial thrust)	954829	1	6.20
54-57	1/2 TON w/H.T.	output shaft	903006	1	4.50
54-57	ALL w/H.T. (exc. 1/2 TON)	output shaft	903007	1	5.20

55-57	ALL (3-SPD.) (exc. O/D, hvy. duty, close ratio)	(in trans. case),			
55-57	PASS., ½ TON O/D	(in overdrive adapter) (ND 43306-L-1250A)	954886	1	6.50
55-57	PASS. w/P.G.,				
55-57	CORV. w/P.G. 8 cyl.	rear bearing,			
55-57	PASS., ½ TON O/D	output shaft bearing (ND 43206)	954862	1	5.10
55-57	CORV. (3-SPD.),				
56-57	TAXI-CAB (3-SPD.),				
56-57	PASS. (3-SPD.) (close ratio)	(ND 41306V)	954997	1	8.60

4.409 SPACER—SLINGER, Transmission Rear Bearing

31-47	ALL (4-SPD.) (exc. LT)	brg. inner (1 5/16 I.D. x 1 11/16 O.D. x 3/32 thick).	590483	1	.15
31-47	ALL (4-SPD.) (exc. LT)	pilot brg. (13/32 I.D. x 1 O.D. x 3/32 dia. wire).	590486	1	.10
54	¾ TON (3-SPD.) (exc. hvy. duty)	SLINGER, oil (1 I.D. x 2 7/8 O.D.—steel)	3845023	1	.25

4.412 LOCK—RING—PLUG, Transmission Rear Bearing

31-47	ALL (4-SPD.) (exc. LT)	front (3 3/32 I.D. x 3 9/32 O.D. x 3/32 stock —13/64 height)	590484	1	.20
37-54	ALL (3-SPD.)	RING, locating (2 9/16 I.D. x 2 9/16 O.D. x 1/16 thk.)	590833	1	.20
48-57	ALL (4-SPD.)	RING, snap (rear brg.),			
54-57	COMM. (3-SPD.) (hvy. duty)	(frt. brg.) (3 3/8 O.D.)	954261	1	.20
54-57	COMM. (3-SPD.) (hvy. duty)	RING, snap (5/64 thick) (3 5/16 O.D. x ¾ inside opening)	3709301	1	.15
54-57	COMM. (3-SPD.) (hvy. duty)	RING, snap (3/32 thick)	3709303	1	.15
54-57	COMM. (3-SPD.) (hvy. duty)	RING, snap (7/64 thick)	3709305	1	.15
55-57	PASS., ½, ¾ TON (exc. O/D),				
55-57	CORV. (3-SPD.)	RING, locating (in case),			
55-57	PASS., ½ TON O/D	locating (in adapter) (2 11/16 I.D.)	3707174	1	.20
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, snap (.086—.088 thick)	3707188	1	.10
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, snap (.089—.091 thick)	3707189	1	.10
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, snap (.092—.094 thick)	3707190	1	.10
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	RING, snap (.095—.097 thick)	3707191	1	.10
48-54	COMM. (3-SPD.)	PLUG, special (used as transmission rear brg. support lock and "U" joint filler plug)	591697	1	.20

4.413 SPRING—PIN, Transmission Synchronizing

37-54	ALL (3-SPD.)	energizing (1 5/16 I.D. x 1 3/8 O.D. x 7/64 thick)	591288	2	.20
48-57	ALL (4-SPD.)	energizing (1 23/32 length)	591575	2	.10
54-57	COMM. (3-SPD.) (hvy. duty)	(working dia. 2 13/16)	3709349	2	.20
55-56	ALL, CORV. (3-SPD.) (exc. hvy. duty)	energizing (1 7/16 free dia.)	3845032	2	.20
57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	energizing	3737448	2	.20
48-57	ALL (4-SPD.)	PIN, spring (3/16 dia. x 19/32 length)	591576	4	.10

4.415 GEAR, Transmission High Speed Sliding

31-47	ALL (4-SPD.) (exc. LT)	3rd, 4th (24 T—6 spline—1 37/64 wide)	590493	1	9.40
48-57	ALL (4-SPD.)	3rd, non-sliding (24 T—1 27/32 I.D. x 4 O.D.)	591601	1	10.00

4.417 GEAR—RING—STRIP, Transmission 1st, 2nd and Reverse Sliding

37-39	G, H, J (3-SPD.)	1st and reverse (31 T—24 spline)	590931	1	8.55
40-54	ALL (3-SPD.) (exc. hvy. duty)	1st and reverse (29 T—24 spline) (5/32 dia. x 1/8 deep blind hole on side)	591113	1	8.65
41-47	ALL (4-SPD.) (late 1941 only)	1st, 2nd and reverse (42 T—34 T—6 spline)	605555	1	17.05
48-57	ALL (4-SPD.)	1st and reverse (1/8 groove on I.D.)	3705458§	1	17.95
54-57	COMM. (3-SPD.) (hvy. duty)	1st and reverse (33 T—10 spline)	3709334	1	14.75
55-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	1st and reverse (29 T—16 spline)	3725646	1	8.65
53-57	COMM. (4-SPD.)	RING, gear friction (3 O.D.)	591956†	1	.70
53-57	COMM. (4-SPD.)	STRIP, ring compression (rubber—1/8 x 9 5/8)	591955†	1	.20

†NOTE: Used only with 1st and reverse gear having 1/8 groove on I.D.

§NOTE: Includes one each 591956 Ring and 591955 Strip. This gear can only be used with 3692608 Main Shaft. When used on Utility models, remove 591956 Ring and 591955 Strip.

4.421 GEAR, Transmission Countershaft

33-36	CC, DC, EC, FC (3-SPD.)	assy., w/bushings (23 T—14 T—19 T)	473209	1	14.75
37-39	ALL (3-SPD.)	assy., w/bushings (27 T—15 T—22 T)	590927	1	17.40
40-53	PASS., KC	assy., w/bushings (27 T—14 T—22 T)	591880	1	17.40
54-57	COMM. (3-SPD.) (hvy. duty)	(31T—26T—19T—16T) (2 grooves around shaft)	3709333	1	30.50
40-53	PASS. (hvy. duty),				
40-57	COMM. (3-SPD.) (exc. hvy. duty),				
54-57	PASS. (3-SPD.) (exc. close ratio)	cluster (27 T—14 T—22 T)	3845201	1	17.40
55-57	CORV. (3-SPD.),				
56-57	PASS. (3-SPD.) (close ratio)	cluster (31 T—14 T—26 T)	3729696	1	19.30
31-47	ALL (4-SPD.) (exc. LT)	2nd speed (23 T—$\frac{3}{4}$ width)	590501	1	7.40
31-47	ALL (4-SPD.) (exc. LT)	3rd speed (33 T)	590502	1	8.55
31-47	ALL (4-SPD.) (exc. LT)	reverse (23 T—$\frac{11}{16}$ width)	590503	1	7.40
31-47	ALL (4-SPD.) (exc. LT)	driven (40 T)	590504	1	8.85
31-41	ALL (4-SPD.) (exc. LT) (1st design)	1st speed, complete w/shaft (14 T)	590500§	1	10.75
41-47	ALL (4-SPD.) (2nd design)	1st speed complete w/shaft (14 T) (identify by two grooves on hub near gear)	591263*	1	11.10
48-57	ALL (4-SPD.)	1st speed (14 T)	3719447	1	12.25
48-57	ALL (4-SPD.)	2nd speed (23 T)	591395	1	7.40
48-57	ALL (4-SPD.)	3rd speed (33 T)	591396	1	8.55
48-57	ALL (4-SPD.)	reverse (23 T)	591397	1	7.40
48-57	ALL (4-SPD.)	driven (40 T)	591399	1	9.05

§NOTE: Use 1st speed counter gear 590500 w/1st and 2nd speed gear 364193 (34 T—43 T).

*NOTE: Use 1st speed counter gear 591263 w/1st and 2nd speed gear 605555 (34 T—42 T).

4.422 BEARING—ROLLER—RING—RETAINER—PLATE—SPACER—WASHER—DEFLECTOR, Transmission Countershaft Gear

31-57	ALL (4-SPD.) (exc. LT)	roller, front (HY ORB 1206)	142260	1	5.95
31-47	ALL (4-SPD.) (exc. LT)	roller, rear (HY ORB 1207)	121856	1	6.80
48-57	ALL (4-SPD.)	ball, rear (ND 43308LIA)	901604	1	9.90
40-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	ROLLER, brg. ($\frac{1}{8}$ dia. x $\frac{3}{4}$ O.L.) (not used w/bushed type countergear)	435847	50	50/4.00
54-57	COMM. (3-SPD.) (hvy. duty)	ROLLER, brg. (frt. and rear) ($\frac{3}{4}$ O.L.)	3709328	80	40/1.95
48-57	ALL (4-SPD.)	RING, frt. brg. retaining (.125)	591401	1	.10
48-57	ALL (4-SPD.)	RING, frt. brg. retaining (.132—red mark)	591402	1	.10
48-57	ALL (4-SPD.)	RING, frt. brg. retaining (.140—blue mark)	591403	1	.10
55-57	ALL (4-SPD.) (2nd Ser.)	RING, rear brg. retaining (.050)	591959	1	.15
48-55	ALL (4-SPD.) (1st Ser.)	RETAINER, rear brg. (2 dia. w/2—$\frac{13}{32}$ holes)	591670	1	.20
48-55	ALL (4-SPD.) (1st Ser.)	PLATE, rear brg. lock (1$\frac{3}{4}$ O.L. w/2—$\frac{13}{32}$ holes)	591671	1	.10
31-47	ALL (4-SPD.) (exc. LT)	SPACER, brg. (2$\frac{29}{64}$ O.D. x $\frac{13}{32}$ width)	590497	1	.65
48-57	ALL (4-SPD.)	SPACER, brg. (1$\frac{5}{8}$ I.D. x 2$\frac{29}{64}$ O.D. x $\frac{1}{4}$ thick)	591392	1	.65
54-57	COMM. (3-SPD.) (hvy. duty)	SPACER, brg. ($\frac{7}{8}$ I.D. x 4$\frac{11}{16}$ O.L.)	3709323	1	.80
54-57	COMM. (3-SPD.) (hvy. duty)	WASHER, brg. ($\frac{7}{8}$ I.D. x 1$\frac{5}{32}$ O.D. x $\frac{1}{16}$ thick)	3709324	4	.15
57	PASS. (3-SPD.) (close ratio),				
57	CORV. (3-SPD.)	WASHER, roller brg. thrust ($\frac{7}{8}$ I.D. x $\frac{3}{32}$ O.D.)	3737814	2	.15
48-57	ALL (4-SPD.)	DEFLECTOR, rear brg. oil (1$\frac{5}{8}$ I.D. x 3$\frac{5}{16}$ O.D.)	591652	1	.20

4.423 WASHER—Transmission Counter Gear Thrust

32-40	PASS., COMM.	($\frac{57}{64}$ I.D.—4 notches x 1$\frac{5}{8}$ O.D. x $\frac{1}{16}$ thick)			
41-53	PASS.	(used only w/bushed type countergear)	590826	2	.30
40-53	PASS. (hvy. duty),				
40-53	COMM. (3-SPD.) (exc. hvy. duty),				
54-56	ALL, CORV. (3-SPD.) (exc. hvy. duty),				
57	ALL (3-SPD.) (exc. hvy. duty, close ratio)	($\frac{15}{16}$ I.D. x 1$\frac{5}{8}$ O.D. x $\frac{1}{16}$ thick, w/tang)	3845097	2	.25
54-57	COMM. (3-SPD.) (hvy. duty)	front ($\frac{7}{8}$ I.D. x 2$\frac{5}{8}$ O.D.—1 notch)	3709325	1	.40
54-57	COMM. (3-SPD.) (hvy. duty)	rear ($\frac{7}{8}$ I.D. x 2$\frac{1}{8}$ O.D.—4 notches)	3709326	1	.65
54-57	COMM. (3-SPD.) (hvy. duty)	rear ($\frac{7}{8}$ I.D. x 2$\frac{1}{8}$ O.D.—2 notches)	3709327	1	.55
31-47	ALL (4-SPD.) (exc. LT)	(1$\frac{3}{4}$ I.D. 1 notch x 2$\frac{11}{16}$ O.D. x $\frac{1}{8}$ thick)	590498	1	.35
57	PASS. (3-SPD.) (close ratio),				
57	CORV. (3-SPD.)	(1$\frac{5}{8}$ O.D.)	3740819	2	.40

4.426 SPACER, Transmission Countershaft Gear

31-47	ALL (4-SPD.) (exc. LT)	reverse and driven (2 1/16 I.D. x 2 5/16 O.D. x 3/16 length)	590505	1	.20
31-57	ALL (4-SPD.) (exc. LT)	reverse (2 1/16 I.D. x 2 5/16 O.D. x 7/8 length)	590506	1	.25
31-47	ALL (4-SPD.) (exc. LT)	2nd and 3rd (2 1/16 I.D. x 2 5/16 O.D. x 9/32 length)	590507	1	.20

4.428 SHAFT, Transmission Counter

37-40 41-53	PASS., COMM. PASS. (exc. hvy. duty, P.G.)	(7/8 dia. x 7 3/32 length—w/2 flat oiling slots and 3/16 hole) (for use only w/bushed type countergear)	590827	1	2.85
54-57 40-53	COMM. (3-SPD.) (hvy. duty) ALL (3-SPD.) (hvy. duty on PASS.),	(7/8 dia. x 9 7/16 length)	3709300	1	3.60
54-57 54-57	PASS., CORV. (exc. P.G.) COMM. (3-SPD.) (exc. hvy. duty)	(7/8 dia. x 7 1/8 O.L.) (for use only w/needle type counter gear)	3707179	1	2.85
31-41	ALL (4-SPD.) (exc. LT) (early 1941 only)	w/1st speed gear (14 T)	590500*	1	(4.421)
41-42	ALL (4-SPD.) (late 1941 only)	w/1st speed gear (14 T) (identify by 2 grooves on hub near gear)	591263*	1	(4.421)

*NOTE: Use shaft 590500 w/1st and 2nd speed gear 364193 (34 T—43 T); use shaft 591263 w/1st and 2nd speed gear 605555 (34 T—42 T).

4.429 KEY, Transmission Countershaft Gear

31-57	ALL (4-SPD.) (exc. LT)	(3/16 dia. x 5 11/64 length)	591394	4	.06

4.430 GEAR, Transmission Reverse Idler (w/bushings)

37-39	ALL (3-SPD.)	(17—17 spur teeth x 2 7/8 long)	590925	1	8.45
40-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	(16—16 helical teeth x 2 7/8 long) (4 holes —1/4 inch)	3845203	1	8.45
54-57	COMM. (3-SPD.) (hvy. duty)		3709341	1	9.75
31-41	ALL (4-SPD.) (exc. LT) (1st design)	(16 T—26 T)	590494*	1	12.30
41-47	ALL (4-SPD.) (2nd design)	(16 T—26 T) (identify by two grooves in hub)	591264*	1	12.95
48-57	ALL (4-SPD.)	(30 T—19 T x 4 49/64 long)	591410	1	12.95

*NOTE: Use gear 590494 w/1st and 2nd speed gear 364193 (34 T—43 T); use gear 591264 w/1st and 2nd speed gear 605555 (34 T—42 T).

4.431 BUSHING, Transmission Reverse Idler Gear

29-47	ALL (4-SPD.)	(7/8 I.D. x 1 O.D. x 1 1/2 length)	590236	2	.45
48-57	ALL (4-SPD.)	(1 1/8 I.D. x 1 1/4 O.D. x 1 1/8 length)	591409	2	.40

4.432 WASHER, Transmission Reverse Idler Gear Thrust

40-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	(49/64 I.D.—4 notches x 1 1/4 O.D. x 1/32 thick)	591091	2	.10

4.433 SHAFT, Transmission Reverse Idler Gear

37-57	ALL, CORV. (3-SPD.) (exc. hvy. duty)	(3/4 dia. x 4 7/32 length)	590831	1	1.25
54-57	COMM. (3-SPD.) (hvy. duty)	(7/8 dia. x 2 1/2 O.L.)	3709309	1	1.45
31-47	ALL (4-SPD.) (exc. LT)	(7/8 dia. x 9 3/32 length)	590496	1	2.10
48-57	ALL (4-SPD.)	(1 1/8 dia. x 8 17/32 length)	591475	1	2.75

4.435 PIN, Transmission Reverse Idler Shaft

37-47 48-57	ALL (3-SPD.), ALL, CORV. (3-SPD.)	lock (1/4 tapered x 11/16 length)	590832	1	.07

4.439 COVER, Transmission Power Take-off

31-57	ALL (4-SPD.) (exc. LT)	(6 holes 3/8 dia.)	590509	1	.30
40-47	ALL (w/tru-stop brake)	(used when installing tru-stop brake equipment)	3650522	1	3.65

4.440 GASKET, Transmission Power Take-off Cover

31-57	ALL (4-SPD.) (exc. LT)	(6 holes 3/8 dia.)	606668	1	.10

4.450 OVERDRIVE ASSY., Transmission

55-56	PASS., 1/2 TON O/D		3716664	1	141.70
57	PASS., 1/2 TON O/D		3739799	1	141.70

4.455 CASE—ADAPTER—BAFFLE—PLUG—BUSHING, Transmission Overdrive

55-57	PASS., 1/2 TON O/D	w/plugs	3712741	1	26.80
55-57	PASS., 1/2 TON O/D	ADAPTER	3712701	1	13.95
55-57	PASS., 1/2 TON O/D	BAFFLE, adapter oil	3712703	1	.15
55-57	PASS., 1/2 TON O/D	PLUG, shifting rail hole (in case)	3712725	1	.05
55-57	PASS., 1/2 TON O/D	BUSHING, case (1 1/2 I.D. x 1 5/8 O.D.)	3717682	1	(4.317)

4.460 GASKET—SEAL—GASKET UNIT, Transmission Overdrive

55-57	PASS., 1/2 TON O/D	adapter front	3707135	1	.05
55-57	PASS., 1/2 TON O/D	adapter rear	3712700	1	.10
55-57	PASS., 1/2 TON O/D	SEAL, control shaft oil	3712738	1	.50
55-57	PASS., 1/2 TON O/D	SEAL, solenoid oil	3712726	1	.50
55-57	PASS., 1/2 TON O/D	SEAL ASSY., case oil (stmp'd. 8612229)	8612229	1	(4.318)
55-57	PASS., 1/2 TON O/D	GASKET UNIT, overdrive	3712724*	1	.80

*NOTE: Consists of 1 each: adapter front gasket, adapter rear gasket, control shaft oil seal, solenoid seal for complete repair.

4.465 SHAFT—CAM, Transmission Overdrive

55-57	PASS., 1/2 TON O/D	overdrive output (11 O.L.)	3722296	1	28.20
55-57	PASS., 1/2 TON O/D	CAM ASSY., overdrive free wheeling	3712713	1	11.95

4.467 CAGE—ROLLER—SPRING—RETAINER, Transmission Overdrive

55-57	PASS., 1/2 TON O/D	free wheeling brg. roller	3712715	1	.55
55-57	PASS., 1/2 TON O/D	ROLLER, free wheel cam	3712718	12	.10
55-57	PASS., 1/2 TON O/D	SPRING, free wheeling roller cage	3712716	2	.10
55-57	PASS., 1/2 TON O/D	RETAINER, free wheeling pinion cage	3712714	1	.25
55-57	PASS. 1/2 TON O/D	RETAINER free wheeling cam	3712717	1	.10

4.470 CAGE—GEAR, Transmission Overdrive

55-57	PASS., 1/2 TON O/D	overdrive pinion	3712712	1	35.35
55-57	PASS., 1/2 TON O/D	GEAR, shifting collar and sun	3712711	1	9.80
55-57	PASS., 1/2 TON O/D	GEAR, output shaft ring	3712720	1	13.35

4.472 PLATE—RING, Transmission Overdrive Sun Gear

55-57	PASS., 1/2 TON O/D	cover	3712706	1	3.35
55-57	PASS., 1/2 TON O/D	w/blocking ring	3712704	1	10.85
55-57	PASS., 1/2 TON O/D	RING, blocking and cover plate snap (.0625)	3712707	1	.25
55-57	PASS., 1/2 TON O/D	RING, blocking and cover plate snap (.0665)	3712708	1	.25
55-57	PASS., 1/2 TON O/D	RING, blocking and cover plate snap (.0705)	3712709	1	.25
55-57	PASS., 1/2 TON O/D	RING, ring gear to output shaft snap (.062)	3712721	1	.20
55-57	PASS., 1/2 TON O/D	RING, sun gear and shifting collar snap	3712743	1	.20

4.477 RING, Transmission Overdrive Snap

55-57	PASS., 1/2 TON O/D	output shaft brg. snap (.073 thick)	3712723	1	.30
55-57	PASS., 1/2 TON O/D	speedo. drive gear retainer (.086 thick)	3707188	1	(4.412)
55-57	PASS., 1/2 TON O/D	speedo. drive gear retainer (.089 thick)	3707189	1	(4.412)
55-57	PASS., 1/2 TON O/D	speedo. drive gear retainer (.092 thick)	3707190	1	(4.412)
55-57	PASS., 1/2 TON O/D	speedo. drive gear retainer (.095 thick)	3707191	1	(4.412)
55-57	PASS., 1/2 TON O/D	speedo. drive gear retainer (.100 thick)	3712744	1	.10

4.480 SOLENOID—SPRING ASSY.—SWITCH—RELAY—SPRING—NUT, Transmission Overdrive

55-57	PASS., ½ TON O/D	12 volt (2 holes 17/64 I.D.) (trans.)	1119772	1	19.50
55-57	PASS., ½ TON O/D	SPRING ASSY.	1918364†	1	3.15
55-57	PASS., ½ TON O/D	SWITCH, kickdown (4 term.—brass) (carb.)	1998130	1	1.55
55-56	PASS., ½ TON O/D	RELAY, assy. (12 volt) (cover—black enamel)	1116903	1	4.25
57	PASS., ½ TON O/D	RELAY, assy.	1116926		4.25
55-57	PASS., ½ TON O/D	SPRING, solenoid plunger return (1 9/32 O.D.)	1918369	1	.35
55-57	PASS., ½ TON O/D	NUT, overdrive kickdown switch assy. (hex. 7/16—20)	124929	2	(8.916)

†NOTE: Consists of 1 each: pawl and collar assy., spring, guide plate, plunger and collar assy.

4.485 GOVERNOR—GEAR—RETAINER, Transmission Overdrive

55-57	PASS., ½ TON O/D	assy.	3712702	1	13.95
55-57	PASS., ½ TON O/D	GEAR, governor driven	3712729	1	2.85
55-56	PASS., ½ TON O/D	GEAR, speedo. drive	3708678	1	(4.343)
57	PASS., ½ TON O/D	GEAR, speedo. drive	3739602	1	(4.343)
55-57	PASS., ½ TON O/D	RETAINER, governor driven gear	3712730	1	.05

4.490 FORK—RAIL—PAWL—PIN—RETAINER—SPRING UNIT, Transmission Overdrive Shifting

55-56	PASS., ½ TON O/D	(one ½ hole, one 5/16 hole)	3712733	1	2.20
57	PASS., ½ TON O/D		3741421	1	2.20
55-57	PASS., ½ TON O/D	RAIL (3½ O.L.)	3712731	1	2.55
55-57	PASS., ½ TON O/D	PAWL (1 53/64 O.L.)	3712710	1	2.20
55-57	PASS., ½ TON O/D	PIN, fork guide (11/32 O.D. x 2 1/16 O.L.)	3712736	1	.30
55-57	PASS., ½ TON O/D	RETAINER, shifting fork to o/d ("C" washer)	3712735	1	.05
55-57	PASS., ½ TON O/D	RETAINER, shifting rail washer (½ I.D.)	3712732	1	.05
55-57	PASS., ½ TON O/D	SPRING UNIT, w/retainers	3712742	1	.25

4.495 SHAFT—CABLE—ROD—LEVER—BRACKET—SPACER—CLIP—CLAMP —SPRING—PIN—BOLT—GROMMET, Transmission Overdrive

55-57	PASS., ½ TON O/D	control and lever	3712739	1	2.25
55-56	PASS. O/D	CABLE ASSY., control (w/knob and brkt.—chrome) (67 O.L.)	1990827	1	3.20
55-57	½ TON O/D	CABLE ASSY., control (w/knob and brkt.—chrome) (61¾ O.L.)	1990828	1	3.20
57	PASS. O/D	CABLE ASSY., (w/knob and brkt.—chrome) (50 3/16 O.L.)	1990879	1	3.20
55-57	PASS. O/D 6 cyl.	ROD, w/actuating lever (12¼ O.L.)	3711376	1	(3.430)
55-57	PASS. O/D 8 cyl. (exc. 4BC)	LEVER, kickdown switch actuating	3711384	1	.20
55	PASS. O/D w/4BC (1st design)	LEVER, kickdown switch actuating	3720219	1	.10
55-57	PASS. O/D w/4BC (2nd design)	LEVER, kickdown switch actuating	3722514	1	.15
55-57	PASS., ½ TON O/D (6 cyl.)	BRACKET, kickdown switch (3⅞ O.L.)	3709346	1	.15
55-57	PASS., ½ TON O/D (8 cyl.) (exc. 4BC)	BRACKET, kickdown switch (2⅜ ctr. to ctr. holes)	3711382	1	.15
55	PASS. O/D w/4BC (1st design)	BRACKET, kickdown switch (1¾ ctr. to ctr. holes)	3720218	1	.20
55-57	PASS. O/D w/4BC (2nd design)	BRACKET, kickdown switch (2 9/16 ctr. to ctr. holes)	3722513	1	.20
55-57	PASS., ½ TON O/D	SPACER, control shaft lever (21/64 I.D. x 11/16 O.D.)	3712740	1	.15
55-57	PASS., ½ TON O/D	CLIP, control cable (1—3/16 hole, 1—11/32 hole)	3712727	1	.20
55-57	PASS., ½ TON O/D	CLIP, control cable hsg. to overdrive (17/64 I.D.)	3711622	1	.05
55-56	PASS. O/D	CLIP, cable assy. to speedo. shaft (¼ wide)	3711192	1	.05
55-56	PASS. O/D	CLIP, control cable (2 9/16 x ¾)	3723552*	3	.10
55	½ TON O/D	CLAMP, control cable w/hook (1¾ I.D.)	3721269	1	.20
56-57	½ TON O/D	SPRING, control cable retaining (2 9/16 free length)	3650230	1	(3.459)
55-57	PASS., ½ TON O/D	PIN, control shaft to case (5/32 x 1¼)	103565	1	(8.940)
55-57	PASS., ½ TON O/D	BOLT, control cable to lever (5/16—24 x ⅞)	3712722	1	.10
55-57	½ TON O/D	GROMMET, control cable (3/16 dia. hole)	3723225	1	.10

*NOTE: Used when cable is rerouted.

4.589 SIGNAL UNIT—LAMP ASSY.—FLASHER ASSEMBLY—SWITCH ASSY., Parking Brake

55-57	½, ¾ TON (3-SPD.) (2nd Ser.)	(electric)	987237	1	4.75
56	PASS.	(electric)	987441	1	4.25
57	PASS.	(electric)	987597	1	4.65
53-55	CORV. 6 cyl.	LAMP ASSY., alarm	3706535	1	2.25
55-57	CORV. 8 cyl.	LAMP ASSY., alarm	3718928	1	2.25
53-54	PASS.,				
53-55	CORV. 6 cyl.	FLASHER ASSY., alarm	3705522	1	1.40
55-56	PASS.,				
55-57	CORV., ½, ¾ TON (3-SPD.) (2nd Ser.)	FLASHER ASSY., alarm	3711289	1	1.40
57	PASS.	FLASHER ASSY., alarm	3737979	1	1.45
53-57	CORV.	SWITCH ASSY., alarm	3706912	1	.75

4.591 LEVER ASSEMBLY, Parking Brake

29-37	ALL (exc. DC, EA, EC, ED, FA, FC, FD, GE),				
38-47	HC, HD, JC, JD, KC, KD, AK, AL, BK, BL, CK, DP, DR, EP, ER	w/sector	605404	1	6.05
36-42	ALL (4-SPD.) (exc. ½ TON, COE),				
46-47	UTIL., DS, ES (exc. COE)	less sector	602917	1	5.70
38	PASS.	w/sector	597779	1	4.25
40-47	ALL (w/tru-stop brake)	w/extension only	3651573	1	6.20
39-48	PASS.	w/sector (under cowl)	3685283	1	6.05
47-55	COE		3847529	1	4.35
48-51	1 TON, UTILITY (exc. D-D, COE),				
52-55	ALL (w/prop. shaft brake) (1st Ser.) (exc. COE),				
55-57	ALL (4-SPD.) (2nd Ser.) (exc. ½ TON, D-D)	less sector	3717203	1	5.65
48-50	ALL (w/tru-stop brake)	w/extension only	3687445	1	6.20
49-50	PASS.	w/handle	3694355	1	6.05
51-52	PASS.	w/brkt. and chrome handle	3700389	1	6.05
53-54	PASS.	w/brkt. and black handle	3715829	1	6.05
53-57	CORV.	w/brkt. and chrome handle	3710437	1	5.45
55-56	PASS.	w/brkt. and chrome handle	3710785	1	5.10
55-57	COMM., 1½ TON (2nd Ser.) (exc. 4-SPD.),				
55-57	½ TON (4-SPD.) (2nd Ser.)	w/sector (charcoal)	3730093	1	4.80
55-57	D-D (4-SPD.) (2nd Ser.)	less sector	3717207	1	14.05
57	PASS.	w/brkt. and chrome handle	3732503	1	5.10

4.592 HANDLE, Parking Brake Lever

49-52	PASS.	(chrome)	3695735	1	1.65
53-57	PASS., CORV.	(black tenite—chrome)	3699301	1	1.65

4.594 ROD—BRACKET—NUT—GROMMET—CLIP, Parking Brake Lever Pawl

30-40	AD, LR, LS, AE, LT, M, B, N, C, O, D, P, E, Q, FB, GC, GD, HC, HD, JC, JD, KC, KD	w/pawl having 5/16 dia. hole (15 9/16 long)	597402	1	.90
36-47	UTIL. (exc. COE),				
38-47	HE, JE, KE, KF, AM, AN, BM, BN, DS, ES	w/pawl (18 9/16 long)	2227652	1	.95
41-47	AK, AL, BK, BL, CK, DP, DR, EP, ER	w/pawl (7/16 dia. hole) (15 9/16 long)	605411	1	.90
47-55	COE	w/pawl	2238100	1	1.15
48-51	1 TON, UTILITY (exc. D-D, COE),				
52-55	ALL (w/prop. brake) (1st Ser.) (exc. COE)	w/pawl (17 11/16 long)	2244402	1	.95
48-50	½, ¾ TON (exc. D-D)	release (17 long, w/¼—20 thd. ends) (foot oper.)	3690165	1	.35
48-50	D-D	release (4 9/16 long, w/¼—20 thd. both ends) (foot oper.)	3690456	1	.40
51	½, ¾ TON (exc. D-D),				
52	COMM. (exc. D-D)	release (18 overall length)	3696519	1	.35
51-55	D-D (1st Ser.)	release (8 3/16 overall length)	3696612	1	.55
53-55	COMM. (1st Ser.) (exc. D-D)	release (¼—20 thds. one end—15 7/16 O.L.)	3703904	1	.35
55-57	D-D (4-SPD.) (2nd Ser.)	w/pawl (28¼ long)	3718051	1	1.40
55-57	ALL (4-SPD.) (2nd Ser.) (exc. ½ TON, D-D)	w/pawl	2324353	1	.85
48-50	COMM. (exc. D-D)	BRACKET, release rod (use w/3690165)	3690166	1	.35

51	½, ¾ TON (exc. D-D),				
52	COMM. (exc. D-D)	BRACKET, release rod	3696520	1	.35
53-55	COMM. (1st Ser.) (exc. D-D)	BRACKET, release rod (use w/3703904)	3703905	1	.20
48-50	COMM.	NUT, release rod (¼—20 thd.—½ hd. x 13/16)	3687275	1	.20
51-55	COMM. (1st Ser.) (exc. JS)	GROMMET, release rod (¼ I.D. x ¾ O.D.)	3696521	1	(9.775)
55-57	D-D (4-SPD.) (2nd Ser.)	CLIP, pawl rod anti-rattle (1⅛ x ½)	3715868	1	.20

4.595 PAWL—BOLT—PIN, Parking Brake Lever

39-48	PASS.	(one ⅜ dia. hole)	3652752	1	.40
49-50	PASS.,				
53-57	CORV.		3687878	2	.20
51-57	PASS.		558903	2	.20
55-57	COMM., 1½ TON (2nd Ser.) (exc. 4-SPD.)	(one ⅜ dia. hole)	3715786	1	.30
41-47	AK, AL, BK, BL, CK, DP, DR, EP, ER.	BOLT, lever (5/16—24 x 1 5/16 w/shoulder)	3656995	1	.10
41-47	AK, AL, BK, BL, CK, DP, DR, EP, ER.	BOLT, sector (5/16—24 x 1)	3656997	1	.10
48-55	COMM. (1st Ser.) (exc. FS, GS, HS, JS)	BOLT, pedal lock bar (⅜—24 x 13/16) (foot oper.)	3687373	1	.20
49-54	PASS.,				
53-57	CORV.	PIN, guide (⅝ O.L.)	3715830	1	.10
55-57	PASS.	PIN, guide (¾ O.L.)	3721932	1	.10

4.597 SPRING—REPAIR KIT, Parking Brake

32-37	ALL,				
38-47	COMM., UTILITY,				
48-51	1 TON, UTILITY (exc. D-D),				
52-57	ALL (w/Prop. Shaft Brake)	pawl rod (⅛ wire) (hand oper.)	373980	1	.10
39-48	PASS.	pawl rod (1/16 wire) (hand oper.)	350346	1	.05
48-55	COMM. (1st Ser.) (exc. FS, GS, HS, JS)	locking (13/16 I.D. x 1⅛ long) (foot oper.)	3695565	1	.10
48-50	COMM. (exc. FS, GS, HS),				
55-57	D-D (2nd Ser.) (exc. 4-SPD.)	anti-rattle (9/16 O.D.—4 coil) (foot oper.)	3687152	1	.10
48-51	1 TON, UTILITY (exc. D-D, COE)	lever (cone type) (2 coils—1 I.D.) (hand			
52-57	ALL (w/Prop. Shaft Brake) (exc. COE)	oper.)	3686981	1	.05
49-57	PASS., CORV.	pawl (5/16 O.D.—2½ coils) (hand oper.)	3687883	1	.10
55-57	COMM., 1½ TON (2nd Ser.) (exc. 4-SPD.)	REPAIR KIT, lever (consists of spring and bushing)	3732868	1	.30

4.600 HANDLE—GRIP—SCREW—NUT, Parking Brake Release

48-53	COMM. (exc. FS, GS, HS, JS)		1990717	1	.60
29-37	ALL,				
38-47	COMM., UTILITY,				
48-51	1 TON, UTILITY (exc. D-D),				
52-57	ALL (w/Prop. Shaft Brake)	GRIP, pawl rod (painted)	3667897	1	.40
29-37	ALL,				
38-47	COMM., UTILITY,				
48-51	1 TON, UTILITY (exc. D-D),				
52-57	ALL (w/Prop. Shaft Brake)	SCREW (10—24 x ¾—no slot)	3698523	2	.05
29-37	ALL,				
38-47	COMM., UTILITY,				
48-51	1 TON, UTILITY (exc. D-D),				
52-57	ALL (w/Prop. Shaft Brake)	NUT (10—24 hex.)	373982	2	.05

4.603 SECTOR—LOCK—BAR—GUIDE, Parking Brake Lever

36-40	R, GE, S, HE, T, JE, V, KE, W	(8 teeth, 2 holes ⅜)	597881	1	.95
37-40	GC, GD, HC, HD, JC, JD, KC, KD	(10 teeth, 3 holes ⅜)	597880	1	.95
40	KF,				
41-51	AM, BM, 1 TON, UTILITY (exc. D-D),				
52-57	1 TON, UTILITY (w/Prop. Brake),				
55-57	¾ TON (4-SPD.) (2nd Ser.)	(10 teeth, 2 holes ⅜)	3655807	1	.95
41-47	AK, AL, BK, BL, CK, DP, DR, EP, ER.	(10 teeth, 2 holes ⅜)	3656988	1	1.05
48-50	COMM.	LOCK, foot pedal (stamped 3687250)	3687250	1	1.10
51-55	COMM. (1st Ser.) (exc. JS)	LOCK, foot pedal	3696518	1	.95
48-51	½, ¾ TON (exc. D-D),				
52-55	COMM. (1st Ser.) (exc. D-D)	BAR, pedal latch (11/16 dia. x 8 7/16 ctr. to ctr. holes)	3687294	1	1.20
48-55	D-D (1st Ser.)	BAR, foot (11/16 dia. x 10 9/16 ctr. to ctr. holes)	3687736	1	2.50
48-55	COMM. (1st Ser.) (exc. FS, GS, HS, JS)	GUIDE, pedal lock ("U" shape ¼—28 thd.)	3687252	1	.25

4.605 SPACER—WASHER, Parking Brake Lever

41-47	AK, AL, BK, BL, CK, DP, DR, EP, ER	(5/16 I.D. x 7/16 O.D. x 1/4 long) (hand oper.)	3656998	2	.15
48-51	COMM. (exc. 1 TON, D-D),				
52-55	COMM. (1st Ser.) (exc. D-D)	(3/4 I.D. x 1 1/4 O.D.) (foot oper.)	351469	1	.15
54-55	COMM. w/H.T. (1st Ser.)	brake pedal,			
54-55	D-D w/H.T. (1st Ser.)	brake idler lever (1 I.D. x 1 1/2 O.D. x 1 3/4 O.L.)	2286292*	1	.85
49-54	PASS.	WASHER, link attach. (spring) (11/16 O.D.)	402546	2	.02

*NOTE: When using as brake pedal spacer cut off 7/16".

4.606 SUPPORT—LOCK—FULCRUM—PIN—NUT—LINK—FLANGE, Parking Brake Lever

47-55	COE	lever	3687996	1	4.95
48-51	1 TON, UTILITY (exc. D-D, COE),				
52-57	ALL (w/Prop. Brake) (exc. COE)	LOCK, lever attach.	358829	1	(5.057)
57	3/4 TON (4-SPD.),				
57	Ser. 4-6	LOCK, lever anti-rattle spring	358829	1	(5.057)
36-47	UTILITY (exc. QP, QR, QS),				
37-47	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, DS, ER, ES	FULCRUM, lever (7/16—20 x 2 1/8 w/5/8 dia. shoulder) (hand oper.)	601142	1	.25
47-55	COE	FULCRUM, lever (7/16—20 x 1 11/16 w/5/8 dia. shoulder) (hand oper.)	3686026	1	.40
48-51	1 TON, UTILITY (exc. D-D, COE),				
52-57	ALL (w/Prop. Brake) (exc. COE)	FULCRUM (5/8 dia. x 2 5/8 overall)	591931	1	.35
48-50	ALL (w/Tru. Stop Brake)	FULCRUM	591932	1	.35
48-51	1 TON, UTILITY (exc. D-D, COE),				
52-57	ALL (w/Prop. Brake) (exc. COE)	PIN (3/16 dia. x 1)	142359	1	(8.940)
49-50	PASS.	NUT (11/16—16 thd. x 3/8)	593992	1	(7.432)
49-54	PASS.	LINK (3/4 x 3 1/8 w/2 holes 5/16 dia.)	3707553	2	.15
51-54	PASS.,				
53-57	CORV.	FLANGE, housing dash (11/16—16)	3695912	1	.30
55-56	PASS.	FLANGE, housing dash (2 holes 11/32 I.D.)	3710779	1	.40
57	PASS.	FLANGE, housing dash	3737615	1	.40

4.612 SEAL, Parking Brake

47-55	COE	lever (27/32 x 6 1/2 x 5 9/32 high—rubber) (hand operated)	3686347	1	.90
48-51	COMM. (exc. 1 TON, D-D, FFC),				
52-55	COMM. (1st Ser.) (exc. D-D, FFC)	floor pan (4 5/16 O.L.—rubber) (foot oper.)	3694124*	1	.45
48-51	1 TON, UTILITY (exc. COE, FFC),				
52-55	ALL (w/Prop. Brake) (1st Ser.) (exc. COE, FFC)	lever (4 7/8 O.L.—rubber) (hand oper.)	3687202	1	.50
55-57	COMM. (2nd Ser.) (exc. 3/4, 1 TON 4-SPD., D-D),				
55-57	CORV. 8 cyl.,				
56-57	1 1/2 TON w/H.T.	lever pull rod dash (15/16 sq.)	3719562	1	.15
55	3/4, 1 TON, UTIL. (4-SPD. (2nd Ser.) (exc. D-D)	lever (5 1/2 x 2 3/4 x 2 27/32 thk.)	3716176	1	.45
56-57	3/4, 1 TON, UTIL. (4-SPD.) (exc. D-D, FFC)	lever (5 7/8 x 2 1/32)	3729940	1	.95
56-57	3/4, 1 TON, UTIL. (4-SPD.) (FFC)	lever (7 3/4 x 4 17/32)	3732884	1	1.25

*NOTE: On some models use 3694125 retainer and drill necessary holes for screws.

4.615 PLATE—SCREW—RETAINER, Parking Brake Lever Seal

48-51	1 TON, UTIL. (exc. D-D, FFC, COE),				
52-55	ALL (w/Prop. Brake) (1st Ser.) (exc. D-D, FFC, COE)	(2 5/16 x 4 7/8) (slot 1 1/32 wide)	3690065	1	.20
55	3/4, 1 TON, UTIL. (4-SPD.) (2nd Ser.) (exc. D-D)	(4 7/8 x 2 3/4) (slot 2 1/2 x 1 5/32)	3716178	1	.15
39-47	PASS.	SCREW, retainer (14—10 x 3/4 metal screw)	3652879	2	(12.559)
48-51	COMM. (exc. 1 TON, D-D, FFC)	RETAINER, foot oper. (use w/3694124) (4 1/4 O.L.)	3694125	1	.25
52-55	COMM. (1st Ser.) (exc. D-D, FFC)				
55-57	COMM. (2nd Ser.) (exc. 3/4, 1 TON 4-SPD., D-D),				
55-57	CORV. 8 cyl.,				
56-57	1 1/2 TON w/H.T.	RETAINER, dash seal (slot—1 1/8 x 1/2)	3719563	1	.10

56-57	¾, 1 TON, UTIL. (4-SPD.) (exc. D-D, FFC)	RETAINER, lever seal (5⅞ O.L.)	3729941	1	.30
56-57	¾, 1 TON, UTIL. (4-SPD.) (FFC)	RETAINER, lever seal (9¹¹⁄₁₆ O.L.)	3730677	1	.50

4.625 ROD—ARM—PEDAL, Brake

40-52	PASS.	push, w/pedal	3696707	1	(0.830)
53-54	PASS. (exc. Prod. P.B.)	push, w/square pedal 2⅜ x 2¾	3701390	1	1.40
57	Ser. 6J-6K	brake pedal	3740580	1	
40-48	PASS. (exc. CONV.)	ARM	3652825	1	1.75
49-54	PASS. (exc. CONV., Prod. P.B.)	ARM (lower half)	3687985	1	1.80
49-54	CONV. (exc. Prod. P.B.)	ARM (lower half)	3688867	1	2.75
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	ARM, w/bushing (lower half)	3683023	1	2.50
47-55	COE	ARM, w/bushing (lower half)	3685425	1	2.95
40-46	COMM., UTIL. (exc. ½ TON, COE)	PEDAL ASSY.	3682205	1	4.70
53-55	CORV. w/P.G. (1st design)	PEDAL ASSY.	3706217	1	3.25
54	PASS. w/P.B. (Prod.)	PEDAL ASSY.	3710881	1	2.50
55-57	PASS. (exc. Prod. P.B.)	PEDAL ASSY.	3708034	1	2.50
55-57	PASS. w/P.B. (Prod.)	PEDAL ASSY.	3714398	1	2.50
55-57	CORV. w/P.G. (2nd design)	PEDAL ASSY.	3723192	1	4.20
55-57	CORV. (3-SPD.)	PEDAL ASSY.	3722709	1	4.20
57	Ser. 6J-6K	PEDAL ASSY. (incl. bushing) (cast 2353646)	2343646	1	7.50
36-39	COMM., UTIL. (exc. ½ TON),				
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	PEDAL (upper half)	3683085	1	1.65
47-55	COE	PEDAL (upper half)	3685421	1	1.65
48-55	D-D (1st Ser.)	PEDAL (upper half)	3687537	1	1.80
48-55	D-D (1st Ser.)	PEDAL (lower half)	3688021	1	6.05
48-55	COMM. (1st Ser.) (exc. D-D, FFC)	PEDAL, foot parking brake, w/shaft	3687295	1	3.60
48-55	D-D (1st Ser.)	PEDAL, foot parking brake, w/shaft	3687719	1	3.60
55-57	D-D (2nd Ser.)	PEDAL (upper half)	3729200	1	(0.830)
55-57	D-D (2nd Ser.)	PEDAL (lower half)	3720805	1	6.05
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	PEDAL (upper half)	3729195	1	1.65
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	PEDAL (lower half)	3726887	1	3.25

NOTE: For floor opening Insulators see group 0.829.

4.626 BUSHING, Brake Pedal


29-36	A, L, M, B, N, CB, CC, O, P, Q, R (mech. brakes)	(¹³⁄₁₆ O.D. x ¾ I.D. x 1¹⁷⁄₆₄ length)	3682020	1	(0.831)
33-36	CA, D, E, F, R, S, T,				
37-39	PASS.,				
37-46	½ TON	(¹³⁄₁₆ O.D. x ¾ I.D. x 1⅜ length)	3682074	1	(0.831)
36-46	COMM., UTIL. (exc. ½ TON)	(¹³⁄₁₆ O.D. x ¾ I.D. x 1⁹⁄₁₆ length)	3682017	1	.25
40-54	PASS. (exc. Prod. P.B.)	(in brake master cylinder) (¹³⁄₁₆ O.D. x ¾ I.D. x 1¾ length)	5450452	2	.55
40-52	PASS. (exc. P.G.),				
53-54	PASS. (exc. Prod. P.B.)	pedal shaft lock pin (⅜—⅛)	127875	1	(8.963)
47-55	COMM., UTILITY (1st Ser.) (exc. COE)	(1¹⁄₁₆ O.D. x 1⅝ long)	3683089*	1	.35
47-55	COE	(1 O.D. x ¾ length)	3686684	2	.25
50-54	PASS. w/P.G. (exc. Prod. P.B.)	main cyl. brake shaft reducing fitting (⁹⁄₁₆—18 x ⅛)	3692283	1	.25
54	PASS. w/P.B. (Prod.)	hub bolt,			
54-57	PASS. w/P.B. (Prod.)	lever sleeve (½ I.D. x ⅝ O.D.)	3710890	A.R.	.15
55-57	PASS., CORV. (exc. Prod. P.B.)	(1⅛ O.D. x ¹³⁄₁₆ O.L.)	3709580	2	.15
55-57	PASS. (exc. A.T.),				
55-57	CORV.	sleeve (¹³⁄₁₆ O.D. x ⅝ O.L.)	3709591	1	.10
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	lower half (⅞ I.D. x 1⁹⁄₁₆ O.L.)	3711690	1	.30
55-57	D-D (2nd Ser.) (exc. Ser. 6J-6K)	lower half (⅞ I.D. x ³⁷⁄₆₄ O.L.)	3720800	2	.20
57	Ser. 6J-6K	(½ I.D. x ¹⁷⁄₃₂ O.L.)	2121274	2	.27

*NOTE: Used as rear lever on Dubl-Duti models.


4.630 PAD, Brake (and Clutch) Pedal

29-36	ALL	(rubber—4 x 1⅞ overall)	364022	A.R.	.40
37-52	PASS				
55-57	PASS., CORV. (exc. Prod. P.B.)	(rubber—3½ x 1⅞ overall)	3657980	A.R.	.40
47-55	COMM., UTILITY (1st Ser.)	(rubber—2⅜ x 3¹³⁄₁₆ x ½ thick)	3683090*	A.R.	.40


*NOTE: Also used on foot parking brake for 1948-52 COMM.



TRUCK PARKING BRAKE CONTROLS (FOOT OPER.)



1955-57 PASSENGER BRAKE PEDAL LINKAGE



TRUCK PARKING BRAKE CONTROL

48-55	COMM. (1st Ser.)	(foot park.—steel—2⅛ wide x 3½ long)	3687292	1	.65
53-54	PASS. (exc. Prod. P.B.)	(rubber—2⁹⁄₁₆ x 3)	3701380	A.R.	.40
53-57	CORV. w/P.G.	rubber (4¾ x 2⅜)	3706153	1	.55
54-57	PASS. w/P.B. (Prod.)	(rubber—molded "POWER BRAKE")	3710955	1	.50
55-57	COMM., UTILITY (2nd Ser.)	(rubber—3¾ x 2½)	3711698	A.R.	.35

4.634 LEVER—LINK—SLEEVE—SHAFT—SPACER—LOCK—SPRING—RETAINER—WASHER, Brake Pedal

NOTE: Also see groups 0.847 and 4.648 for pedal shaft brackets and master cylinder supports.


36-46	UTILITY	w/bushing (forged 592125) (outer end			
40-46	KF, AN, BN, DS	has 3° twist)	592124	1	1.25
48-55	D-D (1st Ser.)	pull rod (parking brake)	3687745	1	.85
48-55	D-D (1st Ser.)	brake pedal rear	3687954	1	3.60
54	PASS. w/P.B. (Prod.)	assy. (w/2 levers opposite sides of tube)	3710885	1	1.95
55-56	PASS. w/P.B. (Prod.)	assy. (w/2 levers same side of tube)	3714295	1	1.95
57	PASS. w/P.B. (Prod.) w/A.T.	assy.	3731944	1	2.25
57	Ser. 6J-6K	assy.	3740579	1	6.50
54	PASS. w/P.B. (Prod.)	LINK ASSY. (2 pins 1½ ctr. to ctr.)	3710893	1	.35
55-57	PASS. w/P.B. (Prod.)	LINK ASSY. (2 pins 2⅜ ctr. to ctr.)	3714300	1	.35
54	PASS. w/P.B. (Prod.)	LINK, inner (2 holes 1½ ctr. to ctr.)	3710895	1	.10
55-57	PASS. w/P.B. (Prod.)	LINK, inner (2 holes 2⅜ ctr. to ctr.)	3714299	1	.15
55-57	PASS.	SLEEVE ASSY. (¹⁵⁄₁₆ O.D. x 3¼ O.L.)	3709583	1	.60
36-46	COMM., UTIL. (exc. ½ TON)	SHAFT (¾ dia. x 2¹¹⁄₁₆ O.L.)	592123	1	.50
36-42	FA, FD, COMM., UTILITY (exc. ½ TON)	SHAFT (¾ dia. x 5⁹⁄₁₆ O.L.)	838001	1	(0.833)
36-46	½ TON	SHAFT (3⁵⁄₁₆ O.L.)	475797	1	.55
47-55	COE	SHAFT (1 x 5¹⁷⁄₃₂ O.L.) (¾—16 thd.)	3685518	1	1.60
48-55	D-D (1st Ser.)	SHAFT, clutch, brake (1⁵⁄₁₆ hex. hd. x 5¹¹⁄₁₆ O.L.)	3702812	1	(0.833)
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	SHAFT, clutch, brake,			
48-55	D-D (1st Ser.)	clutch, brake rear lever	3683044	1	(0.833)
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	SHAFT, clutch, brake (⅞ x 2⅞)	3719611	1	.50
55-57	D-D (2nd Ser.) (exc. Ser. 6 D-D)	SHAFT, clutch, brake (⅞ x 5³⁄₁₆)	3720804	1	(0.833)
57	Ser. 6J-6K	SHAFT, brake pedal	2329349	1	.95
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	SPACER (hub spacer and shaft grease seal),			
48-55	D-D (1st Ser.)	(rear lever spacer and shaft grease seal)			
		(1 I.D. x 1¹¹⁄₁₆ O.D.)	3684453	4	(0.837)
53-57	CORV.	SPACER, bracket (2⅞ x 3⁵⁄₁₆)	3706215	1	.25
30-34	UTILITY,				
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-55	1 TON, D-D (1st Ser.) (exc. FU, GU)	LOCK, rear brake,			
35-55	UTILITY (1st Ser.)	front and rear (1³⁄₁₆ O.D.)	359380	A.R.	(5.057)
40-54	PASS. (exc. P.G.)	LOCK (cross shape)	3652790	1	(0.834)
50-54	PASS. w/P.G. (exc. Prod. P.B.)	LOCK, brake pedal shaft (circular)	3692282	1	(0.834)
50-54	PASS. w/P.G. (exc. Prod. P.B.)	SPRING, brake pedal shaft lock retainer	3692281	1	(0.837)
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	RETAINER, brake pedal shaft (1 hole ¹¹⁄₃₂ dia.)	3712797	1	.10
54-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	WASHER, shaft spacer (²¹⁄₃₂ I.D. x 1¼ O.D.)	328936	1	(7.371)

4.637 BOLT—WASHER—NUT, Brake Pedal

36	UTILITY,				
37-46	COMM., UTIL. (exc. ½ TON)	brake pedal to pull rod (⅝—24 x 1¹³⁄₃₂),			
37-38	PASS.,				
37-39	½ TON,				
40-54	PASS. (exc. Prod. P.B.),				
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	brake pedal adjusting (⅜—24 x 1⁵⁄₁₆)	596894	1	.20
53-55	CORV. w/P.G.	pivot (½—13 x 3¹⁄₁₆)	3706218	1	.95
54	PASS. w/P.B. (Prod.)	brake pedal hub (⅜—24 x 1³¹⁄₃₂)	3710891	1	.25
54-56	PASS. w/P.B. (Prod.)	brake pedal lever sleeve (⅜—24 x 6)	3710892	1	.45
54-57	PASS. w/P.B. (Prod.)	brake main cyl. push rod (⅝—24 x 1⁵⁄₁₆)	3710957	1	.15
57	PASS. w/P.B. (Prod.) w/A.T.	brake pedal lever sleeve (⅜—24 x 5¹⁵⁄₃₂)	3731947		.60
54-57	PASS. w/P.B. (Prod.)	WASHER, main cyl. push rod; brake pedal			
		assy. (¹³⁄₃₂ I.D.)	3710896	3	.05
55-57	COMM., UTILITY (2nd Ser.)	NUT, upper, brake pedal lock (½—20)	126016	1	(8.917)

4.648 BRACKET—REINFORCEMENT—COVER—SUPPORT—HOUSING—PLATE—PIN—CLAMP, Brake Cyl. and Pedal Shaft (also group 0.847 for pedal shaft brackets)

31-36	UTIL., AE, CC,				
37-46	COMM., UTIL. (exc. ½ TON, COE)	pedal shaft (cast 836421)	836421	1	(0.847)



BRAKE MAIN CYLINDER

47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	clutch and brake (9½ long), rear lever shaft (2 holes ⅞ for ident.)	3684093	1	(0.847)
48-55	D-D (1st Ser.)	clutch and brake (6½ long)	3687488	1	(0.847)
47-55	COE	clutch and brake	3685422	1	(0.847)
48-51	½, ¾ TON (exc. D-D),				
52-55	COMM. (1st Ser.) (exc. D-D)	outer, foot park. (17 long)	3687303	1	2.50
48-55	D-D (1st Ser.)	inner (3 holes 11/32 square)	3687722	1	.95
48-55	D-D (1st Ser.)	outer (16 long)	3687723	1	3.85
53-55	CORV. 6 cyl.	brake pedal	3706210	1	3.85
54	PASS. w/P.B. (Prod.)	brake pedal (2 holes ⅜—3 holes ¼)	3710889	1	5.30
55-57	PASS. w/P.B. (Prod.)	left, brake pedal (2 holes 5/16)	3713989	1	.40
55-57	PASS. w/P.B. (Prod.)	right, brake pedal (2 holes 5/16)	3713990	1	.30
55-57	CORV. 8 cyl.	brake pedal	3722712	1	4.90
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	main cyl. frame	3719574	1	1.60
55-57	D-D (2nd Ser.)	clutch and brake	3721629	1	14.05
57	Ser. 6J-6K	BRACKET, brake pedal shaft (cast 2317574)	2317574	1	4.25
54	PASS. w/P.B. (Prod.)	REINFORCEMENT, dash panel	3710941	1	.85
54	PASS. w/P.B. (Prod.)	COVER (used as main cyl. mtg. plate)	3710897	1	(12.802)
49-54	CONV.	SUPPORT, main cylinder (8 hole)	3688447	1	1.65
48-55	D-D (1st Ser.)	HOUSING, parking brake pedal shaft	3687731	1	2.60
55-56	PASS. w/P.B. (Prod.)	PLATE, main cyl. mounting	3713993	1	1.95
57	PASS. w/P.B. (Prod.) w/A.T.	PLATE, main cyl. mtg.	3731948	1	2.75
57	Ser. 6J-6K	PIN, brake pedal shaft bracket clamp locating	2329385	1	.65
57	Ser. 6J-6K	CLAMP, brake pedal shaft bracket (cast 2317575)	2317575	1	1.65

4.649 REPAIR KIT, Hydraulic Brake Main Cylinder

NOTE: Also see group 4.898 for power brakes.

36-50	PASS., ½ TON,				
51-52	PASS.,				
53-57	CORV.	(1" dia.)	5454563†	1	2.50
36-52	¾, 1 TON,				
36-57	UTILITY (exc. H.D. Brake Booster)	(1¼" dia.)	5454428*	1	3.05
51-52	½ TON,				
53-57	COMM.	(1⅛" dia.)	5454427†	1	3.05
53-54	PASS. (exc. Prod. P.B.)	(⅞" dia.)	5454218†	1	2.50

*NOTE: On 1936-37 it will be necessary to use 5300910 Gasket, 5300908 Washer in place of the Gasket and Washer furnished with Kit. Consists of one each: check valve, primary cup, piston, boot, lock ring, washer and gasket.

†NOTE: Consists of same parts shown with 5454428 plus spring w/retainer.

55-57	PASS. (exc. Prod. P.B.)	(1" dia.)	5454534#	1	2.45
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(1½" dia.)	5455291‡	1	4.90

#NOTE: Consists of one each: check valve, spring w/washer, primary cup, piston, retainer ring, boot, washer and gasket.

‡NOTE: Consists of one each: piston spring and retainer, piston cup and ring, piston assy., lock ring, boot and head nut gasket.

4.650 CYLINDER ASSEMBLY, Hydraulic Brake Main

NOTE: Also see group 4.901 for power brakes.

36-37	FB, FC, GC	(1 dia. cyl.—cast 5450256) (does not have 11/32 hole thru cyl. wall)	5450257	1	10.70
36-37	R, GD, GE, S	(1¼ dia. cyl.—cast 5450259) (does not have 11/32 hole thru cyl. wall)	5450277	1	12.30
37-39	PASS.	(1 dia. cyl.—cast 5450249)	5450248	1	14.40
38-46	½ TON	(1 dia. cyl.—cast 5450256)	5454576	1	11.15
38-46	COMM., UTIL. (exc. ½ TON)	(1¼ dia. cyl.—cast 5454381) (11/32 thd'd. hole thru cyl. wall)	5454381	1	12.90
40-52	PASS. (exc. P.G.)	(cast 5450655-323N)	5453737*	1	12.30
47-50	½ TON	(1 dia. cyl.—cast 321-N)	5454575	1	10.90
47-51	COMM., UTIL. (exc. ½ TON),				
52-55	KT, KU, UTIL. (1st Ser.) (exc. VJ),				
52-55	VJ, N (hvy. duty) (1st Ser.)	(1¼ dia. cyl.—cast 361 N)	5454382	1	12.90
50-52	PASS. w/P.G.	(cast 5453734-323M)	5453735	1	12.30
51	½ TON,				
53-55	D-D (1st Ser.),				
54-55	COMM. w/H.T. (1st Ser.)	(1⅛ dia. cyl.—cast 5453838)	5454384	1	11.90
52	½ TON,				
53-55	COMM. (1st Ser.) (exc. H.T., D-D)	(1⅛ dia. cyl.—cast 341 L)	5454459	1	11.40
52-55	KR, KS, VJ, N (1st Ser.) (exc. hvy. duty)	(1¼ dia. cyl.—cast 361 P)	5454383	1	12.90
53-56	PASS. w/P.B. (Accessory)	vacuum power (w/o boot) (5¼ dia.)	3717007	1	38.50
53-54	PASS. (exc. P.G., Prod. P.B.)	(⅞ dia. cyl.—cast 5454137—300A)	5454126	1	12.05
53-54	PASS. w/P.G. (exc. Prod. P.B.)	(⅞ dia. cyl.—cast 5454136—300B)	5454135	1	12.50
53-57	CORV.	(1" dia. cyl.) (cast 3206)	5454480	1	11.90
54-57	PASS. w/P.B. (Prod.)	brake main body	563733	1	6.50
54	PASS. w/P.B. (Prod.)	assy., vacuum power	3710956	1	42.50
55-56	PASS. w/P.B. (Prod.)	assy., vacuum power	3729788	1	41.00
55-57	PASS. (exc. Prod. P.B.)	(1 dia. cyl.—cast 5454716)	5454716	1	9.95
55-57	COMM. (2nd Ser.) (exc. D-D)	(1⅛ dia. cyl.—cast 341-M)	5454503	1	13.75
55-57	D-D (2nd Ser.) (exc. Ser. 6J-6K)	(1⅛ dia. cyl.—cast 5454644)	5454644	1	12.90
55-57	UTIL. (2nd Ser.) (exc. H.D. Brake Booster)	(1¼ dia. cyl.—cast 361-S)	5454494	1	13.90
55	2 TON w/H.D. Brake Booster (2nd Ser.)	(1½ dia. cyl.—cast 5454781)	5454774	1	28.05
56-57	2 TON w/H.D. Brake Booster	(1½ dia. cyl.) (cast 371C)	5455341	1	28.30
57	PASS. w/P.B. (Access.),				
57	PASS. w/P.B. (Prod.) (exc. A.T.)	vacuum power (Bendix 377870)	3733967	1	45.50
57	PASS. w/P.B. (Prod.) w/A.T.	vacuum power (Bendix 377674)	3740403	1	37.50
57	Ser. 6J-6K	assy. (1¼ dia.)	5456063	1	32.10

*NOTE: On 1940-48 Pass., Gaskets 799303, 799390 and Connector 5453738 must also be used.

4.651 PLUG—CAP—GASKET, Main Cylinder Filler

36	ALL,				
37-57	COMM., UTIL. (exc. H.T.),				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)	(1¼ x 18 thds. w/baffle ½ x 1⅛)	5455355	1	.65
37-54	PASS. (exc. Prod. P.B.)	(¾—18 thds. x 1 hex.)	5300974	1	.64
54-57	PASS. w/P.B. (Prod.)	CAP ASSY., vacuum power brake	1464056	1	.70
36	ALL,				
37-54	COMM., UTIL. (exc. H.T.),				
55-57	ALL, CORV. (exc. Prod. P.B., H.T.)	GASKET (1¼ I.D. x 1 11/16 O.D.—1/16 fibre)	080445	1	.07
34-36	DA, EA, FA,				
34-42	UTIL.,				
46-53	1½ TON, SBC	GASKET, rear shock abs., relief valve nut,			
49-53	COE	main cyl. filler plug (¾ I.D. x ⅞ O.D. x 1/32			
37-54	PASS. (exc. Prod. P.B.)	—alum.)	043234	1	.10
54-57	PASS, w/P.B. (Prod.)	GASKET, filler cap (Bendix 39960)	519282	1	.10

4.652 NUT—GASKET—SEAL, Main Cylinder Head, Outlet


36-37	F, GC,				
52	½ TON,				
53-55	COMM. (1st Ser.) (exc. D-D),				
55-57	COMM. (2nd Ser.)	(1¼—18 ext. x ½—20 int.—3 31/32 long)	5450152	1	1.25
38-48	PASS.,				
38-50	½ TON	(1 3/32—18 ext. x 7/16—24 int.—1 1/16 long)	5450607	1	.95
47-51	COMM., UTIL. (exc. ½ TON),				
52-57	KT, KU, UTIL. (exc. VJ, H.D. Brake Booster),				
52-55	VJ, N (hvy. duty)	(1⅜—18 ext. x 7/16—24 int.—1⅛ long)	5450609	1	1.15
49-52	PASS.,				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)		5450615	1	.93
51	½ TON,				
53-55	D-D (1st Ser.)	(1¼—18 ext. x 7/16—24 int.—1⅛ long)	5453856	1	1.15
52-55	KR, KS, VJ, N (1st Ser.) (exc. hvy. duty),				
57	Ser. 6J-6K	(1⅜—18 ext. x ½—20 int.—1⅛ long)	5450616	1	1.10
53-54	PASS. (exc. Prod. P.B.)	(1—18 ext. x ½—20 int.—1 1/16 O.L.)	5454148	1	.95
54-57	PASS w/P.B. (Prod.)	(14—⅞ x 13/16)	563734	1	.80
55	2 TON w/H.D. Brake Booster (2nd Ser.)	(1⅜—18 ext. x ½—20 int.—1 7/64 long)	5450926	1	1.05
56-57	2 TON w/H.D. Brake Booster		5454543	1	1.30
36-37	F, GA, GB, GC,				
51-52	½ TON,				
53-57	COMM	GASKET (1¼ I.D. x 1½ O.D.—copper)	231444	1	.25
38-50	PASS., ½ TON,				
51-52	PASS.,				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)	GASKET (1⅛ I.D. x 1 11/32 O.D.—copper)	5450212	1	.13
38-52	¾, 1 TON, UTIL.,				
53-57	UTILITY	GASKET (1⅜ I.D. x 1⅝ O D.—copper)	1074842	1	.31
53-54	PASS. (exc. Prod. P.B.)	GASKET (1 1/64 I.D. x 1¼ O.D. x 1/16 thk.)	5454151	1	.13
54-57	PASS. w/P.B. (Prod.)	SEAL, main, head nut (⅞ x 1 1/16 x ⅛) (Bendix 375974)	563705	1	.20

4.654 CUP, Main Cylinder Piston

36-50	PASS., ½ TON,				
51-52	PASS.,				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)	w/ring (marked 1 in.)	5450617	1	.56
36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	w/ring (marked 1¼ in.)	5450316	1	.56
51-52	½ TON,				
53-57	COMM	w/ring (marked 1⅛ in.)	5453858	1	.56
53-54	PASS. (exc. Prod. P.B.)	w/ring (marked ⅞)	5454141	1	.56
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	w/ring (marked 1½)	5451176	1	.64
36-50	PASS., ½ TON,				
51-52	PASS.,				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)	secondary (1 1/16 O.D.)	231432	1	.44
36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	secondary (1 9/32 O.D.)	5300900	1	.50
51-52	½ TON,				
53-57	COMM	secondary (1 11/64 O.D.)	1074837	1	.44
53-54	PASS. (exc. Prod. P.B.)	secondary (7/16 I.D. x 15/16 O.D.)	5454140	1	.45
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	secondary (1 I.D. x 1 17/32 O.D.)	5451175	1	.56

4.655 SPRING, Main Cylinder Piston Return

36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	(10½ coils—approx. 3½ free length)	5300902	1	.64
36-50	PASS., ½ TON,				
51-52	PASS.,				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)	(1 dia.)	5451121	1	.27
51-52	½ TON,				
53-57	COMM	(w/retainer)	5453945	1	.38



HYDRAULIC BRAKE SYSTEM (TRUCK HYDROVAC SHOWN)

53-54	PASS. (exc. Prod. P.B.)	(w/retainer) (11 coils—3⅜ O.L.)	5454142	1	.33
54-57	PASS. w/P.B. (Prod.)	check valve (Bendix 375976)	563735	1	.10
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(w/retainer) (3 1/16 free length)	5455205	1	.95

4.656 PLATE—RING, Piston Rod Stop

37-50	½ TON	(½ I.D. x 1⅛ O.D.)	1074927	1	.19
37-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	(½ I.D. x 1⅜ O.D.)	5300914	1	.19
51-52	½ TON,				
53-55	COMM. (1st Ser.),				
55-57	D-D (2nd Ser.) (exc. 2 ton)	(1¼ O.D.)	1074843	1	.25
55-57	PASS. (exc. Prod. P.B.)	(⅝ I.D. x 1⅛ O.D. x ⅛)	231434	1	.14
36-50	PASS., ½ TON,				
51-57	PASS., CORV. (exc. Prod. P.B.)	RING, lock (1 5/16 free O.D.)	5454562	1	.13
36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	RING, lock (1 17/32 free O.D.)	5454390	1	.19
51-52	½ TON,				
53-57	COMM.	RING, lock (1 27/64 free O.D.)	5454389	1	.19
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	RING, lock (1 51/64 free dia.)	5454783	1	.31

4.657 VALVE—CUP ASSY.—WASHER, Main Cylinder

36-50	PASS., ½ TON,				
51-52	PASS.,				
53-57	CORV.,				
55-57	PASS. (exc. Prod. P.B.)	check	5453711	1	.50
36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	check (2 dimples on inner retainer)	5454320	1	.50
51-52	½ TON,				
53-57	COMM.	check, w/spring	5453854	1	.50
53-54	PASS. (exc. Prod. P.B.)	check	5454145	1	.33
54-57	PASS. w/P.B. (Prod.)	CUP ASSY, check valve (Bendix 375965)	563703	1	.75

38-52	PASS., ½ TON,				
53-57	CORV., COMM.,				
55-57	PASS. (exc. Prod. P.B.)	WASHER (5/16 I.D. x 1 O.D.)	5450150	1	.27
36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	WASHER (5/16 I.D. x 1 3/16 O.D.)	5450269	1	.27
53-54	PASS. (exc. Prod. P.B.)	WASHER, valve seat (5/16 I.D. x 27/32 O.D. x 3/32)	5454200	1	.19

4.658 ROD—PLUNGER—SPRING—BUMPER—RING—SCREEN—SEAL, Main Cylinder Push

36-50	COMM., UTILITY (exc. ½ TON),				
51-55	COMM., UTILITY (1st Ser.),				
55-57	D-D (2nd Ser.)	(3/8—24 x 1 5/16 thd.—3¾ O.L.)	5450076†	1	.38
40-54	PASS. (exc. Prod. P.B.),				
53-57	CORV.	(3 3/16 O.L.)	5450454	1	.68
47-50	½ TON		5450457	1	.43
54	PASS. w/P.B. (Prod.)	vacuum push w/valve	3711737	1	4.50
55-57	PASS. (exc. Prod. P.B.)	(5¾ w/3/8—24 thd.)	5454412	1	.87
55-56	PASS. w/P.B. (Prod.)	w/plunger, vac. cyl. valve operating	3718473	1	2.75
55-57	COMM. (2nd Ser.) (exc. D-D)	(3¼ O.L.)	5454532	1	.82
55-57	UTILITY (2nd Ser.) (exc. H.D. Brake Booster)	(3¼ O.L.)	5454519	1	.73
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	w/stop plate (3⅜ O.L.)	5455207	1	.95
57	PASS. w/P.B. (Prod.) w/A.T.	main cyl. push (Bendix 377946)	3741438	1	1.50
57	PASS. w/P.B. (Prod.) w/A.T.	PLUNGER, reaction valve (Bendix 377896)	524285	1	1.25
57	PASS. w/P.B. (Prod.) w/A.T.	SPRING, piston valve plunger return (Bendix 377945)	3741437	1	.15
57	PASS. w/P.B. (Prod.) w/A.T.	BUMPER, reaction plunger (Bendix 377898)	524286	1	.05
54	PASS. w/P.B. (Prod.)	RING, vacuum cyl. piston ret. lock	2158836	1	.10
55-56	PASS. w/P.B. (Prod.)	RING, vac. cyl. piston retainer lock (Bendix 377417)	1464605	1	.05
54	PASS. w/P.B. (Prod.)	SCREEN, vac. cyl. valve (5/16 wide)	563712	1	.15
55-56	PASS. w/P.B. (Prod.)	SEAL, cyl. piston (35/64 I.D. x 15/16 O.D.) (Bendix 377067)	520645	1	.40
57	PASS. w/P.B. (Prod.) w/A.T.	SEAL, main cyl. push rod (Bendix 377916)	524303	1	.40

†NOTE: On series R, S use 5300914 piston stop plate.

4.659 BOOT—WASHER, Main Cylinder Rubber

36-52	PASS., ½ TON,				
53-57	PASS., CORV., COMM.	(molded 5450551)	5450551	1	.64
36-52	¾, 1 TON, UTIL.,				
53-57	UTILITY (exc. H.D. Brake Booster)	(molded 5300915)	5300915	1	.70
54-57	PASS. w/P.B. (Prod.)	vacuum cyl. push rod	3711750	1	1.10
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(molded 5451750)	5451750	1	.75
54-57	PASS. w/P.B. (Prod.)	WASHER, vac. cyl. push rod (Bendix 377754)	3731012	1	.20

4.661 BOLT—GASKET, Main Cylinder Outlet Fitting

36-37	ALL (exc. GA, GB)	(½—20 x 17/32 thd.—1 13/32 O.L.) (tapped hole in head)	5300863	1	.45
46-49	SBC,				
49-53	CONV.,				
49-57	ALL w/hydrovac,				
54-57	PASS. (exc. Prod. P.B.),				
55-57	CORV.,				
55-57	D-D (2nd Ser.)	(½—20 x 17/32 thd.—1 13/32 O.L.)	3727827	1	1.05
49-50	PASS. (exc. CONV.),				
52-55	¾, 1 TON, VJ, N (1st Ser.) (exc. D-D, H.T.),				
55	M, J, 1 TON (2nd Ser.) (exc. Brake Booster),				
56-57	Ser. 3B-3E-3G (exc. Brake Booster)	(½—20 x 17/32 thd.—1 13/32 O.L. (tapped hole in head) (w/insert)	5450466	1	.64
55	D-D w/Brake Booster (2nd Ser.)				
51-54	PASS., ½ TON (exc. JP, CONV., H.T., P.B.),				
55-57	H, Ser. 3A (exc. Brake Booster)	(7/16—24 int. x ½—20 ext.—¾ hex. hd.)	3696542	1	.45

36-37	F, R, S,				
40-52	PASS., KP,				
53-57	PASS. (exc. Prod. P.B.),				
53-57	CORV.	GASKET, outlet pipe, connector and connector			
53-55	COMM., N (1st Ser.) (exc. D-D, H.T.)	bolt, pipe adapter (½ I.D. x 13/16 O.D.—			
55-57	COMM. (2nd Ser.)	copper)	799303*	1	.07
36-37	F, R, S,				
40-52	PASS., KP,				
49-57	ALL w/hydrovac,				
53-57	PASS. (exc. Prod. P.B.),				
53-57	CORV.,				
53-55	COMM., N (1st Ser.) (exc. D-D, H.T.),				
55-57	COMM. (2nd Ser.) (exc. Brake Booster)	GASKET, outlet pipe, connector and connector			
55-57	D-D w/Brake Booster (2nd Ser.)	bolt (19/32 I.D. x 13/16 O.D.—copper)	799390*	A.R.	.07

*NOTE: Used on 1940-48 models only when 5453737 main cylinder is installed.

4.662 CLEVIS, Main Cylinder Adjusting

36	FC,				
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	(3/8—24 x 2 3/32 O.L.)	3682598	1	.35
41-46	COMM., UTIL. (exc. ½ TON, COE)	(3/8—24 x 4 7/16 O.L.)	3657158	1	.50

4.663 COVER—GASKET—SCREW, Main Cylinder

37-54	PASS. (exc. Prod. P.B.)	(stamped 423A on top)	5300972	1	.75
54-57	PASS. w/P.B. (Prod.)	vacuum main cylinder (Bendix 377525)	3731011	1	.90
37-54	PASS. (exc. Prod. P.B.)	GASKET (3⅛ x 2 1/16 overall)	5300973	1	.13
54-57	PASS. w/P.B. (Prod.)	GASKET, cover (2 19/32 x 4¼)	563704	1	.20
54-57	PASS. w/P.B. (Prod.)	SCREW, bleeder inspection hole cover #12—11 x ⅝	456706	A.R.	(8.977)

4.664 NUT—WASHER, Main Cylinder Attaching

47-55	COMM., UTILITY (1st Ser.) (exc. COE),				
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	(7/16—20) (¾ x 3⅝)	3683093	1	.35
37-39	PASS.	WASHER (13/32 I.D. x 1¼ O.D. x 3/16 thick)	365685	1	.05

4.665 CYLINDER ASSEMBLY—COVER, Wheel Brake

36-48	PASS. (exc. FC, FD, GB, HB)	front, right,			
37-38	GB, HB	front, left (1¼ dia., cast 5300955)	5300953	1	5.90
36-48	PASS. (exc. FC, FD, GB, HB)	front, left,			
37-38	GB, HB	front, right (1¼ dia., cast 5300956)	5300954	1	5.90
36	FC	front,			
49-50	PASS.	rear (1⅛ dia., cast 1074899)	5300867	2	5.25
36	FD,				
36-50	COMM., UTIL. (exc. 1 TON, D-D),				
51-52	¾ TON (exc. D-D)	front (1¼ dia., cast 1074903)	5300869	2	5.45
49-50	PASS.	front, right (1 5/16 dia., cast 5450990)	5450988	1	5.55
49-50	PASS.	front, left (1 5/16 dia., cast 5450991)	5450989	1	5.55
46-52	1 TON, D-D	front,			
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-52	¾ TON	rear (1⅜ dia., cast 5450072)	5450071	2	5.60
36-48	PASS. (exc. FC),				
36-50	½ TON, GD, HD, JD, KD, AL, BL	rear (1 3/16 dia., cast 1074886)	5300866	2	5.65
36	FC	rear (1 1/16 dia., cast 5300813)	5300868	2	5.15
36-50	UTILITY	rear (1½ dia., cast 5300892)	5300885	2	6.75
46-52	1 TON	rear (1⅜ dia., cast 5450072)	5451615	2	7.00
51-54	PASS.,				
53-57	D-D, CORV. (exc. 2 TON)	front, right,			
51-57	½ TON	front, left (1⅛ dia., cast 5453821)	5455479	1	4.55
51-54	PASS.,				
53-57	D-D, CORV. (exc. 2 TON)	front, left,			
51-57	½ TON	front, right (1⅛ dia., cast 5453822)	5455478	1	4.55
51-52	UTILITY	front (1⅜ dia., cast 5453781)	5453780	2	6.10

51-54	PASS.,				
53-55	CORV.,				
51-55	½ TON (1st Ser.)	rear (1 dia., cast 5453820)	5453819	2	4.40
51-52	UTILITY	rear, front (1½ dia., cast 5453825—4			
53	UTILITY (1st type)	tapped holes)	5453866	2	7.15
51-52	UTILITY	rear, rear (1½ dia., cast 5453825—5			
53	UTILITY (1st type)	tapped holes)	5453865	2	7.15
53-57	UTILITY (2nd type)	rear, front (1½ dia., cast 5454251) (one 7/16—20, one 3/8—24 holes)	5454313	2	7.15
53-57	UTILITY (2nd type)	rear, rear (1½ dia., cast 5454251) (two 7/16—20 holes)	5454314	2	7.15
53-57	¾, 1 TON (exc. D-D)	front,			
53-55	¾ TON (1st Ser.),				
55	¾ TON (2nd Ser.) (exc. D-D w/7.00—18, 7.50—17 tires),				
56-57	¾ TON (exc. D-D w/14" brake or duals)	rear, w/1⅛ O.D. piston (cast 5453927)	5455480	A.R.	4.60
53-57	1 TON,				
55	D-D w/7.00-18, 7.50-17 tires (2nd Ser.),				
56-57	D-D w/14" brake or duals	rear, w/1¼ O.D. piston (cast 5453926)	5455484	2	5.05
53-54	UTILITY (1st 2500 Jobs 1954)	front, w/1 O.D. piston (cast 5453990)	5453989	2	4.40
54-56	UTILITY	front, w/⅞ O.D. piston (cast 5454385)	5454387*	2	4.30
55	PASS.	front, left (1⅛ dia. piston) (cast 5454525-D10)	5454521	1	4.45
55	PASS.	front, right (1⅛ dia. piston) (cast 5454526-D12)	5454522	1	4.45
56-57	PASS.	front, left (1⅛ dia. piston) (cast 5454525—D10)	5455476	1	4.55
56-57	PASS.	front, right (1⅛ dia. piston) (cast 5454526—D12)	5455477	1	4.55
55-57	PASS., ½ TON (2nd Series),				
56-57	CORV.	rear, left (1 dia. piston) (cast 5450649-31)	5455486	1	4.50
55-57	PASS., ½ TON (2nd Series),				
56-57	CORV.	rear, right (1 dia. piston) (cast 5450649-37)	5455485	1	4.50
57	Ser. 4-6	front (⅞ dia. piston)	5455482	2	4.35
51-57	UTILITY	COVER, rear wheel, front and rear cyl.	3694530	4	.40

*NOTE: 5454387 can be used in place of 5453989 in sets only.

REPAIR KIT

36-48	ALL (exc. FC),				
49-50	COMM., UTIL. (exc. 1 TON, D-D),				
51-52	¾ TON (exc. D-D)	front	5450431*	2	1.60
36	FC	front,			
49-50	PASS.	rear	5450427*	2	1.65
46-52	1 TON (exc. D-D),				
51-52	UTILITY	front,			
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-52	¾, 1 TON (exc. D-D)	rear	5450434*	2	1.65
49-50	PASS.	front	5453709*	2	1.55
36-48	PASS. (exc. FC),				
36-50	½ TON, GD, HD, JD, KD, AL, BL	rear	5450429*	2	1.65
36	FC	rear	5450423*	2	1.60
36-50	UTILITY	rear	5450435*	2	2.00
51-52	PASS., ½ TON,				
53-57	PASS., CORV., COMM.	front,			
53-57	¾ TON (exc. 1956 D-D w/duals)	rear	5455661†	2	2.00
51-57	PASS., CORV., ½ TON	rear,			
53	UTILITY	front	5455660†	2	2.00
51-57	UTILITY	rear	5454488†	4	3.05
53-57	1 TON,				
56-57	D-D w/duals (exc. 2 ton)	rear	5454252†	2	1.95
54-56	UTILITY	front	5454399†	2	1.85
57	Ser. 4-6	front	5456081†	2	1.65

*NOTE: Consists of 2 pistons, 2 cups and 1 spring.

†NOTE: Consists of 2 pistons, 2 cups, 1 spring and 2 boots.

4.666 VALVE—SCREW, Wheel Cylinder

36-57	ALL, CORV.	less screw	1074893	4	.19
36-57	ALL, CORV.	SCREW, front and rear (No. 10—32 x ¼)	5454315	4	.13
50	ALL (w/Midland Vac. Brake)	SCREW, hyd. cyl. (7/16—20 x 1¼)	2253936	1	.25

4.667 CUP, Wheel Cylinder Piston

36-48	ALL (exc. FC),				
49-50	COMM., UTILITY (exc. 1 TON, D-D),				
51-52	¾ TON (exc. D-D)	front,			
53-57	1 TON,				
55-57	D-D (w/14" brake or duals (2nd Ser.) (exc. 2 TON)	rear (1¼ in.)	5455483	4	.50
36	FC,				
51-52	PASS., ½ TON,				
53-57	PASS., CORV., COMM.	front,			
49-50	PASS.,				
53-57	¾ TON (exc. D-D w/14" brake or duals)	rear (1⅛)	5455298	A.R.	.42
49-50	PASS.	front (1 5/16 in.)	5450993	4	.50
46-52	1 TON, D-D,				
51-52	UTILITY	front,			
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-52	COMM. (exc. ½ TON)	rear (1⅜ in.)	5450073	A.R	.45
36-48	PASS. (exc. FC),				
36-50	½ TON, GD, HD, JD, KD, AL, BL	rear (1 3/16 in.)	1074825	4	.44
36-50	UTILITY	rear (1½ in.)	5300890	4	.50
51-57	PASS., CORV., ½ TON	rear,			
53	UTILITY	front (1 in.)	5455299	4	.42
51-57	UTILITY	rear (1½ in.)	5454486	8	.45
54-56	UTILITY	front (⅞ in.) (molded ⅞)	5453701	4	.44
57	Ser. 4-6	front (⅞ dia.)	5455481	4	.45

4.669 SPRING, Wheel Cylinder Piston

36-50	ALL (exc. FC),				
51-52	COMM., UTILITY (exc. ½ TON)	front,			
36-48	PASS., COMM. (exc. FC),				
49-50	COMM.,				
51-52	¾, 1 TON,				
53-57	1 TON,				
55-57	D-D w/14" brake or duals (exc. 2 TON)	rear	5455428†	2	.33
36	FC,				
56	¾ TON	front and rear,			
51-52	PASS., ½ TON,				
53-55	PASS., CORV., COMM.	front,			
49-50	PASS.,				
53-55	¾ TON	rear (9 coils—2⅝ free length)	1074946	2	.13
53	UTILITY	front,			
51-55	PASS., CORV., ½ TON	rear (11½ coils)	1074914	2	.13
51-57	UTILITY,				
54-55	COMM. w/H.T. (1st Ser.) (exc. D-D)	rear (5 conical coils)	5453828	4	.21
54-56	UTILITY	front (use w/⅞ cyl.) (2½ free length)	5453702	2	.13
56-57	PASS., CORV., COMM.	front, w/expander	5455487*	2	.31
56-57	PASS., CORV., ½ TON	rear, w/expander	5455489	2	.31
57	Ser. 4-6	front	5455421	2	.31

†NOTE: Wheel cylinder cup 5455483 must be used.

*NOTE: Not used on D-D models w/14" brake or duals.

4.670 BOOT—SHIELD, Wheel Cylinder

51-52	PASS., ½ TON,				
53-57	PASS., CORV., COMM.	front,			
53-57	¾ TON (exc. D-D w/14" brake or duals)	rear (1 9/16 O.D.)	5450031	2	.27
53-57	UTILITY	front,			
51-57	PASS., CORV., ½ TON	rear (1½ O.D.)	231335	4	.25
51-57	UTILITY	rear (1 15/16 O.D.)	5453829	8	.44
53-57	1 TON,				
55-57	D-D w/14" brake or duals (exc. 2 TON)	rear (1¾ O.D.)	1074822	4	.31
51-57	UTILITY	SHIELD, rear upper	3696364	4	.10

4.671 WASHER—BOLT, Brake Connecter

36-50	ALL,				
51	ALL (exc. PASS., ½ TON),				
52-57	ALL, CORV.	(7/16 I.D. x 1 1/16 O.D.—.032 copper)	231343	A.R.	.03
36-54	ALL,				
53-55	CORV.,				
55-57	¾, 1 TON, UTIL.	BOLT, rear cyl. inlet conn. (7/16-20 x 1 11/32 O.L.)	476099	2	.20

4.672 SCREW, Wheel Cylinder Adjusting

36-50	ALL,				
51-52	COMM., UTILITY (exc. ½ TON)	front,			
36-42	PASS., COMM.,				
46-50	PASS., COMM. (exc. 1 TON),				
51-52	¾ TON	rear (½—20 x 1 9/32 overall)	1074915	8	.19
36-50	UTILITY	rear (9/16—18 x 1 17/32 overall)	5300922	4	.19
46-52	1 TON	rear (9/16—18 x 1 7/16 overall)	5451613	4	.25

4.674 GEAR ASSEMBLY, Wheel Cylinder Adjusting, w/Cover

36-50	ALL (exc. FC),				
51-52	COMM., UTILITY (exc. ½ TON)	front,			
36-42	PASS., COMM. (exc. FC),				
46-48	PASS., COMM. (exc. 1 TON),				
49-50	COMM. (exc. 1 TON),				
51-52	¾ TON	rear (½—20—1 11/16 I.D.)	1074909	8	.44
36	FC	front and rear,			
49-50	PASS.	rear (½—20—1 9/16 I.D.)	5300804	8	.61
36-50	UTILITY	rear (9/16—18—2½ O.D. over teeth)	5300888	4	1.05
46-52	1 TON	rear (9/16—18—1 19/32 I.D.)	5451614	4	1.15

4.675 ROD, Wheel Cyl. to Brake Shoe Thrust

53-57	UTILITY	front,			
51-52	PASS., ½ TON,				
53-57	PASS., CORV., COMM.	front and rear (2 1/16 long)	509233	8	.25
51-57	UTILITY	rear (2 17/32 long)	5453830	8	.38

4.678 PINION UNIT, Rear Wheel Cylinder Adjusting

36-50	UTILITY	(consists of 2 pinions, 2 shafts, 2 springs,			
46-52	1 TON	2 washers)	3705288	2	.75

4.680 HOSE ASSEMBLY, Hydraulic Brake

36-50	ALL,				
51-55	COMM., UTIL. (1st Ser.) (exc. ½ TON)	front,			
55-57	COMM., UTIL. (2nd Ser.) (exc. H, Ser. 3-A)	rear (7/16—20 ext.—7/16—24 int.—16 13/16 lgth.)	476719	3	2.05
51-54	PASS.,				
51-57	½ TON (exc. M, Ser. 3-B)	front and rear,			
53-57	CORV.,				
55-57	PASS.	rear (7/16—20 ext.—3/8—24 int.—17 lgth.)	3696551	3	2.10
55-57	PASS.	front (7/16—20 ext.—3/8—24 int.—12 11/16 lgth.)	3714860	2	1.90
55-56	COMM., UTIL. (2nd Ser.) (exc. H, Ser. 3A)	front (7/16—20 ext.—7/16—24 int.—17 1/8			
57	Ser. 3E, 3G	lgth.)	714267	2	2.20
57	Ser. 3-4-6 (exc. 3A-3E-3G)	front (5/8—18 ext.—7/16—24 int.—17¼ lgth.)	3739404	2	2.10

4.681 BRACKET, Brake Hose

36-49	COMM., UTILITY (exc. ½ TON),				
50-53	1 TON D-D, UTILITY	rear	592137	1	.15
47-55	½ TON (1st Ser.)	rear	3676227	1	.30
47-49	COE (1st design),				
47-55	COMM., UTILITY (1st Ser.) (exc. D-D, COE)	front (2 holes 5/16 dia.—1 5/16 ctr. to ctr.)	3683951	2	.15

49-50	PASS.	front (L.H.)	3688949	1	.35
49-50	PASS.	front (R.H.)	3688950	1	.35
49-54	PASS.	rear	3687926	1	.35
51-54	PASS.,				
53-57	CORV.	front	3694698	2	.35
49-55	COE (2nd design)	front (2 holes 5/16 dia.—1 1/4 ctr. to ctr.)	3698031	2	.23
53-57	CORV.	rear (right side member)	3706074	1	.15
54-57	1 TON, UTILITY,				
55-57	1/2, 3/4 TON (2nd Ser.) (exc. H, Ser. 3-A)	rear (9 1/2 dev. length)	3714682	1	.20
55-57	PASS. (exc. CONV.)	front	3728219	2	.20
55-57	PASS.	front	3710175	2	.30
55-57	PASS.	rear (used on right side)	3710129	1	.20
55-57	PASS. w/4BC	rear	3716846	1	.40
55-57	H, Ser. 3-A (2nd Ser.)	rear (5 7/8 O.L.)	3716853	1	.30


SPRING, Hose and Tee Connector Yoke

36-57	ALL, CORV.	(1 1/8 x 1 1/4 overall)	476737	A.R.	.10

4.683 FLUID—DECLENE—LUBRICANT, Hydraulic Brake

36-57	PASS.	super No. 9 (1 pint)	5450287	A.R.	1.00
ALL	ALL, CORV.	super No. 11 (1 pint)	5453723	A.R.	1.35
36-57	PASS.	super No. 9 (1 quart)	5450285	A.R.	1.95
ALL	ALL, CORV.	super No. 11 (1 quart)	5453724	A.R.	2.45
36-57	PASS.	super No. 9 (1 gallon)	5450286	A.R.	6.90
ALL	ALL, CORV.	super No. 11 (1 gallon)	5451232	A.R.	9.00
36-57	PASS.	super No. 9 (5 gallon)	5450288	A.R.	33.00
ALL	ALL, CORV.	super No. 11 (5 gallon)	5451233	A.R.	42.75
36-57	PASS.	super No. 9 (30 gallon)	5450920	A.R.	195.00
ALL	ALL, CORV.	super No. 11 (30 gallon)	5453793	A.R.	247.50
ALL	ALL, CORV.	DECLENE, flushing fluid (1 quart)	5450412	A.R.	.95
ALL	ALL, CORV.	LUBRICANT (1 lb. can)	5450032	A.R.	1.60

4.685 PIPE, Hydraulic Brake (Model applications may be found in the following chart)



NOTE: All developed lengths as shown in following chart are to be cut from Steel Coil Tubing (8.964)

"A" Main cylinder to center connector.
"B" Center connector to front pipe junction.
(BL is "B" left hand)
(BR is "B" right hand)
"C" Front brake junction to left front brake hose.
"D" Front brake junction to right front brake hose.
"E" Center connector to rear brake hose.
"F" Rear brake hose junction to left brake.
"G" Rear brake hose junction to right brake.
"H" Hydrovac to center junction.
"J" Brake main cylinder to hydrovac.

51-53	UTILITY (w/vertical cylinders)	rear wheel, front to rear cyl. connecting (13⅜ dev. length, 3/16 O.D.)	3697735	2	.55
53-57	UTILITY (w/diagonal cylinders)	rear wheel, front to rear cyl. connecting (15 dev. length, ¼ O.D.)	3704424	2	.55
36-57	ALL, CORV	TUBING, steel, ¼ O.D. x 25 ft. coil	603827	A.R.	(8.964)
51-57	PASS., CORV., ½ TON	TUBING, steel, 3/16 O.D. x 25 ft. coil	3696822	A.R.	(8.964)
55-57	PASS. w/4BC	UNION, rear brake frt. pipe to rear brake rear pipe assy	137412	1	(8.963)
36-57	ALL	NUT, inverted flared tube (for ¼ tubing)	137397	A.R.	(8.963)
54-57	CORV	SHIELD, left coil spring 3 9/16	3710035	1	.15

1946	A	BL	BR	C	D	E	F	G	H	J
DK	37.5	—	48.5	37.5	18.0	61.0	48.5	18.0	—	—
DJ	37.5	—	48.5	37.5	18.0	61.0	48.5	18.0	—	—
CONV.	32.5	—	48.5	41.0	22.0	62.0	48.5	18.0	—	—
CK DP	46.0	—	23.5	50.5	12.5	80.0	50.5	19.5	—	—
DR	42.5	—	23.5	50.5	12.5	89.5	44.0	22.0	—	—
DS	69.0	—	59.0	50.5	12.5	61.0	50.0	22.0	—	—
OR PJ	69.0	—	59.0	50.5	12.5	61.0	50.0	27.0	50.0	68.5
OS PK	69.0	—	59.0	50.5	12.5	87.0	50.0	27.0	50.0	68.5
OW PL	69.0	—	59.0	50.5	12.5	87.0	50.0	27.0	50.0	68.5
OY	69.0	—	59.0	50.5	12.5	123.5	50.0	27.0	50.0	68.5
OE PV	—	—	59.0	50.5	12.5	61.0	50.0	27.0	50.0	69.0
OF PW	—	—	59.0	50.5	12.5	87.0	50.0	27.0	50.0	69.0
OG PX	—	—	59.0	50.5	12.5	123.5	50.0	27.0	50.0	69.0
OH PP	—	—	28.5	54.0	—	67.5	50.0	27.0	50.0	69.0
OI PR	—	—	28.5	54.0	—	91.0	50.0	27.0	50.0	69.0
OJ PS	—	—	28.5	54.0	—	118.0	50.0	27.0	50.0	69.0
1947										
EK	37.5	—	48.5	37.5	18.0	61.0	48.5	18.0	—	—
EJ	37.5	—	48.5	37.5	18.0	61.0	48.5	18.0	—	—
CONV.	32.5	—	48.5	41.0	22.0	62.0	48.5	18.0	—	—
EP	49.0	—	25.5	56.0	12.5	80.0	48.0	16.5	—	—
ER	49.0	—	25.5	56.0	12.5	86.0	45.5	22.0	—	—
ES	49.0	—	25.5	56.0	12.5	98.5	45.5	22.0	—	—
QJ	49.0	—	25.5	56.0	12.5	98.5	48.0	25.0	—	—
QK	85.0	—	55.5	56.0	12.5	91.5	48.0	25.0	—	—
QL	85.0	—	55.5	56.0	12.5	91.5	48.0	25.0	20.0	74.5
QV	—	—	55.5	56.0	12.5	67.5	50.0	27.0	20.0	74.5
QW	—	—	55.5	56.0	12.5	91.5	50.0	27.0	20.0	74.5
QX	—	—	55.5	56.0	12.5	129.0	50.0	27.0	20.0	74.5
QP	—	—	27.0	59.5	—	69.5	50.0	27.0	48.0	30.5
QR	—	—	27.0	59.5	—	93.5	50.0	27.0	48.0	30.5
QS	—	—	27.0	59.5	—	118.0	50.0	27.0	48.0	30.5
1948										
FK	37.5	—	48.5	37.5	18.0	61.0	48.5	18.0	—	—
FJ	37.5	—	48.5	37.5	18.0	61.0	48.5	18.0	—	—
CONV.	32.5	—	48.5	41.0	22.0	62.0	48.5	18.0	—	—
FP	49.0	—	25.5	12.5	56.0	80.0	48.0	16.5	—	—
FR	49.0	—	25.5	12.5	56.0	86.0	45.5	22.0	—	—
FT	49.0	—	25.5	12.5	56.0	86.0	45.5	22.0	—	—
FS	49.0	—	25.5	12.5	56.0	98.5	45.5	22.0	—	—
FU	49.0	—	25.5	12.5	56.0	98.5	45.5	22.0	—	—
RJ	49.0	—	25.5	12.5	56.0	98.5	48.0	25.0	20.0	74.5
RK	85.0	—	55.5	12.5	56.0	91.5	48.0	25.0	20.0	74.5
RL	85.0	—	55.5	12.5	56.0	91.5	48.0	25.0	20.0	74.5
RV	—	—	55.5	12.5	56.0	67.5	50.0	27.0	20.0	74.5
RW	—	—	55.5	12.5	56.0	91.5	50.0	27.0	20.0	74.5
RX	—	—	55.5	12.5	56.0	129.0	50.0	27.0	20.0	74.5
RP	—	—	27.0	59.5	—	69.5	50.0	27.0	48.0	30.5
RR	—	—	27.0	59.5	—	93.5	50.0	27.0	48.0	30.5
RS	—	—	27.0	59.5	—	118.0	50.0	27.0	48.0	30.5
1949										
GK	2100	41.0	34.5	48.0	—	—	60.5	43.5	20.0	—	—
GJ	1500	41.0	34.5	48.0	—	—	60.5	43.5	20.0	—	—
CONV.	2100	45.0	28.5	51.0	—	—	51.0	43.5	20.0	—	—
GP	3100	49.0	—	25.5	56.0	12.5	101.5	48.0	16.5	—	—
GR	3600	49.0	—	25.5	56.0	12.5	86.0	45.5	22.0	—	—
GT	3700	49.0	—	25.5	56.0	10.5	86.0	45.5	22.0	—	—
GS	3800	49.0	—	25.5	56.0	12.5	98.5	45.5	22.0	—	—
GU	3900	49.0	—	25.5	56.0	10.5	98.5	45.5	22.0	—	—
SJ	4100	49.0	—	25.5	56.0	12.5	98.5	48.0	25.0	20.0	74.5
SK	4400	85.0	—	55.5	56.0	12.5	91.5	48.0	25.0	20.0	74.5
SL	4500	85.0	—	55.5	56.0	12.5	91.5	48.0	25.0	20.0	74.5
SV	6100	—	—	55.5	56.0	12.5	67.5	50.0	27.0	20.0	74.5

1949	A	BL	BR	C	D	E	F	G	H	J
SW	6400	—	—	55.5	56.0	12.5	91.5	50.0	27.0	20.0	74.5
SX	6700	—	—	55.5	56.0	12.5	129.0	50.0	27.0	20.0	74.5
SP	5100	—	—	27.0	59.5	14.0	69.5	50.0	27.0	48.0	30.5
SR	5400	—	—	27.0	59.5	14.0	93.5	50.0	27.0	48.0	30.5
SS	5700	—	—	27.0	59.5	14.0	118.0	50.0	27.0	48.0	30.5
1950										
HK	2100	41.0	34.5	48.0	—	—	60.5	43.5	20.0	—	—
HJ	1500	41.0	34.5	48.0	—	—	60.5	43.5	20.0	—	—
CONV.	2100	45.0	28.5	51.0	—	—	51.0	43.5	20.0	—	—
HP	3100	49.0	—	25.5	56.0	12.5	101.5	48.0	16.5	—	—
HR	3600	49.0	—	25.5	56.0	12.5	86.0	45.5	22.0	—	—
HT	3700	49.0	—	25.5	56.0	10.5	86.0	45.5	22.0	—	—
HS	3800	49.0	—	25.5	56.0	12.5	98.5	45.5	22.0	—	—
HU	3900	49.0	—	25.5	56.0	10.5	98.5	45.5	22.0	—	—
TJ	4100	49.0	—	25.5	56.0	12.5	98.5	48.0	25.0	20.0	74.5
TK	4400	85.0	—	55.5	56.0	12.5	91.5	48.0	25.0	20.0	74.5
TL	4500	85.0	—	55.5	56.0	12.5	91.5	48.0	25.0	20.0	74.5
TV	6100	—	—	55.5	56.0	12.5	67.5	50.0	27.0	20.0	74.5
TW	6400	—	—	55.5	56.0	12.5	91.5	50.0	27.0	20.0	74.5
TY	6500	—	—	55.5	56.0	12.5	109.5	50.0	27.0	20.0	74.5
TX	6700	—	—	55.5	56.0	12.5	129.0	50.0	27.0	20.0	74.5
TP	5100	—	—	27.0	59.5	14.0	69.5	50.0	27.0	48.0	30.5
TR	5400	—	—	27.0	59.5	14.0	93.5	50.0	27.0	48.0	30.5
TS	5700	—	—	27.0	59.5	14.0	118.0	50.0	27.0	48.0	30.5
1951										
JK	2100	41.0	34.5	48.0	—	—	60.5	43.5	20.0	—	—
JJ	1500	41.0	34.5	48.0	—	—	60.5	43.5	20.0	—	—
CONV.	2100	45.0	28.5	51.0	—	—	51.0	43.5	20.0	—	—
JP	3100	49.0	—	25.5	56.0	12.5	101.5	47.5	16.5	—	—
JR	3600	49.0	—	25.5	56.0	12.5	86.0	44.5	22.0	—	—
JT	3700	49.0	—	25.5	56.0	10.5	86.0	44.5	22.0	—	—
JS	3800	49.0	—	25.5	56.0	12.5	98.5	44.5	22.0	—	—
JU	3900	49.0	—	25.5	56.0	10.5	98.5	44.5	22.0	—	—
UJ	4100	49.0	—	25.5	56.0	12.5	98.5	43.5	20.0	20.0	74.5
UK	4400	85.0	—	55.5	56.0	12.5	91.5	43.5	20.0	20.0	74.5
UL	4500	85.0	—	55.5	56.0	12.5	91.5	43.5	20.0	20.0	74.5
UV	6100	—	—	55.5	56.0	12.5	67.5	44.0	22.0	20.0	74.5
UW	6400	—	—	55.5	56.0	12.5	91.5	44.0	22.0	20.0	74.5
UY	6500	—	—	55.5	56.0	12.5	109.5	44.0	22.0	20.0	74.5
UX	6700	—	—	55.5	56.0	12.5	129.0	44.0	22.0	20.0	74.5
UP	5100	—	—	27.0	59.5	14.0	69.5	44.0	22.0	48.0	30.5
UR	5400	—	—	27.0	59.5	14.0	93.5	44.0	22.0	48.0	30.5
US	5700	—	—	27.0	59.5	14.0	118.0	44.0	22.0	48.0	30.5
1952										
KK	2100	41.0	32.5	48.0	—	—	60.5	43.5	19.0	—	—
KJ	1500	41.0	32.5	48.0	—	—	60.5	43.5	19.0	—	—
CONV.	2100	45.0	28.5	51.0	—	—	51.0	43.5	19.0	—	—
KP	3100	49.0	—	25.5	49.5	33.0	101.5	47.5	16.5	—	—
KR	3600	49.0	—	25.5	37.5	26.0	86.0	44.5	22.0	—	—
KT	3700	49.0	—	25.5	—	10.5	86.0	44.5	22.0	—	—
KS	3800	49.0	—	25.5	37.5	26.0	98.5	44.5	22.0	—	—
KU	3900	49.0	—	25.5	—	10.5	98.5	44.5	22.0	—	—
VJ	4100	49.0	—	25.5	37.5	26.0	98.5	44.5	21.0	20.0	74.5
VK	4400	85.0	—	55.5	56.0	12.5	91.5	44.5	21.0	20.0	74.5
VL	4500	85.0	—	55.5	56.0	12.5	91.5	44.5	21.0	20.0	74.5
VV	6100	—	—	55.5	56.0	12.5	67.5	45.0	22.5	20.0	74.5
VW	6400	—	—	55.5	56.0	12.5	91.5	45.0	22.5	20.0	74.5
VY	6500	—	—	55.5	56.0	12.5	109.5	45.0	22.5	20.0	74.5
VX	6700	—	—	55.5	56.0	12.5	129.0	45.0	22.5	20.0	74.5
VZ	6800	—	—	55.5	56.0	12.5	142.0	45.0	22.5	20.0	74.5
VP	5100	—	—	27.0	59.5	14.0	69.5	45.0	22.5	48.0	30.5
VR	5400	—	—	27.0	59.5	14.0	93.5	45.0	22.5	48.0	30.5
VS	5700	—	—	27.0	59.5	14.0	118.0	45.0	22.5	48.0	30.5

1953		A	BL	BR	C	D	E	F	G	H	J
A	1500	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
B	2100	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
C	2400	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
D	1508	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
CONV.	2400	45.0	26.5	51.5	—	—	49.0	42.5	19.0	—	—
H	3100	49.0	44.5	34.5	—	—	101.5	48.0	16.5	—	—
J	3600	49.0	35.5	27.0	—	—	86.0	44.0	22.0	—	—
K	3700	49.0	—	28.5	48.0	12.5	86.0	44.0	22.0	—	—
L	3800	49.0	35.5	27.0	—	—	98.5	44.0	22.0	—	—
M	3900	49.0	—	28.5	48.0	12.5	98.5	44.0	22.0	—	—
N	4100	49.0	35.5	27.0	—	—	98.5	45.0	21.0	20.0	74.5
P	4400	85.0	—	56.5	56.0	12.0	91.5	45.0	21.0	20.0	74.5
R	4500	85.0	—	56.5	56.0	12.0	91.5	45.0	21.0	20.0	74.5
S	5100	—	—	29.0	59.0	13.5	69.5	45.0	22.5	48.0	31.0
T	5400	—	—	29.0	59.0	13.5	93.5	45.0	22.5	48.0	31.0
U	5700	—	—	29.0	59.0	13.5	118.0	45.0	22.5	48.0	31.0
V	6100	—	—	56.5	56.0	12.0	67.5	45.0	22.5	20.0	74.5
W	6400	—	—	56.5	56.0	12.0	91.5	45.0	22.5	20.0	74.5
X	6500	—	—	56.5	56.0	12.0	109.5	45.0	22.5	20.0	74.5
Y	6700	—	—	56.5	56.0	12.0	129.0	45.0	22.5	20.0	74.5
Z	6800	—	—	56.5	56.0	12.0	142.0	45.0	22.5	20.0	74.5
1954											
A	1500	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
B	2100	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
C	2400	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
D	1508	43.5	32.5	46.0	—	—	49.0	42.5	19.0	—	—
CONV.	2400	45.0	26.5	51.5	—	—	49.0	42.5	19.0	—	—
H	3100	48.5	44.5	34.0	—	—	101.5	48.0	16.0	—	—
J	3600	48.5	35.5	27.0	—	—	86.0	44.0	21.0	—	—
K	3700	48.5	—	28.5	48.0	12.5	86.0	44.0	21.0	—	—
L	3800	48.5	35.5	27.0	—	—	99.5	44.0	21.0	—	—
M	3900	48.5	—	28.5	48.0	12.5	99.5	44.0	21.0	—	—
N	4100	48.5	35.5	27.0	—	—	99.5	45.0	21.0	20.0	74.5
P	4400	85.0	—	56.5	56.0	12.0	92.5	45.0	21.0	20.0	74.5
R	4500	85.0	—	56.5	56.0	12.0	92.5	45.0	21.0	20.0	74.5
S	5100	—	—	29.0	59.0	13.5	71.0	45.0	22.5	48.0	31.0
T	5400	—	—	29.0	59.0	13.5	95.0	45.0	22.5	48.0	31.0
U	5700	—	—	29.0	59.0	13.5	119.5	45.0	22.5	48.0	31.0
V	6100	—	—	56.5	56.0	12.0	68.5	45.0	22.5	20.0	74.5
W	6400	—	—	56.5	56.0	12.0	92.5	45.0	22.5	20.0	74.5
X	6500	—	—	56.5	56.0	12.0	110.5	45.0	22.5	20.0	74.5
Y	6700	—	—	56.5	56.0	12.0	130.5	45.0	22.5	20.0	74.5
Z	6800	—	—	56.5	56.0	12.0	143.5	45.0	22.5	20.0	74.5
1955											
A	1500*	37.5	13.0	16.5	—	—	93.0	45.5	20.0	—	—
B	2100*	37.5	13.0	16.5	—	—	93.0	45.5	20.0	—	—
C	2400*	37.5	13.0	16.5	—	—	93.0	45.5	20.0	—	—
D	1508*	37.5	13.0	16.5	—	—	93.0	45.5	20.0	—	—
CONV.	2400*	37.5	13.0	16.5	—	—	95.0	45.5	20.0	—	—
H	3100	60.0	46.5	49.5	—	—	57.5	47.0	21.0	—	—
M	3200	71.0	46.0	58.5	—	—	61.0	47.0	21.0	—	—
F	3400	126.0	11.5	52.5	—	—	46.5	48.0	22.0	—	—
G	3500	95.5	11.5	52.5	—	—	67.5	48.0	22.0	—	—
J	3600	71.0	46.0	58.5	—	—	61.0	48.0	22.0	—	—
K	3700	95.5	11.5	52.5	—	—	79.5	48.0	22.0	—	—
L	3800	71.0	46.0	58.5	—	—	74.0	48.0	22.0	—	—
N	4100	76.0	—	44.5	59.0	6.0	77.5	42.5	21.5	25.5	76.0
P	4400	76.0	—	44.5	59.0	6.0	101.0	42.5	21.5	25.5	76.0
R	4500	76.0	—	44.5	59.0	6.0	101.0	42.5	21.5	25.5	76.0

*Front crossover to center connector 48.0.


1955 (cont'd.)		A	BL	BR	C	D	E	F	G	H	J
V	6100	—	—	44.5	44.5	6.0	77.5	44.5	24.0	25.5	64.0
W	6400	—	—	44.5	44.5	6.0	101.0	44.5	24.0	25.5	64.0
X	6500	—	—	44.5	44.5	6.0	119.0	44.5	24.0	25.5	64.0
Y	6700	—	—	44.5	44.5	6.0	141.5	44.5	24.0	25.5	64.0
Z	6800	—	—	44.5	44.5	6.0	167.5	44.5	24.0	25.5	64.0
1956											
A	1500*	27.0	7.0	7.0	—	—	103.0	41.5	20.5	—	—
B	2100*	27.0	7.0	7.0	—	—	103.0	41.5	20.5	—	—
C	2400*	27.0	7.0	7.0	—	—	103.0	41.5	20.5	—	—
D	1508*	27.0	7.0	7.0	—	—	103.0	41.5	20.5	—	—
CONV.	2434*	27.0	7.0	7.0	—	—	107.0	41.5	20.5	—	—
CORV.	2900†	30.0	5.5	7.5	—	—	104.0	44.0	23.0	—	—
Ser. 3A	3100	60.0	46.5	49.5	—	—	57.5	47.0	21.0	—	—
Ser. 3B	3200	71.0	46.0	58.5	—	—	61.0	47.0	21.0	—	—
Ser. 3C	3400	130.0	14.0	55.5	—	—	45.0	48.0	22.0	—	—
Ser. 3D	3500	95.0	14.0	55.5	—	—	66.0	48.0	22.0	—	—
Ser. 3E	3600	71.0	46.0	58.5	—	—	61.0	48.0	22.0	—	—
Ser. 3F	3700	95.0	14.0	55.5	—	—	78.0	48.0	22.0	—	—
Ser. 3G	3800	71.0	46.0	58.5	—	—	74.0	48.0	22.0	—	—
Ser. 4A	4100#	22.5	—	54.0	6.0	54.0	82.0	42.5	21.5	—	—
Ser. 4B	4400#	22.5	—	54.0	6.0	54.0	58.0	42.5	21.5	—	—
Ser. 4C	4500#	22.5	—	54.0	6.0	54.0	58.0	42.5	21.5	—	—
Ser. 6A	6100#	—	—	54.0	6.0	54.0	82.0	44.5	24.0	9.0	17.5
Ser. 6B	6400#	—	—	54.0	6.0	54.0	58.0	44.5	24.0	9.0	17.5
Ser. 6C	6500#	—	—	54.0	6.0	54.0	100.0	44.5	24.0	9.0	17.5
Ser. 6D	6700#	—	—	54.0	6.0	54.0	122.0	44.5	24.0	9.0	17.5
Ser. 6E	6800#	—	—	54.0	6.0	54.0	147.5	44.5	24.0	9.0	17.5

*Front crossover to center connector 43.5.
†Front crossover to center connector 76.0.
#Center connector to union 46.5.


1957		A	BL	BR	C	D	E	F	G	H	J
A	1500*	28.0	6.9	6.9	—	—	103.0	41.5	20.3	—	—
B	2100*	28.0	6.9	6.9	—	—	103.0	41.5	20.3	—	—
C	2400*	28.0	6.9	6.9	—	—	103.0	41.5	20.3	—	—
D	1508*	28.0	6.9	6.9	—	—	103.0	41.5	20.3	—	—
CONV.	2434*	28.0	6.9	6.9	—	—	107.0	41.5	20.3	—	—
CORV.	2900†	29.8	5.3	7.0	—	—	104.0	44.0	23.0	—	—
3A	3100	59.7	46.5	49.1	—	—	57.3	20.9	47.0	—	—
3B	3200	71.0	46.0	58.5	—	—	60.9	20.9	47.0	—	—
3C	3400	130.0	13.6	55.4	—	—	60.9	20.9	47.9	—	—
3D	3500	94.6	13.6	55.4	—	—	65.9	22.0	47.9	—	—
3E	3600	71.0	46.0	58.5	—	—	60.9	22.0	47.9	—	—
3F	3700	94.6	13.6	55.4	—	—	77.9	22.0	47.9	—	—
3G	3800	71.0	46.0	58.5	—	—	73.6	22.0	47.9	—	—
4A	4100#	22.5	—	54.3	8.5	53.1	57.6	42.5	21.5	—	—
4B	4400#	22.5	—	54.3	8.5	53.1	81.6	42.5	21.5	—	—
4C	4500#	22.5	—	54.3	8.5	53.1	81.6	42.5	21.5	—	—
6A	6100#	—	—	54.3	8.5	53.1	57.6	44.3	24.4	9.0	17.5
6B	6400#	—	—	54.3	8.5	53.1	81.6	44.3	24.4	9.0	17.5
6C	6500#	—	—	54.3	8.5	53.1	46.3	44.3	24.4	9.0	17.5
6D	6700#	—	—	54.3	8.5	53.1	121.6	44.3	24.4	26.3	43.0
6E	6800#	—	—	54.3	8.5	53.1	147.5	44.3	24.4	26.3	43.0
6J	6200⊗	—	—	66.5	7.6	53.1	57.6	44.3	24.4	27.3	73.5
6K	6600⊗	—	—	66.5	7.6	53.1	81.6	44.3	24.4	27.3	73.5

*Front crossover to center connector 47.2.
†Front crossover to center connector 75.8.
#Center connector to union 46.6.
⊗Center connector to union 40.5.

4.686 CLIP—CONNECTOR—SPACER—NUT, Hydraulic Brake




3708376



3659407

36-38	FC, FD, GB, HB.....	pipe "C" to cross member (snap on).....	592012	2	.10
41-48	PASS. (exc. CONV.).....	pipe "B" to side member (bolt on—9/32 bolt hole).....	3659407	1	.05



BRAKE PIPE CONNECTORS AND SPACERS

41-53	ALL,				
53-55	CORV.,				
54-55	COMM., UTILITY (1st Ser.)	pipe "F" to hsg. cover (bolt on flat type—$^{13}/_{32}$ bolt hole)	3708376	A.R.	.10
55-57	COMM., 1½ TON (2nd Ser.) (exc. 2-SPD.)				
55-57	PASS., CORV.	rear brake rear pipe (holds $^{3}/_{16}$ and $^{5}/_{16}$ dia. tube)	3721780	A.R.	.10
55-57	1½ TON (2-SPD.) (2nd Ser.)	pipe "F" to hsg. cover (bolt on—$^{13}/_{32}$ bolt hole)	3709514	1	.08
55-57	2 TON (2nd Ser.)				
36	ALL,				
42-49	SBC,				
49-50	PASS. (exc. CONV.),				
52-54	¾, 1 TON, VJ, N (exc. H.T.),				
53-57	CORV.,				
55-57	PASS., COMM. (exc. H, D-D w/o Brake Booster)	CONNECTOR, main cylinder pipe (at cyl.)	475885	1	.71
40-52	PASS.	CONNECTOR, main cylinder pipe (at cyl.)	5453738*	1	1.20
36-46	PASS., COMM. (exc. FA, FD, KF, AN, BN, DS),				
47-48	PASS.,				
49-50	PASS. (exc. CONV.)	CONNECTOR, pipe "T" (at frame)	475896	1	.40
39-48	PASS. (exc. JB, KB)	CONNECTOR, front pipe	350433	1	.40
36-50	ALL,				
51-57	¾, 1 TON, UTILITY	CONNECTOR, rear hose	497756	1	.40
36-46	R, S, T, V, KF, W, AN, Y, BN, M, DS, O, P, (exc. WC, YT, MT, OG, PX)	CONNECTOR, pipe "T"	592129	1	.55
36-50	ALL,				
51-57	¾, 1 TON, UTILITY	CONNECTOR, rear pipe	476100	2	.30
47-57	COMM., UTIL. (exc. JP, KP, H, Ser. 3A)	CONNECTOR, pipe "T"	3676302	2	.40
49-50	CONV.	CONNECTOR, pipe "T" (sltd.) (at frame)	3688780	1	.40
49-50	CONV.	CONNECTOR, main cylinder pipe (at cyl.)	3692044	1	.50
51	PASS. (exc. CONV.),				
52-54	PASS., ½ TON (exc. CONV., Prod. P.B., H.T.)				
55-56	H, Ser. 3A (2nd Ser.) (exc. Brake Booster)	CONNECTOR, left front brake pipe at main cyl. ($^{3}/_{8}$—24)	3696540	1	.45
57	Ser. 3A				
51-54	CONV. (exc. Prod. P.B.)	CONNECTOR, main cyl. pipe (at cyl.) ($^{3}/_{8}$—24—$^{7}/_{16}$—24)	3696574	1	.50
51-57	PASS., CORV., ½ TON	CONNECTOR, rear brake hose to axle	3696552	1	.45
51-54	PASS.,				
51-55	½ TON (1st Ser.),				
53-55	CORV.	CONNECTOR, rear wheel cyl. inlet ($^{3}/_{8}$—24)	3696553	2	.35

51-54	PASS. (exc. CONV.),				
53-55	CORV. 6 cyl.	CONNECTOR, main cyl. pipe tee	3696530	1	.45
51-54	CONV.	CONNECTOR, main cyl. pipe tee	3696573	1	.45
51	½ TON	CONNECTOR, main cyl. pipe front tee (at frame)	3696560	1	.45
51-57	½ TON (exc. M, Ser. 3B)	CONNECTOR, main cyl. pipe rear tee (at frame)	3696561	1	.45
53-56	D-D, UTILITY	CONNECTOR, front hose (7/16—20 int. and ext. thds.—1 7/8 O.L.)	3693611	2	.50
55-56	M, Ser. 3B (2nd Ser.)				
53-55	CORV. 6 cyl.	CONNECTOR, rear brake pipe tee	3706072	1	.60
54	PASS. w/P.B. (Prod.)	CONNECTOR, vacuum main cyl. pipe (7/16—24—⅛—27 int. thds.)	3710979	1	.45
54	PASS. w/P.B. (Prod.)	CONNECTOR, brake pipe tee w/brkt. (7/16—24—⅜—24 int. thds.)	3711002	1	1.25
54	PASS. w/P.B. (Prod.)	CONNECTOR, brake pipe tee w/brkt. (two 7/16—24—⅜—24 int. thds.)	3710976	1	.45
55	PASS. (exc. Prod. P.B.),				
55	H (w/Brake Booster)	CONNECTOR, pipe tee w/mtg.—left	3712489	1	.50
55	PASS. (exc. Prod. P.B.)	CONNECTOR, pipe tee w/mtg.—right	3712487	1	.50
55-57	CORV. 8 cyl.	CONNECTOR, pipe tee w/mtg.	3712462	1	.40
55-57	CORV. 8 cyl.	CONNECTOR, rear brake pipe tee	3715918	1	.75
55-57	D-D (2nd Ser.) (exc. Brake Booster)	CONNECTOR, main cylinder pipe (at cyl.)	595524	1	.50
56-57	PASS.	CONNECTOR, pipe tee w/mtg.—left	3728145	1	.55
56-57	PASS.	CONNECTOR, pipe tee w/mtg.—right	3728146	1	.55
56-57	1½ TON w/H.D. Brake Booster,				
56-57	2 TON	CONNECTOR, main cyl. pipe tee	3726157	1	.50
56-57	2 TON w/H.D. Brake Booster (exc. D-D)	CONNECTOR, pipe and hose (at dash panel)	3727830	1	1.40
36	FB, FC,				
37-48	PASS.,				
49-54	PASS. (exc. CONV.)	SPACER, main cylinder pipe connector	475895	1	.02
53-55	CORV. 6 cyl.	SPACER, pipe tee connector	3706373	2	.10
55-57	COMM., UTIL. (2nd Ser.) (exc. H, Ser. 3A)	NUT, attach. front brake hose assy.,			
56-57	UTIL. w/Brake Booster	attach. brake main cyl. pipe tee connector (⅝—18)	714231	A.R.	.05

*NOTE: On 1940-48 models 5453738 must be used when 5453737 cylinder is installed.

4.765 EQUALIZER—BOLT, Parking Brake

55-57	PASS.	(2 holes 11/32 I.D.)	3710789	1	.20
55-57	PASS. (exc. CONV.)	BOLT, equalizer adjusting (5/16—24 x 4 15/16)	3710791	1	.35
55-57	CONV.	BOLT, equalizer adjusting (5/16—24 x 13 1/16)	3711631	1	.40

4.785 RETAINER, Parking Brake Cable

55-56	PASS.,				
56-57	CORV.	to front frame anchor,			
55-57	COMM. (2nd Ser.) (exc. Prop. Brake)	rear cable (15/16 x 13/16)	516213	2	.05

4.788 SHAFT, Parking Brake Cross

47-50	QL, QS, QX, RK, RL, RS, RV, RW, RX, SK, SL, SS, SV, SW, SX, TK, TL, TS, TV, TW, TX, TY	w/levers	3683465	1	2.74
47	QJ, QK, QV, QW,				
48	RJ, RK, RV, RW (w/gas tank inside frame),				
47-51	1 TON (exc. D-D)	w/levers	3684251	1	4.09
48-51	¾ TON (exc. D-D)	w/lever (foot oper.)	3687271	1	3.54
48-55	½ TON (1st Ser.)	w/levers	3699729	1	4.09
48-55	D-D (1st Ser.)	front, w/lever (foot oper.)	3687737	1	1.85
48-51	D-D	rear, w/lever (foot oper.)	3687743	1	3.54
51-55	COE	w/levers	3694583	1	3.97
52-55	¾, 1 TON (1st Ser.) (exc. D-D)	w/levers,			
52-55	D-D (1st Ser.)	rear cross shaft	3699731	1	3.54

4.791 GUIDE, Parking Brake Idler Lever

49-51	PASS. (exc. CONV., P.G.)	(11½ O.L.)	3690345	1	.40
49-53	CONV.	(9 O.L.)	3688197	1	.28

50-51	PASS. w/P.G. (exc. CONV.),				
52-54	PASS. (exc. CONV.)	(8 11/16 O.L.)	3689995	1	.40
55-57	PASS. (exc. CONV.)	(7 O.L.)	3710797	1	.85
55-57	COMM. (2nd Ser.) (exc. Prop. Brake)	(11 7/8 O.L.)	3715735	1	.60

4.792 LEVER—PIN, Parking Brake Cross Shaft and Idler

41-48	PASS.	parking, idler (10 1/2 O.L.)	3658114	1	.27
47	1/2 TON	parking, outer,			
47-51	1 TON (exc. D-D)	parking, outer,			
48-51	1/2 TON	parking (foot oper.) outer	3684260	2	.98
47-51	3/4 TON (exc. D-D)	parking, outer,			
48-51	D-D	parking, rear, outer	3676244	2	.86
47-48	QJ, QK, QV, QW, RJ, RK, RV, RW (w/inside mtd. gas tank)	hand, outer	3684263	2	.86
48-55	D-D (1st Ser.)	parking, front, inner	3687740	1	.68
49-54	PASS.	parking, idler (14 25/32 O.L.)	3689531	1	.52
52-55	COMM. (1st Ser.) (exc. D-D)	outer,			
52-55	D-D (1st Ser.)	rear, outer	3699728	2	.47
53-57	CORV.	parking, idler (stmpd. 3706279)	3706279	1	1.25
55-57	PASS. (exc. CONV.)	(10 3/8 O.L.)	3710119	1	.45
55-57	CONV.	(5/16 I.D.—8 1/2 in. from notched end)	3711389	1	.45
55-57	COMM. (2nd Ser.) (exc. 3/4, 1 TON (4-SPD.), D-D),				
57	Ser. 4 w/H.T.	w/pin, front (10 3/8 O.L.)	3717933	1	.95
55-57	COMM. (2nd Ser.) (exc. Prop. Brake)	rear (11 7/8 O.L.)	3729305	1	.65
55-57	3/4, 1, 1 1/2 TON w/ (3-SPD.) (hvy. duty), H.T. (2nd. Ser.)	w/pin, rear (12 1/2 O.L.)	3720619	1	.85
55-57	D-D (exc. 4-SPD.) (2nd Ser.)	w/pin, front lower (6 7/16 O.L.)	3721634	1	2.25
55-57	D-D (exc. 4-SPD.) (2nd Ser.)	front upper idler (3 15/16 O.L.)	3721631	1	.95
56	1 1/2 TON w/H.T.	w/pin, front (10 3/4 O.L.)	3735565	1	2.25
55-57	D-D (exc. 4-SPD.) (2nd Ser.)	PIN, upper idler lever (3 O.L.)	3721657	1	.15

4.796 SPRING, Parking Brake Cross Shaft

33-36	CA, CB, O, P, Q, R	anti-rattle (1/2 free length—1/2 O.D.) (coil type)	371704	4	.03
57	ALL				
51-55	COE	anti-rattle (1 1/2 free length—1 1/8 O.D.)	3693704	1	(4.016)

4.797 BRACKET—LINK, Parking Brake Idler Lever

49-51	PASS. (exc. CONV., P.G.)	(8 3/4 O.L.)	3690347	1	.45
49-53	CONV.	(4 11/16 O.L.)	3688195	1	.23
50-51	PASS. w/P.G. (exc. CONV.),				
52-54	PASS. (exc. CONV.)	(6 3/16 O.L.)	3689994	1	.27
55-57	PASS. (exc. CONV.)	(2—13/32 holes in line—5 17/32 O.L.)	3711203	1	.45
55-57	1/2, 3/4 TON (2nd Ser.) (exc. 3/4 TON 4-SPD., D-D),				
55-57	1, 1 1/2 TON (exc. 4-SPD.) (2nd Ser.)	front (4 21/32 O.L.)	3717937	1	.40
55-57	D-D (exc. 4-SPD.) (2nd Ser.)	front upper ("U" shape 2 1/2 x 3 1/4)	3721656	1	.60
55-57	COMM. (exc. Prop. Brake) (2nd Ser.)	rear (6 7/16 O.L.)	3715723	1	.25
55-57	3/4, 1 TON w/H.T., 3-SPD., hvy. duty (2nd Ser.)	rear (9 5/8 O.L.)	3720518	1	.55
56-57	1 1/2 TON w/H.T.	rear idler	3722076	1	2.95
55-57	COMM. (2nd Ser.) (exc. Prop. Brake)	LINK, idler lever	3715725	2	.20

4.800 CRANK—BRACKET—SPRING—REINFORCEMENT, Parking Brake

49-50	PASS.	bell (12 11/16 O.L.)	3689493	1	.71
51-52	PASS.	bell (13 15/32 O.L.)	3695339	1	.71
53-54	PASS.	bell (1 1/4 x 13 7/8 O.L.)	3699267	1	.71
40	PASS.,				
41-48	PASS. (exc. CONV.)	BRACKET (10 9/16 O.L.)	3654105	1	.33
49-52	PASS.	BRACKET	3689491	1	1.35
53-54	PASS.	BRACKET, bell crank	3698391	1	1.35
55-57	PASS.	BRACKET, cable pulley—lower	3710775	1	.45
55-57	PASS.	BRACKET, cable pulley—upper	3710783	1	.45

40-48	PASS.	SPRING, anti-rattle,			
55-57	½, ¾ TON (exc. D-D, ¾ TON 4-SPD.) (2nd Ser.)	front idler lever,			
55-57	D-D (2nd Ser.)	front, upr. idler lever anti-rattle,			
55-57	1, 1½ TON (2nd Ser.) (exc. 4-SPD.)	front and rear,			
55-57	¾ TON, w/H.T., hvy. duty (2nd Ser.)	rear idler lever (5½ coils—9/16 I.D.)	835715	1	(1.928)
49-54	PASS.	SPRING, anti-rattle (7 coils—17/32 I.D.)	3689462	1	.06
53-54	PASS.	REINFORCEMENT, bell crank, w/½ pin	3699263	1	.43

4.801 SPACER, Parking Brake Cross Shaft

47-51	½ TON,				
47-50	ER, ES, QJ, QK, QV, QW, FS, GS, HS,				
48	RJ, RK, RV, RW (w/inside mtd. gas tank),				
48-50	FR, GR, HR,				
52-55	COMM. (1st Ser.) (exc. D-D)	parking,			
48-55	D-D (1st Ser.)	parking, rear (sltd.) (1 5/32 I.D. x 1½ O.D. x 9/16)	3684268	2	.13

4.803 BRACKET—SUPPORT, Parking Brake Cross Shaft

47-55	½ TON (1st Ser.)	parking (foot oper.) reaction (2 13/32 overall)	3676312	1	.17
47-55	1 TON, QJ, QK, QV, QW (1st Ser.) (exc. D-D),				
48	RJ, RK, RV, RW (w/inside mtd. gas tank).	parking brake reaction (2 9/16 overall),			
48-55	1 TON D-D (1st Ser.)	parking brake rear reaction	3684254	1	.12
47-55	½ TON (1st Ser.)	SUPPORT, parking brake (foot oper.)	3676265	2	.28
47	UTILITY (exc. COE, SBC),				
48-55	¾, 1 TON (1st Ser.) (exc. D-D),				
48	RJ, RK, RV, RW (w/inside mtd. gas tank).	SUPPORT, hand brake,			
48-55	D-D (1st Ser.)	parking brake rear	3684252	2	.17
51-55	COE	SUPPORT, parking brake	3694588	2	.28

4.820 GUIDE, Parking Brake Pull Rod

48-51	COMM. (exc. 1 TON, D-D),				
52-55	COMM. (1st Ser.) (exc. D-D)	parking brake (rubber) (foot oper.)	3687274	1	.17


4.823 PIN—BOLT, Brake Rod

36-46	F, R, GA, GB, S, HA, HB, T, JA, JB, V, W, Y, M, O, P	hand brake (9/32 dia. x 1)	476667*	2	.07
38-40	HA, HB, COMM., UTILITY,				
41-50	UTILITY,				
41-51	1 TON (exc. D-D),				
51-55	COE	hand brake lever to rod (5/16 dia. x 1 1/16)	590094	1	.05
40-52	PASS.	bell crank to idler lever,			
53-57	CORV.	pedal clevis (1 5/16 O.L.)	3706219	1	.15
53-57	CORV.	park. brake idler lever	3706205	1	1.65
55-57	½, ¾ TON (exc. Prop. Brake) (2nd Ser.)	front cable front clevis,			
55	¾, 1 TON w/H.T., hvy. duty (2nd Ser.)	frt. and rear idler lever pull rod clevis,			
55	D-D (4-SPD.) (2nd Ser.)	park. brake pull rod clevis (5/16 dia. x 1 5/16)	3653267	A.R.	.10
49-57	PASS.	hand brk. lever link and cable (5/16 x 23/32)	3688960	2	.03
40-54	PASS.,				
53-57	CORV.	BOLT, hand brake cable clevis (5/16—24 x 1 5/16)	3654167	1	.06
53-57	CORV.	BOLT, hand brake cable clevis (5/16—24 x 7/8)	3706194	1	.10

*NOTE: Also used on 1947-50 QL, QX, RL, RX, SL, SX, TL, TX to attach hand brake cable and clamp assy. to axle.

4.824 CLEVIS—YOKE—EYE, Brake Pull Rod

36-39	F, GA, GB, HA, HB, JA, JB	hand brake (5/16—24 thd.—3 5/16 O.L.—9/32 pin hole—straight sides)	476668	2	.35
36-46	UTILITY,				
47-50	COMM., UTIL. (exc. QP, FP, FR, RP, GP, GR, SP, HP, HR, TP, D-D)	hand brake,			
48-55	COMM. (1st Ser.) (exc. FS, GS, HS)	parking brake (5/16—24 thd.—3 5/16 O.L.—9/32 pin hole—solid sides)	592087	2	.45



BRAKE ROD DIAGRAM

39-40	VG, VH, VM, VN, KF, WD	hand brake pull rod (5/16—24 thd.—3 1/8 overall—5/16 pin hole—curved),			
41-50	AN, BN, DS, COE	hand brake cable,			
47-50	QP, RP, SP, TP	parking brake pull rod	3651258	1	.45
48-55	1/2 TON, KS, L (1st Ser.)	hand brake (no thd.—3 15/16 O.L.—two 5/16 holes)	3654166	A.R.	.20
40-54	PASS.,	hand brake bell crank,			
53-57	CORV	idler lever pull rod (3/8—24 thd.—2 9/16 O.L.)	3653268	A.R.	.40
40-52	PASS	parking brake lever (2 holes 5/16 I.D.)	3710793	1	.20
55-57	3/4, 1, 1 1/2 TON w/H.T., 3-SPD. hvy. duty (2nd Ser.)	brake lever pull rod,			
55-57	PASS	upr. to lwr. idler lever pull rod (3/8-24 thd. —2 7/8 O.L.)	3720312	1	.45
55-57	1/2, 3/4 TON (2nd Ser.) (exc. D-D, 4-SPD., P/S),	front cable front (1 27/32 O.L. x 3/4 wide)	3715733	1	.10
55-57	1, 1 1/2 TON (hvy. duty, H.T.) (8 cyl.) (exc. P/S)	front cable rear (2 1/4 O.L.) (5/16—24)	144242	1	(8.946)
55-57	D-D (2nd Ser.) (exc. 4-SPD.)	YOKE, hand brake (no thd.—7 1/4 O.L.—7/16 pin hole—1 1/8 and 11/16 slot in sides—straight sides)	3656993	1	.40
41-46	AK, AL, BK, BL, CK, DP, DR	EYE, hand brake lever end (1/2—13 thd.)	3689386	1	.28
49-54	PASS				

4.826 ROD, Brake Pull

ROD, brake pedal pull

		Type	"L"			
41-46	COMM., UTIL. (exc. 1/2 TON, COE)	F	24 1/4	3658555	1	.53
48-55	D-D (1st Ser.) (exc. H.T.)	A (used as lever rod)	23 5/8	3847458†	1	.87

†NOTE: Also listed in this group under ROD, parking brake pull.

56-57	Ser. 3-4-6 (6 cyl.),				
57	Ser. 6 w/4BC	GASKET, exh. pipe to manifold,			
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	crossover pipe (2½ O.D. x 2 I.D.) (cast iron)	3731062	A.R.	.45
57	Ser. 3-4-6 (8 cyl.) (exc. 4BC)	GASKET, cast iron (2 13/32 I.D. x 3 9/32 O.D.)	3737679	1	.65

3.616 SPRING—BRACKET—RETAINER, Exhaust Pipe Support

32-48	PASS., BB, CB	(½ O.D.—18 coils—two hook ends)	369511	1	.30
32-39	COMM., UTIL.,				
39-46	COMM. (exc. KF, AN, BN, DS),				
47-48	COMM., UTIL	(⅝ O.D.—26 coils—two hook ends)	368244	1	(0.844)
39-46	UTIL., KF, AN, BN, DS	(⅝ O.D.—two hook ends—4¼ O.L.)	3651557	1	.20
53-55	CORV. 6 cyl.	BRACKET, attached to flywheel hsg	3706211	1	.70
53-57	CORV	BRACKET, left support, center insulator to frame	3706233	1	.30
53-57	CORV	BRACKET, right support center insulator to frame	3706234	1	.30
53-57	CORV	RETAINER, exhaust pipe clamp and insulator	3696888	A.R.	(3.704)

3.640 THERMOSTAT, Exhaust Manifold Heat Control Valve

37-57	ALL, CORV. (6 cyl.) (exc. D-D, COE)		838573	1	.65
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)		838292	1	.65

3.641 SPRING, Manifold Heat Control Valve

37-57	ALL, CORV. (6 cyl.)	anti-rattle (¼ wide stock—coiled)	602799	1	.40

3.647 VALVE ASSY.—SPACER, Exhaust Manifold

55	ALL, CORV. (8 cyl.),				
56	PASS. 8 cyl. (exc. dual 4BC),				
56	COMM., 1½ TON (8 cyl.) (exc. hvy. duty)	w/thermostat	3725981	1	3.25
56	PASS. w/dual 4BC,				
56	CORV	w/triangle type outlets	3731396	1	4.25
57	ALL, CORV. (8 cyl.) (exc. Ser. 6)	w/triangle type gaskets	3734204	1	4.25
56	1½ TON 8 cyl. (hvy. duty),				
56	2 TON 8 cyl.	SPACER, to manifold	3734978	1	.95
57	Ser. 6 (8 cyl.)	SPACER, exhaust pipe to manifold	3737631	1	.95

3.650 SHAFT, Manifold Heat Control Valve

39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	w/valve (shaft length 5)	596265	1	2.50

3.654 WASHER, Manifold Heat Control Valve

41-55	COE,				
41-57	D-D 6 cyl. (exc. 2 TON)	shaft	3835182	A.R.	.05

3.655 WEIGHT—SPACER, Exhaust Manifold Valve Shaft

39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	(cast 3835181)	3835181	1	.75
39-55	COE,				
39-57	D-D 6 cyl. (exc. 2 TON)	SPACER (½ x ¾ overall)	596271	1	.05

3.701 MUFFLER, Engine Exhaust

29-34	ALL (exc. CA, DA)	unit, consists of muffler and two adapters			
35-40	COMM., UTIL.	(20 7/16 length less tail pipe flange—exh. pipe hole 2 1/16—flange 1½ O.D.)	603746	1	8.25

37-39	PASS.	(stamped 593172)	593172	1	8.25
40	PASS. (exc. CONV.)	(17½ length of shell—2 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3659201*	1	9.45
41-48	PASS.				
41-49	COMM., UTIL.	(19½ length of shell—2 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3656598	1	7.70
49-52	PASS. (exc. CONV., P.G.)	(1 7/8 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3698040	1	9.45
49-52	CONV. (exc. P.G.)	(1 7/8 O.D. exhaust pipe flange—1 11/16 O.D. tail pipe flange)	3698039	1	9.45
49-52	PASS. (exc. CONV., P.G.)	aluminized	3698038	1	11.00
50-52	PASS. w/P.G. (exc. CONV.)	(2 O.D. exhaust pipe flange—1 13/16 tail pipe flange)	3698041	1	9.45
53	PASS. (exc. CONV.)				
50-52	PASS. w/P.G. (exc. CONV.),				
53	PASS. (exc. CONV.)	aluminized	3698713	1	11.00
50-52	CONV. w/P.G.	(2 O.D. exhaust pipe flange—1 11/16 tail pipe flange)	3698042	1	9.45
50-56	COMM., UTIL.,				
57	Ser. 3-4	(2 O.D. exhaust pipe flange—1 51/64 tail pipe flange)	3693710	1	7.70
50-56	COMM., UTIL.,				
57	Ser. 3-4	aluminized	3704250	1	8.60
53-54	CONV.	(2 I.D. inlet—1 13/32 O.D. outlet) (22 5/8 O.L.)	3698714	1	9.45
54-57	PASS. 6 cyl. (exc. CONV.)	(2 O.D. exh. pipe flg.—1 7/8 tail pipe flg.)	3704989	1	11.65
54-57	PASS. 6 cyl. (exc. CONV.)	aluminized	3704991	1	13.55
55-57	PASS. 8 cyl. (exc. CONV., Dual Exh.)	(34 O.L.—stamped 3714330)	3714330	1	12.05
55-57	CONV. (exc. Dual Exh.)	(28 O.L.—stamped 3711286)	3711286	1	12.05
55-56	PASS. w/4BC Dual Exh. (1st design) (exc. CONV.),				
55-57	CONV. w/4BC Dual Exh.	L.H. (28 O.L.—stamped 3719457)	3719457	1	12.05
55-56	PASS. w/4BC Dual Exh. (1st design) (exc. CONV.)	R.H. zinc coated tail pipe end plate (28 O.L.—stamped 3714634)	3714634	1	12.05
55-57	CONV. w/4BC Dual Exh., dual 4BC				
53-55	CORV. 6 cyl.	left, w/muffler front pipe	3706221	1	17.60
53-55	CORV. 6 cyl.	right, w/muffler front pipe	3706222	1	17.60
55-56	CORV. 8 cyl.	left, w/exhaust pipe extension	3718851	1	17.60
55-56	CORV. 8 cyl.	right, w/exhaust pipe extension	3718852	1	17.60
56-57	PASS. w/4BC Dual Exh. (2nd design) (exc. CONV.),				
56-57	PASS. w/dual 4BC (exc. CONV.)	L.H. (stamped 3731871) (33 3/16 O.L.)	3731871†	1	13.50
56-57	PASS. w/4BC Dual Exh. (2nd design) (exc. CONV.),				
56-57	PASS. w/dual 4BC (exc. CONV.)	R.H. (stamped 3731872) (33 3/16 O.L.)	3731872‡	1	13.50
57	CORV.	L.H., w/exhaust pipe extension	3736957	1	17.60
57	CORV.	R.H., w/exhaust pipe extension	3737644	1	17.60
57	Ser. 6 (6 cyl.),				
57	Ser. 6 w/4BC	(38 5/8 O.L.)	3741399	A.R.	11.75
57	Ser. 6 (8 cyl.) (exc. 4BC)	(38 5/8 O.L.)	3741413	1	11.75

*NOTE: When 3659201 is used on 1940 Pass. (exc. CONV.) it will be necessary to cut 2¼" from the tailpipe end of the muffler outlet.

†NOTE: Use w/pipe 3732957 to supersede 1st design muffler, 3719457, and pipe, 3714631.

‡NOTE: Use w/pipe 3732958 to supersede 1st design muffler, 3714634, and pipe, 3714636.

3.704 BRACKET—SUPPORT—INSULATOR—RETAINER—STRAP—BOLT, Muffler

34-36	UTIL.	(when installing on AN, BN, DS offset 1½ hole 5 in. to eliminate hd. brake rod interference)	592240	1	.50
37-46	COMM., UTIL (exc. KC, AK, BK, CK, DP)				
37-46	½ TON	(2⅛ x 6⅛)	3658372	1	.50
41-49	PASS.,				
50	PASS. (exc. P.G.),				
50	CONV. w/P.G.	insulator (3 x 4 3/16 overall)	3661832	1	.55
47-55	½ TON (1st Ser.)	(3¼ x 6)	3676257	1	.55
47-55	COMM., UTIL. (1st Ser.) (exc. ½ TON)	(9 7/32 x 3 3/16)	3683739	1	.55
50	PASS. w/P.G. (exc. CONV.)	supt. insulator (3 1/16 wide x 4 3/16 long)	3693055	1	.55
51-54	PASS. (exc. CONV.)	tail pipe front insulator frame	3696804	1	.75
51-54	CONV.	tail pipe front insulator frame	3696873	1	.25
55-57	PASS.	tail pipe frt. supt. (5 lg. w/1 sq.—2 rd. 11/32 holes)	3718845	A.R.	.25
55-56	PASS. (exc. CONV., Dual Exh.)	tail pipe frt. ins. frame (6 5/8 lg.)	3710133	1	.85
55-57	CONV. w/Dual Exh.	tail pipe frt. ins. frame, L.H. (3½ lg.)	3717955	1	.85


55-56	PASS. w/Dual Exh. (exc. CONV.)	tail pipe frt. ins. frame, L.H. (1 sq., 2 rd. $^{11}/_{32}$ holes)	3716849	1	.30
55-57	PASS. w/Dual Exh.	tail pipe frt. ins. frame, R.H. (1 sq., 2 rd. $^{11}/_{32}$ holes)	3716850	1	.30
55-57	COMM., UTIL. (2nd Ser.)	muffler supt. ins. frame	3722795	A.R.	.65
57	PASS. (exc. CONV., Dual Exh.)	tail pipe front ins. frame	3733274	1	.85
41-48	PASS.,				
49-50	PASS. (exc. CONV.)	SUPPORT (11 $^{1}/_{4}$ length overall)	3661833	1	.85
49-50	CONV.	SUPPORT (1 $^{7}/_{8}$ x 4)	3692085	1	.55
55	COMM., UTIL. (2nd Ser.) (exc. D-D)	SUPPORT, w/reinforcement (7 $^{1}/_{8}$ O.L.)	3721806	1	.85
55	D-D (2nd Ser.),				
56-57	COMM., UTIL.	SUPPORT (4 $^{7}/_{8}$ long)	3722793	A.R.	.75
41-50	PASS.	INSULATOR (two metal brackets moulded in rubber) (square holes)	3661831	1	.55
51-57	PASS.	INSULATOR (rubber—1 $^{3}/_{4}$ x 3 $^{5}/_{8}$)	3720456	A.R.	.55
53-57	CORV.	INSULATOR	3696882	2	(3.709)
51-54	PASS.	RETAINER, tail pipe insulator rebound (1 $^{3}/_{8}$ wide—L shaped)	3696875	A.R.	.20
55-57	PASS. w/Dual Exh.				
51-55	CONV. w/4BC.	RETAINER, muffler to tail pipe clamp,			
51-56	PASS. (exc. CONV., 4BC)	tail pipe frt. supt. brkt.,			
53-56	CORV.	insulator, tail pipe, exhaust pipe clamp,			
57	ALL, CORV.	tail pipe clamp (1 $^{3}/_{16}$ x 1 $^{3}/_{8}$),	3696888	A.R.	.10
29-31	ALL,				
32-34	N, O, DC.	STRAP (1 wide x 12 $^{11}/_{16}$ overall length—both			
34-57	COMM., UTIL.	ends hooked)	344194	A.R.	.50
29-31	ALL,				
32-34	N, O, DC.	BOLT, strap ($^{5}/_{16}$—24 x 2 $^{5}/_{8}$ overall—$^{1}/_{4}$ x 1 $^{1}/_{4}$			
34-57	COMM., UTIL.	strap slot in head)	344193	A.R.	.30

3.705 PIPE—EXTENSION—BEZEL—DUCT—PLATE, Muffler Tail (exhaust pipe in group 3.609)


33	UTIL.,				
46-48	2-SPD. AXLE (Vac. Shift) (exc. SBC)	short (1 $^{3}/_{4}$ O.D. x 8 $^{3}/_{8}$ devel. length)			
49	UTIL. (exc. SBC)	(stamped 3692278)	3692278	1	1.30
37-39	PASS.	(stamped 350506)	350506	1	4.15
37-40	$^{1}/_{2}$ TON	(stamped 599415)	599415⊕	1	2.85
37-40	GD, GE, HD, HE, JD, JE, KD, KE (PANEL, PICK-UP)	(stamped 599397)	599397	1	2.85
40	PASS. (exc. CONV.)	(stamped 3653725)	3653725	1	4.15
41-46	$^{1}/_{2}$ TON	(stamped 3656764)	3656764	1	3.25
41-49	AL, AM, BL, BM, DR, ER, FR, GR	(stamped 3657135)	3657135	1	3.85
41-49	AN, YR, BN, MR, OR, DS, PJ, ES, FS, GS (PAN.)	(stamped 3656962)	3656962	1	4.70
41-46	SBC	(stamped 3656982)	3656982	1	8.20
47-49	EP, FP, GP	(stamped 3683656)	3683656	1	3.45
47-49	QX, RX, SX	(1 $^{3}/_{4}$ O.D. x 197 $^{3}/_{4}$ length overall) (stamped 3683464)	3683464	1	9.75
47-49	QL, RL, SL	(1 $^{3}/_{4}$ O.D. x 137 length overall) (stamped 3684293)	3684293	1	6.40
41-49	AN, BN, DS, ES, FS, GS (exc. PANEL)	(1 $^{3}/_{4}$ O.D. x 89 $^{1}/_{32}$ length overall)			
41-49	UTIL. (exc. SBC)	(stamped 3684840)	3684840‡	1	4.15
41-48	PASS. (exc. CONV.)	(87 $^{7}/_{8}$ O.L.) (stamped 3687978)	3687978	1	4.70
41-48	CONV.	(93 $^{5}/_{8}$ O.L.) (stamped 3687994)	3687994	1	4.70
48-49	FT, GT	(71 O.L.) (stmpd. 3687617)	3687617	1	3.45
48-49	FU, GU	(94 $^{3}/_{8}$ O.L.) (stmpd. 3689136)	3689136	1	3.85
49-51	PASS. (exc. CONV., P.G.),				
52	PASS. (exc. CONV., STA. WAG., P.G.)	(94 O.L.) (stmpd. 3697600)	3697600	1	4.70
49-52	PASS. (exc. CONV., P.G.)	aluminized (94 O.L.) (stmpd. 3698043)	3698043	1	5.85
49-52	CONV.	(104 O.L.) (stmpd. 3697601)	3697601	1	5.05
50-51	PASS. w/P.G. (exc. CONV.),				
52	PASS. w/P.G. (exc. CONV., STA. WAG.)	(94 O.L.) (stmpd. 3697602)	3697602	1	4.70
50-51	PASS. w/P.G. (exc. CONV.),				
52	PASS. w/P.G. (exc. CONV., STA. WAG.)	aluminized (59 O.L.) (stmpd. 3701862)	3701862	1	6.20

⊕NOTE: When installing 599415 on 1937-38 cut 1 $^{1}/_{2}$ from front end of pipe and reslot.

‡NOTE: When using 3684840 on some models it may be necessary to cut off at muffler end. Use old muffler tail pipe as guide.



TRUCK HYDROVAC BRAKE CYLINDER



1955-56 PASSENGER VACUUM POWER BRAKE CYLINDER

53-54	¾, 1 TON,				
54	PASS.	CLAMP, parking (to flange plate) (two 11/32			
55	½ TON (1st Ser.)	holes—1 7/16 between ctrs.)	3697399	2	.30
55	¾, 1 TON (1st Ser.),				
55-57	¾ TON (sgl. wheel) (2nd Ser.) (exc. Prop. Brake)	CLAMP, parking, rear (two 11/32 holes—1 3/16 between ctrs.)	3708837	2	.30
36	FB, FC	BOLT, hd. brake rod to idler (5/16—24 x 1 13/32—drld.),			
39	PASS.				
46-48	UTILITY, FS	hand brk. cable to cable axle brkt.,			
48-50	COMM., UTILITY,				
49-53	PASS., COMM.,				
54	PASS.	parking brake cable to clamp	3718205	2	(2.277)
55-57	PASS.,				
55-57	COMM. (2nd Ser.) (exc. Prop. Brake)	BOLT, hand brake pulley (5/16—24 x 1)	3710790	2	.15
55-57	COMM. (2nd Ser.) (exc. Prop. Brake)	BRACKET, cable pulley (2 7/8 x 1 1/16)	3715731	1	.30
36	FB, FC,				
39	PASS.	WASHER (5/16) (use w/3682642 BOLT)	3682643	2	(2.277)

4.834 SEAL, Brake Cable

36-54	PASS.,				
36-55	COMM. (1st Ser.),				
53-55	CORV.,				
55-57	¾ TON (3-SPD.) (2nd Ser.) (Sgl. Wheel)	parking brake cable clamp (felt)	476136	2	.08
36-50	UTILITY	parking (bellows type) (5 1/8 O.L.)	592055	2	.35
41-57	PASS., CORV.,				
47-55	COMM. (1st Ser.) (exc. Prop. Brake),				
47-50	UTILITY	(bellows type) frame brkt. end	3691420	2	.25

4.866 AIR COMPRESSOR CONNECTING PARTS

57	Ser. 6 (D-D)	BRACKET, air power brake compressor to reservoir rr. pipe	3741902	1	.95

4.898 BRAKE UNIT—REPAIR KIT—MOUNTING PARTS, Vacuum Power

53-54	PASS. w/P.B.	(3717007 stamped on cyl.) (Bendix 376500)	987215	1	48.50
55-56	PASS. w/P.B.	(3717007 stamped on cyl.) (Bendix 376500)	987260	1	48.50
57	PASS. w/P.B.	(Bendix 377870)	987508	1	53.95
46-57	COMM., UTILITY	KIT, piston pack repair (Bendix 374515)	609907	1	5.75
46-49	COMM., UTILITY	KIT, brake cyl. repair (Bendix 374986)	3847643	1	8.50
49-57	UTILITY (w/2208488)	KIT, brake cyl. repair (Bendix 377766)	3738753	1	10.25
50	ALL (w/Midland Brake)	KIT, cyl. minor repair (Midland RC-16-F)	2268130	1	5.95
51-52	¾, 1 TON (w/3697263)	KIT, brake cyl. repair (Bendix 375118)	2284937	1	8.50
53-57	PASS. w/P.B. (Accessory),				
55-57	COMM. w/Brake Booster	KIT, brake cyl. repair (Bendix 377774)	3738755	1	10.25
53-57	PASS. w/P.B. (Accessory),				
55-57	COMM. w/Brake Booster	KIT, cyl. poppet replacement (Bendix 377040)	1463163	1	(4.928)
54	PASS. w/P.B. (Prod.)	KIT, brake cyl. repair (Bendix 376941)	3711742	1	7.60
54	PASS. w/P.B. (Prod.)	KIT, brake cyl. piston packing (Bendix 376942)	3711743	1	8.75
55-56	PASS. w/P.B. (Prod)	KIT, cylinder repair (Bendix 377837)	3733920	1	7.75
55-56	PASS. w/P.B. (Prod.)	KIT, cyl. piston packing (Bendix 377228)	3718471	1	8.75
55-56	PASS. w/P.B. (Prod.)	KIT, cyl. poppet replacement (Bendix 377838)	3733919	1	(4.928)
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	KIT, brake cyl. repair (Bendix 377787)	3738758	1	11.00
46-57	UTILITY,				
51-52	¾, 1 TON w/Brake Booster	KIT, cyl. poppet relacement (Bendix 374310)	2214318	1	(4.928)
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	KIT, cyl. piston packing (Bendix 374510)	2218827	1	9.00
57	PASS. w/P.B. (Prod.) w/A.T.	KIT, brake cyl. piston packing (Bendix 378153)	3741364	1	4.75
57	PASS. w/P.B. (Prod.) w/A.T.	KIT, cyl. poppet replacement (Bendix 378155)	3741365	1	(4.928)
57	PASS. w/P.B. (Access.),				
57	PASS. w/P.B. (Prod.) (exc. A.T.)	KIT, brake cyl. repair (Bendix 378160)	3741020	1	10.00
57	PASS. w/P.B. (Prod.) w/A.T.	KIT, brake cyl. repair (Bendix 378156)	3741366	1	7.25
46	COMM., UTILITY (exc. COE),				
48-52	¾, 1 TON,				
48-55	RJ, SJ, TJ, UJ, VJ, N (1st Ser.) (exc. hvy. duty)	BRACE	3681957	1	.25
47-55	UTIL. (exc. RJ, SJ, TJ, UJ, VJ, N, COE, H.D. Brake Booster),				
49-55	SJ, TJ, UJ, VJ, N (hvy. duty)	BRACE	3683716	1	.25

55-57	COMM. w/Brake Booster (2nd Ser.) (exc. D-D)	BRACE ($6\frac{21}{64}$ long)	3724658	1	.25
55	2 TON w/H.D. Brake Booster (2nd Ser.)	BRACE ($8\frac{9}{16}$ long)	3717979	1	.45
56-57	UTIL. w/Brake Booster (exc. SBC)	BRACE, cyl. w/two $\frac{11}{32}$ holes	3727822	1	.25
56-57	$1\frac{1}{2}$ TON SBC,				
56-57	2 TON w/H.D. Brake Booster	BRACE, cyl. w/one each $\frac{11}{32}$, $\frac{13}{32}$ holes	3727802	1	.35
42-46	M, O, P (exc. MY, OW, COE),				
48-52	$\frac{3}{4}$, 1 TON, RJ, SJ, TJ, UJ, VJ,				
53-55	N (1st Ser.)	BRACKET, mounting	3681398	1	.48
49-55	UTIL. (exc. SJ, TJ, UJ, VJ, N, COE, H.D. Brake Booster),				
49-55	SJ, TJ, UJ, VJ, N (hvy. duty)	BRACKET, mounting	3690218	1	.53
55-57	COMM. w/Brake Booster (2nd Ser.) (exc. D-D)	BRACKET, mtg. (4—$\frac{11}{32}$ holes)	3724657	1	1.20
55-57	D-D w/Brake Booster (2nd Ser.)	BRACKET, mtg. (6—$\frac{11}{32}$ holes)	3722580	1	.70
55	2 TON w/H.D. Brake Booster (2nd Ser.)	BRACKET, mtg. (5—$\frac{13}{32}$ holes)	3717980	1	1.15
56-57	$1\frac{1}{2}$ TON w/Brake Booster,				
56-57	2 TON (exc. H.D. Brake Booster)	BRACKET, mtg. ($5\frac{3}{16}$ O.L.)	3727821	1	.50
56-57	2 TON w/H.D. Brake Booster	BRACKET, mtg. (11 O.L.)	3727801	1	1.10
55-57	PASS. w/P.B. (Prod.)	NUT, mounting plate anchor ($\frac{5}{16}$—24 x 3)	3713996	1	.15

4.901 CYLINDER ASSEMBLY, Vacuum Power Brake

46-57	UTILITY (exc. H.D. Brake Booster),				
50-51	1 TON	(Bendix 374000) (15 O.L.)	2208488	1	48.00
51-52	PASS. w/P.B. (part of 987214)	($\frac{1}{2}$—14 thd. in connector to vac. source)	3717013	1	44.50
51-52	$\frac{3}{4}$, 1 TON	(Bendix 375100)	3697263	1	44.50
53-56	PASS. w/P.B. (Accessory)	w/o boot ($5\frac{1}{4}$ dia.)	3717007	1	(4.650)
54	PASS. w/P.B. (Prod.)	(Bendix 376911)	3710956	1	(4.650)
55-56	PASS. w/P.B. (Prod.)	(Bendix 377742)	3729788	1	(4.650)
55-57	COMM. w/Brake Booster (2nd Ser.)	($\frac{3}{8}$—18 thd. to vac. source)	3724614	1	44.50
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(Bendix 374980)	2241895	1	60.00
57	PASS. w/P.B. (Access.),				
57	PASS. w/P.B. (Prod.) (exc. A.T.)	(Bendix 377870)	3733967	1	(4.650)
57	PASS. w/P.B. (Prod.) w/A.T.	(Bendix 377674)	3740403	1	(4.650)

4.902 TANK ASSY., Vacuum Power Brake Cylinder Reserve

46-57	UTILITY		094128	1	13.75
54	PASS. w/P.B. (Prod.)	(capacity—184 cu. in.)	3711531	1	2.90
55-56	PASS. w/P.B. (Prod.)	(capacity—185 cu. in.)	3715069	1	3.15
57	PASS. w/P.B. (Prod.) w/A.T.		3733675	1	3.25

4.904 GASKET—PLATE, Vacuum Power Brake Cylinder

46-57	COMM., UTIL. (exc. H.D. Brake Booster).	center plate (w/notched type) (Bendix			
51-57	PASS. w/P.B. (Access.)	374553)	3847006	1	.25
54-57	PASS. w/P.B. (Prod.)	body end plate ($5\frac{1}{8}$ I.D.) (Bendix 376050)	563716	1	.20
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	center plate (Bendix 374552)	2223596	1	.25
46-49	UTILITY,				
51-52	$\frac{3}{4}$, 1 TON,				
53-57	PASS. w/P.B. (Access.)	PLATE, end, w/seal (Bendix 374098)	609794	1	9.00
49-57	UTIL. (w/2208488)	PLATE, end, w/seal (Bendix 374024)	2208790	1	10.00
54	PASS, w/P.B. (Prod.)	PLATE, body end	563751	1	1.35
55-57	PASS. w/P.B. (Prod.)	PLATE, body end (Bendix 377071)	520664	1	1.00
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	PLATE, end, w/seal (Bendix 374974)	2246650	1	20.00

4.906 SHELL ASSEMBLY—BODY—BOLT, Vacuum Power Brake Cylinder

49-57	UTIL. (w/2208488)	(Bendix 374040)	2208786	1	7.50
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(Bendix 373903)	2208707	1	10.00
57	PASS. w/P.B. (Prod.) w/A.T.	(Bendix 378198)	3741436	1	6.00
54	PASS. w/P.B. (Prod.)	BODY, cylinder	3711739	1	6.25
55-56	PASS. w/P.B. (Prod.)	BODY main cylinder (Bendix 377181)	3718469	1	6.00
49-57	UTIL. (w/2208488)	BOLT, hook ($\frac{3}{16}$—24 thd. x $7\frac{3}{8}$ O.L.) (Bendix 374047)	2208787	1	.35
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	BOLT, hook ($\frac{3}{8}$—24 thd. x $1\frac{5}{8}$) (Bendix 373933)	2208708	4	.50

4.907 NUT—KIT, Vacuum Power Brake Hydraulic Cylinder

46-49	UTILITY,				
51-57	PASS. w/987214, 3717007,				
51-52	¾, 1 TON,				
55-57	COMM. w/Brake Booster (2nd Ser.)	tube (1⅜—18) (Bendix 375051)	2248161†	1	.60
46-49	UTILITY,				
51-52	¾, 1 TON	KIT (Bendix 375093)	3690336*	1	3.25
49-57	UTIL. (w/2208488)	KIT, cyl. replacement (Bendix 375092)	2252468	1	4.65
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	KIT, cyl. replacement (Bendix 375091)	2252467	1	4.90

†NOTE: 2248161 used with Tube having (3) threaded sections.

*NOTE: 3690336 consists of new type Tube having (3) threaded sections, Nut and Seal.

4.910 GASKET—PLUG—SEAL—CUP, Vacuum Power Brake

54-57	PASS. w/P.B. (Prod.)	vac. cyl. to main cyl. (3 holes 17/64 dia.) (Bendix 377460)	563710	1	.15
46-49	UTILITY,				
51-52	¾, 1 TON,				
51-57	PASS. w/P.B. (part of 987214, 3717007),				
55-57	COMM. w/Brake Booster (2nd Ser.)	PLUG, hydraulic cylinder end (Bendix 375063)	3690335	1	2.60
49-57	UTIL. (w/2208488)	PLUG, hydraulic cylinder end (Bendix 374037)	2209254	1	2.40
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	PLUG, hydraulic cylinder end (Bendix 373896)	2218821	1	2.60
46-49	UTILITY,				
51-52	¾, 1 TON,				
53-57	PASS. w/P.B. (Access.),				
55-57	COMM. w/Brake Booster	SEAL, hydraulic cylinder valve (Bendix 374087)	609788	1	.20
46-49	UTILITY,				
51-52	¾, 1 TON	SEAL, hydraulic cylinder tube (Bendix 375043)	2248162‡	1	.15
49-57	UTIL. (w/2208488-2241895)	SEAL, cyl. valve (1 x 1 11/64) (Bendix 373907)	2208714	1	.20
54-57	PASS. w/P.B. (Prod.)	SEAL, main cyl. push rod (Bendix 375981)	563709	1	1.10
54-57	PASS. w/P.B. (Prod.)	SEAL, vac. cyl. to main cyl. (Bendix 375042)	2250517	1	.18
57	PASS. w/P.B. (Prod.) w/A.T.	SEAL, reaction plunger "O" ring (Bendix 377892)	524281	1	.35
54-57	PASS. w/P.B. (Prod.)	CUP, main cylinder (1 1/16 O.D.) (Bendix 375978)	563706	1	.60

‡NOTE: Used with Tube having (3) threaded sections.

4.911 RETAINER—RING—WASHER, Vacuum Power Brake Cylinder

54-57	PASS. w/P.B. (Prod.)	main cylinder cup (Bendix 375977)	563736	1	.45
54-57	PASS. w/P.B. (Prod.)	RING, main cyl. retaining (Bendix 907685)	2305882	1	.35
46-57	COMM., UTIL.,				
51-57	PASS. w/P.B. (Access.)	WASHER, push rod (5/16) (Bendix 373929)	2208718	1	.35
46-57	COMM., UTIL.,				
51-52	PASS. w/P.B. (part of 987214)	WASHER, hyd. cyl. piston stop (Bendix 375880)	2282850	1	.05
54-57	PASS. w/P.B. (Prod.)	WASHER, main cyl. piston (21/32 I.D. x 1⅜ O.D.) (Bendix 375979)	563707	1	.25
54-57	PASS. w/P.B. (Prod.)	WASHER, main cyl. stop (23/32 I.D. x 1⅜ O.D.) (Bendix 375980)	563737	1	.15
57	PASS. w/P.B. (Prod.) w/A.T.	WASHER, valve plunger guide (Bendix 377905)	524291	1	.20
57	PASS. w/P.B. (Prod.) w/A.T.	BUMPER, reaction plunger valve (Bendix 378029)	524427	1	.20

4.913 CLEANER AND PARTS, Vacuum Power Brake Cylinder Air

48-53	COMM., UTIL. (exc. COE),				
54-55	UTILITY (1st Ser.)	assembly (bolted type)	3689056	1	2.25
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	assembly (3⅞ O.D.)	3722100*	1	1.75
46-55	COMM., UTIL. (1st. Ser.)	HOSE (½ I.D. x 88 w/wire reinforcement)	3693316	A.R.	1.75
55-57	1½ TON 8 cyl. w/Brake Booster or 2-SPD.	HOSE, pipe conn. to air cleaner (10 x 1½ I.D.)	3720469	A.R.	(8.962)
55-57	2 TON w/H.D. Brake Booster	HOSE, air cleaner (¾ I.D. x. 138 long—wire reinforced)	3727896	1	5.50
54	PASS. w/P.B. (Prod.)	COVER, air cleaner	563753	1	.60
55-56	PASS. w/P.B. (Prod.)	COVER, air cleaner (Bendix 377090)	520665	1	.60
57	PASS. w/P.B. (Prod.) w/A.T.	COVER (Bendix 377918)	524305	1	.50
54	PASS. w/P.B. (Prod.)	GASKET, air cleaner cover screw (Bendix 376310)	563719	1	.05

*NOTE: Connector 3717999 group 4.931, also used as air cleaner mounting bracket.

55-57	PASS. w/P.B. (Prod.)	GASKET, cover screw (Bendix)	3718458	1	.05
57	PASS. w/P.B. (Prod.) w/A.T.	GASKET, cover (Bendix 377917)	524304	1	.25

4.915 PISTON ASSEMBLY—PLUNGER—MEMBRANE—RING, Vacuum Power Brake Hydraulic Cylinder

46-49	UTILITY,				
51-52	¾, 1 TON,				
51-52	PASS. w/P.B. (part of 987214)	(Bendix 374080)	609784	1	4.50
49-57	COMM., UTIL. (w/2208488)	(Bendix 374018)	2208784	1	4.50
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(Bendix 373881)	2208704	1	4.25
54	PASS. w/P.B. (Prod.)	PLUNGER, main cyl. w/washer	563731	1	2.85
55-56	PASS. w/P.B. (Prod.)	PLUNGER, main cyl. w/washer (Bendix 377179)	3718455	1	2.75
57	PASS. w/P.B. (Prod.) w/A.T.	PLUNGER, reaction (Bendix 377942)	3741024	1	4.00
57	PASS. w/P.B. (Prod.) w/A.T.	MEMBRANE, reaction plunger (Bendix 377881)	524276	1	.30
57	PASS. w/P.B. (Prod.) w/A.T.	RING, reaction plunger membrane (Bendix 377944)	3741420	1	.15

4.916 CUP, Vacuum Power Brake Cylinder

46-49	UTILITY (w/3685915),				
51-57	PASS. w/P.B. (Access.),				
51-52	¾, 1 TON,				
55-57	COMM. w/Brake Booster (2nd Ser.)	piston (Bendix 374077)	609783	1	.60
46-57	COMM., UTIL.	push rod washer hyd. piston (Bendix 375429)	2266042	1	.50
51-57	PASS. w/P.B. (Access.)				
49-57	UTIL. (w/2208488)	piston (molded 374021)	2209252	1	.60
50	ALL (w/Midland)	slave cyl. (1 O.D.)	2268077	1	.26
54-57	PASS. w/P.B. (Prod.)	main cylinder (1 1/16 O.D.) (Bendix 375978)	563706	1	(4.910)
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	piston (Bendix 373884)	2208743	1	.60

4.917 RETAINER—RING—SPRING, Vacuum Power Brake Slave Cylinder

46-57	COMM., UTIL.,				
53-57	PASS. w/P.B. (Access.)	hyd. cyl. piston spring (Bendix 377849)	3738728	1	.35
54-57	PASS. w/P.B. (Prod.)	main cyl. cup	563736	1	(4.911)
46-57	COMM., UTIL.	RING, hyd. cyl. piston stop washer snap (Bendix 377320)	1463294	1	.10
51-57	PASS. w/P.B. (Access.)				
46-57	COMM., UTIL.,				
57	PASS.	RING, valve body cover snap (Bendix 373919)	2208732	1	.11
46-57	UTIL.	RING, hyd. piston check valve snap (Bendix 373932)	2208745	1	.05
54-57	PASS. w/P.B. (Prod.)	RING, main cyl. retaining (Bendix 907685)	2305882	1	(4.911)
46-57	COMM., UTIL.,				
57	PASS.	SPRING, valve poppet (Bendix 374023)	2208796	1	.18
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	SPRING, valve poppet (5/16 O.D. at small end) (Bendix 373924)	2208733	1	.15

4.922 PISTON ASSY.—PLATE—COVER—SPRING—WASHER—DIAPHRAGM—RETAINER—GASKET, Vacuum Power Brake Cylinder

46-49	UTILITY,				
51-52	¾, 1 TON	(w/push rod) (Bendix 374074)	609782	1	9.00
49-57	UTIL. (w/2208488)	(w/push rod) (Bendix 374056)	2208783	1	10.50
50	ALL (w/Midland)	(w/diaphragm)	2268057	1	5.00
54	PASS. w/P.B. (Prod.)		519275	1	7.00
57	PASS. w/P.B. (Prod.) w/A.T.	(Bendix 377894)	524284	1	3.25
54	PASS. w/P.B. (Prod.)	PLATE, piston	563744	1	.75
55-56	PASS. w/P.B. (Prod.)	PLATE, piston (Bendix 377074)	3718450	1	.75
54	PASS. w/P.B. (Prod.)	PLATE, piston packing retainer	563743	1	.35
55-56	PASS. w/P.B. (Prod.)	PLATE, piston rear (Bendix 377049)	3718464	1	3.25
57	PASS. w/P.B. (Prod.) w/A.T.	PLATE, piston w/washer (Bendix 377904)	524290	1	2.75
57	PASS. w/P.B. (Prod.) w/A.T.	PLATE, piston expander ring retaining (Bendix 377909)	524295	1	.35
54-56	PASS. w/P.B. (Prod.)	COVER, piston diaphragm (Bendix 376020)	563748	1	2.65
54	PASS. w/P.B. (Prod.)	SPRING, reaction	563747	1	.50
55-56	PASS. w/P.B. (Prod.)	SPRING, reaction (Bendix 376896)	3718452	1	.50

57	PASS. w/P.B. (Prod.) w/A.T.	SPRING, counter reaction (Bendix 377919)	524306	1	.10
57	PASS. w/P.B. (Prod.) w/A.T.	WASHER, counter reaction spring (Bendix 377885)	524301	1	.10
55-56	PASS. w/P.B. (Prod.)	DIAPHRAGM, vac. cyl. (Bendix 377173)	3718456	1	3.75
55-56	PASS. w/P.B. (Prod.)	RETAINER, piston packing (Bendix 377073)	3718451	1	.35
54-56	PASS. w/P.B. (Prod.)	GASKET, vac. cyl. diaphragm (Bendix 376018)	563727	1	.25

4.924 ROD ASSY.—SPRING—RETAINER—WASHER, Vacuum Power Brake Cylinder Piston

46-49	UTILITY,				
51-52	¾, 1 TON	(Bendix 374083)	609786	1	2.35
49-57	UTIL. (w/2208488)	(7 O.L.) (Bendix 374046)	2208797	1	3.00
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(Bendix 373926)	2208750	1	3.25
46-49	UTILITY,				
51-52	¾, 1 TON	SPRING, return (Bendix 374084)	609787	1	1.20
49-57	UTIL. (w/2208488)	SPRING, return (Bendix 374048)	2208788	1	1.40
54-56	PASS. w/P.B. (Prod.)	SPRING, return	563739	1	1.10
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	SPRING, return (2 13/32 I.D. at small end) (Bendix 373856)	2208709	1	2.20
57	PASS. w/P.B. (Prod.) w/A.T.	SPRING, return (Bendix 377891)	524280	1	1.00
54-56	PASS. w/P.B. (Prod.)	RETAINER, spring	563740	1	.45
57	PASS. w/P.B. (Prod.) w/A.T.	RETAINER, return spring (Bendix 377743)	524282	1	.45
54	PASS. w/P.B. (Prod.)	WASHER, piston stop (Bendix 376012)	563746	1	.15
54	PASS. w/P.B. (Prod.)	WASHER, vac. cyl. piston (1 1/8 I.D. x 2 O.D.)	563713	1	.25
54-57	PASS. w/P.B. (Prod.)	WASHER, spring retainer (7/8 O.D.) (Bendix 376073)	563711	1	.10
55-56	PASS. w/P.B. (Prod.)	WASHER, compensator stop (Bendix 377060)	520654	1	.20
55-56	PASS. w/P.B. (Prod.)	WASHER, vac. cyl. piston (Bendix 377061)	520655	1	.20

4.926 PIN—SEAL, Vacuum Power Brake Cylinder Push Rod

46-57	COMM., UTIL.,				
57	PASS.	(Bendix 376182)	2208712	1	.15
46-57	COMM., UTIL.	SEAL, hyd. cyl. push rod guide (leather)			
51-57	PASS. w/P.B. (Access.)	(Bendix 372301)	2158837	1	1.00

4.928 PIVOT—ARM—POPPET ASSY.—DIAPHRAGM—PLATE—SPRING—RETAINER—KIT, Vacuum Power Brake Cylinder Poppet Valve

55-56	PASS. w/P.B. (Prod.)	piston (1 1/16 I.D.) (Bendix 377211)	520652	1	.50
55-56	PASS. w/P.B. (Prod.)	ARM, piston pivot (1 3/4 ctr. to ctr. holes) (Bendix 377056)	520660	1	.20
57	PASS. w/P.B. (Prod.) w/A.T.	POPPET ASSY. (Bendix 377900)	524287	1	1.50
57	PASS. w/P.B. (Prod.) w/A.T.	DIAPHRAGM, poppet (Bendix 377902)	524288	1	.50
57	PASS. w/P.B. (Prod.) w/A.T.	PLATE, diaphragm (1 13/32 I.D. x 1 23/32 O.D.) (Bendix 377903)	524289	1	.10
57	PASS. w/P.B. (Prod.) w/A.T.	PLATE, diaphragm (w/slot) (Bendix 377913)	524299	1	.15
57	PASS. w/P.B. (Prod.) w/A.T.	SPRING, poppet return (Bendix 377910)	524296	1	.10
57	PASS. w/P.B. (Prod.) w/A.T.	RETAINER, reaction plunger spring (Bendix 377911)	524297	1	.15
55-56	PASS. w/P.B. (Prod.)	KIT, cyl. poppet replacement (Bendix 377838)	3733919	1	4.20
46-57	UTILITY,				
51-52	¾, 1 TON w/Brake Booster	KIT, cyl. poppet replacement (Bendix 374310)	2214318	1	2.60
53-57	PASS. w/P.B. (Accessory),				
55-57	COMM. w/Brake Booster	KIT, cyl. poppet replacement (Bendix 377040)	1463163	1	2.75
57	PASS. w/P.B. (Prod.) w/A.T.	KIT, poppet replacement (Bendix 378155)	3741365	1	2.50

4.930 PIPE—FITTING—VALVE ASSY.—CLIP, Vacuum Power Brake Cylinder

47-55	COE	brake check valve to manifold (15½ long)	3686100	1	.73
47-53	COMM., UTIL. (exc. COE) (frame channel 8⅜ deep)	to check valve, lwr. frt. (½ x 38½ dev. length)	3687578	1	.95
47-55	COMM., UTIL. (1st Ser.) (exc. COE) (frame channel 8⅞ deep)	to check valve, lower rear (½ x 70⅞ dev. length)	3703375	1	1.65
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	to check valve, upr. (½ x 9⅞ dev. length)	3684079	1	.50
48-53	RJ, SJ, HS, TJ, JS, UJ, KS, VJ, N (frame channel 7 deep)	to check valve, lwr. frt. (½ x 32½ dev. length)	3690857	1	.93

54-55	COMM., UTIL. (1st Ser.) (exc. COE) (frame channel 8⅞ deep)	to check valve lwr. frt. (½ O.D. x 32⅝ dev. length)	3703377	1	.95
55	UTILITY (2nd Ser.) (exc. H.D. Brake Booster)	to check valve rear (½ x 40⅜ dev. length)	3715858	1	.95
55	2 TON w/H.D. Brake Booster (2nd Ser.)	to check valve rear (½ x 39½ dev. length)	3717974	1	1.15
55	UTILITY (2nd Ser.) (exc. H.D. Brake Booster)	to connector rear (½ x 47 dev. length)	3716826	1	1.15
55-57	ALL	copper tubing, ½ I.D., 10 ft. roll	3733221	A.R.	(8.964)
55-57	ALL	steel tubing, ½ I.D., 10 ft. roll	3733220	A.R.	(8.964)
46-57	COMM., UTIL. w/2208488 (exc. ¾, 1 TON)	FITTING, relay valve	609780	1	1.25
54-57	PASS. w/P.B. (Prod.)	FITTING, relay valve	563730	1	.80
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	FITTING, relay valve (¾—16 thd.—1⅛ O.L.) (Bendix 373886)	2218824	1	1.25
54-57	PASS. w/P.B. (Prod.)	VALVE ASSY. w/seal, compensating (Bendix 376177)	563721	1	1.10
55-57	UTILITY w/Brake Booster	CLIP, to check valve front pipe or to conn. front pipe (½ dia.)	3726925	2	.05
57	Ser. 6 w/H.D. Brake Booster	CLIP, to check valve frt. pipe, to conn. assy. frt. hose	3737528	2	.05

4.931 ELBOW—HOSE—CONNECTOR—TEE—PLATE—GASKET—SUPPORT—PLUG—CLIP, Vacuum Power Brake Cylinder

46-49	UTILITY	ELBOW ASSY., hose (½ dia.—⅜ thd.) (Bendix 374088)	609789	1	1.10
51-52	¾, 1 TON	ELBOW, valve pipe (½ male, ¾ female thd.)	187712	1	(8.963)
46-57	COMM., UTIL. (w/Bendix)	ELBOW, check valve hose (½—14 x 2⅞)	3685878	1	(5.638)
47-50	2 SPD. (Vac. Shift) (w/Bendix)	ELBOW ASSY., hose (⅜ thd. x 6¾ O.L.)	2208795	1	1.25
49-57	UTIL. (w/2208488)	ELBOW ASSY., hose (½ thd. x ⅝ dia.) (Bendix 373905)	2208730	1	1.80
55-56	2 TON w/H.D. Brake Booster (2nd Ser.)	ELBOW ASSY., hose (Bendix 378079)	3739875	1	1.80
57	PASS. w/P.B.	HOSE (½ I.D.—25 ft. roll) (cyl. pipe and check valve) (cut to length required)	609742	A.R.	19.83
46-57	COMM., UTIL.	HOSE, vacuum cylinder (4⅝ O.D. x ⅝ thk.) (Bendix 376032)	519284	1	.70
54-55	PASS. w/P.B. (Prod.)	HOSE, vacuum power (Bendix 377315)	521051	1	.85
55-56	PASS. w/P.B. (Prod.)	HOSE, to pipe tee front and rear (¾ I.D. x 138 long) (wire reinforced)	3727896	A.R.	(4.913)
56-57	2 TON w/H.D. Brake Booster	HOSE, vacuum cyl. (moulded—Bendix 377521)	524311	1	.90
57	PASS. w/P.B. (Prod.) w/A.T.	CONNECTOR, at mfld. (⅞ pipe thd.)	3686099	1	.68
47-55	COE (exc. 261)				
48-55	COMM., UTIL. (w/Vacuum Booster) (1st Ser.) (exc. COE),				
55	1½ TON SBC (2-SPD.) (2nd Ser.) (exc. Pos. Vent.),				
55	2 TON SBC (2nd Ser.) (exc. hvy. duty eng., Pos. Vent.),				
56-57	1½ TON SBC (2-SPD.) 6 cyl. w/Brake Booster	CONNECTOR, booster to inlet (7/16—24, ¾—18 intl thds., ½ ext. pipe thds.)	3690748	1	.95
56	2 TON SBC 6 cyl.	CONNECTOR, air cleaner hose (2¼ O.D. x 2⅝ long)	3717999	1	.45
55-57	2 TON w/H.D. Brake Booster (2nd Ser.) (exc. D-D)	CONNECTOR, pipe to air cleaner (2½ O.L.)	3717383	1	.90
55	2 TON 8 cyl.				
55-57	1½ TON w/oil bath air cleaner (2nd Ser.)				
55-56	2 TON (2nd Ser.)	CONNECTOR, vac. pwr. brake pipe (⅝ O.D.)	3716831	1	.90
56-57	2 TON w/H.D. Brake Booster	CONNECTOR, air cleaner	3725770	1	.65
56-57	UTIL. 8 cyl. (exc. H.D. Brake Booster)	CONNECTOR, pipe to air cleaner	3729717	1	.90
56-57	COMM. 8 cyl. (exc. D-D)	CONNECTOR, to manifold hose, check valve and tee to manifold hose	3723626	1	(1.745)
56-57	1½ TON 8 cyl. w/Brake Booster				
56-57	1½ TON w/Brake Booster,				
56-57	2 TON (exc. H.D. Brake Booster)	CONNECTOR, to check valve rear pipe	3726182	1	2.25
56-57	SBC, 2 TON D-D	CONNECTOR, pwr. brk. cyl. to ck. valve tee (1 5/16 x 2½)	3735494	1	2.25
56-57	2 TON w/H.D. Brake Booster	CONNECTOR, cyl. to pipe conn. assy. hose (¾ dia.—3 long)	3727893	1	.10
56-57	UTILITY w/Reserve Tank (exc. SBC)	CONNECTOR, cyl. to check valve rear (brass)	3726156	1	1.25
57	Ser. 6 w/4BC	CONNECTOR, pipe to air cleaner hose	3734498	1	.60
57	Ser. 6 (exc. Ser. 6J-6K, hvy. duty)	CONNECTOR, vac. pwr. brake pipe (⅝ OD..) (use w/cleaner 372100)	3742726	1	

57	Ser. 6 (8 cyl.) w/H.D. Brake Booster (exc. 4BC)	CONNECTOR, pipe to air cleaner hose	3726246	1	(1.745)
46-48	2 SPD. AXLE (Vac. Shift)	TEE ASSY. (Bendix 374699)	3847069	1	(5.645)
47-55	COMM., UTILITY (1st Ser.) (exc. 2-SPD.),				
55-57	UTIL. 6 cyl. (2nd Ser.) (exc. 2-SPD.)	TEE ASSY., check valve (Bendix 374811)	3847412	1	2.50
47-55	UTILITY	TEE, reserve tank (½ inch)	3686181	1	.95
55-57	PASS. 8 cyl. w/P.B. (Prod.)	TEE ASSY., pipes to carb.	3718911	1	.75
55-57	COMM. 6 cyl. w/Brake Booster (2nd Ser.) (exc. Pos. Vent., D-D)	TEE, manifold (½—14 ext. thd.)	3722074	1	1.25
55-57	UTILITY 8 cyl. (exc. 2-SPD.)	TEE ASSY., check valve	3719508	1	3.25
56-57	COMM. 8 cyl. w/Brake Booster (exc. D-D)	TEE, manifold,			
56-57	1½ TON 8 cyl. (2-SPD.) w/Brake Booster	check valve and tee assy. to manifold hose	3729398	A.R.	(1.745)
54	PASS. w/P.B. (Prod.)	PLATE ASSY., inner w/tube	519274	1	.70
54	PASS. w/P.B. (Prod.)	PLATE ASSY., outer w/tube	3711736	1	2.50
55-56	PASS. w/P.B. (Prod.)	PLATE, inner w/tube (Bendix 377052)	3718454	1	.75
55-56	PASS. w/P.B. (Prod.)	PLATE, outer w/tube (Bendix 377182)	3718460	1	2.50
57	PASS. w/P.B. (Prod.) w/A.T.	PLATE, outer w/tube (Bendix 378201)	3741439	1	2.40
54	PASS. w/P.B. (Prod.)	GASKET, inner plate w/tube (Bendix 375999)	519276	1	.05
54-57	PASS. w/P.B. (Prod.)	GASKET, outer plate w/tube (Bendix 376968)	3715020	1	.05
55-56	PASS. w/P.B. (Prod.)	GASKET, inner plate w/tube (Bendix 377054)	3718453	1	.05
55-57	PASS. w/P.B. 8 cyl. (Prod.)	SUPPORT, cyl. to manifold hose	3717221	1	.10
55-57	1½ TON w/Pos. Vent. (2nd Ser.) (exc. Brake Booster),				
55	2 TON w/H.D. Brake Booster (2nd Ser.)	PLUG, brake booster outlet (½—nylon)	3717952	1	.15
55-57	1½ TON (2nd Ser.) (2 SPD. w/Pos. Vent., brake booster),				
55	2 TON (2nd Ser.) (exc. Pos. Vent),				
56-57	COMM., UTIL. 8 cyl. (exc. gov. Ser. 6J-6K)	PLUG, pos. vent. outlet (7/16 nylon)	3717396	1	.20
55-57	PASS. 6 cyl. w/Pos. Vent. (exc. P.G.),				
54-57	COMM., 1½ TON 6 cyl. w/Pos. Vent. (exc. D-D, Brake Booster, 2-SPD.)	PLUG, crankcase vent pipe (½ steel)	3728619	1	.65
56-57	2 TON w/H.D. Brake Booster	CLIP, pipe conn. assy.	3728609	1	.05

4.935 PISTON—CUP, Vacuum Power Brake Cylinder Relay Valve

46-57	COMM., UTIL. (w/3685915-2208488)	w/cups (Bendix 374951)	2242590†	1	1.45
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(Bendix 373890)	2218823	1	.35
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	CUP, relay valve (Bendix 374224)	2209954	2	.40

†NOTE: Used on 2nd design Vacuum Power Brake Cyl. No. 3685915. See note group 4.901.

4.936 TUBE ASSY., Vacuum Power Brake Relay Valve Body (To Air Cleaner)

46-49	UTILITY,				
51-52	¾, 1 TON	(Bendix 374132) w/cover	609796	1	.90
49-57	UTIL. (w/2208488)	(Bendix 374032) w/cover	2208794	1	1.10
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	(Bendix 373915) w/cover	2208729	1	1.30

4.940 BODY—GASKET, Vacuum Power Brake Cylinder Relay Valve

46-57	COMM., UTIL. (exc. H.D. Brake Booster)	w/poppets (Bendix 374029)	2208793	1	4.75
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	w/poppets (Bendix 373914)	2208728	1	5.50
46-57	COMM., UTIL.,				
51-57	PASS. w/P.B. (Access.)	GASKET, body (Bendix 373923)	2208710	1	.18
46-57	COMM., UTIL.	GASKET, body cover (Bendix 373918)	2208731	1	.10

4.942 RING—WASHER, Vacuum Power Brake Relay Valve

46-57	COMM., UTIL.	cyl. valve fitting and piston stop retaining (Bendix 373880)	2208727	1	.15
46-57	COMM., UTIL.	WASHER, hyd. cyl. piston stop (3/16) (Bendix 373887)	2208726	1	.05

4.944 GASKET, Vacuum Power Brake Cylinder Relay Valve

46-57	COMM., UTIL. (w/3685915-2208488-2241895)	relay valve (Bendix 373888)	2208724	1	.10

4.947 PLATE ASSY.—DIAPHRAGM, Vacuum Power Brake Cylinder Relay Valve

46-57	COMM., UTIL.	(used with 2nd design 3685915 — see			
51-57	PASS. w/P.B. (Access.)	Group 4.901) (Bendix 374955)	2242589*	1	2.85
50	ALL (w/Midland)	DIAPHRAGM, relay control valve (4 3/16 O.D.)	2268067	1	.42


*NOTE: When using 2242589 on 1946-47 it is also necessary to use 2242590 Piston.

4.955 VALVE ASSEMBLY and PARTS, Vacuum Power Brake Check


42-46	ALL (exc. Vac. Shift & 1942—1½ TON)	(4-bolt split type)	608279	1	3.07
46-57	2-SPD. AXLE (Vac. Shift) (w/Bendix)		2214107	A.R.	(5.645)
54	PASS. w/P.B. (Prod.)	(1⅛ hex. hd.—2 3/16 O.L.)	3711020	1	1.60
55-57	PASS. w/P.B. (Prod.)	(1 hex. hd. x 2⅛ O.L.)	3715067	1	1.30
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	residual (Bendix 377361)	1463849	1	.75
57	Ser. 6J-6K	BRACKET, check valve mtg.	3741534	1	.30
46-47	ALL (w/Bendix)	SEAL ASSY. (part of 2214107)	2225240	A.R.	(5.645)
46-47	ALL (w/Bendix)	SPRING (part of 2214107)	2225241	A.R.	(5.645)
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	SPRING, residual check valve (Bendix 373628)	2208740	1	.40
46-47	ALL (w/Bendix)	WASHER (part of 2214107)	2225242	A.R.	(5.645)
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	WASHER, cyl. end plug (Bendix 373630)	2208741	1	.05
55-57	2 TON w/H.D. Brake Booster (2nd Ser.)	RING, end plug washer snap (Bendix 374407)	2217000	1	.05

4.957 ADAPTER—GASKET, Vacuum Power Brake


46-57	COMM., UTIL. (w/Bendix)	cyl. pipe (7/16—24 int. x ½—20 ext. thds.)	3686664	2	.50
46-57	COMM., UTIL. (w/Bendix)	GASKET, copper (½ I.D.—13/16 O.D.)	799303	2	(4.661)




1929-50 HYDRAULIC BRAKE PARTS—FRONT




1929-52 1½ TON REAR BRAKE PARTS




1 TON REAR BRAKE



1951-57 1½ AND 2 TON REAR BRAKE PARTS (R. H. BRAKE SHOWN)



1951-57 BENDIX FRONT BRAKE PARTS



1951-57 BENDIX REAR BRAKE PARTS

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	5.001 PLATE ASSEMBLY, Brake Flange				
36-40	FD, GB, HB, JB, KB,				
36-42	COMM.,				
46-50	½ TON	front	3691417	2	3.20
37-42	UTIL. (exc. COE, hvy. duty),				
46-50	OR, OS, PJ, PK, QJ, QK, RJ, RK, SJ, SK, TJ, TK	front (lower bolt holes ½ dia.)	596572	2	3.60
39	COE,				
40-46	W, Y, M, O (w/hvy. duty front axle) (see note, Group 6.008),				
46-49	SBC, 2 TON (1st design)	front (2 3/16 dia. hole)	3650720*	2	3.60
39-48	PASS. (exc. JB, KB)	front	3652805	2	3.20
46-52	¾ TON (exc. D-D)	front	3691418	2	2.00
46-52	1 TON (exc. D-D)	front	3681054	2	3.20
48-52	D-D	front	3687466	2	2.95
49-50	PASS.	front	3687700	2	3.20
49-50	SBC, 2 TON (2nd design),				
51-52	UTILITY	front (2 3/8 dia. hole)	3691427	2	3.60
51-54	PASS.,				
53-57	CORV.	front	3694865	2	3.20
51-55	½ TON (1st Ser.)	front	3694867	2	3.20
53-57	¾, 1 TON (exc. D-D)	front (four attaching holes ½)	3698327	2	4.70
53-57	D-D (exc. 2 TON)	front (four attaching holes 9/16)	3698345	2	4.70
53-57	1½ TON (exc. hvy. duty, SBC)	front	3698979	2	6.90
53-57	1½ TON (hvy. duty) (exc. SBC),				
53-57	SBC, 2 TON	front	3698988	2	7.20
55-57	PASS.	front, L.	3707945†	1	3.85
55-57	PASS.	front, R.	3707946†	1	3.85
55-57	½ TON (2nd Ser.)	front	3714707	2	3.80
36-50	PASS., ½ TON, GD, HD, JD, KD, AL, BL	rear, L.	3691415	1	2.60
36-50	PASS., ½ TON, GD, HD, JD, KD, AL, BL	rear, R.	3691416	1	2.60
36-50	UTILITY	rear, L. (w/wheel cyl. adj. shaft, pinion and spring)	592169	1	6.05
36-50	UTILITY	rear, R. (w/wheel cyl. adj. shaft, pinion and spring)	592170	1	6.05
46-52	¾ TON	rear, L.	3680947	1	2.50
46-52	¾ TON	rear, R.	3680948	1	2.50
46-52	1 TON	rear, L.	3681157	1	3.80
46-52	1 TON	rear, R.	3681158	1	3.80
51-54	PASS.,				
53-55	CORV.,				
51-55	½ TON (1st Ser.)	rear, L.	3693451	1	4.15
51-54	PASS.,				
53-55	CORV.,				
51-55	½ TON (1st Ser.)	rear, R.	3693452	1	4.15
51-57	UTILITY	rear, L. (w/hold down bolt nut)	3698357	1	12.10
51-57	UTILITY	rear, R. (w/hold down bolt nut)	3698358	1	12.10
53-57	¾ TON (exc. Prop. Brake, 7 x 17.5 tires)	rear, L.	3698397	1	4.70
53-57	¾ TON (exc. Prop. Brake, 7 x 17.5 tires)	rear, R.	3698398	1	4.70
53-55	1 TON (1st Ser.) (exc. Prop. Brake)	rear, L.	3698969	1	6.90
53-57	1 TON (Prop. Brake),				
55	D-D w/7.50-17, 7.00-18 tires (2nd Ser.),				
56-57	D-D w/14" brake or duals	rear, L.	3717669	1	6.90
53-57	1 TON (Prop. Brake),				
55	D-D w/7.50-17, 7.00-18 tires (2nd Ser.),				
56-57	D-D w/14" brake or duals	rear, R.	3717670	1	6.90
55-57	PASS.,				
56-57	CORV.,				
55-57	½ TON (2nd Ser.)	rear, L.	3708841	1	3.25

*NOTE: On 1946-49 models enlarge 4 holes to 9/16 I.D.

†NOTE: Upper knuckle attaching holes purposely omitted on late assemblied, interchangeability not affected.

55-57	PASS.,				
56-57	CORV.,				
55-57	½ TON (2nd Ser.)	rear, R.	3708842	1	3.25
55-57	¾ TON w/Prop. Brake (2nd Ser.) (exc. D-D w/7.50-17 tires, duals)	rear	3714739	2	4.70

5.002 BOLT—SHIELD—SPACER—RIVET, Flange Plate

30-39	ALL (exc. CC, DC, EA, EC, FC, GA, HA, JA, COE),				
40-52	COMM., WA (exc. D-D),				
40-42	WB, WC, YR, YS, YT, MR, MS (exc. hvy. duty),				
46-50	1½ TON (exc. SBC, hvy. duty),				
53-57	½ TON	frt. flange, short (7/16—20 x 2 9/32 hex. head)	3708832	4	.15
30-40	AD, LR, LS, AE, BA, BB, CA, CB, DB, EB, ED, FB, FC, FD, GB, GC, GD, GE, HB, HC, HD, HE, JB, JC, JD, JE, KC, KD, KE, KF	plate to strg. knuckle, long (3¾ overall length, w/7/16—20 thd. on both ends)	358001	4	.70
37-42	UTILITY (exc. COE, hvy. duty),				
46-50	1½ TON (exc. SBC)	plate to strg. knuckle (4⅛ O.L., w/½—			
46-52	¾, 1 TON (exc. D-D)	20 thd. on both ends)	596565	4	.90
39	COE	flange (used w/flng. plate 3650720) (2 23/32			
40-42	UTILITY (hvy. duty)	L. w/½—20 thd. on both ends) (w/No.			
46	UTILITY (1st design)	3656629 or 3651011 frgd. on "I" Beam)	3650725	8	.40
39-48	PASS. (exc. JB, KB)	plate and strg. arm to strg. knuckle (7/16— 20 x 2 47/64 hex. head)	599843	4	.20
40	KB,				
51-54	PASS.,				
53-57	CORV	frt. flange, short (7/16—20 x 2 hex. hd.)	3693612	4	.15
41-42	COMM.,				
46-50	½ TON,				
49-50	PASS	frt. flange (7/16—20 x 3 17/64 hex. head)	3658625	4	.20
46-52	¾, 1 TON,				
53-57	¾ TON (exc. 14" brake)	rear flange to hsg. (½—20 x 1)	217208	8	.13
46-50	D-D, SBC, 2 TON	flange (4½ long w/9/16—18 thds. one end			
51-52	D-D, UTILITY	—½—20 other end)	3678198	4	.70
46-50	SBC, 2 TON	flange (3¼ long w/9/16—18 thds. one end			
51-52	UTILITY	—½—20 other end)	3678199	4	.70
48-52	D-D	frt. flange, short (7/16—20 and 9/16—18)	3686544	4	.35
49-50	PASS	frt. flange, short (7/16—20 x 2 7/8 hex. hd.)	3687649	4	.20
51-54	PASS.,				
53-57	CORV	frt. flange, long (7/16—20 x 2 13/16 hex. hd.)	3693621	4	.15
51-53	½ TON	frt. flange, long (½—20 x 3 61/64 hex. hd.)	3694247	4	.30
51-57	UTILITY	rear flange (9/16—18 x 1 7/8 hex. hd.)	3694558	12	.30
53-57	¾, 1 TON (exc. D-D)	frt. flange, short (½—20 x 1½)	3697429	4	.15
53-55	¾, 1 TON (1st Ser.) (exc. D-D)	frt. flange, long (½—20 x 2¾)	3697430	4	.15
53-57	D-D (exc. 2 TON)	frt. flange, short (9/16—18 x 1¾)	3697447	4	.25
53-57	D-D (exc. 2 TON)	frt. flange, long (9/16—18 x 2 15/16)	3697448	4	.30
53-56	1 TON,				
55-57	D-D 14" brake (2nd Ser.)	rear flange to hsg. (½—20 x 1 5/16)	453718	8	.13
53-57	1½ TON (exc. hvy. duty)	frt. flange, short (½—20 x 1¾ hex. hd.)	3698982	4	.15
53-55	1½ TON (1st Ser.) (exc. SBC, hvy. duty).	frt. flange, long (½—20 x 3 1/32 hex. hd.)	3698983	4	.15
53-57	1½ TON (hvy. duty),				
53-57	SBC, 2 TON	frt. flange, short (9/16—18 x 2 1/32 hex. hd.)	3698992	4	.30
53-57	1½ TON (hvy. duty),				
53-57	SBC, 2 TON	frt. flange, long (9/16—18 x 3 1/32 hex. hd.)	3698993	4	.35
54-55	½ TON (1st Ser.)	frt. flange, long (½—20 x 4 3/64 hex. hd.)	3708833	4	.30
55-57	PASS	frt. flange, short (7/16—20 x 2 3/64)	3707482	2	.15
55-57	PASS	frt. flange, long (7/16—20 x 2 5/16)	3708121	2	.15
55-57	PASS.,				
56-57	CORV	rear flange plate (⅜—24 x 1 5/64)	3711427	8	.10
55-57	PASS	plate to steering knuckle (⅜—16 x 1½)	456656	A.R.	(8.900)
55-57	½ TON (2nd Ser.)	frt. flange, long (½—20 x 4 5/32)	3712916	4	.30
55	½ TON (2nd Ser.)	rear flange (⅜—24 x 3 1/32)	3697704	8	(5.531)
55-57	¾, 1 TON (2nd Ser.) (exc. D-D)	frt. flange, long (½—20 x 2 7/8)	3713022	4	.15
55-57	1½ TON (2nd Ser.) (exc. hvy. duty)	frt. flange, long (½—20 x 3 5/32)	3713352	4	.15
53-57	D-D (1st Ser.),				
55-57	¾, 1 TON (2nd Ser.)	SHIELD, frt. drum dust (4 13/16 x 6½)	3698329	2	.70

53-57	1½ TON (exc hvy. duty)	SHIELD, frt. drum dust (4 holes ½ dia.)	3698981	2	.70
53-57	1½ TON (hvy. duty),				
53-57	SBC, 2 TON	SHIELD, frt. drum dust (4⅝ x 7) (4 holes 9/16 dia.)	3698991	2	.70
30-39	ALL (exc. CC, DC, EA, EC, GA, HA, JA, COE),				
40-50	COMM., KB, WA (exc. D-D),				
40-42	WB, WC, YR, YS, YT, MR, MS (exc. hvy. duty),				
46-50	1½ TON (exc. SBC, hvy. duty)	SPACER, frt. anchor plate (15/32 I.D. x 13/16 O.D.			
51-52	¾, 1 TON (exc. D-D)	x 41/64 long)	3658624	8	.10
39-50	PASS. (exc. JB, KB)	SPACER, frt. brk. anchor plate (15/32 I.D. x 23/32 O.D. x 19/64 long)	599226	A.R.	.05
51-54	PASS.,				
53-57	CORV	SPACER, steering knuckle,			
51-57	½ TON	steering knuckle, upper	3693567	4	(6.020)
51-57	½ TON	SPACER, steering knuckle, lower	3694222	4	(6.020)
34-38	DA, EA, FA, GA, HA	RIVET, frt. flg. to radius rod brkt. (5/16 x ¾)	473612	8	.02

5.004 BRACKET, Front Brake Flange Radius Rod

36-38	FA, GA, HA	left (forged 475545)	475545	1	2.15
36-38	FA, GA, HA	right (forged 475546)	475546	1	2.15

5.011 ROD ASSEMBLY, Front Brake Radius (w/Bracket)

(Less flange to radius rod bracket—Group 5.004)

34-38	DA, EA, FA, GA, HA	(identified by daub of yellow paint)	604033	2	8.00
34-38	DA, EA, FA, GA, HA	.003 undersized thd	604036	2	8.00

5.012 BOLT, Radius Rod Bracket

34-38	DA, EA, FA, GA, HA	(⅜—24 x 7/8 hex. head)	376020	4	.10

5.017 SHOE, Brake, with Facing

36-50	PASS., ½ TON (exc. FC),				
37-42	¾ TON (exc. JE, KE, AM, BM)	front and rear brake,			
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-52	¾ TON (exc. D-D)	front brake (bonded type)	3681129†	A.R.	2.15
36-50	PASS., ½ TON,				
37-42	¾ TON (exc. JE, KE, AM, BM)	front and rear brake,			
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-52	¾ TON (exc. D-D)	front brake (bonded type) (.030 O.S. facing)	3697061†	A.R.	2.15
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN	rear,			
39	COE,				
40-50	UTILITY	front brake	3660054⊕	4	3.40
39	COE,				
40-50	UTILITY	rear brake	3660048⊕	4	4.90
46-52	¾ TON	rear brake,			
46-52	1 TON, D-D	front brake (bonded type)	3681116†	A.R.	3.40
46-52	¾ TON	rear brake,			
46-52	1 TON, D-D	front brake (bonded type) (.030 O.S. facing)	3697828†	A.R.	3.40
46-52	1 TON	rear brake (bonded type)	3681166†	4	4.45
46-52	1 TON	rear brake (bonded type) (.030 O.S. facing)	3697830†	4	4.45
51-52	UTILITY	front brake	3694590	4	3.65
51-55	UTILITY (1st Ser.),				
55-56	UTILITY (2nd Ser.) (exc. hvy. duty, 2-SPD.),				
57	Ser. 4 (exc. 2-SPD.)	rear brake (color ident.)	3699533*	4	6.25
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	rear brake (no color ident.)	3720010*†	4	6.40

†NOTE: Facing material must not be mixed on any one axle.

⊕NOTE: Also used on V, W equipped w/cast iron brake drums.

*Exchange Price shown. Add .25 to prices if used Chevrolet Brake Shoe Assembly is not exchanged.

SHOE UNIT, Brake, with Facing

51-56	PASS., ½ TON	front brake (bonded type) (primary and secondary)	3696177†§	1	8.65
51-56	PASS., ½ TON	rear brake (bonded type) (primary and secondary)	3695709†§	1	8.25
51-57	PASS., CORV., ½ TON	front brake (bonded type) (primary and secondary) (.030 O.S. facing)	3732985†§	1	9.25
51-56	PASS., CORV., ½ TON	rear brake (bonded type) (primary and secondary) (.030 O.S. facing)	3697783†§	1	8.95
53-57	CORV.	front brake (bonded type) (primary and			
57	PASS., ½ TON	secondary)	3732507†§	1	8.65
53-57	CORV.	rear brake (bonded type) (primary and secondary)	3732504†§	1	8.25
53-57	¾, 1 TON	front brake,			
53-57	¾ TON (exc. 7.50 x 17 tires, duals, 14" brake)	rear brake (bonded type) (primary and secondary)	3703512§	A.R.	13.50
53-57	1 TON	rear brake (bonded type) (primary and			
55-57	D-D w/7.50 x 17, 14" brake, duals	secondary)	3703511§	1	17.25
53-55	UTILITY (1st Ser.),				
55-56	UTILITY (2nd Ser.) (exc. hvy. duty, 2-SPD.),	front brake (riveted type) (primary and			
57	Ser. 4 (exc. 2-SPD.)	secondary) (color ident.)	3703510†§	1	15.50
55-56	UTILITY (hvy. duty) (2nd Ser.),				
55-57	2-SPD. (2nd Ser.)	front brake (riveted type),			
57	Ser. 6	(primary and secondary) (no color ident.)	3723922†§	1	15.50
57	PASS., ½ TON	rear (bonded type) (primary and secondary)	3742645†§	1	8.25
57	PASS., CORV., ½ TON	rear (bonded type) (primary and secondary) (.030 O.S. facing)	3732984†§	1	8.95

†NOTE: Facing material must not be mixed on any one axle.

§Exchange Price shown. Add $1.00 to prices if used Chevrolet Brake Shoe Unit is not exchanged.

5.018 FACING UNIT, Brake Shoe
(For use with riveted type shoes)

36-48	PASS., COMM. (exc. FC)	frt. and rear (front only on jobs w/14" rear brakes) (8 facings)	603872	A.R.	7.35
36-48	PASS., COMM. (exc. FC)	frt. and rear (frt. only on jobs w/14" rear brakes) (8 facings—.030 O.S.)	3697168	A.R.	7.35
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN	rear brake,			
39-40	COE,				
40	WB, WC (hvy. duty),				
41-50	UTILITY	front brake	605379	1	7.35
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN	rear brake,			
39-40	COE,				
40	WB, WC (hvy. duty),				
41-50	UTILITY	front brake (.030 O.S.)	3697832†	1	7.35
39-40	COE,				
40	WB, WC (hvy. duty),				
41-50	UTILITY	rear brake	605380	1	10.75
39-40	COE,				
40	WB, WC (hvy. duty),				
41-50	UTILITY	rear brake (.060 O.S.)	3697834†	1	10.75
51-52	UTILITY	front brake	3696491	1	7.35
51-55	UTILITY (1st Ser.),				
55-56	UTILITY (2nd Ser.) (exc. hvy. duty, 2-SPD.)	rear brake (color ident.)	3703917†	1	16.35
53-55	UTILITY (1st Ser.),				
55-56	UTILITY (2nd Ser.) (exc. hvy. duty, 2-SPD.),	front brake (primary and secondary)			
57	Ser. 4 (exc. 2-SPD.)	(color ident.)	3703508†	1	7.85
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.)	front brake (primary and secondary) (no			
57	Ser. 6	color ident.)	3725024†	1	7.85

†NOTE: Facings must not be mixed on any one axle.

55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	rear brake (no color ident.)	3725022†	1	16.35

†NOTE: Facings must not be mixed on any one axle.

5.019 RIVET, Brake Facing

29-50	UTILITY, DS, ES, FS	front and rear,			
37-48	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR	rear only,			
51-52	UTILITY	front only (9/64 O.D. x 23/64 O.L. w/3/8 hd.)	354111	A.R.	100/1.00
29-48	PASS.,				
29-39	COMM. (exc. GE, HE, JE)	front and rear,			
37-48	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR	front only,			
40-42	KC, KD, AK, AL, BK, BL	frt. and rear (9/64 x 9/32 ctsk. hd., tubular)	355994	A.R.	100/1.00
36-42	SDL	front and rear (9/64 x 1/4 ctsk. head, tubular)			
36-48	TAXI	(used w/hvy. duty lining)	3667202	80	100/1.00
51-57	UTILITY	rear only (3/16 x 3/8)	3694529	56	.01
53-57	UTILITY	front only (9/64 O.D. x 21/64 O.L. w/3/8 hd.)	3698904	44	100/.95

5.020 PIVOT, Brake Shoe

51-57	UTILITY	rear	3694528	4	.10

5.026 SPRING—PIN—KIT, Brake Shoe

36-42	PASS., COMM. (exc. hvy. duty, 1 TON),				
46-50	PASS., 1/2 TON	front and rear brake shoe,			
37-52	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR, GR, HR, JR, KR	front brake shoe only	475511	A.R.	.20
36-50	UTILITY	front and rear brake shoe,			
39-42	JE, KE, AM, BM,				
37-52	1 TON	rear brake shoe only,			
51-52	UTILITY	front brake shoe only	477474	A.R.	.35
46-52	1 TON, D-D	front brake shoe,			
46-52	3/4 TON	rear brake shoe	3680890	A.R.	.35
51-57	PASS., CORV., 1/2 TON	front and rear brake shoe	3694822	A.R.	.25
51-57	PASS., CORV., 1/2 TON	front and rear (adjusting screw) (blue)	3707417	4	.25
51-57	UTILITY	short, rear shoe (3 7/16 O.L.—green)	3694516	4	.20
51-57	UTILITY	long, rear shoe (3 7/8 O.L.—black)	3694799	4	.20
51-55	ALL (w/Prop. Brake) (1st Ser.),				
55-57	UTILITY (2nd Ser.)	parking, outer shoe	3695836	1	.10
53-57	3/4 TON	front and rear,			
53-57	1 TON	front	3697428†	A.R.	.20
53-57	1 TON	rear brake,			
53-57	UTILITY	front brake,			
55	D-D w/7.50-17, 7.00-18 tires (2nd Ser.),				
56-57	D-D w/14" brake, duals	rear brake	1416653	4	.25
53-57	3/4, 1 TON	front and rear,			
53-57	UTILITY	front (adjusting screw)	1416760	A.R.	.25
56-57	PASS., CORV., 1/2 TON	front brake, secondary	3739278	2	.15
51-57	UTILITY	PIN, rear shoe pull back spring	3694545	8	.20
51-55	PASS., CORV., 1/2 TON	KIT, brake spring (front and rear)	3696706*	1	1.25
56-57	PASS., CORV., 1/2 TON	KIT, front brake spring	3740014⊕	1	1.25
56-57	PASS., CORV., 1/2 TON	KIT, rear brake spring	3719279⊕	1	1.25

†NOTE: Not used on 1955 D-D with 7.50-17, 7.00-18 tires or 1956 D-D with 14" brake or (3-SPD.) trans.

*NOTE: Consists 4 each: Pull Back Spring; Hold Down Pin and Spring; and 2 Adj. Hole Covers.

⊕NOTE: Consists of 4 each: Pull Back Spring; Hold Down Pin and Spring; 8 Spring Cups; and 2 Adj. Hole Covers.

5.028 SPRING, Brake Shoe Friction

36-50	UTILITY,				
46-52	1 TON, D-D	front and rear brake shoe,			
37-52	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR, GR, HR, JR, KR	rear brake shoe,			
51-52	UTILITY	front brake shoe ($^{13}/_{32}$ I.D. x $^{5}/_{8}$ long)	477440	A.R.	.08
36-42	PASS., COMM. (exc. hvy. duty, 1 TON),				
46-50	PASS., ½ TON	front and rear brake shoe,			
37-52	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR, GR, HR, JR, KR	front brake shoe only ($^{13}/_{32}$ I.D. x $^{19}/_{32}$ long)	592417	A.R.	.08
51-55	ALL (w/Prop. Brake) (1st Ser.),				
55-57	UTILITY (2nd Ser.)	parking brake shoe lever	3695830	1	.08

5.030 PIN—LOCK, Friction Spring

36-50	UTILITY	front and rear brake shoe,			
39-42	JE, KE, AM, BM,				
37-52	1 TON	rear brake shoe,			
51-52	UTILITY	front brake shoe ($^{3}/_{8}$ x $1^{5}/_{16}$)	477443	A.R.	.10
36-42	PASS., COMM. (exc. hvy. duty, 1 TON),				
46-50	PASS., ½ TON	front and rear brake shoe,			
37-52	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR, GR, HR, JR, KR	front brake shoe ($^{3}/_{8}$ x $1^{9}/_{64}$)	592418	A.R.	.10
46-52	1 TON, D-D	front brake shoe,			
46-52	¾ TON	rear brake shoe ($^{3}/_{8}$ x $1^{1}/_{4}$)	3680886	A.R.	.10
36-50	ALL	LOCK, front and rear brake shoe,			
51-52	COMM., UTIL. (exc. ½ TON)	front brake shoe,			
51-52	¾, 1 TON	rear brake shoe ($^{9}/_{16}$ O.D.)	475508	A.R.	.03
51-55	ALL (w/Prop. Brake) (1st Ser.),				
55-57	UTILITY (2nd Ser.)	LOCK, parking brake shoe lever	2084234	2	.07

5.034 PIN, Brake Shoe Link

36-42	PASS., COMM. (exc. hvy. duty, 1 TON),				
46-50	PASS., ½ TON	front and rear brake shoe,			
37-52	GE, HE, JE, KE, KF, AM, AN, BM, BN, DR, ER, FR, GR, HR, JR, KR	front brake shoe	592419	4	.20
36-50	UTILITY	front and rear brake shoe,			
39-42	JE, KE, AM, BM,				
37-52	1 TON	rear brake shoe,			
51-52	UTILITY	front brake shoe	477444	A.R.	.25
46-52	1 TON, D-D	front brake shoe,			
46-52	¾ TON	rear brake shoe	3680887	4	.25

5.036 LINK, Hydraulic Brake Shoe

NOTE: See Brake Link Chart following for model application of Links listed below.

Part No.	List Price	Part No.	List Price
477441	.35	592414	.25
477442	.35	592415	.25
477445	.40	592416	.25
477446	.40	3680876	.35
592413	.25	3680879	.35

BRAKE LINK CHART

36-42	PASS., COMM.,	
46-50	PASS., ½, ¾ TON (exc. D-D),	
51-52	¾ TON (exc. D-D)	front brake,
36-42	PASS., ½, ¾ TON (exc. GE, HE, JE, KE, AM, BM),	
46-50	PASS., ½ TON	rear brake

Side of Vehicle	Brake Shoe Location	Shape of Link	Location of Link on Shoe	
L.H.	Reverse	Offset	Outside	
R.H.	Reverse	Offset	Inside	592413
L.H.	Reverse	Offset	Inside	
R.H.	Reverse	Offset	Outside	592414
L.H.	Forward	Flat	Outside	
R.H.	Forward	Flat	Inside	592415
L.H.	Forward	Flat	Inside	
R.H.	Forward	Flat	Outside	592416

46-52 1 TON, D-D ..... front brake,
46-52 ¾ TON ..... rear brake

Side of Vehicle	Brake Shoe Location	Shape of Link	Location of Link on Shoe	
L.H.	Reverse	Flat	Inside	
R.H.	Reverse	Flat	Outside	3680876
L.H.	Reverse	Offset	Outside	
R.H.	Reverse	Offset	Inside	3680879
L.H.	Forward	Flat	Outside	
R.H.	Forward	Flat	Inside	3680876
L.H.	Forward	Offset	Inside	
R.H.	Forward	Offset	Outside	3680879

36-52 UTILITY ..... front brake,
37-52 1 TON, JE, KE, AM, BM ..... rear brake

Side of Vehicle	Brake Shoe Location	Shape of Link	Location of Link on Shoe	
L.H.	Reverse	Offset	Outside	
R.H.	Reverse	Offset	Inside	477441
L.H.	Reverse	Offset	Inside	
R.H.	Reverse	Offset	Outside	477442
L.H.	Forward	Flat	Outside	
R.H.	Forward	Flat	Inside	477445
L.H.	Forward	Flat	Inside	
R.H.	Forward	Flat	Outside	477446

36-50 UTILITY ..... rear brake

Side of Vehicle	Brake Shoe Location	Shape of Link	Location of Link on Shoe	
L.H.	Reverse	Flat	Outside	
R.H.	Reverse	Flat	Inside	477446
L.H.	Reverse	Flat	Inside	
R.H.	Reverse	Flat	Outside	477445
L.H.	Forward	Flat	Outside	
R.H.	Forward	Flat	Inside	477445
L.H.	Forward	Flat	Inside	
R.H.	Forward	Flat	Outside	477446

5.043 PIN UNIT—WASHER—NUT—BOLT UNIT, Brake Shoe Hold Down, w/Spring

36-42	PASS., COMM.	front and rear brake (front only on jobs w/14" rear brakes)	3696830	A.R.	.10
46-48	PASS., ½, ¾ TON				
51-55	PASS., CORV., ½ TON,				
53-55	¾ TON (1st Ser.)	front and rear brake,			
53-55	1 TON (1st Ser.)	front brake	3696704	A.R.	.20
53-57	1 TON	rear brake,			
53-57	UTILITY	front brake,			
55-57	D-D w/7.50 x 17 tires, duals, 14" brake (2nd Ser.)	rear brake	3702978	4	.30
55-57	¾, 1 TON (2nd Ser.)	front brake,			
55-57	¾ TON (2nd Ser.) (exc. D-D),				
55-57	D-D (2nd Ser.) (exc. 7.50 x 17 tires, duals, 14" brake)	rear brake	3718045	8	.15
56-57	PASS., CORV., ½ TON	front and rear brake	3719280	A.R.	.20
51-57	UTILITY	WASHER, shoe hold down bolt, rear	3694533	4	.12
51-57	UTILITY	NUT, shoe hold down bolt, rear (⅜—24 slotted hex.)	3694546	4	.05
51-57	UTILITY	BOLT UNIT, rear brake hold down	3698458*	4	.55

*NOTE: Consists of: 1 Bolt (½—20 and ⅜—24 x 2 7/16 O.L.), 1 Nut (½—20), and 1 L/Washer.

5.045 PLATE, Brake Shoe Guide

51-52	PASS., ½ TON,				
53-57	PASS., CORV., COMM.	front and rear brake,			
53-57	UTILITY	front brake	3691500	A.R.	.30

5.055 PIN, Brake Shoe Anchor

36-50	PASS., ½ TON,				
37-40	GD, HD, JD, KD	front and rear brake,			
41-42	1 TON,				
46-52	¾ TON (exc. D-D)	front brake (⅝ dia. x 1)	592420	2	.20
36-52	UTILITY	front brake,			
39-42	JE, KE, AM, BM,				
37-52	1 TON	rear brake	477448	2	.35
46-52	1 TON, D-D	front brake,			
46-52	¾ TON	rear brake (¾ x 1 17/64)	3680889	2	.35
53-57	¾, 1 TON	front brake,			
53-57	¾ TON	rear brake (3¼ O.L.)	3702221†	A.R.	1.10
53-57	1 TON	rear brake,			
53-57	UTILITY	front brake,			
56-57	D-D w/14" brake or duals	rear brake	3699372	2	1.75
55-57	PASS.	front brake (2⅜ O.L.)	3707156	2	1.10
55-57	PASS.,				
56-57	CORV	rear brake,			
55-57	½ TON (2nd Ser.)	frt. and rear brake (2⅜ O.L.)	3705732	A.R.	1.10
51-54	PASS., ½ TON,				
53-57	CORV.,				
55	½ TON (1st Ser.)	UNIT, front and rear brake	3696705*	4	1.40

*NOTE: 3696705 consists of 1 each: Anchor Pin, Washer, L/Washer, and Nut.

†NOTE: Not used on 1955 D-D w/7.50-17, 7.00-18 tires, or 1956 D-D w/duals.

5.056 WASHER, Brake Shoe Anchor Pin

51-54	PASS., ½ TON,				
53-56	CORV.,				
55	½ TON (1st Ser.)	front and rear brake	3694704*	4	.10
55-57	PASS.	front (1 5/16 dia.)	3710492	2	.05

*NOTE: Not used on rear axle on 1956-57 CORV.

5.057 LOCK, Brake Shoe Anchor Pin

30-37	PASS., COMM. (exc. CC, DC, EC, GE),				
38-42	HD, JD, KD, AL, BL,				
38-50	PASS., ½ TON	front and rear brake,			
30-34	UTILITY,				
40-42	KE, KF, AM, AN, BM, BN,				
46-52	¾ TON (exc. D-D)	front brake (29/32 O.D.)	358829	A.R.	.07
30-34	UTILITY,				
37-42	GE, HE, JE, KE, KF, AM, AN, BM, BN,				
46-55	1 TON, D-D (exc. FU, GU) (1st Ser.)	rear brake,			
35-57	UTILITY	front and rear (1 5/16 O.D.)	359380	A.R.	.07
46-52	1 TON, D-D	front brake,			
46-52	¾ TON	rear brake (1 5/16 O.D.)	3680888	A.R.	.07

5.075 PLATE, Brake Shoe Anchor

36-42	PASS., COMM. (exc. FA, FC, GA, HA),				
46-48	PASS., ½ TON,				
49-50	½ TON	frt. brake	599230	2	.85
37-50	UTIL. (exc. COE, hvy. duty axle)	frt. brake (lower bolt holes ½ dia.)	596574	2	1.60
39-52	UTILITY (hvy. duty frt. axle)	frt. brake	3650718	2	1.60
46-52	¾ TON (exc. D-D)	frt. brake (painted green)	3680914	2	.85
46-52	1 TON, D-D	frt. brake	3680872	2	1.60
49-50	PASS.	frt. brake	3687658	2	.80
36-39	F, G, H, J (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	rear brake	475474	2	.80
36-50	UTILITY	rear brake, L.	592411	1	3.40
36-50	UTILITY	rear brake, R.	592412	1	3.40
46-52	¾ TON	rear brake	3680944	2	1.55
46-52	1 TON	rear brake	3681000	2	1.55

5.110 SCREW, Brake Shoe Adjusting

51-57	PASS., ½ TON,				
53-55	¾ TON (1st Ser.),				
53-57	CORV.,				
55-57	¾ TON (2nd Ser.) (exc. D-D w/7.50-17 tires, duals, 14" brake)	frt. and rear brake,			
53-57	COMM.	frt. brake	496351	A.R.	.57
51-57	UTILITY	rear, left	3694517	2	.30
51-57	UTILITY	rear, right	3694518	2	.30
53-57	1 TON	rear brake,			
53-57	UTILITY	frt. brake,			
55	D-D w/7.50-17, 7.00-18 tires (2nd Ser.),				
56-57	D-D w/14" brake or duals	rear brake (2¾ O.L.)	1416753	2	1.60

5.111 SOCKET—NUT—SPRING, Brake Shoe Adjusting Screw

51-57	PASS., ½ TON (exc. H),				
53-57	CORV.	front and rear brake,			
53-55	COMM. (1st Ser.),				
55-57	½, ¾ TON (2nd Ser.)	rear brake,			
54-57	COMM.	front brake	3694700*	A.R.	.25
53-57	1 TON	rear brake,			
53-57	UTILITY	frt. brake,			
56-57	D-D w/14" brake or duals	rear brake	3697400	2	.30
51-52	PASS., ½ TON	NUT, front and rear brake,			
53-57	PASS., CORV.	front and rear brake,			
53-55	COMM. (1st Ser.),				
55-57	½, ¾ TON (2nd Ser.) (exc. 14" brake)	rear brake,			
54-57	COMM.	front brake	3694702*	A.R.	.35
53-57	1 TON	NUT, pivot, rear brake,			
53-57	UTILITY	pivot, frt. brake,			
56-57	D-D w/14" brake or duals	pivot, front and rear brake	3698655	2	.40
51-57	UTILITY	SPRING, lock, rear brake	3694524	4	.07

*NOTE: Not used on 1955 D-D w/7.50-17 or 7.00-18 tires, or 1956-57 D-D w/duals.

5.149 LEVER, Parking Brake Shoe

36-50	UTILITY	with link	592159	2	1.70
36-39	F, G, H, J (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	L. (8 O.L.)	475477	1	.85
36-39	F, G, H, J (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	R. (8 O.L.)	475478	1	.85
37-52	1 TON, JE, KE, AM, BM	L. (9¾ O.L.)	596973	1	.45
37-52	1 TON, JE, KE, AM, BM	R. (9¾ O.L.)	596974	1	.45
46-52	¾ TON	L. (8¼ O.L.)	3680953	1	.45
46-52	¾ TON	R. (8¼ O.L.)	3680954	1	.45
51-57	PASS., CORV., ½ TON	L. (7 15/16 O.L.)	3693603	1	.55
51-57	PASS., CORV., ½ TON	R. (7 15/16 O.L.)	3693604	1	.55
53-57	¾ TON (sgl. wheel) (exc. Prop. Brake)	L. (8¾ O.L.)	3697449	1	.85
53-57	¾ TON (sgl. wheel) (exc. Prop. Brake)	R. (8¾ O.L.)	3697450	1	.85
53-55	1 TON (1st Ser.)	L. (10¼ O.L.)	3697391	1	1.00
53-55	1 TON (1st Ser.)	R. (10¼ O.L.)	3697392	1	1.00

5.150 EXTENSION—STRUT, Parking Brake Shoe Lever

36-39	PASS., COMM. (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	L. (7 1/16 O.L.)	475481	1	.65
36-39	PASS., COMM. (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	R. (7 1/16 O.L.)	475482	1	.65
37-52	1 TON, JE, KE, AM, BM	L. (7 11/16 O.L.)	597239	1	.70
37-52	1 TON, JE, KE, AM, BM	R. (7 11/16 O.L.)	597240	1	.70

46-52	¾ TON	L. (7 19/32 O.L.)	3680957	1	.70
46-52	¾ TON	R. (7 19/32 O.L.)	3680958	1	.70
53-55	¾, 1 TON (1st Ser.),				
55-57	¾ TON (sgl. wheel) (2nd Ser.) (exc. Prop. Brake)	(7¾ O.L.)	3697394	2	.45
51-57	PASS., CORV., ½ TON	STRUT (7 21/32 O.L.)	3694879	2	.45

5.151 SPRING, Parking Brake Shoe Lever

36-39	PASS., COMM. (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	extension (15/32 I.D. x 1⅜ O.L.)	476104	2	.02
37-52	1 TON, JE, KE, AM, BM	extension (19/32 I.D. x 1 7/16 O.L.)	597241	2	.10
46-52	¾ TON	extension (17/32 I.D. x 1 11/32 O.L.)	3680956	2	.10
51-52	PASS., ½ TON,				
53-57	PASS., COMM. (sgl. wheel) (exc. Prop. Brake),				
53-57	CORV	strut (27/32 max. I.D. x 1¼ O.L.)	1312281	2	.25

5.158 BOLT—WASHER, Parking Brake Lever Anchor

36-39	F, G, H, J (exc. GE, HE, JE),				
40-42	PASS., KC, KD, AK, AL, BK, BL,				
46-50	PASS., ½ TON	(⅜—24 x 15/16) (w/eccentric)	475492	2	.45
37-52	1 TON, JE, KE, AM, BM	(7/16—20 x 1⅛) (w/eccentric)	597238	2	.45
46-52	¾ TON	(7/16—20 x 1 1/16) (w/eccentric) (green)	3680955	2	.45
51-57	PASS., CORV., ½ TON	(⅜—24 x 15/16) (w/out eccentric)	3693605	2	.11
53-55	¾, 1 TON (1st Ser.),				
55-57	¾ TON (sgl. wheel) (2nd Ser.) (exc. Prop. Brake)	(1¼ O.L.) (w/out eccentric)	3697393	2	.11
51-52	PASS., ½ TON,				
53-57	PASS., COMM. (sgl. wheel) (exc. Prop. Brake),				
53-57	CORV	WASHER, spring steel (17/32 hole)	1300540	2	.10

5.188 COVER—SPRING—PIN, Parking Brake Camshaft Hole

36-39	PASS., COMM.,				
40-57	PASS., ½, ¾ TON,				
53-57	CORV	frt. and rear,			
36-53	1 TON, UTILITY	front,			
54-57	1 TON, UTILITY	frt. and rear flg. adj. hole	475516	A.R.	.14
36-50	UTILITY	rear flange plate	477464	2	.20
36-50	UTILITY	SPRING, rear flange plate cover	477465	2	.11
36-50	UTILITY	PIN (1 O.L.)	477469	2	.02

5.387 HOUSING—BOLT—VENTILATOR—WASHER, Rear Axle

39-40	VF, WD (2-SPD. AXLE)	(75.800-75.760 O.L.) (2 half moon indentations on rear face to left of centerline —6 half moon indentations on front face —spring seats welded to housing)	605443	1	129.25
41-50	2-SPD. AXLE				
40-46	½ TON		605321	1	36.60
41-48	PASS.		605336	1	38.45
41-42	UTILITY (exc. hvy. duty)	(73.416-73.396 O.L.) (2 half moon indentations rear face to right of centerline— 2 half moon indentations front face— spring seats welded to top of housing)	605339	1	107.25
46-50	1½ TON				
42	UTILITY (w/hvy. duty axle)	(75.800-75.760 O.L.) (2 half moon indentations rear face to right of centerline— 2 half moon indentations on front face— spring seats welded to housing)	605926	1	126.80
46-50	2 TON (exc. 2-SPD.)				
46-49	¾ TON		3690872	1	61.45
46-49	1 TON,				
48-52	1 TON D-D		3694916*	1	81.00
47-50	½ TON		3847141	1	46.50
49-50	PASS.		3691273	1	45.95

*NOTE: On 1946-48 models reverse position of spring eye bolt spacer from inside to outside.

50-52	¾, 1 TON (exc. 1 TON D-D)		3694914	1	81.00
51-54	PASS.		3703104	1	45.95
51-53	½ TON		3696164	1	46.50
51-55	1½ TON (exc. 2-SPD.) (1st Ser.)		3705371	1	107.25
51-53	2 TON (exc. 2-SPD)		3702797	1	126.80
51-53	2-SPD.		3702798	1	129.25
53-55	CORV.		3707911	1	38.25
53-55	¾, 1 TON (1st Ser.) (exc. 1 TON D-D)		3700016	1	81.00
53-55	1 TON D-D		3700017	1	81.00
54	½ TON		3707512	1	46.50
54-55	2 TON (1st Ser.) (exc. 2-SPD.)		3707513	1	126.80
54-55	2-SPD. (1st Ser.)		3707514	1	129.25
55-56	PASS.		3730168	1	46.50
55	½ TON (1st Ser.)		3711C23	1	46.50
55-56	½ TON (2nd Ser.)		3714907	1	46.50
55-57	¾ TON (2nd Ser.) (exc. D-D)		3710292	1	81.00
55-57	D-D, 1 TON (2nd Ser.)		3710566	1	81.00
55-57	1½ TON (2nd Ser.) (exc. 2-SPD.)		3711230	1	107.25
55-56	2 TON (2nd Ser.) (exc. hvy. duty, 2-SPD.)		3718104	1	126.80
55-56	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.)	(4° spring seat angle)	3725036	1	129.25
56	CORV.		3714966	1	45.10
57	PASS.		3739443	1	46.50
57	CORV.		3739688	1	46.50
57	½ TON		3740726	1	46.50
57	Ser. 4 (2-SPD.),				
57	Ser. 6		3741072	1	129.25
29-54	PASS., ½ TON,				
53-55	CORV.,				
55-56	½ TON	BOLT, hsg. to carrier (⅜—24 x 1 3/32)	348402	A.R.	.12
33-40	UTILITY,				
57	Ser. 4 (exc. 2-SPD.)	BOLT, hsg. to carrier (⅝—11 x 1¾)	370457	6	.25
40-42	COMM.,				
46-56	½ TON	BOLT, hsg. to carrier (⅜—24 x 1⅜)	3652348	4	.12
40-57	UTILITY	BOLT, hsg. to carrier (7/16—20 x 1½)	181670	6	(8.900)
55-57	PASS.,				
56-57	CORV.	BOLT, hsg. to carrier (⅜—24 x 1½)	3707320	10	.12
57	½ TON	BOLT, hsg. to carrier short	3735727	6	.10
57	½ TON	BOLT, hsg. to carrier long	3735728	4	.10
37-56	ALL	VENTILATOR, rear axle (drive type)	3720502	1	.30
57	PASS.	VENTILATOR	3740928	1	.30
57	Ser. 3-4-6	VENTILATOR (drive type)	3738462	1	.30
55-57	PASS.,				
56-57	CORV.	WASHER, carrier bolt (13/32 I.D. x 11/16 O.D.)	1456254	10	(4.317)

5.390 STRAP—PLATE—BRACKET, Rear Axle Rebound

53-57	CORV.	(27¼ dev. length) (webbing—rubber impregnated)	3706114	2	1.40
53-57	CORV.	PLATE, strap, steel (2—¼ dia. holes)	3706115	8	.05
53-57	CORV.	BRACKET, strap, (2 used on each side member)	3706077	4	.20

5.392 DEFLECTOR, Axle Housing Oil

35-36	EA, EB, ED, FA, FB, FD,				
37-42	COMM.,				
46-57	½ TON	(3 I.D. x 3½ O.D.)	377706	2	.15
36-54	PASS. (exc. FA, FD),				
53-55	CORV.	(1⅝ I.D. x 3 3/32 O.D.)	3694711	2	.20
37-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	(3 3/16 I.D. x 5½ O.D.)	594314	2	.45
46-57	COMM. (exc. ½ TON)	(2 27/32 I.D. x 4 25/32 O.D.)	3680985	2	.30
54-57	1½ TON (2-SPD),				
54-57	2 TON	(⅝ I.D. x 5 11/16 O.D.)	3703701	2	.45

5.394 RETAINER, Rear Axle Bumper

55-57	PASS.	(4¾ O.L.)	3711561	2	.40

5.395 BUMPER, Rear Axle

55-57	PASS.	(2⅝ x 2 15/16)	3719960	2	.40
55-57	PASS.	axle differential case (1½ high)	3712872	1	.40

5.398 COVER, Axle Housing with Filler Plug

33-36	C, D, E, F (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-56	½ TON		475308	1	2.50
57	½ TON		3737368	1	2.50
33-39	UTILITY		592168	1	2.50
37-54	PASS.		3656821	1	2.50
40-56	UTILITY (exc. 2-SPD., hvy. duty),				
57	Ser. 4 (exc. 2-SPD.)		3656877	1	2.50
42-55	2-SPD. (1st Ser.)	(late axle identified by horizontal ribs)	3667226	1	3.30
46-57	COMM. (exc. ½ TON)		3680986	1	2.50
53-55	CORV.	(10⅜ O.D.)	3704496	1	2.15
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6		3711476	1	3.05

5.399 GASKET, Axle Housing Cover—Cork

33-36	C, D, E, F (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-56	½ TON	(9⅛ I.D. x 10⅝ O.D.)	370245	1	.30
57	½ TON	(9⅛ I.D. x 10⅝ O.D.)	3734099	1	.45
33-55	UTILITY (1st Ser.),				
55-56	UTILITY (2nd Ser.) (Prod.),				
57	Ser. 4 (exc. 2-SPD.)	(11¾ I.D. x 13½ O.D.)	370448	1	.45
37-54	PASS.,				
53-55	CORV.	(9⅝ I.D. x 10⅜ O.D.)	593017	1	.30
39-55	2-SPD. (1st Ser.)	(13 I.D. x 14⅜ O.D.)	3651369	1	.55
46-57	COMM. (exc. ½ TON)	(10 3/32 I.D. x 12¼ O.D.)	3665606	1	.40
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	(.06 thick)	3711464	1	.55

5.400 PLUG, Axle Filler


ALL	ALL,				
56-57	CORV.	(1—20 sq. hd.—1⅜ dia. flange)	344829	1	.20
53-55	CORV.	(1⅜ hex. head)	3704497	1	.45

5.401 GASKET, Filler Plug


ALL	ALL, CORV.	leather (1 I.D. x 1 9/32 O.D.)	3714775	1	.05
57	PASS.	axle housing drain plug	513975	1	(1.456)

5.403 SEAT—PLATE, Rear Spring (See group 7.518)

34	DA, DB,				
36-46	½ TON	w/cap, L. (cast 373345)	600175	1	3.75
34	DA, DB,				
36-46	½ TON	w/cap, R. (cast 373346)	600176	1	3.75
36-40	UTIL. (exc. VE, VF, WD)	w/cap (cast 473621)	473617	2	6.65
40-47	PASS.,				
48-54	PASS., ½ TON	(cast 3652183)	3652182	2	3.25
41-42	UTILITY,				
46-48	1½ TON	PLATE, "U" bolt anchor (cast 3681664)	3681664	2	3.25
46-53	2 TON,				
55-56	1½ TON (2nd Ser.) (exc. 2-SPD.)	PLATE, "U" bolt anchor (cast 3681660)	3681660	2	3.25
49-55	1½ TON (1st Ser.)	PLATE, "U" bolt anchor (cast 3686985)	3686985	2	3.25
54-55	2 TON (1st Ser.) (exc. 2-SPD.)	PLATE, "U" bolt anchor (cast 3714741) (use w/square type housing)	3714741	2	3.25
54-55	2-SPD. (1st Ser.)	PLATE, "U" bolt anchor (cast 3714742) (use w/square type housing)	3714742	2	3.25




TORQUE TUBE PASSENGER AND ½ TON REAR AXLE




*NOTE: THESE PARTS ARE MATCHED, NOT SOLD SEPARATELY
**NOTE: DIFFERENTIAL CASE SERVICED AS A UNIT. HALVES ARE NOT SOLD SEPARATELY


¾ AND 1 TON REAR AXLE




1½ TON REAR AXLE



TWO-SPEED REAR AXLE—MECHANICAL SHIFT



1946-54 TWO-SPEED REAR AXLE, HYPOID—VACUUM SHIFT



1955-57 TWO-SPEED REAR AXLE

54-55	1½ TON (2-SPD.) (1st Ser.),				
54-55	2 TON (1st Ser.)	PLATE, "U" bolt anchor (cast 3707396) (use			
55-56	2 TON (2nd Ser.) (Prod.)	w/round type housing)	3707396	2	3.25
55-56	2-SPD. (2nd Ser.),				
55-57	1½ TON (SBC) (2nd Ser.) (2-SPD.)	PLATE, "U" bolt anchor (cast 3713296) (use			
55-56	2 TON (hvy. duty) (2nd Ser.)	w/round type housing)	3713296	2	3.25
55	2-SPD. (2nd Ser.)	PLATE, "U" bolt anchor (cast 3720016) (use			
55	2 TON (hvy. duty) (2nd Ser.)	w/square type housing) (6° spring seat angle)	3720016	2	3.80
55-56	2-SPD. (2nd Ser.),				
57	Ser. 4C (2-SPD.)	PLATE, "U" bolt anchor (cast 3720074), (use			
55-56	2 TON (hvy. duty) (2nd Ser.)	w/square type housing), (4° spring seat angle)	3720074	2	3.80
57	Ser. 4 (exc. 2-SPD.)	PLATE, "U" bolt anchor	3734810	2	3.25
57	Ser. 4 (2-SPD.) (exc. SBC),				
57	Ser. 6	PLATE, "U" bolt anchor, w/round type housing	3734812	2	3.80
57	Ser. 4 (2-SPD.) (exc. SBC),				
57	Ser. 6	PLATE, "U" bolt anchor, w/square type housing	3734813	2	3.80

5.404 SEAL—BOLT, Rear Spring Seat

38-54	PASS.,				
47-54	½ TON	(rubber 1 I.D. x 1⅞ O.D. x 3/16 thick)	597267	4	.15
38-54	PASS.	BOLT, rear spring seat to axle hsg. (⅝—18			
47-54	½ TON	x 4 1/16)	597268	2	.25

5.420 SHAFT, Axle

36	R	(35 O.L.) (stmp'd 593066)	593066	2	12.20
37	PASS.	left (27⅞ O.L.) (stmp'd 602441)	602441	1	11.30
37	PASS.	right (28⅞ O.L.) (stmp'd GM 42)	602442	1	11.30
37-39	COMM.	(29¼ O.L.) (stmp'd 602444)	602444	2	14.85
37-39	UTILITY	(36¼ O.L.) (stmp'd 594318)	594318	2	14.15
38	PASS.	left (28⅝ O.L.) (stmp'd 602969)	602969	1	11.30
38	PASS.	right (29⅝ O.L.) (stmp'd 602970)	602970	1	11.30
39-40	PASS.	left (28⅝ O.L.) (stmp'd 603617)	603617	1	13.50
39-40	PASS.	right (29⅝ O.L.) (stmp'd 603618)	603618	1	13.50
39-41	2-SPD. (Mech. Shift)	w/tapered stud holes (37½ O.L.) (stmp'd			
		3661899)	3651368	2	15.35
40-46	COMM. (exc. DR, DS)	left (28¾ O.L.) (stmp'd 3652341)	3652341	1	14.15
40-46	COMM. (exc. DR, DS)	right (29¾ O.L.) (stmp'd 3652342)	3652342	1	14.15
40-42	UTILITY (exc. 2-SPD.),				
46-47	1½ TON	left (34¼ O.L.) (stmp'd 3652293)	3652293*	1	16.45
40-42	UTILITY (exc. 2-SPD.),				
46-47	1½ TON	right (40⅝ O.L.) (stmp'd 3652294)	3652294*	1	16.45
40-42	UTILITY (Reg. Prod.) (exc. 2-SPD.)	left (20 splines—34¼ O.L.—splined hub			
46-55	1½ TON (1st Ser.) (exc. 2-SPD.)	end) (stmp'd 3685191)	3685191	1	16.10
40-42	UTILITY (Reg. Prod.) (exc. 2-SPD.)	right (20 splines—40⅝ O.L.—splined hub			
46-55	1½ TON (1st Ser.) (exc. 2-SPD.)	end) (stmp'd 3685192)	3685192	1	16.10
41-46	2-SPD. (Mech. Shift)	w/out tapered stud holes (38½ O.L.)			
		(stmp'd 3661899)	3661899	2	18.15
41-48	PASS.	left (29⅝ O.L.) (stmp'd 3657313)	3657313	1	14.85
41-48	PASS.	right (30⅝ O.L.) (stmp'd 3657314)	3657314	1	14.85
42-46	M, O (hvy. duty) (exc. 2-SPD.)	left (16 splines—36½ O.L.) (stmp'd			
46-47	2 TON	3682461)	3682461†	1	18.45
42-46	M, O (hvy. duty) (exc. 2-SPD.)	right (16 splines—40¾ O.L.) (stmp'd			
46-47	2 TON	3682462)	3682462†	1	18.45
42-46	M, O (hvy. duty) (exc. 2-SPD.)	left (16 splines—36½ O.L.) (stmp'd			
46-51	2 TON	3702227) (splined hub end)	3702227	1	18.45
42-46	M, O (hvy. duty) (exc. 2-SPD.)	right (16 splines—41 O.L.) (stmp'd			
46-51	2 TON (exc. 2-SPD.)	3702228) (splined hub end)	3702228	1	18.45
42-46	M, O (hvy. duty)	right (16 splines—40 O.L.) (stmp'd			
46-51	2-SPD. (Vac. Shift)	3702230 (splined hub end)	3702230	1	18.45
46-57	¾, 1 TON	left (17 splines—31¼ O.L.) (stmp'd			
		3680977)	3680977	1	16.10
46-57	¾, 1 TON	right (17 splines—37 O.L.) (stmp'd			
		3680978)	3680978	1	16.10
47-50	½ TON	left (17 splines—29⅝ O.L.) (stmp'd			
		3683161)	3683161	1	16.10

†NOTE: Used in 1946-47 with CONVENTIONAL and 2-SPD. 2 TON models w/bolted type hub.

*NOTE: Not used w/splined type shaft and hub.

47-50	½ TON	right (17 splines—30⅝ O.L.) (stmp'd 3683162)	3683162	1	16.10
49-50	PASS.	left (28½ O.L.—3¼ dia. pilot) (stmp'd 3687767)	3687767	1	14.85
49-50	PASS.	right (29½ O.L.—3¼ dia. pilot) (stmp'd 3687768)	3687768	1	14.85
51-54	PASS.	left (28½ O.L.—2¾ dia. pilot) (stmp'd			
53-55	CORV.	3694755)	3694755	1	14.85
51-54	PASS.	right (29½ O.L.—2¾ dia. pilot) (stmp'd			
53-55	CORV.	3694756)	3694756	1	14.86
51-57	½ TON	left (17 splines—29⅝ O.L.) (stmp'd 3694769)	3694769	1	16.10
51-57	½ TON	right (17 splines—30⅝ O.L.) (stmp'd 3694770)	3694770	1	16.10
52-53	2 TON	left (27 splines—36½ O.L.) (stmp'd 3702219)	3702219	1	18.45
52-53	2 TON (exc. 2-SPD.)	right (27 splines—41 O.L.) (stmp'd 3702220)	3702220	1	18.45
52-53	2-SPD.	right (27 splines—40 O.L.) (stmp'd 3702222)	3702222	1	18.45
54-55	1½ TON (2-SPD.) (1st Ser.)	left (29 splines—36¾ O.L.) (stmp'd			
54-55	2 TON (1st Ser.)	3702295)	3702295	1	20.20
54-55	2 TON (1st Ser.) (exc. 2-SPD.)	right (29 splines—41¼ O.L.) (stmp'd 3702296)	3702296	1	20.20
54-55	2-SPD. (1st Ser.)	right (29 splines—40 O.L.) (stmp'd 3702298)	3702298	1	20.20
55-56	PASS.	left (17 splines—28$^{15}/_{16}$ O.L.) (cast DEE-			
56	CORV.	3714781)	3714781	1	14.85
55-56	PASS.	right (17 splines—30$^{7}/_{16}$ O.L.) (cast AAC-			
56	CORV.	3714782)	3714782	1	14.85
55-57	1½ TON (2nd Ser.) (exc. 2-SPD.)	(27 splines—37½ O.L.) (stmp'd 3714735)	3714735	2	16.10
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	left (29 splines—38$^{9}/_{64}$ O.L.) (stmp'd 57)	3711457	1	20.20
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	right (29 splines—40$^{9}/_{16}$ O.L.) (stmp'd 58)	3711458	1	20.20
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (2nd Ser.) (Reg. Prod.)	(29 splines—39⅜ O.L.) (stmp'd 90)	3709890	2	20.20
57	PASS., CORV.	left	3739107	1	14.85
57	PASS., CORV.	right	3739108	1	14.85

5.422 SPACER—LOCK—BOLT—STUD—SLEEVE, Axle Shaft

33-36	C, D, E, F (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-57	½ TON	narrow (1.1485)	370217	1	.90
33-36	C, D, E, F (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-57	½ TON	wide (ground 4 sides) (1.575 and 1.1675)	372515	1	.90
33-36	CC, DC, EC, FC,				
37-54	PASS.	wide (ground 4 sides) (1.0195 and 1.0295)	473603	1	.90
33-36	CC, DC, EC, FC,				
37-54	PASS.	wide (identified by blue paint on rough			
53-55	CORV.	side) (1.0345)	597254	1	.90
33-36	CC, DC, EC, FC,				
37-54	PASS.,				
53-55	CORV.	narrow (1.012)	597251	1	.90
47-53	UTILITY (w/splined hub),				
54-57	1½ TON (exc. 2-SPD.)	thrust (3$^{13}/_{16}$ O.D., 1$^{7}/_{16}$ wide)	3685197	2	.60
54-57	1½ TON (2-SPD.),				
54-57	2 TON	thrust (4$^{7}/_{32}$ O.D.)	3703705	A.R.	.60
33-36	CC, DC, EC, FC,				
37-54	PASS.,				
53-55	CORV.	LOCK (horse shoe)	472613	2	.20
33-36	C, D, E, F (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-57	½ TON	LOCK (horse shoe)	370240#	2	.20


#NOTE: Also used on 1955-57 PASS. equipped for hvy. duty operation.

40-47	UTILITY (also 2-SPD. on 1941-46)	LOCK, bolt (tangs on face—for ½ bolt)	3653926*	2	.25
36-39	UTILITY	BOLT (7/16—14 x 1⅜)	595646	16	.15
40-47	UTILITY (also 2-SPD. on 1941-46)	BOLT (½—13 x 1 11/32)	3653927*	16	.20
46-57	COMM. (exc. ½ TON)	BOLT, (hex. hd. ½—13 x 1⅜)	214406	16	.15
39-40	2-SPD. (w/taper hole flange)	STUD, shaft to hub (7/16—14—20 x 2¼)	3651377	16	.35
41-46	2-SPD. (w/taper hole flange)	STUD, shaft to hub (7/16—20—½—13 x 2¼)	609630	16	.35
39-46	2-SPD. (w/taper hole flange)	SLEEVE, shaft stud lock	3651372	16	.25


*NOTE: Not used w/splined type shaft and hub.

5.432 HANGER—SUPPORT—BOLT—STRAP, Propeller Shaft Bearing


41-46	YS, YW, MS, MW, OF, OJ, OS, PK, PL, PS, PW	w/bolts, brg. sup't	3657636	1	1.40
47-55	COMM., UTIL. (1st Ser.) (exc. ½ TON, QP, RP, SP, TP, UP, VP, S)	front, w/out bolts, bearing sup't	3688455	1	1.50
47-55	2 TON SBC, TY, UY, VY (1st Ser.)	inter., w/out bolts, bearing sup't	3688494	1	1.65
53-55	X (1st Ser.)	inter., w/out bolts, bearing sup't	3703584	1	1.50
55	X, 2 TON SBC (2nd Ser.),				
56-57	Ser. 6D	front, bearing sup't	3721430	1	1.40
55	G, K (3-SPD.) (2nd Ser.) (exc. hvy. duty),				
56-57	Ser. 3D-3F (3-SPD.) (exc. hvy. duty)	front, bearing sup't	3718838	1	1.40
55	COMM. (2nd Ser.) (exc. G, K w/reg. prod. 3-SPD.),				
55	N, V (2nd Ser.),				
56-57	COMM. (exc. Ser. 3D-3F w/reg. prod. 3-SPD.)	front, bearing sup't	3714143	1	1.40
55	P, R, W (2nd Ser.)	front, bearing sup't	3720994	1	1.50
55	X, Y, Z (2nd Ser.)	inter., bearing sup't	3721487	1	1.95
56-57	Ser. 4A	front, bearing sup't	3726589	1	1.50
56-57	Ser. 4B-4C-6B-6K	front, bearing sup't	3725529	1	2.10
56-57	Ser. 6A-6J	front, bearing sup't (stamped C)	3723730	1	1.50
56-57	Ser. 6C-6E	front, bearing sup't. (stamped K)	3724252	1	1.05
56-57	Ser. 6C-6D-6E	inter, bearing sup't	3722882	1	2.20
41-53	¾ TON	SUPPORT, frt. brg.	3676236	1	2.50
41-42	UTIL., AN, BN (exc. YU, MU) (inter. on YT, MT)	SUPPORT, frt. brg. (use w/sgl. row bearing)	3657578	1	2.50
41-47	UTIL., AN, BN, DS, ES (exc. WD, YU, MU, OH, PP, QP)	SUPPORT, frt. brg. (use w/dbl. row brg.),			
41-47	YT, MT, OY, OG, PX, QX	inter. brg. (use w/dbl. row brg.)	3678780	1	4.35
48-55	1 TON, UTIL. (1st Ser.) (exc. RP, SP, TP, UP, S),				
54-55	¾ TON (1st Ser.)	SUPPORT, frt. brg. (use w/dbl. row brg.),			
48-55	2 TON SBC, TY, UY, VY, X (1st Ser.)	inter. brg. (use w/dbl. row brg.)	3710019	1	3.15
55-57	¾ TON COWL (hvy. duty, 4-SPD.) (2nd Ser.)	SUPPORT, frt. brg. (use w/dbl. row brg.)	3714145	2	.45
55	G, K (3-SPD.) (2nd Ser.) (exc. hvy. duty),				
56-57	Ser. 3D-3F (3-SPD.) (exc. hvy. duty)	SUPPORT, frt. brg. (use w/dbl. row brg.)	3718835	2	4.15
55-57	M, Ser. 3B, ¾ TON CABS (hvy. duty, 4-SPD.) (2nd Ser.),				
55	G, K, (w/Prop. Brake) (2nd Ser.),				
56-57	Ser. 3D-3F (w/Prop. Brake),				
55-57	1 TON, UTILITY (2nd Ser.)	SUPPORT, frt. brg.,			
55	X, Y, Z (2nd Ser.),				
56-57	Ser. 6C-6D-6E	inter. brg. (use w/dbl. row brg.)	3735361	1	1.15
32-47	UTILITY (exc. VE, VF, WD)	BOLT, shaft end (hex. hd. ⅜—24 x 1 1/16)	367266	2	(4.405)
47-55	COMM., UTIL. (1st Ser.) (exc. ½ TON, RP, SP, TP, UP, VP, S)	BOLT, brg. support hanger (front and inter.) (½—20 x 1¼)	3688475	A.R.	.10
55-57	M, Ser. 3B, ¾ TON CABS (hvy. duty, 4-SPD.) (2nd Ser.),				
55	G, K (w/Prop. Brake) (2nd Ser.),				
56-57	Ser. 3D-3F (w/Prop. Brake),				
55-57	1 TON, UTILITY (2nd Ser.)	BOLT, front brg. support hanger,			
55	X, Y, Z (2nd Ser.),				
56-57	Ser. 6C-6D-6E	inter. brg. support hanger (7/16—20 x 1 3/16)	3716009	A.R.	.10
55-57	ALL (w/Prop. Brake)	STRAP, front,			
55-57	2 TON SBC	inter.	2343148	1	.10



PROPELLER SHAFT—1941-54 1, 1½, 2 TON AND COE (EXC. 108" W.B.)



TRUCK PROPELLER SHAFT DOUBLE ROW BEARING SUPPORT



PROPELLER SHAFT AND HOUSING—PASSENGER CAR

5.433 SEAL—RETAINER, Front Propeller Shaft Bearing

34-40	COMM., UTIL. (exc. ½ TON, VE, VF, WD)	bearing support (4¼ O.D.—cork)	373309	1	.25
40	W (exc. WD)	frt. prop. shaft oil (1⅜ I.D. x 1¾ O.D.)	3652271	1	(5.469)
41-46	AN, Y, BN, M, DS, O, P (exc. YU, MU, OH, PP)	frt. and int. prop. shaft bearing (use w/dble. row bearing) (3½ O.D.—rubber)	3680409	1	.25
41-47	¾ TON	frt. prop. shaft bearing	3657616*	1	1.25
41-53	¾ TON	frt. prop. shaft bearing	3689176†	1	1.25
48-55	1 TON, UTIL. (exc. RP, SP, TP, UP, VP, S) (1st Ser.),				
54-55	¾ TON (1st Ser.),				
55	G, K (3-SPD.) (2nd Ser.) (exc. hvy. duty),				
56-57	Ser. 3D-3F (3-SPD.) (exc. hvy. duty)	RETAINER, front,			
48-55	2 TON SBC, TY, UY, VY, X (1st Ser.)	inter. prop. shaft brg. grease	3685957	A.R.	.30
55-57	1 TON, UTILITY (2nd Ser.),				
55	½, ¾ TON (hvy. duty, 4-SPD.) (2nd Ser.) (exc. H),				
56-57	½, ¾ TON (hvy. duty., 4-SPD.) (exc. Ser. 3A),				
55	G, K w/H.T. (2nd Ser.),				
56-57	Ser. 3D-3F w/H.T.	RETAINER, front,			
55	X, Y, Z (2nd Ser.),				
56-57	Ser. 6C-6D-6E	inter. prop. shaft brg. grease	3714169	A.R.	.35

*NOTE: Used w/prop. shafts machined full length and less Brg. Seal Sleeve.

†NOTE: Used w/prop. shafts machined part length and w/Brg. Seal Sleeve pressed on.

5.435 HOUSING ASSEMBLY, Front Propeller Shaft

40	WB, WC, WF (front on WC)	(length 48¾)	3654009	1	15.55
47	¾ TON	(length 33 51/64)	3676314	1	12.95
48-53	¾ TON	(length 31 17/32)	3685993	1	12.95

5.436 SHAFT, Comm. and Utility, Front Propeller

		Type	O.L.	Splines			
37-38	SA, SB, TA, TB	B	23	10	593437	1	9.85
37-38	SC, SD, TC, TD	B	48¼	10	593438	1	11.55
39-40	VA, VB, VG, VH, WA, WE	B	24½	10	3654083	1	9.85
39-40	VC, VD, VM, VN, WB, WC, WF	B	49¾	10	3654084	1	11.55
41-46	YR, YV, MR, MV, OE, OI, OR, DS, PJ, PR, PV	D (w/nut)	29½	10	609024	1	17.55
41-46	YS, YT, YW, MS, MT, MW, MY, OS, OW, OY, OF, OG, OJ, P (exc. PJ, PP, PR, PV)	D (w/nut)	54¾	10	609025	1	26.40
47	¾ TON	A (w/nut)	34 43/64	10	3690190*	1	9.85
47	ES, QJ, QV	D (w/nut)	35	10	3847095†	1	19.25
47	QK, QL, QW, QX	D (w/nut)	58⅞	10	3847096	1	26.95
47	COE (w/134" W.B.)	D (w/nut)	30 13/16	10	3847098	1	19.25
47	COE (w/158" W.B.)	D (w/nut)	55⅞	10	3847099	1	26.40
48-53	¾ TON	A (w/nut)	32 13/32	10	3689204*	1	10.45
48-53	ALL (w/137", 179" W.B.)	D (w/nut)	32⅞	10	3689205	1	20.35
48-53	UTILITY (exc. 137", 179" W.B., COE)	D (w/nut)	56 13/16	10	3689206	1	27.45
48-53	COE (w/134" W.B.)	D (w/nut)	29⅞	10	3689207	1	19.75
48-53	COE (w/158" W.B.)	D (w/nut)	53⅞	10	3689208	1	27.45
54-55	¾ TON (1st Ser.),						
54-55	1 TON (3-SPD.) (hvy. duty) (1st Ser.)	E	33 11/16	16	3707196	1	20.85
54-55	¾, 1 TON, N (4-SPD.) (1st Ser.)	E	36	16	3707197	1	20.85
54-55	1½ TON (1st Ser.) (exc. N)	E	60	16	3707198	1	24.35
54-55	T (1st Ser.)	E	34⅜	16	3707201	1	21.95
54-55	U (1st Ser.)	E	57	16	3707202	1	24.90
54-55	V (1st Ser.),						
54-55	N (2-SPD.) (1st Ser.)	E	36⅛	16	3707203	1	25.25
54-55	W (1st Ser.),						
54-55	P, R (2-SPD.) (1st Ser.)	E	60 1/16	16	3707204	1	30.05
54-55	X (1st Ser.)	D	32⅝	10	3707205	1	25.05
54-55	2 TON SBC (1st Ser.)	D	56 11/16	10	3707206	1	30.05
54-55	¾, 1 TON w/H.T. (1st Ser.)	E	27⅝	16	3704540	1	20.65

*NOTE: Includes brg. seal sleeve. (See group 5.433 for correct seal).

†NOTE: Also found in intermediate section of this group.

55	G. K (3-SPD.) (2nd Ser.) (exc. hvy. duty),						
56-57	Ser. 3D-3F (3-SPD.) (exc. hvy. duty.)	E	27 1/16	16	3721460	1	32.75
55-57	D-D, 1, 1½ TON w/H.T. (2nd Ser.)	E	27½	16	3718005	1	24.65
55-57	1 TON (2nd Ser.) (exc. H.T.),						
55	N, V (2nd Ser.) (exc. 2-SPD., hvy. duty),						
55	M, ¾ TON (hvy. duty, 4-SPD.) (2nd Ser.) (exc. F),						
56-57	Ser. 3B-3D-3E-3F (hvy. duty, 4-SPD.),						
56-57	4A (exc. 2-SPD., hvy. duty),						
56	6A (exc. 2-SPD., hvy. duty)	E	36 1/32	16	3717093	1	27.25
55	P, R, W (2nd Ser.) (exc. 2-SPD., hvy. duty),						
56-57	Ser. 4B-4C (exc. 2-SPD., hvy. duty),						
56	Ser. 6B (exc. 2-SPD., hvy. duty)	E	59 29/32	16	3717096	1	29.45
55-56	X, Ser. 6C (hvy. duty, 2-SPD.) (2nd Ser.),						
57	Ser. 6C	D	32 5/8	10	3717097	1	26.70
55	N (2-SPD.) (2nd Ser.),						
55	V (hvy. duty, 2-SPD.) (2nd Ser.),						
56-57	Ser. 4A (2-SPD.),						
56	Ser. 6A (2-SPD., hvy. duty),						
57	Ser. 6A-6J	E	35 15/16	16	3718004	1	27.25
55	P, R (2-SPD.) (2nd Ser.),						
55	W (hvy. duty, 2-SPD.) (2nd Ser.),						
56	Ser. 4B-4C-6-B (2-SPD., hvy. duty),						
57	Ser. 6B-6K	E	59 7/8	16	3718006	1	29.45
55-56	X, Ser. 6C (2nd Ser.) (exc. hvy. duty, S-SPD.)	D	32 23/32	10	3717102	1	38.75
55-56	2 TON SBC (2nd Ser.) (exc. hvy. duty, 2-SPD.)	D	58 5/8	10	3717100	1	30.30
55-56	2 TON SBC (hvy. duty, 2-SPD.) (2nd. Ser.),						
57	Ser. 6D-6E	D	56 9/16	10	3718000	1	30.30
56-57	Ser. 4B w/H.T.	E	51 3/32	16	3735660	1	29.15

SHAFT, Utility, Intermediate Propeller

NOTE: (front) shown in column at right indicates part is also used as front propeller shaft.

		Type	O.L.	Splines			
41-46	SBC (w/195" W.B.)	D (w/nut)	35	10	3847095	1	(front)
48-53	SBC (w/199" W.B.)	D (w/nut)	37 7/8	10	3689209	1	19.75
50-53	UTILITY (w/179" W.B.)	D (w/nut)	43 3/16	10	3696326	1	19.75
52-53	SBC (w/212" W.B.)	D (w/nut)	50 7/8	10	3701355	1	24.20
54-55	X (1st Ser.)	E	45½	16	3707207	1	26.40
54-55	Y (1st Ser.)	E	41½	16	3707208	1	26.40
54-55	Z (1st Ser.)	E	54½	16	3707209	1	28.60
55-56	X, Ser. 6C (2nd Ser.) (exc. hvy. duty, 2-SPD.)	E	45 13/32	16	3717101	1	26.40
55	X (hvy. duty, 2-SPD.) (2nd Ser.)	E	45 21/64	16	3718002	1	26.40
55-56	Y, Ser. 6D (2nd Ser.) (exc. hvy. duty, 2-SPD.)	E	43 15/32	16	3717099	1	26.40
55-56	Y, Ser. 6D (hvy. duty, 2-SPD.) (2nd. Ser.),						
57	Ser. 6D	E	43 3/32	16	3718001	1	26.40
55-56	Z, Ser. 6E (2nd Ser.) (exc. hvy. duty, 2-SPD.)	E	61 1/32	16	3717098	1	29.45
55-56	Z, Ser. 6E (hvy. duty, 2-SPD.) (2nd. Ser.),						
57	Ser. 6E	E	61 25/32	16	3718003	1	29.45
56	Ser. 6C (hvy. duty, 2-SPD.),						
57	Ser. 6C	E	45 47/64	16	3717035	1	26.40


BEARING—KIT, Propeller Shaft

29-40	COMM., UTIL. (exc. ½ TON, VE, VF, WD)	(ND 3207)	903207	1	5.65
41-42	COMM., UTIL. (exc. AK, BK, YU, MU),				
46-57	¾, 1 TON (exc. DS, ES),				
48-57	UTILITY (exc. RP, SP, TP, UP, VP)	front,			
48-57	2 TON SBC, TY, UY, VY, X, Ser. 6C	inter. (single row) (X-88107)	954257	1	6.95
41-47	UTIL., AN, BN, DS, ES (exc. YU, MU, OH, PP, QP)	front,			
42-47	MT. OG, PX, QX	inter. (dbl. row) (ND 5207)	905207	1	11.60
41-47	AN, BN, DS, ES,				
41-47	UTIL. (exc. YU, MU, OH, PP, QP)	KIT, support repair	609037*	1	27.50

*NOTE: Used to convert single row bearing support to double row type.

5.437 RING—SPRING, Front Propeller Shaft Bearing Lock

31-40	UTILITY (exc. VE, VF, WD),				
37-53	¾ TON	flat wire (3½ O.D.)	366989	1	.25




41-53	¾ TON	snap, front	3657611	1	.20
42-47	BN, DS, ES	snap, front (used w/double row brg.) (inter.			
42-47	UTIL. (exc. MU, OH, PP, QP)	on MT, OG, OY, PX, QX)	3675399	2	.20
41-46	AN, BN, DS	SPRING, retainer, front (used with double row			
41-46	UTIL. (exc. YU, YM, OH, PP)	bearing) (inter. on MT, OY)	3680410	1	.30

5.438 SEAL—SHIELD—DEFLECTOR—SPACER, Propeller Shaft Bearing

41-47	AN, Y, BN, M, DS, O, P, ES, Q (exc. YU, MU, OH, PP, QP)	brg. dust (jobs w/dbl. row brg.) (1¾ I.D. x 2¾ O.D.)	3675395	2	1.15
41-42	AN, Y, BN, M (exc. YU, MU)	SHIELD, flange dust (jobs w/sgl. row brg.) (1¾ I.D. x 5 O.D.)	3657525	1	.65
41-42	AN, Y, BN, M (exc. YU, MU)	SHIELD, brg. inner dust (jobs w/sgl. row brg.) (1⅜ I.D. x 2⅜ O.D.)	3657529	2	.40
41-42	AN, Y, BN, M (exc. YU, MU)	SHIELD, brg. outer dust (jobs w/sgl. row brg.) (2½ I.D.)	3657530	2	.55
41-47	AN, Y, BN, M, O, DS, P, ES, Q (exc. YU, MU, OH, PP, QP)	SHIELD, flange dust (jobs w/dbl. row brg.) (1¾ I.D. x 5¼ O.D.)	3678784	1	.70
41-53	¾ TON	SHIELD, brg. dust (1⅜ I.D. x $3^{19}/_{32}$ O.D.)	3657612	1	.30
54-57	COMM., UTILITY w/frt., inter. prop. shaft	SHIELD, brg. rear dust (2¼ I.D. x 2⅝ O.D.)	3705198	1	.30
48-57	¾, 1 TON, UTILITY w/frt. prop. shaft	DEFLECTOR, brg. grease (1¾ I.D.)	3686710	1	.40
46	PX	SPACER, dust seal (intermediate),			
46-47	DS, P, ES, Q (exc. PP, QP)	dust seal (front)	3684310	1	.40

5.439 RETAINER—INSULATOR—CUSHION—SLINGER—FITTING, Propeller Shaft Bearing

41-47	1 TON, UTIL. (exc. YU, MU, OH, PP, QP)	frt. and inter. (used w/dbl. row brg.)	3682372	1	5.65
55	M, J w/cowl (hvy. duty, 4-SPD.) (2nd Ser.),				
55	G, K w/prop. brake (2nd Ser.),				
55-57	1 TON, UTILITY (2nd Ser.),				
56-57	Ser. 3B-3E w/cowl (hvy. duty, 4-SPD.),				
56-57	Ser. 3D-3F w/prop. brake	frt. prop. shaft and brg. support,			
55-57	2 TON SBC, Ser. 6C, X (2nd Ser.)	inter. prop. shaft and brg. support (7¾ O.L.)	3714195	1	.30




PROPELLER SHAFT—1955

41-47	1 TON, UTIL. (exc. YU, MU, OH, PP, QP)	INSULATOR (3 3/16 I.D. x 3 15/32 O.D.)	3682374*	1	.30
41-53	3/4 TON	CUSHION, front (rubber—3 11/16 O.D.)	3657610	1	.65
41-42	UTIL., AN, BN (exc. YU, MU),				
48-55	1 TON, UTIL. (1st Ser.) (exc. RP, SP, TP, UP, VP, S),				
54-55	3/4 TON (1st Ser.),				
55	G, K (prod.) (2nd Ser.),				
56-57	Ser. 3D-3F (prod.)	CUSHION, front,			
41-42	YT, MT,				
48-55	2 TON SBC, TY, UY, VY, X (1st Ser.)	inter. (rubber—3 7/16 O.D.)	3657524	1	.65
55	M, J (hvy. duty, 4-SPD.) (2nd Ser.),				
55	G, K w/prop. brake (2nd Ser.),				
55	1 TON, UTIL. (2nd Ser.)	CUSHION, front,			
55	X, 2 TON SBC (2nd Ser.)	intermediate (2 1/2 I.D.)	3714167	A.R.	1.25
56-57	Ser. 3B-3E (hvy. duty, 4-SPD),				
56-57	Ser. 3D-3F w/prop. brake,				
56-57	1 TON, UTILITY	CUSHION, front,			
56-57	Ser. 6C-6D-6E	intermediate	3730827	A.R.	1.65
48-55	1 TON, UTIL. (exc. RP, SP, TP, UP, VP, S) (1st Ser.),				
55-57	1 TON, UTILITY (2nd Ser.),				
55-57	M, Ser. 3B (2nd Ser.),				
55-57	J, Ser. 3E (hvy. duty, 4-SPD.) (2nd Ser.),				
55	G, K (prod.) (2nd Ser.),				
56-57	Ser. 3D-3F (prod.)	SLINGER, front grease,			
48-55	2 TON SBC, TY, UY, VY, X,				
56-57	Ser. 6C-6D-6E	inter. (1 25/64 x 2 3/32)	2019793	A.R.	.10
41-47	AN, BN, DS, ES	FITTING, front lubricating (special 1/8) (used			
41-47	UTIL. (exc. YU, MU, OH, PP, QP)	with double row bearing)	3678785	1	.30

*NOTE: Use w/3682372 Retainer.

5.441 SHAFT, Rear Propeller (Also see Group 5.436)



		Type	O.L.	Splines			
34-39	UTIL. (exc. VE, VF)	B	53¼	10	364480	1	12.05
37-38	COMM.	C	58½	10	593208	1	13.50
37-39	PASS.	C	59¼	10	593036	1	13.50
39	COMM.	C	60	10	599137	1	13.50
39-40	VB, VD, VH, VN, WA, WB, WE, WF (2-SPD)	B	46 3/16	10	3651352	1	9.70
40	PASS.	C	59⅜	17	3652658	1	13.50
40	COMM.	C	60	17	3652329	1	11.25
40	W (exc. WD)	B	52¾	10	3652283	1	11.85
41-54	PASS.	C	63	17	3704406	1	16.80
41-46	½ TON	C	61½	17	3657323	1	16.80
41-42	AL, AM, BL, BM	E	48 19/32	16	605058	1	20.55
41-53	DR, 1 TON, UTILITY (exc. short COE)	E	48 23/32	16	3657548	1	19.75
41-53	SHORT COE (exc. QP)	E	54¾	16	605409	1	18.25
41-46	YR, YS, YV, YW, MR, MS, MV, MW, OS, OI, OJ, OE, OF, OG, PR, PS, PV, PW, PX, (2-SPD.) (Mech. Shift)	E	41⅝	16	3657948	1	17.55
46-48	2-SPD. (Vac. Shift) (exc. PP, QP, RP)	E	41	16	609997†	1	16.45
46-53	SHORT COE (2-SPD.—Vac. Shift) (exc. QP)	E	47 5/16	16	609999	1	21.40
47	½ TON	C	65 7/16	17	3683172	1	16.80
47-53	¾ TON	E	37⅛	16	3847344	1	19.75
47	QP	E	56¾	16	3847097	1	23.95
47	QP (2-SPD.)	E	49¼	16	3847195	1	21.40
47-53	2-SPD. (Vac. Shift) (exc. short COE)	E	41¼	16	3690259‡	1	18.65
48-54	½ TON (exc. H.T.)	C	63⅞	17	3694764	1	16.80
53-55	CORV. 6 cyl.	F	37 7/16	—	3707878	1	21.45
54	¾ TON,						
55	¾ TON (hvy. duty, H.T., 4-SPD.) (1st Ser.),						
55-57	J, Ser. 3E w/hvy. duty, 4-SPD. (2nd Ser.)	F	36¼	—	3707210	1	21.45
54-55	1, 1½ TON (exc. 2-SPD.),						
55	2 TON (2nd Ser.) (prod.) (exc. Z),						
56	1 TON, UTILITY (Prod.) (exc. Ser. 6E),						
57	Ser. 3G-4 (exc. 2-SPD.)	F	47⅞	—	3707211	1	24.15
54-55	S (1st Ser.) (exc. 2-SPD.)	E	55½	16	3707199	1	23.60
54-55	S (2-SPD.) (1st Ser.)	E	48	16	3707200	1	23.05
54-55	2 TON (1st Ser.) (exc. S, 2-SPD.)	F	47½	—	3707212	1	24.75
54-55	2-SPD. (1st Ser.) (exc. S)	F	40⅛	—	3707213	1	23.65
54	½ TON w/H.T.	C	57⅝	17	3707346	1	16.25
55	PASS. (1st design),						
57	TAXI,						
55-57	H, Ser. 3A (exc. hvy. duty, 4-SPD)	F	54⅞	—	3719428	1	17.35
55-56	PASS. (2nd. design),						
57	PASS. (exc. TAXI)	F	55¼	—	3722117	1	17.35
55-57	CORV. 8 cyl.	F	—	—	3712381	1	18.65

†NOTE: Use w/10 leaf spring only.

‡NOTE: 3690259 to be used w/11 leaf spring only.

55	H w/hvy. duty, 4-SPD. (1st Ser.)	E	61 9/16	16	3711310	1	26.95
55	3/4 TON (3-SPD.) (1st Ser.) (exc. hvy. duty),						
55-57	J, Ser. 3E (3-SPD.) (2nd Ser.) (exc. hvy. duty)	F	64 19/32	—	3711311	1	26.95
55-57	H, Ser. 3A (hvy. duty, 4-SPD.) (2nd Ser.)	E	61 1/16	16	3719043	1	26.95
55-57	M, Ser. 3B (2nd Ser.) (exc. hvy. duty, 4-SPD)	F	64 1/16	—	3719042	1	26.95
55-57	M, Ser. 3B (hvy. duty, 4-SPD.) (2nd Ser.)	F	36 1/32	—	3719044	1	26.70
55-57	F, Ser. 3C (3-SPD.) (2nd Ser.) (exc. hvy. duty)	F	52 15/16	—	3717023	1	25.85
55-57	F, Ser. 3C (hvy. duty, 4-SPD) (2nd Ser)	E	50 1/16	16	3718008	1	26.15
55-57	F, Ser. 3C w/H.T. (2nd Ser.)	E	41 15/32	16	3718009	1	25.80
55-57	G, Ser. 3D (2nd Ser.)	F	44 13/32	—	3721462	1	23.10
55-57	J, Ser. 3E w/H.T. (2nd Ser.)	E	62 7/32	16	3718007	1	26.95
55-57	K, Ser. 3F (2nd Ser.) (3" dia. tube)	F	56 1/8	—	3725032	1	27.50
55-57	1 1/2 TON (2-SPD.) (2nd Ser.),						
55	2 TON (hvy. duty, 2-SPD.) (2nd Ser.) (exc. Z),						
56	2 TON (hvy. duty, 2-SPD.) (exc. SBC),						
57	Ser. 6 (exc. SBC)	F	46 1/2	—	3717095	1	24.20
55-56	Z, Ser. 6E (2nd Ser.) (exc. hvy. duty, 2-SPD.)	F	55 9/16	—	3718926	1	26.40
55	Z (hvy. duty, 2-SPD.) (2nd Ser.)	F	54 1/32	—	3718927	1	26.40
56	Ser. 6D (hvy. duty, 2-SPD.),						
57	Ser. 6D	F	*	—	3737109	1	31.50
56	Ser. 6E (hvy. duty, 2-SPD.),						
57	Ser. 6E	F	*	—	3737101	1	31.50

*NOTE: See group 5.442 for components and cutting specifications.

5.442 TUBE ASSY.—YOKE END, Universal Propeller Shaft

56	2 TON SBC (2-SPD., hvy. duty),				
57	2 TON SBC	w/yoke (48 long)	3725396	A.R.	16.25
56	2 TON SBC (2-SPD.), hvy. duty),				
57	2 TON SBC	YOKE END (type F)	3707774	A.R.	6.90

NOTE: See Chevrolet Heavy Duty Truck Parts Catalog Gr. 5.442 for fabrication procedure. Also part of dealer stock unit 3725395.

PROPELLER SHAFT CHART

3-Inch Dia.—Rear (see Group 5.441)

		Shaft Assy.	Shaft Components Stub End	Tube Assy.	Cut Spec.
56	6700 (2-SPD., hvy. duty),				
57	6700	3737109	3707774	3725396	41.67
56	6800 (2-SPD., hvy. duty),				
57	6800	3737101	3707774	3725396	None

5.444 GUARD—SUPPORT—STRAP, Propeller Shaft

41-48	DS, ES, FS, UTILITY,				
49-55	SBC (1st Ser.)	rear (5/8—18 x 13 9/16 "U" bolt type)	3684176	1	.95
47-55	SBC (1st Ser.)	front	3684155	1	.85
47-55	2 TON SBC (1st Ser.)	intermediate	3684156	1	.95
55	CORV. w/P.G. 8 cyl.	(7—3/16 dia. holes)	3718113	1	3.30
55	CORV. (3-SPD.) 8 cyl.	(3 —13/64 dia. holes)	3724575	1	4.75
55-57	SBC (2nd Ser.)	front (8 9/32 long)	3723150*	1	.90
55-57	1 1/2 TON SBC (2nd Ser.)	rear (13 5/8 long)	3723152*	1	1.30
55-57	2 TON SBC (2nd Ser.)	rear (15 7/32 long)	3723153*	1	1.40
55-57	2 TON SBC (2nd Ser.)	inter. (11 long)	3723151*	1	1.05
56-57	CORV.		3728417	1	3.30
41-46	DS, UTILITY (exc. short COE)	SUPPORT, front,			
41-46	DS, UTILITY (exc. MU)	rear,			
41-46	YT, MT, OY, OG, PX	intermediate,			
47-55	SBC (1st Ser.)	front, rear,			
47-55	QX, RX, SX, TX, UX, VX, VZ, Y, Z (1st Ser.)	guard, inter. (used w/"U" bolt type guard) (1/32 dia. holes—4 5/8 between ctrs.)	3665126	1	1.55
55-56	SBC (2nd Ser.)	SUPPORT, front, inter., rear	3723154	1	1.65
57	SBC	SUPPORT, front, inter., rear	3730470	A.R.	1.65
53-55	CORV. 6 cyl.	STRAP, guard (2—13/32 dia. holes)	3706326	1	.40

*NOTE: On some models it will be necessary to relocate and drill new attaching holes in support.

5.446 NUT, Pinion Shaft Bearing

30-42	PASS., COMM. (exc. CC, DC, EC),				
46-54	PASS., 1/2 TON,				
55	1/2 TON (1st Ser.)	(15/32—20 thd.—1 thick)	3703782	1	.65

5.447 BEARING—CONE—CUP, Pinion Shaft Front

30-36 37-39	PASS. COMM. (exc. CC, DC, EC), COMM.	(ND 5206)	954452	1	10.45
37-54 40-42 46-54 53-55	PASS., COMM., ½ TON, CORV.	(ND 5306W X1730A)	954780†	1	13.85
40-55 55-56 57	UTILITY (1st Ser.), UTILITY (2nd Ser.) (Prod.), Ser. 4 (exc. 2-SPD.)	(ND H-5310A) (dbl. row)	954237	1	30.90
46-57 55-56 56-57 57	¾, 1 TON, 2 TON (hvy. duty, 2-SPD.) (2nd Ser.), 1½ TON (2-SPD.), Ser. 6	(HY A-305396) (305396ZD) (w/spacer)	442093*	1	40.25
55-57 56-57	PASS., ½ TON, CORV.	(HY A-200267-Z)	7450373	1	7.85
39-53	2-SPD.	CONE, brg. inner, w/roller (TIM. 3875)	147905	1	8.00
54-55	2-SPD. (1st Ser.)	CONE, brg. inner, w/roller (TIM. HM 801346)	455271	1	8.10
39-53	2-SPD.	CUP, brg. outer (TIM. 3820)	128248	1	3.40
54-55	2-SPD. (1st Ser.)	CUP, brg. outer (TIM. HM 801310)	455272	1	3.65

†NOTE: Must be assembled with loading slot toward pinion gear shoulder.

*NOTE: Spacer with 442093 cannot be used with any other Bearing.

5.450 DOWEL, Propeller Shaft Housing Bushing

29-40 41-50	ALL (exc. VE, VF, WD), PASS., ½ TON	(5/16 dia.)	347813	A.R.	.03

5.451 KITS, Propeller Shaft Bushing and Seal

34-39	UTILITY		609931†	1	2.65
37-39	PASS.		609929†	1	2.95
40-50	PASS. (1st design) (exc. P.G.)	(Slip Fit Bushings)	609930†	1	2.95
40 41-50	COMM., ½ TON (exc. EP) (1st Design)	(Slip Fit Bushings)	609933†	1	2.95
47	½ TON		3847423†	1	2.90
50	PASS. (2nd Design)	(Press Fit Bushings)	3695678*	1	2.85
50	HP (2nd Design)	(Press Fit Bushings)	3695031*	1	2.60

†NOTE: Consists of 2 bushings, 2 dowel pins, and 1 seal.

*NOTE: Consists of 2 bushings and 1 seal.

BUSHING, Propeller Shaft Housing (torque tube)

33-39	UTILITY (exc. VE, VF)	front (1 5/16 I.D. x 1½ long)	370416	1	1.20
34-40	UTIL. (exc. VE, VF, WD)	front (1¼ I.D.—2 inside grooves)	600962	1	1.20
36	FC	front (1¼ I.D. x 1 long) (bronze)	474922	1	.65
37-53	¾ TON, GE, HE, KF	front (1 9/16 I.D.—no inside grooves)	596907	1	1.10
37-40 41-50	PASS., COMM. (exc. KA, KB, KH), ½ TON (1st Design)	front (1 11/32 I.D. x 1 long) (slip fit)	595007	1	1.20
40	W (exc. WD)	front (1 5/16 I.D. x 1¾ long)	3653931	1	1.10
40-50	PASS. (1st Design)	front (1 5/16 I.D. x 1 3/16 long) (slip fit)	3652601	1	1.20
50	PASS. (2nd Design)	front (1 5/16 I.D. x 1 23/32 O.D. x 1 3/16 long) (press fit)	3691484	1	1.20
50	HP (2nd Design)	front (1 11/32 I.D. x 1 23/32 O.D. x 1 long) (press fit)	3691490	1	1.20
51-54	PASS.	front (1 11/32 I.D. x 1 51/64 O.D. x 1 3/16 long) (press fit)	3694732	1	1.20
51-54	½ TON	front (1 11/32 I.D. x 1 51/64 O.D. x 1 long) (press fit)	3694761	1	1.20
34-40	UTILITY (exc. VE, VF, WD)	ctr. (1 5/16 I.D. x 1¼ long) (cast 373607)	373607	1	1.20
37-39 40	PASS., COMM., PASS., COMM.,	rear (1 1/32 I.D. x 1 17/32 O.D.)	595005	1	1.20
41-50	PASS., ½ TON (exc. EP) (1st Design)	rear (1 1/16 I.D. x 1 17/32 long) (slip fit)	3652328	1	1.20
47	½ TON	rear (1 11/32 I.D. x 1 11/16 O.D.)	3686064	1	1.20
50	PASS., ½ TON (2nd Design)	rear (1 1/16 I.D. x 1 11/16 O.D. x 1 17/32 long) (press fit)	3691475	1	1.20
51-54	PASS., ½ TON	rear (1 1/16 I.D. x 1 49/64 O.D. x 1 17/32 long) (press fit)	3694733	1	1.20

5.452 SCREW, Pinion Shaft Bearing Lock

29-33	ALL,				
34-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-55	CORV.	(½—20 x 1 7/32 cone point)	358073	3	.15

5.453 SLEEVE—CAGE—SPACER, Pinion Shaft Bearing

30-36	PASS., COMM.,				
37-39	COMM.	lock (1¾ I.D. x 2⅝ O.D.)	374633	1	.75
37-46	PASS.,				
40-46	COMM. (exc. DR, DS),				
47-54	PASS., ½ TON,				
53-55	CORV.	lock (2⅜ I.D. x 2⅞ O.D.)	3685189	1	.85
46-53	2-SPD. (Vac. Shift)	CAGE, w/brg. cups (cast 3826-T-202) ("▲" on raised ledge)	3682494	1	25.05
54-55	2-SPD. (1st Ser.)	CAGE, w/brg. cups (cast 3826-T-202) ("X▲" on raised ledge)	3703732	1	25.05
55-57	PASS., ½ TON,				
56-57	CORV.	SPACER (tapered—2½ O.L.)	3705722	1	.35

5.454 COUPLING, Pinion to Propeller Shaft

33-40	UTILITY (exc. VE, VF, WD)		370434	1	2.50

5.457 PIN—SPRING—RIVET, Pinion to Propeller Shaft Coupling

34-40	DA, DB, EA, EB, ED, F, G, H, J, KA, KB, KH		372005	1	.06
40	COMM.		3652349	1	.06
41-54	PASS., ½ TON		3657332	1	.08
50-52	PASS. w/P.G.,				
53-54	PASS.	SPRING (1¾ free length) (4½ coils)	3703792	1	.15
29-40	UTILITY (exc. VE, VF, WD)	RIVET (2⅛ x ¼ dia.)	370460	2	.03

5.458 SHIM, Pinion Shaft Bearing Cage

39-46	2-SPD. (Mech. Shift)	(.003)	3651515	A.R.	.30
46-55	2-SPD. (Vac. Shift) (1st Ser.)	(.003)	3682516	A.R.	.30

5.460 SHIM—SCREW—WASHER, Pinion Shaft Bearing

37-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-55	CORV.	(.012)	3657740	A.R.	.10
37-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-55	CORV.	(.015)	3657741	A.R.	.10
37-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-55	CORV.	(.018)	3657742	A.R.	.10
39-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-55	CORV.	(.021)	3657743	A.R.	.10
39-42	VF, WD, Y, M (2-SPD.)	(.021)	3651736	A.R.	.20
39-42	VF, WD, Y, M (2-SPD.)	(.024)	3651733	A.R.	.25
46-57	¾, 1 TON,				
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	(.012)	3686523	A.R.	.15
46-57	¾, 1 TON,				
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	(.015)	3686524	A.R.	.15
46-57	¾, 1 TON,				
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	(.018)	3686527	A.R.	.15
46-57	¾, 1 TON,				
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	(.021)	3686528	A.R.	.15
46-53	2-SPD. (Vac. Shift)	(.157)	3847424	A.R.	1.45

46-53	2-SPD. (Vac. Shift)	(.159)	3847425	A.R.	1.45
46-53	2-SPD. (Vac. Shift)	(.163)	3847426	A.R.	1.45
46-53	2-SPD. (Vac. Shift)	(.167)	3847427	A.R.	1.45
46-53	2-SPD. (Vac. Shift)	(.171)	3847428	A.R.	1.45
46-53	2-SPD. (Vac. Shift)	(.175)	3847429	A.R.	1.45
46-53	2-SPD. (Vac. Shift)	(.177)	3847430	A.R.	1.45
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.188)	3707323	A.R.	1.50
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.190)	3707324	A.R.	1.50
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.194)	3707325	A.R.	1.50
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.198)	3707326	A.R.	1.50
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.202)	3707327	A.R.	1.50
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.206)	3707328	A.R.	1.50
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(.208)	3707329	A.R.	1.50
55-56	PASS., ½ TON,				
56	CORV.	(.021)	3708823	A.R.	.10
55-56	PASS., ½ TON,				
56	CORV.	(.024)	3708824	A.R.	.10
55-56	PASS., ½ TON,				
56	CORV.	(.027)	3708825	A.R.	.10
55-56	PASS., ½ TON,				
56	CORV.	(.030)	3708826	A.R.	.10
55-56	PASS., ½ TON,				
56	CORV.	(.033)	3708827	A.R.	.10
55-56	PASS., ½ TON,				
56	CORV.	(.036)	3708828	A.R.	.10
57	PASS., CORV., ½ TON	(.021)	3740876	A.R.	.10
57	PASS., CORV., ½ TON	(.024)	3740877	A.R.	.10
57	PASS., CORV., ½ TON	(.027)	3740878	A.R.	.10
57	PASS., CORV., ½ TON	(.030)	3740879	A.R.	.10
57	PASS., CORV., ½ TON	(.033)	3740880	A.R.	.10
57	PASS., CORV., ½ TON	(.036)	3740881	A.R.	.10
46-55	2-SPD. (Vac. Shift) (1st Ser.)	SCREW, brg. cap	680698	4	.20
46-55	2-SPD. (Vac. Shift) (1st Ser.)	WASHER, brg.	690555	2	.55

5.461 PINION, Double Reduction

39-42	2-SPD.	low speed (13 T) (stamped 3651416)	3651416	1	22.00
39-42	2-SPD.	high speed (16 T) (stamped 3651419)	3651419	1	22.00
46	2-SPD. (Mech. Shift)	low speed (11 T) (stamped 3891-J-608) (also part of GEAR UNIT 3847024)	2205027	1	17.14
46	2-SPD. (Mech. Shift)	high speed (13 T) (stamped 3891-F-604) (also part of GEAR UNIT 3847040)	2205028	1	17.14
46-55	2-SPD. (Vac. Shift) (1st Ser.)	high spd. (15T stamped 3891-L-636)	3682538	1	32.75
46-55	2-SPD (Vac. Shift) (1st Ser.)	low spd. (11T stamped 3891-K-635)	3682539	1	32.75

5.462 BEARING—COVER—RACE—STUD—BOLT, Double Reduction Pinion

46-55	2-SPD. (Vac. Shift) (1st Ser.)	BEARING CONE ASSY., left (TIM. 59162)	436041	1	13.05
39-46	2-SPD. (Mech. Shift)	COVER ASSY., left, with bearing outer races stmp'd. L64)	603809	1	9.35
46-55	2-SPD. (Vac. Shift) (1st Ser.)	COVER and CUP ASSY. (cast 3838-J-114)	3682496	1	14.15
46-55	2-SPD. (Vac. Shift) (1st Ser.)	COVER, right	3686574	1	2.60
39-55	2-SPD. (1st Ser.)	RACE, outer (TIM. 59412)	173105	2	7.00
39-55	2-SPD. (1st Ser.)	RACE, inner w/roller, right (TIM. 59200)	173106	1	13.05
39-46	2-SPD. (Mech. Shift)	STUD, cover to diff. carrier (½—13—20 x 2⅜)	3651511	3	.18
39-55	2-SPD. (1st Ser.)	BOLT, cover to diff. carrier (½—13—20 x 1⅜)	214406	A.R.	(5.422)

5.463 GASKET, Double Reduction Pinion Bearing Cover

39-46	2-SPD. (Mech. Shift)	left	3651439	1	.12
39-46	2-SPD. (Mech. Shift)	right	3651440	1	.12

5.464 SHIM, Double Reduction Pinion Bearing Cover

39-46	2-SPD. (Mech. Shift)	left (.003) (4 25/32 I.D.)	3651545	A.R.	.30
39-46	2-SPD. (Mech. Shift)	right (.003) (4 25/32 I.D.)	3651546	A.R.	.30
46-55	2-SPD. (Vac. Shift) (1st Ser.)	left (.003) (4 13/16 I.D.)	3682499	A.R.	.30
46-55	2-SPD. (Vac. Shift) (1st Ser.)	right (.003) (4 13/16 I.D.)	3682500	A.R.	.30

5.468 RETAINER, Pinion Flange Packing

40-42	COMM.,				
46-54	½ TON	front brg. oil (2 I.D. x 3 O.D.)	3653622	1	.15

5.469 PACKING—SEAL, Propeller and Pinion

37-39	COMM.	(cork—1 I.D. x 1 11/16 O.D.)	595010	4	.07
40-42	WD, Y, M (exc. 2-SPD.),				
46-55	COMM., UTIL. (1st Ser.) (exc. ½ TON, 2-SPD.),				
55-57	COMM., UTIL. (2nd Ser.) (exc. ½ TON)	brg. retainer (felt 2 9/16 I.D. x 3½ O.D.)	3653617	1	.40
33-39	UTILITY (exc. VE, VF)	SEAL, oil torque tube (1 3/8 I.D. x 1¾ O.D.)	3652271	1	.75
37-50	PASS.,				
40	COMM.,				
41-50	½ TON (exc. EP)	SEAL, oil, torque tube (1 1/32 I.D. x 1 11/16 O.D.)	3691457	1	.95
39-40	VF, WD (2-SPD.),				
41-55	2-SPD. (1st Ser.)	SEAL, oil, pinion flange (2¼ I.D.)	3651493	1	3.15
40-42	WD, Y, M (exc. 2-SPD.),				
46-55	COMM., UTIL. (1st Ser.) (exc. ½ TON, 2-SPD.),				
55-57	COMM., UTIL. (2nd Ser.) (exc. ½ TON)	SEAL, oil, pinion flange (2 19/32 I.D.)	3653618	1	2.05
41-42	COMM. (exc. ½ TON)	SEAL, oil, pinion flange (1 37/64 I.D. x 2 13/32 O.D.)	3705796	1	(5.822)
47	½ TON	SEAL, oil, torque tube (1 3/8 I.D.)	3686049	1	.90
51-54	PASS., ½ TON	SEAL, oil, torque tube (1 1/16 I.D. x 1 23/32 O.D.)	3694736	1	.95
53-55	CORV	SEAL, oil pinion flange (1 7/8 I.D. x 3 7/16 O.D.)	3707355	1	1.70
55-57	PASS., ½ TON,				
56-57	CORV	SEAL, oil, pinion flange (3 5/32 O.D.)	3705725	1	1.50

5.476 RETAINER—BOLT—GASKET, Pinion Bearing and Oil Seal

40	WD (exc. 2-SPD.),				
41-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)	(cast 3653616)	3653616	1	2.10
46-57	¾, 1 TON,				
57	Ser. 4 (exc. 2-SPD.)	(cast 3682199	3682199	1	2.10
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	(cast 3711455)	3711455	1	2.75
39-55	2-SPD. (1st Ser.)	BOLT, brg. case to diff. carr. (9/16—12 x 1 5/8)	444470	6	.25
46-55	UTILITY (1st Ser.),				
55	UTILITY (2nd Ser.) (exc. 2-SPD.),				
56	1½ TON (exc. 2-SPD.),				
56	2 TON (exc. 2-SPD., hvy. duty)	BOLT, retainer (⅝—11 x 1¾)	370457	6	(5.387)
46-57	¾, 1 TON,				
55-56	2 TON (hvy. duty),				
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	BOLT, retainer (½—13 x 1 13/16)	3665637	5	.20
40-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)	GASKET, retainer (paper)	3652257	1	.06
46-57	¾, 1 TON,				
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	GASKET, retainer	3682147	1	.20

5.478 GEAR UNIT, Double Reduction, w/Pinion

39-46	2-SPD. (Mech. Shift)	low speed double reduction (37T-11T) (stamped 3891-J-608 and 3892-H-788)	3847024	1	58.40
39-46	2-SPD. (Mech. Shift)	high spd. dbl. reduction (33T-13T) (stamped 3892-Y-831 and 3891-F-604)	3847040	1	54.90
46-55	2-SPD. (Vac. Shift) (1st Ser.)	low speed double reduction (31T-11T (stamped 3891-K-635 and 3892-B-886)	3847053	1	78.95
46-55	2-SPD. (Vac. Shift) (1st Ser.)	high speed double reduction (32T-15T) (stamped 3892-C-887 and 3891-L-636)	3847052	1	78.95

5.479 BOLT, Double Reduction Gear

39-46	2-SPD. (Mech. Shift)	(spec. hex. hd. ½—20 x 1¾ drilled)	608718	12	.30
46-55	2-SPD. (Vac. Shift) (1st Ser.)	(spec. hex. hd. 9/16—18 x 2⅛ drilled)	3682519	8	.40

5.481 SHAFT—WASHER—SCREW, Double Reduction Pinion

39-46	2-SPD. (Mech. Shift)		603777	1	29.60
46-55	2-SPD. (Vac. Shift) (1st Ser.)	(14T—10¾ long)	3682536	1	34.95

55-57	2-SPD. (2nd Ser.)	shifter yoke (9T—7 19/32 long)	3705840	1	6.25
46-55	2-SPD. (Vac. Shift) (1st Ser.)	WASHER, pinion bearing	690555	2	(5.460)
46-55	2-SPD. (Vac. Shift) (1st Ser.)	SCREW, pinion bearing cap	680698	4	(5.469)

5.484 BEARING—CONE—CUP, Drive Shaft Pinion—Rear

35-42	PASS., COMM., (exc. EC, FC),				
46-54	PASS., ½ TON,				
53-55	CORV.	(Hyatt OR 1506)	125630	1	8.30
40-57	UTILITY (prod.)	(Hyatt U 1306) (Hy 1306 TA)	144553	1	10.80
46-57	¾, 1 TON	(Hyatt U5205TM)	189436	1	9.70
55-57	PASS., ½ TON,				
56-57	CORV.	(Hyatt B200279Z)	7450371	1	8.10
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	(Hyatt R-5206-YS)	7450382	A.R.	16.25
39-46	2-SPD. (Mech Shift)	CONE ASSY., roller bearing (TIM. 455)	115267	1	9.50
46-53	2-SPD. (Vac. Shift)	CONE, w/roller, brg. inner (TIM. 49585)	189638	1	11.30
54-55	2-SPD. (Vac. Shift) (1st Ser.)	CONE, w/roller, brg. inner (TIM. HM 807046)	454020	1	13.75
46-53	2 SPD. (Vac. Shift)	CUP, bearing outer (TIM. M 49520)	189637	1	5.60
54-55	2-SPD. (Vac. Shift) (1st Ser.)	CUP, brg. outer (TIM. HM 807010)	451981	1	7.15

5.489 RING, Pinion Shaft Rear Bearing Lock

33-39	UTILITY,				
46-57	¾, 1 TON	(⅞ I.D. x 5/64 wire diameter)	370464	1	.04
35-42	PASS., COMM. (exc. EC, FC),				
46-54	PASS., ½ TON,				
53-55	CORV.	(1 11/16 I.D. x ⅛ wire diameter)	377722	1	.06
40-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)	front and rear	3652256	1	.03

5.490 YOKE—LEVER—BUSHING—SEAL—PIN—LOCK—SCREW, Double Reduction Shifter

39-46	2-SPD. (Mech. Shift)	(⅝—18) (distance between fingers 4⅞)	603778	1	9.15
46-55	2-SPD. (Vac. Shift) (1st Ser.)		2212947	1	7.30
55-57	2-SPD. (2nd Ser.)	(9 splines—½ pitch)	3705821	1	7.45
55-57	2-SPD. (2nd Ser.)	LEVER, shifter yoke shaft (2 25/32 O.L.)	3705841	1	3.85
39-46	2-SPD. (Mech. Shift)	BUSHING, yoke	3651448	1	2.05
39-46	2-SPD. (Mech. Shift)	SEAL, yoke	3651450	1	.06
39-46	2-SPD. (Mech. Shift)	PIN, yoke	3651449	2	1.00
40-46	2-SPD. (Mech. Shift)	LOCK, shift fork bushing	3681184	1	.35
46-55	2-SPD. (Vac. Shift) (1st Ser.)	SCREW, yoke (7/16—20 x 1 11/32)	2212950	1	.30

5.491 LEVER—SPRING, Double Reduction Shifter

39-46	2-SPD. (Mech. Shift)	(stamped 2847-J-270)	3651443	1	4.10
39-46	2-SPD. (Mech. Shift)	SPRING, lock pin	3658629	1	.15

5.492 SLEEVE—SPRING—PIN, Double Reduction Shifter

39-46	2-SPD. (Mech. Shift)		3651442	1	11.80
46-55	2-SPD. (Vac. Shift) (1st Ser.)		3682528	1	13.15
55-57	2-SPD. (2nd Ser.)	(17T-40D.)	3705820	1	10.75
39-55	2-SPD. (1st Ser.)	SPRING, sleeve lock	2169421	3	.06
42-55	2-SPD. (1st Ser.)	PIN, sleeve lock	2169420	3	.20

5.504 CARRIER ASSEMBLY, Differential, w/Propeller Shaft Tube

37-38	COMM.	(cast 377707) (tube 55 55/64 long)	602447	1	31.10
39	COMM.	(cast 377707) (tube 57 19/64 long)	603459	1	31.10
41-54	PASS.	(yellow paint on torque tube) (w/adj. nuts)	3710402	1	35.75
41-46	½ TON	(cast 3657339) (tube 58½ long to carr.)	605320	1	35.75
47	½ TON	(cast 3657339) (tube 62½ long to carr.)	3719441	1	35.75
48-55	½ TON (1st Ser.) (exc. H.T.)	(cast 3698954) (w/adjusting nuts) (tube 60⅛ long to carrier)	3710403†	1	36.85
54	½ TON w/H.T.	(cast 3698954) (w/adj. nuts)	3710838	1	36.85

†NOTE: On models prior to 1951 it is necessary to use 3694761 front, 3694733 rear bushings and 3694736 seal assy.

5.505 CARRIER ASSEMBLY, Differential, w/Cap

40-42	UTILITY (exc. hvy. duty),				
46-55	1½ TON (1st Ser.)	(cast 3652280)	604472	1	32.95
41-42	COMM. (exc. ½ TON)	(cast 3657707)	605340	1	19.90
41-42	UTILITY (hvy. duty),				
46-53	2 TON,				
55-57	1½ TON (2nd Ser.) (exc. 2-SPD.)	(6-37 teeth) (cast 3661871)	605925	1	49.45
46-57	¾, 1 TON	(cast 3699535)	3699534	1	28.35
46-55	2-SPD. (Vac. Shift) (1st Ser.)	(cast 3800-N-430)	3682531	1	64.65
53-55	CORV	(cast 3704477)	3704476	1	24.50
54-56	2 TON (prod.)	(cast 3702281) (6-37 teeth)	3702284	1	49.45
55-56	PASS.,				
56	CORV	(cast 3707306)	3711329	1	20.85
55-57	½ TON	(cast 3707340)	3718011	1	27.25
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	(cast 3711470)	3711421	1	49.45
55-57	2-SPD. (2nd Ser.)	(cast 3711466)	3711467	1	64.65
57	PASS., CORV	(cast 3725899)	3735691	1	21.00

5.506 SCREW—BOLT—DOWEL, Differential Carrier Cap

33-36	CC, DC, EC, FC				
37-54	PASS.,				
53-55	CORV	cap (7/16—14 x 2⅛)	472544	4	.15
40-42	COMM.,				
46-57	½ TON	cap (9/16—12 x 2½)	3652346	4	.20
40-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)	cap (11/16 x 3 7/32)	3702293	4	.35
46-57	¾, 1 TON	cap (9/16—12 x 3⅜)	3682128	4	.25
46-55	2-SPD. (Vac. Shift) (1st Ser.)	cap (⅝—11 x 3⅜)	3691473	4	.35
55-57	PASS.,				
56-57	CORV	cap (½—13 x 2¾) (290-M)	3705721	4	.15
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	BOLT, bearing cap (11/16—11 x 3¾)	3705826	4	.55
40-53	UTILITY				
54-57	1½ TON,				
55-56	2 TON (hvy. duty, 2-SPD.),				
57	Ser. 6	DOWEL, cap	3652274	4	.20
46-57	¾, 1 TON	DOWEL, cap	3682129	4	.20

5.508 GASKET, Axle Housing to Differential Carrier (paper)

33-36	CA, CB, DA, DB, EA, EB, ED, FA, FB, FD,				
37-42	COMM.,				
46-57	½ TON		370246	1	.17
33-39	UTILITY		370449	1	.17
37-54	PASS.,				
53-55	CORV	(9⅝ x 10⅜)	593012	1	.17
39-55	2-SPD. (1st Ser.)		3651365	1	.17
40-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)		3652258	1	.17
46-57	¾, 1 TON		3665607	1	.17
55-57	PASS.,				
56-57	CORV	(9 13/16 x 11⅜)	3705755	1	.17
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	(.010 thick)	3711465	1	.20

5.510 CASE—SUPPORT—BOLT, Differential and Planet

NOTE: Differential case halves are not sold separately.

33-39	CA, CB, DA, DB, EA, EB, ED, FA, FB, FD, GC, GD, GE, HC, HD, HE, JC, JD, JE	(cast 369951)	364538	1	9.35
37-52	PASS. (exc. P.G.),				
53	SDL	(cast 593009)	593009	1	12.40
39-46	2-SPD. (Mech. Shift)	(cast 3651412)	608750	1	35.60

40-42	COMM.,				
46-53	½ TON,				
55-57	½ TON O/D	(cast 3652336) (daub of orange paint)	3652336	1	13.05
40-42	UTILITY (exc. hvy. duty, 2-SPD.),				
42-53	UTILITY,				
54-57	1½ TON	(cast 3661872-73)	605922*	1	25.85
46-57	¾, 1 TON	(cast 3664592-93)	609803*	1	17.05
46-53	2-SPD. (Vac. Shift)	(stamped 3835-C-263) (A20-3835-D-264)	610000†	1	42.35
50-52	PASS. w/P.G.,				
53	PASS. (exc. SDL.),				
54	PASS.,				
53-55	CORV.	(cast 593009) (identified by blue paint)	3691463	1	11.60
54-57	½ TON (exc. O/D)	(cast 3697701)	3697701	1	13.05
54-56	2 TON (prod.)	(cast 3702226)	3707515	1	26.95
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(cast 3703727)	3707538	1	42.35
55-56	PASS. (exc. O/D),				
56	CORV.	(cast 3707311)	3707311	1	11.60
55-56	PASS. O/D,				
56	CORV. (3-SPD.)	(cast 3707312)	3707312	1	11.60
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	(cast 3711453)	3718102	1	28.05
55-57	2-SPD. (2nd Ser.)	planet support (cast 3705811) (outer)	3717214	1	52.25
57	PASS. (exc. O/D),				
57	CORV. (exc. 4.11 ratio)	(cast 3737717)	3737717	1	11.75
57	PASS. O/D	(cast 3731614)	3731614	1	11.75
55-57	2-SPD. (2nd Ser.)	SUPT. ASSY., planet (cast 3705805) (inner)	3717215	1	41.25
46-55	2-SPD. (Vac. Shift) (1st Ser.)	BOLT, case assy. (9/16—18 x 2⅛ drld.)	3682519	8	(5.479)
46-55	2-SPD. (Vac. Shift) (1st Ser.)	BOLT, case assy. (9/16—18 x 5⅜ drld.)	3682520	8	(5.531)

*NOTE: Bolts holding case together to be discarded when installing.

†NOTE: Ream holes after gear assembly. See Truck Shop Manual, Section 4.

5.512 ANCHOR—BUSHING—DOWEL—BOLT, Differential Shifter Sleeve

55-57	2-SPD. (2nd Ser.)	(forge 3705822)	3705822	1	7.65
55-57	2-SPD. (2nd Ser.)	BUSHING, anchor (1¼ O.D. x ½ thk.)	3705829	1	.70
55-57	2-SPD. (2nd Ser.)	DOWEL, anchor (13/32 I.D. x 9/16 O.D.)	3705830	1	.10
55-57	2-SPD. (2nd Ser.)	BOLT, anchor (⅜—16 x 1 5/16)	3705823	1	.05

5.515 GEAR—BEARING—BOLT, Differential Sun and Planet

55-57	2-SPD. (2nd Ser.)	SUN GEAR w/retainer (1⅞ I.D.—17T)	3705813	1	19.70
55-57	2-SPD. (2nd Ser.)	PLANET GEAR (2 13/16 O.D.—15T)	3705816	4	5.90
55-57	2-SPD. (2nd Ser.)	BEARING (3 35/64 I.D.) (Hy. A-21018-Z)	7450358	1	23.85
55-57	2-SPD. (2nd Ser.)	BOLT, diff. and planet sup't. to cover attach. (½—20 x 1½)	454319	8	(8.900)

5.517 SHAFT, Differential Pinion

33-36	CC, DC, EC, FC,				
37-57	PASS., CORV.	(47/64 x 4 25/32 long)	3714784	1	1.05
33-36	CA, CB, DA, DB, EA, EB, ED, FA, FB, FD,				
37-42	COMM.,				
46-57	½ TON	(13/16 x 5 21/64 long)	3714787	1	1.05

5.518 SCREW, Pinion Shaft

33-42	PASS., COMM.,				
46-57	PASS., CORV., ½ TON	pinion shaft lock (5/16—18)	472546	1	.20

5.520 SPIDER, Differential

33-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)	(forged 3656895)	370429	1	6.35
39-46	2-SPD. (Mech. Shift)	(6 3/16 O.L.)	3651425	1	8.15
46-57	¾, 1 TON	(forged 3663696)	3663696	1	6.35
46-52	2-SPD. (Vac. Shift) (1st design)	(1 13/16 hub hole) (stmp'd. 3278-M-91)	3682505	1	9.55
52-55	2-SPD. (Vac. Shift) (2nd design) (1st Ser.)	(1 5/16 hub hole)	2295617*	1	9.55
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	(forged 3702248)	3702248	1	7.05

*NOTE: Can be used in place of 3682505 but requires proper short length R.H. axle shaft.

5.526 GEAR, Differential Pinion

33-36	PASS., COMM. (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-57	½ TON	(10 teeth—shaft hole 13/16)	370225	2	2.85
33-36	CC, DC, EC, FC,				
37-42	PASS.	(10 teeth—shaft hole ¾)	472515	2	2.85
33-51	UTIL. (exc. 2-SPD.),				
52-55	1½ TON (1st Ser.) (exc. 2-SPD.)	(11 teeth—shaft hole ⅞)	370446	4	3.75
39-42	2-SPD.	(9 teeth) (stmp'd. 2234-K-63)	3651424	4	4.55
46-57	PASS., CORV.	(10 teeth) (daub yellow paint)	3682121	2	2.85
46-57	¾, 1 TON	(10 teeth)	3681055	4	2.85
46	2-SPD. (Mech. Shift)	(9 teeth) (stmp'd. 2233-Z-104)	3682228	4	4.95
46-55	2-SPD. (Vac. Shift) (1st Ser.)	(9 teeth) (stmp'd. 3683815)	3683815	4	4.95
52-55	2 TON (1st Ser.) (exc. 2-SPD.),				
55-56	UTILITY (2nd ser.) (prod.),				
57	Ser. 4 (exc. 2-SPD.)	(10 teeth—shaft hole ⅞)	3697745	4	3.35
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6	(9 teeth) (shaft hole 15/16)	3708817	4	4.95

5.528 GEAR, Differential Side

33-38	CC, DC, EC, FC, GA, GB, HA, HB	(16 teeth) (tooth O.D. 3.38)	472514	2	4.85
33-36	C, D, E, F (exc. CC, DC, EC, FC),				
37-39	COMM.	(16 teeth) (tooth O.D. 3.70)	370224	2	5.05
33-42	UTILITY,				
46-55	1½ TON (1st Ser.) (exc. 2-SPD.)	(10 spline—18 teeth) (tooth O.D. 4.3)	370445	2	6.55
42-46	M, OR, OS, OW, OY (hvy. duty),				
46-51	2 TON	(16 spline—18 teeth)	3661874	2	7.25
39-42	PASS.	(16 teeth) (stmp'd. GM 39)	3651053	2	4.85
39-42	2-SPD.	(18 teeth—9 teeth—16 splines) (stmp'd. 2234-K-63)	3651184	2	12.50
40-42	COMM.,				
46-57	½ TON	(16 teeth)	3652344	2	5.40
46-54	PASS.,				
53-55	CORV.	(16 teeth) (stmp'd. GM-R)	3682122	2	5.20
46-57	¾, 1 TON	(18 teeth)	3681056	2	6.00
46	2-SPD. (Mech. Shift)	(16 teeth) (stmp'd. 2234-V-204)	3682229	2	12.50
46-51	2-SPD. (Vac. Shift)	(16 teeth) (stmp'd. 2234-T-202)	3682526	2	14.35
52-53	2 TON (exc. 2-SPD.),				
55-57	1½ TON (2nd Ser.) (exc. 2-SPD.)	(27 spline—18 teeth)	3697746	2	7.25
52-53	2-SPD. (Vac. Shift)	(27 spline—16 teeth)	3698942	2	14.90
54-56	2 TON (prod.)	(29 spline) (forged 3702292)	3702292	2	7.25
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(29 spline) (stamped 3703724)	3703724	2	14.90
55-57	PASS.,				
56-57	CORV.	(16 teeth)	3708862	2	5.20
55-56	2 TON (hvy. duty) (2nd Ser.)	left and right,			
55-57	2-SPD. (2nd Ser.),				
57	Ser. 6	left (29 splines—1 9/16 wide) (forged 3708820)	3708818	A.R.	10.25
55-57	2-SPD. (2nd Ser.)	right (29 splines—2 1/16 wide) (forged 3708820)	3708820	1	10.25

5.529 GEAR ASSEMBLY, Ring and Pinion (not sold separately)

NOTE: See group 5.510 for truck pinion with gear riveted to differential case.

NOTE: Part numbers in parentheses are stamped on ring gear and pinion respectively.

35-36	EA, EB, ED, FA, FB, FD	use w/125630 rear pinion brg.,			
37-39	COMM.	(37—9T) (375040-595901)	602476*	1	26.45
39-42	VF, WD, Y, M (2-SPD.)	(19—8T) (3889M117-3890L-222)	603771	1	59.70
40	KD, KE, KF	(41—9T—hypoid) (3652526-27)	604400	1	33.00
40-52	PASS. (exc. P.G.)	(41—11T—hypoid) (595022-3652285)	604397	1	33.00
40-52	PASS. (exc. P.G.),				
53	SDL.	(37—9T—hypoid) (3652178-3704417)	3705430	1	38.05
40-53	½ TON	(37—9T—hypoid) (3652510-3704461)	3705439	1	38.05
40	WD,				
41-55	1½ TON (1st Ser.)	(38—7T—hypoid) (3652282-3652547)	604416	1	48.15
40	WD,				
41-56	UTILITY (prod.),				
57	Ser. 4 (exc. 2-SPD.)	(37—6T—hypoid) (3652522-3552549)	604427	1	50.45

41-42	COMM. (exc. ½ TON)	(41—9T—hypoid) (3652526-3657709)	605179	1	27.45
46-57	¾ TON (exc. D-D)	(32—7T—hypoid) (3682104-03)	609797	1	39.35
46-57	D-D, 1 TON	(36—7T—hypoid) (3682146-45)	609798	1	39.35
46	2-SPD. (Mech. Shift)	(19—8T) (3889K193-3890J-270)	609846	1	65.15
46-55	2-SPD. (Vac. Shift) (lo ratio) (1st Ser.)	(23—8T) (3889M221-3890C-289)	609962	1	70.60
50-54	PASS. w/P.G.	(39—11T—hypoid) (3691464-3704411)	3705262	1	35.75
53	PASS. (Reg. Prod.) (exc. P.G., SDL.),				
54	PASS. (Reg. Prod.) (exc. P.G.)	(37—10T—hypoid) (3697720-3703799)	3705261	1	35.75
53-55	CORV.	(39—11T—hypoid) (3691464-3704479)	3727525	1	36.85
54	½ TON	(39—10T—hypoid) (3697702-03)	3707516	1	36.85
54-55	2-SPD. (Vac. Shift) (hi ratio) (1st Ser.)	(22—7T) (3889R252-3890S-331)	3707547	1	70.60
55-57	PASS. (exc. P.G., O/D),				
56-57	CORV. (3-SPD.)	(37—10T—hypoid) (3725864-65)	3729419	1	36.85
55-56	PASS. w/P.G.,				
56	CORV. w/P.G.	(32—9T—hypoid) (3731604-05)	3729466†	1	36.85
55-56	PASS. O/D	(37—9T—hypoid) (3725878-77)	3729420	1	36.60
55-56	½ TON (exc. O/D)	(39—10T—hypoid) (3697702-3707341)	3727524	1	39.35
55-56	½ TON O/D	(37—9T—hypoid) (3652510-3708869)	3727527	1	39.35
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	(37—6T—hypoid) (3711488-89)	3718100	1	68.40
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	(36—5T—hypoid) (3711416-17)	3718101	1	68.40
55-57	2-SPD. (2nd Ser.)	(32—5T—hypoid) (3702244-3711483)	3717213	1	68.40
56	CORV. (3-SPD.)	(36—11T—hypoid) (3720034-35)	3724994	1	36.85
57	CORV. w/P.G.	(32—9T—hypoid) (3731618-3731617)	3739899	1	36.85
57	PASS. O/D,				
57	CORV. (3-SPD.)	(37—9T—hypoid) (3733908-3733912)	3739689	1	36.85
57	PASS. w/A.T.	(37—11T—hypoid) (3735390-3736508)	3738136	1	36.85
57	CORV. (3-SPD.)	(37—10T—hopoid) (3737957-3733910)	3739690	1	36.85
57	½ TON (exc. O/D)	(39—10T—hypoid) (3697702-3740874)	3741092	1	42.85
57	½ TON O/D	(37—9T—hypoid) (3652510-3740875)	3741093	1	42.85

*NOTE: If removed pinion is stamped 379513 it is a special 9:44 ratio installation using rear bearing 379515 and lock ring 379516. For replacement, rear bearing 125630, ring 377722, and Speedo gear set 602519 should be used.

†NOTE: On early design jobs, this unit contained gears having (39—11T—hypoid) (3725830-31) which is same ratio.

5.531 RIVET—SCREW—BOLT—KEY, Ring Gear

33-39	CA, CB, DA, DB, EA, EB, ED, FA, FB, FD, GC, GD, GE, HC, HD, HE, JC, JD, JE		370311	A.R.	.03
37-52	PASS. (exc. P.G.),				
53	SDL.				
55-57	PASS.,				
56-57	CORV.	SCREW (⅜—24 x 25/32) (used with lockwasher)	596529	10	.08
50-52	PASS. w/P.G.,				
53	PASS. (exc. SDL.),				
53-55	CORV.,				
54	PASS.	SCREW (⅜—24 x 11/16) (stmp'd. "T" on head)	3691466	10	.08
40-42	COMM.,				
46-57	½ TON	BOLT (⅜—24 x 31/32)	3697704	12	.08
40-56	UTILITY (prod.),				
46-57	¾, 1 TON,				
57	Ser. 4 (exc. 2-SPD.)	BOLT (½—20 x 2)	3652253	12	.15
39-46	2-SPD. (Mech. Shift)	BOLT, gears to case attach. (7/16—20 x 2¼)	3651455	12	.20
46-55	2-SPD. (Vac. Shift) (1st Ser.)	BOLT, gears to case attach. (9/16—18 x 5⅜)	3682520	8	.70
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD)	BOLT, gears to case attach. (9/16—18 x 2)	3705627	12	.20
55-57	2-SPD. (2nd Ser.)	BOLT, gears to case attach. (½—20 x 1 21/32)	3705812	12	.20
46-55	2-SPD. (Vac. Shift) (1st Ser.)	KEY	3682541	1	.85

5.533 PAD—SCREW—NUT, Ring Gear

33-57	UTILITY,				
46-57	¾, 1 TON	thrust	370463	1	.40
40-57	UTILITY, (exc. 2-SPD.)				
46-57	¾, 1 TON	SCREW, thrust pad (⅞—14 thd.)	3652255	1	.55
40-57	UTILITY,				
46-57	¾, 1 TON	NUT, thrust pad screw (⅞—14)	124954	1	(8.916)

5.535 LUBRICANT—TROUGH—LOCK, Hypoid Gear

ALL	PASS., CORV., ½ TON	(2 quart container)	513379	A.R.	1.75
55-57	2 SPD. (2nd Ser.)	TROUGH, oil feed	3705857	1	.45
55-57	2 SPD. (2nd Ser.)	LOCK, oil feed trough bolt	3705858	1	.05

5.536 BEARING—CONE—RACE, Differential Side

30-36	PASS., COMM. (exc. CC, DC, EC, FC),				
37-39	COMM.	(ND 0100)	902100	2	10.75
36-54	PASS. (exc. FA, FD),				
53-55	CORV.	(Hyatt A 11360) (Hy 11360 Z)	127861*	2	8.40
37-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	(Hyatt A 11820) (Hy 11820 Z)	148399†	2	14.20
40-42	COMM.,				
46-56	½ TON,				
55-56	PASS.,				
56	CORV.	(Hyatt KC 11445 Y)	7450385	2	9.75
57	PASS., CORV., ½ TON	(Hyatt A 159286 Z)	7450745	2	7.15
46-57	¾, 1 TON	(Hyatt D 11786) (Hy 11786 Y)	188930	2	11.20
54-56	2 TON (prod.)	(Hyatt KC 11948Y)	7450326	2	16.90
55-57	2-SPD. (2nd Ser.)	left (Hyatt A-21018-Z)	7450358	1	(5.515)
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	left and right,			
55-57	2-SPD. (2nd Ser.)	right (Hyatt KD-12051-Z)	144527	A.R.	(5.855)
39-55	2-SPD. (1st Ser.)	RACE, outer (TIM. M 3920)	135495	2	5.35
46-55	2-SPD. (Vac. Shift) (1st Ser.)	RACE, inner, w/roller (TIM. X 3994)	435973	2	10.30

*NOTE: Must be installed in sets of two on 1939-40 models.


†NOTE: Must be installed as an assembly and in sets of two on 1937-39 models.

5.537 NUT—BAFFLE, Differential Bearing Adjusting


29-36	PASS. (exc. CC, DC, EC, FC),				
29-42	COMM.,				
46-57	½ TON,				
55-57	PASS.,				
56-57	CORV.	(3 15/16 O.D. x 25/32 thick—12 slots)	3707303	2	.60
29-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	(4 1/64 O.D.) (29/32 thick)	357665	2	1.05
33-36	CC, DC, EC, FC,				
37-54	PASS.,				
53-55	CORV.	(3 3/64 O.D. x ¾ thick—12 slots)	3707301	2	.65
39-55	2-SPD. (1st Ser.)	(4 33/64 O.D.)	2076220	2	3.05
46-57	¾, 1 TON	(3 61/64 O.D.)	3664527	2	1.05
54-56	2 TON (prod.)	(2⅛ I.D. x 4 13/32 O.D.—14 slots)	3702289	2	1.50
55-57	2-SPD. (2nd Ser.)	left (5 9/16 O.D.—14 slots)	3705835	1	2.75
55-57	2-SPD. (2nd Ser.)	right,			
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2 SPD.)	left and right (4 9/16 O.D.—14 slots)	3705836	A.R.	2.75
55-57	2-SPD. (2nd Ser.)	BAFFLE, diff. bearing (right—2⅛ I.D. x 4 1/16 O.D.)	3705838	1	1.05

5.539 LOCK—BOLT, Differential Bearing Adjusting Nut


29-36	PASS. (exc. CC, DC, EC, FC),				
29-42	COMM.,				
46-54	½ TON		344052	8	.08
33-36	CC, DC, EC, FC,				
37-54	PASS.,				
53-55	CORV.		472539	2	.08
29-53	UTILITY,				
46-57	¾, 1, 1½ TON (exc. 2-SPD.)		345672	2	.08
39-55	2-SPD. (1st Ser.)		2076221*	2	.15
54-56	2 TON (prod.)	(1¼ wide x 4 9/16 long—curved)	3702290	2	.08
55-57	PASS., ½ TON,				
56-57	CORV.		3705726	2	.08
55-57	2-SPD. (2nd Ser.)	left	3705837	1	.10
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	left and right,			
55-57	2-SPD. (2nd Ser.)	right (1⅜ wide)	3702249	A.R.	.08



INTERMEDIATE UNIVERSAL JOINT—TRUCK



UNIVERSAL JOINT PASSENGER AND TRUCK



1941-54 UNIVERSAL JOINT PASSENGER CAR

39-55	2-SPD. (1st Ser.)	BOLT, adjusting nut lock (5/16—18 x 7/16)	3652345	4	.08

*NOTE: When used on Vac. Shift Models, cut 5/8 from the wide end and file the edge.

5.542 WASHER, Differential Pinion Thrust

39-55	2-SPD. (1st Ser.)		3682522	4	.35
52-55	2 TON (1st Ser.) (exc. 2-SPD.),				
55-56	UTILITY (2nd Ser.) (Prod.),				
57	Ser. 4 (exc. 2-SPD.)		3697743	4	.35
55-57	2-SPD. (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	(15/16 I.D. x 2 1/16 O.D.)	3711430	4	.35

5.543 WASHER, Differential Side Gear Thrust

39-46	2-SPD. (Mech. Shift)		3681189	2	.60
46-53	2-SPD. (Vac. Shift)		3682527	2	.60
52-55	2 TON (1st Ser.) (exc. 2-SPD.),				
55-56	UTILITY (2nd Ser.) (Prod.),				
57	Ser. 4 (exc. 2-SPD)		3697744	2	.60
54-55	2-SPD. (Vac. Shift) (1st Ser.)	(2 1/2 I.D. x 3 9/16 O.D.)	2099520	2	.60
55-56	2-SPD., (2nd Ser.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	side gear thrust,			
55-57	2-SPD. (2nd Ser.)	planet supt. case cover spacer (4 1/4 O.D.)	3711429	A.R.	.15

5.545 FLANGE—DEFLECTOR—SPACER—WASHER, Propeller Shaft Pinion

41-42	COMM. (exc. 1/2 TON)	w/deflector (forged 3657708)	3663150	1	4.00
41-53	2-SPD.	w/deflector (stamped 3897-X-336)	3657342	1	11.85
41-53	UTILITY (exc. 2-SPD.)				
46-57	3/4, 1 TON,				
46-56	UTILITY (prod.)	w/deflector (forged 3657003) (2nd type on			
57	Ser. 4 (exc. 2-SPD.)	DR, DS)	3663176	1	7.15
46	DR, DS (1st type)	w/deflector (forged 3682116)	3680976	1	5.85
53-55	CORV.	w/deflector	3706125	1	4.85
54-55	2 TON (1st Ser.) (exc. 2-SPD.),				
55-56	2 TON (hvy. duty) (2nd Ser.),				
57	Ser. 6 (exc. 2-SPD.)	w/deflector (forged 3703715)	3703716	1	7.15
54-55	2-SPD. (1st Ser.)	w/deflector (forged 3703733)	3703734	1	11.85
55-56	PASS., 1/2 TON,				
56	CORV.	w/deflector (forged 3708846)	3708838	1	4.55
57	PASS., CORV., 1/2 TON	w/deflector (forged 3708846)	3714791	1	4.55
55-57	2-SPD. (2nd Ser.)	w/deflector (forged 3714708)	3714710	1	8.75
41-55	UTILITY (1st Ser.) (exc. 2-SPD.),				
55-57	UTILITY (2nd Ser.),				
46-57	COMM. (exc. 1/2 TON)	DEFLECTOR (2 3/4 I.D. x 4 21/64 O.D.)	3663162	1	.40
41-55	2-SPD. (1st Ser.)	DEFLECTOR (2 7/16 I.D. x 4 3/4 O.D.)	3657341	1	.55
53-55	CORV.	DEFLECTOR (1/2 x 1 3/4 x 3 9/16)	3705700	1	.50
55-57	PASS., 1/2 TON,				
56-57	CORV.	DEFLECTOR (1 7/8 I.D. x 3 1/2 O.D.)	3714788	1	.40
46-57	COMM. (exc. 1/2 TON)	SPACER, flange (2 I.D. x 2 5/8 O.D. x 3/16)	3682152	1	.25
53-55	CORV.	SPACER, flange (1 3/16 I.D. x 3 3/4 O.D. x 1/2)	3704481	1	.40
39-40	VF, WD (2-SPD.),				
41-55	2-SPD. (1st Ser.)	WASHER, flange (1 1/32 x 1 7/8 x 1/4 thick)	2277315	1	.25
40	WD,				
41-55	UTILITY (1st Ser.) (exc. 2-SPD.),				
55-57	UTILITY (2nd Ser.),				
46-57	3/4, 1 TON	WASHER, flange (2 1/16 x 1 5/32 x 13/64 thick)	3725866	1	.20
53-55	CORV.	WASHER, drive (1 5/16 O.D. x 3/4 I.D. x 7/32 thick)	513716	1	.20
55-57	PASS., 1/2 TON,				
56-57	CORV.	WASHER, flange (29/32 I.D. x 1 3/8 O.D. x 7/32 thick)	3705782	1	.20

5.548 JOINT ASSEMBLY—REPAIR KIT, Universal

NOTE: Nos. following model usages are forged on the frt. and rear yokes respectively. Also see groups 4.404 and 4.405 for Universal Joint attaching parts.

33-36	CC, DC, EC, FC	(473772 Frt.—474923 Rr.)	601889	1	9.65
33-39	1/2 TON (4-SPD.)	front,			
37-39	COMM. (exc. 1/2 TON) (4-SPD.)	rear (3658725 Frt.—376203 Rr.)	600865	1	10.75

34-36	DA, DB, EA, EB, ED, FA, FB, FD (3-SPD.)	(367795 Frt.—373536 Rr.)	600174	1	10.25
	NOTE: 600174 also used w/trans. which have serial numbers beginning w/"WM."				
33	UTILITY	rear,			
34-39	UTILITY (exc. VE, VF)	front and rear,			
37-47	¾, 1 TON, W (4-SPD.) (exc. WD, AN, BN, DS, ES)	front,			
40	WC	intermediate (3658725 Frt.—596911 Rr.)	605118	1	12.15
	NOTE: When using 605118 it is also necessary to use 3667936 Washer and 367266 Bolt.				
37-39	PASS., ½ TON (3-SPD.)	(593025 Frt.—373536 Rr.)	602462	1	10.75
40-48	PASS.,				
40-47	½ TON (3-SPD.)	(3653057 Frt.—3665768 Rr.)	606779	1	10.75
40-47	½ TON (4-SPD.)	(3658724 Frt.—3665768 Red Stripe Rr.)	609531	1	12.55
41-53	¾ TON (3-SPD.)	front (591648 Frt.—596911 Rr.)	591646	1	11.35
48-54	½ TON (3-SPD.),				
49-54	PASS. (exc. P.G.)	front (591644 Frt.—3665768 Rr.)	591642	1	10.25
48-54	½ TON (4-SPD.)	front (3686323 Frt.—3665768 Rr.)	3689266	1	12.55
48-53	¾ TON (4-SPD.)	front (3686324 Frt.—596911 Rr.)	3689288	1	13.25
50-54	PASS. w/P.G.	(3703214 Frt.—3665768 Rr.)	3704232	1	10.75
33-39	COMM., UTIL. (4-SPD.) (exc. VE, VF)	REPAIR KIT, front and rear,			
40	COMM., UTIL. (exc. KC, WD)	front (consists of 1 trunnion, 4 brgs., 4 brg. rings)	609948	A.R.	5.35
41-53	¾ TON (exc. D-D)				
40-54	PASS., ½ TON	REPAIR KIT (consists of 1 trunnion, 4 brgs., 2 snap rings, 4 hex. hd. bolts and 2 lock plates)	609944	1	4.25
41-57	¾, 1 TON, UTILITY,				
55-57	H, Ser. 3A (hvy. duty, 4-SPD.)	REPAIR KIT, all joints,			
55-57	M, Ser. 3B (hvy. duty, 4-SPD.) (2nd Ser.)	front end (finger dia. .773)	3708961*	1	8.90
54-55	2 TON (1st Ser.)	REPAIR KIT, front, rear and inter. (finger dia. .775)	3707830*	A.R.	9.60
55-57	2-SPD. (2nd Ser.)				
53-57	CORV	REPAIR KIT, front and rear	3741635	2	10.95
55-57	PASS., ½ TON	REPAIR KIT, front and rear,			
55-57	¾ TON (2nd Ser.)	front end,			
55-57	M, Ser. 3B (hvy. duty, 4-SPD.) (2nd Ser.)	rear end (finger dia. .596)	3713926*	1	7.30
	*NOTE: Consists of 1 trunnion, 4 brgs., 2 snap rings, 2 "U" bolts, 4 washers, 4 seals and 4 nuts.				

5.555 YOKE—FLANGE, Universal Joint

33	UTILITY	rear (on rear joint),			
34-39	UTILITY (exc. VE, VF)	rear (on front and rear joint),			
37-40	¾, 1 TON, W (exc. WD)	rear (on inter. joint),			
41-53	¾ TON	rear (on front joint) (forged 596911)	596911	1	4.15
35-39	COMM. (4-SPD.)	rear (forged 376203)	376203	1	3.15
39-40	VE, VF, WD	front and rear, flange,			
51-53	ALL (w/Prop. Brake),				
54-55	ALL (w/Prop. Brake) (1st Ser.) (exc. 2-TON),				
55-57	¾ TON (w/Prop. Brake) (2nd Ser.),				
55-57	1 TON, UTILITY (2nd Ser.) (exc. hvy. duty, 2-SPD.)	front, (drum flange) (forged 131) (4" bolt circle)	080384	A.R.	5.45
40-47	PASS., ½ TON (3-SPD.)	front,			
48	PASS.	front (forged 3653057 or 3657543)	3653057*	1	3.25
40-54	PASS., ½ TON (3-SPD.),				
54	PASS. w/P.G.,				
54	½ TON w/H.T.,				
54-55	½ TON (hvy. duty) (1st Ser.)	rear (forged 3665768)	3665768	1	3.85
40-47	½ TON (4-SPD.)	front (forged 3658724)	3658724	1	3.45
33-39	COMM., UTIL. (4-SPD.) (exc. CB, VE, VF)	front (used w/frt. and rear joints),			
40	KD, KE (4-SPD.)	w/frt. and rear joint,			
40	WC (4-SPD.)	w/inter. joint,			
40-47	W, AL, AM, BL, BM, DR, ER (4-SPD.) (exc. WD)	w/front joint (forged 370468)	3658725	1	4.15
41-53	¾ TON (3-SPD.)	front (forged 3652866)	591648	1	4.15
40-54	½ TON (4-SPD.)	rear (red paint stripe)	3681934	1	4.15
48-54	½ TON (3-SPD.) (hvy. duty),				
49-54	PASS. (exc. P.G.)	front (forged 591644)	591644	1	3.25
48-54	½ TON (4-SPD.)	front (forged 3686323)	3686323	1	4.15
48-53	¾ TON (4-SPD.)	front (forged 3686324)	3686324	1	4.55
50-54	PASS. w/P.G.	front (forged 3703214)	3703214	1	3.25
	*NOTE: Yoke identified by No. 3653057 has 1⅜ dia. shoulder.				

53-55	CORV. 6 cyl.	front (forged 3706107)	3706135	1	8.70
54-55	¾ TON (3-SPD.) (1st Ser.) (exc. hvy. duty),				
54-55	¾, 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	front (forged 3845022)	3845092	1	5.50
54-57	1½ TON (2-SPD.),				
54-55	2 TON (1st Ser.),				
55-56	2 TON (hvy. duty, 2-SPD.) (2nd Ser.),				
57	Ser. 6	front, (drum flange) (4½" bolt circle)	3707776	1	5.25
54	½ TON w/H.T.	front (16 splines)	8614910	1	5.95
41-53	¾, 1 TON, UTILITY	assy. w/sleeve, rear prop. shaft,			
55	½ TON w/hvy. duty, 4-SPD. (1st Ser.)	front (stamped 3657106)	605056	1	7.85
54-55	¾, 1, 1½ TON (1st Ser.) (exc. 2-SPD.),				
55	M, J w/hvy. duty, 4-SPD. (2nd Ser.),				
55	D-D, 1 TON, UTILITY (2nd Ser.) (exc. F, 2-SPD.),				
56-57	Ser. 3B-3E w/hvy. duty, 4-SPD.,				
56-57	D-D, 1 TON, UTIL. (exc. Ser. 3C, 2-SPD.)	assy. w/sleeve, rear	3707214	1	9.10
54-55	S (1st Ser.)	assy. w/sleeve, front	3707215	1	13.20
54-55	2 TON (1st Ser.) (exc. S),				
54-57	1½ TON (2-SPD.),				
56	2 TON (hvy. duty, 2-SPD.),				
57	Ser. 6	assy. w/sleeve, rear	3707216	1	8.25
55-57	PASS.,				
55-57	½ TON (exc. hvy. duty, 4-SPD.),				
55-57	¾ TON (exc. prop. brake)	assy. w/sleeve, front (1 5/16 dia. bore)	3707059	1	5.25
55-57	H, Ser. 3A w/hvy. duty, 4-SPD.,				
55-57	F, Ser. 3C w/prop. brake,				
55-57	J, Ser. 3E w/H.T.	assy. w/sleeve, front	3718646	1	10.75
55-57	CORV. 8 cyl.	front	3712379	1	7.90
41-47	AN, Y, BN, M, O, DS, P, ES, Q	FLANGE, front (at trans.) (ident. daub orange paint)	591172	1	4.85
41-42	1 TON, UTIL. (exc. YU, MU),				
41-53	¾ TON	FLANGE (at hanger) (stamped 3657394)	3657394	1	4.45
41-47	ALL (w/tru-stop brake)	FLANGE, front	591227	1	12.20
41-47	AN, BN, DS, ES	FLANGE, frt. prop. w/dust shield (use w/dbl.			
41-47	UTIL. (exc. YU, MU, OH, PP, QP)	row brg.),			
42	MT	inter. prop. (forged 3657394)	3680420	1	4.65
48-50	UTILITY,				
48-55	1 TON (4-SPD.) (1st Ser.),				
54-55	¾ TON (4-SPD.) (1st Ser.),				
55-57	½ TON (4-SPD.),				
55-57	½ TON (hvy. duty) (2nd Ser.)	FLANGE, front U/joint	591700	1	5.45
48-50	ALL (w/tru-stop brake)	FLANGE, front	591718	1	9.80
48-53	1 TON, UTILITY (exc. short COE)	FLANGE, frt. prop. w/deflector,			
48-53	2 TON SBC	inter., w/deflector,			
55-56	X, Ser. 6C, 2 TON SBC (2nd Ser.) (exc. hvy. duty, 2-SPD.)	front	3686940	1	6.35
51-54	ALL w/Prop. Brake,				
55-57	ALL (4-SPD.) (exc. ½ TON)	FLANGE, front U/joint (retains speedo, drive			
55-57	¾, 1 TON (3-SPD.) (hvy. duty)	gear) front of drum)	591607	1	6.05
55-57	¾, 1 TON (3-SPD.) (hvy. duty),				
57	Ser. 3G-4-6				
54-55	X, 2 TON SBC (1st Ser.),				
55-56	X, Ser. 6C-6D-6E (hvy. duty, 2-SPD.) (2nd Ser.),				
57	Ser. 6C-6D-6E	FLANGE, front (forged 3705183)	3705182	1	8.25
54-55	¾, 1 TON w/H.T. (1st Ser.)	FLANGE, front	3707632	1	4.85
55-57	ALL w/H.T. (2nd Ser.) (exc. ½ TON)	FLANGE, front	3716756	1	5.80

5.556 PLUG—WASHER—CAP, Universal Joint Sleeve Yoke

39-40	VE, VF, WD,				
41-57	¾, 1 TON, UTILITY (exc. F, Ser. 3C),				
55-57	½ TON, F, Ser. 3C (hvy. duty, 4-SPD., H.T.)		087008	1	.06

39-40	VE, VF, WD,				
41-53	¾, 1 TON, UTILITY,				
54-55	S (1st Ser.),				
55	H, F (hvy. duty, 4-SPD.),				
55	F, J, w/H.T. (2nd Ser.),				
56-57	Ser. 3A-3C (hvy. duty, 4-SPD.),				
56-57	Ser. 3C-3E w/H.T.	WASHER, split	279335	A.R.	.10
39-40	VE, VF, WD,				
41-53	¾, 1 TON, UTILITY,				
54-55	S (1st Ser.),				
55	H, F (hvy. duty, 4-SPD.),				
55	F, J w/H.T. (2nd Ser.),				
56-57	Ser. 3A-3C (hvy. duty, 4-SPD.),				
56-57	Ser. 3C-3E w/H.T.	WASHER (cork) (1¼ x 1¾ x 5/16)	084415	1	.10
54-55	¾, 1 TON, UTILITY (1st Ser.) (exc. S),				
55	D-D, 1 TON, UTILITY (2nd Ser.) (exc. F),				
55	M, J (hvy. duty, 4-SPD.) (2nd Ser.),				
56-57	D-D, 1 TON, UTIL. (exc. Ser. 3C),				
56-57	Ser. 3B-3E (hvy. duty, 4-SPD.)	WASHER (steel) (1 11/16 O.D.—16 teeth)	3705196	1	.10
54-55	¾, 1 TON, UTILITY (1st Ser.) (exc. S),				
55	D-D, 1 TON, UTILITY (2nd Ser.) (exc. F),				
55	M, J (hvy. duty, 4-SPD.) (2nd Ser.),				
56-57	D-D, 1 TON, UTIL. (exc. Ser. 3C),				
56-57	Ser. 3B-3E (hvy. duty, 4-SPD.)	WASHER (cork) (1¾ O.D.—16 teeth)	3705197	1	.10
39-40	VE, VF, WD,				
41-55	COMM., UTILITY (1st Ser.) (exc. ½ TON),				
55-57	½ TON (hvy. duty, 4-SPD.),				
55	F, J w/Prop. Brake (2nd Ser.),				
55	¾, 1 TON, UTILITY (2nd Ser.) (exc. F, J),				
56-57	Ser. 3C-3E w/prop. brake,				
56-57	¾, 1 TON, UTILITY (exc. Ser. 3C-3E),				
57	Ser. 3C-3E (hvy. duty, 4-SPD.),				
57	Ser. 3D-3F-4-6	CAP (steel) (¾ x 1 15/16 O.D.)	3663239	1	.50

5.560 GASKET—RETAINER—SEAL, Propeller Shaft Universal Joint Trunnion

41-53	¾, 1 TON, UTILITY		3660968†	A.R.	.07
41-53	¾, 1 TON, UTILITY	RETAINER, gasket	3660969†	A.R.	.10
54-57	¾, 1 TON, UTILITY	SEAL, yoke brg. (25/32 I.D. x 1 3/16 O.D.) (finger dia. .775),			
55-57	½ TON (hvy. duty, 4-SPD.)	(use w/finger dia. .773)	3708038	A.R.	.15
55-57	PASS., CORV., ½, ¾ TON	SEAL, yoke brg. (use w/finger dia. .596)	3707064	A.R.	.30

†NOTE: These parts used with trunnion having finger diameter of .7385 on all 1941 models with 235 in. engine. Also used on late 1941 models with 216 in. engine.

5.564 BALL, Universal Joint

29-40	UTIL. (exc. VE, VF, WD)	front (used on intermediate joint on WC)	353896	1	4.25
33-36	CC, DC, EC, FC		473006	1	3.75
37-40	¾, 1 TON	(used w/rear joint),			
37-54	PASS., ½ TON	(used w/front joint)	602688	1	4.70
40	W (exc. WD)	rear	3653607	1	4.70

5.565 COLLAR—SEAT—SEAL, Universal Joint Ball

29-39	ALL (exc. CC, DC, EC, FC, VE, VF),				
41-54	PASS., ½, ¾ TON (exc. P.G., H.T.)	front ball	348131	1	1.20
33-36	CC, DC, EC, FC		473010	1	.75
34-40	¾, 1 TON, UTIL. (exc. VE, VF, WD)	rear ball	377183	1	1.20
40	PASS.	with support	3652661	1	4.50
50-54	PASS. w/P.G.,				
54	½ TON w/H.T.	(6 bolt holes)	3692835	1	1.20
50-54	PASS. w/P.G.,				
54	½ TON w/H.T.	SEAT	3692838	1	1.55
50-54	PASS. w/P.G.,				
53-57	CORV.,				
54	½ TON w/H.T.	SEAL, seat "O" ring (4⅜ I.D.)	3689826	1	(4.203)

5.566 BEARING—ROLLER—BUSHING, Universal Joint Yoke Trunnion

33-39	¾, 1 TON, UTILITY (exc. VE, VF),				
34-39	½ TON (4-SPD.)	front and rear,			
40	COMM., UTILITY (exc. KC, WD),				
41-53	¾ TON	front (31/32 O.D. x 23/32 I.D. x 47/64 width)	373344	A.R.	.55
40-54	PASS., ½ TON	front yoke	3665770‡	2	.65
40-54	PASS., ½ TON	rear yoke	3665771‡	2	.45
41-53	¾ TON	rear,			
41-53	1 TON, UTIL.	front and rear,			
41-53	2 TON SBC, YT, MT, TY, UY, VY	intermediate (use w/finger dia. under ¾)	3661395	A.R.	1.20
53-57	COMM., UTILITY	frt., inter., rear, (1 3/16 O.D.—use w/finger dia. over ¾)	3708900	A.R.	1.20
53-57	CORV.	front and rear, (1 1/16 O.D.—use w/finger			
55-57	PASS., ½, ¾ TON	dia. under ⅝)	3709838	A.R.	1.10
41-53	¾ TON	ROLLER, brg., rear,			
41-53	1 TON, UTIL.	brg., front and rear,			
41-53	2 TON SBC, YT, MT, TY, UY, VY	brg., inter. (part of 3661395)	3660967	A.R.	27/.85
53-57	COMM., UTILITY	ROLLER, brg. frt., inter., rear, (use w/finger dia. over ¾)	7450409	A.R.	34/.68
53-57	CORV.	ROLLER, brg. front and rear, (13/32 O.L.—use			
55-57	PASS., ½, ¾ TON	w/finger dia. under ⅝)	606868	A.R.	23/.95
40-42	PASS., ½ TON	BUSHING	605633†	4	.35

†NOTE: For optional use in place of bearing rollers, for cars under especially severe service.

‡NOTE: 3665770 and 3665771 for use w/"U" Joint 606779 on 1940-41 models.

5.567 SHIM, Ball Retainer

29-39	ALL (exc. CC, DC, EC, FC, VE, VF),				
41-53	PASS., ½, ¾ TON (exc. P.G.),				
54	PASS., ½ TON (exc. P.G., H.T.),				
54-55	¾, 1 TON (3-SPD. (hvy. duty) (1st Ser.)	(4½ I.D.) (4 holes)	3699727	A.R.	.08
34-40	COMM., UTIL. (exc. ½ TON, VE, VF, WD)	rear "U" joint housing (paper) (4½ I.D.)	373342	5	.08
40	PASS.		3652753	A.R.	.08
40	COMM., UTIL. (exc. WD)	front joint	3653962	A.R.	.08
50-54	PASS. w/P.G.,				
54	½ TON w/H.T.	(4½ I.D.) (6 holes)	3692836	A.R.	.11

5.569 PLATE, Trunnion Bearing Lock

40-54	PASS., ½ TON,				
54-55	½ TON (3-SPD.) (hvy. duty) (1st Ser.)	(use with bearing 3665770)	3655364	2	.10

5.572 SEAL KIT—SEAL, Universal Joint Ball

29-40	ALL (exc. CC, DC, EC, FC, VE, VF, WD),				
41-53	PASS., ½, ¾ TON (exc. AL, AM, BL, BM),				
54	PASS., ½ TON	consists of 4 shims, 2 seals	3723490	1	1.00
29-40	ALL (exc. CC, DC, EC, FC),				
41-53	PASS., ½, ¾ TON (exc. AL, AM, BL, BM),				
54	PASS., ½ TON	SEAL (cork—rubber)	3707194	1	.40

5.574 RING, Universal Joint


29-39	AC, AD, AE, BA, CA, CB, DA, DB, EA, EB, ED, FA, FB, FD, GA, GB, GC, HA, HB, HC, JA, JB, JC	(3 speed transmission)	347658	2	1.20

5.576 RETAINER—WASHER, Universal Joint Ball Packing


37-40	PASS., COMM.,				
41-54	PASS., ½ TON	oil seal (2 5/32 I.D. x 2 5/32)	595012	1	.45
37-40	PASS., COMM.,				
41-54	PASS., ½ TON	WASHER, oil seal (2 11/32 O.D. x 1/16)	595013	2	.06

5.578 TRUNNION—VALVE, Universal Joint (For Pass., ½ Ton. See 5.548 Repair Kit)

41-57	COMM., UTILITY	frt., inter., rear (finger dia. .773)	3705376†	A.R.	4.95
53-57	CORV.	(finger dia. .595)	3706285	2	5.35



DUAL SHOE PROPELLER SHAFT PARKING BRAKE—EXPLODED



RELIEF VALVE DETAILS
GROUP 5.645

TWO-SPEED REAR AXLE VACUUM SHIFT MECHANISM

54-57	UTILITY	frt., inter., rear (finger dia. .775)	3707777	A.R.	5.45
55-57	PASS., ½, ¾ TON	front and rear (finger dia. .596)	3708042	A.R.	3.30
40-53	¾, 1 TON, UTILITY	VALVE, relief (for "U" joint)	3680760	2	.25

†NOTE: Used on 1941 models with 235 in. engine and late 1941 models with 216 in. engine.

5.579 SPACER, Universal Joint

31-33	UTILITY,				
34-40	COMM., UTIL. (exc. VE, VF, WD),				
41-47	COMM. (exc. AN, BN, DS, ES)	(use w/4 speed transmission)	590485	1	.06
41-48	PASS., COMM. (3-SPD.)	(1⅜ O.D. x 1 I.D. x 2⅛ O.L.)	591202	1	.85
48-54	½, ¾ TON (3-SPD.)	(1 I.D. x 3.54 O.L.)	591791	1	.50
49-54	PASS. (exc. P.G.)	(1 I.D. x 4.18 O.L.)	591758	1	.60
54-57	ALL w/H.T. (exc. ½ TON)	(1⅜ I.D. x 1⅜ O.D. x 1 19/32 O.L.—steel tubing)	3707631	1	1.25

5.586 LOCK RING—BOLT, "U" Joint Trunnion and Yoke

33-39	¾, 1 TON, UTILITY (exc. VE, VF),				
34-39	½ TON (4-SPD.)	front and rear joint,			
40	COMM., UTILITY (exc. WD),				
41-53	¾ TON	front joint	365316	A.R.	.02
39-57	¾, 1 TON, UTILITY	frt., inter., rear (use w/finger diameters .773 and .775)	3721973	A.R.	.07
40-54	PASS., ½ TON		3652927	2	.03
53-57	CORV	front,			
55-57	PASS., ½, ¾ TON	frt. and rear (use w/finger dia. .596)	3721887	A.R.	.06
29-39	PASS., ½ TON (exc. CC)	BOLT, ring	347863	4	.10
40-54	PASS., ½ TON	BOLT UNIT, trunnion	3723489*	1	.40
41-50	ALL (w/tru-stop brake)	BOLT, prop. shaft brake to flg. (⅜—24 x 1 3/16)	3659060	A.R.	.20
41-57	¾, 1 TON, UTILITY	"U" BOLT, frt., inter., rear (⅜—24) (use w/finger dia. .773 and .775)	2066840	A.R.	.25
51-57	ALL (w/Prop. Brake)	BOLT, "U" joint flg. to park brk. drum (7/16—20 x 1 7/16)	591608	4	.15
53-57	CORV	"U" BOLT, rear flange (5/16—24) (use w/finger			
55-57	PASS., ½ TON	dia. .596)	2118319	2	.25
41-47	ALL,				
48-57	PASS., CORV.,				
48-57	½, ¾ TON	WASHER, lock "U" joint to trans. (⅜)	838819	1	(0.609)


*NOTE: Consists of 4 bolts and 2 plates.

5.595 NUT—WASHER, Propeller Shaft Pinion Flange

39-40	VE, VF, WD,				
41-42	UTILITY,				
46-57	¾, 1 TON, UTIL. (exc. 2-SPD.)	(1⅛—18) (at pinion)	3650631	1	.40
39-55	2-SPD. (1st Ser.),				
55	2 TON SBC (2-SPD.) (2nd Ser.)	pinion flange to dr. pinion,			
41-53	¾, 1 TON, UTIL. (exc. short COE)	front prop. shaft,			
46-53	2 TON SBC, TY, UY, VY	inter. prop. shaft,			
54-57	X, Ser. 6C, 2 TON SBC	front prop. shaft (1—20)	3651486	A.R.	.40
53-55	CORV	(¾—16)	513715	1	.35
55-57	PASS., ½ TON,				
56-57	CORV	(⅞—16)	3705781	1	.40
54-55	CORV	WASHER (1 5/16 O.D. x 49/64 I.D. x 7/32)	513716	1	(5.545)

5.606 BRAKE PARTS, Propeller Shaft (Tru Stop)

41-47	ALL	COVER, power take-off	3650522	1	(4.439)
41-50	ALL	DISC ASSY. (P-11-S-8800)	2215201	1	21.00
41-50	ALL	SHOE and LINING ASSY. (stamped C-704)	2130764	2	5.55
41-50	ALL	SPRING, brake shoe	086313	1	.12
41-50	ALL	SPRING, lever arm release	2130768	1	.20
41-50	ALL	ARM, right front (stamped C-712)	2149356	1	6.65
41-50	ALL	ARM, right rear (stamped C-710)	2149357	1	7.10
41-47	ALL	ROD, brake pull	2149363	1	1.19
41-50	ALL	ROD, brake tie	2130771	1	.55
48-50	ALL	ROD, brake pull	2248109	1	.55



DUAL SHOE PROPELLER SHAFT PARKING BRAKE

41-47	ALL	LEVER (offset) (C-933)	2149359	1	2.25
48-50	ALL	LEVER (offset) (DC-1137)	3689305	1	3.00
41-47	ALL	BRACKET, brake anchor (C-893)	2149362	1	9.75
48-50	ALL	BRACKET, brake anchor (BCA-1128)	2248108	1	8.78
41-50	ALL	PIN, lever arm anchor	2130767	2	.76
41-50	ALL	PIN, brake shoe	2149358	2	.45
41-47	ALL	CLEVIS, adjusting, 3/8 inch special	2149364	1	.67
48-50	ALL	CLEVIS, adjusting, 3/8 inch special	2248110	1	.67
41-50	ALL	RETAINER, brake shoe pin	2130770	2	.06

5.610 BRAKE PARTS, Propeller Shaft (Dual Shoe)

51-57	ALL	DRUM	591614	1	5.90
51-57	ALL	SHOE, inner	3694570	1	2.50
51-57	ALL	SHOE, outer	3694574	1	3.50
51-57	ALL	FACING UNIT, brake shoe (inner and outer)	3696497	1	2.20
51-57	ALL	DEFLECTOR, drum oil	591609	1	1.40
51-57	ALL	LEVER, brake shoe	3695829	1	5.80
51-57	ALL (exc. COE)	LEVER, operating (offset w/shaft)	3695826	1	1.25
51-55	COE	LEVER, operating (straight w/shaft)	3695838	1	1.25
51-57	UTILITY	LINK UNIT, operating	3696895*	1	.75
51-55 55-57	1 TON, UTILITY (1st Ser.) (exc. COE), UTILITY (2nd Ser.)	LINK, lever outer connecting (angle on one end)	3695834	1	.25
51-55 55-57	1 TON, UTILITY (1st. Ser) (exc. COE), UTILITY (2nd Ser.)	LINK, lever inner connecting	3695828	1	.30
51-55	COE	SHAFT ASSY., cross	3694583	1	(4.788)
51-55	COE	SUPPORT, cross shaft	3694588	1	(4.803)
51-57	ALL	SUPPORT, adjusting bolt	591678	1	.90
51-57	ALL	SPRING, outer shoe to adj. bolt support	3695836	1	(5.026)
51-57	ALL	SPRING, shoe lever	3695830	1	(5.028)

51-55	1 TON, UTILITY (1st Ser.) (exc. COE)	SPRING, lever return (6 23/32 free length—20 coils)	3695835	1	(4.827)
55-57	UTILITY (2nd Ser.)				
51-57	ALL	LOCK, shoe lever	2084234	1	(5.030)
51-57	ALL	LOCK, brg. ret. to outer shoe	359380	1	(5.057)
51-57	ALL	BOLT, outer shoe adjusting (3/8—24 x 1 7/8)	591675	1	.10
51-57	ALL	BOLT, operating lever shaft lock (1/4—20 x 27/32) (w/7/16 pilot)	591558	1	.07
51-57	ALL	NUT, brake shoe lever adj. (3/8—24)	3695831	1	.25

*NOTE: Consists of 1 Link, 1 Adjusting Nut, 1 Lever Spring, 1 Special Washer, and 1 Hex. Nut.

5.615 BRAKE PARTS, Propeller Shaft (Band Type)

55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	DRUM (8 x 2 1/2 inch)	3713788	1	5.45
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	BAND w/facing	3713790	1	4.70
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	SPRING, band return (9 coils—3/4 O.D.)	3713777	2	.15
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	SPRING, band center return (7 coils—1/2 O.D.)	3713780	1	.05
55-57	3/4, 1 TON (4-SPD.) (2nd Ser.)	SPRING, upper adj. bolt (3 coils—1 1/8 O.D.)	3713779	1	.25
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	CAM, operating (1 5/16 ctr. to ctr. holes)	3713775	2	.15
55-57	3/4, 1 TON (3-SPD. hvy. duty) (2nd Ser.)	LINK, spacer	3721041	1	.25
55-57	3/4, 1 TON (4-SPD.) (2nd Ser.)	LINK, spacer (3 13/16 O.L.)	3713773	1	.07
55-56	3/4, 1, 1 1/2 TON w/H.T. (2nd Ser.)	LINK, spacer (2 3/8 O.L.)	8615651	1	.25
57	3/4, 1 TON (4-SPD.)	LINK, spacer (2 15/16 ctr. to ctr.)	3735174	1	.15
55-56	3/4, 1, 1 1/2 TON w/H.T. (2nd Ser.)	BRACKET w/link	8617004	1	17.50
55-57	3/4, 1 TON (4-SPD.) (2nd Ser.)	BOLT, upper adj. (7 1/2 O.L.)	3713772	1	.40
55-57	3/4, 1 TON (hvy. duty, H.T.) (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	BOLT, upper adj. (6 1/2 O.L.)	3720483	1	.70
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	BOLT, center adj. (5/16—18 x 1 5/8)	3713766	1	.08
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	BOLT, lower adj. (1/4—28 x 2 3/4)	3718081	1	.10
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	SPACER, upper adj. bolt spring	3713778	1	.25
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	EYE, adj. rod end (1 3/4 O.L.)	3713776	1	.60
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	PIN, upr. adj. bolt clevis (1/2 dia.)	3713743	1	.15
55-57	3/4, 1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	PIN, lever pull rod end eye clevis (3/8 dia.)	3713745	1	.10
57	3/4, 1 TON (4-SPD.)	PIN, upr. adj. bolt (1/2 dia.)	3735176	1	.15
55-57	3/4 TON (hvy. duty, H.T.) (2nd Ser.),				
55-57	1 TON (2nd Ser.),				
56-57	1 1/2 TON w/H.T.	FACING UNIT, w/8 1/2 x 2 1/2 lining	3731573	1	4.15

5.623 LINKAGE, 2-SPEED AXLE, Gear Shift

39-46	VF, WD, YU, MU, OH, PP	CABLE ASSY., gearshift	3651613	1	6.95
39-40	VB, VD, VH, VN, WA, WB, WE, WF	CABLE ASSY., gearshift	3650940	1	6.95
41-46	2-SPD. (Mech. Shift)	CABLE ASSY., gearshift	3657804	1	7.90
39-46	2-SPD. (Mech. Shift)	CLEVIS, adjusting cable	3650096	1	.40
39-46	2-SPD. (Mech. Shift)	BELLOWS, cable, 5 1/8 overall	592055	2	(4.834)

5.626 "U" BOLT, 2-SPEED AXLE, Gear Shift Cable

39-46	VB, VD, VF, VH, VN, WA, WB, WD, WE, WF, YR, YS, MR, MS, OE, OF, PV, PW, COE (Mech. Shift)	cable axle bracket (around cable)	3650943	2	.18

5.635 DIAPHRAGM ASSY. and PARTS, 2-SPEED AXLE, Vacuum Shift

46-55	ALL (1st Ser.)	complete	3682150	1	18.50
55-57	ALL (2nd Ser.)	(stamped 3705843) (Bendix 377269)	3705843	1	15.15
49-50	ALL (Midland Vac. Shift)	KIT, diaphragm repair	3694058	1	6.75
46-57	ALL	CYL. and BOSS. ASSY.	3847055	1	2.75
46-55	ALL (1st Ser.)	SHELL and SEAL ASSY.	3847056	1	6.25
55-57	ALL (2nd Ser.)	SHELL and SEAL ASSY. (Bendix 377271)	3721330	1	7.00

46-55	ALL (1st Ser.)	ROD ASSY., piston	3847057	1	5.25
55-57	ALL (2nd Ser.)	ROD, piston (Bendix 377274)	3721350	1	3.75
46-57	ALL	DIAPHRAGM	3847058	1	2.20
46-55	ALL (1st Ser.)	PLATE, diaphragm	1261810	2	.75
55-57	ALL (2nd Ser.)	PLATE, diaphragm (Bendix 377270)	3721329	2	.70
46	ALL	SPACER, large	3847059	1	.37
47-57	ALL	SPACER, small	3847060	1	.18
46-57	ALL	SPACER, push rod	2212963	1	.30
46	ALL	RING, snap (round section)	3847061	1	.10
47-57	ALL	RING, snap (square section)	2270867	1	.10
46-55	ALL (1st Ser.)	SEAL, mounting	3682608	1	.30
46-55	ALL (1st Ser.)	SEAL, piston rod	2212953	1	1.05
55-57	ALL (2nd Ser.)	SEAL, piston rod (Bendix 374534)	3721328	1	1.75
55-57	ALL (2nd Ser.)	SEAL, diaphragm (1½ O.D.)	3705847	1	.10
46-57	ALL	SPRING, push rod	2212962	1	.60
46-57	ALL	WASHER, stop	3847062	2	.12
46-57	ALL	BOLT (hex. hd. 5/16—24 x 5⅛)	3847063	1	.65
46-55	ALL (1st Ser.)	SLEEVE, mounting	3682607	1	5.25
55-57	ALL (2nd Ser.)	HOUSING, diaphragm mtg.	3705844	1	3.60
46-55	ALL (1st Ser.)	SHIM, sleeve (.003)	2212968	A.R.	.05
46-55	ALL (1st Ser.)	SHIM, sleeve (.030)	3685176	A.R.	.15
46-55	ALL (1st Ser.)	STUD, mtg. (⅜—16—24 x 1⅞)	2256377	3	.15
46-55	ALL (1st Ser.)	GASKET, rubber (oil resistant)	3704432	1	.05
55-57	ALL (2nd Ser.)	GASKET, diaphragm housing (.010 thk.)	3705848	1	.07
55-57	ALL (2nd Ser.)	GASKET, piston rod seal (Bendix 377416)	3723038	1	.10
55-57	ALL (2nd Ser.)	PACKING, diaphragm (felt—1½ O.D.)	3705845	1	.15
55-57	ALL (2nd Ser.)	RETAINER, packing (1½ O.D.)	3705846	1	.05
55-57	ALL (2nd Ser.)	SCREW, pan. hd. (No. 10—24 x 7/16)	3721351	10	.05

5.636 LEVER—COVER—ROD—SPRING—CABLE—BRACKET, 2-SPEED AXLE—Vacuum Shift Selector

46-47	ALL	valve	3682970	1	1.00
48-49	ALL (1st design)	valve (dash) (⅝ wide—1 hole 5/16 dia.)	3687859	1	1.00
48-55	ALL (1st Ser.)	valve rod	3687084	A.R.	.35
49-55	ALL (2nd design) (1st Ser.)	valve (dash) (cast 2165458)	2165458	1	.48
49-55	ALL (1st Ser.)	COVER, valve lever indicator	3710861	1	1.00
48-53	ALL (exc. COE, FFC)	ROD, valve upr. (19⅝ long)	3687077	1	.70
48-55	ALL (1st Ser.) (exc. COE)	ROD, valve lwr. (w/clip at bent end)	3692596	1	.60
48-53	COE, FFC,				
54-55	FFC, 1½ TON (1st Ser.)	ROD, valve upr. (18 11/16 long)	3687079	1	.70
48-53	COE	ROD, valve lwr. (w/spring clip)	3692614	1	.55
54-55	COE	ROD, valve upper (8 11/16 long)	3705539	1	.70
54-55	COE	ROD, valve lwr. w/clip (26 13/16 dev. length) (5/16—24 thd. one end)	3707671	1	.85
54-55	ALL (1st Ser.) (exc. COE, FFC)	ROD, valve upper (19⅝ long)	3705540	1	.70
48-55	ALL (1st Ser.)	SPRING, valve upr. rod (4½ coils)	3690299	1	.06
49-55	ALL (1st Ser.)	SPRING, valve lwr. rod (27 coils)	3658835	1	(8.081)
55-57	ALL (2nd Ser.)	CABLE w/knob, valve	3715171	1	3.70
55-57	ALL (2nd Ser.)	BRACKET, valve cable (3 O.L.)	3717364	1	.35
55-57	ALL (2nd Ser.)	BRACKET, sel. valve to shifter cyl. (2 holes—⅜ and 9/32 dia.)	3722578	1	.10

5.638 HOSE and PARTS, 2-SPEED AXLE—Vacuum Shift

46-57	ALL	sel. valve to shifter cyl. pipes (⅜ x 16½)	3682980	A.R.	1.10
55-56	ALL (2nd Ser.)	CLAMP, sel. valve to conn. pipe hose (9/16)	272844	2	(1.166)
46-53	ALL,				
54-55	UTILITY (1st Ser,) (exc. COE),				
55-57	ALL (2nd Ser.)	ELBOW, sel. valve to shifter cyl. (⅜)	3686414	A.R.	.40
47-50	ALL	ELBOW (½—14 pipe thread—2⅞ long)	3685878	1	.65
46-47	ALL	NIPPLE (⅜)	2158151	A.R.	.40
46-55	ALL (1st Ser.)	CONNECTOR, selector valve pipe (⅝—18 x ¼ pipe threads)	3690048	3	.20

5.640 VALVE ASSY.—REPAIR KIT and PARTS, 2-SPEED AXLE—Vacuum Shift Selector

46	ALL		3682969	1	9.25
47	ALL		3685806	1	7.40
48-55	ALL (1st Ser.)		3687054	1	8.50

55-57	ALL (2nd Ser.)	(Bendix 377250)	3715174	1	10.00
55-57	ALL (2nd Ser.)	REPAIR KIT, selector valve (Bendix 378197)	3740998	1	2.40
55-57	ALL (2nd Ser.)	COVER, valve (Bendix 377266)	3721250	1	2.00
55-57	ALL (2nd Ser.)	BODY, valve (Bendix 377253)	3721239	1	2.25
55-57	ALL (2nd Ser.)	BODY, valve (Bendix 377263)	3721248	1	1.75
55-57	ALL (2nd Ser.)	GASKET, cover (Bendix 377264)	3721249	1	.10
55-57	ALL (2nd Ser.)	GASKET, valve body (.078 thk.) (Bendix 377261)	3721247	1	.10
55-57	ALL (2nd Ser.)	DISC, valve (Bendix 372217)	2184826	2	.25
55-57	ALL (2nd Ser.)	LEVER, selector operating (Bendix 377251)	3721238	2	.10
55-57	ALL (2nd Ser.)	LEVER, selector poppet (Bendix 377255)	3723920	1	.30
55-57	ALL (2nd Ser.)	SPRING, poppet (12 coils—5/32 O.D.) (Bendix 377258)	3740999	2	.10
55-57	ALL (2nd Ser.)	SPRING, tension (12½ coils—hook ends) (Bendix 377260)	3721245	2	.10
55-57	ALL (2nd Ser.)	STEM, poppet (1½ O.L.) (Bendix 372257)	3721241	2	.60
55-56	ALL (2nd Ser.)	PIN w/trunnion, selector (Bendix 377247)	3721237	1	1.50
55-56	ALL (2nd Ser.)	PIN, pivot (27/32 O.L.) (Bendix 377254)	3721240	1	.10
55-57	ALL (2nd Ser.)	SLEEVE, selector valve retaining	114963	1	(8.963)
55-57	ALL (2nd Ser.)	WASHER, retaining (3/32 SLOT) (Bendix 377259)	3721244	2	.05
55-57	ALL (2nd Ser.)	SCREW (#10—32 x 5/16)	3721246	1	.05
55-57	ALL (2nd Ser.)	SCREW (#10—24 x 1)	3721252	4	.05

5.645 VALVE ASSY. and PARTS, 2-SPEED AXLE—Vacuum Shift Check

46-57	ALL		2214107	A.R.	2.30
46-47	ALL	SEAL ASSY.	2225240	A.R.	.90
46-47	ALL	SPRING	2225241	A.R.	.15
46-47	ALL	WASHER	2225242	A.R.	.10
46-55	2 TON (1st Ser.),				
54-55	1½ TON w/Brake Booster (1st Ser.)	TEE ASSY.	3847069	1	3.00
54-56	1½ TON 6 cyl. (exc. Brake Booster)	TEE ASSY.	3847412	1	(4.931)
55-57	1½ TON 8 cyl. (2nd Ser.) (exc. Brake Booster)	TEE ASSY.	3724086	1	3.25
55-56	UTIL. 6 cyl. w/Brake Booster (2nd Ser.)	TEE ASSY.	3719513	1	3.25
55-57	UTIL. 8 cyl. w/Brake Booster (2nd Ser.)	TEE ASSY.	3724084	1	3.50

5.803 WHEEL, Front or Rear

Part No.	Lug Holes	List Price	Part No.	Lug Holes	List Price	Part No.	Lug Holes	List Price	Part No.	Lug Holes	List Price
601772	6	13.15	3684454	8	16.25	3704088	6	15.35	3724682	8	15.35
3651623	10	25.05	3687980	5	14.25	3705226	10	31.90	3724683	8	21.95
3651952	6	12.30	3689039	6	14.25	3707464	8	24.70	3724684	6	15.35
3652176	10	21.75	3693214	6	15.35	3714744	5	14.25	3724685	8	26.95
3680915	8	12.40	3696012	10	28.05	3715441	6	15.35	3724686	8	19.25
3681786	8	11.75	3696712	10	31.90	3715496	10	23.40	3726167	6	28.60
3682064	8	20.10	3703874	10	28.60	3724641	6	36.85	3726174	6	31.90
3682076	10	20.85	3703878	10	28.60	3724643	6	40.15	3729813	10	26.95
3682082	10	28.60	3704082	8	15.35	3724677	10	29.65	3735591	5	14.25
									3736621	6	9.25

PASSENGER AND ½ TON COMMERCIAL WHEEL DATA

	Model Application	Tire Size	Wheel Size	Off-set	Part No.	Clamp Ring (Grp. 5.839)	Side Ring (Grp. 5.839)
35-42	EB, FB, FD, GC, HC, KC, AK, BK	7.00 x 15; 7.50 x 15	15 x 5.50F	3/8"	601772†		
39-48	PASS., ½ TON,						
49-55	½ TON (1st Ser.)	5.50 x 16; 6.00 x 16; 6.50 x 16	16 x 4.50K	½"	3693214		
39-42	PASS., ½ TON	6.00 x 18	18 x 4.00	½"	3651952		
46-55	½ TON	7.00 x 15; 7.50 x 15	15 x 5.50F		3704088		3680918
46-48	PASS.	5.50 x 15; 6.00 x 15; 6.40 x 15;					
47-50	½ TON	6.50 x 15; 6.70 x 15; 7.10 x 15;					
55-56	½ TON (2nd Ser.)	6.70 x 15	15 x 5K	5/8"	3689039		
49-53	PASS., CORV.	5.50 x 15; 6.00 x 15; 6.40 x 15; 6.50 x 15; 6.70 x 15; 7.10 x 15	15 x 5K	5/8"	3687980		
54-56	PASS., CORV.	5.50 x 15; 6.00 x 15; 6.40 x 15;					
57	CORV.	6.50 x 15; 6.70 x 15; 7.10 x 15	15 x 5K	9/16"	3714744		
57	PASS.	7.50 x 14	14 x 5J	9/16"	3735591		

	Model Application	Tire Size	Wheel Size	Off-set	Part No.	Clamp Ring (Grp.5.839)	Side Ring (Grp.5.839)
54-57	½ TON	6.50 x 16; 6.00 x 16	16 x 5K	7/16"	3715441		
56-57	½ TON	7 x 17.5	17.5 x 5.25	NONE	3724684		
57	½ TON	6.70 x 15	15 x 5K	9/16"	3736621		

†NOTE: Also shown in ¾, 1 TON and UTILITY WHEEL DATA.

¾, 1 TON COMMERCIAL and UTILITY WHEEL DATA

37-42	GD, GE, HD, JD, KD, AL, BL.	7.00 x 15; 7.50 x 15	15 x 5.50F	3/8"	601772†		
39-46	VB, VD, WA, WB, YR, YS, MR, MS, MT, OE, OF, PV, PW, COE	7.50 x 20; 8.25 x 20; 34 x 7	20 x 5.00S	5¼"	3651623		2039648
36-46	UTIL. (exc. RA, RC, MT, O, PJ, PK, PL)	7.00 x 20; 7.50 x 20; 32 x 6; 34 x 7	20 x 5.00S	4¾"	3652176		2039648
46	¾ TON	7.00 x 15; 7.50 x 15	15 x 5.50F	½"	3680915		3680918
46	¾, 1 TON	7.00 x 17	17 x 5.0	1½"	3681786	3681788	3707073
46-55	1 TON	7.00 x 18,					
55	D-D (2nd Ser.)	7.00 x 18	18 x 5.0	4½"	3682064	3682062	3707074
46-55	1½ TON (1st Ser.)	6.50 x 20; 7.00 x 20	20 x 5.0	4¾"	3682076	3696716	3707075
46-53	2 TON,						
53-55	1½ TON (1st ser.) (exc. SBC)	7.00 x 20; 7.50 x 20; 8.25 x 20	20 x 6.0	5⅜"	3682082	3696716	3697364
47-55	¾, 1 TON	7.00 x 17; 7.50 x 17	17 x 5.0	½"	3684454	3681788	3707073
47-55	¾ TON (1st Ser.)	7.00 x 15; 7.50 x 15,					
55	J (2nd Ser.)	15" tires	15 x 5.50F	⅛"	3704082		3680918
48-53	2 TON	8.25 x 20; 9.00 x 20	20 x 6.5	5⅝"	3696712	3696716	3704948
51-53	2 TON,						
53	1½ TON (hvy. duty)	7.50 x 20; 8.25 x 20	20 x 6.0	5⅜"	3696012		3693385
53-55	¾ TON	6.50 x 16	16 x 5.50F	4½"	3707464		2059902
54-55	UTILITY	7.00 x 20; 7.50 x 20; 8.25 x 20	20 x 6.0	5⅜"	3703878	3696716	3697364
54-55	UTILITY	7.50 x 20; 8.25 x 20	20 x 6.0	5⅜"	3703874#		3693385#
54-55	2 TON	8.25 x 20; 9.00 x 20	20 x 6.5	5⅜"	3705226	3696716	3704948
55	1½ TON (2nd Ser.)	6.50 x 20	20 x 5.0	4¾"	3715496	3696716	3707075
56-57	2 TON	7.50 x 20; 8.25 x 20	20 x 6.0	—	3726167#		3693385#
56-57	2 TON	8.25 x 20; 9.00 x 20	20 x 6.5	—	3726174#		3695704#
56-57	D-D, 1 TON w/duals	8 x 19.5	19.5 x 5.25	4 13/16"	3724685		
56-57	¾, 1 TON w/single wheels	8 x 19.5	19.5 x 5.25	7/16"	3724686		
56-57	¾ TON w/duals (exc. D-D)	7 x 17.5	17.5 x 5.25	4 15/32"	3724683		
56-57	¾, 1 TON w/single wheels (exc. D-D)	7 x 17.5; 8 x 17.5	17.5 x 5.25	⅛"	3724682		
56-57	1½ TON (exc. 8 x 19.5 tires)	7 x 22.5; 8 x 22.5	22.5 x 5.25	4 13/16"	3724677		
56-57	1½ TON w/8 x 19.5 tires	8 x 19.5	19.5 x 5.25	4 13/16	3729813		
56-57	2 TON (exc. 10 x 22.5 rear tires)	8 x 22.5; 9 x 22.5	22.5 x 6.00	5 13/32"	3724641		
56-57	2 TON w/10 x 22.5 rear tires.	9 x 22.5; 10 x 22.5	22.5 x 6.75	5 29/32"	3724643		

†NOTE: Also shown in PASSENGER, ½ TON WHEEL DATA.
#NOTE: Also used on 1956 models equipped with tube tires.

*WHEEL, Front or Rear (Not Serviced)

*NOTE: The following Wheel Assemblies are not serviced and are shown only for Clamp Ring model usage.
NOTE: When replacing obsolete Wheel by current Serviced Wheel corresponding Clamp and Side Rings must be used.

31-35	UTILITY	7.00 x 20; 32 x 6	20 x 6	3¼"	379841		379750
34-35	PB, PD, QA, QB	7.00 x 20; 32 x 6	20 x 6	4"	379842		379750
36	RA, RC	7.00 x 20; 32 x 6	20 x 6	3¼"	602012		379750
36-46	1½ TON (exc. RA, RC, MT)	7.00 x 20; 7.50 x 20; 32 x 6	20 x 4.33R	4½"	602542		379750
48-50	2 TON (exc. SBC)	8.25 x 20; 9.00 x 20	20 x 6.00T	5½"	3686852		3665070
48-51	2 TON (exc. SBC)	8.25 x 20; 9.00 x 20	20 x 6.5	5⅝"	3695970	3695975	3695974
51-52	2 TON	7.50 x 20; 8.25 x 20	20 x 6.0	5⅝"	3693380		3693385

5.806 HUB, Rear Wheel

39-41	2-SPD	(axle shaft bolt holes 7/16—14 threads)	608009	2	13.00
40-50	UTILITY	splined type (forged hub) (use 3682389 Bolt)	3685195*	2	18.90
41-42	2-SPD	(use 5238559 Hub Bolt),			
46	2-SPD	(use 3682153 Hub Bolt) (cast 3668100)	3668100†	2	18.90

46-57	¾, 1 TON	(cast iron hub—⅞ flange) (axle shaft bolt holes ½—13 threads)	3697044§	2	16.90
51-53	UTILITY	splined type (cast hub—$^{59}/_{64}$ flange) (three			
54-55	1½ TON (1st Ser.) (exc. 2-SPD.)	$^{5}/_{16}$—18 tapped holes)	3697042⊕	2	20.75
54-55	1½ TON (2-SPD.) (1st Ser.)	splined type (cast iron hub—$^{59}/_{64}$ flange)			
54-55	2 TON (1st Ser.)	(stmp'd. 3702299)	3702299‡	2	20.50
55-57	1½ TON (2nd Ser.) (exc. 2-SPD.)	splined type (cast iron hub—$^{59}/_{64}$ flange) (use bolt 3705785)	3714727	2	19.85
55-57	1½ TON (2-SPD.) (2nd Ser.)	splined type (forged hub—$^{43}/_{64}$ flange)			
55	2 TON (2nd Ser.)	(use bolt 3705784)	3705861	2	20.50
56-57	2 TON	40 splines (10¾ O.L.)	3724013	2	27.65

*NOTE: Use only w/Hypoid Gear Type 2-SPD. AXLE in 1946.
When replacing one bolted type hub w/one spline type hub 3685195 replace axle shaft together with 1—3689081 Conversion Kit.

†NOTE: 3668100 to be used only w/Spur Gear Type 2-SPD. Axle.
§NOTE: 3697045 Bolt (½—20 x 2) must be used with 3697044 Hub.
⊕NOTE: 3697043 Bolt (⅝—18 x $3^{3}/_{16}$) must be used with 3697042 Hub.
‡NOTE: 3705785 Bolt (⅝—18 x $2^{27}/_{32}$) must be used w/3702299 Hub.

KIT, Rear Wheel Hub Conversion

40-47	UTILITY (exc. 2-SPD.),				
46-47	2-SPD. (w/hypoid gears)		3689081‡	2	2.80

‡NOTE: 3689081 consists of: 1 Spacer, 1 Cap, 1 Gasket, 1 Seal, 5 Bolts, and 5 Washers.

5.809 DRUM ASSY., Brake, Front and Rear

36-39	FA, GA, HA, JA	front wheel,			
36-39	PASS., ½ TON (exc. FC)	rear wheel,			
37-42	GD, HD, JD, KD, AL, BL	rear wheel,			
40-48	PASS.	front and rear wheel,			
40-50	½ TON	rear wheel	601985	2	9.85
36-40	FD, GB, HB, JB, KB,				
36-42	COMM.,				
46-50	½ TON	front wheel	602432	2	9.85
39-40	COE	rear wheel (also used on V, W, with cast			
41-50	UTILITY	iron drums)	603688	2	24.05
40-52	UTIL. (exc. WA) (hvy. duty. on WB, WC)	front	604718	2	16.60
46	DS (w/sgl. rear wheels)	front wheel	609772	2	10.80
46	DS (w/dual rear wheels)	front wheel	609771	2	10.80
46	DR	front wheel	609779	2	12.00
46-52	¾ TON	rear wheel	609807	2	13.75
46-52	1 TON	rear wheel	609808	2	18.60
47-52	¾ TON (exc. D-D)	front wheel	3847128	2	11.40
47-52	D-D, 1 TON, (w/sgl. rear wheels)	front wheel	3847129	2	13.75
47-52	1 TON (w/dual rear wheels)	front wheel (daub of white paint on web)	3847698	2	13.75
49-50	PASS.	front and rear wheel	3690338	4	9.85
51-56	PASS., CORV.	front and rear wheel	3717781	4	9.85
51-56	½ TON	front and rear wheel	3696266	4	9.85
51-53	UTILITY,				
54-55	1½ TON (1st Ser.)	rear wheel	3696522	2	24.05
51-55	ALL (w/Prop. Brake) (1st Ser.),				
55-57	UTILITY (2nd Ser.)	parking	591614	1	(5.610)
53-57	¾ TON (exc. 14" brake)	rear wheel	3703638	2	13.75
53-57	¾, 1 TON	front wheel	3703614	2	13.75
53-55	¾ TON (exc. D-D)	front wheel w/6.50-16—6 ply tires,			
53-57	1 TON,				
55	D-D (2nd Ser.),				
56-57	D-D w/duals	w/7.00 x 18;8 x 19.5-8 ply tires	3703668*	2	13.75
53-57	1 TON,				
55	D-D (2nd Ser.)	rear, w/7.00 x 18;7.50 x 17			
56-57	D-D w/14" brake or duals	8 x 19.5 tires	3703637	2	18.60
53-55	UTILITY,				
56-57	1½ TON	front wheel	3703616	2	16.60
54-55	1½ TON (2-SPD.) (1st Ser.),				
54-55	2 TON (1st Ser.),				
55	UTILITY (2nd Ser.),				
56-57	1½ TON	rear wheel	3733162	2	23.10

56-57	2 TON	front wheel	3726486	2	16.25
56-57	2 TON	rear wheel	3726794	2	25.05
57	PASS., CORV	front and rear	3719249	4	10.00
57	½ TON	front and rear	3741881	4	9.85

*NOTE: Pilots on knurled shoulder of bolt. Cannot be interchanged with 3703614 which pilots on threaded shank section.

5.810 SHIELD—NUT—SPRING, Brake Drum

41-50	UTILITY	rear	3696191	1	2.85
40-52	PASS., ½ TON,				
41-42	¾, 1 TON	NUT, retaining (7/16—20 speed nut)	3656898	4	.06
36-57	PASS., CORV	SPRING (32¾ free length)	3694290	A.R.	.75
53-57	1 TON w/dual wheels,				
55-57	D-D (2nd Ser.) w/dual wheels	SPRING, rear brake (450.L)	2332713	2	1.50
53-57	COMM. (exc. ½ TON, dual wheels)	SPRING, front and rear brake (38½ O.L.)	2332714	A.R.	1.30

5.811 SPACER—GASKET, Front and Rear Wheel Hub or Drum

51-53	2 TON	front wheel (4 15/16 I.D. x 8⅝ O.D. x ⅛ thick —5 holes)	3697154	2	.75
36-48	PASS. (exc. FD, FC, GB, HB, JB)	GASKET, front brake drum (4 1/16 I.D. x 6 9/16			
51-57	½ TON	O.D.)	476518	2	.12
36-40	R, S, T, V, W (2 speed axle only on W)	GASKET, rear hub with 7/16 axle bolts	604360	2	.15
36-42	PASS., COMM. (exc. FC),				
46-48	PASS.	GASKET, rear brake drum (4 1/16 I.D. x 6 13/16			
46-57	½ TON	O.D.)	476516	2	.12
40-47	UTILITY	GASKET, rear hub with ½ axle bolts	3653928*	2	.35
46-57	¾, 1 TON	GASKET, rear hub ½ axle bolts (2¾ I.D. x 4 7/16 O.D.)	3680995	2	.15
49-57	PASS., CORV	GASKET, brake drum (3 7/16 I.D. x 5 13/16 O.D.)	3687628	4	.12

*NOTE: Not used w/splined type shaft and hub.

5.812 BOLT—STUD, Hub (Front and Rear)

BOLT, Front Hub

30-32	AE, BA, BB, LS, LT,				
36-40	F, G, H, J, K (exc. FA, GA, HA, JA, KA, KH),				
41-42	COMM.,				
46-50	½ TON	hub	370465†	12	.25
30-42	UTILITY (exc. LR)	hub	3683850	10	.25
36-54	PASS. (exc. FD, FC, GB, HB, JB),				
51-57	½ TON,				
53-57	CORV	hub	476515	A.R.	.25
39	COE,				
40-55	UTILITY (exc. WA) (hvy. duty WB, WC),				
56-57	1½ TON	drum	3650739	12	.25
46-55	1 TON,				
53-55	¾ TON (exc. D-D),				
55	D-D (2nd Ser.)	hub (w/duals)	3680865	16	.25
46-57	¾, 1 TON	hub (w/sgl. rear wheels)	3680899†	16	.25
46-55	1 TON,				
53-55	¾ TON (exc. D-D),				
55	D-D (2nd Ser.)	drum (w/duals)	3681333	16	.25
46-53	UTILITY (exc. O)	hub	3682387	10	.30
54-55	UTILITY,				
56-57	1½ TON	hub	3705783	10	.30
55-57	PASS.	hub	375696†	10	.25
56-57	¾, 1 TON	hub (w/duals)	3726219	16	.15
56-57	2 TON	hub, left (stamped L)	3723955	6	.60
56-57	2 TON	hub, right (stamped R)	3723956	6	.60

†Also listed in rear hub section of this group.


BOLT, Rear Hub

NOTE: (front) shown in column at right indicates part is also used as Front Hub Bolt.

31-40	UTILITY (exc. COE)	hub	367017	20	.22
33-35	CA, CB, DA, DB, EA, EB, ED	hub	370465	12	(front)

36-42	PASS., COMM. (exc. FB),				
46-54	PASS.,				
46-57	½ TON,				
53-55	CORV	hub	375696	A.R.	(front)
36-46	UTILITY	(used w/hubs having flg. thickness of $^{29}/_{32}$ on reg. prod. axles and w/hubs having flg. thickness of $^{21}/_{32}$ on 2-SPD. and hvy. duty axles)	5238559	20	.30
39-46	UTILITY (Reg. Prod.)	hub (used on VA, VB, VC, VD, WA, WB, WC, w/cast iron brake drums)	598508	20	.25
39-40	VB, VD, WA, WB (2-SPD.)	(used w/hubs having flg. thickness of $^{29}/_{32}$)	608011	20	.25
39-40	VB, VD, WA, WB (2-SPD.)	(used w/hubs having flg. thickness of $^{21}/_{32}$)	3651366	20	.25
39-42	VF, VH, VN, WD, WE, WF, Y, M	(used w/hubs having flg. thickness of $^{29}/_{32}$ on 2-SPD. and hvy. duty axles)	3668105	20	.25
46-57	¾, 1 TON (w/sgl. rear wheels)	hub (use w/forged hub having ⅝ flange)	3680899*	16	(front)
46-57	¾, 1 TON (w/sgl. rear wheels)	hub (use w/cast hub having ⅞ flange)	3697045*	16	.25
46-55	1 TON,				
53-55	¾ TON (exc. D-D),				
55	D-D (2nd Ser.) (w/dual wheels)	hub (use w/forged hub having ⅝ flange)	3680991	16	.25
46-50	UTILITY (exc. O)	(used w/cast hub)	3682153	20	.35
46-50	UTILITY (exc. O)	(used w/forged hub)	3682389	20	.35
46-55	1 TON,				
53-55	¾ TON (exc. D-D),				
55	D-D (2nd Ser.) (w/dual wheels)	hub (use w/cast hub having ⅞ flange)	3697734	16	.30
51-53	UTILITY	hub (use w/forged hub having $^{43}/_{64}$ flange)	3694508	20	.35
51-53	UTILITY	hub (use w/cast hub having $^{59}/_{64}$ flange)	3697043	20	.35
54-55	UTILITY (1st Ser.),				
55	UTILITY w/hvy. duty, 2-SPD. (2nd Ser.),				
56-57	1½ TON	hub (used w/forged hub having $^{43}/_{64}$ flange)	3705784	20	.30
54-55	UTILITY (1st Ser.),				
55-57	1½ TON,				
55	2 TON (2nd Ser.) (exc. hvy. duty 2-SPD.)	hub (use w/cast hub having $^{59}/_{64}$ flange)	3705785	20	.35
55-57	PASS.,				
56-57	CORV	hub ($^{7}/_{16}$—20 x $1^{15}/_{32}$)	3705752	10	.25
56-57	¾, 1 TON w/duals	hub (½—20 x $2^{5}/_{16}$)	3726228	16	.20
56-57	2 TON	left (stamped L)	3723967	6	.60
56-57	2 TON	right (stamped R)	3723968	6	.60

*NOTE: Not used on 1955 1 TON models w/18 x 5.0 wheel equipment.



HUB BOLT CHART

Part No.	A	B	C	D	E	F
359427	$3^{7}/_{64}$	$^{17}/_{64}$	$1^{19}/_{64}$	$1^{35}/_{64}$	$^{9}/_{16}$—18	$2^{27}/_{32}$
367017	$2^{21}/_{32}$	$^{9}/_{32}$	$^{31}/_{32}$	$1^{13}/_{32}$	$^{9}/_{16}$—18	$2^{3}/_{8}$
370465	$1^{17}/_{32}$	$^{15}/_{64}$	$^{37}/_{64}$	$^{23}/_{32}$	$^{7}/_{16}$—20	$1^{19}/_{64}$
375696	$1^{35}/_{64}$	$^{15}/_{64}$	$^{25}/_{64}$	$^{59}/_{64}$	$^{7}/_{16}$—20	$1^{5}/_{16}$
476515	$1^{39}/_{64}$	$^{15}/_{64}$	$^{29}/_{64}$	$^{59}/_{64}$	$^{7}/_{16}$—20	$1^{3}/_{8}$
598508	$2^{9}/_{16}$	$^{9}/_{32}$	$^{7}/_{8}$	$1^{13}/_{32}$	$^{9}/_{16}$—18	$2^{9}/_{32}$
608011	$3^{3}/_{16}$	$^{9}/_{32}$	$1^{7}/_{32}$	$1^{11}/_{16}$	$^{9}/_{16}$—18	$2^{29}/_{32}$
3650739	$1^{31}/_{64}$	$^{15}/_{64}$	$^{1}/_{2}$	$^{3}/_{4}$	$^{7}/_{16}$—20	$1^{1}/_{4}$
3651366	$2^{15}/_{16}$	$^{9}/_{32}$	$^{31}/_{32}$	$1^{11}/_{16}$	$^{9}/_{16}$—18	$2^{21}/_{32}$
3668105	$3^{1}/_{16}$	$^{9}/_{32}$	$1^{1}/_{8}$	$1^{21}/_{32}$	$^{9}/_{16}$—18	$2^{25}/_{32}$
3680865	$1^{51}/_{64}$	$^{15}/_{64}$	$^{7}/_{16}$	$1^{1}/_{8}$	$^{1}/_{2}$—20	$1^{9}/_{16}$
3680899	$1^{63}/_{64}$	$^{15}/_{64}$	$^{11}/_{16}$	$1^{1}/_{16}$	$^{1}/_{2}$—20	$1^{3}/_{4}$
3680991	$2^{31}/_{64}$	$^{15}/_{64}$	$^{43}/_{64}$	$1^{37}/_{64}$	$^{1}/_{2}$—20	$2^{1}/_{4}$
3681333	$1^{31}/_{64}$	$^{15}/_{64}$	$^{1}/_{2}$	$^{3}/_{4}$	$^{1}/_{2}$—20	$1^{1}/_{4}$
3682153	$3^{21}/_{64}$	$^{9}/_{32}$	$1^{5}/_{32}$	$1^{57}/_{64}$	$^{5}/_{8}$—18	$3^{3}/_{64}$
3682387	$2^{19}/_{64}$	$^{9}/_{32}$	$^{9}/_{16}$	$1^{29}/_{64}$	$^{5}/_{8}$—18	$2^{1}/_{64}$
3682389	$3^{3}/_{32}$	$^{9}/_{32}$	$^{29}/_{32}$	$1^{29}/_{32}$	$^{5}/_{8}$—18	$2^{13}/_{16}$
3683850	$2^{1}/_{32}$	$^{9}/_{32}$	$^{7}/_{16}$	$1^{5}/_{16}$	$^{9}/_{16}$—18	$1^{3}/_{4}$
3694508	$3^{7}/_{32}$	$^{9}/_{32}$	$^{3}/_{4}$	$2^{3}/_{16}$	$^{5}/_{8}$—18	$2^{15}/_{16}$
3697043	$3^{15}/_{32}$	$^{9}/_{32}$	1	$2^{3}/_{16}$	$^{5}/_{8}$—18	$3^{3}/_{16}$
3697045	$2^{15}/_{64}$	$^{15}/_{64}$	$^{15}/_{16}$	$1^{1}/_{16}$	$^{1}/_{2}$—20	2
3697734	$2^{47}/_{64}$	$^{15}/_{64}$	$^{15}/_{16}$	$1^{9}/_{16}$	$^{1}/_{2}$—20	$2^{1}/_{2}$
3705752	$1^{15}/_{32}$	$^{1}/_{4}$	$^{9}/_{32}$	$^{15}/_{16}$	$^{7}/_{16}$—20	$1^{7}/_{32}$
3705783	$1^{31}/_{32}$	$^{9}/_{32}$	$^{9}/_{16}$	$1^{1}/_{8}$	$^{5}/_{8}$—18	$1^{11}/_{16}$
3705784	$2^{7}/_{8}$	$^{9}/_{32}$	$^{3}/_{4}$	$1^{27}/_{32}$	$^{5}/_{8}$—18	$2^{19}/_{32}$
3705785	$3^{1}/_{8}$	$^{9}/_{32}$	1	$1^{3}/_{4}$	$^{5}/_{8}$—18	$2^{27}/_{32}$
3723955	$2^{3}/_{8}$	$^{5}/_{16}$	$^{3}/_{4}$	$1^{5}/_{8}$	$^{3}/_{4}$—16	$2^{3}/_{8}$
3723956	$2^{3}/_{8}$	$^{5}/_{16}$	$^{3}/_{4}$	$1^{5}/_{8}$	$^{3}/_{4}$—16	$2^{3}/_{8}$
3723967	$3^{3}/_{16}$	$^{5}/_{16}$	$^{3}/_{4}$	$2^{1}/_{8}$	$^{3}/_{4}$—16	$2^{7}/_{8}$
3723968	$3^{3}/_{16}$	$^{5}/_{16}$	$^{3}/_{4}$	$2^{1}/_{8}$	$^{3}/_{4}$—16	$2^{7}/_{8}$
3726219	$1^{9}/_{16}$	$^{1}/_{4}$	$^{7}/_{16}$	$^{7}/_{8}$	$^{1}/_{2}$—20	$1^{5}/_{16}$
3726228	$2^{9}/_{16}$	$^{1}/_{4}$	$^{15}/_{16}$	$1^{3}/_{8}$	$^{1}/_{2}$—20	$2^{5}/_{16}$
5238559	$2^{13}/_{16}$	$^{9}/_{32}$	$^{7}/_{8}$	$1^{21}/_{32}$	$^{9}/_{16}$—18	$2^{17}/_{32}$

5.813 NUT, Hub Bolt—Front and Rear

29-42	PASS., COMM.,				
46-57	PASS., CORV., ½ TON	wheel hub bolt,			
31-36	ALL	wire wheel mounting bolt (7/16—20)	358501	A.R.	.13
30-46	UTILITY (exc. LR)	hub, front (9/16—18 thick)	143417	A.R.	(8.915)
46-55	¾, 1 TON (w/sgl. wheels) (1st Ser.)	(½—20 wrench size ¾)	3680920	32	.15
46-49	COMM. (w/dual wheels)	(½—20)	120371	32	(8.915)
46-53	UTILITY	wheel hub bolt (⅝—18—⅞ thk.)	373912	A.R.	.17
54-55	UTILITY,				
56-57	1½ TON	lock (⅝—18)	3724246	30	.30
55-57	¾, 1 TON (w/sgl. wheels) (2nd Ser.)	(½—20 wrench size 13/16)	3719845	32	.17
56-57	COMM. w/duals	(½—20)	3726212	32	.20
56-57	2 TON	front, left (¾—16)	3729737	6	.50
56-57	2 TON	front, right (¾—16)	3729738	6	.50
56-57	2 TON	outer, rear, left (1⅛—16)	3735549	6	.50
56-57	2 TON	outer, rear, right (1⅛—16)	3735550	6	.50
56-57	2 TON	inner, rear, left (¾—16)	279673	6	.70
56-57	2 TON	inner, rear, right (¾—16)	279672	6	.70

5.815 DEFLECTOR, Rear Wheel Hub and Drum

34-36	PASS. (exc. DC, EC, FC),				
34-42	COMM.,				
46-57	½ TON	rear brake drum oil	378548	2	.50
36-50	UTILITY	rear wheel	473632	2	1.20
37-48	PASS.	rear brake drum oil (3 1/16 I.D. x 6⅝ O.D.)	593253	2	.55
46-57	¾, 1 TON	rear hub	3680992	2	1.20
49-54	PASS.,				
53-55	CORV	rear brake drum oil (4¾ I.D. x 5⅞ O.D.)	3687775	2	.45
51-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	rear hub oil (5 7/16 I.D. x 8 29/32 O.D.)	3697705	2	1.20
54-55	1½ TON (2-SPD.) (1st Ser.),				
54-55	2 TON (1st Ser.)	rear hub oil (5 11/16 I.D. x 8 29/32 O.D.)	3702291	2	1.20
55-57	1½ TON (2-SPD.) (2nd Ser.),				
55	2 TON (2nd Ser.)	rear hub oil (5 27/32 I.D. x 8 29/32 O.D.)	3705862	2	1.20
56-57	2 TON	rear hub oil (5 15/16 I.D. x 10⅞ O.D.)	3724015	2	1.20

5.816 RETAINER—RING—BOLT, Rear Axle Shaft Bearing

33-42	COMM., CA, DA, EA, ED, FA, FD,				
46-57	½ TON	inner, axle shaft bearing	370251	2	.08
33-54	PASS. (exc. CA, DA, EA, ED, FA, FD),				
53-55	CORV	inner, axle shaft bearing	472521	2	.10
55-56	PASS.,				
56	CORV	wheel bearing (hub dia. 2 1/16)	3708829	2	.40
57	PASS., CORV	wheel bearing	3739104	2	.40
36-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	RING, rear hub bearing retaining	594324	2	.25
46-57	¾, 1 TON	RING, rear hub bearing retaining	3663672	2	.25
54-57	1½ TON (2-SPD.),				
54-55	2 TON	RING, rear hub bearing retaining	3703709	2	.35
55-57	PASS.,				
56-57	CORV	RING, retaining (1⅜ I.D. x 2 O.D.)	3714770	2	.35
56-57	2 TON	RING, rear hub bearing retaining	3724016	2	.55
55-57	PASS.	BOLT, shaft and wheel brg. retainer (⅜—24 x			
56-57	CORV	15/64)	3711427	8	(5.002)

5.819 GASKET, Wheel Hub and Drum Oil Deflector, Front and Rear

29-32	ALL,				
34-35	PASS. (exc. DC, EC)	front and rear,			
34-40	UTILITY, GC (exc. S, COE)	front,			
34-42	COMM., S (exc. EB, GC),				
36-48	PASS. (exc. FC),				
46-57	½ TON	rear brake drum (4½ I.D. x 6 9/16 O.D.)	365673	A.R.	.10
30-50	UTILITY (exc. LR)	rear, disc and dual wheel hub oil outer deflector (6⅛ I.D. x 8¼ O.D.)	359428	2	.10
33	ALL,				
34-40	D, E, F, GB, HB, JB, KB (exc. DC, EC, FC),				
37-42	COMM.,				
46-50	½ TON	front, oil deflector (4½ I.D. x 4 15/16 O.D.)	370959	2	.06

36-39	FA, GA, HA, JA	front brake drum oil deflector (4½ I.D. x 6⁹⁄₁₆ O.D.) (has 3 holes ⅜ diameter and 7 holes 1⅝ diameter)	476124	2	.10
40-48	PASS.				
51-57	½ TON				
39-40	WB, WC, COE (hvy. duty on WB, WC),				
41-55	UTILITY,				
56-57	1½ TON	front brake drum	3650740	2	.15
46-57	¾, 1 TON (exc. DR)	frt. brk. drum oil deflector (5¼ I.D.—8 holes)	3681204	2	.10
49-54	PASS.	frt. and rear, brake drum oil deflector (3⅞ I.D. x 5¹³⁄₁₆ O.D.)	3687627	4	.10
53-57	CORV.				
55-57	PASS.	wheel bearing retainer, rear (4 holes—⅜ I.D.) (4⅛ x 4⁷⁷⁄₃₂)	3705756	2	.15
56-57	CORV.				
56-57	2 TON	front brake drum	3723953	2	.10

5.820 RING, Rear Wheel Hub Clamp

36-46	UTILITY (exc. PJ, PK, PL)	(8⅞ O.D. x ¹⁹⁄₃₂ dia. bolt holes; use w/⁹⁄₁₆ dia. hub bolts)	475068	A.R.	1.75
46-55	1 TON,				
53-55	¾ TON,				
55	D-D (2nd Ser.) (w/dual wheels)	(²⁹⁄₆₄ I.D. x 8⅛ O.D.)	3680931	A.R.	1.75
46-53	UTILITY	(²¹⁄₃₂ dia. holes, use w/⅝ dia. hub bolts)	3682391	A.R.	1.75

5.822 SEAL, Rear Axle Shaft Bearing or Hub

33-36	PASS., COMM. (exc. CC, DC, EC, FC),				
37-42	COMM.,				
46-57	½ TON	axle shaft oil—two leathers	592441	2	1.90
33-36	CC, DC, EC, FC,				
37-54	PASS.,				
53-55	CORV.	axle shaft oil	3705796	2	1.45
37-47	UTILITY	rear wheel hub oil	3681195*	2	2.35
46-57	¾, 1 TON	rear wheel hub inner bearing oil	3686563	2	2.00
47-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	rear hub oil (3⅜ I.D. x 4⅝ O.D.)	3686530†	2	2.30
54-57	1½ TON (2-SPD.)	SEAL, "O" RING, rear hsg. inner brg. race (rubber 2⅞ I.D. x 3⅛ O.D.)	3708819	2	.85
54-57	2 TON				
54-57	1½ TON (2-SPD.),				
54-57	2 TON	SEAL UNIT, rear wheel bearing	3717672	2	3.35
55	PASS.	SEAL UNIT, rear wheel bearing	3717671	2	1.35
56	PASS.	SEAL UNIT, rear wheel bearing	3730317	2	1.35
57	PASS., CORV.	SEAL UNIT, rear wheel bearing	3739435§	2	1.35
55-56	PASS.,				
56	CORV.	"O" RING, rear wheel bearing (2⅝ I.D.)	3707389	2	.30
57	PASS., CORV.	"O" RING, rear wheel bearing	3739112	2	.30

*NOTE: 3681195 not used w/splined type shaft and hub.
†NOTE: 3686530 used w/splined type shaft and hub.
§NOTE: Consists of one each: "O" ring, seal, ring.

5.829 NUT, Rear Wheel Hub Adjusting

36-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	inner and outer	473636	4	.85
46-57	¾, 1 TON	inner and outer	3663657	4	.85
54-57	1½ TON (2-SPD.),				
54-57	2 TON	(2⁹⁄₁₆ I.D. x 3⅝ O.D. w/6 slots)	3703711	4	1.10

5.830 LOCK—WASHER, Rear Wheel Hub Nut

36-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)		473629	2	.20
46-57	¾, 1 TON		3663659	2	.20
54-57	1½ TON (2-SPD.),				
54-57	2 TON	(2¹⁷⁄₃₂ I.D. w/11 lugs)	3703703	2	.20
36-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	WASHER	473628	2	.20
46-57	¾, 1 TON	WASHER	3663658	2	.20
54-57	1½ TON (2-SPD.),				
54-57	2 TON	WASHER, (2¹⁷⁄₃₂ I.D. x 3¹³⁄₁₆ O.D.—steel)	3703704	2	.20

5.839 RING, Tire Rim Locking

31-46	UTILITY (exc. RA, RC, MT, 2 TON)	rim clamp (20 x 4.33R) (use w/wheel assy. 379841, 379842, 602542)	379750	A.R.	4.15
39-46	UTILITY (exc. P)	rim clamp (20 x 5.00S) (use w/wheel assy.			
46-52	1½ TON (exc. SBC)	3651623, 3652176)	2039648	A.R.	7.15
46-55	½, ¾ TON	rim clamp (15 x 5.50F) (use w/wheel assy. 3680915, 3704082, 3704088)	3680918	A.R.	3.85
46-55	¾, 1 TON	rim clamp (17 x 5.0) (use w/wheel assy. 3681786, 3684454)	3681788	A.R.	3.05
46-55	¾, 1 TON	rim side (17 x 5.0) (use w/wheel assy. 3681786, 3684454)	3707073	A.R.	6.05
46-55	1 TON	rim clamp (18 x 5.0) (use w/wheel assy.			
55	D-D (2nd Ser.)	3682064)	3682062	A.R.	3.30
46-55	1 TON	rim side (18 x 5.0) (use w/wheel assy.			
55	D-D (2nd Ser.)	3682064)	3707074	A.R.	6.05
46-55	UTILITY (1st Ser.) (exc. O)	rim clamp (use w/wheel assy. 3682076,			
55	1½ TON (2nd Ser.)	3682082, 3696712, 3715496)	3696716	A.R.	3.05
46-55	1½ TON	rim side (20 x 5.0) (use w/wheel assy. 3682076, 3715496)	3707075	A.R.	7.15
46-55	2 TON	rim side (20 x 6.0) (use w/wheel assy.			
53-55	1½ TON (hvy. duty)	3682082, 3696012, 3703878)	3697364	A.R.	7.45
48-50	2 TON (exc. RX, SX, TX)	rim clamp (20 x 6.00T) (use w/wheel assy. 3686852)	3665070	A.R.	8.50
48-51	2 TON (exc. SBC)	rim clamp (20 x 6.5) (use w/wheel assy. 3695970)	3695975	A.R.	5.50
48-51	2 TON (exc. SBC)	rim side (20 x 6.5) (use w/wheel assy. 3695970)	3695974	A.R.	5.50
49-55	2 TON,				
53	1½ TON (hvy. duty)	rim side (20 x 6.0) (use w/wheel assy.			
55	1½ TON (hvy. duty) (2nd Ser.)	3693380, 3696012, 3703874)	3693385*	A.R.	7.70
51-55	2 TON	rim side (20 x 6.5) (use w/wheel assy. 3696712, 3705226)	3704948	A.R.	7.70
53-55	¾ TON	rim clamp (16 x 5.50F) (use w/wheel assy. 3707464)	2059902	A.R.	2.50
56-57	2 TON	rim side (20 x 6.5) (use w/wheel assy. 3726174)	3695704*	A.R.	8.50

*NOTE: Also used on 1956-1957 models equipped with tube tires.

5.855 BEARING—RACE, Axle Shaft

36-53	UTILITY,	assy., outer (inner race stamped Hy			
54-57	1½ TON (exc. 2-SPD.)	B11786, outer race Hy 11786 Y)	144525	2	10.65
37-53	UTILITY,	assy., inner (inner race stamped Hy D			
54-57	1½ TON (exc. 2-SPD.)	12051, outer race Hy 12051 Z)	144527	2	16.30
46-57	¾, 1 TON	assy., rear wheel inner (Hy D11786) (Hy 11786 Y)	188930	2	(5.536)
46-57	¾, 1 TON	assy., rear wheel hub outer (Hy B 11630) (Hy 11630 Z)	188932	2	11.05
54-57	1½ TON (2-SPD.)	assy., rear wheel hub inner (stmp'd. Hy			
54-57	2 TON	B 12235YK)	7450320	2	23.85
54-57	1½ TON (2-SPD.)	assy., rear wheel hub outer (stmp'd. Hy			
54-57	2 TON	KA 11950Z)	7450323	2	17.15
55-56	PASS.,				
56	CORV	assy., rear wheel (ND-RW507BSY-1BC)	3729375*	2	7.15
57	PASS., CORV	assy., rear wheel (stamped 3739111)	3739109*	2	7.15
33-36	PASS., COMM. (exc. CC, DC, EC, FC),				
37-39	COMM.,				
40-57	½ TON	RACE ASSY., outer, w/roller (Hy OR 1502)	111121	2	7.35
33-36	CC, DC, EC, FC,				
37-54	PASS.,				
53-55	CORV	RACE ASSY., outer, w/roller (Hy OR 1500)	111119	2	6.30

*NOTE: Install with removable seals in inboard position.

5.858 CAP—COVER—EMBLEM—ORNAMENT, Hub and Grease

31-42	UTILITY (exc. COE),				
46-57	1, 1½ TON (exc. SBC, UJ, UK, VJ, VK, hvy. duty),				
43-57	¾ TON (dual wheels), (exc. D-D),				
55-57	D-D (2nd Ser.) (dual wheels)	front wheel (hub and grease, 2⅜—16 thd.)	365120	2	.65

33-42	PASS., COMM. (exc. CC, DC, EC, FC, GA, HA),				
46-54	PASS.,				
46-57	½ TON,				
53-57	CORV.,				
56-57	PASS.	wheel hub, grease (2 5/64 O.D.)	370262	2	.50
39-40	COE,				
41-42	UTILITY (hvy. duty),				
46-57	SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	front, hub and grease (4½ O.D.)	3650731	2	.95
40	PASS., COMM.	chrome (9 7/8 O.D.)	3654307	4	3.00
41-48	PASS.,				
41-46	COMM. (exc. DR, DS)	chrome (9 7/8 O.D.)	3658374	4	3.70
46-53	¾, 1 TON	wheel hub (chrome) (11 1/16 O.D.)	3680919	4	5.00
46-57	¾, 1 TON	wheel hub, grease (2 5/16 O.D.)	3680897	2	.50
47-53	½ TON	wheel hub (chrome) (9 7/8 O.D.)	3683021	4	3.70
47-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	rear hub and grease (plain 4 23/32 O.D.)	3685198	2	.60
49-50	PASS.	wheel hub (chrome) (9 9/16 O.D.)	3694318	4	3.70
51-53	PASS. (exc. C)	wheel hub (chrome) (9 9/16 O.D.)	3696493	4	3.70
53-55	CORV.	wheel hub (st. steel)	3716754	4	17.25
54	PASS. (exc. C)	wheel hub (st. steel) (10 11/16 O.D.)	3707030	4	4.80
54	½ TON	wheel hub (thistle gray) (9 7/8 O.D.)	3702898	4	3.70
54	¾, 1 TON	wheel hub (thistle gray) (11 1/16 O.D.)	3702899	4	3.70
54-55	½ TON (1st Ser.)	wheel hub (chrome) (9 7/8 O.D.)	3699748	4	3.70
54-55	¾, 1 TON (1st Ser.) (exc. D-D)	wheel hub (chrome) (11 1/16 O.D.)	3699749	4	5.00
54-57	1½ TON (2-SPD.)	rear wheel hub and grease (plain—5 7/32			
54-57	2 TON	O.D. w/5 holes 11/32)	3703702	2	.90
55	PASS. (exc. C)	wheel hub (chrome) (10 11/16 O.D.)	3716713	4	3.80
55	½ TON (1st Ser.)	wheel hub (ivory—9 7/8 O.D.)	3719122	A.R.	3.45
55	½ TON (1st Ser.)	wheel hub (white—9 7/8 O.D.)	3719124	A.R.	3.45
55	¾, 1 TON (1st Ser.)	wheel hub (ivory—11 1/16 O.D.)	3719123	A.R.	3.85
55	¾, 1 TON (1st Ser.) (exc. D-D)	wheel hub (white—11 1/16 O.D.)	3719125	A.R.	3.85
55	½ TON (2nd Ser.)	wheel hub (ivory—9¾ O.D.)	3717766	4	3.45
55-56	½ TON (2nd Ser.)	wheel hub, chrome (white—9¾ O.D.)	3715992	4	3.80
55	¾, 1 TON (2nd Ser.)	wheel hub (ivory—10 15/16 O.D.)	3717767	4	3.85
55-56	¾, 1 TON (2nd Ser.) (exc. D-D)	wheel hub, chrome (white—10 15/16 O.D.)	3716785	4	5.00
55	PASS.	wheel hub, grease (2 13/32 O.D.)	3707121	2	.50
55	PASS. w/C.T.C.	w/plate, wheel carrier hub	3714121	1	12.50
56	PASS. w/C.T.C.	w/plate, wheel carrier hub	3722679	1	12.50
56	PASS. (exc. C)	wheel hub (chrome w/black trim—10 11/16 O.D.)	3721966	4	3.80
56-57	CORV.	wheel hub (st. steel)	3725238	4	8.00
56	½ TON	wheel hub (black and white—9¾ O.D.)	3725574	4	3.45
56	¾, 1 TON (exc. duals, D-D)	wheel hub (black and white—10 5/16 O.D.)	3725576	4	3.80
57	PASS. (exc. C)		3731847	4	3.80
57	½ TON	(black on white) (9¾ O.D.)	3734031	4	3.50
57	½ TON	(chrome) (9¾ O.D.)	3734032	4	5.95
57	¾, 1 TON (exc. duals, D-D)	(black on white) (10 15/16 O.D.)	3743591	4	3.80
57	¾, 1 TON (exc. duals, D-D)	(chrome) (10 15/16 O.D.)	3743592	4	6.25
53	BEL AIR	COVER, wheel hub (st. steel) (15⅛ O.D.)	3698231	4	7.50
54	BEL AIR	COVER, wheel hub (st. steel) (15⅛ O.D.)	3708308	4	8.00
54-55	½ TON (1st Ser.)	COVER, wheel hub	3708057	A.R.	6.35
55	PASS.,				
55	COMM. (2nd Ser.)	COVER, hub wheel	3715378	4	8.00
56	PASS., ½ TON	COVER, wheel hub (st. steel—15 7/32 O.D.)	3722302	4	7.50
56	PASS.	COVER, wire wheel	3728997	4	13.75
54	BEL AIR,				
57	PASS.	EMBLEM, hub cap (part of 3708308)	3708310	4	.95
53-55	CORV.	ORNAMENT, cap.	3706489	8	.90
56-57	CORV.	ORNAMENT, cap.	3725239	4	4.50

5.864 SPRING—CLIP—BUMPER, Hub Cap Lock

36-42	COMM. (exc. KE, KF, AM, AN, BM, BN),				
46-57	½ TON	(15-17.5 in. wheel)	594129	30	.05
37-39	PASS., COMM. (exc. JA, JB, JC, JD)	(with 16 in. wheel),			
41-57	¾, 1 TON (exc. AL, BL)	(with 17 and 18 in. wheel)	595648	A.R.	.05

39-53	PASS. (exc. C)	(w/15 in. wheels),			
39-57	½ TON	(w/16 in. wheels)	3704844	A.R.	.05
56	PASS.	CLIP, wire wheel trim ring	3728998	30	.25
56	PASS.	BUMPER, wire wheel trim ring	3720623	30	.05

5.866 GASKET, Hub Cap

39-40	COE,				
41-42	UTILITY (hvy. duty),				
46-57	SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	front wheel	3650732	2	.05
47-53	UTILITY,				
54-57	1½ TON (exc. 2-SPD.)	rear wheel	3685199	2	.20
54-57	1½ TON (2-SPD.),				
54-57	2 TON	rear wheel (4 I.D. x 5 7/32 O.D.)	3703706	2	.20


5.871 COVER—DISC—EMBLEM—ORNAMENT—SEAL, Wheel Side Appearance

53	PASS.	wheel	3698231	A.R.	(5.858)
54	PASS.	wheel	3708308	A.R.	(5.858)
54-55	½ TON (1st Ser.)	wheel	3708057	A.R.	(5.858)
55	PASS.,				
55	COMM. (2nd Ser.)	wheel	3715378	4	(5.858)
56	PASS., ½ TON	(st. steel—15" wheel) (part of 987361)	3722302	4	(5.858)
57	PASS. (exc. C)	wheel	987537*	1	21.45
56	PASS., ½ TON,				
57	½ TON (prod.) (exc. SUB. PICK-UP)	DISC UNIT, wheel (donut type)	987353	1	16.90
54	PASS.,				
57	PASS.	EMBLEM, hub cap (part of 3708308)	3708310	A.R.	(5.858)
57	PASS.	ORNAMENT, hub cap	987587	1	9.85
55	PASS., CORV.,				
55	COMM. (2nd Ser.)	SEAL, wheel disc to rim (3/16 I.D. x 4 3/8 O.L.)	1457118	20	.10
56	PASS., CORV., ½ TON,				
57	BEL AIR, CORV.	SEAL., wheel disc to rim filler (7/16 O.D. x 4 3/16 O.L.)	3729101	20	.10


*NOTE: Components also used as regular production wheel covers on BEL AIR Series.

5.875 CAP—STEM ASSY.—EXTENSION—WASHER—NUT, Tire Valve Dust


35-56	ALL, CORV.		125641	5	.10
55-56	PASS., CORV., ½ TON,				
57	CORV., ½ TON	STEM ASSY. tubeless tire	273232	5	.60
56-57	2 TON	STEM ASSY., tubeless tire	273476	A.R.	1.45
57	PASS.	STEM ASSY., tubeless tire	274119	5	.75
57	PASS. (exc. BEL AIR)	EXTENSION, tubeless tire stem	111566	5	.50
56	COMM., UTIL.	WASHER, tubeless tire stem	273608	A.R.	.10
56	COMM., UTIL.	NUT, tubeless tire stem (13/32—28)	273609	A.R.	.10




FRONT AXLE—HEAVY DUTY, 2 TON AND COE




FRONT SUSPENSION PARTS—OPEN TYPE KNEE ACTION



1949-54 PASSENGER—FRONT SUSPENSION




1955-57 PASSENGER—FRONT SUSPENSION CROSS SECTION



CONVENTIONAL STEERING LINKAGE





FRONT AXLE—CONVENTIONAL TRUCK (EXC. HVY. DUTY)

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	6.008 "I" BEAM, Front Axle				
31-40	UTILITY (exc. COE).....	(U-bolt holes form rectangle, 2⅜ x 2⅝),			
46-52	¾ TON (exc. D-D).....	(forged 3681642) (has dab of green paint)	3680905	1	31.00

33	CA,				
34-40	COMM.	(forged 370823—8 holes in spg. pad)	370823	1	22.50
37-40	GB, HB, JB, KB	(forged 3652409)	604118	1	26.95
39-46	COE	(forged 3100Y389-18957)	3651011	1	44.45
41-55	½ TON (1st Ser.)	(forged 3656872) (33¼ offset)	3656872	1	31.00
41-42	AL, AM, BL, BM	(forged 3656525—"L" stmpd. on spg. pad)	3656525	1	23.50
41-46	YR, YS, YT, MR, MS, MY, MT, OE, OF, OG, (hvy. duty)	(forged 3100K-193-18776)	3656629*	1	46.45
41-50	1½ TON (exc. COE, SBC, hvy. duty)	("U" bolt holes form square, 2⅝ x 2⅝)			
46-52	1 TON (exc. D-D)	(forged 3681642)	3681642*	1	31.00
46	OE, OF, OG, PL, PV, PW, PX	(forged 3681101)	3681101	1	44.00
47-55	COE	(forged 3678186)	3678186	1	51.15
47-50	D-D, SBC, 2 TON (exc. COE),				
51-52	D-D, UTILITY (exc. COE)	(forged 3683214)	3683214	1	48.75
53-55	¾ TON (1st Ser.) (exc. D-D)	(forged 3698295) (daub of green paint)	3698294	1	31.75
53-55	D-D, SBC, 2 TON (1st Ser.) (exc. COE),				
53-55	1½ TON (hvy. duty) (1st Ser.)	(forged 3698182)	3698182	1	48.75
53-55	1, 1½ TON (1st Ser.) (exc. D-D, SBC, hvy. duty)	(forged 3698295)	3698295	1	31.75
55-56	½ TON (2nd Ser.)	(forged 3712013)	3712013	1	31.75
55-57	¾, 1 TON (2nd Ser.) (exc. D-D)	(forged 3711410)	3711410	1	37.95
55-57	D-D (2nd Ser.)	(forged 3711454)	3711454	1	48.75
55-57	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	(forged 3711411)	3711411	1	37.95
55-57	1½ TON (hvy. duty) (2nd Ser.),				
55-57	SBC, 2 TON (2nd Ser.)	(forged 3711405)	3711405	1	48.75
57	½ TON	(forged 3737562)	3737562	1	31.75

*NOTE: Heavy duty front axles are special equipment on series WB, WC, YR, YS, MR, MS, OR, OS and may be identified by the front wheel hub cap. This hub cap is attached to the hub with six ¼—20 x ⅝ hex. hd. bolts on a 3⅞ diameter bolt circle.

MEMBER, Front Suspension Cross

40-48	PASS. (exc. KB)		3661896	1	32.25
49-54	PASS.,				
53-57	CORV.		3691555*	1	37.95

*NOTE: On Corvette models drill four 13/32 holes for steering idler and 3rd arm and six 11/32 holes for front bumper using old member as template.

6.009 STOP—BOLT, Steering Knuckle

31-42	UTIL., AM, BM (exc. MY, MS, MT, COE),				
47-55	¾, 1, 1½ TON (1st Ser.) (exc. D-D, UJ, UK, VJ, VK, SBC, 2-SPD.)	(not used with 7.50-20 or 8.25-20 tires)	3653923	2	.30
41-55	½ TON, AL, BL (1st Ser.)		3656527	2	.30
41-42	AN, BN		3656528	2	.30
46	COE,				
47-55	D-D, UJ, UK, VJ, VK, SBC, 2 TON (1st Ser.),				
48-55	1½ TON (hvy. duty) (1st Ser.)	(cupped edges)	3678194	2	.30
46	SBC, 2 TON (exc. COE),				
46-55	COE (w/8.25-20 tires)	(flat stamping w/angle)	3683847	2	.40
53-55	1½ TON (1st Ser.) (exc. SBC, hvy. duty)	(use w/7.50-20, 8.25-20 tires)	3705492	2	.40
55-57	COMM., 1½ TON (2nd Ser.) (exc. hvy. duty, D-D, SBC)	BOLT, stop (⅜—24 x 1 1/16)	3711876	2	.10
55-57	D-D (2nd Ser.)	BOLT, stop (7/16—20 x 1 5/16)	3715888	2	.15
55-56	1½ TON (hvy. duty) (2nd Ser.),				
55-56	SBC, 2 TON (2nd Ser.)	BOLT, stop (7/16—20 x 1⅜)	3712568	2	.10

6.020 KNUCKLE, Steering (with nut)

29-40	AC, LQ, AD, LR, LS, AE, BA, BB, CA, CB, DB, EB, ED, FB, FD, GB, GC, GD, GE, HB, HC, HD, HE, JB, JC, JD, JE, KB, KC, KD, KE, KF	(also use 2—593044 bushing) (forged 3654435)	604296	2	13.95
34-37	UTILITY (late 1934 and early 1937)	(w/bushing) (forged 3699285)	3699280**	2	13.95

**NOTE: 909625—909626 cups. 909545—909546 cones, 909725-909726 separator assys., 379654 retainer, 3698071 deflector and 379657 washer, also required.

39-42	COE (Reg. Prod.),				
40-42	UTIL. (exc. COE) (hvy. duty)	left (forged 3651035 — w/bshg.) (use			
42	MT, MY (Reg. Prod.)	w/No. 3100Y389-18957 or 3100K193-			
46	UTIL. (exc. OR, OS, PJ, PK) (Reg. Prod.)	18776 forged on "I" beam)	603269†	1	28.50
39-42	COE (Reg. Prod.),				
40-42	UTIL. (exc. COE) (hvy. duty)	right (forged 3651036 — w/bshg.) use			
42	MT, MY (Reg. Prod.)	w/No. 3100Y389-18957 or 3100K193-			
46	UTIL. (exc. OR, OS, PJ, PK) (Reg. Prod.)	18776 forged on "I" beam	603270†	1	28.50
39-48	PASS. (exc. JB, KB)		607626⊕	2	13.95
46-49	SBC, 2 TON	1 9/16 large brg. dia.	609735	2	19.25
49-57	UJ, UK, VJ, VK, SBC, 2 TON,				
49-57	1½ TON (hvy. duty)	(1¾ large brg. dia.) (forged 3697466)	3703565	2	19.25
49-54	PASS.,				
53-57	CORV	(forged 3693446)	3696323	2	13.95
51-57	½ TON	(forged 3708831)	3709756	2	13.95
53-57	¾, 1, 1½ TON (exc. D-D, SBC, hvy. duty)	(forged 3698332)	3703563	2	13.95
53-57	D-D	(forged 3697466) (1½ large brg. dia.)	3703564	2	17.45
55-57	PASS	(forged 3707555)	3713906	2	15.75
37-42	UTILITY (exc. COE, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC)	UNIT (consists of knuckle assy., 2 cones and 2			
51-52	¾, 1 TON (exc. D-D)	deflectors)	3707592*	2	16.35
41-42	COMM	UNIT (consists of knuckle assy., and attach.			
46-50	½ TON	parts—forged 3708831—4 holes 7/16 dia.)	3708866‡	2	13.95
48-52	D-D	UNIT (consists of knuckle assy., 2 cones and 1			
		deflector)	3709996	2	20.95
51-54	PASS.,				
53-57	CORV	SPACER, strg. knuckle,			
51-57	½ TON	strg. knuckle upper (13/16 O.D. x 23/32 long)	3693567	4	.15
51-57	½ TON	SPACER, strg. knuckle lwr. (15/16 O.D. x 1 7/16 O.L.)	3694222	4	.30

*NOTE: Enlarge the chamfer on the flange plate pilot hole to clear the larger radius.

†NOTE: Used on 1946 Models when 9/16 in. Hub Bolts are used.

⊕NOTE: Enlarge the chamfer on the flange plate pilot hole to clear the larger radius. Also, when using 607626 on 1939-40 models, it will be necessary to use 909552 cone, 3656535 deflector and 3656536 felt.

‡NOTE: Requires 3691417 brake flange plate on 41-42 initial replacements.

6.021 BUSHING, Steering Knuckle King Pin

31-42	UTIL. (exc. COE, WB, WC, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)	knuckle (1¼ x 1 I.D.)	365312	4	.45
31-42	UTIL. (exc. COE, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)	(.020 O.S.) (stamped G.M. 45)	604245	4	.45
34-40	DA, EA, FA, GA, HA, JA, KA, KH,				
41-42	PASS., COMM.,				
46-54	PASS.,				
46-57	½ TON,				
53-57	CORV	king pin (15/16 x 1 3/64)	602124	4	.45
41-42	COMM.,				
46-57	½ TON	(.010 O.S.)	609880	4	.45
37-40	GB, HB, JB, KB, KC, KD, KE, KF	knuckle (1¼ x ¾ I.D.—w/groove)	593044	4	.45
39-42	COE,				
40-46	WB, WC, YR, YS, YT, MR, MS, OR, OS (w/hvy. duty)	knuckle (1 11/32 x 1) (for use w/No. 3100K-			
42-46	MT, MY, O (exc. OR, OS) (Reg. Prod.)	193-18776 forged on "I" beam)	2335471	4	.30
40	COMM	(.010 O.S.) (stamped 11)	604511	4	.45
46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON	knuckle (use w/3678186 or 3683214			
48-57	1½ TON (hvy. duty)	forged on "I" beam)	3686588	4	.45
46-56	D-D, UJ, UK, VJ, VK, SBC, 2 TON,				
48-56	1½ TON (hvy. duty)	knuckle (.020 O.S.)	3694911	4	.45
53-57	¾, 1, 1½ TON (exc. D-D, SBC, hvy. duty)	(1½ x 1 I.D.)	3698333	4	.45
53-57	¾, 1, 1½ TON (exc. D-D, SBC, hvy. duty)	(.020 O.S.)	3705556	4	.45

6.022 NUT, Steering Knuckle Spindle

29-39	A, L, M, B, N, CA, CB, O, DA, DB, P, EB, ED, FB, FD, GB, GC, GD, GE, HB, HC, HD, HE, JB, JC, JD, JE		352917	2	.25

35-42	EA, FA, GA, HA, JA, K, A, B,				
46-57	PASS., CORV., ½ TON		378137	2	.25
35-42	UTIL. (exc. COE, MT, MY)	(use w/3681101 forged on "I" beam) ($^{27}/_{32}$			
46-57	¾, 1 TON, UTILITY (Reg. Prod.)	—20 A.M. Nat. thd.)	379656	2	.25
36	FC		475462	2	.25
39-42	COE (Reg. Prod.),				
40-42	UTIL. (hvy. duty) (exc. COE)	(¾—16) (use w/3100K-193-18776 forged			
46	OE, OF, OG, OH, OI, OJ, OW, OY	on "I" beam)	374427	2	(6.104)

6.023 SUPPORT, Steering Knuckle

39-48	PASS. (exc. JB, KB)	left (forged 599189)	599189	1	8.95
39-48	PASS. (exc. JB, KB)	right (forged 599190)	599190	1	8.95
49-52	PASS.	left (forged 3687651)	3687651	1	9.25
49-52	PASS.	right (forged 3687652)	3687652	1	9.25
53-54	PASS.	left (forged 3703785)	3703785	1	8.95
53-54	PASS.	right (forged 3703786)	3703786	1	8.95
53-57	CORV.	left (daub of orange paint)	3733449	1	8.95
53-57	CORV.	right (daub of orange paint)	3733450	1	8.95

6.103 ARM, Steering Knuckle

33-36	CA, CB, DB, EB, ED, FB, FD,				
36-42	COMM.,				
46-50	½ TON	(forged 3667229)	373541	1	4.25
37-40	GB, HB, JB, KB	(forged 593053)	593051	1	2.90
37-42	UTIL. (exc. hvy. duty, COE, MT, MY),				
46-57	¾, 1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	(forged 3713017)	3713017	1	4.25
39-48	PASS. (exc. JB, KB)	left (forged 3667231)	3667231	1	3.75
39-48	PASS. (exc. JB, KB)	right (forged 3667232)	3667232	1	3.75
40-46	W, Y, M, O (hvy. duty) (exc. COE)	(forged 3651987)	604469	1	8.15
46-55	D-D, UJ, UK, VJ, VK, SBC, 2 TON (1st Ser.)	(forged 3678185) (use w/3678186 or			
48-55	1½ TON (hvy. duty) (1st Ser.)	3681101 frgd. on "I" beam on 1946 models)	3678185*	1	6.65
49-54	PASS.	left (forged 3709275)	3709275	1	3.30
49-54	PASS.	right (forged 3709276)	3709276	1	3.30
51-55	½ TON (1st Ser.)	(forged 3694233)	3694231	1	4.05
53-57	CORV.	left (daub of yellow paint)	3733451	1	4.25
53-57	CORV.	right (daub of yellow paint)	3733452	1	4.25
55	PASS.	left (forged 3708191)	3708191	1	3.30
55	PASS.	right (forged 3708192)	3708192	1	3.30
55-57	½ TON (2nd Ser.)	(forged 3711777)	3711883	1	4.15
55-57	D-D (2nd Ser.)	(forged 3715889)	3715889	1	6.25
55-57	1½ TON (hvy. duty) (2nd Ser.),				
55-57	SBC, 2 TON (2nd Ser.)	(forged 3713373)	3713373	1	6.25
56	PASS.	left (forged 3725619)	3725619	1	3.75
56	PASS.	right (forged 3725620)	3725620	1	3.75

*NOTE: On 1946 models, use 3685153 Strg. and 3rd Arm Assy. and 3685160 Tie Rod.

ARM, Steering and 3rd

37-39	GB, HB, JB	(forged 593057)	593055	1	5.15
37-46	COMM. (exc. DR, DS)	(forged 593401 or 3667235)	593405	1	6.15
37-42	UTIL. (exc. MT, MY, COE),				
46	DR, DS, OR, OS, PJ, PK	(forged 3667237) (½ bolt holes)	596575	1	6.65
39-46	COE	(use w/$^{9}/_{16}$ hub bolts)	608755	1	15.90
40-46	WB, WC, YR, YS, YT, MR, MS, MY, MT, OE, OF, OG, OR, OS, OW, OY (heavy duty)	(forged 3122V542) (use w/3100K-193-18776 frgd. on "I" beam)	604471	1	15.90
46	OE, OF, OG, PL, PV, PW, PX	(frgd. 3685157) (use w/3681101 frgd. on "I" beam)	3685153†	1	10.40
46	PP, PR, PS	(forged 3678184) (use w/3678186 frgd. on "I" beam)	3678176	1	7.75
47-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)	(forged 3685897) (w/ball stud)	3685901	1	6.65

†NOTE: On some models it may be necessary to use 3678185 Strg. Knuckle Arm and 3685160 Tie Rod.

47-50	½ TON	(forged 3685753)	3685755	1	6.75
47-50	QL, QV, QW, QX, RL, RV, RW, RX, SL, SV, SW, SX, TL, TV, TW, TX, TY	(forged 3685895) (use w/3683214 frgd. on "I" beam)	3685891	1	11.00
47-50	D-D, COE,				
51-52	D-D	(forged 3690441)	3690439	1	11.00
51-52	½ TON	(forged 3694229)	3694227	1	6.75
51-52	UTILITY (exc. COE),				
53-55	SBC, 2 TON (1st Ser.) (exc. COE),				
53-55	1½ TON (hvy. duty) (1st Ser.)	(forged 3694909)	3694909	1	10.40
51-55	COE,				
53-55	D-D (1st Ser.)	(forged 3694921)	3694921	1	10.40
53-55	½ TON (1st Ser.)	(forged 3699683)	3699681	1	6.65
53-55	¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC, hvy. duty)	(forged 3694907-3685897) (w/tapered hole)	3694907	1	6.05
55-57	½ TON (2nd Ser.)	single taper (forged 3728389)	3728389	1	6.90
55-57	D-D (2nd Ser.)	single taper (forged 3728437)	3728437	1	12.60
55-57	¾, 1 TON (2nd Ser.) (exc. D-D)	single taper (forged 3728383)	3728383	1	6.90
55-57	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	single taper (forged 3728403)	3728403	1	7.15
55-56	1½ TON (hvy. duty) (2nd Ser.),				
55-56	SBC, 2 TON (2nd Ser.)	single taper (forged 3728411)	3728411	1	10.30
57	PASS.	left (forged 3737215)	3737215	1	3.75
57	PASS.	right (forged 3737216)	3737216	1	3.75
57	Ser. 4A-4B (hvy. duty),				
57	Ser. 4C6 (exc. D-D)	(forged 3735893)	3735893	1	10.30
57	Ser. 6J-6K	(forged 3735893)	3739911	1	11.50
55	½ TON (2nd Ser.)	KIT, steering linkage	3732311*	1	(6.870)
55	¾, 1 TON (2nd Ser.) (exc. D-D)	KIT, steering linkage	3732307*	1	(6.870)
55	D-D (2nd Ser.)	KIT, steering linkage	3732301*	1	(6.870)
55	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	KIT, steering linkage	3732309*	1	(6.870)
55	1½ TON (hvy. duty) (2nd Ser.),				
55	2 TON, SBC (2nd Ser.)	KIT, steering linkage	3732305*	1	(6.870)

*NOTE: Required for early 1955 2nd Ser. models having double taper assembly detail.

6.104 NUT, Steering Knuckle Arm

34-38	DA, EA, FA, GA, HA	(¾—16)	374427	2	.25
39-46	W, Y, M, O, COE (hvy. duty) (exc. WA, MY, OW, PP, PR, PS)	(⅞—16, slotted) (use w/3100K-193-18776 fgd. on "I" beam)	315070	2	.35

6.108 STUD—NUT, Steering Knuckle Arm Ball

39	COE	(use w/3100K-193-18776 forged on "I"			
40-46	W, Y, M, O (hvy. duty)	beam)	094602	1	1.80
39	COE	NUT (use w/3100K-193-18776 forged on "I"			
40-46	W, Y, M, O (hvy. duty)	beam)	291672	1	.20

6.111 COVER—SEAL, Tie Rod Dust

40	KB		3653479	1	.08
39-57	PASS., CORV. (exc. JB, KB)	SEAL, tie rod socket	3687643	4	.10
55-57	D-D (2nd Ser.)	SEAL, tie rod socket	3715892	2	.15

6.162 ABSORBER ASSEMBLY, Front Shock, w/Upper Arm

39-48	PASS. (exc. JB, KB)	left (stamped 2200-A)	5352102	1	19.25
39-48	PASS. (exc. JB, KB)	right (stamped 2200-B)	5352103	1	19.25

NOTE: When using 5352102 or 5352103 in making initial replacement on 1939-40, use 5334623 rebound and 1069124 compression relief valves.

6.163 RETAINER—SHIM—BOLT, Steering Knuckle Upper Control Arm

55-57	PASS.	bushing (small hole ⅜ I.D.)	3710586	4	.10
55-57	PASS.	SHIM (15/16 x 1 9/16 x 1/32 thick)	3719526	A.R.	.05
39-48	PASS. (exc. JB, KB)	BOLT, attach. upr. arm and shock abs. (long)	599818	4	.25

6.164 PIN—SHAFT UNIT—BOLT UNIT—STUD UNIT—BUSHING, Steering Knuckle Support and Upper Arm

39-48	PASS. (exc. JB, KB)	pivot (consists of: 1 frt. and rear bshg., 1 pin and 2 bshg. seals)	603412	2	2.05
55-57	PASS.	SHAFT (forged 3709987)	3709987	2	2.70
49-54	PASS.	SHAFT UNIT, control arm, inner (.008 oversize			
53-57	CORV.	thds. on shaft)	3693693*	2	2.15
55-57	PASS.	SHAFT UNIT, control arm	3713902†	2	4.55
49-54	PASS.	BOLT UNIT, pivot outer (consists of: 2 bshgs.,			
53-57	CORV.	1 bolt and 2 bshg. seals)	3690684	2	2.05
55-56	PASS.	BOLT UNIT, ball stud attaching (5/16—24 x 7/8)	3719018#	A.R.	.90
55-56	PASS.	STUD UNIT, upr. control arm ball, replacement	3713900⊕	2	6.75
57	PASS.	STUD UNIT, upr. control arm ball, repl.	3739958⊕	1	6.75
55-57	PASS.	BUSHING, upr. control arm (1½ O.D. x 1½ O.L.)	3711826	4	.65
55-57	PASS.	NUT, attach. ball stud assy. (5/16—24, 301-M steel)	3722860	A.R.	.05

*NOTE: Consists of 2 bshgs., 1 shaft, 2 bshg. seals. Shaft identified by cross shaped indentation or circular "V" shaped groove with a 1/16 dia. punch mark in center on end of shaft.

†NOTE: Consists of 1 shaft, 2 bushings, 2 retainers, 2 washers, 2 bolts.

#NOTE: Consists of 4 bolts (300M steel), 4 nuts, 4 washers.

⊕NOTE: Consists of 1 stud assy., 1 seal assy., 1 shield, 3 bolts. Rivet holes must be enlarged to 5/16 dia. for bolt assy.

6.166 SEAL—FITTING, Steering Knuckle Support

39-48	PASS. (exc. JB, KB)	lower control arm shaft bushing,			
49-54	PASS.,				
53-57	CORV.	upper and lower control arm shaft bushing	599180	A.R.	.08
39-48	PASS. (exc. JB, KB)	upper control arm pivot bolt bushing	599191	4	.15
39-54	PASS. (exc. JB, KB),				
53-57	CORV.	lower control arm pivot bolt bushing	599199	4	.08
49-54	PASS.,				
53-57	CORV.	upper control arm pivot bolt bushing	3687699	4	.07
55-56	PASS.	assy., lwr. control arm ball stud	3710240	2	.45
55-57	PASS.	assy., upr. control arm ball stud	3710239	2	.45
57	PASS.	assy., lower control arm ball stud	761404	2	.45
49-54	PASS.,				
53-57	CORV.	FITTING, upr. cont. arm shaft rr. bshg. grease	3693782	2	.14
57	PASS.	FITTING, upper and lower contl. arms lub.	3738475	4	.15

6.168 ARM, Steering Knuckle Support, w/Seat

39-48	PASS. (exc. JB, KB)	left (drilled for lower control arm bumper 3661888 — see SMD 461) (forged 3653905)	605661	1	14.10
39-48	PASS. (exc. JB, KB)	right (drilled for lower control arm bumper) (forged 3653906)	605662	1	14.10
49-54	PASS.,				
53-57	CORV.	upper arm (threaded type)	3692170	2	2.75
49-54	PASS.,				
53-57	CORV.	left, lower arm (threaded type)	3708197	1	8.25
49-54	PASS.,				
53-57	CORV.	right, lower arm (threaded type)	3693470	1	8.25
55	PASS.	left, lower control	3722267§	1	10.75
55-56	PASS.	right, lower control	3729412§	1	10.75
55-56	PASS.	left, upper control	3727729§	1	9.10
55-56	PASS.	right, upper control	3727730§	1	9.10
56	PASS.	left, lower control	3729411§	1	10.75
57	PASS.	left, upper control	3733809	1	9.10
57	PASS.	right, upper control	3733810	1	9.10
57	PASS.	left, lower control	3741021	1	10.75
57	PASS.	right, lower control	3741022	1	10.75

§NOTE: Includes ball stud assy.

6.169 SHAFT ASSEMBLY, Steering Knuckle Support—Lower Arm

39-48	PASS. (exc. JB, KB)	left	605003*	1	7.45
39-48	PASS. (exc. JB, KB)	right	605004*	1	7.45
49	PASS.	(forged 3687664) (use w/drilled rnfct.)	3690685†	2	5.35
49-54	PASS.,				
53-55	CORV.	(forged 3691468) (use w/threaded rnfct.)	3693459*	2	6.75
55-57	PASS.	left (forged 3709983)	3709983	1	3.75
55-57	PASS.	right (forged 3709984)	3709984	1	3.75
56-57	CORV.		3737597	2	6.75
55-57	PASS.	SHAFT UNIT, left (forged 3709983)	3713903#	1	6.40
55-57	PASS.	SHAFT UNIT, right (forged 3709984)	3713904#	1	6.40

*NOTE: Consists of 1 shaft, 2 bshgs. and 2 seals.

†NOTE: Consists of 1 shaft, 2 bshgs., 2 seals and 2 lock nuts.

#NOTE: Consists of 1 shaft, 2 bushings, 2 retainers, 2 bolts, 2 washers.

6.170 BUSHING—NUT, Steering Knuckle Support Lower Arm Shaft

39-48	PASS. (exc. JB, KB)		599177	4	.50
49	PASS.	(use w/drilled rnfct.)	3687638	4	.65
49-54	PASS.,				
53-57	CORV.	(use w/threaded rnfct.)	3691454	4	.65
55-57	PASS.	(1 13/16 O.D. x 2 3/32 O.L.)	3714368	4	.60
49	PASS.	NUT, lock (1 1/2 hex 9/16 thick) (use w/drilled rnfct.)	3687637	4	.27

6.172 BOLT—NUT—RETAINER, Steering Knuckle Support Lower Arm Shaft

39	JA,				
57	CORV.	front (7/16—20 x 2)	3693612	4	(5.002)
55-57	PASS.	attach. lwr. arm to shaft (7/16—20 x 1 1/8)	3714370	4	.10
40-57	PASS., CORV. (exc. KB)	(7/16—20 x 1 1/2) (300-M steel)	3707480	A.R.	.12
55-57	PASS.	attach. lower arm (7/16—20 x 1 7/8)	3707481	4	.12
55-57	PASS.	attach. upper arm (7/16—20 x 2 1/8) (300-M steel)	3719947	4	.15
55-57	PASS.	NUT, control arm (7/16—20) (301-M steel)	3722853	A.R.	.10
55-57	PASS.	RETAINER, lower arm bushing (7/16 I.D. x 1 13/16 O.D.)	3714369	4	.10

6.174 BOLT UNIT—STUD UNIT—NUT, Steering Knuckle Support Lower Arm Pivot

39-48	PASS. (exc. JB, KB)	replacement	603406	2	1.70
49-54	PASS.,				
53-57	CORV.	replacement	3690683	2	1.70
55-56	PASS.	ball stud top attach. (5/16—24 x 7/8)	3719018#	A.R.	(6.164)
55-57	PASS.	ball stud side attach. (5/16—24 x 21/32)	3720181†	2	.25
55-56	PASS.	STUD UNIT, ball, replacement	3729283*	2	6.90
57	PASS.	STUD UNIT, lower, ball replacement	3739959*	1	6.90
49-54	PASS.,				
53-57	CORV.	NUT, lock (3/4—11)	3687666	2	.11

*NOTE: Consists of 1 stud assy., 1 seal assy., 6 bolts, 2 pins, 12 washers, 8 nuts.

#NOTE: Consists of 4 bolts (300M steel), 4 nuts, 4 washers.

†NOTE: Consists of 2 bolts (300M steel), 2 nuts, 2 washers.

6.176 BUMPER, Steering Knuckle Support Arm

39-54	PASS. (exc. JB, KB),				
53-57	CORV.	upper arm	3708834	2	.40
39-48	PASS. (exc. JB, KB),				
53-57	CORV.	lwr. arm (attaches to lwr. spg. seat)	3661888*	2	.60
49-54	PASS.	lower arm	3687669	2	.60
55-57	PASS.	lower arm	3707108	2	.55
55-57	PASS.	upper arm (rubber)	3722380	2	.45

*NOTE: On 1939-41 models drill hole in spring seat and use 605948 Plug in cross member hole.

6.177 BRACKET, Steering Knuckle Control Arm

55-57	PASS.	upper arm, left	3708091	1	1.50
55-57	PASS.	upper arm, right	3708092	1	1.50
55-57	PASS.	upper arm bumper, left	3718639	1	1.00
55-57	PASS.	upper arm bumper, right	3718640	1	1.00

6.179 ARM ASSY., Steering Idler and Third

49-54	PASS. (exc. P/S)	(forged 3691173)	3691171	1	9.45
53-54	PASS. P/S	(forged 3703795)	3703795	1	9.10
53-56	CORV. (1st design)	(daub of yellow paint)	3737261	1	13.75
56-57	CORV. (2nd design)	(forged 3733438)	3733215	1	11.95

6.180 SHIM, Steering Idler and Third Arm

49-54	PASS.	(.005 thick .940 I.D. x 1 5/16 O.D.)	3687657	A.R.	.06
49-54	PASS.	(.0625 thick .940 I.D. x 1 5/16 O.D.)	3691282	1	.10
49-54	PASS.	brkt. to frame (.010 thick 17/32 I.D. x 1 O.D.)	3686548	A.R.	.02
57	CORV.	bracket to front cross member	3733479	2	.25

6.181 REPAIR UNIT—PARTS, Steering Idler and Third Arm Shaft

49-54	PASS.		3696372*	1	1.75
53-57	CORV.	BEARING ASSY. (ND 5506TY1E)	954839	1	10.70
49-54	PASS.	BUSHING (.911 I.D. x 1.046 O.D.)	3691403	2	.20
49-54	PASS.	SEAL, bshg. (rubber—1/4 thick)	3691423	2	.06
53-57	CORV.	SEAL, bshg. (rubber—5/16 thick)	3706026	1	.20
49-54	PASS.	PLUG, bshg. (1.187 O.D.)	3690917	2	.03
53-57	CORV.	STUD (3 3/16 long)	3706041	1	3.55
53-57	CORV.	RING, brg. retainer (1/16 thick)	3706025	1	.20
53-56	CORV.	NUT, stud (3/4—16)	451341	1	.45

*NOTE: Consists of 1 Shaft, 1 Pin, 2 Plugs, 2 Seals, 2 Bushings and 4 Shims.

6.186 BRACKET ASSY.—BOLT—LOCK, Steering Idler and Third Arm

49-54	PASS.	with bushing	3691167	1	6.35
53-57	CORV.	BRACKET (cast 3727511)	3727511	1	6.90
49-54	PASS.	BOLT, attaching (1/2—20 x 1)	217208*	1	(5.002)
49-54	PASS.	LOCK, bolt	3691438	1	.11

*NOTE: 217208 is made of special steel—181696 must not be used.

6.203 PIN, King

31-42 46-50 51-52	UTIL. (exc. COE, MT, MY), 3/4, 1, 1 1/2 TON (exc. D-D, SBC), 3/4, 1 TON (exc. D-D)	(with lock pin)	363306	2	1.20
39-54 41-42 46-57	PASS. (exc. JB, KB), COMM., 1/2 TON, CORV.		599207	2	1.30
53-55	3/4, 1, 1 1/2 TON (1st Ser.) (exc. D-D, SBC)	(5 5/8 O.L.) (w/lock pin)	3703496	2	1.45
55-57	1/2 TON (2nd Ser.)	(w/lock pin)	3718103	2	1.45
55-57	3/4, 1, 1 1/2 TON (2nd Ser.) (exc. D-D, SBC)	(w/lock pin)	3711195	2	1.45

KING PIN REPLACEMENT UNITS

Following replacement units include 2 king pins, 2 lock pins, 4 knuckle bushings, 4 knuckle plugs, 2 thrust bearings, 4 thrust bearing shims (also plug covers and lock rings where used).

29-30 31-33 34-36 37-39	ALL, PASS., COMM. (exc. CC), DB, EB, ED, FB, FD, COMM.		602691	1	4.75
31-42 46-50 51-52	UTIL. (exc. COE, MT, MY), 3/4, 1, 1 1/2 TON (exc. D-D, SBC), 3/4, 1 TON (exc. D-D)		601019	1	4.95
31-42 46-50 51-52	UTIL. (exc. COE, MT, MY), 3/4, 1, 1 1/2 TON (exc. D-D, SBC), 3/4, 1 TON (exc. D-D)	(.010 O.S.)	603538	1	4.75

31-42	UTIL. (exc. COE, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)	(.020 O.S.)	604254	1	5.35
34-38	DA, EA, FA, GA, HA		602689	1	4.90
36	FC		602032	1	4.05
37-40	GB, HB, JB, KB, KC, KD, KE, KF		602690	1	5.65
39-54	PASS. (exc. JB, KB),				
53-57	CORV.		603386	1	5.65
41-42	COMM.,				
46-55	½ TON (1st Ser.)		605121	1	5.65
39-42	MT, MY, COE (Reg. Prod.),				
40-46	WA, WB, WC, YR, YS, YT, MR, MS, OR, OS (hvy. duty),				
46	OE, OF, OG, OH, OI, OJ, OW, OY, PL, PV, PW, PX (Reg. Prod.)	king pin (6¾ lg.—1⅛ O.D. uses snap ring)	608841	1	12.20
39-42	W, Y, M, COE (hvy. duty),				
46	O, P (exc. PJ, PK)	(.020 O.S.)	609400	1	11.60
41-42	COMM.,				
46-55	½ TON (1st Ser.)	(.010 O.S.)	609882	1	5.35
46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	(king pin 6⅜ lg. x 1⅛ O.D.)	3691111	1	8.10
46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	(.010 O.S.)	3694969	1	8.10
46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	(.020 O.S.)	3694970	1	8.10
53-55	¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC, hvy. duty)	(king pin 5⅝ lg. x 15/16 O.D.)	3704112	1	5.35
53-55	¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC, hvy. duty)	(.010 O.S.)	3705549	1	5.35
53-55	¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC, hvy. duty)	(.020 O.S.)	3705553	1	5.35
55-56	½ TON (2nd Ser.)		3719637	1	6.00
55-56	½ TON (2nd Ser.)	(.010 O.S.)	3720692	1	6.00
55-57	¾, 1, 1½ TON (2nd Ser.) (exc. D-D, SBC, hvy. duty)		3720696	1	6.00
55-57	¾, 1, 1½ TON (2nd Ser.) (exc. D-D, SBC, hvy. duty)	(.010 O.S.)	3720694	1	6.00
55-57	¾, 1, 1½ TON (2nd Ser.) (exc. D-D, SBC, hvy. duty)	(.020 O.S.)	3720695	1	6.00
57	½ TON		3739684	1	6.00
57	½ TON	(.010 O.S.)	3739685	1	6.00

6.210 WASHER UNIT, Spindle and Knuckle Thrust

46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	knuckle washer (fits Std. or O.S.)	3695004*	2	1.25
53-57	¾, 1, 1½ TON (exc. D-D, SBC, hvy. duty)	knuckle washer (1⅝ O.D.)	3704110†	1	.60
55-56	½ TON (2nd Ser.)	knuckle washer	3720601†	2	.85

*NOTE: Consists of: 1 bronze, 2 steel thrust washers and 2 dust shields.

†NOTE: Consists of 1 steel, 2 copper alloy thrust washers, and 2 dust shields.

BEARING, King Pin Thrust

33-36	CC, DC, EC, FC		472625	2	.50
31-42	UTIL. (exc. COE, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)		365309	2	.72
31-42	UTIL. (exc. COE, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)	(.010 O.S.) (part of 603538)	603494	2	.72
31-42	UTIL. (exc. COE, MT, MY),				
46-50	¾, 1, 1½ TON (exc. D-D, SBC),				
51-52	¾, 1 TON (exc. D-D)	(.020 O.S.) (part of 604254)	604244	2	.72
34-40	DA, EA, FA, GA, HA, JA, KA, KH,				
41-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-57	CORV.,				
55	½ TON (1st Ser.),				
57	Ser. 3A		373476	2	.60

34-40 41-42 46-54 53-56	DA, EA, FA, GA, HA, JA, KA, KH, PASS., COMM., PASS., ½ TON, CORV.,				
55	½ TON (1st Ser.)	(.010 O.S.) (part of 609882)	609878	2	.60
40-42 46-47	UTILITY (hvy. duty) 2 TON, OW, OY, PL, QL	(use w/frt. axle "I" beams having 3681101 or 3100K-193-18776 frgd.)	3678172	2	.72

6.214 SHIM—RETAINER, King Pin Thrust Bearing

29-40	A, LQ, LR, LS, B, CA, CB, DB, EB, ED, FB, FD, GB, GC, GD, GE, HB, HD, HE, JB, JC, JD, JE, KB, KC, KD, KE, KF		352575	A.R.	.03
31-42 46-57	UTILITY (exc. COE, MT, MY), ¾, 1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	(.005)	365298	A.R.	.04
33-36	CC, DC, EC, FC	(.005)	472626	A.R.	.03
34-40 41-42 46-54 53-57	DA, EA, FA, GA, HA, JA, KA, KH, PASS., COMM., PASS., ½ TON, CORV.,				
55-57	½ TON	(.005)	373481	A.R.	.04
39-42 46-56 48-56	UTILITY (exc. VA, VB, VC, VD, WA), D-D, UJ, UK, VJ, VK, N, P, SBC, 2 TON, 1½ TON (hvy. duty)	(.005)	3681108	A.R.	.07
37-42 46-57	UTILITY (exc. COE, MT, MY), ¾, 1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	(.005) (flat on O.D.) (.020 O.S.) (part of 604254)	604401	A.R.	.07
46-57 48-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON, 1½ TON (hvy. duty)	(.005) (.020 O.S.) (part of 3694970)	3694934	A.R.	.07
39 40-46	COE W, Y, M, O (hvy. duty)	RETAINER (use w/3100K-193-18776 forged on "I" beam)	2034302	2	.06

6.216 PIN, King Pin Lock

31-42 46-47 48-55 55-57 55-57	UTIL. (exc. COE, MT, MY), ¾, 1 TON, UTILITY, D-D, UTIL. (1st Ser.), 1½ TON (hvy. duty) (2nd Ser.), D-D, SBC, 2 TON (2nd Ser.)		3685179	2	.30
34-40 41-54 53-57	DA, EA, FA, GA, HA, JA, KA, KH, PASS., CORV.		373455	2	.25
39-42 46	W, Y, M, COE (hvy. duty) O	(use w/3100K-193-18776 forged on "I" beam)	319390	2	.27
41-42 46-55 53-55 55-57	COMM., ½ TON (1st Ser.), ¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC) COMM., 1½ TON (2nd Ser.) (exc. D-D, SBC, hvy. duty)		3656531	2	.22
			3712914	2	.25

6.223 PLUG—RING—COVER, Knuckle Expansion

31-42 46-57	UTILITY (exc. COE, MT, MY), ¾, 1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	knuckle	3653937	4	.03
34-38	DA, EA, FA, GA, HA	knuckle	378143	4	.07
37-40	GA, HB, JB, KB, KC, KD, KE		103894	4	(8.970)
39-42 46	W, Y, M, COE (hvy. duty) O	(use w/3100K-193-18776 forged on "I" beam)	678243	2	.06
39-54 53-57	PASS. (exc. JB, KB), CORV.	knuckle	599208	4	.07
41-42 46-57	COMM., ½ TON	knuckle	3657337	4	.07
46-57 48-57	D-D, UJ, UK, VJ, VK, N, P, SBC, 2 TON, 1½ TON (hvy. duty)	(use w/3681101 frgd. on "I" beam)	3678195	4	.07
39-54 53-57	PASS. (exc. JB, KB), CORV.	RING, lock	599209	4	.07
39-54 53-57	PASS. (exc. JB, KB), CORV.	COVER, king pin bearing plug	599210	2	.07

6.225 RETAINER—SPRING—SEAL, King Pin Oil

39-42	W, Y, M, COE (hvy. duty)	(use w/3100K-193-18776 forged on "I" beam)	234895	2	.08
46	O				
39-42	W, Y, M, COE (hvy. duty)	SPRING (use w/3100K-193-18776 forged on "I" beam)	657309	2	.08
46	O				
39	COE	SEAL (use w/3100K-193-18776 forged on "I" beam)	3681830	2	.13
40-46	UTILITY				

6.230 ROD, Front Axle Tie

32-34	ALL (exc. CC, DC),				
35-36	PASS., COMM. (exc. EC, FC),				
37-42	COMM.,				
46-55	½, ¾ TON (1st Ser.) (exc. D-D)	(43 3/16 O.L.—¾—16 thread)	367528	1	2.50
35-42	UTILITY (exc. MT, MY, COE),				
46-55	1, 1½ TON (1st Ser.) (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	(44½ O.L.—13/16—18 thread, hollow)	377988	1	3.60
37-40	GB, HB, JB, KB	(43⅛ O.L.—11/16—16 thread)	593047	1	1.70
39	JA (w/599639 arm only)	long, w/studs (33 O.L.—one long and one short stud)	605937	1	6.05
39-46	COE (w/9/16 hub bolts)	(49⅛ O.L.—1—16 R.H. thread one end, 1—16 L.H. thread one end)	3651181	1	5.05
39-48	PASS. (exc. JB, KB)	short (10¼ O.L.—9/16—18 int. thread)	599241	1	1.55
39-48	PASS. (exc. JB, KB) (w/3651543 arm only on JA)	long, w/studs (33 O.L.—studs same length both ends)	605923	1	6.75
46-55	COE	(49 O.L.—1—16 R.H. thread one end, 1—16 L.H. thread one end) (int. thds.)	3681851	1	4.90
46	OE, OF, OG, PL, PV, PW, PX	(46 O.L.) (1 in. thds. R.H. and L.H.)	3685160*	1	4.80
47-55	D-D, UJ, UK, VJ, VK, SBC, 2 TON (1st Ser.) (exc. COE),				
48-55	1½ TON (hvy. duty) (1st Ser.)	(47½ O.L.) (1—16 thds. R.H. and L.H.)	3683223	1	5.90
49-54	PASS.	(25 19/32 long w/7/16—20 studs)	3692953	1	6.55
53-57	CORV	daub of yellow paint	3706042	2	1.60
55-57	½ TON (2nd Ser.)		3712370	1	2.70
55-57	¾ TON (2nd Ser.) (exc. D-D)		3713014	1	2.70
55-57	D-D (2nd Ser.)		3715886	1	5.80
55-57	1 TON (2nd Ser.)		3713316	1	3.90
55-57	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)		3713360	1	3.25
55-57	1½ TON (hvy. duty) (2nd Ser.),				
55-57	SBC, 2 TON (2nd Ser.)		3712567	1	5.80

*NOTE: On OE, OF, OG it is necessary to use 3685153 Strg. and 3rd Arm and 3678185 Strg. Knuckle Arm.

6.232 SLEEVE, Front Axle Tie Rod

49-54	PASS.	(18 23/64 long w/9/16—18 x 2⅛ int. thd.)	3691181	1	2.05
55-57	PASS. (R.H. only on P/S)	adj. (6 1/16 O.L. w/9/16—18 x 1 15/16 thd.)	3708529	A.R.	.50
55-57	PASS. P/S (L.H. only)	(4 13/64 O.L. w/9/16—18 x 1 15/16 thd.)	3687942	1	(6.870)

6.233 END—FITTING, Tie Rod

NOTE: Tie rod ends listed below are not assemblies unless specified.

32-34	ALL (exc. CC, DC),				
35-38	PASS., COMM. (exc. EC, FC, GB, HB),				
39-42	COMM.,				
46-56	½, ¾ TON (exc. D-D)	left (4 59/64) (25/32—16 L.H. thd.—stmpd. "L")	374227	1	1.80
32-34	ALL (exc. CC, DC),				
35-38	PASS., COMM. (exc. EC, FC, GB, HB),				
39-42	COMM.	right (4 59/64 long) (25/32—16 R.H. thd.—stmpd. "R")			
46-56	½, ¾ TON (exc. D-D)		374226	1	1.80
33-40	CC, DC, EC, FC, GB, HB, JB, KB	right (4 59/64) (23/32—16 R.H. thd.—stmpd. "R")	472664	1	1.80
33-40	CC, DC, EC, FC, GB, HB, JB, KB	left (4 59/64) (23/32—16 L.H. thd.—stmpd. "L")	472665	1	1.80
34-42	UTILITY (exc. MT, MY, COE),				
46-57	1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	assy., left (4 5/32 long) (13/16—18 L.H. thd.)	601395	1	4.40

34-42	UTILITY (exc. MT, MY, COE),				
46-57	1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)	assy., right (4 5/32 long) (13/16—18 R.H. thd.)	601396	1	4.40
39	COE	assy., left (4¾ long) (1—16 L.H. thd.)			
40-46	W, Y, M, O (hvy. duty)	(stamped N-118)	603935	1	5.65
39	COE	assy., right (4 11/16 long) (1—16 R.H. thd.)			
40-46	W, Y, M, O (hvy. duty)	(stamped F-110)	603934	1	5.65
39-54	PASS. (exc. JB, KB),				
53-57	CORV	assy., left (4½ long) (9/16—18 L.H. thd.)	3692951	1	2.95
39-54	PASS. (exc. JB, KB),				
53-57	CORV	assy., right (4½ long) (9/16—18 R.H. thd.)	3692952	1	2.95
46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON	assy., left (use w/3681101 frgd. on "I"			
48-57	1½ TON (hvy. duty)	beam) (5 long) (1—16 L.H. thd.)	609747	1	6.10
46-57	D-D, UJ, UK, VJ, VK, SBC, 2 TON	assy., right (use w/3681101 frgd. on "I"			
48-57	1½ TON (hvy. duty)	beam) (5 long) (1—16 R.H. thd.)	609748	1	6.10
55-57	PASS.	assy., left (forged 3708528)	3713914	1	2.85
55-57	PASS.	assy., right (forged 3708527)	3713913	1	2.85
55-57	PASS. (exc. P/S)	assy., left, long,			
55-57	PASS.	assy., right, long (forged 3707740)	3713905	A.R.	3.70
55-57	PASS. P/S	assy., left, long (forged 3709615)	3715906	1	3.70
32-34	ALL,				
35-40	PASS., COMM. (exc. JA, KA, KH),				
41-42	COMM.	UNIT (2 springs, 3 plugs, 4 seats, and 2 safety			
46-55	½, ¾ TON (1st Ser.) (exc. D-D)	rivets)	608840	1	(6.874)
57	PASS. P/S	FITTING, used w/right hand long socket	3738475	1	(6.166)

6.234 CLAMP, Tie Rod End

29-33	ALL (exc. CC),				
34-38	PASS. (exc. DC, EC, FC, GB, HB),				
34-42	COMM.,				
46-57	½, ¾ TON (exc. D-D)		352265	2	.35
33-40	CC, DC, EC, FC, GB, HB, JB, KB		472655	2	.35
35-42	UTILITY (exc. MT, MY, COE),				
46-57	1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC, hvy. duty)		377983	2	.35
39-57	PASS. (exc. JB, KB),				
53-57	CORV		599234	A.R.	.25
46-57	D-D, UJ, UK, VJ, VK, N, P, SBC, 2 TON,				
48-57	1½ TON (hvy. duty)	(use w/3681101 forged on "I" beam)	3681858	2	.40
55-57	PASS. P/S	strg. control valve to relay rod	5681747	1	.30

6.243 STUD, Tie Rod Ball

46-57	¾, 1, 1½ TON (exc. D-D, UJ, UK, VJ, VK, SBC)	(½—20 thread)	377992	A.R.	1.10

6.255 SPRING—SEAT—RIVET—PLUG, Tie Rod

29	ALL,				
32-34	ALL (exc. DC),				
35-40	PASS., COMM. (exc. JA, KA, KH),				
41-42	COMM.,				
46-57	½, ¾ TON (exc. D-D)		335976	2	(6.876)
30-39	ALL (exc. JA),				
40-42	COMM., KB,				
39-57	½, ¾ TON (exc. D-D)	SEAT, tie rod ball (grooved) (63/64 dia. x 15/32)	595586	4	(6.874)
29-34	ALL,				
36-40	PASS., COMM. (exc. JA, KA, KH),				
41-42	COMM.,				
46-57	½, ¾ TON (exc. D-D),				
53-56	CORV	RIVET, safety (½ dia. x 11/16 O.L.—1 dia. hd.)	354456	2	.10
29-40	ALL (exc. JA, KA, KH),				
41-42	COMM,				
46-56	½, ¾ TON (exc. D-D)	PLUG, end (1 1/16—18 thd. x ½ O.L.)	335977	2	(6.881)
53-57	CORV	PLUG, end (1 5/16 long)	3706039	2	.20

6.307 HUB, Front Wheel

29-40	A, LQ, LR, LS, B, CB, DB, EB, ED, FB, FD, GB, HB, JB, KB,				
37-42	COMM.,				
46-50	½ TON	(cast 599218) (also stmpd. 963)	369963	2	6.00
39-48	PASS. (exc. JB)	(stmp'd. 218)	599218	2	6.00
39	COE,				
40-42	UTILITY (hvy. duty) (exc. YR),				
46-53	UJ, UK, VJ, VK, SBC, 2 TON,				
48-53	1½ TON (hvy. duty)		3681888*	2	14.50
41	1½ TON (exc. hvy. duty),				
42-50	1½ TON (exc. hvy. duty, SBC),				
53-55	1½ TON (1st Ser.) (exc. hvy. duty, SBC)	(cast 3656885)	3656885	2	11.50
47-57	¾, 1 TON w/sgl. wheels		3683232	2	9.25
47-57	1 TON w/dual wheels,				
53-57	¾ TON w/dual wheels (exc. D-D),				
55-57	D-D w/dual wheels (2nd Ser.)	(cast 3683818)	3683818	2	12.00
49-50	PASS.	(cast 3687631)	3687631	2	6.00
51-54	PASS.,				
53-57	CORV.	(cast 3694757)	3694757	2	6.00
51-57	½ TON	(cast 3694768)	3694768	2	6.00
54-55	1½ TON (2-SPD.) (1st Ser.) (exc. SBC),				
55-57	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	(cast 3711400)	3711400	2	11.00
54-55	1½ TON SBC (1st Ser.) (exc. 2-SPD.)				
54-55	1½ TON (hvy. duty) (1st Ser.)	(cast 3704482—dia. flange side—4¾)	3704489	2	14.50
54-55	1½ TON SBC (2-SPD.) (1st Ser.)				
54-55	2 TON,				
55-57	1½ TON (hvy. duty) (2nd Ser.),				
55-57	1½ TON SBC	(cast 3704482—dia. flange side—5¼)	3704482	2	14.50
55	PASS.	(cast 3707117)	3707117	2	6.00
56-57	PASS.	(cast 3725849)	3725849	2	6.00
56-57	2 TON	(cast 3723951)	3723951	2	16.50

*NOTE: On early jobs where hub breakage occurs install brake drum 604718 or enlarge pilot hole in original drum 4⅛ I.D.

6.308 RING, Front Hub Clamp

46-53	UTILITY	(use w/⅝ hub bolts)	3682390	2	.95

6.311 BEARING ASSEMBLY, Front Wheel Inner

29-31	ALL,				
32-40	PASS., COMM. (exc. CC, DC, EC, FC)	(ND 909502) (ND 909602) (ND 909702)	909002†	2	7.60
35-42	UTILITY (exc. COE, MT, MY)	(exc. hvy. duty) (w/strg. knuckle w/inner cone seat 1.40 O.D. and outer cone seat .84 O.D.) (ND 909526) (ND 909626) (ND 909726)	909026†	2	8.85
46-50	¾, 1, 1½ TON (exc. SBC)				
51-52	¾, 1 TON				
39-42	UTILITY (hvy. duty)	(1 9/16 dia. hole) (groove on O.D.) (Hy A			
46-49	SBC, 2 TON (1st. design)	11410) (Hy 11410 Z)	173241*	2	9.20
41-42	PASS., COMM.,				
46-54	PASS., ½ TON,				
53-57	CORV.,				
55-57	½ TON	(ND 909552) (ND 909602) (ND 909702)	909052†	2	6.90
49-50	SBC, 2 TON (2nd design),				
51-53	UJ, UK, VJ, VK, SBC, 2 TON	(1¾ dia. hole) (Hy A11424) (Hy 11424Z)	7450131*	2	9.70
53-57	¾, 1, 1½ TON (exc. SBC, hvy. duty)	(ND 909726) (ND 909546) (ND 909626)	909046†	2	7.55
54-57	1½ TON (hvy. duty),				
54-57	SBC, 2 TON	(shaft dia. 1¾) (Hy C125298WA)	7450335*	2	10.55
55-57	PASS.	(ND 909040)	909040†	2	4.10

†NOTE: Consists of cone, cup, and separator (also listed separately).

*NOTE: Component parts are not serviced separately.

6.313 BEARING ASSEMBLY, Front Wheel Outer

29-30	ALL,				
31-42	PASS., COMM. (exc. CC, DC, EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.,				
56-57	PASS.	(ND 909501) (ND 909601) (ND 909701)	909001†	2	3.85

33-36	CC, DC, EC, FC	(ND 909521) (ND 909621) (ND 909721)	909021†	2	5.50
35-42	UTILITY (exc. COE, MT, MY)	(exc. hvy. duty) (w/strg. knuckle w/inner			
46-50	¾, 1, 1½ TON (exc. SBC)	cone seat 1.40 O.D. and outer cone seat			
51-52	¾, 1 TON	.84 O.D.) (ND 909525) (ND 909625)			
		(ND 909725)	909025†	2	6.15
39-42	UTILITY (hvy. duty)	(15/16 dia. hole) (groove on O.D.) (Hy A			
46-49	SBC, 2 TON (1st. design)	11020) (Hy 11020Z)	173238*	2	6.20
49-50	SBC, 2 TON (2nd. design),				
51-53	UJ, UK, VJ, VK, SBC, 2 TON	(1 1/32 dia. hole) (Hy A11035) (Hy 11035Z)	7450034*	2	6.30
53-57	¾, 1, 1½ TON (exc. SBC, hvy. duty)	(ND 909545) (ND 909625) (ND 909725)	909045†	2	4.70
54-57	1½ TON (hvy. duty),				
54-57	SBC, 2 TON	(shaft dia. 1 1/32) (Hy A131224Z)	7450336*	2	4.95
55	PASS.	(ND 909041)	909041†	2	3.35

†NOTE: Consists of cone, cup, and separator (also listed separately).

*NOTE: Component parts are not serviced separately.

6.314 CONE, Front Wheel Inner Bearing

29-30	ALL,				
31-40	PASS., COMM. (exc. CC, DC, EC, FC)	(1½ O.D. x 1 3/16 I.D.) (ND 909502)	909502	2	3.60
35 42	UTILITY (exc. COE, MT, MY)	(w/strg. knuckle w/inner cone seat 1.40			
46-50	¾, 1, 1½ TON (exc. SBC)	O.D. and outer cone seat .84 O.D.)			
51-52	¾, 1 TON	(ND 909526)	909526	2	3.75
41-42	PASS., COMM.,				
46-54	PASS.,				
46-57	½ TON, CORV.	(1 7/8 O.D. x 1 9/32 I.D.) (ND 909552)	909552	2	2.95
53-57	¾, 1, 1½ TON (exc. SBC, hvy. duty)	(2 3/32 O.D. x 1½ I.D.) (ND 909546)	909546	2	2.45
55-57	PASS.	(ND 909540)	909540	2	1.35

6.315 CONE, Front Wheel Outer Bearing

29-30	ALL,				
31-42	PASS., COMM. (exc. CC, DC, EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.,				
56-57	PASS.	(1 1/32 O.D. x ¾ I.D.) (ND 909501)	909501	2	1.10
35-42	UTILITY (exc. COE, MT, MY)	(w/strg. knuckle w/inner cone seat 1.40			
46-50	¾, 1, 1½ TON (exc. SBC)	O.D. and outer cone seat .84 O.D.)			
51-52	¾, 1 TON	(1 3/8 O.D. x 13/16 I.D.) (ND 909525)	909525	2	3.10
53-57	¾, 1, 1½ TON (exc. SBC, hvy. duty)	(1 3/8 O.D. x 7/8 I.D.) (ND 909545)	909545	2	1.65
55	PASS.	w/separator and balls (ND 909541)	909541	2	1.70

6.316 CUP, Front Wheel Inner Bearing

29-30	ALL,				
31-42	PASS., COMM. (exc. CC, DC, EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.	(2 7/8 O.D. x 2 21/64 I.D.) (ND 909602)	909602	2	2.15
35-42	UTILITY (exc. hvy. duty, COE, MT, MY)	(w/strg. knuckle w/inner cone seat 1.40			
46-57	¾, 1, 1½ TON (exc. hvy. duty, UJ, UK,	O.D. and outer cone seat .84 O.D.)			
	VJ, VK, SBC)	(ND 909626)	909626	2	3.05
55-57	PASS.	(2 9/16 O.D. x 9/16) (ND 909640)	909640	2	1.60

6.317 CUP, Front Wheel Outer Bearing

29-30	ALL,				
31-42	PASS., COMM. (exc. CC, DC, EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.,				
56-57	PASS.	(2 3/16 O.D. x 1 5/8 I.D.) (ND 909601)	909601	2	2.00
35-42	UTILITY (exc. hvy duty, COE, MT, MY)	(w/strg. knuckle w/inner cone seat 1.40			
46-57	¾, 1, 1½ TON (exc. hvy. duty, UJ, UK,	O.D. and outer cone seat .84 O.D.)			
	VJ, VK, SBC)	(2¼ O.D. x 1¾ I.D.) (ND 909625)	909625	2	1.85
55	PASS.	(1 15/16 O.D. x ½) (ND 909641)	909641	2	1.65

6.318 SEPARATOR ASSEMBLY, Front Wheel Inner Bearing, w/Balls

29-30	ALL,				
31-42	PASS., COMM. (exc. CC, DC, EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.	(ND 909702)	909702	2	1.85
35-42	UTILITY (exc. hvy. duty, COE, MT, MY)	(w/strg. knuckle w/inner cone seat 1.40			
46-57	¾, 1, 1½ TON (exc. hvy. duty, UJ, UK, VJ,	O.D. and outer cone seat .84 O.D.)			
	VK, SBC)	(ND 909726)	909726	2	2.05
55-57	PASS.	(2¼ O.D. x ½) (ND 909740)	909740	2	1.15

6.319 SEPARATOR ASSEMBLY, Front Wheel Outer Bearing, w/Balls

29-30	ALL,				
31-42	PASS., COMM. (exc. CC, DC, EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.,				
56	PASS.	(ND 909701)	909701	2	.75
35-42	UTILITY (exc. hvy. duty, COE, MT, MY)	(w/strg. knuckle w/inner cone seat 1.40			
46-57	¾, 1, 1½ TON (exc. hvy. duty, UJ, UK, VJ,	O.D. and outer cone seat .84 O.D.)			
	VK, SBC)	(ND 909725)	909725	2	1.20
55	PASS.	CONE, w/separator and balls (ND 909541)	909541	2	(6.315)

6.321 WASHER, Steering Knuckle Spindle

29-34	ALL (exc. CC, DC),				
35-42	PASS., COMM. (exc. EC, FC),				
46-54	PASS.,				
46-57	½ TON, CORV.,				
56-57	PASS.		3663991	2	.10
33-36	CC, DC, EC, FC		472631	2	.15
35-42	UTIL. (exc. hvy. duty, COE, MT, MY),				
46-52	¾, 1 TON, UTILITY (1st design)	(w/knuckle having inner cone seat 1.40			
53-57	¾, 1, 1½ TON (exc. SBC, hvy. duty)	O.D.)	379657	2	.15
39	COE,				
40-46	W, Y, M, O (hvy. duty)		654658	2	.25
52-55	UTILITY (exc. N, P) (2nd design),				
53-57	1½ TON (hvy. duty),				
56-57	SBC, 2 TON	(⅞ I.D. x 2½ O.D.)	3702236	2	.15
55	PASS.	(¾ I.D. x 1¾ O.D.)	3707118	2	.10

6.323 DEFLECTOR, Front Hub or Drum Oil

29-40	AC, LQ, AD, LR, LS, AE, BA, BB, CA, CB, DB, EB, ED, FB, GB, GC, GD, GE, HB, HC, HD, HE, J, K	wheel hub, inner	599220	2	.30
35-42	UTIL. (exc. hvy. duty, COE),				
46-50	1½ TON (exc. SBC),				
53-57	1½ TON (exc. SBC, hvy. duty)	hub inner (1¾ I.D. x 3 11/16 O.D.)	3698069	2	.25
39	COE,				
40-55	UTILITY (exc. WA),				
56-57	1½ TON	brake drum	3650738	2	.60
39-42	PASS., COMM.,				
46-48	PASS.,				
46-50	½ TON	hub, outer	599219	2	.55
39	COE (Reg. Prod.),				
40-42	UTIL. (hvy. duty),				
46-49	SBC, 2 TON (1st. design)	hub, inner (1⅞ dia. hole)	3650733	2	.25
41-42	COMM.,				
41-48	PASS.,				
46-57	½ TON	hub, inner (stamped 41)	3656535	2	.30
46-57	¾, 1 TON	hub, inner (1¾ I.D. x 4 1/32 O.D.)	3698071	2	.40
47-57	¾, 1 TON (w/sgl. wheels)	brake drum (4⅛ I.D. x 7¾ O.D. x 9/16 thick)	3683233	2	.85
47-57	1 TON (w/dual wheels),				
53-57	¾ TON (w/dual wheels) (exc. D-D),				
55-57	D-D (w/dual wheels) (2nd Ser.)	brake drum (4⅛ I.D. x 7¾ O.D. x 1 3/16 thk.)	3683237	2	.85
49-54	PASS.,				
53-56	CORV.	hub, inner (1 17/32 I.D. x 3 7/16 O.D.)	3687629	2	.30

49-54	PASS.,				
53-57	CORV.	brake drum (3 9/16 I.D. x 6 O.D.)	3687635	2	.60
49-50	SBC, 2 TON (2nd design),				
49-53	1½ TON (hvy. duty),				
51-53	UJ, UK, VJ, VK, SBC, 2 TON	hub, inner (2 1/16 dia. hole)	3691428	2	.25
51-57	½ TON	brake drum (3¾ I.D. x 6⅝ O.D.)	3694884	2	.60
54-57	1½ TON (hvy. duty),				
54-57	SBC, 2 TON	hub inner (2 1/16 I.D. x 3 27/32 O.D.)	3704488	2	.25
56-57	2 TON	brake drum	3723952	2	.85

6.326 FELT, Front Wheel Bearing

29-40	A, LQ, LR, LS, B, CA, CB, DA, DB, EA, EB, ED, FA, FB, FD, G, H, J, K	w/retainer, inner brg.	352488	2	.60
35-42	UTIL. (exc. hvy. duty, COE, MT, MY)	w/retainer, inner brg. (w/strg. knuckle w/inner cone seat 1.40 O.D. and outer			
46-57	¾, 1, 1½ TON (exc. UJ, UK, VJ, VK, SBC, hvy. duty)	cone seat .84 O.D.)	379654	2	.65
39	COE,				
40-42	UTILITY (hvy. duty),				
46-49	SBC, 2 TON (1st design)	w/retainer, inner brg. (2 7/64 dia. hole)	3650735	2	.55
41-42	PASS., COMM.,				
46-54	PASS.,				
46-57	½ TON, CORV.	w/retainer inner brg. (stamped 41)	3656536	2	.60
49-50	SBC, 2 TON (2nd design),				
49-53	1½ TON (hvy. duty),				
51-53	UJ, UK, VJ, VK, SBC, 2 TON	w/retainer, inner brg. (2 19/64 dia. hole)	3691478	2	.60
54-57	1½ TON (hvy. duty),				
54-57	SBC, 2 TON	w/retainer, inner brg. (3 1/16 I.D.)	3704483	2	.60
55-57	PASS.	w/retainer (2 I.D. x 2⅝ O.D.)	3725850	2	.55

6.351 KNEE ACTION UNITS

34-38	DA, EA, FA, GA, HA	left (stamped 378132 on housing)	602499	1	29.75
34-38	DA, EA, FA, GA, HA	right (stamped 378132 on housing)	602500	1	29.75

6.361 SPRING, Knee Action

39-41	PASS. (exc. JB, KB)	(white—1310 lb.) (wire dia. .583—.590)	3653059	2	6.15
39-52	PASS. (exc. JB, KB) (hvy. duty)	(black stripe—1550 lb. tension) (wire dia.			
50-52	PASS. w/P.G.	.600—.608)	3694210	2	7.05
39-48	PASS. (exc. JB, KB),				
50-52	CONV.	(green—1375 lb.) (wire dia. .585—.592)	3664086	2	7.05
49-52	PASS. (exc. P.G., CONV.)	(yellow—1400 lb.) (wire dia. .592—.600)	3694612	2	7.05
53-54	PASS. w/P.G., CONV.	(2 black stripes—1640 lb. tension)	3703787	2	7.05
53-54	PASS. (exc. P.G., CONV.)	(2 yellow stripes—1555 lb. tension)	3703788	2	7.05
53-57	CORV. (exc. hvy. duty)	black dot on 2nd coil (1145 lb. tension)	3709497	2	7.65
55	PASS. (exc. P.G., SPT. CPE., CONV., SDL., C.A.C.),				
55	SPT. CPE. 8 cyl. (exc. P.G.),				
56-57	STA. WAG. (exc. P.G.)	(light green—1630 lb. tension)	3721371	2	7.05
55	PASS. w/P.G. (exc. SDL., C.A.C., CONV.),				
55	SPT. CPE. 6 cyl. (exc. P.G.),				
55-56	CONV. (exc. P.G.),				
56	STA. WAG. w/P.G.,				
57	PASS. (exc. P.T., C.A.C., SDL., CONV.)	(orange—1710 lb. tension)	3721372	2	7.05
55-56	CONV. w/P.G. (exc. hvy. duty),				
57	CONV. (exc. P.G., hvy. duty),				
57	PASS. w/P.G. (exc. SDL., CONV.)	(blue—1790 lb. tension)	3721373	2	7.05
55	PASS. w/P.G., C.A.C.,				
56-57	PASS. w/P.G., C.A.C.	(yellow—1875 lb. tension)	3722423	2	7.05
55-57	PASS. w/C.A.C. (exc. P.G.),				
55-57	TAXI-CAB w/P.G.,				
56-57	SDL., CONV. w/P.G., C.A.C.	(dark green—1785 lb. tension)	3714506	2	6.10
55-56	SDL.	(white—1550 lb. tension)	3713966	2	7.05
55-57	TAXICAB (exc. P.G.)	(pink—1695 lb. tension)	3719736	2	7.05
56	PASS. (exc. STA. WAG., SDL., SPT. CPE., CONV., C.A.C., P.G.),				
56	SPT. CPE. 8 cyl. (exc. C.A.C.)	(brown—1630 lb. tension)	3723902	2	7.55
56	PASS. w/P.G. (exc. STA. WAG., SDL., SPT. CPE., CONV., C.A.C.),				
56	SPT. CPE. 6 cyl. (exc. P.G.)	(light blue—1710 lb. tension)	3723903	2	7.55
57	CONV. w/P.G.	(white—1870 lb. tension)	3737293	2	7.05
57	CORV. (hvy. duty)		3735953	2	9.95

6.364 SHIM, Spring Seat

39-54 53-57	PASS. (exc. JB, KB), CORV	(3 5/16 I.D. x 4 15/64 O.D.)	3694719	A.R.	.15

6.386 FLUID, Shock Absorber

ALL	ALL	(1 quart)	603489	A.R.	.80
ALL	ALL	(1 gallon)	600658	A.R.	2.15

6.507 KIT, Hydraulic Steering Gear

53-54	PASS. P/S	gasket and seal kit	5680153†	1	3.90
55-57	PASS. P/S	seal and washer kit	5682694*	1	1.05
55-57	PASS. P/S	adapter kit	5683349§	1	2.95
55-57	PASS. P/S	adapter and sleeve kit	5683350‡	1	7.30
55-57	COMM. P/S	valve seal (Bendix 126724)	3733873	1	1.50
55-57	UTIL. P/S	valve seal (Bendix 126591)	3733860	1	1.60
55-57	COMM., UTIL. P/S	ball stud (Bendix 126727)	3733875	1	5.35
55-57	UTIL. P/S	cylinder seal (Bendix 126594)	3733985	1	2.30
55-57	PASS. P/S	valve assy. service	5683345⊕	1	16.45
55-57	PASS., COMM. P/S	cyl. piston rod seal and wiper	5682561**	1	1.70

†NOTE: Consists of: 14 "O" ring seals, 3 gaskets, 1 packing and 1 retainer.

*NOTE: Consists of 1 each: seal assy., seal, washer, locknut, pin.

§NOTE: Consists of 2 seats and 1 each spring, stud, plug, pin

‡NOTE: Consists of 1 adapter and 1 sleeve.

⊕NOTE: Consists of 1 each housing and spool assy., seal, spring, nut, pin, spacer, and 3 washers.

**NOTE: Consists of 1 seal, 3 rings, 1 washer.

6.508 GEAR ASSEMBLY—BOLT, Steering

NOTE: P/S denotes Power Steering.

NOTE: Assemblies do not include mast jacket, except where shown.

35-36	EA, FA	cast 261892 (46 25/32 O.L.)	262664	1	28.45
37	GA	cast 263483	263413	1	28.45
38	HA	cast 264265 on hsg., 264272 on shaft	264189	1	28.45
38-40	COMM. (exc. KF)	cast 263587 (47 13/16 O.L.)	264256	1	28.45
38-40	UTIL., KF (exc. COE)	cast 263587 (45 29/32 O.L.)	264284	1	28.45
40-48	PASS. (exc. KB)	cast 265759	267164	1	29.70
41-46	COMM., UTIL. (exc. COE)	cast 267733 (48 15/16 O.L.)	267793*	1	37.80
41-46	COE	cast 267135 (106 balls, 9/32 dia.)	269910	1	44.65
47-53	COMM., 1½ TON (exc. EP, ER, D-D, SBC)	(w/mast jacket) cast 270280	270927	1	46.45
47-53	SBC, 2 TON (exc. COE)	(w/mast jacket) cast 270251	270224	1	48.60
47-53	COE	(w/mast jacket) cast 270778	5662982	1	48.60
48-53	D-D	(w/mast jacket) cast 7 Type A	5660833	1	46.45
49-52	PASS.	(w/mast jacket) "X" cast on hsg.	5664306	1	37.80
53-54	PASS. (exc. P/S)	(w/mast jacket)	5666322	1	37.80
53	PASS. P/S		5680062	1	180.90
53-57	CORV	(w/mast jacket)	5666145	1	42.50
54	PASS. P/S		5680756	1	180.90
54-55	½, ¾ TON (1st Ser.),				
54-55	1 TON w/H.T. (hvy. duty) (1st Ser.),				
54-55	1, 1½ TON (4-SPD.) (1st Ser.) (exc. H.T., hvy. duty, SBC)	(w/mast jacket) (jet black)	5665200	1	46.45
54-55	D-D (1st Ser.)	(w/mast jacket) (jet black)	5665202	1	48.60
54-55	COE	(w/mast jacket) (less pitman arm)	5665269	1	48.60
54-55	SBC, 2 TON (1st Ser.) (exc. COE)	(w/mast jacket) (jet black)	5665205	1	48.60
55-56	PASS.		5666680	1	37.80
55-56	COMM. (2nd Ser.) (exc. D-D)	(w/mast jacket)	5670505†	1	54.00
55-56	UTIL. (2nd Ser.) (exc. SBC)	(w/mast jacket)	5670145	1	59.40
55	SBC (2nd Ser.)	(w/mast jacket)	5670035	1	53.75
55-56	D-D (2nd Ser.)	(w/mast jacket)	5670519	1	64.80
56	SBC	(w/mast jacket)	5670502	1	59.40
57	PASS.	w/mast jacket	5671074	1	43.20
57	Ser. 3 (exc. D-D)	w/mast jacket	5670956	1	54.00

57	D-D (exc. Ser. 6)	w/mast jacket	5671254	1	68.05
57	Ser. 4-6 (exc. SBC, D-D)	w/mast jacket	5670965	1	59.40
57	SBC	w/mast jacket	5670964	1	59.40
57	Ser. 6 D-D	w/mast jacket	5671758	1	67.25
55-56	CORV	BOLT, spacer to pitman arm stop (3/8—24 x 5)	186317	2	(8.900)

*NOTE: On initial installation on 1941-46 AN, BN, DS and UTILITY models, cut 1 7/16" off end of mast jacket.

†NOTE: On 1955 8 cyl. models it will be necessary to lengthen the lower transmission control slot using the removed hsg. as a pattern. Also paint to spec.

6.509 BOLT, Steering Gear to Frame

55-57	PASS	(3/8—24 x 3 3/4)	3707754	3	.10

6.512 COVER ASSY.—WEDGE—PLATE—SCREW, Steering Wheel Hub

53	PASS	(has signal lever hole) (grey)	5944125	1	3.10
53-54	PASS.,				
54-57	COMM. UTIL	w/o signal lever hole	3701357	1	.65
53-55	CORV	(has signal lever hole) (red)	5941743	1	3.50
54	PASS.,				
55-57	CORV.,				
55-56	COMM., UTIL. (2nd Ser.) (exc. D-D, SGL. UNIT)	(has signal lever hole) (india ivory)	5942429	1	3.30
55-56	PASS	(has signal lever hole) (black)	5947567	1	2.70
57	PASS	(w/signal lever hole) (silver)	5948209	1	2.95
57	Ser. 3-4-6 (exc. D-D)	(w/signal lever hole)	5948429	1	3.30
53-54	PASS.,				
53-57	CORV.,				
54-57	COMM., UTILITY (exc. D-D, SGL. UNIT)	WEDGE, signal lamp switch fastener	5944135	1	.20
55-57	PASS	PLATE, cover locking (1 1/2 I.D. x 1 7/8 O.D.)	3713031	1	.15
55-56	PASS	SCREW, w/lockwasher (10—32 x 5/8)	456423	3	(8.906)

6.513 WHEEL, Steering

29-37	ALL (exc. CC, DC, EC, FC)	(less horn button cap)	750992	1	7.45
38-40	ALL (exc. JA, KA, KB, KH, COE)	(less horn button cap)	753325†	1	7.45

†NOTE: On commercial jobs it is necessary to use 753327 button.

39-40	JA, KA, KB, KH		753625	1	7.45
41-46	COMM., UTIL. (exc. COE)		755896	1	9.20
41-48	AG, BG, DJ, EJ, FJ	production	3847438	1	12.30
41-48	AG, BG, DJ, EJ, FJ	special equip.,			
41-48	AH, BH, DK, EK, FK	production	3847442	1	17.45
47-53	COMM., UTILITY		756084	1	10.60
49-52	GJ, HJ, JJ, KJ	(grey)	3701220	1	13.40
49	GK,				
50-51	CONV., B-A,				
52	KK	(black)	3701210	1	18.15
50-51	HK, JK (exc. CONV., B-A)	(light grey)	3696016	1	18.20
53	A, D	(grey)	3704821	1	13.40
53-54	B, C	(onyx black and india ivory) (w/o cap)	759206	1	17.05
53-54	B, C	(biscayne and horizon blue) (w/o cap)	759464	1	17.05
53-54	B, C	(bermuda and surf green) (w/o cap)	759210	1	17.05
53-54	B, C	(saddle brown and shoreline beige) (w/o cap)	759214	1	17.05
53-54	CORV	(red and white) (w/o cap)	3707832	1	20.35
54	A, D	(india ivory) (w/o cap)	3709908	1	13.40
53-54	B, C	(red and india ivory) (w/o cap)	759218	1	17.05
54	B, C	(turquoise and india ivory) (w/o cap)	759468	1	17.05
54	B, C	(pueblo tan and shoreline beige) (w/o cap)	759474	1	17.05
54	B, C	(bermuda green and india ivory) (w/o cap)	759711	1	17.05
54	B, C	(biscayne blue and india ivory) (w/o cap)	759713	1	17.05
54-55	CORV	(beige and white) (w/o cap)	759653	1	18.65
54-55	COMM., UTIL. (2nd Ser.) (exc. SUB. PICK-UP, Deluxe Equip.)	(black) (w/o cap)	758625	1	12.00

55	A (exc. STA. WAG.)	(gray (w/o cap)	759951	1	13.40
55	A (STA. WAG.), SDL. (1st type)	(brown) (w/o cap)	759615	1	13.40
55	A (STA. WAG.), SDL. (2nd type)	(light brown) (w/o cap)	760373	1	13.40
55	CLUB COUPE,				
56	B	(onyx black) (w/o cap)	759953	1	17.05
55	B	(dark green) (w/o cap)	759954	1	17.05
55	B	(medium blue) (w/o cap)	759956	1	17.05
55	B (exc. CLUB CPE., STA. WAG.)	(maroon) (w/o cap)	759974	1	17.05
55	B (exc. CLUB CPE.)	(light brown) (w/o cap)	760372	1	17.05
55	C	(dark green) (w/o cap)	760415	1	18.45
55	C	(medium blue) (w/o cap)	760419	1	18.45
55	C	(turquoise) (w/o cap)	760417	1	18.45
55	C (exc. SPT. CPE.)	(light brown) (w/o cap)	760412	1	18.45
55	C (exc. STA. WAG., CONV., SPT. CPE.)	(maroon) (w/o cap)	760418	1	18.45
55	C (exc. 1062DF)	(shadow gray) (w/o cap)	760443	1	18.45
55	C (exc. 1062DF)	(rose) (w/o cap)	760413	1	18.45
55	C (exc. Sedan)	(red) (w/o cap)	760414	1	18.45
55	CORV	(bronze and white) (w/o cap)	760561	1	21.75
55	CORV	(green and gold) (w/o cap)	760563	1	21.75
55	CORV	(beige and red) (w/o cap)	760565	1	21.75
55	COMM., UTIL. w/Deluxe Equip. (2nd Ser.) (exc. SUB. PICK-UP)	(brown) (w/o cap)	760445	1	12.00
55	SUB. PICK-UP	(red) (w/o cap)	760448	1	12.00
56	A (exc. STA. WAG.)	(ivory and green) (w/o cap)	760643	1	12.95
56	A	(dune beige) (w/o cap)	760908	1	13.40
56	A	(adobe beige) (w/o cap)	761288	1	13.40
56	B	(sherwood green) (w/o cap)	760647	1	17.05
56	B (exc. STA. WAG., CLUB CPE.)	(dark blue) (w/o cap)	760648	1	17.05
56	B (STA. WAG., CLUB CPE.)	(twilight turquoise) (w/o cap)	760650	1	17.05
56	B (STA. WAG., CLUB CPE.)	(tropical turquoise) (w/o cap)	761290	1	17.05
56	C	(sierra gold) (w/o cap)	760652	1	19.10
56	C (exc. 9 PASS. STA. WAG.)	(sherwood green) (w/o cap)	760654	1	19.10
56	C	(black) (w/o cap)	760441	1	19.10
56	C (exc. 9 PASS. STA. WAG.)	(dark blue) (w/o cap)	760658	1	19.10
56	C	(twilight turquoise) (w/o cap)	760660	1	19.10
56	C	(tropical turquoise) (w/o cap)	761292	1	19.10
56	C (exc. Sedan)	(matador red) (w/o cap)	760839	1	19.10
56	COMM., UTIL. (exc. SUB. PICK-UP, Deluxe Equip.)	(charcoal) (w/o cap)	760952	1	11.55
56	COMM., UTIL. w/Deluxe Equip.	(blue) (w/o cap)	760954	1	12.40
56	COMM., UTIL. w/Deluxe Equip.	(green) (w/o cap)	760955	1	12.40
56	COMM., UTIL. w/Deluxe Equip.	(charcoal and grey) (w/o cap)	760956	1	12.40
56-57	CORV	(red) (w/o cap)	760757	1	38.50
56-57	CORV	(beige) (w/o cap)	760965	1	38.50
56	SUB. PICK-UP	(beige and red) (w/o cap)	760953	1	12.40
57	A, D	(silver)	761635	1	13.50
57	B, C	(silver)	761430	1	19.25
57	B, C	(light blue)	761717	1	19.25
57	B, C	(beige)	761719	1	19.25
57	B, C	(light green)	761715	1	19.25
57	C	(medium turquoise)	761721	1	19.25
57	C	(red)	761723	1	19.25
57	Ser. 3-4-6	(charcoal)	761141	1	12.50
57	SUB-PICKUP	(blue)	761690	1	12.50
57	SUB-PICKUP	(green)	761691	1	12.50
57	SUB-PICKUP	(red)	761689	1	12.50

6.515 WASHER—NUT, Steering Wheel

47-48	COMM., UTILITY,				
49-57	ALL, CORV	(½ I. D. x 1 O. D. x 1/16 thick)	5665807	1	.05
ALL	ALL	NUT, hub (½—20)	124934	1	(8.916)

6.518 JACKET, Mast (also see group 6.803)

40-48	PASS. (exc. KB)		3659803	1	4.50
41-46	COMM., UTIL. (exc. COE)		3657981	1	4.50
47	COMM., 1½ TON (exc. SBC),				

48-53	ALL 4-SPD. (exc. D-D, SBC, 2 TON)	(w/top cover) (40¼)	270278	1	5.95
48-53	½, ¾ TON (3-SPD.) (exc. D-D)	(w/top cover) (40¼)	5660013	1	5.95
53	PASS. P/S	(34⅞)	5680071	1	8.10
54	PASS. P/S	w/valve cover (37 3/16 O.L.)	5680935	1	8.10
54-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC),				
54-55	COMM. w/deluxe equip. (1st Ser.) (exc. H.T., hvy. duty)	w/top cover (39 15/16 O.L.)	5665293	1	5.95
55	PASS. (exc. P.G.)	(31 3/32 O.L.) (2 holes 17/64 x 15/32) (1 hole 17/64 x 19/32)	3711077	1	4.30
55-56	PASS. w/P.G.	(31 3/32 O.L.)	3729479*	1	4.30
56	PASS. (exc. P.G.)	(31 3/32 O.L.) (driftwood grey)	3726435	1	4.30
57	PASS. (exc. A.T.)	(31 3/32 O.L.)	3741359	1	4.30
57	PASS. w/A.T.	(31 3/32 O.L.)	3741360	1	4.30
41-46	COMM., UTIL. (exc. COE)	BRACE UNIT, mast jacket	3847012	1	3.37

*NOTE: When using on jobs with ¼ dia. bolts at base of jacket, 3726438 Ring, 3728056 Spacer, 181587 Bolt and 138485 Washer must be used.

6.521 BUSHING—BEARING, Mast Jacket

31-40	ALL (exc. CC, DC, EC, FC, JA, KA, KB, KH, COE)	with horn wire	1854761	1	1.90
39-48	PASS. (exc. JB),				
41-46	COMM., UTIL. (exc. COE)	BEARING, mast jacket	264887	1	1.45
39-46	COE	BEARING ASSY., upper w/packing	262288	1	1.10
47-55	COMM., UTILITY (1st Ser.),				
49-54	PASS. (exc. P/S),				
53-57	CORV	BEARING ASSY., upper (w/cable)	5660233	1	2.25
53-54	PASS. P/S	BEARING ASSY., upper (w/horn wire)	5666970	1	2.80
55-56	PASS.	BEARING ASSY., upper (w/horn wire)	5667238	1	2.25
55-56	COMM., UTIL. (2nd Ser.) (exc. SBC)	BEARING ASSY., upper (w/horn wire)	5668232	1	2.25
55-57	SBC (2nd Ser.)	BEARING ASSY., upper (w/horn wire)	5670037	1	2.05
57	PASS.	BEARING ASSY., upper (w/horn wire)	3738884	1	1.95

6.524 SHAFT, Steering Gear, w/Worm

33	ALL (exc. CC),				
34-36	COMM., UTILITY	(45⅛ O.L.) (No. 89)	261489	1	7.80
37	GA	(41¼ O.L.)	263487	1	7.80
38	HA	(41⅛ O.L.)	264272	1	7.80
38-40	COMM. (exc. KF)	(46⅜ O.L.)	264277	1	7.80
38-40	KF, UTIL. (exc. COE)	(47¾ O.L.)	264279	1	7.80
38-39	HB, JB	(41⅛ O.L.)	264333	1	7.80
40-48	PASS. (exc. KB)	(53¼ O.L.)	265763	1	9.65
40	KB	(47¾ O.L.)	265805	1	7.80
41-46	AK, AL, AM, BK, BL, BM, CK, DP, DR	(47⅝ O.L.) with ball nut assembly	267880	1	17.65
41	COE	(54⅜ O.L.) with ball nut assembly	266864*	1	19.95
41-46	UTIL., AN, BN, DS (exc. COE)	(49¼ O.L.) with ball nut assembly	267888	1	18.10
42-46	BK, BL, BM, CK, DP, DR	(47⅝ O.L.)	267879	1	7.80
42-46	UTIL., BN, DS (exc. COE)	(49¼ O.L.)	267887	1	7.80
42-46	COE	(54⅜ O.L.) with ball nut assembly	267737*	1	22.40
47-53	COMM., 1½ TON (exc. D-D, SBC)	(47⅝ O.L.)	270283	1	8.25
47-53	COMM., 1½ TON (exc. D-D, SBC)	(47⅝ O.L.) w/ball nut assy.	5660231	1	18.30
47-53	SBC, 2 TON (exc. COE)	(48 O.L.)	270260	1	11.25
47-53	SBC, 2 TON (exc. COE)	(48 O.L.) w/ball nut assy.	270259	1	19.70
47-53	COE	(57¼ O.L.)	270775	1	9.80
47-53	COE	(57¼ O.L.) w/ball nut assy.	270776	1	19.40
48-53	D-D	(57 O.L.) w/ball nut assy.	5660037	1	19.40
49-50	PASS. (1st Design)	(48 11/32 O.L.) (circular "V" groove at upper end of worm)	5660219	1	9.65
50-52	PASS. (2nd Design)	(48 11/32 O.L.) (flat at upper end of worm)	5662120	1	9.65
53-54	PASS. (exc. P/S)	(47½ O.L.)	5664365	1	9.65
53	PASS. P/S	(49¾ O.L.)	5680004	1	15.65
53	PASS. P/S	(49¾ O.L.) w/ball nut assy.	5680007	1	24.05
53-57	CORV	(53⅝ O.L.)	5666148	1	9.45
54	PASS. P/S	(49 23/32 O.L.)	5680928	1	15.65
54	PASS. P/S	(49 23/32 O.L.) w/ball nut assy.	5680929	1	24.05
54-55	½, ¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC)	(47 5/16 O.L.)	5665308	1	10.20

54-55	½, ¾, 1, 1½ TON (1st Ser.) (exc. D-D, SBC)	(47 5/16 O.L.) w/ball nut assy.	5665294	1	19.40
54-55	D-D (1st Ser.)	(56 11/16 O.L.) w/ball nut assy.	5665320	1	18.30
54-55	SBC, 2 TON (1st Ser.) (exc. COE)	(47 13/16 O.L.)	5665259	1	10.20
54-55	SBC, 2 TON (1st Ser.) (exc. COE)	(47 13/16 O.L.) w/ball nut assy.	5665260	1	19.40
54-55	COE	(59 3/32 O.L.)	5665264	1	9.85
54-55	COE	(59 3/32 O.L.) w/ball nut assy.	5665265	1	19.70
55-56	PASS.	(42 9/16 O.L.)	5666748	1	8.90
55-56	PASS.	(42 9/16 O.L.) w/ball nut assy.	5666749	1	18.10
55-56	COMM. (2nd Ser.) (exc. D-D)	(46 3/4 O.L.)	5667983	1	10.20
55-56	COMM. (2nd Ser.) (exc. D-D)	(46 3/4 O.L.) w/ball nut assy.	5667982	1	19.40
55-56	D-D (2nd Ser.)	(51 3/4 O.L.)	5668548	1	10.55
55-56	D-D (2nd Ser.)	(51 3/4 O.L.) w/ball nut assy.	5668547	1	21.35
55-56	UTIL. (2nd Ser.) (exc. SBC)	(43 3/8 O.L.)	5667690	1	10.20
55-56	UTIL. (2nd Ser.) (exc. SBC)	(43 3/8 O.L.) w/ball nut assy.	5667689	1	20.25
55-56	SBC (2nd Ser.)	(45 7/8)	5670058	1	10.20
55-56	SBC (2nd Ser.)	(45 7/8) w/ball nut assy.	5670057	1	20.25
57	PASS.	w/ball nut assy.	5671618	1	18.10
57	PASS.		5671619	1	8.90
57	Ser. 3 (exc. D-D)	(43 5/8 O.L.)	5671027	1	10.00
57	Ser. 3 (exc. D-D)	(43 5/8 O.L.) w/ball nut assy.	5671028	1	19.15
57	D-D (exc. Ser. 6)	(48 19/32 O.L.)	5671260	1	10.60
57	D-D (exc. Ser. 6)	(48 19/32 O.L.) w/ball nut assy.	5671259	1	20.50
57	Ser. 4-6 (exc. SBC, D-D)	(42 5/32 O.L.)	5671009	1	11.35
57	Ser. 4-6 (exc. SBC, D-D)	(42 5/32 O.L.) w/ball nut assy.	5671008	1	27.00
57	Ser. 6J, 6K	(53 O.L.) w/ball nut assy.	5671761	1	20.60
57	Ser. 6J, 6K	(53 O.L.)	5671762	1	10.70
57	SBC	(44 21/32 O.L.)	5671023	1	11.35
57	SBC	(44 21/32 O.L.) w/ball nut assy.	5671024	1	27.00


*NOTE: Upper worm thrust bearing roller assy., horn contact and wire assy., included with shaft assy. on COE.

6.526 SPRING—SEAT—RETAINER, Steering Shaft Upper Bearing


39-40	PASS. (exc. JB),				
41-46	ALL (exc. COE),				
47-54	ALL, CORV. (exc. P/S),				
55-57	ALL, CORV.		264832	1	.08
57	PASS.	upper	3741877	1	.08
39-40	PASS. (exc. JB),				
41-46	ALL (exc. COE),				
47-54	ALL, CORV. (exc. P/S),				
55-57	ALL, CORV.	SEAT	264831	1	.05
39-40	PASS. (exc. JB),				
41-46	ALL (exc. COE),				
47-54	ALL, CORV. (exc. P/S),				
55-57	COMM., UTIL., CORV.	RETAINER	265471	1	.10

6.527 RACE—RETAINER, Steering Worm Thrust Bearing


31-40	ALL,				
41-54	PASS. (exc. P/S)	(1 3/4 O.D. x 1 9/16 I.D. x 3/8 thk.) (Tim. X-6-A			
53-57	CORV.	Bower 6)	259782	2	1.10
41	COMM., UTILITY,				
42-46	COMM., UTILITY (exc. COE),				
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC).	(used w/upper bearing) (1 3/4 O.D. x 1 21/64			
55-57	COMM. (2nd Ser.) (exc. D-D)	I.D. x 2 5/64 thk.) (Hy 10790 Z)	179290	1	1.25
42-46	COE,				
55-57	UTIL. (2nd Ser.) (exc. D-D)	(2 3/16 O.D. x 1 5/8 I.D. x 27/64 thk.) (Hy 10983Z)	178479	1	2.10
47-55	SBC, 2 TON (1st Ser.)	(2 1/8 O.D. x 1½ I.D. x 13/32 thk.) (Hy 10899			
55-57	D-D (2nd Ser.)	RX)	270267	1	1.75
55-57	PASS.	(1½ O.D. x 5/16 thk.)	5666683	2	1.20
47-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC)	RETAINER, strg. gear brg.	270852	1	.05
55-57	PASS.	RETAINER, lwr. brg. (1 13/64 I.D. x 1½ O.D.)	5668489	1	.05
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)	ADJUSTER (used as lwr. brg. race)	270268	1	(6.830)




1953-54 POWER STEERING GEAR




1955-56 PASSENGER STEERING GEAR



1955-57 POWER STEERING CONTROL VALVE



1953-54 POWER STEERING PUMP



1955-57 POWER STEERING PUMP AND RESERVOIR

6.530 BEARING, Steering Worm Thrust

34-36	DA, EA, FA,				
37-40	ALL,				
41-54	PASS. (exc. P/S),				
53-57	CORV.		261866	2	.90
41	COMM., UTILITY,				
42-46	COMM., UTILITY (exc. COE),				
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC),				
55-57	COMM. (2nd Ser.) (exc. D-D)	(Hy 10790 S)	179291	2	1.25
42-46	COE,				
55-57	UTIL. (2nd Ser.) (exc. D-D)	(Hy 10983 R)	178480	2	1.40
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)		270266	2	1.85
53-54	PASS. P/S		5663818	2	2.50
55-57	PASS.		5666693	2	.75

6.531 NUT, Steering Gear Hydraulic Worm Bearing Lock

53-54	PASS. P/S	(1—16 thd.) (1⅜ hex.)	5664762	1	.60

6.534 BEARING KIT, Steering Gear Shaft

37-40	ALL,				
41-54	PASS.	(2 brgs., 2 races, 4 gaskets)	609943	1	4.25
41	COMM., UTILITY,				
42-46	COMM., UTIL. (exc. COE),				
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC)	(2 brgs., 1 race, 4 gaskets)	609942	1	2.85

6.550 VALVE ASSY., Steering Gear Hydraulic

53	PASS. P/S		5680076	1	48.55
54	PASS. P/S		5681176	1	48.55
55-57	COMM. P/S	single taper	3728528	1	44.00
55-57	UTILITY P/S	single taper	3728531	1	44.00
55-57	PASS. P/S	ADAPTER ASSY., w/valve shaft	5682053	1	14.30
55-57	COMM., UTIL. P/S	ADAPTER ASSY. (Bendix 126647)	3733856	1	7.50
55-57	PASS. P/S	BODY ASSY., w/adapter (includes all internal parts)	5681716	1	34.50
55-57	PASS. P/S	CLAMP, control valve to relay rod	5681747	1	(6.234)

6.551 PLUNGER—SHAFT—NUT—PIN, Steering Gear Hydraulic Valve

53	PASS. P/S	(25/64 x 5/8)	5663828	10	1.15
54	PASS. P/S	(9/16 x 3/8)	5665638	16	1.15
55-57	PASS. P/S	SHAFT, valve (4 O.L.)	5682384	1	1.05
55-57	COMM., UTIL. P/S	SHAFT, adapter (3⅝ O.L.) (Bendix 126480)	3733853	1	.50
55-57	PASS. P/S	NUT, valve and adapter lock (¼—28)	5683111	1	.12
55-57	COMM., UTIL. P/S	NUT, valve and adapter lock (5/16—24) (Bendix 126126)	3733840	1	.10
55-57	PASS. P/S	PIN, valve and adapter lock nut (wire dia. .041)	5683112	1	.05

6.552 SPRING—RING—WASHER—BUSHING, Steering Gear Hydraulic Valve

53	PASS. P/S	(5 coils—11/16 free length)	5665555	5	.55
54	PASS. P/S	(5 coils—¾ free length)	5681175	8	.55
55-57	PASS. P/S	(4 coils—⅞ free length)	5682050	1	.15
55-57	PASS. P/S	RING, annulus (25/64 I.D. x 1 O.D.)	5682045	1	.45
55-57	PASS. P/S	WASHER, annulus (13/32 I.D. x 1 O.D. x 5/8 thick)	5682046	1	.05
55-57	PASS. P/S	WASHER, spring thrust (17/32 I.D. x 27/32 O.D.)	5682051	1	.05
55-57	COMM. P/S	BUSHING, control valve (½ I.D.) (Bendix 126359)	3733844	1	.35
55-57	COMM. P/S	BUSHING, control valve (9/16 I.D.) (Bendix 126358)	3733843	1	.35
55-57	UTIL. P/S	BUSHING, control valve (½ I.D.) (Bendix 126467)	3733848	1	.30
55-57	UTIL. P/S	BUSHING, control valve (9/16 I.D.) (Bendix 126466)	3733847	1	.30

6.553 VALVE ASSY., Steering Gear Hydraulic Check

53-54	PASS. P/S		5663874	1	1.35
55-57	COMM., UTIL. P/S	control valve relief (Bendix 126339)	3733841	1	1.40
55-57	COMM., UTIL. P/S	PLUG, relief valve (3/8 I.D. x 9/16 O.D.) (Bendix 126345)	3733842	1	.50

6.554 COVER—PLATE—SPACER—WASHER, Hydraulic Steering Valve

55-57	PASS. P/S	dust (1 1/8 O.D.)	5682059	1	.12
55-57	COMM., UTIL. P/S	PLATE, adapter bushing (Bendix 126118)	3733837	1	.55
55-57	PASS. P/S	SPACER, adapter annulus (1 hole 3/4 I.D.)	5682057	1	.12
55-57	COMM., UTIL. P/S	SPACER, valve and adapter (Bendix 126483)	3733855	1	.20
55-57	PASS. P/S	WASHER, adapter shaft (9/32 I.D. x 19/32 O.D.)	5682379	1	.05

6.555 SEAL, Steering Gear Hydraulic Valve Cover

53-54	PASS. P/S	(1 3/8 O.D.)	5663837	1	.95

6.556 SEAL, Steering Gear Hydraulic Valve

53-54	PASS. P/S	rubber (2 13/16 O.D.)	5665836	2	.40
	Not required in this group. See group 6.584	(2 3/4 I.D.)	5661386	1	.45

6.560 SLEEVE and PARTS, Hydraulic Steering Adapter

55-57	PASS. P/S	bearing (3/4 I.D. x 1 7/32 O.D.)	5681725	1	2.85
55-57	COMM., UTIL. P/S	bearing (Bendix 126477)	3733851	1	2.50
55-57	PASS. P/S	PLUG, adjuster ball (1 11/32 O.D. x 21/32 thk.)	5682385	1	.65
55-57	COMM., UTIL. P/S	PLUG, safety (1 O.L.) (Bendix 126119)	3733838	1	.35
55-57	PASS. P/S	PIN, lock (1/8 O.D. x 1 7/32 O.L.)	5682086	1	.05
55-57	COMM., UTIL. P/S	PIN, stop screw (1 1/4 O.L. x 1/8 O.D.) (Bendix 125676)	3733877	1	.10
55-57	PASS. P/S	SEAT, ball (1 O.D.)	264946	2	(6.874)
55-57	PASS. P/S	SPRING, ball seat (drag link)	5684206	1	.35
55-57	PASS. P/S	STUD, ball (2 25/64 O.L.)	5681722	1	(6.874)
55-57	PASS. P/S	SEAL, control valve ball stud	3710372	1	(6.886)
55-57	COMM., UTIL. P/S	SEAL, control valve ball stud	3725099	1	(6.886)
55-57	PASS. P/S	SHIELD, dust (2 1/8 O.L.)	5681776	1	(6.886)
55-57	COMM., UTIL. P/S	SCREW, stop (1 1/4 O.L. x 1/8 O.D.) (Bendix 125675)	3733984	1	1.70

6.575 BRACKET—BOLT—NUT—PIN, Hydraulic Steering Cylinder

55-57	PASS. P/S	frame (2 holes 29/64, 1 hole 11/16)	3709499	1	.60
55-57	1/2 TON P/S	assy., axle (6 5/16 O.L.)	3726910	1	2.85
55-57	3/4, 1 TON P/S	assy., axle (6 1/4 O.L.)	3726911	1	2.85
55-57	UTILITY P/S	axle (forged 3721366)	3721366	1	2.35
55-57	1/2, 3/4 TON P/S	tie rod (forged 3721155)	3721155	1	2.15
55-57	1 TON P/S	tie rod (forged 3721181)	3721181	1	2.50
55-56	1 1/2 TON P/S (exc. SBC)	tie rod (forged 3722735)	3722735†	1	3.60
55-56	UTILITY P/S	tie rod (forged 3721368)	3721368*	1	2.35
57	Ser. 4A, 4B P/S	tie rod (forged 3726623)	3726623†	1	3.25
57	Ser. 4-6 P/S	tie rod (forged 3726624)	3726624*	1	2.50
55-57	PASS. P/S	BOLT, attach. p/s cyl. frame brkt. (7/16—20 x 1 1/4)	3709918	2	.07
55-57	1/2, 3/4 TON P/S	BOLT, tie rod brkt. "U" (5/16—24 x 1/2)	3721156	2	.15
55-56 57	1, 1 1/2 TON P/S (2nd Ser.) (exc. SBC), 1 TON P/S	BOLT, tie rod brkt. "U" (5/16—24 x 5/8)	3721184†	2	.20
55-57	UTILITY P/S	BOLT, tie rod brkt. "U" (5/16—24 x 9/16)	3721369*	2	.25
55-57	PASS. P/S	NUT, attach. p/s cyl. frame brkt. (7/16—20) (type LL-288M steel)	272586	2	.07
55-57	COMM. P/S	PIN cyl. anchor (2 11/32 O.L.)	3723909	1	.75
55-57	UTILITY P/S	PIN, axle bracket (3 23/32 O.L.)	1433914	A.R.	(7.529)

*NOTE: Used w/hvy. duty frt. axle equipt. on 1 1/2 ton models.

†NOTE: Not used w/hvy. duty ft. axle equipt.

6.576 CYLINDER, Steering Gear Hydraulic

53-54	PASS. P/S		5663958	1	14.40
55-57	PASS. P/S	assy. (26 1/8 O.L.)	5681748	1	20.25
55-57	COMM. P/S	assy. (26 1/8 O.L.)	5683573	1	20.80
55-57	UTILITY P/S	assy. (25 15/16 O.L.)	3721648	1	26.75

6.577 GASKET, Steering Gear Power Cylinder

53-54	PASS. P/S	(4 sq. w/1½ sq. hole)	5663876	1	.10

6.578 PISTON ASSY., Steering Gear Hydraulic Cylinder, with Rings

53-54	PASS. P/S		5664557	1	5.55

6.579 RING, Steering Gear Hydraulic Cylinder Piston

53-54	PASS. P/S	(3 O.D.)	5663824	2	.85

6.580 ROD, Steering Gear Hydraulic Piston

53-54	PASS. P/S	(5 long)	5663845	1	3.95

6.581 WASHER—NUT—GROMMET—SPACER—RETAINER, Steering Gear Hydraulic Power Cylinder Piston Rod

53-54	PASS. P/S	thrust (7/16 I.D. x 1 O.D.)	5663819	2	.15
55-57	PASS., COMM. P/S	cyl. assy. to cyl. frame brkt. (13/32 I.D. x 1⅜ O.D.)	3709454	2	.08
55-56	UTILITY P/S	cyl. to cyl. tie rod brkt. grommet (17/32 I.D. x 1 17/32 O.D.)	5680530	2	.08
53-54	PASS. P/S	NUT, lock (7/16—20)	5680151	1	.20
55-57	PASS., COMM. P/S	GROMMET, cyl. assy. to cyl. frame brkt. (½ I.D. x 13/16 O.D.)	3709452	2	.05
55-57	PASS. P/S	GROMMET, cyl. to strg. relay and tie rod,			
55-57	COMM. P/S	cyl. anchor pin bushing (⅝ I.D. x 13/16 O.D.)	3715994	2	.10
55-56	UTILITY P/S	GROMMET, cyl. to cyl. tie rod brkt. (⅝ I.D. x 1¼ O.D. x ¾ thk.)	3728120	2	.15
57	Ser. 4-6 P/S	GROMMET, cyl. to cyl. tie rod brkt. (11/16 I.D.)	3741205	2	.25
55-57	PASS. P/S	SPACER, cyl. to frame brkt.,			
55-57	COMM. P/S	cyl. to tie rod brkt. grmt. (⅜ I.D. x 1 3/64 O.L.)			
57	UTIL.	rad. grille horizontal bar spacer	3709917	1	.03
55-56	UTIL. P/S	SPACER, cyl. to tie rod brkt. grommet (½ I.D. x 15/16 O.L.)	3728118	1	.10
57	Ser. 4-6 P/S	SPACER, cyl. to tie rod brkt. grommet (½ I.D. x 1 7/16)	3732040	1	.10
57	Ser. 4-6 P/S	RETAINER, cyl. to tie rod brkt. grommet	3731768	2	.20

6.584 ADAPTER ASSY.—SEAL, Steering Gear Hydraulic Cylinder

53-54	PASS. P/S	(1 adapter, 1 rod seal, 3 "O" ring seals)	5664495	1	10.00
53-54	PASS. P/S	SEAL, adapter piston rod (1⅛ O.D.)	5664016	1	.75
53-54	PASS. P/S	SEAL, "O" ring (1⅛ I.D.)	5661523	1	.35
53-54	PASS. P/S	SEAL, "O" ring (2¾ I.D.)	5661386	2	(6.556)

6.585 PLATE, Steering Gear Stop Rack

53-54	PASS. P/S	(2 13/32 I.D. x 1¾ O.D.)	5663822	1	.15

6.586 RACK, Steering Gear

53-54	PASS. P/S		5663849	1	5.50

6.587 PIN, Steering Gear Rack Coupling

53-54	PASS. P/S	(⅜ O.D.)	5663850	1	.30

6.590 GUIDE, Steering Gear Rack

53-54	PASS. P/S	(2⅜ O.L. w/two ⅜ holes)	5663869	1	1.05

6.591 SHIM, Steering Gear Rack Cover

53-54	PASS. P/S	(.003 thick)	5663880	A.R.	.12
53-54	PASS. P/S	(.005 thick)	5663881	A.R.	.12

6.592 COVER, Steering Gear Rack Guide

53-54	PASS. P/S	(6 holes 13/32 dia.)	5663868	1	1.40

6.605 PUMP ASSY., Steering Gear Hydraulic

53	PASS. P/S	(w/out connectors and covers)	5680078	1	64.25
54	PASS. P/S	(w/out connectors and covers)	5680750	1	64.25
55-57	PASS., COMM. P/S		3713081	1	48.60
55	UTILITY P/S	(generator driven)	5683283	1	75.50
56-57	UTILITY P/S		5684487	1	82.10

NOTE: Use Type "A" G.M. fluid for P/S fluid. See group 4.101.

6.606 BRACKET, Steering Gear Hydraulic Pump Mounting

53-54	PASS. P/S		3703609	1	3.25

6.608 BODY—PIN, Steering Gear Hydraulic Pump

53-54	PASS. P/S		5665669	1	12.35
55-57	PASS., COMM. P/S	w/connector	5682336	1	9.60
55-57	UTILITY P/S	w/connector	5683284	1	10.15
53-54	PASS. P/S	PIN (ring dowel) (3/16 O.D. x 1 3/8 long)	5680269	2	.12
55-57	PASS., COMM. P/S	PIN, dowel (5/32 O.D. x 1 1/8 O.L.)	5682350	2	.12
55-57	UTILITY P/S	PIN, dowel (5/32 x 1 11/32)	5683286	1	.15

6.609 COVER—GASKET—KIT, Steering Gear Hydraulic Pump

53-54	PASS. P/S	pump	5665650⊕	1	12.90
55-57	ALL P/S	pump	5682348	1	7.35
53-54	PASS. P/S	GASKET, pump cover (4 holes)	5664575	1	.25
53-54	PASS. P/S	GASKET, pump body (3 holes)	5664569	1	.30
53-54	PASS. P/S	KIT, gasket	5665729*	1	2.00
55-57	ALL P/S	KIT, seal	5682371†	1	1.60
53-54	PASS. P/S	BOLT (3/8—16 x 3 1/4)	189304	2	(8.900)

*NOTE: Consists of gaskets for pump body, pump cover, reservoir cover, and reservoir cover bolt; two pump ring seals; four gasket spacers.

⊕NOTE: Late design eliminates plug, seal and ring. See group 6.612.

†NOTE: Consists of seals for body, pressure plate, reservoir, plug and reservoir sealing washer.

6.610 ROTOR—VANE KIT, Steering Gear Hydraulic Pump

53-54	PASS. P/S	(1 19/32 O.D. w/14 teeth)	5664585	1	7.50
55-57	PASS., COMM. P/S	(1 23/64 O.D. w/11 teeth)	5682362	1	5.90
55-57	UTILITY P/S	(1 23/64 O.D. w/10 teeth)	5683289	1	8.65
53-54	PASS. P/S	VANE KIT (consists of 12 vanes)	5664610	1	6.45
55-57	PASS., COMM. P/S	VANE KIT (consists of 10 vanes—1/2 long)	5682372	1	5.90
55-57	UTILITY P/S	VANE KIT (consists of 10 vanes—3/4 long)	5683292	1	5.95

6.611 RING—SEAL, Steering Gear Hydraulic Pump

53-54	PASS. P/S	(4 arrows cast on)	5681137	1	6.65
55-57	PASS., COMM. P/S	(4 1/8 O.D. x 1/2 thk.)	5682361	1	6.95
55-57	UTILITY P/S	(4 1/8 O.D. x 3/4 thk.)	5683287	1	19.45
53-54	PASS. P/S	SEAL (2 5/8 O.D.)	5664578	2	.40
55-57	ALL P/S	SEAL, body "O" ring (3 I.D.)	5680593	1	.50

6.612 PLATE—SPRING—RING—SEAL—PLUG, Steering Gear Hydraulic Pump

53-54	PASS. P/S	(2 7/16 O.D.)	5665760	1	3.90
55-57	ALL P/S	pressure (1 7/8 O.D. x 9/16 thick)	5682359	1	2.95
55-57	ALL P/S	cover (2 holes 3/8 I.D.)	5682547	1	.12
53-54	PASS. P/S	SPRING, flow control (2 1/2 free length) (10 coils)	5665652	1	.40
55-57	ALL P/S w/3713081	SPRING, flow control (2 9/16 free length—9 coils)	5682367	1	.20
55-57	ALL P/S	SPRING, cover plate	5682548	1	.05
56-57	UTIL. w/5684487	SPRING, flow control (2 9/16 free length)	5685731	1	
53	PASS. P/S (w/early design)	RING, snap (47/64 O.D.)	5665828	1	.08
53	PASS. P/S (w/early design),				
55-57	ALL P/S	SEAL, "O" ring (1/2 I.D.)	5680711	1	.15
55-57	ALL P/S	SEAL, pressure plate (1 7/8 I.D.)	5682364	1	.20
53	PASS. P/S (w/early design)	PLUG, spring retainer (21/32 O.D.)	5665830	1	.35
55-57	ALL P/S	PLUG, plunger retainer (11/16 O.D.)	5682690	1	.15

6.614 KIT, Steering Gear Hydraulic Pump Drive Shaft

53-54	PASS. P/S	shaft (w/seal)	568195i	1	8.60

6.615 BEARING—KIT, Steering Gear Hydraulic Pump Drive Shaft

53-54	PASS. P/S	(outer)	954211	1	4.15
53-54	PASS. P/S	(inner)	903201	1	2.40
53-54	PASS. P/S (w/spring loaded seal)	KIT, repair	5681964*	1	27.50
55-57	PASS., COMM. P/S	KIT, repair (vanes—1/2 long)	5682370†	1	17.80
55-57	UTILITY P/S	KIT, repair (vanes—3/4 long)	5683291†	1	34.00
55-57	ALL P/S	SLEEVE, alignment (7/16 O.L.)	5682627	1	.12

*NOTE: Consists of: 2 bearings, 1 ring, 1 rotor, 1 seal and 12 vanes.

†NOTE: Consists of 1 ring, 1 rotor and 10 vanes.

6.616 RING, Hydraulic Pump Drive Shaft Outer Bearing Retaining

53-54	PASS. P/S	(2 O.D.)	5665651	1	.60

6.617 SEAL, Steering Gear Hydraulic Pump Drive Shaft

53-54	PASS. P/S (w/plain lip seal)	(2 holes 1 5/16 ctr. to ctr.)	5665833	1	1.30
54	PASS. P/S (w/spring loaded seal)	(1 11/16 O.D.)	5681410	1	.90
55-57	ALL P/S (w/spring loaded seal)	(stamped 5682341)	5682341	1	.60

6.624 VALVE ASSY., Steering Gear Hydraulic Pump Control

53-54	PASS. P/S	(includes plunger, guide, ball, spring, screw and shim)	5665656	1	3.40
55-57	ALL P/S w/3713081	(includes plunger, guide, spring, ball, screw and shim)	5682354	1	3.40
56-57	Ser. 4-6 P/S w/5684487	(includes plunger, guide, ball, spring, screw and shim)	5685733	1	

6.630 FILTER—RETAINER—SPRING, Hydraulic Steering Pump

55-57	ALL P/S	oil (3 11/32 I.D.)	5682358	1	.95
55-57	ALL P/S	RETAINER, filter (3 11/32 I.D. x 3 7/8 O.D.)	5682360	1	.08
55-57	ALL P/S	SPRING, filter retainer (3 15/16 O.D.)	5682366	1	.30

6.635 RESERVOIR ASSY. AND PARTS, Steering Gear Hydraulic Pump

53-54	PASS. P/S		5681696*	1	6.20
55-57	PASS., COMM. P/S		5682507	1	2.95
55-57	UTILITY P/S		5683792	1	4.25
53-54	PASS. P/S	COVER	5680157	1	2.20
55	ALL P/S,				
56-57	PASS., COMM. P/S	CAP ASSY., oil filler	5682502	1	.45
56-57	UTIL. P/S	CAP ASSY., oil filler	5684567	1	.50
55	ALL P/S,				
56-57	PASS., COMM. P/S	SCREEN, filler	5682509	1	.50
56-57	UTIL. P/S	SCREEN, filler	5684664	1	.50
53-54	PASS. P/S	GASKET, cover (5 1/8 O.D.)	5664930	1	.35
53-54	PASS. P/S	GASKET, bolt (1 O.D.)	5664570	1	.12
53-54	PASS. P/S	GUIDE (13/32 I.D. x 1 O.D.)	5664577	1	.15
55-57	ALL P/S	SEAL (3 27/32 I.D.)	5682365	1	.50
53	PASS. P/S	BOLT (3/8—16 x 4 3/4 hex. hd.)	450517	1	.30
54	PASS. P/S	BOLT (3/8—16 x 3 3/4 hex. hd.)	186284	1	.15
53-54	PASS. P/S	WASHER, bolt (13/32 I.D. x 1 O.D. x 3/16 thk.)	5664573	1	.12
55-57	ALL P/S	WASHER, bolt sealing (11/32 I.D. x 19/32 O.D.)	5682369	2	.35

*NOTE: Consists of 1 Body, 1 Plate, 2 Gaskets, 1 Bolt and 4 Spacers.

6.655 PULLEY, Steering Gear Hydraulic Pump

53-54	PASS. P/S	(5 1/2 O.D.)	3705495	1	2.50

6.660 BELT, Steering Gear Hydraulic Pump Drive

53-54	PASS. P/S	(molded 3703633)	3703633	1	2.30

6.670 HOSE, Steering Gear Pressure

53	PASS. P/S	(21 1/2 O.L.) (w/grommet)	5680087	1	8.35
54	PASS. P/S	(18 7/16 O.L.) (w/grommet)	5680946	1	7.85
55-57	PASS. 6 cyl. P/S	pump to valve (48 long)	3710615	1	9.95
55-57	PASS. 8 cyl. P/S	pump to valve (39 3/4 long)	3722697	1	9.25
55	COMM. 6 cyl. P/S	pump to valve (31 O.L.)	3722008	1	6.45

55	COMM. 8 cyl. P/S,				
55-56	UTILITY P/S,				
56	COMM. P/S	pump to valve (36 5/8 O.L.)	3722425	1	7.50
57	Ser. 3-4-6 P/S	pump to valve (37 O.L.)	3741367	1	7.50
55-57	PASS. P/S	control valve to cyl. (13 1/16 long)	3710596	1	4.25
55-57	COMM. P/S	control valve to cyl.	3722007	1	9.55
55	UTILITY P/S	control valve to cyl.	3721556	1	8.65
56-57	UTILITY P/S	control valve to cyl.	3735309	2	8.00

6.671 HOSE, Steering Gear Return

53	PASS. P/S	(19 1/2 O.L.)	5680085	1	7.20
54	PASS. P/S	(16 5/16 O.L.)	5680942	1	6.05
55-57	PASS. 6 cyl. P/S	valve to pump (48 long)	3710614	1	7.40
55-57	PASS. 8 cyl. P/S	valve to pump (40 7/8 long)	3716728	1	6.95
55	COMM. 6 cyl. P/S	valve to pump (31 O.L.)	3722009	1	6.45
55	COMM. 8 cyl. P/S,				
55-56	UTILITY P/S,				
56	COMM. P/S	valve to pump (36 5/8 O.L.)	3722426	1	7.50
57	Ser. 3-4-6 P/S	valve to pump (34 1/4 O.L.)	3741368	1	7.50
55-57	PASS. P/S	cyl. to control valve (13 1/16 long)	3710596	1	(6.670)
55-57	COMM. P/S	cyl. to control valve	3722007	1	(6.670)
55	UTILITY P/S	cyl. to control valve	3721556	1	(6.670)
56-57	UTILITY P/S	cyl. to control valve	3735309	1	(6.670)

6.672 SHIELD ASSY.—CLAMP—GROMMET—BAND—CLIP, Hydraulic Steering Pump Hose

55	PASS. 8 cyl. P/S,				
56	PASS. 8 cyl. P/S (exc. 4BC)	control valve to cyl. hose heat	3715004	1	.45
55-57	PASS. P/S	control valve to cyl. hose heat,			
55-57	PASS. P/S	pump to control valve hose heat	3715008	1	.45
57	PASS. 8 cyl. P/S (exc. 4BC)	control valve to cyl. hose heat	3743218	1	.50
55-57	PASS. P/S	CLAMP, control valve hose grommet (2—9/32			
55-57	COMM., UTIL. 8 cyl. P/S	holes)	3710618	1	.15
55-57	PASS. 6 cyl. P/S	GROMMET, control valve hose (2 11/16 x 1 19/32			
55-57	COMM., UTIL. P/S	x 3/4)	3710617	1	.25
55-57	COMM. P/S	GROMMET, valve to cyl. hose (1 7/8 long w/2—			
		3/8 holes)	3722012	1	.35
55-56	1 1/2 TON P/S (exc. SBC, hvy. duty frt.	GROMMET, valve to cyl. hose (1 13/16 x 1 7/16			
	axle)	x 1 1/4)	3722467	1	.55
55-57	UTILITY P/S	GROMMET, valve to cyl. (1 3/4 x 1 15/16 x 1 1/2)	3721557*	1	.50
55-57	COMM., UTIL. P/S	GROMMET pump to cont. valve outer and inlet			
		hose (3/4 I.D. x 1 3/8 O.D.)	3722970	1	.08
55-57	PASS. 8 cyl. P/S	GROMMET, pump to valve hose (rubber)	3722698	1	.35
57	PASS. P/S	GROMMET, control valve upper	3732038	1	.10
55-57	COMM. P/S	BAND (Butyl rubber—1 wide)	3725676	1	.15
55-57	COMM., UTIL. P/S	CLIP, control valve to cyl. hose (1 15/16 long)	3721558	2	.05
57	Ser. 3-4-6 P/S	CLIP, inlet and outlet (11/16 I.D.)	3741284	A.R.	.40

*NOTE: Used w/hvy. duty frt. axle equipt. on 1 1/2 TON models.

6.673 UNION—CONNECTOR SEAT, Steering Gear Hydraulic Valve Hose

53-54	PASS. P/S	pressure hose, pump end—return hose,			
		valve end (5/8—18 both ends)	5664020	2	.55
53	PASS. P/S	pressure hose, valve end (7/16—20 and 9/16—			
		18 thds.)	5665614	1	.55
53-54	PASS. P/S	return hose, pump end (3/4—16 thd. both			
		ends)	5665572	1	.55
55-57	ALL P/S	CONNECTOR SEAT, pump body inverted			
		flared (7/32 I.D. x 1 3/32 O.D.)	5682339	1	.15
55-57	ALL P/S	CONNECTOR SEAT, pump body inverted			
		flared (1/4 I.D. x 17/32 O.D.)	5682044	1	.15

6.674 SEAL, Steering Gear Hydraulic Valve Hose and Fitting "O" Ring

53-54	PASS. P/S	pressure hose, pump end—return hose,			
		valve end (9/16 I.D.)	5664015	2	.20
53	PASS. P/S	pressure hose, valve end (15/32 I.D.)	5664142	1	.20
53-54	PASS. P/S	(used at return port and elbows) (5/8 I.D.)	5665574	A.R.	.30

6.677 PIPE, Steering Gear

53	PASS. P/S	pressure (valve to hd. end of cyl.—3/8 O.D.)	5680024	1	.90
53	PASS. P/S	pressure (valve to rod end of cyl.—3/8 O.D.)	5680023	1	.80
53	PASS. P/S	bleed line (3/16 O.D.)	5663872	1	.65
54	PASS. P/S	pressure (valve to hd. end of cyl.—3/8 O.D. x 8 O.L.)	5680937	1	1.05
54	PASS. P/S	pressure (valve to rod end of cyl.—3/8 O.D. x 9 5/8 O.L.)	5680899	1	.90
54	PASS. P/S	bleed line (3/16 O.D. x 3 O.L.)	5680912	1	.55

6.679 BOLT—ELBOW, Steering Gear Hydraulic Valve Pipe to Cylinder

53-54	PASS. P/S	(9/16—18 thds.—1/4 hole) (hyd. valve to cyl.)	5664907	4	.75
54	PASS. P/S	(9/16—18 x 1 11/32) (universal fitting) (valve pressure end)	5681024	1	.75
55-57	PASS. P/S	cyl. relay rod clevis (7/16—20 x 2 9/64)	3716556	1	.25
53-54	PASS. P/S	ELBOW (universal 90°) (hyd. valve to cyl.)	5664906	4	.95
54	PASS. P/S	ELBOW (universal 90°) (valve pressure end)	5681023	1	.95

6.758 GROMMET—SEAL—COVER and PARTS, Steering Column

46	COMM., UTILITY (exc. COE)	cowl, rubber (1 1/2 I.D. x 2 O.D.)	3681057	1	(9.775)
47-53 54-55 54-57	COMM., UTILITY, FFC (1st Ser.), D-D	cowl, rubber (3/16 x 1 x 5 3/4)	3685524*	A.R.	.15
47 48-55	COMM., UTILITY (exc. COE), 1 TON, UTILITY (1st Ser.) (exc. COE)	strg. gear, rubber (36° bend—1 11/16 I.D. x 4 5/16 O.D.)	3685928	1	.60
48-55 47-55	1/2, 3/4 TON (4-SPD.) (1st Ser.) (exc. D-D). COE	strg. gear rubber (no bend—1 11/16 I.D. x 4 5/16 O.D.)	3686354	1	.40
48-55 54-55	1/2, 3/4 TON (1st Ser.), 1 TON (3-SPD.) (hvy. duty) (1st Ser.)	strg. gear, rubber (36° bend—4 holes)	3687205	1	.60
53-57	CORV	strg. gear, rubber	3706504	1	.60
53-57	CORV	cowl, upper and lwr. (rubber—1 1/4 wide x 3 O.L.)	3700190	A.R.	.10
54-55	COMM., UTILITY (1st Ser.)	strg. gear, rubber (black)	3713192	1	.60
55-57	COMM. (2nd Ser.) (exc. 4-SPD.)	strg. gear, rubber (black)	3713820	1	.60
55-57	COMM. (4-SPD.) (2nd Ser.)	strg. gear, rubber	3713194	1	.60
55-56	UTILITY (2nd Ser.) (exc. H.T.)	strg. gear cowl	3716500	1	.15
55-57	COMM., UTILITY (exc. D-D) (2nd Ser.)	strg. gear, rubber (charcoal gray)	3725124	1	.95
56	1 1/2 TON w/H.T.	strg. gear (rubber 9 3/8 O.L.)	3734818	1	.65
57	Ser. 4-6 (exc. D-D)	SEAL, toe pan	3687204	1	.30
47-55	COMM., UTILITY (1st Ser.)	SEAL, toe pan (sponge rubber)	3691549	1	.25
49-54	PASS.	SEAL toe pan (sponge rubber)	3706513	1	.45
53-57	CORV	SEAL, jacket cover (1 5/8 I.D. x 2 17/32 O.D. x 5/16 thk.)	3717668	1	.15
55-57	PASS.	SEAL, jacket dash (sponge rubber)	3713849	1	.45
55-56	PASS. (exc. P.G.)	SEAL, jacket dash (sponge rubber) (5 17/32 x 6 19/32)	3713846	1	.45
55-57	PASS. w/P.G.	SEAL, jacket (felt) (3/4 I.D. x 1 1/2 O.D.)	3715246	A.R.	.15
55-57	PASS.	SEAL, jacket (felt) (3/4 I.D. x 1 5/16 O.D.)	3721433	1	.15
55-57	PASS.	SEAL, toe panel (rubber) (5 holes)	3713184	1	.40
55-57	COMM. (2nd Ser.) (exc. 4-SPD.)	SEAL, toe panel (rubber) (4 3/4 ctr. to ctr. holes in line)	3713821	1	.35
55-56	COMM. (4-SPD.) (2nd Ser.)	SEAL, toe panel (rubber) (1 15/16 ctr. to ctr. holes in line)	3713190	1	.30
56	UTILITY (2nd Ser.) (exc. H.T.)	SEAL, toe panel (sponge rubber)	3725125	1	.40
57	1 1/2 TON w/H.T.	SEAL, jacket and clutch pedal push rod	3738327	1	.50
57	PASS. (exc. A.T.)	SEAL, toe panel (3—3/8 holes—9 O.L.)	3734955	1	.35
49-54	Ser. 4-6 (exc. D-D)	COVER, strg. gear toe pan seal, rubber (2 holes 21/32 I.D., 1 11/16 I.D.)	3691548	1	.65
55-56	PASS. (exc. P.B.)	COVER, strg. gear dash hole	3716769	1	.50
55-56	CORV. 8 cyl	COVER, strg. gear and cl. pedal push rod dash seal (2 holes—2 1/8 I.D.; 7/8 I.D.)	3723411	1	.60
55-56	PASS. (exc. P.G., P.B., C.A.C.)	COVER, push rod dash seal (rect. slot)	3723413	1	.60
55-56	PASS. w/P.B. (exc. P.G.)	COVER, jacket dash seal (6 holes—w/slot)	3723514	1	.60
55-56	PASS. w/P.G., w/P.B.	COVER, jacket dash seal (6 holes—w/slot)	3724135	1	.60
55-56	PASS. w/P.G. (exc. P.B.)	COVER, jacket and clutch pedal push rod dash seal	3733227	1	.65
57	PASS. (exc. A.T.)	COVER, jacket dash seal	3733233	1	.65
57	PASS. w/A.T. (exc. P.B.)	COVER, jacket dash seal	3733235	1	.65
57	PASS. w/A.T., w/P.B.				

55-57	PASS.	SPRING, seal (8 coils—1¼ O.D.)	3721434	1	.05
55-57	PASS.	SEAT, seal spring (1⅛ I.D. x 1½ O.D.)	3721435	1	.05
55-57	PASS.	WASHER, seal spring (15/16 I.D. x 1 5/16 O.D.)	3721436	1	.05
55-57	PASS. (exc. P.G.)	RETAINER, clutch pedal push rod dash seal (3 x 3⅛)	3713869	1	.10
55-57	PASS. (exc. P.G.)	PLATE, push rod dash seal retainer (3⅛ x 2 13/16)	3714329	1	.10
55-57	PASS.	SHIM, strg. gear jacket upr. clamp (1 15/16 I.D. x 2 9/32 O.D. x 1⅛ thk.)	3720602	1	.05

*NOTE: Cut 2⅞ for use on models 1949-53.

6.760 CLAMP and PARTS, Steering Column

33-39	ALL (exc. COE),				
40-46	COMM., UTILITY (exc. COE)	cowl "U" bolt, lower	371623	1	.08
41-46	COMM., UTILITY (exc. COE)	cowl, upper	3657033	2	.35
55-57	PASS.	jacket, lower (3 5/16 x 4 13/32)	3726437	1	.70
55-57	PASS.	jacket, upper (4 7/16 x 1⅛)	3713578	1	.60
47-53	COMM., UTILITY (exc. COE),				
54-55	FFC (1st Ser.),				
54-57	D-D	BRACKET UNIT, cowl w/cap (malleable iron)	3847626	1	1.45
47-53	COE	BRACKET UNIT, cowl w/cap (malleable iron)	3847625	1	1.60
49-50	PASS.	BRACKET, cowl	3689217	1	.86
53-57	CORV.	BRACKET, cowl upper	3706932	1	.35
53-57	CORV.	BRACKET, cowl lower	3706931	1	.30
54-55	COMM., UTILITY (1st Ser.)	BRACKET, cowl upper, steel (2 holes 5/16)	3700185	1	.25
54-55	COMM., UTILITY (1st Ser.)	BRACKET, cowl lower, steel (2 holes ⅜)	3700069	1	.25
55-57	PASS.	BRACKET, jacket (4 7/16 x 1⅛)	3710950	1	.25
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	BRACKET, cowl lower (4 5/64 O.L.)	3716498	1	.30
56	1½ TON w/H.T.	BRACKET, cowl upper	3729081	1	.85
55-57	COMM. (2nd Ser.) (exc. D-D)	BRACKET, cowl upper	3726288	1	.75
57	PASS.	BRACKET, lower cover	3735711	1	.25
57	PASS.	BRACKET, jacket (4 7/16 O.L.)	3741201	1	.30
57	Ser. 4-6 (exc. H.T.)	BRACKET, cowl upper	3735069	1	.85
57	Ser. 4 w/H.T.	BRACKET, cowl upper	3735070	1	.85
54-55	COE	SUPPORT, cowl brkt. (malleable iron) (2 bosses 1¼ dia.)	3703447	1	2.65
49-50	PASS.	CAP, cowl bracket	3689252	1	.47
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	STRAP, less nut, cowl lower brkt.	3716499	1	.15
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	SLEEVE, cowl upr. brkt. insulator (21/64 I.D. x ⅜ O.D.)	3716718	2	.08
55-57	PASS.	PLATE, jacket lower clamp (2 holes—21/64)	3710662	1	.20
57	PASS.	GROMMET, support (½ I.D. x 1¼ O.D.)	3739662	1	.15
57	PASS.	SPACER, support (11/32 I.D. x 25/32 lg.)	3739663	1	.10
57	PASS.	WASHER, support (11/32 I.D. x 1¼ O.D.)	3739664	1	.05
57	PASS.	NUT, anchor (¼—20 w/2 holes)	3741202	1	.10

6.765 "U" BOLT, Steering Column

40-48	PASS.	(4 3/16 depth)	3664750	1	.27
41-46	COMM., UTILITY (exc. COE)	(3 11/16 depth)	3657031	1	.27
51-54	PASS. (exc. P.B.)	(2⅝ depth)	3695644	1	.27
54	PASS. w/P.B.	(⅝—18 thds. x 2 3/16 width)	3710958*	1	.27

*NOTE: Also used to attach instrument panel to dash inner and outer braces.

6.785 HOUSING, Pitman Shaft

39-48	PASS. (exc. IB, KB)	(forged 264813) (with seal)	264814	1	6.10

6.786 BUSHING—BEARING, Pitman Shaft

35-52	PASS. (exc. EC, ED, FC, FD),				
37-46	COMM., UTILITY, GB (exc. COE),				
47-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC),				
53-54	PASS. P/S,				
55-57	PASS.,				
55-57	COMM. (2nd Ser.) (exc. D-D)	(1⅛ I.D. x 1⅜)	266316	A.R.	1.05

39-41	COE,				
55-56	UTIL. (2nd Ser.),				
57	Ser. 4-6 (exc. D-D, SBC)	(1¼ I.D. x 1½)	266036	A.R.	1.05
42-46	COE	(1¼ I.D. x 1)	267082	2	1.05
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)	(1¼ I.D. x 1⅜ O.D. x 1⅛ wide) (bronze)	270252	1	1.05
53-54	PASS. (exc. P/S),				
53-57	CORV	BEARING, housing (1⅛ I.D. x 1⅜ O.D. x 1 long)	148418	1	.85
53-54	PASS. (exc. P/S)	BEARING, side cover (1⅛ I.D. x 1⅜ O.D.			
53-57	CORV	x ¾ long)	451974	1	1.00

6.788 BOLT, Pitman Shaft Housing Adjusting

31-36	ALL,				
37-48	PASS. (exc. GB)	(⅜—24 x 1½)	259255	1	.15

6.797 BRACKET—SHIELD—CAP—SUPPORT—PLATE—REINFORCEMENT—SHIM—SPACER, Steering Gear Mounting

37-46	KF, AN, BN, DS, UTIL. (exc. COE)	(cast 594458)	594458	1	.91
41-46	COE	(cast 3663861) (used w/269910)	3663861	1	4.05
48-55	D-D (1st Ser.)	(cast 3687517)	3687517	1	5.35
53	PASS. P/S		3704296	1	6.25
49-52	PASS.	SHIELD, housing	3700401	1	1.20
37-46	COMM., UTILITY (exc. COE)	CAP, brkt. (cast 594460)	594460	1	.42
48-55	D-D (1st Ser.)	SUPPORT, bracket	3687518	1	3.25
39-54	PASS. (exc. JB, KB)	PLATE, mounting	350402	1	.18
48-55	D-D (1st Ser.)	REINFORCEMENT, support	3702183	1	1.25
55-57	PASS.	SHIM, mounting (1¾ O.L. x 1 wide—1 hole			
		25/64 I.D.)	3720824	A.R.	.05
55-57	CORV. 8 cyl.	SPACER, frame	3711388	1	1.75

6.803 HOUSING, Steering Gear

40-48	PASS. (exc. KB)		265761	1	8.25
42-46	COMM., UTILITY (exc. COE)	(with bushings) (cast 266733)	267882	1	8.25
47-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC)	(w/bushing)	270279	1	10.30
47-53	SBC, 2 TON (exc. COE)	(w/bushing and mast jacket)	270249	1	14.60
47-53	COE	(w/bushing and mast jacket)	270780	1	14.60
48-53	D-D	(w/bushing and mast jacket)	5660835	1	13.25
49-50	PASS. (1st Design)	(w/bushing and mast jacket)	5661895	1	10.85
50-52	PASS. (2nd Design)	(w/bushing and satin gray mast jacket) (raised "X" cast)	5664337	1	10.85
53-54	PASS. (exc. P/S)	(w/bearing and mast jacket) (india ivory)	5665925	1	11.10
53	PASS. P/S	(w/bearing and seal)	5680207	1	21.35
53-57	CORV	red	5666152	1	18.75
54	PASS. P/S	(w/bearing and seal)	5680723	1	21.35
54-55	D-D (1st Ser.)	(w/bushing and mast jacket)	5665317	1	13.25
54-55	SBC, 2 TON (1st Ser.) (exc. COE)	(w/bushing and mast jacket)	5665262	1	14.60
54-55	COE	(w/bushing and mast jacket)	5665268	1	14.60
55-56	PASS.	(w/bushing)	5666686	1	14.30
55	COMM. (2nd Ser.) (exc. D-D)	(w/bushing and mast jacket)	5667978†	1	17.00
55	D-D (2nd Ser.)	(w/bushing and mast jacket)	5668534	1	31.05
55	UTILITY (2nd Ser.) (exc. SBC)	(w/bushing and mast jacket)	5667686	1	19.15
55-56	SBC (2nd Ser.)	(w/bushing and mast jacket)	5670571	1	23.80
56	COMM. (exc. D-D)	(w/bushing and mast jacket)	5670541	1	18.60
56	D-D	(w/bushing and mast jacket)	5670557	1	39.00
56	UTILITY (exc. SBC)	(w/bushing and mast jacket)	5670147	1	23.80
57	PASS.	(w/bushing and mast jacket)	5671169	1	15.10
57	Ser. 3 (exc. D-D)	(w/bushing and mast jacket)	5671030	1	19.45
57	D-D (exc. Ser. 6)	(w/bushing and mast jacket)	5671262	1	39.95
57	Ser. 4-6 (exc. SBC, D-D)	(w/bushing and mast jacket)	5671015	1	23.75
57	Ser. 6J, 6K	(w/bushing and mast jacket)	5671759	1	39.10
57	SBC	(w/bushing and mast jacket)	5671021	1	23.75

NOTE: Steering Gear Housings for 1942-46 COE are not serviced. See Group No. 6.508.

†NOTE: On 1955 8 cyl. models it will be necessary to lengthen the lower transmission control slot using the removed housing as a pattern. Also paint to spec.

6.805 GASKET, Steering Gear Housing

34-48	PASS. (exc. GB)	pitman shaft housing (2½ I.D. x 5/64 cork)	261883	1	.10

47-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC)	(top cover, paper) (2 29/32 I.D. x 3½ O.D.)	270317	1	.06

6.806 BEARING—SEAL—VENT, Steering Gear

53-54	PASS. P/S	worm upper	453896	1	1.75
53-54	PASS. P/S	SEAL, worm (1 5/32 I.D. x 1¾ O.D. x ⅜ thk.)	5663834	1	1.10
55-57	PASS	SEAL, shaft dust (¾ I.D. x 1 5/16 O.D.)	5668293	1	.45
53-54	PASS. P/S	VENT (9/16 O.D. x 41/64 O.L. w/⅛ pipe thd.)	3720502	1	(5.387)
54	PASS. P/S	VENT, w/filler plug (1⅛ O.L.—½ taper thd.)	5681084	1	.45

6.807 COVER ASSEMBLY, Steering Gear Housing (also see group 6.518)

41	COE,				
42-46	COMM., UTILITY,				
48-55	D-D (1st Ser.),				
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	side cover	267387	1	2.40
47-55	COMM., UTIL. (1st Ser.) (exc. D-D),				
55-57	D-D (2nd Ser.)	side cover w/bushing (cast 270248)	270247	1	2.40
49-52	PASS	side cover	5661335	1	2.40
53-54	PASS. (exc. P/S),				
53-57	CORV	side cover	5665667	1	2.70
53-54	PASS. P/S	side cover	5663821	1	2.50
55-57	PASS	(w/bushing, housing side)	5666722	1	2.40

6.809 GASKET, Steering Gear Housing Side Cover

37-40	ALL (exc. GA, HA, HB, JA, JB, KA, KB, KH)		263591	1	.07
41-46	COMM., UTILITY,				
48-55	D-D (1st Ser.),				
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	(.020)	269298	1	.07
47-55	COMM., UTIL. (1st Ser.) (exc. D-D),				
55-57	D-D (2nd Ser.)		270537	1	.10
49-54	PASS. (exc. P/S),				
53-57	CORV	(2 15/32 I.D.)	5660222	1	.10
53-54	PASS. P/S	(one 3 17/64 hole, four 13/32 holes)	5663817	1	.10
55-57	PASS	(3 holes 13/32 I.D.)	5666734	1	.10

6.822 ADJUSTER—SCREW, Pitman Shaft

41-54	COMM., UTILITY,				
49-54	PASS. (exc. P/S),				
53-57	CORV.,				
55-57	ALL	lash	266678	1	.45
34-36	DA, EA, FA,				
37-40	ALL (exc. HB, JB, KB),				
41-48	PASS	SCREW, adjuster (11/16—18 x ⅞)	262566	1	.30

6.823 NUT, Pitman Shaft Adjusting Screw

34-40	ALL (exc. DB, DC, P, EB, EC, Q, FB, FC, R),				
41-48	PASS	(11/16—18)	262567	1	.08

6.824 COVER, Steering Gear Housing End

41	COMM., UTILITY,				
42-46	COMM., UTILITY (exc. COE),				
48-55	D-D (1st Ser.),				
55-57	COMM. (2nd Ser.) (exc. D-D)	(1⅞—16 thread) (forged 267690)	267690*	1	1.45
42-46	COE,				
55-57	UTIL. (2nd Ser.) (exc. D-D)	(2¼—16 thread) (forged 267097)	267097	1	1.65
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)	(2⅛—16 thread)	270269	1	1.45
53-54	PASS. P/S	w/bearing	5663830	1	2.95

*NOTE: When using 267690 on 1941 models, use correct Adjuster as shown in Group 6.830.

6.825 GASKET, Steering Gear End Cover

37	ALL (exc. GA),				
38-40	COMM., UTILITY		263590	1	.07
41	COMM., UTILITY,				
42-46	COMM., UTIL. (exc. COE),				
48-55	D-D (1st Ser.),				
53-54	PASS. P/S,				
55-57	COMM. (2nd Ser.) (exc. D-D)		266052	1	.10

42-46	COE,				
55-57	UTIL. (2nd Ser.) (exc. D-D)		269297	1	.10
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)		270270	1	.10

6.826 BEARING, Steering Gear Worm Lower

53-54	PASS. P/S	(¾ x 1½ O.D.)	453897	1	1.75

6.828 SHIM UNIT, Steering Gear Lash Adjuster

41-57	COMM., UTILITY,				
49-57	PASS., CORV.	contains (1) each .063, .065, .067, .069.	605142	1	.45

6.830 ADJUSTER—NUT, Steering Worm Bearing

41-48	PASS.	assy.	267190	1	1.90
41	COMM., UTILITY,				
42-46	COMM., UTIL. (exc. COE),				
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC),				
55-57	COMM. (2nd Ser.) (exc. D-D)	(1⅞—16 thread)	267689*	1	1.55
42-46	COE,				
55-57	UTILITY (2nd Ser.) (exc. D-D)	(2¼—16 thread)	267099	1	1.30
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)	(2⅛—16 x 1 1/16)	270268	1	1.35
49-54	PASS. (exc. P/S),				
53-57	CORV.	assy.	5660207	1	2.45
55-57	PASS.	assy.	5666681	1	2.95
37-40	ALL (exc. GA, HA, JA, KA, KB, KH)	NUT, worm thrust screw	263300	1	.12
41	COMM., UTILITY,				
42-46	COMM., UTIL. (exc. COE),				
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC),				
55-57	COMM. (2nd Ser.) (exc. D-D)	NUT	266677	1	.40
42-46	COE,				
49-54	PASS. (exc. P/S),				
53-57	CORV.,				
55-57	UTILITY (2nd Ser.) (exc. D-D)	NUT	267100	1	.40
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)	NUT, adjuster lock (2⅛—16 x 2⅝ hex.)	270274	1	.40
55-57	PASS.	NUT, adjuster lock (2¾—16 thread)	5666699	1	.45

*NOTE: When using 267689 on 1941 models, use correct Cover as shown in Group 6.824.

6.841 NUT, Steering Gear Ball

42-46	COMM., UTIL. (exc. COE)		267501	1	5.30
42-46	COE,				
55-57	UTIL. (2nd Ser.) (exc. D-D)	(1⅜ dia.)	267610	1	6.45
47-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC),				
53-54	PASS. P/S,				
55-57	COMM. (2nd Ser.) (exc. D-D)	(2½ O.L.)	5666036	1	5.30
55-57	PASS.	(2½ O.L.) (R.H. thread)	5666690	1	5.35
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)		270263	1	5.30
48-55	D-D (1st Ser.)	(4 holes 13/32 dia.—2½ O.L.)	5666035	1	5.30

6.842 GUIDE, Steering Gear Ball Return

42-46	COMM., UTIL. (exc. COE)		267502	4	.20
42-46	COE,				
55-57	UTILITY (2nd Ser.) (exc. D-D)		266497	4	.20
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC),				
53-54	PASS. P/S,				
55-57	COMM. (2nd Ser.) (exc. D-D)		267542	4	.20
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)		270264	4	.20
55-57	PASS.	(R.H. thread)	5666691	4	.15

6.843 CLAMP, Steering Gear Ball Return Guide

41-46	COMM., UTIL. (exc. COE)	(1 bolt hole)	5661082	1	.18

41	COE,				
47-55	COMM., 1½ TON (1st Ser.) (exc. SBC),				
53-54	PASS. P/S,				
55-57	COMM. (2nd Ser.) (exc. D-D)	(⅝ wide)	5663333	1	.20
42-46	COE,				
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D, UTILITY (2nd Ser.)	(L.H. thread)	270265	1	.20
55-57	PASS.	(9/32 dia. punch)	5666692	1	.12

6.844 BALL, Steering Gear

42-57	COMM., UTILITY,				
53-54	PASS. P/S,				
55-57	PASS.	(9/32 dia.)	266800	A.R.	.05

6.850 SHAFT UNIT, Steering Gear Pitman

37	GA		609938*	1	10.20
37-40	COMM., UTIL. (exc. COE)		609936*	1	8.65
38	HA		609939*	1	10.10
38-39	HB, JB		609940*	1	10.00
39-48	PASS. (exc. JB, KB)		609941*	1	12.25
40	KB		609935*	1	10.00
41-46	COMM., UTIL. (exc. COE)		609937*	1	10.00
47-55	COMM., 1½ TON (1st Ser.) (exc. D-D, SBC)		3847342*	1	10.00
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D (2nd Ser.)		3847343*	1	10.00
48-55	D-D (1st Ser.)		3690100*	1	8.90
49-50	PASS. (1st Design)	roller stamped 262605 (1.770 O.D.)	3690519*	1	12.25
50-52	PASS. (2nd Design)	roller stamped 263281 (1.750 O.D.)	3695603*	1	12.25
53-54	PASS. (exc. P/S)		3703611*	1	12.25
53-54	PASS. P/S		5680374*	1	12.25
53-57	CORV		3707787	1	12.25
55-57	PASS.	w/gear	5666698	1	10.00
55-57	COMM. (2nd Ser.) (exc. D-D)		3719624*	1	10.00
55-57	UTILITY (2nd Ser.) (exc. D-D)		3719625*	1	10.00

*NOTE: These units include Steering Gear Pitman Shaft with necessary bushings, gaskets, packings, and packing retainers to make an installation.

SHAFT, Steering Gear Pitman

41	COE	w/sector	266866	1	9.60

6.855 PACKING—SEAL, Pitman Shaft

35-46	ALL (exc. EB, EC, ED, Q, FB, FC, FD, R, JA, KA, AG, AH, BG, BH, DJ, DK, COE)				
47-55	COMM., 1½ TON (exc. SBC) (1st Ser.),				
49-52	PASS.,				
53-54	PASS. P/S,				
55-57	PASS.,				
55-57	COMM. (2nd Ser.) (exc. D-D)	strg. shaft (1 3/32 I.D. x 1 25/64 O.D.)	270289	1	.25
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D, UTILITY (2nd Ser.)	strg. shaft (1 1/32 I.D. x 1 41/64 O.D. x 13/16)	269299	1	.25
39-48	PASS. (exc. JB, KB),				
53-54	PASS. (exc. P/S),				
53-57	CORV	SEAL, pitman shaft grease	263463	1	.90

6.856 RETAINER, Pitman Shaft Packing

35-40	PASS. (exc. EC, ED, FC, FD, JA, KA),				
37-42	COMM., UTIL. (exc. COE),				
47-55	COMM., 1½ TON (exc. SBC) (1st Ser.),				
49-52	PASS.,				
53-54	PASS. P/S,				
55-57	PASS.,				
55-57	COMM. (2nd Ser.) (exc. D-D)	(1 1/16 O.D. x ¼)	262156	1	.12
47-55	SBC, 2 TON (1st Ser.),				
55-57	D-D, UTILITY (2nd Ser.)	(1 23/32 O.D. x 1 13/32)	259808	1	.12

6.859 ARM, Pitman

36	FC	forged 475840	475839	1	3.60
37-42	UTILITY (exc. COE),				
46	1 TON, UTIL. (exc. COE)	forged 594654	594653	1	4.15
37-46	COMM. (exc. DR, DS)	forged 595251	595271	1	4.15
37	GB	(w/strg. conn. rod) forged 603402	603481*	1	9.35
38	HB	(w/strg. conn. rod) forged 3650405	603483*	1	9.35
41-46	COE	forged 265414	266885	1	3.35
47-50	QL, QV, QW, QX, RL, RV, RW, RX, SL, SV, SW, SX, TL, TV, TW, TX, TY	forged 3683253	3683279	1	4.40
47-50	COMM., 1½ TON (exc. D-D, SBC),				
51-52	COMM. (exc. D-D)	forged 3683299	3683297	1	4.40
47-50	COE	forged 3684947	3684945	1	5.40
48-52	D-D	forged 3687491	3687489	1	3.70
49-54	PASS. (exc. P/S)	forged 3691185	3691183	1	4.15
51-55	1½ TON (1st Ser.) (exc. SBC),				
53-55	COMM. (1st Ser.) (exc. D-D)	forged 3694905	3694905	1	3.65
51-55	SBC, 2 TON (1st Ser.) (exc. COE)	forged 3694893	3694893	1	4.40
51-55	COE	forged 3694919	3694919	1	5.15
53-54	PASS. P/S	forged 3704297	3704295	1	4.15
53-55	CORV. 6 cyl.	forged 3706066	3706066	1	5.45
53-55	D-D (1st Ser.)	forged 3699698	3699698	1	4.40
55-57	PASS. (exc. P/S)	forged 3719487	3719485	1	4.15
55-57	PASS. P/S	forged 3709453	3709453	1	4.40
55-57	CORV. 8 cyl.	daub of yellow or black paint	3733446	1	5.45
55-57	COMM. (2nd Ser.) (exc. D-D)	single taper (forged 3728393)	3728393	1	4.40
55-57	D-D (2nd Ser.)	single taper (forged 3728439)	3728439	1	4.90
55-57	1½ TON (hvy. duty) (2nd Ser.),				
55-57	SBC, 2 TON (2nd Ser.) (exc. D-D)	single taper (forged 3728413)	3728413	1	4.40
55-57	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	single taper (forged 3728405)	3728405	1	4.40
57	Ser. 6J, 6K	forged 3739913	3739913	1	4.90
55	½ TON (2nd Ser.)	KIT, steering linkage	3732311†	1	(6.870)
55	¾, 1 TON (2nd Ser.) (exc. D-D)	KIT, steering linkage	3732307†	1	(6.870)
55	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	KIT, steering linkage	3732309†	1	(6.870)
55	1½ TON (hvy. duty) (2nd Ser.),				
55	2 TON, SBC (2nd Ser.)	KIT, steering linkage	3732305†	1	(6.870)
55	D-D (2nd Ser.)	KIT, steering linkage	3732301†	1	(6.870)

*NOTE: Consists of 1 each strg. conn. rod, pitman arm, rod seal cover, and 2 rod seals.

†NOTE: Required for early 1955 2nd Ser. models having double taper assembly detail.

6.861 NUT—LOCKWASHER—STOP, Pitman Arm

35-54	ALL (exc. EC, P/S),				
53-57	CORV.,				
55	COMM., UTILITY (1st Ser.),				
55-57	D-D (2nd Ser.)	(¾—16 x ⅜ thick—1¼ hex.)	254291	1	.15
53-54	PASS. P/S,				
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)		258779	1	.30
41-46	COE,				
47-48	COMM., UTILITY (exc. COE),				
55-57	D-D (2nd Ser.)	L/WASHER (1 13/32 O.D. x ¾ I.D. x 3/16 thick)	264772	1	.08
55-57	CORV. 8 cyl.	STOP (7⅝ long)	3714622	1	.85

6.862 BUSHING—RETAINER, Pitman Arm

39-48	PASS. (exc. JB, KB)		599643	4	.35
39	JB		350390	2	.22
39-48	PASS. (exc. JB, KB)	RETAINER	599647	1	.13

6.870 ROD ASSEMBLY, Steering Connecting (with internal parts)

37	GB	(with pitman arm)	603481	1	(6.859)
37-46	COMM., UTIL. (exc. COE)		609749	1	6.00
38	HB	(with pitman arm)	603483	1	(6.859)
39	JB		603389	1	4.75
39-46	COE	(¾ in. dia. rod.)	3847673	1	5.20
40	KB		605385	1	5.80
47-50	COMM., UTIL. (exc. D-D, COE),				
51-52	COMM. (exc. D-D)		3699489	1	6.00

47-51	COE		3693941	1	6.00
48-52	D-D		3690281	1	6.00
51-55	UTILITY (1st Ser.) (exc. COE),				
53-55	COMM. (1st Ser.) (exc. D-D)		3696469	1	6.00
52-55	COE		3696467	1	6.00
53-55	D-D (1st Ser.)		3700038	1	6.00
53-57	CORV	front	3707968	1	4.45
53-57	CORV	rear	3707969	1	3.05
55-57	PASS. (exc. P/S)	relay	3713921	1	5.65
55-57	PASS. P/S	relay	3710561	1	6.45
55-57	COMM., UTIL. (2nd Ser.) (exc. D-D, P/S)	with stud w/$\frac{5}{32}$ dia. hole in thd. end	3729927	1	6.45
55-57	D-D (2nd Ser.) (exc. Ser. 6)	with stud w/$\frac{5}{32}$ dia. hole in thd. end	3729929	1	6.90
55-57	COMM., UTIL. P/S		3733864†	1	11.50
55	½ TON (2nd Ser.)	KIT, steering linkage	3732311*	1	16.10
55	¾, 1 TON (2nd Ser.) (exc. D-D)	KIT, steering linkage	3732307*	1	16.10
55	D-D (2nd Ser.)	KIT, steering linkage	3732301*	1	22.15
55	1½ TON (2nd Ser.) (exc. hvy. duty, SBC)	KIT, steering linkage	3732309*	1	16.35
55	1½ TON (hvy. duty) (2nd Ser.),				
55	2 TON, SBC (2nd Ser.)	KIT, steering linkage	3732305*	1	19.20

*NOTE: Required for early 1955 2nd Ser. models having double taper assembly detail.

†NOTE: On early 1955 2nd Ser. having double taper assembly detail; appropriate 3rd Arm (6.103) and Pitman Arm (6.859) must also be installed.

END—SLEEVE—CLAMP, Steering Connecting Rod

49-54	PASS. (exc. P/S)	END UNIT, w/L.H. threads (at 3rd arm)	3690842	1	2.60
49-54	PASS.	END UNIT, w/R.H.threads (at pitman arm)	3690844	1	2.60
53-54	PASS. P/S	END UNIT, w/L.H. threads (at front end)	3704303	1	2.50
53-57	CORV	SLEEVE, adjusting ($\frac{9}{16}$—18 both ends)	3706037	1	.85
49-54	PASS.	SLEEVE, adjusting ($\frac{9}{16}$—8 thd.)	3687942	1	.85
53-57	CORV	CLAMP, sleeve	599234	2	(6.234)

6.874 UNIT—SEAT—STUD—NUT, Steering Connecting Rod

32-40	ALL (exc. JA, KA, KH),				
41-52	COMM., UTILITY (exc. U, V),				
49-54	PASS.	(ball type)	608840*	A.R.	2.50
30-40	ALL (exc. JA, KA, KH),				
41-52	COMM., UTILITY (exc. U, V),				
49-57	PASS., CORV	SEAT, ball	595586	A.R.	.35
55-57	PASS. P/S	SEAT, adapter ball	264946	2	.35
55-57	COMM., UTIL. P/S	SEAT, adapter ball stud (Bendix 126478)	3733852	2	.40
39	JB	STUD, arm ball (3$\frac{23}{32}$ O.L.)	350389	1	1.60
55-57	PASS. P/S	STUD, ball (2$\frac{25}{64}$ O.L.)	5681722	1	.90
55-57	COMM., UTIL. P/S	STUD, adapter ball (2¾ O.L.) (Bendix 126643)	3733861	1	4.25
55-57	COMM., UTILITY (2nd Ser.)	NUT, 3rd arm and pitman arm attach. ($\frac{5}{8}$—18)	3713021	2	.35

*NOTE: Consists of 2 springs, 3 plugs, 4 seats, and 2 safety rivets.

6.876 SPRING, Steering Connecting Rod


29-40	ALL (exc. JA, KA, KH),				
41-52	COMM., UTILITY (exc. U, V),				
49-54	PASS.,				
53-57	CORV		335976	A.R.	.35
53-57	CORV	front ($\frac{15}{16}$ O.D.)	3706040	2	.35
55-57	PASS. (exc. P/S)	ball seat	3714814	2	.30
55-57	COMM., UTIL. P/S	ball seat (Bendix 126120)	3733839	1	.25

6.881 PLUG, Steering Connecting Rod End


29-39	ALL (exc. JA),				
40-52	COMM., UTILITY (exc. U, V),				
49-57	PASS., CORV	rod end ($1\frac{1}{16}$—18 threads x ½ O.L.)	335977	A.R.	.30
53-57	CORV	front	3706038	1	.30

6.882 PLUG—RIVET, Steering Connecting Rod Safety

37-40	ALL (exc. JA, KA, KH),				
41-52	COMM., UTILITY (exc. U, V),				
49-54	PASS.,				
53-55	½, ¾ TON (1st Ser.) (exc. D-D)	safety (½ dia. x 1 O.L.—1 dia. head)	595587	2	.25



STEERING CONNECTING ROD



1949-54 PASSENGER STEERING CONNECTING ROD

55-57	PASS. (exc. P/S)	($^{31}/_{32}$ dia. head x 1⅛ O.L.)	3707752	A.R.	.20
55-57	PASS. P/S	adapter safety ($^{63}/_{64}$ dia. head x $^{11}/_{16}$ O.L.)	5680971	1	.60
30-40	ALL (exc. P, Q, JA, KA, KH),				
41-48	COMM., UTILITY,				
49-52	ALL (exc. U, V),				
53-54	PASS.	RIVET, safety (used as ball seat plug) (½ dia.			
53-57	CORV.	x $^{11}/_{16}$ O.L.—1 dia. head)	354456	A.R.	(6.255)

6.886 SEAL—COVER—SHIELD, Steering Connecting Rod

39-40	JB, KB		3650338	2	.13
49-54	PASS.,				
53-57	CORV.	(molded 3705009)	3705009*	2	.25
55-57	PASS.	(1 I.D. x 1½ O.D. x $^{13}/_{32}$ thick)	3707838	1	.10
55-57	PASS. P/S	control valve ball stud ($^{9}/_{16}$ I.D. x ⅞ O.D.)	3710372	1	.05
55-57	COMM., UTIL. P/S	control valve ball stud (¾ I.D. x 1⅛ O.D.)	3725099	1	.08
55-57	D-D (2nd Ser.)	ball stud (⅝ I.D. x 1⅜ O.D.)	3715758	1	.15
55-57	PASS.	COVER (2⅞ O.L.)	3707839	1	.10
55-57	PASS. P/S	SHIELD, adapter dust (2⅛ O.L.)	5681776	1	.15
55-57	COMM., UTIL. P/S	SHIELD, valve dust (2¼ O.L.) (Bendix 126481)	3733854	1	.30

*NOTE: On units equipped w/P/S quantity required is one.

6.895 LEVER ASSEMBLY, Steering Idler


55-57	PASS. (exc. P/S)	(forged 3709426)	3719956	1	3.60
55-57	PASS. P/S	(forged 3707745)	3719953	1	3.60

6.896 SUPPORT—BOLT, Steering Idler Lever


55-57	PASS.	(½—20 thread) (8$^{1}/_{16}$ O.L.)	3719955	1	2.50
55-57	PASS.	BOLT, idler and support (⅜—24 x 3¼)	3707754	2	(6.509)

6.897 BUSHING—WASHER, Steering Idler Lever

55-57	PASS.	($1^{3}/_{16}$ O.D. x 2½ O.L.)	3714575	1	.70
55-57	PASS.	steering relay rod (⅝ I.D. x 1½ O.D.)	3714574	1	.50
55-57	PASS.	WASHER, steering idler lever; steering relay			
		and tie rod ($^{33}/_{64}$)	3720973	A.R.	.08




FRONT CROSS MEMBER #3723037—3741004 (GP. 7.010)
USED WITH SIDE MEMBERS 3713916—3713917—3725051—3725052—3725055—3725056—3741014—3741015—3741018—3741019 (GP. 7.006)




Side Members	3713916—RH	3713917—LH
	3725055—LH	3725051—LH
	3725056—RH	3725052—RH
	3741019—LH	3741015—LH
	3741018—RH	3741014—RH

NOTE: Side Members listed in left hand column do not have hole (X) whereas parts listed in right hand column do. These different type Side Members do not interchange on the same Frame, and require replacement with the same Side Member as the type removed. Front Cross Member Unit 3723037 or 3741004 can be used on any Frame using Side Members listed above.

PASSENGER FRAME & FRONT CROSS MEMBER IDENTIFICATION



FRONT CROSS MEMBER 3723034—3741002 (GP. 7.010)
USED WITH SIDE MEMBERS #3713891-3725053 · 3725054
—3741010—3741011 (GP. 7.006)



SIDE MEMBERS #3713891- 3725053 - 3725054—3741010—3741011

PASSENGER FRAME & FRONT CROSS MEMBER IDENTIFICATION

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	7.003 FRAME ASSEMBLY				
47-53	½ TON	(3100)	3694656	1	103.00
47-53	¾ TON (exc. D-D)	(3600)	3704276	1	117.00
47-55	ES, QJ, FS, RJ, GS, SJ, HS, TJ, JS, UJ, KS, VJ, L, N (1st Ser.)	(3800—4100)	3710218§	1	156.00
47-55	UTIL. (w/161" WB) (1st Ser.)	(4400—4500—6400)	3710220‡	1	194.00
47-55	QP, RP, SP, TP, UP, VP, S (1st Ser.)	(5100)	3710221	1	164.50
47-55	QR, RR, SR, TR, UR, VR, T (1st Ser.)	(5400)	3710222	1	164.50
47-55	QS, RS, SS, TS, US, VS, U (1st Ser.)	(5700)	3710223	1	181.50
47-55	QV, RV, SV, TV, UV, VV, V (1st Ser.)	(6100),			
54-55	N (hvy. duty) (1st Ser.)	(4100)	3710224	1	181.50
47-55	QX, RX, SX, TX, UX, VX, Y (1st Ser.)	(6700)	3710226	1	219.50
48-55	¾ TON D-D (1st Ser.)	(3700)	3710217	1	117.00
49-51	PASS. (exc. CONV., B-A, P.G.)	(1500—2100)	3697645	1	109.50
50-51	PASS. w/P.G. (exc. CONV., B-A)	(2100)	3697641	1	103.00
50-55	TY, UY, VY, X (1st Ser.)	(6500)	3710225	1	219.50
52	PASS. (exc. CONV., B-A)	(1500—2100)	3701191	1	109.50
52	BEL AIR	(2100)	3701195	1	128.00
52-55	VZ, Z (1st Ser.)	(6800)	3710227	1	236.50
53-54	PASS. (exc. CONV., SPT. CPE.)	(1500—2100—2400)	3710289	1	109.50
53-54	CONV.	(2100—2400)	3703691	1	171.00
53-54	SPT. CPE.	(2400)	3710291	1	128.00
54-55	½ TON (1st Ser.)	(3100)	3710215	1	109.50
54-55	¾ TON (1st Ser.) (exc. D-D)	(3600)	3710216	1	114.00
55-56	PASS. (exc. CONV.)	(1500—2100—2400)	3732815#	1	135.00
55-56	CONV.	(2400)	3732813	1	175.50
53-57	CORV.	(2900)	3733595	1	163.50
55-56	H, Ser. 3A (2nd Ser.)	(3100)	3722281⊕	1	114.00
55	M, J (2nd Ser.),				
56	Ser. 3B-3E	(3200—3600)	3722415*	1	126.00
55-56	F, Ser. 3C (2nd Ser.)	(3400)	3723915	1	175.50
55-57	1 TON (2nd Ser.)	(3800)	3722283⊕	1	175.50
55	N, V (2nd Ser.),				
56	Ser. 4A-6A	(4100—6100)	3731733	1	202.00
55	P, R, W (2nd Ser.),				
56	Ser. 4B-4C-6B	(4400—4500—6400)	3731735	1	219.50
55	X (2nd Ser.),				
56	Ser. 6C	(6500)	3731743	1	243.50
55-56	Y, Ser. 6D (2nd Ser.)	(6700)	3731745	1	263.50
55	Z (2nd Ser.)	(6800)	3722289	1	263.50
56	Ser. 6E	(6800)	3731747	1	273.00
57	PASS. (exc. CONV.)	(1500—2100—2400)	3741003**	1	135.00
57	CONV.	(2400)	3741001**	1	195.00
57	Ser. 3A	(3100)	3742101	1	114.00
57	Ser. 3B-3E	(3200—3600)	3742103	1	126.00
57	Ser. 3C	(3400)	3736313	1	175.50
57	Ser. 4A-6A	(4100—6100)	3742107	1	202.00
57	Ser. 4B-4C-6B	(4400—4500—6400)	3742109	1	219.50
57	Ser. 6C	(6500)	3742111	1	243.50
57	Ser. 6D	(6700)	3742113	1	263.50
57	Ser. 6E	(6800)	3742115	1	273.00

†NOTE: When using these frames on models prior to 1951, replace Front Brake Hose Frame Brackets (furnished w/assy.) and relocate R.H. Rear Brake Hose Frame Bracket.

‡NOTE: When using on SBC models, remove the left and right extensions and extension cross member from old frame and install on new frame.

§NOTE: Front frame extension 3707000 (7.009) required when using on N models.

⊕NOTE: Does not include Frame Extension or #2 Body Bracket. See Group 7.330 for proper brackets.

*NOTE: No. 2 Body Bracket not included in these assemblies. Refer to Group 7.330 for proper brackets.

#NOTE: When installing on 1955 models, it will be necessary to use SHACKLE UNITS 3725033 and 3725034 in Gp. 7.523. In addition, when installing on 4-Door Sport Sedans it is necessary to assemble 3 outer body bolt bracket assy. 3725697.

**NOTE: On jobs equipped with automatic trans., it will be necessary to replace 3741285, trans. control idler lever support assy., with part 3744307.

NOTE: If Muffler Mounting Bracket on old frame of 1955 (2nd Ser.) trucks does not match the bracket on the replacing frame, transfer or check parts stock for matching bracket and attaching parts. (See Group 3.704).

7.006 MEMBER, Frame Side

47-53	½ TON	left (3100)	3695263	1	17.75
47-53	½ TON	right (3100)	3695264	1	17.75
47-53	¾ TON (exc. D-D)	left (3600)	3704323	1	21.50
47-53	¾ TON (exc. D-D)	right (3600)	3704324	1	21.50
47-55	1, 1½ TON (w/137" WB) (1st Ser.) (exc. D-D, hvy. duty)	left (3800—4100)	3707157	1	39.50
47-55	1, 1½ TON (w/137" WB) (1st Ser.) (exc. D-D, hvy. duty)	right (3800—4100)	3707158	1	39.50
47-55	UTILITY (w/161" WB) (1st Ser.)	left (4400—4500—6400)	3707001	1	53.50
47-55	UTILITY (w/161" WB) (1st Ser.)	right (4400—4500—6400)	3707002	1	53.50
47-55	QV, RV, SV, TV, UV, VV, V (1st Ser.),				
47-55	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty) (1st Ser.)	left (4100—6100)	3707003	1	49.00
47-55	QV, RV, SV, TV, UV, VV, V (1st Ser.),				
47-55	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty) (1st Ser.)	right (4100—6100)	3707004	1	49.00
47-55	QX, RX, SX, TX, UX, VX, Y (1st Ser.)	left (6700)	3707007	1	97.50
47-55	QX, RX, SX, TX, UX, VX, Y (1st Ser.)	right (6700)	3707008	1	97.50
47-55	QP, RP, SP, TP, UP, VP, S (1st Ser.)	left (5100)	3707047	1	43.50
47-55	QP, RP, SP, TP, UP, VP, S (1st Ser.)	right (5100)	3707048	1	43.50
47-55	QR, RR, SR, TR, UR, VR, T (1st Ser.)	left (5400)	3707049	1	49.00
47-55	QR, RR, SR, TR, UR, VR, T (1st Ser.)	right (5400)	3707050	1	49.00
47-55	QS, RS, SS, TS, US, VS, U (1st Ser.)	left (5700)	3707051	1	53.50
47-55	QS, RS, SS, TS, US, VS, U (1st Ser.)	right (5700)	3707052	1	53.50
48-55	¾ TON D-D (1st Ser.)	left (3700)	3705637	1	27.50
48-55	¾ TON D-D (1st Ser.)	right (3700)	3705638	1	27.50
48-55	1 TON D-D (1st Ser.)	left (3900)	3707493	1	43.50
48-55	1 TON D-D (1st Ser.)	right (3900)	3707494	1	43.50
49-52	PASS. (exc. CONV.)	left (1500—2100)	3701117	1	41.00
49-52	PASS. (exc. CONV.)	right (1500—2100)	3701118	1	41.00
50-55	TY, UY, VY, X (1st Ser.)	left (6500)	3707005	1	75.50
50-55	TY, UY, VY, X (1st Ser.)	right (6500)	3707006	1	75.50
52-55	VZ, Z (1st Ser.)	left (6800)	3707009	1	107.50
52-55	VZ, Z (1st Ser.)	right (6800)	3707010	1	107.50
53-54	PASS. (exc. CONV.)	left (1500—2100—2400)	3710348	1	42.00
53-54	PASS (exc. CONV.)	right (1500—2100—2400)	3703698	1	42.00
54-55	½ TON (1st Ser.)	left (3100)	3705431	1	21.50
54-55	½ TON (1st Ser.)	right (3100)	3705432	1	21.50
54-55	¾ TON (exc. D-D) (1st Ser.)	left (3600)	3705433	1	21.50
54-55	¾ TON (exc. D-D) (1st Ser.)	right (3600)	3705434	1	21.50
55	PASS. (exc. CONV.)	left (1500—2100—2400)	3713891*	1	52.50
55-56	PASS. (exc. CONV.)	right (1500—2100—2400)	3725054*	1	52.50
55-56	PASS. (exc. CONV.)	left (1500—2100—2400)	3725055*	1	52.50
55	PASS. (exc. CONV.)	right (1500—2100—2400)	3713916*	1	52.50
55	PASS. (exc. CONV.)	left (1500—2100—2400)	3713917*	1	52.50
55-56	PASS. (exc. CONV.)	right (1500—2100—2400)	3725052*	1	52.50
55-56	H, Ser. 3A (2nd Ser.)	left (3100)	3738581	1	27.00
55-56	H, Ser. 3A (2nd Ser.)	right (3100)	3711854	1	27.00
55	M, J (2nd Ser.),				
56	Ser. 3B-3E	left (3200—3600)	3711793	1	33.00
55	M, J (2nd Ser.),				
56	Ser. 3B-3E	right (3200—3600)	3711794	1	33.00
55-57	F, Ser. 3C (2nd Ser.)	left (3400)	3731905	1	49.50
55-57	F, Ser. 3C (2nd Ser.)	right (3400)	3731906	1	49.50
55-57	G, Ser. 3D (2nd Ser.)	left (3500)	3731907	1	55.00
55-57	G, Ser. 3D (2nd Ser.)	right (3500)	3731908	1	55.00
55-57	K, Ser. 3F (2nd Ser.)	left (3700)	3731909	1	60.50
55-57	K, Ser. 3F (2nd Ser.)	right (3700)	3731910	1	60.50

55-57	L, Ser. 3G (2nd Ser.)	left (3800)	3712961	1	49.00
55-57	L, Ser. 3G (2nd Ser.)	right (3800)	3712962	1	49.00
55-56	N, Ser. 4A (2nd Ser.)	left (4100)	3724071	1	52.50
55-56	N, Ser. 4A (2nd Ser.)	right (4100)	3712960	1	52.50
55	P, R, W (2nd Ser.),				
56	Ser. 4B-4C-6B	left (4400—4500—6400)	3723829	1	65.50
55	P, R, W (2nd Ser.),				
56	Ser. 4B-4C-6B	right (4400—4500—6400)	3723830	1	65.50
55-56	V, Ser. 6A (2nd Ser.)	left (6100)	3729655	1	62.00
55-56	V, Ser. 6A (2nd Ser.)	right (6100)	3729656	1	62.00
55-56	X, Ser. 6C (2nd Ser.)	left (6500)	3729657	1	68.50
55-56	X, Ser. 6C (2nd Ser.)	right (6500)	3729658	1	68.50
55	Y (2nd Ser.)	left (6700)	3713721	1	124.50
55-56	Y, Ser. 6D (2nd Ser.)	right (6700)	3729660	1	124.50
55-56	Z, Ser. 6E (2nd Ser.)	left (6800)	3729661	1	133.00
55-56	Z, Ser. 6E (2nd Ser.)	right (6800)	3729662	1	133.00
56	PASS. (exc. CONV.)	left (1500-2100-2400)	3725051*	1	52.50
56	PASS. (exc. CONV.)	left (1500-2100-2400)	3725053*	1	52.50
56	PASS. (exc. CONV.)	right (1500-2100-2400)	3725056*	1	52.50
56	Ser. 6D	left (6700)	3729659	1	124.50
57	PASS. (exc. CONV.)	left (1500-2100-2400)	3741011*†	1	52.50
57	PASS. (exc. CONV.)	right (1500-2100-2400)	3741010*	1	52.50
57	PASS. (exc. CONV.)	left (1500-2100-2400)	3741015*†	1	52.50
57	PASS. (exc. CONV.)	right (1500-2100-2400)	3741014*	1	52.50
57	PASS. (exc. CONV.)	left (1500-2100-2400)	3741019*†	1	52.50
57	PASS. (exc. CONV.)	right (1500-2100-2400)	3741018*	1	52.50
57	Ser. 3A	left (3100)	3738581	1	27.00
57	Ser. 3A	right (3100)	3738582	1	27.00
57	Ser. 3B-3E	left (3200-3600)	3738583	1	33.00
57	Ser. 3B-3E	right (3200-3600)	3738584	1	33.00
57	Ser. 4A	left (4100)	3733719	1	52.50
57	Ser. 4A	right (4100)	3733720	1	52.50
57	Ser. 4B-4C-6B	left (4400-4500-6400)	3733721	1	65.50
57	Ser. 4B-4C-6B	right (4400-4500-6400)	3733722	1	65.50
57	Ser. 6A	left (6100)	3733723	1	62.00
57	Ser. 6A	right (6100)	3733724	1	62.00
57	Ser. 6C	left (6500)	3733725	1	68.50
57	Ser. 6C	right (6500)	3733726	1	68.50
57	Ser. 6D	left (6700)	3733727	1	124.50
57	Ser. 6D	right (6700)	3733728	1	124.50
57	Ser. 6E	left (6800)	3733729	1	133.00
57	Ser. 6E	right (6800)	3733730	1	133.00

*NOTE: See illustrations for identification of 1955, 1956 and 1957 side members.

†NOTE: On jobs equipped with automatic trans. it will be necessary to replace 3741285 trans. control idler lever support assy. with part 3744307.

7.007 MEMBER, Sub-Frame Side

47-55	COE	left	3694581	1	3.17
47-55	COE	right	3694582	1	2.88

7.008 SUB-FRAME PARTS

47-55	COE	SUPPORT, front, L.	3698027	1	4.98
47-55	COE	SUPPORT, front, R.	3698028	1	4.98
47-55	COE	SUPPORT, rear, L.	3690567	1	3.09
47-55	COE	SUPPORT, rear, R.	3690568	1	3.09
47-55	COE	PLATE	3690569	1	1.09
49-55	COE	MEMBER, sub-frame rear cross (36⅛ O.L.)	3705921	1	3.15

7.009 EXTENSION—END UNIT, Frame

47-55	QJ, RJ, SJ, TJ, VJ, N (1st Ser.)	front (2 holes ½ dia.)	3707000	2	2.75
55-56	½ TON SGL. UNIT (2nd Ser.),				
55	¾ TON COWLS, CAB w/rear bmpr. (2nd Ser.),				
56-57	½, ¾ TON COWLS, CABS w/rear bumper	left (22½ O.L.)	3715201	1	2.75

55-56	½ TON SGL. UNIT (2nd Ser.),				
55	¾ TON COWLS, CAB w/rear bmpr. (2nd Ser.),				
56-57	½, ¾ TON COWLS, CABS w/rear bumper	right (22½ O.L.)	3715202	1	2.75
55-57	1½ TON SBC (2nd Ser.)	left (49 11/16 O.L.)	3715487	1	6.75
55-57	1½ TON SBC (2nd Ser.)	right (49 11/16 O.L.)	3715488	1	6.75
55-56	PASS.	END UNIT, side member front outer L.H.	3732453	1	7.30
55-56	PASS.	END UNIT, side member front outer R.H.	3732454	1	7.30
57	PASS.	END UNIT, front outer extension L.H.	3742587	1	7.30
57	PASS.	END UNIT, front outer extension R.H.	3742588	1	7.30

7.010 MEMBER—SHIM, Frame Cross, Front

37-46	COMM. (exc. KF, AN, BN, DS)		594016	1	4.55
37-46	UTIL., KF, AN, BN, DS, (exc. COE)		594017	1	6.15
40-48	PASS. (exc. KB)		3661896	1	(6.008)
47-55	COMM., UTILITY (1st Ser.)		3692226	1	6.15
49-54	PASS.	front suspension member	3691555	1	(6.008)
49-54	PASS.	front cross (also used as rad. supt.)	3688035	1	3.35
55-56	PASS. (exc. CONV.)		3723034*	1	37.80
55-56	PASS.		3723037*	1	37.80
55-57	COMM., UTILITY (2nd Ser.)		3716768	1	8.10
57	PASS. (exc. CONV.)		3741002*	1	37.80
57	PASS.		3741004*	1	37.80
56-57	CORV.	SHIM, to frame	3733477	2	2.50

*NOTE. See illustrations for identification of 1955 thru 1957 front cross members.

7.011 MEMBER, Frame Cross, Second

41-48	PASS. (exc. CONV.)		3657659	1	4.50
41-46	UTIL., AN, BN, DR, DS (exc. YW, MW, OJ, PS)		3657752	1	3.85
47-55	UTIL. (exc. QJ, RJ, SJ, TJ, UJ, VJ, N) (1st Ser.),				
47-55	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty) (1st Ser.)		3690321	1	5.50
48-53	½ TON		3686948	1	6.15
47-55	¾, 1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N (1st Ser.) (exc. hvy. duty)		3690369	1	5.05
49-51	PASS. (exc. CONV., P.G.)		3690339	1	4.50
50-51	PASS. w/P.G. (exc. CONV.)		3690411	1	4.50
52-54	PASS. (exc. CONV.)		3700261	1	4.75
53-57	CORV.	trans. support (forged 3706152)	3706152	1	2.65
54-55	½ TON w/H.T. (1st Ser.)		2296067	1	10.35
55-57	COMM. (2nd Ser.)		3711658	1	5.05
55-57	UTILITY (2nd Ser.)		3723831	1	5.75

7.012 MEMBER, Frame Cross, Third and Fourth

34-38	UTIL. (w/131", 157" W.B.),				
39-46	VA, VB, VC, VD, WA, WB, YR, MR, OR, PJ, OG, PX	third and fourth,			
39-52	COE (exc. long COE)	third,			
39-52	COE (long only)	fourth,			
40-55	1 TON (1st Ser.)	third,			
41-52	UTIL. (w/160", 161", 179" W.B.)	fourth,			
47-52	UTIL. (w/137", 199" W.B.),				
53-55	N (1st Ser.)	third	373592	1	5.50
37-52	¾ TON, GE, HE		596532	1	4.50
41-46	UTIL. (exc. 109", 132½", 134½" W.B.)	third,			
46	OG, PX	fourth	3657752	1	(7.011)
47-49	COMM. (exc. ½ TON),				
47-49	QJ, RJ, SJ	fourth	3708955	1	(7.014)
47-55	½ TON (1st Ser.)		3690396	1	3.60
47-53	UTIL (w/158", 161", 179", 199", 212" W.B.),				
53-55	UTIL. (w/110", 134", 137" W.B.) (1st Ser.) (exc. N)	third,			
47-55	2 TON SBC (1st Ser.),				
53-55	UTIL. (w/158", 161", 179" W.B.) (1st Ser.)	fourth	3690321	1	(7.011)

53-55	¾ TON (1st Ser.)		3704327	1	4.50
55-57	COMM. (2nd Ser.) (exc. F)	third	3711658	1	(7.011)
55-57	F, Ser. 3C (2nd Ser.)	parking brake rear idler lever	3721778	1	5.55
55-57	UTILITY (2nd Ser.)	third and fourth	3723831	1	(7.011)

7.014 MEMBER, Frame Cross, Rear

34-46	UTILITY (exc. MY, OW, PL),				
37-55	¾, 1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N (1st Ser.)		3708955	1	4.05
37-53	½ TON		3693418	1	5.50
40-52	WC, YT, MT, OY, 2 TON SBC	fifth	373592	1	(7.012)
41	N	(wheel carrier track)	3659526	1	(7.782)
41-48	PASS.		3657400	1	5.00
53-55	2 TON SBC (1st Ser.)	fifth	3690321	1	(7.011)
50-55	TY, UY, VY, X (1st Ser.)	fifth,			
47-55	UTIL. (1st Ser.) (exc. QJ, RJ, SJ, TJ, UJ, VJ, N,				
47-55	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty) (1st Ser.)	rear,			
47-55	2 TON SBC (1st Ser.)	6th, 7th and rear	3708956	1	4.75
49-54	PASS.		3697757	1	5.45
53-57	CORV.		3731342	1	17.85
54-55	½ TON (1st Ser.)		3705352	1	5.55
55-57	PASS.	($2^{23}/_{32}$ wide) (w/seam welded side member)	3707677	1	4.05
55-57	PASS. (exc. CONV.	($3^{21}/_{64}$ wide) (exc. seam welded side member)	3709567	1	4.20
55-57	½ TON (2nd Ser.) (exc. M, Ser. 3B)		3711693	1	5.55
55	M, J (2nd Ser.),				
56-57	Ser. 3B-3E		3712599	1	4.40
55-57	D-D, 1 TON (2nd Ser.)		3712966	1	4.40
55-57	UTILITY (2nd Ser.),				
55-57	X, Ser. 6C (2nd Ser.)	fifth,			
55-57	2 TON SBC (2nd Ser.)	sixth and seventh	3712972	1	4.75
55-57	2 TON SBC (2nd Ser.)	fifth	3723831	1	(7.011)

7.016 HANGER, Step, Front, Center, Rear

37-46	½ TON	front,			
37-46	COMM., UTIL. (exc. ½ TON)	front, center, rear	593946	A.R.	1.05
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, SBC, COE)	front, L.H.	3683573	1	3.85
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, SBC, COE)	front, R.H.	3683574	1	3.85
37-38	GD, GE, SA, SB, HD, HE, TA, TB	center,			
37-38	COMM., UTILITY	rear,			
39-46	½ TON	rear	593945	2	1.05
47-55	½ TON (1st Ser.)	rear	3684103	2	2.80
47-55	COMM. (1st Ser.) (exc. D-D)	center,			
47-55	¾, 1 TON, UTILITY (1st Ser.) (exc. D-D, SBC, COE)	rear	3683634	A.R.	2.80
55-57	½ TON CAB (2nd Ser.),				
55-57	PICK-UP (2nd Ser.)	left, front and rear	3712075	A.R.	2.50
55-57	½ TON CAB (2nd Ser.),				
55-57	PICK-UP (2nd Ser.)	right, front and rear	3712076	A.R.	2.50

7.039 BRACE—GUSSET, Cross Member

34-38	UTILITY (w/131" WB),				
39-46	UTILITY (w/133", 134½" WB),				
39-46	COE (exc. long COE),				
40-55	1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N (1st Ser.),				
53-55	¾ TON (1st Ser.)	3rd,			
34-38	UTILITY (w/157" WB),				
39-46	UTILITY (w/158½", 160" WB)	4th,			
40-46	SBC (exc. MY, OW, PL)	5th	373593	A.R.	1.00
47-55	½ TON (1st Ser.)	3rd, L.	3676249	1	2.75
47-55	½ TON (1st Ser.)	3rd, R.	3676250	1	2.75
47-55	¾ TON (1st Ser.)	2nd	3676238	2	.90

47-55	1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N (1st Ser.).	2nd	3684860	2	.90
47-55	UTIL. (1st Ser.) (exc. QJ, RJ, SJ, TJ, UJ, VJ, N,				
47-55	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty) (1st Ser.)	2nd,			
47-55	UTIL. (w/161", 179", 199", 212" WB) (1st Ser.),				
47-55	COE (w/158" WB) (1st Ser.)	3rd,			
47-55	2 TON SBC (1st Ser.)	4th	3683315	A.R.	1.55
47-52	COE (exc. long COE),				
47-52	QV, RV, SV, TV, UV, VV,				
47-52	QJ, RJ, SJ, TJ, UJ, VJ (hvy. duty)	3rd,			
47-52	COE (long COE only),				
47-52	UTIL. (w/161", 179" WB)	4th,			
47-52	2 TON SBC	5th	3683312	2	1.25
49-51	PASS. (exc. CONV., P.G.)	side to 2nd, L.H.	3690355	1	3.70
49-51	PASS. (exc. CONV., P.G.)	side to 2nd, R.H.	3690522	1	3.70
50-51	PASS. w/P.G. (exc. CONV.),				
52-54	PASS. (exc. CONV.)	side to 2nd, L.H.	3690405	1	3.70
50-51	PASS. w/P.G. (exc. CONV.),				
52-54	PASS. (exc. CONV.)	side to 2nd, R.H.	3690406	1	3.70
53-55	N (hvy. duty) (1st Ser.),				
53-55	S, T, V (1st Ser.)	3rd,			
53-55	P, R, U, W, X (1st Ser.)	4th,			
53-55	2 TON SBC (1st Ser.)	5th, L.	3703411	1	1.85
53-55	N (hvy. duty) (1st Ser.),				
53-55	S, T, V (1st Ser.)	3rd,			
53-55	P, R, U, W, X (1st Ser.)	4th,			
53-55	2 TON SBC (1st Ser.)	5th, R.	3703412	1	1.85
55-56	PASS. (exc. 1956 CONV.)	L. front	3710023*	1	2.50
55-56	PASS. (exc. 1956 CONV.)	R. front	3710024*	1	2.50
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)	2nd and 3rd	3711652	A.R.	1.85
55-57	UTILITY (2nd Ser.)	2nd,			
55	UTILITY (2nd Ser.) (exc. N, V),				
56-57	UTIL. (exc. Ser. 4A-6A-6J)	3rd,			
55-57	2 TON SBC (2nd Ser.)	4th	3723832	A.R.	2.20
55	G, K, L (2nd Ser.),				
56-57	Ser. 3D-3F-3G	2nd	3712932	1	1.85
55	N, V (2nd Ser.),				
56-57	Ser. 4A-6A-6J	3rd,			
55-57	Ser. 4B-4C-6B-6C-6K (2nd Ser.)	4th,			
55-57	2 TON SBC (2nd Ser.)	5th, L.	3712981	A.R.	2.20
55	N, V (2nd Ser.),				
56-57	Ser. 4A-6A-6J	3rd,			
55-57	Ser. 4B-4C-6B-6C-6K (2nd Ser.)	4th,			
55-57	2 TON SBC (2nd Ser.)	5th, R.	3712982	A.R.	2.20
55-57	D-D, 1 TON (2nd Ser.) (exc. Ser. 6J-6K)	2nd, 3rd, L.	3712985	1	1.85
55-57	D-D, 1 TON (2nd Ser.) (exc. Ser. 6J-6K)	2nd, 3rd, R.	3712986	1	1.85
57	PASS.	left, front	3738397	1	2.50
57	PASS.	right, front	3738398	1	2.50
55-57	COMM., UTIL. (2nd Ser.) (exc. Ser. 6J-6K)	GUSSET, left	3723223	1	2.80
55-57	COMM., UTIL. (2nd Ser.) (exc. Ser. 6J-6K)	GUSSET, right	3723224	1	2.80

*NOTE: Where short brace is required it will be necessary to cut approx. 5⅞" from end that attaches to side member and rework as necessary.

7.103 HANGER—HORN, Front Spring Front

47-55	½, ¾ TON (1st Ser.) (exc. D-D)	L. (cast 3683635)	3683635	1	3.35
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	R. (cast 3683636)	3683636	1	3.35
47-55	1 TON, UTILITY (1st Ser.) (exc. D-D, COE)	L. (cast 3683301)	3683301	1	3.45
47-55	1 TON, UTILITY (1st Ser.) (exc. D-D, COE)	R. (cast 3683302)	3683302	1	3.45
47-55	COE (1st Ser.)	L. (cast 3685029)	3685029	1	4.50
47-55	COE (1st Ser.)	R. (cast 3685030)	3685030	1	4.50
48-55	D-D (1st Ser.)	L. (cast 3687497)	3687497	1	4.50
48-55	D-D (1st Ser.)	R. (cast 3687498)	3687498	1	4.50
55-57	COMM. (2nd Ser.) (exc. D-D)	(cast 3713062)	3713062	2	3.10
55-57	D-D (2nd Ser.) (exc. Ser. 6)	(cast 3722224)	3722224	2	4.40
55-57	UTILITY (2nd Ser.) (exc. D-D)	(cast 3713023)	3713023	2	3.45
41-46	COMM. (exc. AN, BN, DS)	HORN, L. (cast 3657239)	3657239	1	4.55

41-46	COMM. (exc. AN, BN, DS)	HORN, R. (cast 3657240)	3657240	1	4.55
41-46	UTIL., AN, BN, DS (exc. COE)	HORN, L. (cast 3656435)	3656435	1	6.50
41-46	UTIL., AN, BN, DS (exc. COE)	HORN, R. (cast 3656436)	3656436	1	6.50
41-46	COE	HORN, L. (cast 3658409)	3665989	1	6.00
41-46	COE	HORN, R. (cast 3658410)	3665990	1	6.00

7.104 BUSHING, Spring Hanger

34-40	ALL (exc. DA, DC, EA, FA, GA, HA, JA, KA, KH, COE),				
41-55	½, ¾ TON (1st Ser.) (exc. D-D)	front spring front hanger,			
36-40	FC, GB, HB, JB, KB	front spring rear hanger,			
34-48	PASS., ½ TON (exc. DC, EC)	rear spring rear hanger (screw type—1¾ long)	379647	2	.50
49-55	½ TON (1st Ser.)				
41-55	D-D, 1 TON, UTIL. (1st Ser.),				
55-57	COMM., UTIL. (2nd Ser.)	shackle	499533	4	(7.504)

7.112 HANGER, Rear Spring Front

37-55	½ TON (1st Ser.)	(cast 3657060)	3657060	2	3.65
41-54	PASS.	(marked w/"X")	3697792	2	1.40
53-56	CORV. (1st design)	left (slot in bottom)	3709925	1	1.95
53-56	CORV. (1st design)	right (slot in bottom)	3709926	1	1.95
55-56	PASS. (exc. 1956 CONV.)	left	3712417	1	2.15
55-56	PASS. (exc. 1956 CONV.)	right	3712418	1	2.15
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)		3713274	2	3.30
56-57	CORV. (2nd design)	left (flat bottom)	3731147	1	2.50
56-57	CORV. (2nd design)	right (flat bottom)	3731148	1	2.50
57	PASS.	left	3734909	1	2.15
57	PASS.	right	3734910	1	2.15

7.113 HANGER UNIT, Rear Spring

34-35	UTILITY		3847658	4	6.15
36-55	¾, 1 TON, UTILITY (1st Ser.),				
55-57	1 TON (2nd Ser.)		604912	4	6.15
55-57	D-D (2nd Ser.) (exc. Ser. 6)	rear	3720819	2	7.20
55-57	D-D (2nd Ser.) (exc. Ser. 6)	front	3720699	2	7.20
55-57	UTILITY (2nd Ser.)	front and rear	3723046	4	7.45

NOTE: Includes one each hanger, pin, bolt, nut and washer.

7.118 HANGER, Rear Spring Rear

37-55	½ TON (1st Ser.)	(forged 593926)	593926	2	1.70
41-48	PASS.	left	3657421	1	2.25
41-48	PASS.	right	3657422	1	2.25
49-54	PASS.	left	3697793	1	2.25
49-54	PASS.	right	3697794	1	2.25
53-56	CORV. (1st design)	(2—11/32 dia. holes)	3706112	2	2.80
55	PASS.	left	3710829	1	2.25
55	PASS.	right	3710830	1	2.25
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)		3713273	2	2.80
56-57	PASS. (exc. CONV.)	left	3724953	1	2.80
56-57	PASS. (exc. CONV.)	right	3724954	1	2.80
56-57	CORV. (2nd design)	(no small holes)	3731343	2	2.95

7.228 BRACE, Engine Rear Support

47-53	½, ¾ TON	left	3676467	1	.95
47-53	½, ¾ TON	right	3676468	1	.95
47-53	1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N	left	3684857	1	.95
47-53	1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N	right	3684858	1	.95
47-53	UTIL. (exc. QJ, RJ, SJ, TJ, UJ, VJ, N),				
47-53	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty)	left	3683307	1	1.00
47-53	UTIL. (exc. QJ, RJ, SJ, TJ, UJ, VJ, N),				
47-53	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty)	right	3683308	1	1.00

7.229 SUPPORT—MEMBER, Engine Rear

37-46	UTIL., KF, AN, BN, DS (exc. COE)		594224	1	4.25
47-53	COMM., UTILITY		3683311	1	5.50

54-55	½, ¾ TON (1st Ser.) (exc. H.T.)		3703340	1	6.80
54-55	1 TON, N (1st Ser.) (exc. H.T.)		3703339	1	7.00
54-55	UTILITY (1st Ser.) (exc. N),				
54-55	N (hvy. duty) (1st Ser.)		3703341	1	7.60
54-57	ALL w/H.T.	center	3707659	1	5.25
55-57	½, ¾ TON (2nd Ser.) (exc. H.T., D-D)		3723778	1	8.70
55-56	D-D, 1 TON (2nd Ser.) (exc. H.T.)		3712964	1	8.70
57	3C-3D-3F-3G (exc. H.T.)		3724179	1	8.70
55-56	UTILITY (2nd Ser.) (exc. H.T.		3711707	1	8.70
57	Ser. 4-6 (exc. 6J, 6K, H.T.)		3724052	1	8.70
54-55	½, ¾ TON w/H.T. (1st Ser.)	MEMBER, L.H., end to center support	3707655	1	2.20
54-55	½, ¾ TON w/H.T. (1st Ser.)	MEMBER, R.H., end to center support	3707656	1	2.20
54-55	1 TON w/H.T. (1st Ser.)	MEMBER, L.H., end to center support	3707657	1	2.20
54-55	1 TON w/H.T. (1st Ser.)	MEMBER, R.H., end to center support	3707658	1	2.20
55-57	½, ¾ TON w/H.T. (2nd Ser.) (exc. D-D)	MEMBER, L.H., end to center support	3712413	1	4.20
55-57	½, ¾ TON w/H.T. (2nd Ser.) (exc. D-D)	MEMBER, R.H. end to center support	3712414	1	4.20
55-57	D-D, 1 TON w/H.T. (2nd Ser.)	MEMBER, L.H. end to center support	3719193	1	3.30
55-57	D-D, 1 TON w/H.T. (2nd Ser.)	MEMBER, R.H. end to center support	3719194	1	3.30
56	1½ TON w/H.T.	MEMBER, L.H. end to center support	3722095	1	10.65
56	1½ TON w/H.T.	MEMBER, R.H. end to center support	3722096	1	10.65

7.238 ATTACHING PARTS, Front Stabilizer Link

47-50	½ TON	BOLT (9/16—18 x 2 5/16 long)	3683392	2	.50
51-55	½ TON (1st Ser.)	PIN (⅜ O.D. x 1 5/16 long)	042274	2	(7.356)
39-57	PASS. (hvy. duty) (exc. JB, KB),				
53-57	CORV.,				
55-57	D-D (2nd Ser.)	NUT (5/16—24)	3654642	2	.05

7.240 LINK—SPACER, Front Stabilizer

39-54	PASS. (exc. JB, KB)	bolt type (5/16—24 x 6⅝)	599432	2	.30
57	PASS. (POLICE, hvy. duty)	bolt type	3740111	2	.40
47-50	½ TON		3683030	4	.50
51-55	½ TON (1st Ser.)		5513565	2	.95
53-57	CORV.	bolt type (5/16—24 x 11¼)	3706288	1	.85
55-57	H, Ser. 3A (2nd Ser.) (exc. CABS)		5352073	2	2.08
55-57	D-D (2nd Ser.)	bolt type (5/16—24 x 9⅝)	3723198	2	.50
39-54	PASS. (exc. JB, KB)	SPACER (17/32 O.D. x 2 17/32 long)	599431	2	.15
57	PASS. (POLICE, hvy. duty)	SPACER, bolt grommet	3740112	2	.50
53-57	CORV.	SPACER, bolt grommet (6⅞ long)	3706284	1	1.05
55-57	D-D (2nd Ser.)	SPACER, bolt grommet (½ O.D. x 5½ long)	3723200	2	.45

7.241 SHAFT, Front Stabilizer

39-48	PASS. (exc. JB, KB)		599394	1	2.40
47-50	½ TON		3683028	1	4.75
48-55	D-D (1st Ser.)		3690607	1	5.90
49-54	PASS.		3688966	1	4.95
51-55	½ TON (1st Ser.)		3695869	1	5.55
53-57	CORV. (exc. hvy. duty)	(forged 3706032)	3706032	1	4.10
55-56	PASS. (POLICE, hvy. duty)		3721352	1	10.90
57	PASS. (POLICE, hvy. duty)		3740106	1	10.90
57	CORV. (hvy. duty)		3735708	1	5.25
55-57	H, Ser. 3A (2nd Ser.) (exc. CABS)		3722309	1	6.65
55-57	D-D (2nd Ser.)		3722900	1	11.05
55	D-D w/7.50-17 tires (2nd Ser.),				
56-57	D-D w/14" brake	rear (forged 3720954)	3720954	1	16.75

7.242 BRACKET—REINFORCEMENT—CAP—RETAINER—ANCHOR—"U" BOLT—NUT, Front Stabilizer Shaft

40-54	PASS. (exc. KB),				
53-57	CORV.,				
51-55	½ TON (1st Ser.)	(1⅜ inside of bend)	3653101	2	.50
48-57	D-D	(1½ inside of bend)	3689224	2	.35
51-55	½ TON (1st Ser.)		3695872	2	.80
55-57	PASS. (POLICE, hvy. duty)	frame, left, w/two 11/32 holes	3721357	1	1.50
55-57	PASS. (POLICE, hvy. duty)	frame, right, w/two 11/32 holes	3721358	1	1.50
55-56	PASS. (POLICE, hvy. duty)	axle, left	3721353	1	3.65
55-56	PASS. (POLICE, hvy. duty)	axle, right	3721354	1	3.65

55-57	D-D (2nd Ser.)	frame (stamped 3722950)	3722950	2	2.75
55-57	D-D (2nd Ser.)	axle, left	3724893	1	1.30
55-57	D-D (2nd Ser.)	axle, right	3724894	1	1.30
55	D-D w/7.50-17 tires (2nd Ser.),				
56-57	D-D w/14" brakes	rear, frame	3720955	2	.40
57	PASS. (POLICE, hvy. duty)	axle, left	3740107	1	3.65
57	PASS. (POLICE, hvy. duty)	axle, right	3740108	1	3.65
40-48	PASS. (exc. KB)	REINFORCEMENT	3653102	2	.15
48-55	½ TON, D-D (1st Ser.) (exc. FP, GP, HP)	REINFORCEMENT (bend 15/32 deep x 1 wide)	3695871	2	.55
47-50	½ TON	CAP, bracket (9/16 inside radius)	3683052	2	.35
55-56	H, Ser. 3A (2nd Ser.) (exc. CABS)	RETAINER, axle bracket bushing	3719542	2	.45
57	Ser. 3A (exc. CAB)	RETAINER, axle bracket bushing	3733827	2	.45
55	D-D w/7.50-17 tires (2nd Ser.),				
56-57	D-D w/14" brake	ANCHOR, rear	3720956	2	2.25
55-57	PASS. (POLICE, hvy. duty)	BOLT UNIT, axle bracket (5/16—24 x 21/32)	3720181*	8	(6.174)
51-54	½ TON (1st Ser.)	"U" BOLT (2 7/8 depth)	3695873	2	.35
55-57	PASS. (POLICE, hvy. duty)	NUT, (5/16—24) (301-M steel)	3722860	A.R.	(6.164)

*NOTE: Consists of 2 bolts (300-M steel), 2 nuts, 2 washers.

7.243 BUSHING—SHIM, Front Stabilizer Shaft

39-57	PASS. (hvy. duty) (exc. JB, KB),				
53-57	CORV.		599430	2	.35
48-57	D-D		3690609	2	.45
48-55	D-D (1st Ser.),				
55	D-D w/7.50-17 tires (2nd Ser.),				
56-57	D-D w/14" brake	rear	3690611	2	.25
51-55	½ TON (1st Ser.)		3695870	2	.35
55-57	H, Ser. 3A (2nd Ser.) (exc. CABS)		3719541	2	.30
53-57	CORV.	SHIM, bushing (3/32 x 2 x 3 7/8)	3706033	2	.20

7.244 BUSHING, Front Stabilizer Link

39-57	PASS. (hvy. duty) (exc. JB, KB),				
51-55	½ TON (1st Ser.),				
53-57	CORV.,				
55-57	D-D (2nd Ser.)	rubber (13/32 I.D. x 1 O.D.)	5325788	A.R.	.11
39-40	JB, KB,				
39-46	½ TON	rubber (21/32 I.D. x 1½ max. O.D.)	350146	6	.15
47-50	½ TON	rubber (¾ I.D. x 1 9/16 max. O.D.)	3683032	A.R.	.20
51-55	½ TON (1st Ser.)	inner, bronze (23/64 I.D. x 27/64 O.D.)	041134	2	(7.377)
51-55	½ TON (1st Ser.)	outer, rubber (23/64 I.D. x ⅞ O.D.)	041133	2	(7.388)

7.245 BRACKET—RETAINER—PLATE, Front Stabilizer Link

47-50	½ TON		3683394	2	1.60
39-57	PASS. (hvy. duty) (exc. JB, KB),				
51-55	½ TON (1st Ser.),				
53-57	CORV.,				
55-57	D-D, 1 TON (2nd Ser.)	RETAINER, bushing (25/64 I.D. x 1¼ O.D.)	043468	A.R.	.03
48-52	D-D	RETAINER, rear bushing	3689256	2	(7.421)
55-57	PASS. (POLICE, hvy. duty)	RETAINER, left bushing	3721359	1	.20
55-57	PASS. (POLICE, hvy. duty)	RETAINER, right bushing	3721360	1	.20
55-57	H, Ser. 3A (2nd Ser.) (exc. CABS)	PLATE (3 x 1⅛ w/3 holes)	3719851	2	.50

7.253 UNIT—KIT, Front Stabilizer

55-56	PASS. (POLICE, hvy. duty)		3723932	1	22.00
57	PASS. (POLICE, hvy. duty)		3744627	1	26.50
39-54	PASS. (exc. JB, KB)	KIT, repair (includes bolt, bushing, retainers and nut)	604846	2	1.00

7.303 HANGER, Front Spring Rear

37-39	COMM.,				
40-53	½, ¾ TON (1st Ser.) (exc. D-D)	(cast 593937)	593937	2	2.60
39-46	COE	(cast 3650959)	3650959	2	2.25
41-46	1 TON, UTILITY (exc. COE),				
47-55	1 TON, QJ, RJ, SJ, TJ, UJ, VJ, N (1st Ser.) (exc. D-D)	(cast 3656471)	3656471	2	2.60

47-55	UTIL. (1st Ser.) (exc. QJ, RJ, SJ, TJ, UJ, VJ, N, COE)				
47-55	QJ, RJ, SJ, TJ, UJ, VJ, N (hvy. duty) (1st Ser.)	(cast 3683309)	3683309	2	2.60
47-55	COE	(cast 3685038)	3685038	2	2.60
48-55	D-D (1st Ser.)	(cast 3687505)	3687505	2	2.60
54-55	SBC (1st Ser.)	double wrap eye (cast 3711114)	3711114	2	2.50
39-40	COE,				
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)	(cast 3732823)	3732823	2	2.80
55-57	D-D (2nd Ser.) (exc. 2 TON)	(cast 3719679)	3719679	2	3.10
55-57	1 TON (2nd Ser.)		3732824	2	3.65
55-57	UTILITY (2nd Ser.) (exc. D-D)		3732825	2	3.20

7.330 BRACKET, Body

37-46	½ TON (SGL. UNIT),				
41-42	¾ TON (PLTFM.)	No. 5,			
47-55	½ TON (SGL. UNIT) (1st Ser.)	No. 3	594035	2	.30
41-48	PASS.	No. 3 intermediate,			
49-52	CONV., B-A,				
53-54	CONV., SPT. CPE	No. 5	3665437	2	.45
41-54	PASS.	No. 4 outer,			
42-48	CONV.	No. 4 inter. outer	3665438	2	.75
41-48	PASS. (exc. CONV.),				
49-54	PASS.	No. 4 inner,			
41-48	PASS.	No. 5 inner and outer,			
49-52	PASS. (exc. CONV., B-A)	No. 5 inner and outer, L.H.,			
49-52	PASS. (exc. CONV.)	No. 5 inner and outer, R.H.,			
49-54	PASS. (exc. CONV., SPT. CPE.)	No. 3,			
49-52	CONV.	No. 6 outer, L.H.,			
49-54	CONV.	No. 3 outer,			
49-52	CONV., BEL AIR	No. 6 outer, R.H.,			
50-52	BEL AIR	No. 6 inner and outer, L.H.,			
50-52	BEL AIR	No. 6 inner, R.H.,			
53-54	PASS. (exc. CONV., SPT. CPE.)	No. 3,			
53-54	PASS. (exc. CONV., SPT. CPE.)	No. 4 and 5 inner,			
53	PASS. (exc. CONV., SPT. CPE.)	No. 5 inner, L.H. and R.H,			
53-54	CONV.	No. 4 inner,			
53-54	SPT. CPE.	No. 3,			
53-54	SPT. CPE.	No. 4 inner,			
53-54	SPT. CPE.	No. 6 inner, L. H. and R.H.	3665440	A.R.	.35
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE)	No. 1 body L.H.	3687309	1	1.65
47-55	1 TON, UTILITY (1st Ser.) (exc. COE),				
47-53	½, ¾ TON (exc. D-D)	No. 1 body R.H.	3705992	1	1.95
47	FFC	L.H.	3685529	1	1.50
47-55	FFC (1st Ser.)	R.H.	3685530	1	1.50
47-55	COMM. (SGL. UNIT) (1st Ser.),				
47-55	FFC (with W/S) (1st Ser.)	No. 2	3683356	2	1.15
48-55	D-D (1st Ser.)	No. 1 body R.H.	3687500	1	1.80
49-54	PASS.	No. 1 body outer,			
49-54	PASS.	No. 1 body inner R.H.	3687904	A.R.	.30
49-52	PASS. (exc. CONV.)	No. 2 body L.H.	3688045	1	2.40
49-52	PASS. (exc. CONV.)	No. 2 body R.H.	3689016	1	3.30
49-52	CONV.	No. 2 body	3692433	2	2.85
53-54	PASS. (exc. CONV.)	No. 2 body L.H.	3697759	1	2.40
53-54	PASS. (exc. CONV.)	No. 2 body R.H.	3698166	1	3.40
53-54	CONV.	No. 2 body	3697767	2	1.65
53-54	PASS. (exc. CONV., SPT. CPE.)	No. 5 outer,			
53-54	CONV.	No. 6,			
53-54	SPT. CPE.	No. 6 outer L.H.	3697801	1	1.25
53-54	PASS. (exc. CONV., SPT. CPE.)	No. 5 outer,			
53-54	CONV.	No. 6,			
53-54	SPT. CPE.	No. 6 outer R.H.	3697802	1	1.25
53-57	CORV.	No. 1 outer	3706018	2	1.05
53-57	CORV.	No. 2 outer L.H.	3709919	1	2.80
53-57	CORV.	No. 2 outer R.H.	3709920	1	2.80
53-57	CORV.	No. 2 inner	3706287	2	.50
54-55	½, ¾ TON (1st Ser.)	No. 1, cowl body, cab body frt. mtg.	3705990	1	1.95

NOTE: On 1955 models remove weld projection when using other welding procedure in service.

55-57	PASS.	No. 1 body L.H.	3712401*	1	.85
55-57	PASS.	No. 1 body R.H.	3712402*	1	.85
55-57	PASS.	No. 2 body L.H.	3710195	1	2.20
55-57	PASS.	No. 2 body R.H.	3710196	1	2.20
55-57	PASS.	No. 3 inner body	3710125*	2	.55
55-57	PASS. (exc. SPT. SEDAN)	No. 3 outer body	3710151*	2	1.40
55-57	SPT. CPE., CONV.	No. 3A outer body	3713728*	2	.50
55-57	PASS. (exc. CONV.)	No. 3 inner body, No. 4 body	3712461	2	.45
55-57	PASS. (exc. CONV.)	No. 4 body	3711292	2	.65
55-57	CONV.	No. 4 body L.H.	3711841	1	.65
55-57	CONV.	No. 4 body R.H.	3711842	1	.65
55-57	PASS. (exc. CONV., STA. WAG. (9 PASS.)	No. 5 body L.H.	3711763⊕	1	.45
55-57	PASS. (exc. CONV., STA. WAG. (9 PASS.)	No. 5 body R.H.	3711764⊕	1	.45
55-57	PASS. (exc. STA. WAG. (9 PASS.)	No. 5 body L.H.	3711293*†	1	.55
55-57	PASS. (exc. STA. WAG. (9 PASS.)	No. 5 body R.H.	3711294*†	1	.55
55-57	CONV.	No. 5A body L.H.	3715181	1	.75
55-57	CONV.	No. 5A body R.H.	3715182	1	.75
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	No. 1 body L.H.	3713353	1	1.95
55-57	COMM., UTILITY (2nd Ser.) (exc. D-D)	No. 1 body R.H.	3725900	1	2.35
55-57	SGL. UNIT (2nd Ser.)	No. 2 body	3713526	2	1.25
55-57	COMM. (DBL. UNIT) (2nd Ser.) (exc. cowl)	No. 2 body L.H.	3719977	1	1.40
55-57	COMM. (DBL. UNIT) (2nd Ser.) (exc. cowl)	No. 2 body R.H.	3719978	1	1.40
55-57	FFC (with W/S) (2nd Ser.)	No. 2 body	3725901	2	1.50
55-57	UTILITY (CABS) (2nd Ser.)	No. 2 body	3725796	2	1.50
56-57	SPT. SED.	No. 3 body, outer	3725697	2	1.60
56-57	STA. WAG. (9 PASS.)	No. 5 body, L.H. (3 9/16 wide w/short side 2 3/8 lg.)	3724617	1	.55
56-57	STA. WAG. (9 PASS.)	No. 5 body, R.H. (3 9/16 wide w/short side 2 3/8 lg.)	3724618	1	.55
56-57	STA. WAG. (9 PASS.)	No. 5 body, L.H. (3 1/2 wide w/short side 1 27/32 lg.)	3724619	1	.75
56-57	STA. WAG. (9 PASS.)	No. 5 body, R.H. (3 1/2 wide w/short side 1 27/32 lg.)	3724620	1	.75
56-57	STA. WAG. (9 PASS.)	No. 5A body, L.H.	3724621	1	.75
56-57	STA. WAG. (9 PASS.)	No. 5A body, R.H.	3724622	1	.75
55-57	1/2, 3/4 TON (2nd Ser.)	SPACER, No. 1 body bracket	3719579	A.R.	.10

*NOTE: When using with 1 9/32 hole in place of 3/4 hole it will be necessary to use 3714408 shim together with 3711611 washer. If additional shims are needed use 3712560.

†NOTE: Use w/welded type channel.

⊕NOTE: Use w/tube type channel.

7.345 ABSORBER ASSEMBLY, Shock

NOTE: Nos. following description are model and valve No. which are stamped on cover or valve nut.

Single Action

34-46	COMM.	front, left (1430CA) (4CG),			
47-49	COMM.,				
50	D-D	front, right	1054144	1	14.30
34-46	COMM	front, right (1430DA) (4CG),			
47-49	COMM.,				
50	D-D	front, left	1054146	1	14.30
34-49	1/2 TON	rear, right (1430LA) (3F)	1054420	1	14.30
34-49	1/2 TON	rear, left (1430MP) (3F)	1054421	1	14.30
37-50	3/4 TON	rear, right (1431X) (3CG)	5307420*	1	14.30
37-50	3/4 TON	rear, left (1431Y) (3CG)	5307421*	1	14.30

*NOTE: Not used with heavy duty equipment.

Double Action

34-49	COMM., UTIL. (exc. COE),				
50-53	UTIL. (exc. COE)	front, right (1730-A) (G-2)	1072707	1	21.50
34-49	COMM., UTIL. (exc. COE),				
50-53	UTIL. (exc. COE)	front, left (1730-B) (G-2)	1072708	1	21.50
39-53	COE	front, left (1730C) (2RG2)	5335934	1	21.50
39-53	COE	front, right (1730D) (2RG2)	5335935	1	21.50
39-40	JB, KB	front (1050N) (4E6-A1)	5513851	2	6.95
39-48	PASS. (exc. JB, KB)	front, left (2200A) (1.5DAd-.5)	5352102	1	(6.162)
39-48	PASS. (exc. JB, KB)	front, right (2200B) (1.5DAd-.5)	5352103	1	(6.162)
49-54	PASS.	front (538F) (5C6/OXG/J2)	5531205	2	7.90

50-55	COMM. (1st Ser.)	front, (808M) (4E6/J1)	5531224	2	7.90
53-57	CORV. (exc. hvy. duty)	front (538F) (3.5G6/OXR/P1.25)	5531206	2	7.90
54-55	UTILITY (1st Ser.) (exc. COE)	front (682P) (03J10/C2)	5329764	2	9.95
54-55	COE	front (682K) (03J10/C2)	5329765	2	9.95
55	PASS. (exc. TAXI-CAB),				
56-57	PASS. (exc. CONV., SDL., UTIL. SED., STA. WAG., TAXI-CAB, C.A.C.)	front (510F) (27A)	5531202	2	8.10
55	TAXI-CAB	front (510F) (3.75 L6/OJ)	5520281	2	7.80
55-56	COMM. (2nd Ser.)	front (820R) (180/A1.5-82)	5319957	2	8.10
55-56	UTILITY (2nd Ser.)	front (682Z) (03D6/A3)	5522514	2	9.95
56-57	PASS. w/C.A.C., CONV.,				
56-57	UTIL. SED., STA. WAG.,				
56-57	SDL., TAXI-CAB	front (510F) (C4.25J6/OXL)	5524088	2	7.80
57	Ser. 3 (exc. D-D)	front (835U) (C3-5H8/A25)	5532049	2	8.70
57	Ser. 3C-3D-3F	front	5513193	2	8.70
57	Ser. 4-6 (exc. D-D, SBC)	front (651T)	5521698	2	11.70
57	Ser. 6D-6E	front (651T)	5521699	2	11.70
34-47	½ TON	rear, right,			
48-49	½ TON	rear, left (1731T) (2RG2)	1054424	1	21.50
34-47	½ TON	rear, left,			
48-49	½ TON	rear, right (1731U) (2RG2)	1054425	1	21.50
34-42	UTILITY,				
46-53	1½ TON, SBC,				
49-53	COE	rear, right (1¾ piston) (2000V) (2LG2)	5307020	1	30.24
34-42	UTILITY,				
46-53	1½ TON, SBC,				
49-53	COE	rear, left (1¾ piston) (2000W) (2LG2)	5307021	1	30.24
39-48	PASS. (exc. JB, KB)	rear, right (2100A) (.70J D-.5)	5352104	1	14.95
39-48	PASS. (exc. JB, KB)	rear, left (2100B) (.70J D-.5)	5352105	1	14.95
41-49	AL, AM, BL, BM, DR, ER, FR, FT, GR, GT	rear, right (1½ piston) (1722C) (1RG0)	1053138	1	21.50
41-49	AL, AM, BL, BM, DR, ER, FR, FT, GR, GT	rear, left (1½ piston) (1722D) (1RG0)	1053139	1	21.50
41-42	1 TON, UTILITY (exc. SBC),				
46-47	1, 1½ TON,				
48-49	1 TON,				
50-55	1 TON D-D (1st Ser.)	rear, right (1½ piston) (1722E) (1RG0)	1053142	1	21.50
41-42	1 TON, UTILITY (exc. SBC),				
46-47	1, 1½ TON,				
48-49	1 TON,				
50-55	1 TON D-D (1st Ser.)	rear, left (1½ piston) (1722F) (1RG0)	1053143	1	21.50
49-54	PASS.	rear (560V) (4.5C6/OXG/J2)	5531210	2	7.90
50-53	½ TON	rear (843Z) (3J88/C2)	5531233	2	7.90
50-55	¾ TON (1st Ser.)	rear (843T) (3J88/DE)	5516238	2	6.95
50-53	1 TON (exc. D-D)	rear (667U) (8J10/A1)	5303490	2	9.95
53-57	CORV. (exc. hvy. duty)	rear (560P) (4D6/OXH/J1.25)	5531213	2	7.90
54-55	½ TON (1st Ser.)	rear (843V) (3J88/C2)	5303379	2	6.95
54-55	1 TON, UTILITY (1st Ser.) (exc. D-D, V, W, X)	rear (660V) (04N10/A1)	5520232	2	9.95
55	PASS. (exc. TAXI-CAB),				
56-57	PASS. (exc. CONV., SDL., UTIL. SED., STA. WAG., TAXI-CAB)	rear (560Y) (C4.5G8/OXGJ/1.5)	5531211	2	7.90
55	TAXI-CAB	rear (560Y) (3/5J6/0N)	5303561	2	6.95
55-56	H, Ser. 3A (2nd Ser.)	rear (800W) (3L10/J2.5)	5531222	2	7.90
55	M, J (2nd Ser.),				
56	Ser. 3B-3E	rear (800Z) (181/A2.5)	5531223	2	7.90
55-57	D-D, 1 TON (2nd Ser.)	rear (684U) (04N10/A1)	5513349	2	9.95
55-56	1½ TON (2nd Ser.),				
55-56	2 TON SBC (2nd Ser.) (exc. hvy. duty rear),				
57	Ser. 4C	rear (660U) (04N10/A1)	5320846	2	9.95
55-56	2 TON SBC (w/hvy. rear spring) (2nd Ser.)	rear (660W) (04N10/A1)	5351969	2	9.95
56-57	CONV., SDL., UTIL. SED.,				
56-57	STA. WAG., TAXI-CAB	rear (560Y) (C4.25J6/0X6)	5524089	2	6.95
57	Ser. 3A-3B-3E	rear (835Y) (C-3-5J101 P/2)	5534435	2	8.70
57	4-6 (exc. 4C)	rear (C51CC)	5534401	2	11.70
ALL	ALL	FLUID (1 quart)	603489	A.R.	(6.386)
ALL	ALL	FLUID (1 gallon)	600658	A.R.	(6.386)

7.346 VALVE, Shock Absorber

39-48	PASS. (exc. JB, KB)	front, relief, rebound (3-F) (used only on jobs where excessive bottoming of suspension unit exists)	1069146	2	.84
39-48	PASS. (exc. JB. KB)	front, relief, compression (O-F) (used only on jobs where excessive bottoming of suspension unit exists)	5334612	2	.84
39-40	JA, KA, KH	front and rear, relief (D-5), compression,			
41-48	PASS.	rear, relief (D5), compression	5315911	2	.88
41-48	PASS.	front, relief (AD-5), compression	1069124	2	.84
42-50	COMM., UTILITY (exc. HP, HR, HS),				
51-53	UTILITY	front relief, rebound,			
42-50	½, ¾ TON (exc. HP, HR)	rear relief, rebound (R2)	5334603	2	.84

7.355 LINK—NUT, Shock Absorber

Single Action

30-33	ALL (exc. CC),				
37-39	COMM.	w/pins, front,			
33-36	CC, DC, EC, DB, EB, FB (front on DB PANEL)	w/pins, rear	043031	2	1.64
30-36	PASS., COMM. (exc. CC, DC, EC, FC)	rear,			
37-50	COMM. (exc. 1 TON, HP, HR)	rear,			
47-49	COMM.	front, w/pins	043032	2	1.64
36-37	FC, GA, GB	rear,			
36-38	FC, GB, HB	front,			
40-46	COMM. (exc. AN, BN, DS)	front, w/pins	5302451	2	1.12
46-50	¾ TON (exc. HR)	rear	048456	2	1.28
47-49	½ TON	rear, w/pins	5326999	2	.96
48-50	DUBL-DUTI	front	1063170	2	1.00

Double Action

33-40	COMM.,				
41-49	COMM. (exc. 1 TON, D-D)	front	045377	2	1.24
33-49	CB, DA, DB, ES, FS, GS	rear,			
34-46	AN, BN, DS, UTILITY (exc. COE),				
47-50	D-D, 1 TON, UTILITY (exc. HS, COE),				
51-53	UTILITY (exc. COE)	front (11 1/16 O.L.)	045373	2	1.24
37-39	UTILITY,				
40-42	UTILITY (exc. WC, YT, MT, MY),				
46-48	OR, OS, PJ, PK, QJ, QK, RJ, RK	rear, L. and R. (w/1¾ piston)	5342776*	2	4.04
37-49	½ TON	rear,			
39-53	COE	front	5307862	2	1.24
39-41	JA, KA, KH, AG, AH	rear, w/pin	5328600	2	1.28
39-47	¾, 1, 1½ TON (exc. SBC),				
48-49	1 TON, FR, GR,				
50-55	1 TON D-D (1st Ser.)	rear (use w/1½ piston)	046379	2	1.24
42-48	PASS.	rear	5316364	2	2.08
33-36	UTILITY,				
40-48	SBC, RK,				
49-53	1½ TON, COE, SBC	rear (use w/1¾ piston)	5334387	2	4.04
48-50	FT, GT, HT	rear	047806	2	1.24
39-41	PASS. (exc. JB, KB)	NUT, rear shock link rod (5/16—24)	3654642	2	(7.238)
42-49	PASS., ¾ TON (exc. BL, BM),				
50-57	PASS.,				
55-57	CORV.,				
50-55	COMM. (1st Ser.) (exc. HU, JU, KU)	NUT, rear shock link rod,			
49-57	PASS.,				
55-57	CORV.,				
50-55	COMM. (1st Ser.),				
54-55	UTILITY (1st Ser.),				
55-57	UTILITY (2nd Ser.)	front, shock attach.,			
50-57	¾ TON D-D,				
55-57	CORV.,				
55-57	1 TON (2nd Ser.)	rear, shock attach. (upper end) (⅜—24)	043469	A.R.	.03

*NOTE: Use on Heavy Duty Equipment.

7.356 PIN—BOLT, Shock Absorber Link

31-40	AE, BA, CA, CC, DC, EC, FC, GB, HB, COMM.,				
41-50	½, ¾ TON (exc. HP, HR)	front and rear,			
41-50	1 TON (exc. HS)	front,			
34-40	PASS. (exc. JA, KA, KH)	rear	042274	A.R.	.13
33-50	COMM., UTIL. (exc. HP, HR, HS),				
51-53	UTIL.	front,			
33-49	DA, DC, COMM., QJ, QK,				
39-46	1½ TON, COE,				
50-55	1 TON D-D (1st Ser.)	rear (1½ piston)	042852	A.R.	.29
30-38	PASS. (exc. DA, EA, FA, GA, HA),				
30-50	COMM. (exc. HP, HR, HS)	BOLT, w/bushing, front,			
30-40	PASS. (exc. JA, KA, KH),				
36-50	COMM. (exc. 1 TON, HP, HR)	rear	042170	2	.96

7.357 BUSHING, Shock Absorber Arm Link (Double Acting)

33-50	COMM., UTIL. (exc. CB, HP, HR, HS),				
51-53	UTIL.	front,			
33-47	COMM., UTIL. (exc. CB, SBC, 2 TON),				
48-50	COMM. (exc. HP, HR, HS),				
51-55	1 TON D-D (1st Ser.)	rear (1½ piston)	041151	A.R.	.18

7.358 SLEEVE, Shock Absorber Arm Link (Double Acting)

33-50	COMM., UTIL. (exc. CB, HP, HR, HS),				
51-53	UTIL.	front,			
33-47	COMM., UTIL. (exc. CB, SBC, 2 TON),				
48-50	COMM., (exc. HP, HR, HS),				
51-55	1 TON D-D (1st Ser.)	rear (1½ piston)	041152	A.R.	.31

7.370 PLATE, Rear Shock Absorber Anchor

37-49	½ TON		3676332	2	.95
42-48	PASS.		3664177	2	.75
49-54	PASS.	left	3688655	1	1.05
49-54	PASS.	right	3688656	1	1.05
50-54	½ TON		3689615	2	1.05
53-55	CORV.	left	3706081	1	1.50
53-55	CORV.	right	3706082	1	1.50
55-57	PASS.,				
56-57	CORV.	left	3714311	1	1.40
55-57	PASS.,				
56-57	CORV.	right	3714312	1	1.40
55	½ TON (1st Ser.)	left	3708475	1	1.40
55	½ TON (1st Ser.)	right	3708476	1	1.40

7.371 WASHER, Shock Absorber

33-46	COMM., UTILITY,				
47-49	ER, 1, 1½ TON, D-D, SBC,				
50-53	D-D, 1½ TON, COE, SBC (exc. JT, KT, K)	front and rear,			
47-49	½, ¾, 2 TON (exc. ER, D-D, SBC),				
50-53	2 TON (exc. COE, SBC)	front,			
54-55	1 TON D-D (1st Ser.)	rear (37/64 I.D. x 3/16 thick) (reinforcing)	824775	A.R.	.13
34-53	COMM., UTILITY (exc. COE),				
54-55	COMM. (1st Ser.)	axle bracket (spacer) (19/32 I.D.)	3681493	4	.08
39-40	JB, KB	front pivot bushing,			
49-54	PASS.,				
50-55	½ TON (exc. M),				
55	J w/dual wheels (2nd Ser.) (exc. PICK-UP)	rear lower bushing (21/32 I.D. x 1¼ O.D.)	328936	A.R.	.10
55-57	PASS.	front (11/32 I.D. x 5/8 O.D.)	813046	4	.08
	Not required in this group. See group 16.716		3706737	2	.08

7.377 BUSHING, Shock Absorber Arm

Single Acting

30-38	AD, AE, B, C, DC, ED, FB, FC, FD, GB, HB,				
37-49	COMM.	front,			
30-40	AD, AE, B, C, D, E, F, G, H, JB, KB (exc. DB, EB),				
39-49	½, ¾ TON	rear	041134	A.R.	.07

Double Acting

33-42	COMM., UTIL.,				
46-49	COMM., OR, OS, PJ, PK, QJ, QK,				
50	D-D	front and rear,			
46-47	SBC, 2 TON,				
48-53	UTILITY	front,			
51-55	1 TON D-D (1st Ser.)	rear (⅝ O.D. x 17/32 I.D. x 3/16 long)	041153	A.R.	.15
39-40	JB, KB	front, pivot,			
49	PASS.	rear, pivot,			
50-54	PASS.,				
50-55	COMM. (1st Ser.) (exc. 1 TON D-D),				
53-55	CORV.,				
55-57	D-D, 1 TON (2nd Ser.)	rear, lower,			
55	1½ TON (2nd Ser.)	rear (rubber—⅝ I.D.)	3735333	A.R.	.15
57	PASS., CORV.	rear, lower (⅝)	3735334	4	.05

7.380 BRACKET—PIN—SPACER—BOLT, Shock Absorber Axle

33-40	COMM., UTIL. (exc. COE),				
41-46	COMM. (exc. AN, BN, DS)	front (dbl. acting) (cast 1063708)	3681494	2	.95
37-49	½ TON	rear (dbl. acting) (cast 5313075)	5313075	2	1.64
37-42	UTILITY,				
46-48	1½ TON	rear (double acting) (1¾ piston)	5316192	2	3.48
39-42	UTILITY (exc. WC, YT, MT, MY),				
46-47	OR, OS, PJ, PK, QJ, QK	rear (double acting) (1½ piston)	5316191	2	4.68
39-53	COE	front (dbl. acting) (cast 5335933)	5335933	2	2.44
41-50	1 TON, D-D, UTIL. (exc. HS, COE),				
51-53	UTILITY (exc. COE)	front (dbl. act.) (cast 3681459)	3681459	2	.95
47-49	½, ¾ TON (exc. D-D)	front (sgl. acting) (cast 3683442)	3683442	2	.65
47-49	½, ¾ TON (exc. D-D)	front (dbl. acting) (cast 3683441)	3683441	2	.90
46-47	2 TON SBC,				
48	1½ TON, SBC,				
49-53	1½ TON, COE, SBC	rear (double acting)	3682720	2	2.15
49-54	PASS.,				
53-57	CORV.	front, lower (double acting)	3688548	2	.55
50-55	½, ¾ TON (1st Ser.) (exc. D-D)	front, left (dbl. acting)	3693687	1	1.00
50-55	½, ¾ TON (1st Ser.) (exc. D-D)	front, right (dbl. acting)	3693688	1	1.00
50-55	1 TON, D-D (1st Ser.)	front, left (double acting)	3693787	1	1.00
50-55	1 TON, D-D (1st Ser.)	front, right (double acting)	3693788	1	1.00
54-55	UTILITY (1st Ser.) (exc. COE)	front, left (dbl. act.) (cast 3705689)	3705689	1	1.45
54-55	UTILITY (1st Ser.) (exc. COE)	front, right (dbl. act.) (cast 3705690)	3705690	1	1.45
54-55	COE	front, left (dbl. act.) (cast 3705693)	3705693	1	1.45
54-55	COE	front, right (dbl. act.) (cast 3705694)	3705694	1	1.45
54-55	1½ TON, COE, SBC (1st Ser.)	rear (dbl. act.) (cast 3705697)	3705697	2	3.80
55-56	½ TON (2nd Ser.) (exc. PICK-UP, CABS)	front, left (dbl. act.) (cast 3719829)	3719827	1	3.80
55-56	½ TON (2nd Ser.) (exc. PICK-UP, CABS)	front, right (dbl. act.) (cast 3719830)	3719828	1	3.80
55	½ TON PICK-UP, CABS, J, L (2nd Ser.) (exc. J w/7.50-17—8 ply tire),				
56	½ TON PICK-UP, CABS,				
56	¾, 1 TON (exc. D-D)	front, left (dbl. act.) (cast 3720109)	3720107	1	2.50
55	½ TON PICK-UP, CABS, J, L (2nd Ser.) (exc. J w/7.50-17—8 ply tire),				
56	½ TON PICK-UP, CABS,				
56	¾, 1 TON (exc. D-D)	front, right (dbl. act.) (cast 3720110)	3720108	1	2.50
55	J (2nd Ser.) (w/7.50-17 tires)	front, left (dbl. act.) (cast 3720179)	3720177	1	4.40
55	J (2nd Ser.) (w/7.50-17 tires)	front, right (dbl. act.) (cast 3720180)	3720178	1	4.40
55-56	UTILITY (2nd Ser.)	front, left (dbl. act.) (cast 3714511)	3714511	1	1.95
55-56	UTILITY (2nd Ser.)	front, right (dbl. act.) (cast 3714512)	3714512	1	1.95
55-56	½ TON (2nd Ser.)	rear, left (dbl. act.) (9/16 "U" bolt holes)	3718443	1	1.40
55-56	½ TON (2nd Ser.)	rear, right (dbl. act.) (9/16 "U" bolt holes)	3718444	1	1.40
55-56	¾ TON (2nd Ser.) (exc. D-D)	rear, left (dbl. act.) (11/16 "U" bolt holes)	3718089	1	1.40

55-56	¾ TON (2nd Ser.) (exc. D-D)	rear, right (dbl. act.) (11/16 "U" bolt holes)	3718090	1	1.40
55	UTILITY (2nd Ser.) (exc. V, W, X),				
56	UTIL. (exc. Ser. 6A-6B-6C),				
57	Ser. 4C	rear (dbl. act.) (bolt ½—20 x 2⅛)	3718862	2	4.40
57	Ser. 3A (exc. PICK-UP, CABS)	front, left (cast 3733821)	3733821	1	3.80
57	Ser. 3A (exc. PICK-UP, CABS)	front, right (cast 3733822)	3733822	1	3.80
57	Ser. 3A-3B (PICK-UP, CABS),				
57	Ser. 3E-3G	front, left (cast 3733823)	3733823	1	2.50
57	Ser. 3A-3B (PICK-UP, CABS),				
57	Ser. 3E-3G	front, right (cast 3733824)	3733824	1	2.50
57	Ser. 4-6 (exc. D-D)	front, left w/pin (cast 3734059)	3736689	1	2.25
57	Ser. 4-6 (exc. D-D)	front, right w/pin (cast 3734060)	3736690	1	2.25
57	Ser. 6J-6K	front, left (cast 3741537)	3741535	1	4.30
57	Ser. 6J-6K	front, right (cast 3741538)	3741536	1	4.30
57	Ser. 3A-3B	rear, left (9/16 "U" bolt holes)	3734723	1	1.40
57	Ser. 3A-3B	rear, right (9/16 "U" bolt holes)	3734724	1	1.40
57	Ser. 3E	rear, left (21/32 "U" bolt holes)	3734725	1	1.40
57	Ser. 3E	rear, right (21/32 "U" bolt holes)	3734726	1	1.40
57	Ser. 4-6 (exc. 4C)	rear, left	3734053	1	4.45
57	Ser. 4-6 (exc. 4C)	rear, right	3734054	1	4.45
57	Ser. 4-6	PIN, front and rear anchor (½—20 x 3⅛ O.L.)	3736686	A.R.	.80
55-56	D-D (2nd Ser.)	SPACER, "U" bolt, left (cast 3724145)	3724143	1	(7.425)
55-56	D-D (2nd Ser.)	SPACER, "U" bolt, right (cast 3720546)	3720544	1	(7.425)
57	Ser. 6J-6K (exc. hvy. duty frt. spring)	SPACER, front bracket	3741539	2	1.15
49-54	PASS.,				
53-57	CORV.	BOLT, front brkt. attaching (⅜—24 x 5/8)	3686526	2	.07

7.388 BUSHING, Shock Absorber Link

Single Acting

30-38	PASS. (exc. DA, EA, FA, GA, HA),				
30-50	COMM. (exc. HP, HR, HS)	front,			
30-40	PASS. (exc. JA, KA, KH),				
36-49	COMM. (exc. 1 TON)	rear	041133	2	.14
46-50	¾ TON (exc. HR)	rear (use w/048456 link)	043467	4	.15

Double Acting

33-46	COMM., UTILITY,				
47-50	COMM. (exc. HP, HR, HS)	front and rear,			
47-53	UTILITY	front,			
51-55	1 TON D-D (1st Ser.)	rear	043816	A.R.	.18
49-57	PASS., CORV.	rear	5325788	4	(7.244)
49-57	PASS., CORV.,				
50-55	1 TON D-D (1st Ser.),				
54-55	UTILITY (1st Ser.),				
55-57	UTILITY (2nd Ser.)	front,			
50-55	COMM. (1st Ser.) (exc. 1 TON D-D)	front and rear,			
55-57	D-D, 1 TON (2nd Ser.)	rear, upper (⅜ I.D. x 1 O.D.)	3708378	A.R.	.10
39-48	PASS. (exc. JB, KB)	NUT, rear link rod	3654642	4	(7.238)

7.389 RETAINER, Shock Absorber Bushing (Double Acting)

33-46	COMM., UTILITY,				
47-50	COMM. (exc. HP, HR, HS)	front and rear,			
47-53	UTILITY	front,			
51-55	1 TON D-D (1st Ser.)	rear	043814	4	.06
39-41	JA, KA, KH, AG, AH	rear (¾ I.D. x 1¼ O.D.)	350258	4	.05
48-50	FR, FT, GR, HP, HR, HT,				
49-52	PASS., ¾ TON D-D, 1 TON (exc. GT, GS),				
53-57	PASS.,				
55-57	CORV.,				
53-55	COMM. (1st Ser.) (exc. 1 TON, D-D),				
55-57	D-D, 1 TON (2nd Ser.)	rear,			
49-57	PASS., CORV.,				
50-55	COMM. (1st Ser.),				
54-55	UTILITY (1st Ser.),				
55-57	I, UTILITY (2nd Ser.)	front (25/64 I.D. x 1¼ O.D.)	043468	A.R.	(7.245)
46-50	¾ TON (exc. HR)	rear	3681760	4	.05

55-57	PASS.,				
55-56	½, ¾ TON (2nd Ser.) (exc. D-D),				
56-57	CORV.,				
56	1½ TON, 2 TON SBC,				
57	1½ TON SBC	lower grommet outer (½ I.D. x 1¼ O.D.)	3714310	A.R.	.07

7.395 BRACKET—SUPPORT—MEMBER—REINFORCEMENT—BOLT—NUT, Shock Absorber Frame

50-55	½, ¾ TON (1st Ser.)	front and rear,			
50-55	1 TON (1st Ser.)	front	3700440	2	1.25
50-53	1 TON (exc. D-D)	rear	3693689	2	1.35
54-55	UTILITY (1st Ser.) (exc. COE)	front (steel) (4 holes 5/16 dia.)	3707518	2	1.35
54-55	COE	front (iron) (3 holes ⅜ dia.)	3705691	2	2.75
54-55	1, 1½ TON, COE, SBC (1st Ser.) (exc. D-D),				
55-56	1½ TON, SBC (2nd Ser.),				
57	Ser. 4C	left, rear (cast 3705695)	3705695	1	4.30
54-55	1, 1½ TON, COE, SBC (1st Ser.) (exc. D-D),				
55-56	1½ TON, SBC (2nd Ser.),				
57	Ser. 4C	right, rear (cast 3705696)	3705696	1	4.30
55-56	COMM. (2nd Ser.)	front	3719854	2	2.20
55-56	UTILITY (2nd Ser.)	front,			
55-57	D-D, 1 TON (2nd Ser.)	rear	3713416	2	1.35
55-56	½, ¾ TON (2nd Ser.) (exc. D-D)	rear	3718086	2	1.25
57	Ser. 3	front (7 3/16 O.L.)	3733699	2	1.25
57	Ser. 4-6 (exc. D-D)	front, w/pin (3 15/16 O.L.)	3737927	2	3.30
57	Ser. 3A-3B-3E	rear (5⅝ O.L.)	3740623	2	.30
57	Ser. 6J-6K	front (6⅞ O.L.)	3736685	2	3.25
50-53	¾, 1 TON (exc. D-D)	SUPPORT, bracket, left, rear	3693789	1	1.30
50-53	¾, 1 TON (exc. D-D)	SUPPORT, bracket, right, rear	3693790	1	1.30
55-57	D-D (2nd Ser.)	SUPPORT, bracket, left, rear	3720487	1	1.00
55-57	D-D (2nd Ser.)	SUPPORT, bracket, right, rear	3720488	1	1.00
55-57	1 TON (2nd Ser.)	SUPPORT, bracket, left, rear	3713581	1	1.35
55-57	1 TON (2nd Ser.)	SUPPORT, bracket, right, rear	3713582	1	1.35
55-56	H, Ser. 3A (2nd Ser.)	MEMBER, cross, rear	3726613	1	3.85
55	M, J (2nd Ser.)	MEMBER, cross, rear	3718088	1	3.10
56	Ser. 3B-3E	MEMBER, cross, rear	3726615	1	3.85
56-57	CORV.	MEMBER, cross, rear	3711528	1	4.75
57	Ser. 3A	MEMBER, cross, rear	3740621	1	3.85
57	Ser. 3B-3E	MEMBER, cross, rear	3740625	1	3.85
57	Ser. 4-6 (exc. 4C)	MEMBER, cross rear	3733881	1	4.95
55-57	D-D (2nd Ser.)	REINFORCEMENT, bracket, left, rear	3720485	1	.45
55-57	D-D (2nd Ser.)	REINFORCEMENT, bracket, right, rear	3720486	1	.45
36	FC	BOLT, front and rear,			
37-48	PASS.	rear (hex. hd. ½—13 x 3⅛)	3835744	A.R.	(0.293)
57	Ser. 4-6 (exc. 4C)	BOLT, rear, upper end (⅝—18 x 3)	3733882	2	.50
49-57	PASS., CORV.,				
54-55	1 TON (1st Ser.),				
54-56	1½ TON, COE, SBC,				
55-56	½, ¾ TON (2nd Ser.) (exc. D-D),				
57	½ TON	NUT, rear attaching (½—20)	3691530	A.R.	.08
53-55	CORV.	PIN, rear anchor (3¼ long)	3706262	2	1.10

7.397 SPACER, Shock Absorber

50-54	¾, 1 TON (exc. D-D),				
55-57	D-D, 1 TON	rear axle bracket,			
50-53	¾, 1 TON	rear shield,			
55	½, ¾ TON (exc. D-D)	rear, upper	502809	2	.06
57	Ser. 3 (exc. D-D)	front,			
57	Ser. 3C-3D-3F	front, upper	3733800	2	.06

7.401 SCREW, Shock Absorber Filler Plug

37-39	¾, 1 TON,				
50	D-D	front and rear,			
39-48	PASS. (exc. JB, KB),				
42-49	COMM., UTIL.,				
50-53	UTIL.	front,			
40-42	KD, KE, KF, AL, AM, AN, UTIL.,				
46-49	COMM., PJ, PK, QJ, QK,				
51-55	1 TON D-D (1st Ser.)	rear	5335897	2	.09

7.412 SPRING ASSEMBLY, Front

NOTE: See group 6.351 and 6.361 for knee action coil springs.

39-46	½ TON	7 leaves	599316	2	16.75
41-46	AL, AM, BL, BM, DR	8 leaves (two stage)	3656610	2	18.50
41-50	1 TON, UTIL. (exc. COE, TR, TS),				
51-55	UTIL. (hvy. duty) (1st Ser.) (exc. UR, US, VR, VS, T, U)	9 leaves	3703307	2	26.30
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	8 leaves	3702793	2	18.50
50-55	TR, TS, UR, US, VR, VS, T, U (1st Ser.)	11 leaves	3695108	2	33.05
41-46	COE,				
48-55	D-D (1st Ser.),				
51-55	1, 1½ TON (1st Ser.) (exc. SBC, hvy. duty)	8 leaves	3697686	2	24.10
54-55	SBC (1st Ser.)	9 leaves (double wrap eye)	3711113	2	26.30
55-56	½, ¾ TON (2nd Ser.) (exc. D-D) (1st design)	6 leaves	3719560	2	20.10
55-56	D-D (w/sgl. wheel) (2nd Ser.)	8 leaves (orange paint on spring eye)	3717400	2	26.30
55-56	1 TON (2nd Ser.) (1st design)	7 leaves	3713104	2	24.10
55-56	UTILITY (2nd Ser.) (exc. hvy. duty, 2 TON SBC) (1st design)	8 leaves (white paint on spring eye)	3712546	2	26.30
55-56	D-D w/duals (2nd Ser.) (1st design),				
55-56	2 TON hvy. duty (2nd Ser.) (exc. SBC) (1st design),				
55-56	2 TON SBC (2nd Ser.) (1st design)	10 leaves	3721514	2	30.75
56-57	½, ¾ TON (exc. D-D) (2nd design)	6 leaves	3732552	2	20.10
56-57	1 TON (2nd design)	7 leaves	3732588	2	24.10
56	UTILITY (exc. hvy. duty, 2 TON SBC) (2nd design)	8 leaves	3732599	2	26.30
56-57	D-D w/duals (2nd design) (exc. 2 TON),				
56	2 TON hvy. duty (exc. SBC) (2nd design),				
56	2 TON SBC (2nd design)	10 leaves	3732562	2	30.75
57	Ser. 3C-3D-3F (w/sgl. wheel)	8 leaves (orange paint on spring eye)	3732576	2	27.70
57	Ser. 4-6A-6B-6C (exc. hvy. duty)	8 leaves	3735138	2	26.30
57	Ser. 6A-6B-6C (hvy. duty),				
57	Ser. 6D-6E	10 leaves	3735139	2	30.75

*SPRING ASSEMBLY, Front (Not Serviced)

*NOTE: The following Front Spring Assemblies are not serviced and are shown only for leaf model usage.

41-42	YR, YS, MR, MS	5 leaves (front auxiliary)	605929	
41-50	1, 1½ TON (exc. COE, SBC)	7 leaves (reg. prod.)	3656425	(use 3703307)
41-46	COE,			
48-50	D-D	8 leaves	3665355	(use 3697686)
41-50	1 TON, UTILITY (exc. COE, TR, TS),			
51-53	UTIL. (hvy duty) (exc. UR, US, VR, VS, S, T, U)	9 leaves	3657834	(use 3703307)
47	½ TON	7 leaves	3683405	
47-50	ER, FR, GR	8 leaves (two stage)	3683425	(use 3702793)
47-52	½, ¾ TON (exc. D-D)	8 leaves	3693911	(use 3702793)
50	HP, HR	8 leaves	3686687	(use 3702793)
50	TR, TS	11 leaves	3691884	(use 3695108)
51-52	1, 1½ TON (exc. D-D, SBC)	7 leaves	3694885	(use 3697686)

7.413 BUSHING, Front Spring Eye

34-40	ED, FD, COMM., UTIL. (exc. COE),				
41-55	½, ¾ TON (1st Ser.) (exc. D-D)		600163	2	(7.504)
34-40	ALL (w/leaf spring) (exc. COE),				
41-55	½, ¾ TON (1st Ser.) (exc. D-D)	front eye,			
36-40	FC, GB, HB, JB, KB	rear eye	379647	2	(7.104)
39-40	COE,				
41-55	D-D, 1 TON, UTIL. (1st Ser.)		3651131	2	.55
55-57	COMM., UTILITY (2nd Ser.)	front eye	3717034	2	(7.504)

7.415 LEAF, Front Spring

PART No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price
599321	3.80	3663589	3.00	3717403	4.85	3732565	5.05	3732603	4.20
599323	2.35	3693912	3.80	3717404	3.85	3732566	4.50	3735140	6.45
599466	3.70	3693914	2.50	3718874	6.10	3732577	5.90	3735142	5.55
599505	3.90	3693915	2.50	3718876	5.10	3732579	5.15	3735149	4.75
3656426	5.80	3711125	3.60	3721517	5.05	3732580	4.20	3735152	5.00
3656428	3.80	3713107	5.55	3732555	5.10	3732591	5.55	3735161	6.10
3656429	3.00	3713108	3.90	3732556	3.65	3732600	6.45	3735162	4.50
3658592	4.20	3717401	5.60	3732563	6.10	3732602	5.55		


FRONT SPRING LEAF CHART

Spring Assy.	Leaf No. 1	Leaf No. 2	Leaf No. 3	Spring Assy.	Leaf No. 1	Leaf No. 2	Leaf No. 3
*594075	599466	.....	.....	3702793	3693912	3693914	3693915
599316	599321	599323	.....	3703307	3656426	3656428	3658592
*599504	599505	.....	.....	3711113	3656426	3711125	3658592
*3651022	.....	.....	3663589	3712546	3732600	3713107	3732603
*3656425	3656426	3656428	3656429	3713104	3732600	3713107	3713108
3656610	599321	599323	.....	3717400	3717401	3717403	3717404
*3657834	3656426	3656428	3658592	3719560	3718874	3718876	3732556
*3665355	3656426	3656428	3663589	3721514	3732563	3721517	3732566
*3683405	3693912	3693914	3693915	3732552	3732553	3732555	3732556
*3683425	3693912	3693914	3693915	3732562	3732563	3732565	3732566
*3686687	3693912	3693914	3693915	3732576	3732577	3732579	3732580
*3691884	3656426	3656428	.....	3732588	3732600	3732591	3732592
*3693911	3693912	3693914	3693915	3732599	3732600	3732602	3732603
*3694885	3656426	3656428	3656429	3735138	3735140	3735142	3735149
3695108	3656426	3656428	.....	3735139	3735161	3735152	3735162
3697686	3656426	3656428	3663589				

*For identification only. Assembly not serviced.

7.417 "U" BOLT—NUT, Front Spring

Years		"A"	"B"	"C"	"D"	"E"	"T"	Part No.	
29-33	UTILITY, AD,								
34-40	ED, FD, GB, HB, JB, KB, COMM.,								
40-49	COMM., WA, (exc. AN, BN, DR, DS),								
50-55	½ TON (1st Ser.)	4 3/16	4 11/16	1 25/32	2 25/32	½	2 5/8	601231	.65
39-52	COE (exc. TR, TS, UR, US, VR, VS)	4 15/16	5 9/16	2 1/16	3 5/16	5/8	1 3/16	3651705	.65
41-46	AN, YR, YS, YT, BN, MR, MS, OR, OS, PJ, PK (w/dbl. act. shocks)	4 1/4	4 3/4	2 1/32	3 1/32	½	1 9/16	3656478	.65
41-46	Y, M, O, PL, PV, PW, PX (exc. COE) (w/ dbl. act. shocks, hvy. duty)	4 3/4	5 1/4	2 1/32	3 1/32	½	1 9/16	3658404	.65
41-42	YR, YS, MR, MS	5 1/4	5 3/4	2 1/32	3 1/32	½	1 1/4	605930	.60
42-55	D-D, UTIL. (1st Ser.) (exc. OR, OS, PJ, PK, QJ, QK, COE),								
55-57	D-D w/dual wheels (2nd Ser.),								
55-57	UTILITY (w/dbl. act. shocks) (2nd Ser.) (exc. 2 TON SBC, D-D),								
55-57	UTILITY P/S (exc. 2 TON SBC),								
57	Ser. 3C, 3D, 3F, 3G	5	5 9/16	2 1/32	3 5/32	9/16	2	3681640	.65
46-55	1, 1½ TON, D-D (1st Ser.) (exc. SBC),								
55-57	¾, 1 TON, UTILITY (2nd Ser.) (exc. 2 TON SBC)	4 1/4	4 13/16	2 1/32	3 5/32	9/16	2	3681456	.65
31-40	UTILITY (exc. COE),								
46-55	¾ TON (1st Ser.) (exc. D-D)	5	5 9/16	1 25/32	2 29/32	9/16	2 3/4	3691620	.65
50-52	TR, TS, UR, US, VR, VS	5 1/2	6 1/8	2 1/16	3 5/16	5/8	1 1/2	3691876	.75
53-55	S (1st Ser.)	4 3/4	5 3/8	2 1/16	3 5/16	5/8	1 1/2	3703882	.65
53-55	T, U (1st Ser.)	5 3/8	6	2 1/16	3 3/8	5/8	1 1/2	3703881	.75
55-57	½ TON (2nd Ser.) .....front	3 3/4	4 1/4	2 1/16	3 1/16	½	1 3/16	3713277	.45
55-56	½ TON (2nd Ser.) (exc. P/S) .....rear	3 1/4	3 3/4	2 1/16	3 1/16	½	1 3/16	3713276	.45
55	V, W, X (2nd Ser.) (20 x 6.5 wheels) (exc. hvy. rr. spring),								
55-57	2 TON (2nd Ser.) (hvy. frt. spring) (exc. SBC),								
55-57	Ser. 6D-6E-6J-6K	5 1/8	5 11/16	2 1/32	3 5/32	9/16	2	3714970	.75



SPRING "U" BOLT

57	Ser. 3A-3B	4	4½	2 1/16	3 1/16	½	2	3738122	2	.65
57	Ser. 6J-6K (hvy. frt. spring)	6	6 9/16	2 1/32	3 5/32	9/16	2	3711629	A.R.	.75
48-55	COE	NUT (⅝—18—⅞ thk.)						373912	8	(5.813)

7.421 RETAINER—BRACKET, Front Spring Bumper


40-50	½ TON (CAB, CAN. EXP.),			
51-55	½ TON (1st Ser.)	(w/dbl. act. shk./abs.)	3655328	2 .45
40-52	¾ TON, KF, AK, BK (exc. D-D)	(w/dbl. act. shk./abs.)	3657418	2 .45
41-52	AN, BN, DS, UTIL. (exc. COE)		3682338	2 1.00
47-50	½ TON (PAN., SUB., FFC)	(w/sgl. act. shk./abs.) (cast 3683054)	3683054	2 1.05
47-52	1 TON (exc. D-D)	(w/sgl. act. shk./abs.)	3683639	2 .50
47-52	COE		3685300	2 1.05
48-52	D-D		3689256	2 4.75
40-42	COMM.,			
46	½ TON (CAB, PICK-UP, CAN. EXP.)	BRACKET, R.H. bpr. ret. and sgl. act. shk./abs.	3657002	1 .75
53-55	D-D (1st Ser.)	BRACKET (7¾ O.L.)	3702704	2 1.30
53-55	COE	BRACKET (8 1/16 O.L.)	3703885	2 1.20
55-57	D-D (2nd Ser.) (exc. Ser. 6)	BRACKET (bracket depth 9/16)	3720539	2 .75
55-57	UTILITY (2nd Ser.)	BRACKET (bracket depth 13/16)	3713291	2 .75

7.422 BUMPER, Front Spring

32-42	UTILITY, AN, BN		368400	2 .60
37-40	GB, HB, JB, KB		350251	2 .85
40-52	COMM. (exc. D-D),			
53-55	½ TON (1st Ser.)	(1 1/16 x 1 23/32 x 1 29/32)	3653084	2 .60
46-51	DS, D-D, UTIL.,			
52	D-D, 2 TON	(1½ x 1 13/16 x 2 13/32)	3682339	2 .60
52	1½ TON,			
53-55	¾, 1 TON, UTILITY (1st Ser.) (exc. COE),			
55-57	COMM., UTILITY (2nd Ser.)	(1¾ x 2¼ x 5)	3700034	2 (7.535)
53-55	COE	(1¾ x 2¼ x 5)	3703884	2 .95

7.425 SHIM—SPACER, Front Spring

36-40	KB, COMM., UTIL. (exc. FB, COE),			
41-55	½, ¾ TON (1st Ser.) (exc. D-D)		474682	2 .35
39-54	PASS. (exc. JB, KB)	(for use w/coil springs)	3694719	A.R. (6.364)
41-55	D-D, 1 TON, UTIL. (1st Ser.) (exc. 1 TON D-D, COE),			
55	D-D (2nd Ser.),			
55	COMM., UTIL. (2nd Ser.) (exc. D-D) (1st design)	(raised end 9/32 thick)	3656476	2 .35
55-57	COMM., 1½ TON (2nd Ser.) (exc. D-D, SBC) (2nd design)	(raised end—13/64 thk.)	3722796	2 .35



FRONT SPRING AND PARTS

55-57	SBC, 2 TON (2nd Ser.) (2nd design)	(2 x 4½ x ¼ thk. at raised end)	3722797	2	.35
53-55	¾ TON (1st Ser.) (exc. D-D)	SPACER, "U" bolt (w/7/16 hole)	3702707	2	.35
53-55	D-D (1st Ser.)	SPACER, "U" bolt (forged 3702708)	3702708	2	1.70
53-55	COE	SPACER, "U" bolt (1⅞ x 4⅜)	3703883	2	.40
55-57	½, 1 TON (2nd Ser.) (exc. D-D)	SPACER, "U" bolt (1¾ x 3½)	3713369*	2	.30
55-57	COMM. P/S	SPACER, "U" Bolt, left (5⅜ x 1¾)	3725264	1	.40
55-56	D-D (2nd Ser.)	SPACER, "U" bolt, left (cast 3724145)	3724143	1	3.90
55-56	D-D (2nd Ser.)	SPACER, "U" bolt, right (cast 3720546)	3720544	1	3.90
55-57	1½ TON (2nd Ser.) (exc. hvy. duty SBC).	SPACER, "U" bolt (1⅞ x 3⅝)	3722185	2	.40
55-57	1½ TON (hvy. duty) (2nd Ser.) (exc. SBC),				
55-57	SBC, 2 TON (2nd Ser.)	SPACER, "U" bolt (1⅞ x 3⅞)	3713292	2	.40
57	Ser. 3C-3D-3F	SPACER, left (cast 3724145)	3739037	1	3.90
57	Ser. 3C-3D-3F	SPACER, right (cast 3720546)	3739038	1	3.90

*NOTE: 1—LH spacer not used w/hyd. steering equip.

7.427 PIN, Front Spring Shackle

34-40	ALL (exc. DA, EA, FA, GA, HA, JA, KA, KH, COE),				
41-48	PASS., ½, ¾ TON (exc. D-D),				
49-55	½, ¾ TON (1st Ser.) (exc. D-D)	tapered (3 1/16 long)	373199	4	.55
34-40	ALL (exc. DA, EA, FA, GA, HA, JA, KA, KH, COE),				
41-48	PASS., ½, ¾ TON (exc. D-D),				
49-55	½, ¾ TON (1st Ser.) (exc. D-D)	(.005 oversize)	601894	A.R.	.55
39-40	COE,				
41-55	D-D, 1 TON, UTILITY (1st Ser.),				
55-56	COMM., UTILITY (2nd Ser.)		3653273	4	.55
57	Ser. 3-4-6	(4½ O.L.—thd. both ends)	3737472	4	.60

7.428 BOLT, Front Spring

29-33	ALL (exc. CC)	front end,			
29	ALL	front spring shackle (3/16—18 x 3 3/16)	344336	2	(7.529)
36-40	FC, GB, HB, JB, KB	front spring end eye (5/8—11 x 3 3/16)	477258	2	.60
37-40	COMM., UTIL. (exc. COE),				
41-55	½, ¾ TON (1st Ser.) (exc. D-D)	rear eye (11/16—16 x 3 3/16)	593990	2	.65
39-55	COE,				
41-55	D-D (1st Ser.)	front spring front hanger,			
41-55	1-TON, UTILITY (1st Ser.) (exc. COE)	front spring rear hanger	3657393	2	.65
55-57	COMM., UTILITY (2nd Ser.)	(11/16—16 x 3 15/16)	3713064	2	.65

7.432 NUT, Front Spring Eye Bolt

37-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE),				
55-57	COMM., UTILITY (2nd Ser.)	rear hanger,			
39-57	D-D, COE	front hanger	593992	2	.15

7.436 SHACKLE, Front Spring

34-36	COMM., UTILITY,				
41-46	COMM., UTILITY,				
47-55	COE	front and rear,			
48-55	D-D (1st ser.)	rear (3 5/16 O.L.)	495034	4	.50
47-55	COMM., UTIL. (1st Ser.) (exc. D-D, COE),				
55-56	COMM., UTILITY (2nd Ser.),				
57	Ser. 3-4-6 (exc. hvy. frt. spring)	4 1/16 O.L.	3682788	4	.50
34-36	ALL (exc. DA, DC, EA, EC, FA),				
37-40	ALL (exc. GA, HA, JA, KA, KH, COE),				
41-46	COMM. (exc. AN, BN, DS)	SHACKLE UNIT	603712	2	2.50
39-55	COE,				
41-46	AN, BN, DS, UTILITY	SHACKLE UNIT	609071	2	2.85
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	SHACKLE UNIT	3847459	2	2.85
47-55	1 TON, UTIL. (1st Ser.) (exc. D-D, COE),				
55-56	COMM., UTIL. (2nd Ser.)	SHACKLE UNIT	3847460	2	2.85
57	Ser. 3-4-6	SHACKLE UNIT	3741083	2	3.95

7.443 WASHER, Spring Shackle

34-48	PASS. (exc. DC, EC),				
34-55	COMM., UTIL. (1st Ser.)	front and rear,			
55-57	COMM., UTILITY (2nd Ser.)	front,			
55-57	½ TON, J, Ser. 3E (2nd Ser.)	rear, pin (neoprene)	3717880	8	.10

7.495 INSERT, Spring Leaf

54	PASS.	rear (nylon w/aluminum stearate) (1½ x 2)	3699910	12	.25
55	PASS (1st design)	rear (cotton w/paraffin) (2 x 3½)	3713534	A.R.	.25
55-57	PASS. (2nd design)	rear (nylon w/aluminum stearate) (2 x 2½)	3720922	A.R.	.25

7.503 SPRING ASSEMBLY, Rear

36-37	FC, GA, GB (SED., COA., SDL.) (also CPE., CONV. w/19 in. wheels)	8 leaves (with cover)	594447	2	16.60
40-47	2, 4-DR. SED., CPE. PICK-UP,				
48	4-DR. SED., AEROSEDAN,				
40-48	T. SED., CPES., CONV. (w/18 in. wheels —also hvy. duty w/16 in. wheels),				
49-53	SDL.,				
49-53	PASS. (hvy. duty) (exc. STA. WAG., SDL.)	8 leaves (with cover)	605383	2	20.80
40-48	CPE., CONV. (exc. CPE. PICK-UP),				
48	TOWN SEDAN,				
49-52	PASS. (exc. BUS. CPE., SDL., STA. WAG.)	7 leaves	3657967	2	17.20
40	SDL., STA. WAG.,				
41-48	SDL. (also hvy. duty w/16 in. wheels on SEDANS, CPE. PICK-UPS)	8 leaves (w/cover)	605384	2	24.40
41-48	STA. WAG. (Reg. Prod.),				
49-54	SDL., STA. WAG. (hvy. duty)	8 leaves (blue paint on spring eye)	3711514	2	20.40
36-46	½ TON	8 leaves	3659368	2	22.40
41-55	¾ TON (1st Ser.) (exc. D-D)	7 leaves (2 stage spring)	3656559	2	22.40
41-52	¾, 1 TON (exc. ¾ TON D-D),				
53-55	1 TON (1st Ser.)	8 leaves (2 stage spring)	3693624	2	28.55

41-47	UTIL. (exc. YT, MT, MY, OG, OW, OY, PX, QX)	10 leaves	3658252	2	32.75
41-55	SBC (1st Ser.)	11 leaves (2 stage spring)	3690849	2	43.95
34-40	UTIL. (exc. COE),				
41-55	UTIL (1st Ser.) (exc. SBC)	6 leaves (auxiliary spring)	604934‡	2	18.05
46-49	1 TON (FFC, CAB, CAB w/PLATFORM) (hvy. duty)	11 leaves	3689128	2	34.65
47-54	½ TON	8 leaves	3683317	2	25.30
47-55	UTILITY (1st Ser.) (exc. SBC)	11 leaves	3690893	2	43.10
48-55	D-D (1st Ser.)	8 leaves	3687477	2	26.50
48-53	½ TON (hvy. duty)	9 leaves	3687786	2	28.55
49-53	BUS. CPE.	7 leaves (yellow paint)	3707591	2	15.95
49-54	STA. WAG.	8 leaves (white paint)	3697926	2	18.05
49-55	1 TON (1st Ser.)	3 leaves (auxiliary spring)	3696130	2	10.75
53-55	¾ TON (1st Ser.)	8 leaves (2 stage spring)	3702624	2	28.55
53-54	PASS. (exc. STA. WAG., SDL.)	7 leaves	3697663	2	19.80
53-57	CORV. (exc. hvy. duty)	4 leaves	3711550	2	22.00
54	SDL.,				
54	PASS. (hvy. duty) (exc. SDL., STA. WAG.)	8 leaves (green paint)	3697919	2	20.80
54	½ TON (hvy. duty)	10 leaves	3705452	2	29.10
55-56	PASS. (exc. STA. WAG., SDL. hvy. duty)	4 leaves	3720952	2	16.80
55-56	PASS. (extra hvy. duty),				
56	STA. WAG. (9 PASS.)	6 leaves	3730075	2	21.00
55-56	PASS. (hvy. duty),				
55-56	STA. WAG. (exc. NOMAD, 9 PASS.)	5 leaves (white paint)	3721090	2	18.20
55-56	PASS. (hvy. duty) (exc. STA. WAG.),				
55-56	SDL., NOMAD, TAXI-CAB (exc. hvy. duty)	5 leaves (blue paint)	3721072	2	18.20
55	½ TON (1st Ser.)	8 leaves	3708462	2	26.20
55	½ TON (hvy. duty) (1st Ser.)	10 leaves	3708464	2	33.75
55-57	½ TON (2nd Ser.) (exc. hvy. duty)	7 leaves (2 stage spring)	3712520	2	26.30
55-57	½ TON (hvy. duty) (2nd Ser.)	8 leaves	3713141	2	25.75
55-57	¾ TON (2nd Ser.) (exc. D-D)	9 leaves (2 stage spring)	3714514	2	29.70
55	J w/15"—8 ply, 7.00 x 17—8 ply tires (2nd Ser.),				
56-57	Ser. 3E w/hvy. duty	10 leaves (2 stage spring) (dark green paint)	3714530	2	31.10
55	J w/7.50 x 17—8 ply (2nd Ser.) (exc. PLATFORM),				
55	J w/6.50 x 16—6 ply (2nd Ser.) (exc. PICK-UP),				
56-57	Ser. 3E w/hvy. duty	10 leaves (pink paint)	3714532	2	31.90
55-57	D-D (2nd Ser.),				
55-57	1 TON (hvy. duty) (2nd Ser.)	8 leaves	3719552*	2	31.90
55-57	D-D, 1 TON w/dual rear wheels (2nd Ser.)	5 leaves (auxiliary spring)	3720588	2	16.80
55-57	1 TON (2nd Ser.) (exc. hvy. duty)	8 leaves (blue paint on spring eye)	3713087	2	33.30
55-57	1½ TON (2nd Ser.) (exc. SBC)	10 leaves	3715392	2	45.90
55-57	1½ TON SBC (2nd Ser.)	12 leaves	3718082	2	49.85
55-57	UTILITY (2nd Ser.) (exc. SBC)	5 leaves (auxiliary spring)	3720586	2	19.60
55-57	2 TON (2nd Ser.) (exc. SBC)	11 leaves	3720585	2	48.70
55-57	2 TON (2-SPD., hvy. duty axle) (2nd Ser.) (exc. SBC)	13 leaves	3720589	2	53.20
55-57	2 TON (2-SPD., hvy. duty axle) (2nd Ser.) (exc. SBC)	6 leaves (auxiliary spring)	3720590	2	22.40
55-57	2 TON SBC (2nd Ser.)	13 leaves	3717641	2	53.20
55-57	2 TON SBC (hvy. duty) (2nd Ser.)	15 leaves	3721869	2	60.75
57	PASS. (exc. CONV., STA. WAG., SDL., hvy. duty)	4 leaves	3733986	2	16.80
57	PASS. (hvy. duty) (exc. STA. WAG.),				
57	CONV., NOMAD, SDL., TAXI-CAB	5 leaves	3733993	2	18.20
57	PASS. (hvy. duty),				
57	STA. WAG. (exc. 9 PASS., NOMAD)	5 leaves	3734002	2	18.20
57	PASS. (extra hvy. duty),				
57	STA. WAG. (9 PASS.)	6 leaves	3734010	2	21.00
57	CORV. (hvy. duty)	4 leaves	3735704	2	

‡NOTE: On 604934 spring rate can be increased from 1530 lb. per in. to 1800 lb. per in. by addition of No. 2 leaf (3657428).

*NOTE: Spring Assy. 3719552 together w/aux. spring 3720588 may be used on 1 TON models w/hvy. duty, automatic or 4 SPD. transmissions.

*SPRING ASSEMBLY, Rear (Not Serviced)

*NOTE: The following rear spring assemblies are not serviced and are shown only for leaf model usage.

40-48	CPE., CONV. (exc. CPE. PICK-UP),		
48	TOWN SEDAN,		
49-52	PASS. (exc. BUS. CPE., SDL., STA. WAG.)	7 leaves (w/cover)	605374 (use 3657967)
41-48	STA. WAG. (Reg. Prod.),		
49-53	SDL., STA. WAG. (hvy. duty)	8 leaves	605632 (use 3711514)
41-48	SBC	11 leaves (2 stage spring)	3656733 (use 3690849)
46-48	DS, ES, FS (CAB, CAB w/PLATFORM)	11 leaves (hvy. duty)	3689276 (use 3689128)
46-48	DS, ES, FS (CAB, CAB w/PLATFORM)	12 leaves	3682298 (use 3689128)
47-48	UTIL. (exc. SBC)	11 leaves	3686487 (use 3690893)
49-53	BUS. CPE.	7 leaves	3692293 (use 3707591)
49-53	BUS. CPE.	7 leaves	3697914 (use 3707591)
49-53	STA. WAG.	8 leaves	3692294 (use 3697926)
53	PASS. (exc. BUS. CPE., SDL., STA. WAG.)	7 leaves (w/cover)	3704154 (use 3697663)
53-56	CORVETTE	4 leaves	3706707 (use 3711550)
54	SDL., STA. WAG. (hvy. duty)	8 leaves	3698085 (use 3711514)
55	PASS. (exc. STA. WAG., SDL., hvy. duty)	4 leaves	3714243 (use 3720952)
55	PASS. (hvy. duty), STA. WAG. (std. only)	5 leaves	3714263 (use 3721090)
55	PASS. (hvy. duty), SDL. (std.), Not used with STA. WAG.	5 leaves	3714254 (use 3721072)
55	PASS. (hvy. duty)	6 leaves	3714272 (use 3730075)
55	PASS. (hvy. duty)	6 leaves	3719750 (use 3730075)
55	PASS. (hvy. duty)	6 leaves	3721081 (use 3730075)
55	PASS. (hvy. duty),		
55	STA. WAG. (std. only)	5 leaves	3719738 (use 3721090)
55	PASS. (hvy. duty) SDL. (std.),		
55	Not used with STA. WAG.	5 leaves	3719740 (use 3721072)
55	D-D, 1 TON w/dual rear wheels (2nd Ser.)	8 leaves	3720587 (use 3719552)

7.504 BUSHING, Rear Spring Eye

29-35	AC, AD, AE, B, C, DC, EC		344277	2	(7.413)
33-57	UTILITY,				
55-57	D-D, 1 TON (2nd Ser.)		369721	4	.45
34-55	½ TON (1st Ser.)	front eye	600163	2	.65
34-54	PASS. (exc. DC, EC)	inlox, front eye	3690790	2	.65
34-48	PASS. ½ TON (exc. DC, EC),				
49-55	½ TON (1st Ser.)	rear eye	379647	2	(7.104)
37-55	¾, 1 TON (1st Ser.)	front and rear eye	596854	4	.45
55-57	PASS.	front eye	3710478	2	.75
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)		3717034	2	.60
55-57	UTILITY P/S, CORV.	front eye, cyl. to axle brkt. pin	1427894	4	.45
	Not required in this group. See Group 7.104, 7.524		499533	4	.45

7.505 LEAF, Rear Spring

Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price
599518	5.00	3690852	6.10	3706789	8.35	3713386	6.10	3716737	4.50
599562	4.60	3690865	4.80	3706790	7.20	3713387	6.10	3717642	7.85
3652772	4.60	3690866	5.00	3708458	6.10	3713396	4.75	3717644	6.10
3657428	4.60	3691367	8.45	3708460	3.85	3713397	4.20	3717645	5.30
3658253	8.45	3691369	6.10	3708465	4.40	3713398	5.30	3719554	4.50
3658255	5.90	3691370	6.10	3708484	3.85	3713999	5.05	3721067	3.15
3682316	3.75	3691372	4.35	3711515	3.90	3714247	3.65	3721073	6.10
3683318	5.45	3697664	2.65	3711516	2.65	3714426	7.00	3721092	4.10
3683320	3.90	3697665	2.65	3711517	2.65	3714428	5.05	3721097	3.85
3683321	3.90	3697920	2.65	3712524	3.80	3714436	4.20	3721098	4.20
3687478	5.55	3697927	2.65	3713088	7.00	3714437	3.90	3721374	3.80
3687480	4.35	3702625	6.10	3713090	5.05	3714438	3.65	3722187	6.10
3687787	3.75	3702627	4.25	3713142	6.10	3714517	6.45	3722188	5.45
3688112	3.70	3702628	2.65	3713144	3.80	3714519	3.90	3722207	9.25
3689184	5.05	3702629	3.90	3713145	3.80	3714520	5.05	3730077	4.75
3689185	3.90	3705665	2.65	3713384	8.75	3714536	5.05	3730079	4.05
3690850	8.85								

REAR SPRING LEAF CHART

Rear Spring Assy.	Leaf No. 1	Leaf No. 2	Leaf No. 3	Leaf No. 4
†604934	599562	3657428	.....	.....
*605374	3652772	3705665	.....	.....
605383	3652772	3705665	.....	.....
605384	3652772	3705665	.....	.....
*605632	3652772	3705665	.....	.....
3656559	3702625	.....	.....	.....
*3656733	3690850	3690852	3690865	3690866
3657967	3652772	3705665	.....	.....
‡3658252	3658253	3658255	.....	599562
3659368	599518	.....	.....	.....
*3682298	3702625	3682316	.....	.....
3683317	3683318	3683320	3683321	.....
*3686487	3691367	3691369	3691370	3691372
3687477	3687478	3687480	3688112	.....
3687786	3683318	3683320	3687787	3683321
3689128	3687478	3689184	3689185	.....
*3689276	3687478	3689184	3689185	.....
3690849	3690850	3690852	3690865	3690866
3690893	3691367	3691369	3691370	3691372
*3692293	3652772	3705665	.....	.....
*3692294	3652772	3705665	.....	.....
3693624	3702625	3702627	.....	.....
3697663	3652772	3697664	3697665	.....
*3697914	3652772	3697664	.....	.....
3697919	3652772	3697664	3697920	.....
3697926	3652772	3697664	3697927	.....
*3698085	3652772	3697664	3697920	.....
3702624	3702625	3702627	3702628	3702629
*3704154	3652772	3705665	.....	.....
3705452	3683318	3683320	3687787	.....
*3706707	3706789	3706790	.....	.....
3707591	3652772	3705665	.....	.....
3708462	3708458	3708484	3708460	.....
3708464	3708458	3708484	3708465	.....
3711514	3711515	3711516	3711517	.....
3711550	3706789	3706790	.....	.....
3712520	3713142	3713144	3712524	.....
3713087	3713088	3713090	3713999	.....
3713141	3713142	3713144	3713145	.....
3713588	3713384	3713386	3713387	.....
*3714243	3721073	3721098	3714247	.....
*3714254	3721073	3721092	3721097	.....
*3714263	3721073	3721092	3721374	.....
*3714272	3721073	3730077	3730079	.....
3714514	3714517	3714519	3714520	.....
3714530	3714517	3714519	3714520	.....
3714532	3714517	3714519	3714536	.....
3715392	3713384	3713386	3713387	.....
3717641	3717642	3717644	3717645	.....
3718082	3717642	3717644	3717645	.....
3719552	3714426	3714428	3719554	.....
*3719738	3721073	3721092	3721374	.....
*3719740	3721073	3721092	3721097	.....
*3719750	3721073	3730077	3730079	.....
3720585	3713384	3713386	3713387	.....
3720586	3713396	3713397	3713398	.....
*3720587	3714426	3714428	3719554	.....
3720588	3714436	3714437	3714438	.....
3720589	3713384	3713386	3713387	.....
3720590	3713396	3713397	3716737	.....
3720952	3721073	3714245	3721067	.....
3721072	3721073	3721092	3721097	.....
*3721081	3721073	3730077	3730079	.....
3721090	3721073	3721092	3721374	.....
3721869	3722207	3722187	3722188	.....
3730075	3721073	3730077	3730079	.....
3733986	3733987	3733988	3733990	.....
3733993	3733994	3733995	3733997	.....
3734002	3734003	3734004	3734006	.....
3734010	3734011	3734012	3734014	.....
3735704	3706789	3745153	3745154	.....


*For identification only. Assembly not serviced.
†Auxiliary spring.
‡NOTE: 3657428 No. 5 leaf for Spring Assy. 3658252.

7.506 BOLT, Spring Center (Front and Rear)


ALL	ALL, CORV	fill. plain hd.—($\frac{5}{16}$—24 x $3\frac{5}{8}$)	3723010	2	.30
46-49	1 TON (CAB, FFC)	flat plain hd.—($\frac{5}{16}$—24 x $4\frac{1}{4}$)	3681382	A.R.	.30
ALL	UTILITY	ctr. (univ.—cut to req. length) ($\frac{3}{8}$—24 x $6\frac{3}{4}$ w/$4\frac{3}{4}$ thd.)	3702336	A.R.	.40
ALL	ALL	fill. plain hd.—($\frac{3}{8}$—24 x $5\frac{5}{16}$)	3723009	A.R.	.40
55-57	D-D, 1 TON (w/dual wheels) (2nd Ser.)	fill. plain hd.—($\frac{3}{8}$—24 x $4\frac{7}{8}$)	3713589	2	.20
55-57	2 TON (2nd Ser.) (exc. SBC) (exc. hvy. duty spring)	fill. plain hd.—($\frac{3}{8}$—24 x $7\frac{3}{16}$)	3713406	2	.45
55-57	2 TON (hvy. duty) (2nd Ser.) (exc. SBC)	w/aux. sprg., fill. hd. ($\frac{3}{8}$—24 x $8\frac{13}{32}$)	3716740	2	.60

7.513 CLIP—STRAP, Spring Rebound (Front and Rear)


NOTE: For application, see Front and Rear Spring Clip Chart.



BOLT TYPE (B)



CLINCH TYPE (C)



Part No.	Type	X	Y	Z	List Price
350150	B	2 9/16	4 3/16	1	.40
353835	C	1 13/16	2 1/16	3/4	.20
353863	B	2 9/16	1 7/16	1	.25
353940	C	1 13/16	1 1/2	3/4	.20
354066	C	1 13/16	2 9/16	3/4	.20
362533	C	2 9/16	2 1/8	1	.25
597158	B	2 1/16	1 9/16	1	.25
599595	B	2 9/16	1 3/4	1	.25
3651023	B	2 1/16	2 1/16	1	.40
3658596	B	2 1/16	3 1/4	1	.35
3682307	B	2 1/16	3 17/32	1	.40
3710671	C	1 7/8	1 3/4	1 1/2	.20
3717662	B	2 9/16	5 1/2	1	.70
3721070	C	2 3/16	2 3/16	1	.25
3721071	C	2 3/16	1 7/8	1	.25
3721080	C	2 3/16	2 1/2	1	.25
3728623	B	2 9/16	2 27/32	1	.30

55 PASS. ..... STRAP, spring rebound clip (2 15/16 x 1) ..... 3714252 A.R. .10

FRONT SPRING CLIP CHART

NOTE: See Group 7.412 for Spring Assembly Model Application.

Spring Assy.	Outer	Inner
*350225	353940	353835
593688	†	353835
*594075	353940	354066
599316	353940	353835
*599504	377315	None
*3653541	353940	353835
3656610	353940	(Not Serv.)
*3657834	597158	(Not Serv.)
*3693911	353940	354066
3695108	597158	(Not Serv.)
3697686	597158	(Not Serv.)
3702793	353940	353835
3703307	597158	3651023
3712546	597158	3651023
3713104	597158	3651023
3717400	597158	(Not Serv.)
3719560	597158	(Not Serv.)
3721514	597158	(Not Serv.)
3732552	597158	(Not Serv.)
3732562	597158	(Not Serv.)
3732576	597158	(Not Serv.)
3732588	597158	3651023
3732599	597158	3651023

†NOTE: 593688 uses 353940 (front).

*NOTE: Assembly not serviced.

REAR SPRING CLIP CHART

NOTE: See Group 7.503 for Spring Assembly Model Application.

Spring Assy.	Outer	Inner
594447	3710671	None
597143	3710671	None
599983	3710671	None
604934	362533	None
*605374	3710671	None
605383	3710671	None
605384	3710671	None
*605632	3710671	None
3656559	597158	(Not Serv.)
*3656905	353863	(Not Serv.)
3658252	353863	None
3659368	353940	354066
*3681359	597158	3682307
3683317	353940	354066
3687477	(Not Serv.)	3651023
3687786	353940	354066
3689128	597158	3658596
3690849	(Not Serv.)	350150
3690893	353863	None
*3692293	3710671	None
*3692294	3710671	None
3693624	597158	None
3697919	3710671	None
3697663	3710671	None
3697926	3710671	None
3702624	597158	3658596
*3704154	3710671	None
3705452	353940	(Not Serv.)
3707591	3710671	None
3708462	353940	354066
3708464	353940	354066
3711514	3710671	None
3712520	597158	(Not Serv.)
3713087	599595	(Not Serv.)
3713141	597158	3651023
*3714243	3721071-3721070	3721080
*3714254	3721071-3721070	3721080
*3714263	3721071-3721070	3721080
*3714272	3721071-3721070	3721080
3714514	597158	3682307
3714530	597158	3682307
3714532	597158	(Not Serv.)
3715392	1150861⊕	3728623
3717641	(Not Serv.)	3717662
3718082	(Not Serv.)	3717662
*3719738	3721071-3721070	3721080
*3719740	3721071-3721070	3721080
*3719750	3721071-3721070	3721080
3719552	1150861⊕	None
3720585	1150861⊕	3728623
3720586	362533	None
3720588	362533	None
3720589	1150861⊕	3722688⊕
3720590	3716739⊕	None
3720952	3721071-3721070	3721080
3721072	3721071-3721070	3721080
*3721081	3721071-3721070	3721080
3721090	3721071-3721070	3721080
3721869	(Not Serv.)	3717662
3730075	3721071-3721070	3721080

*NOTE: Assembly not serviced.

⊕NOTE: Available on special order.

7.516 "U" BOLT, Rear Spring

NOTE: See page 589 for pictorial explanation of dimensions.

		"A"	"B"	"C"	"D"	"E"	"T"		
31-37	PASS. (exc. CC, DC, EC, FC),								
33-36	SDL.,								
31-46	½ TON	6 7/8	7 3/8	1 7/8	2 7/8	½	2 3/4	602509	.75
34-40	UTILITY (exc. WC, WD)	9 5/8	10 1/4	2 17/32	3 25/32	5/8	2 1/2	609860	.95
34-40	UTILITY	10 3/4	11 3/8	2 17/32	3 25/32	5/8	2 1/8	609859	.75
37-39	UTIL. (exc. CAN. EXP.),								
40-46	UTIL. (exc. WC, MT, MY, OG, OW, OY) ..	11 5/8	12	2 17/32	3 25/32	5/8	3 1/8	609900	1.35
38-54	PASS.,								
47-54	½ TON	4 3/16	4 11/16	1 25/32	2 25/32	½	2 5/8	601231	(7.417)

		"A"	"B"	"C"	"D"	"E"	"T"			
41-42	UTIL. (exc. PANEL) (dbl. act. shocks),									
46-47	1½ TON, SBC (exc. PANEL)	9½	9⅞	2½	3¾	⅝	2¼	3656558		.80
46-55	COMM., (1st Ser.) (exc. ½ TON)	7⅝	8	2 1/16	3 5/16	⅝	2½	3681686		.95
46-55	1 TON (1st Ser.) (exc. SGL. UNIT)	9	9⅜	2 1/16	3 5/16	⅝	2	3681360		.95
46-55	UTIL. (1st Ser.) (exc. SBC, OR, OS, PJ, PK),									
55-57	1½ TON (2nd Ser.) (hvy. duty) (exc. SBC),									
55-57	2 TON SBC (2nd Ser.)	11¾	12 5/16	2 17/32	4 1/32	¾	2½	3684051		1.60
46-47	OF, OG, PW, PX, QW, QX,									
48-52	UTILITY (exc. COE, RV),									
53-55	UTILITY (1st Ser.),									
55	UTILITY (2nd Ser.) (exc. SBC),									
56	1½ TON (exc. SBC)	10	10 9/16	2 17/32	4 1/32	¾	2½	3681659		1.60
53-55	CORV	—	—	2½	3½	½	1 5/16	3706708		.60
54-55	2 TON (1st Ser.) (exc. SBC.) (2-stage spring),									
54-55	2 TON SBC. (dbl. act. shocks),									
55-56	1½ TON SBC. (dbl. act. shocks) (2nd Ser.),									
57	Ser. 4	10¾	11 5/16	2 17/32	4 1/32	¾	2½	3714015		1.55
55	PASS. (exc. hvy. duty),									
56-57	PASS., CORV. (exc. 9 PASS., hvy. duty)	6⅛	6⅝	3 1/16	4 1/16	½	1½	3723981		.55
55-57	PASS. (hvy. duty)	6⅝	7⅛	3 1/16	4 1/16	½	1 5/16	3723764		.55
55	½ TON (1st Ser.)	7⅛	7⅜	2 13/16	3 13/16	½	1¼	3712596		.80
55-57	½ TON (2nd Ser.) (exc. side mtd., hvy. duty spring)	7⅛	7⅝	2 1/16	3 1/16	9/16	2	3713272		.60
55-57	½ TON (PICK-UP) (side mtd.) (2nd Ser.)	7¾	8 1/16	2 1/16	3 1/16	½	2	3721151		.75
55-57	D-D, 1 TON (2nd Ser.)	7¾	8⅛	2 9/16	3 13/16	⅝	2½	3712848		1.00
55	D-D w/7.50 x 18-8 ply (2nd Ser.),									
56-57	D-D w/14" brake	10	10⅜	2 9/16	3 13/16	⅝	2½	3716838		1.60
55-57	D-D w/dual wheels (2nd Ser.),									
55	1 TON w/dual wheels (2nd Ser.),									
55-57	1 TON (auxil. spring) (2nd Ser.)	9½	9⅞	2 9/16	3 13/16	⅝	2½	3714443		1.05
55-57	¾ TON (2nd Ser.) (exc. D-D)	8½	8⅞	2 1/16	3 5/16	⅝	2½	3714891		.95
55	R (2nd Ser.),									
56	SBC,									
57	Ser. 4C	10⅜	10 15/16	2 9/16	4 1/32	¾	2½	3719312		1.55
55-57	2 TON (2nd Ser.) (hvy. duty) (exc. SBC)	14½	14 13/16	2 9/16	4 1/16	¾	3	3716741		1.95
55-56	2 TON (2nd Ser.) (exc. SBC),									
56-57	1½ TON w/hvy. duty shocks (exc. SBC),									
57	Ser. 6D-6E (hvy. duty)	13	13 9/16	2 9/16	4 1/16	¾	3	3686984		1.70
55-57	2 TON SBC (hvy. duty) (2nd Ser.)	12¾	13 5/16	2 9/16	4¼	¾	3	3726374		1.60
57	Ser. 6 (exc. SBC)	14	14 9/16	2 9/16	4 1/16	¾	3	3731082		2.15
57	Ser. 6A-6B-6C (w/hvy. duty frt. spring)	15¼	15 3/16	2 9/16	4 1/16	¾	3	3731081		2.35
34-48	1½ TON,									
46	COMM.,									
47-57	¾, 1 TON	NUT (⅝—18—⅞ thk.)						373912	A.R.	(5.813)
49-57	PASS., CORV., ½ TON	NUT (½—20)						3691530	A.R.	(7.395)
54-55	COMM., UTILITY (1st Ser.),									
55-57	UTILITY (2nd Ser.)	WASHER (¾ I.D. x 1¼ O.D.)						3720258	8	.08

7.518 PLATE—SPACER, Rear Spring "U" Bolt (See group 5.403)

42-48	PASS.	anchor	3664177	2	(7.370)
46-55	¾, 1 TON (1st Ser.),				
55-57	¾ TON (2nd Ser.) (exc. D-D)	anchor	3719561	2	2.30
49-54	PASS.	left, anchor	3688655	1	(7.370)
49-54	PASS.	right, anchor	3688656	1	(7.370)
50-54	½ TON	anchor	3689615	2	(7.370)
53-55	CORV.	left, anchor	3706081	1	(7.370)
53-55	CORV.	right, anchor	3706082	1	(7.370)
55-57	PASS.,				
56-57	CORV.	left, anchor	3714311	1	(7.370)
55-57	PASS.,				
56-57	CORV.	right, anchor	3714312	1	(7.370)
55	½ TON (1st Ser.)	left, anchor	3708475	1	(7.370)
55	½ TON (1st Ser.)	right, anchor	3708476	1	(7.370)
55-56	½ TON (2nd Ser.)	anchor (cast 3711650)	3711650	2	1.30
55-57	D-D, 1 TON (2nd Ser.)	anchor	3712852	2	2.30
57	Ser. 3A-3B	anchor	3737372	2	1.30
29-54	PASS., ½ TON (exc. CC, DC, EC, FC)	SPACER	3701092	2	.20
37-47	½ TON	SPACER	3676332	A.R.	(7.370)

37-57	UTILITY (exc. SBC.),				
55-57	D-D, 1 TON (2nd Ser.)	SPACER, auxiliary spring	3652468	2	.45
39-56	2-SPD.,				
42	UTILITY (w/hvy. duty) (exc. SBC),				
57	Ser. 4-6	SPACER	3652467	2	.30
41-42	AN, BN,				
46-55	¾, 1 TON (1st Ser.),				
55-56	¾ TON (2nd Ser.) (exc. D-D),				
57	COMM.	SPACER	3656741	2	.30
41-55	1½ TON (1st Ser.) (exc. hvy. duty, 2-SPD.)	SPACER	3656729	2	.30
54	½ TON (PICK-UP) (side mtd.)	SPACER, (unit of 1 spacer and 1 dowel pin)	3713429*	1	.55
55-57	½ TON (2nd Ser.)	SPACER	3711649	2	.30
55-57	½ TON (PICK-UP) (side mtd. wheel carrier) (2nd Ser.)	SPACER	3721152	1	.40
55-57	D-D, 1 TON (2nd Ser.)	SPACER	3712850	2	.30

*NOTE: Used between R.H. rear spring and axle.

7.523 SHACKLE, Rear Spring

33-53	¾, 1 TON,				
33-55	UTIL. (1st Ser.),				
54-55	¾, 1 TON (exc. PANEL) (1st Ser.),				
55-57	1 TON, UTIL. (2nd Ser.)	w/⅞ bushing	3725531	2	3.60
35-48	PASS. (exc. EA, FA, GA, HA, JA)	inner (3 5/16 O.L.)	495034	2	(7.436)
34-39	PASS. (exc. DC, EC),				
34-55	½ TON (1st Ser.)	(4⅞ O.L.)	350441	A.R.	.70
40-48	PASS.	outer (4⅜ O.L.)	3653692	2	.65
40-55	PASS.	inner (w/rubber bshg.)	3690884	2	.35
53-57	CORV.	inner (4½ O.L.)	3706159	2	.45
54	D-D, 1 TON PANEL	w/bushing	3705599	2	3.30
55	PASS.	outer (4¾ O.L.)	3710482	2	.65
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)	(4 1/16 O.L. x 1½)	3682788	4	(7.436)
55-57	D-D (2nd Ser.)	w/bushing (5 3/16 x 1½)	3720489	2	3.80
56-57	PASS.	outer, left	3724963	1	.65
56-57	PASS.	outer, right	3724964	1	.65
34-39	PASS. (exc. DC, EC),				
34-55	½ TON (1st Ser.)	SHACKLE UNIT (4⅞ O.L.)	603588	2	3.10
40-48	PASS. (hvy. duty),				
48-54	PASS.	SHACKLE UNIT (steel bush. type)	604478	2	3.10
40-54	PASS.	SHACKLE UNIT (rubber bush. type)	609462	2	2.60
53-57	CORV.	SHACKLE UNIT (rubber bushing type)	3707891	2	2.60
55	PASS.	SHACKLE UNIT (rubber bush. type) (2 wide)	3713910	2	2.75
55-56	½, ¾ TON (2nd Ser.) (exc. D-D)	SHACKLE UNIT	3847460	2	(7.436)
57	Ser. 3A-3B-3E	SHACKLE UNIT	3741083	2	(7.436)
56-57	PASS.	SHACKLE UNIT, left (rubber bushing type) (3 wide)	3725033	1	3.25
56-57	PASS.	SHACKLE UNIT, right (rubber bushing type) (3 wide)	3725034	1	3.25

7.524 BUSHING, Rear Spring

40-54	PASS.	(rubber bushed shackles)	3660540	8	.25
53-57	CORV.	shackle (rubber 1 O.D.)	3706419	8	.25
55	PASS.	upper and lower,			
56-57	PASS.	lower (rubber) (⅝ I.D.)	3710476	A.R.	.25
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)	shackle	499533	4	(7.504)
56-57	PASS.	upper	1456684	4	.35

7.526 BRACKET, Auxiliary Spring

37-41	UTILITY (exc. SGL. UNIT),				
42-48	UTILITY (exc. SGL. UNIT, SBC),				
49-55	1 TON, UTIL. (1st Ser.) (exc. SBC),				
55-57	1 TON (2nd Ser.)		3653773	4	2.25
55-57	UTILITY (2nd Ser.) (exc. SBC)		3713295	4	2.25
55-57	D-D w/dual wheels (2nd Ser.)		3720605	4	2.25

7.529 BOLT—PIN, Rear Spring

29-33	ALL	rear spring front end (9/16—18 x 3 3/16)	344336	15	.55
34-57	PASS. (exc. DC)	rear spring front eye (½—13 x 4 1/16)	3710479	2	.35

37-55	½ TON (1st Ser.)	front eye (11/16—16 x 3⅜)	593990	2	(7.428)
41-55	¾, 1 TON, UTILITY (1st Ser.),				
55-57	COMM., UTILITY (2nd Ser.)	pin lock (5/16—24 x 1 31/32)	3656671	6	.35
33-40	¾, 1 TON, UTIL.	PIN (⅞ x 4 5/16) w/round keyway	369722	6	.85
34-48	PASS., ½ TON,				
36-55	½, ¾ TON (1st Ser.) (exc. D-D)	PIN, threaded, tapered (3 1/16 long)	373199	4	(7.427)
34-48	PASS., ½ TON,				
36-55	½, ¾ TON (1st Ser.) (exc. D-D)	PIN, rear spring shackle (.005 O.S.)	601894	4	(7.427)
57	Ser. 3A-3B-3E	PIN, rear spring shackle (4½ O.L.—thd. both ends)	3737472	4	(7.427)
41-55	¾, 1 TON, UTILITY (1st Ser.),				
55-57	D-D, 1 TON, UTILITY (2nd Ser.)	PIN (⅞ x 4 5/16) w/flat keyway	3656669	6	.95
55-57	½, ¾ TON (2nd Ser.) (exc. D-D)	PIN (3⅞ x 1 1/16)	3713275	2	.85
53-57	CORV.,				
55-57	UTILITY P/S (exc. D-D)	PIN, front eye, cyl. to axle brkt. (3 23/32 O.L.)	1433914	2	1.40

7.530 NUT—SPACER, Rear Spring Eye Bolt

37-55	½ TON (1st Ser.)	front hanger	593992	2	(7.432)
37-55	¾, 1 TON (1st Ser.)	SPACER (2 holes 1 dia.)	5841505	A.R.	.35
42-48	BN, MR, DS, ES, FS (PANEL)	SHIM, rear spring eye (⅞ I.D. x 1 1/16 x .005)	373481	A.R.	(6.214)

7.535 BUMPER—BRACKET—SPACER, Rear Spring

29-36	UTILITY,				
37-38	COMM., UTILITY,				
39-46	¾, 1 TON, UTILITY,				
47-52	¾ TON, D-D	(5 long x 1¼ wide)	334538	2	.50
34-36	DA, EA, ED, FA, FD		350251	2	(7.422)
41-54	PASS.	(3¼ high)	3692555	2	.75
47-53	½ TON		3683477	2	.75
47-48	UTILITY,				
47-51	1 TON (exc. D-D)	(1⅝ wide, 2¼ high, 5 long)	3662242	2	1.60
48-55	UTILITY (1st Ser.),				
55-57	2 TON (2nd Ser.) (exc. SBC)	(1⅝ wide, 3¼ high, 5 long)	3690895	2	1.60
52	1 TON (exc. D-D),				
53-55	¾, 1 TON (1st Ser.),				
55-57	COMM., UTILITY (2nd Ser.)	(1¾ wide, 2¼ high, 5 long)	3700034*	2	.90
53-57	CORV.	rubber (2⅝ high)	3706073	2	.70
55-57	PASS.	(2⅝ x 2 15/16)	3719960	2	(5.395)
55-57	PASS.	axle differential case (1½ high)	3712872	1	(5.395)
57	Ser. 3A-3B	rubber (5 O.L. w/2—11/32 holes)	3738554	2	.45
54-56	½ TON	BRACKET (5 long)	3712398†	2	.40
55-57	2 TON SBC (2nd Ser.)	SPACER (5 x 1¾ x 7/16 thk.)	3717659	2	.40

†NOTE: Holes in frame must be enlarged to 2 5/64 and use ⅜ rivets for attaching to frame.

*NOTE: Used as rear spring bumper on 1954 ½ TON Models.

7.629 CARRIER—COVER—CLAMP—BRACKET—RETAINER—CHAIN—SEAL —PANEL—ORNAMENT—PLATE, Wheel and Tire Compartment

55-56	PASS. w/C.T.C.	assy. w/o disc	3722162	1	12.30
55-57	H, Ser. 3A (side mtd.) (2nd Ser.)	assy.	3722921	1	5.90
55-57	¾, 1 TON (PICK-UP) (side mtd.) (2nd Ser.)	assy.	3722922	1	5.90
56	PASS. w/C.T.C.	(w/1 pc. bumper)	987352	1	131.00
57	PASS. w/C.T.C.		987517	1	129.50
57	PASS. w/C.T.C.	assy.	3733390	1	12.50
55-56	PASS. w/C.T.C.	COVER ASSY. (side wall)	3714132	1	18.50
57	PASS. w/C.T.C.	COVER ASSY., tire	3733540	1	13.75
37	BUS. CPE., SDL., T. SED., S. SED.,				
38	BUS. CPE., SDL.,				
39-48	CPE., CONV., SDL.	CLAMP (16 in. wheels)	594335	1	.40
41-48	PASS. (exc. CPE., CONV., SDL.)	CLAMP (16 in. wheels)	3658598	1	.40
49-54	PASS. (exc. STA. WAG., SDL.)	CLAMP	3688958	1	.40
55-57	SUB. PICK-UP	CLAMP, tire compartment	3811800	1	1.05
55-56	PASS. w/C.T.C.	RETAINER, cover (tire tread cover)	3714130	1	20.45
57	PASS. w/C.T.C.	RETAINER, tire cover	3733544	1	9.00
55-57	UTILITY (2nd Ser.) (exc. D-D)	BRACKET, clamp bolt	3711782	2	.40
55-57	SUB. PICK-UP	CHAIN, door check	3812174	2	.25

55-57	SUB. PICK-UP	SEAL, door (sponge rubber)	3812170	1	1.10
55-57	SUB. PICK-UP	PANEL, tire compartment	3812167	1	55.45
57	PASS. w/C.T.C.	PLATE, name (CHEVROLET—gold)	3733210	1	(8.055)
57	PASS. w/C.T.C.	ORNAMENT, "V"	3732862	1	(12.182)

7.632 BOLT—PIN—EXTENSION, Wheel Carrier

30-36	BC, CB, DB, EB, FB,				
40-48	STA. WAG.,				
53-55	½ TON (PICK-UP) (side mtd.) (1st Ser.)	wheel mtg. (7/16—20 x 1)	594202	3	(7.874)
37	GC (exc. SUB),				
38-39	HC, JC (PICK UP),				
40	KC,				
42-50	½ TON (CAN. EXP.)	clamp (type "T") (½—13 x 6 3/8 O.L.)	594488	1	.85
34-36	ALL (exc. DC, EC, FC),				
37-57	BN, UTIL.,				
37-39	COMM. (exc. GC, HC),				
46-50	1 TON (exc. SGL. UNIT)	clamp (eye type) (½—13 x 9 3/32)	3847194	2	.70
37-39	¾, 1 TON,				
40-42	½, ¾ TON,				
46-50	¾ TON PLATFORM	center strap (7/16—20 x 1 3/8)	3661613	A.R.	.10
41-50	AK, AN, BK, BN, CK, DP, EP, FP, GP, HP	clamp (½—13 x 9 1/8)	3657456	1	.75
41-48	SEDAN,				
49-50	PASS. (exc. SDL., STA. WAG.)	clamp (7/16—20 x 8 3/32)	3691026	1	.75
42-50	UTIL. (exc. SBC)	hook (16 1/2) back of cab	3665404	1	1.70
42-50	½ TON (PANEL, SUB.),				
50-55	½ TON (1st Ser.)	clamp (type "T") (½—13 x 7 5/8)	3696301	1	.60
42-50	¾, 1 TON (PANEL)	clamp (type "T") (½—13 x 11)	3665060	1	.85
42-50	BL, BM, DR, ER, FR, GR, HR (PLTFM.)	clamp (hook type) (½—13 x 5)	3664928	1	.70
42-49	UTIL. (exc. SBC)	clamp (5/8—18 x 8 3/4)	3665412	1	.80
46-50	¾ TON, D-D (exc. PAN.)	clamp (hook type) (½—13 x 13 1/2)	3681399	1	.85
49-57	STA. WAG., SDL.	clamp (½—13 x 8)	3733394	1	.45
51-54	PASS. (exc. SDL., STA. WAG.)	clamp (7/16—20 x 6 7/8 O.L.)	3696384	1	.40
51-55	½, 1 TON SGL. UNIT, D-D (1st Ser.),				
52-55	¾ TON (1st Ser.),				
55-57	H, Ser. 3A (2nd Ser.) (exc. side mtd.)	frt. clamp (hex. hd.) (9/16—18 x 9)	3697356	1	.60
51-53	¾ TON,				
51-55	1 TON (1st Ser.) (exc. CANOPY EXPRESS, D-D),				
55-56	COMM. (2nd Ser.) (exc. H, Ser. 3A, side mtd.)	frt. clamp (hex. hd.) (9/16—18 x 10 1/2)	3697357	1	.65
51-55	¾, 1 TON (1st Ser.) (exc. SGL. UNIT, D-D),				
55-57	2 TON PLATFORM, SBC w/9.00-20 tires (2nd Ser.),				
55	2 TON w/8.25-20 tires (2nd Ser.),				
56-57	2 TON w/9 x 22.5 tires,				
57	Ser. 6 w/8.25-20 tires	rear clamp (eye type) (½—13 x 11¼)	3683501	A.R.	1.15
51-55	1 TON (SGL. UNIT), D-D (1st Ser.)	rear clamp (type "T") (½—13 x 9¼)	3696794	1	.60
53-57	CORV	cover (7/16—14 x 9 5/16)	3706327	1	.60
55-56	PASS. (exc. STA. WAG., SDL.)	(6 3/8 O.L. w/7/16—20 x 1¾ thrd.)	3712547	1	.40
57	PASS.		3737503	1	.40
55-57	H, Ser. 3A (2nd Ser.) (exc. side mtd.)	(5½ O.L. w/½—13 x 4 21/64 thrd.)	3725665	1	.65
55	M, J (2nd Ser.) (exc. side mtd.),				
56	Ser. 3B, ¾ TON (PICK-UP),				
57	Ser. 3B, 3E (exc. side mtg.)	(7⅛ O.L. w/½—13 x 4 thrd.)	3725666	1	.70
55	D-D, 1 TON (2nd Ser.) (exc. side mtd.),				
56-57	¾ TON w/bumper (exc. D-D, PICK-UP),				
56-57	D-D, 1 TON	(8 5/8 O.L. w/½—13 x 4 3/8 thrd.)	3725667	1	.75
55	UTILITY	wheel carrier clamp (½—13 x 3¾)	180193	2	(8.900)
41-42	SEDAN	PIN, clevis (for use w/clamp bolt)	3653267	1	(4.823)
39-42	UTIL. (exc. WC, YT, MY),				
46-51	2 TON (exc. SBC, TY, UY)	EXTENSION, clamp bolt (2½ x 11 11/16)	3650095	2	.95
55	V w/9.00 x 20—10 ply and 10.00 x 20——12 ply tires (2nd Ser.),				
56-57	Ser. 6A w/10 x 22.5—10 ply tires,				
57	Ser. 6A w/9.22 x 5—10 and 12 ply tires.	EXTENSION, clamp bolt (5 5/16 x 4 1/16)	3711786	2	.60

7.633 NUT, Wheel Carrier

29-32	COMM., UTILITY,				
33-57	UTILITY (2nd Ser.),				
37-39	¾, 1 TON,				
42-50	1 TON	wing (½—13)	348347	2	.40
37-50	COMM. (SGL. UNIT)	tee (½—13 x 3 11/16)	594487	1	1.15
41-48	SEDAN,				
41-50	¾ TON (PLATFORM),				
46-54	PASS.,				
55-57	PASS. w/C.T.C.	(7/16—20) wheel assembly to rear wheel carrier	358501	A.R.	(5.813)
55-57	½ TON (2nd Ser.)	clamp bolt (½—13)	3697354	1	.50
51-55	COMM. (1st Ser.)				
35	EA, ED,				
41-48	SEDAN,				
55-57	PASS. w/C.T.C.	lock (7/16—20 double head, 1 7/32 O.L.)	379458	1	.25
37-40	COMM., UTILITY	lock (½—13 double head)	594486	1	.25
41-50	COMM. (exc. DS, ES, FS, GS, HS)	lock (½—20) (part of 606076)	3658045	1	.40
46-48	STA. WAG.,				
53-57	½ TON (PICK-UP) (side mtd.)	lock (7/16—20 double hd., 1½ O.L.)	3682846	1	.20
53-57	¾, 1 TON (PICK-UP)	lock (½—20 x 1½)	3705082	1	.40
55-57	PASS. (exc. SDL., CONV., STA. WAG.)	wing (5/16—18)	3727540	1	.30
55-57	½ TON (2nd Ser.) (exc. SUB. PICK-UP, side mtd.)	barrel w/¾ hd.	3720856	1	.50
55-57	¾, 1 TON (2nd Ser.) (exc. side mtd.)	barrel w/13/16 hd.	3727741	1	.50

7.675 LOCK ASSEMBLY—LEVER, Wheel Carrier

41	COMM.,				
42-50	COMM. (exc. SGL. UNIT, D-D, 1 TON)		606076	1	4.50
55-56	PASS. w/C.T.C.	w/handle	3722304	1	3.85
57	PASS. w/C.T.C.	w/lever	3735595	1	6.95
57	PASS. w/C.T.C.	LEVER, lock catch release (LIFT)	3735606	1	1.75

7.679 HOUSING—CASE, Wheel Carrier Lock

41-50	COMM. (CABS) (exc. DS, ES, FS, GS, HS)	w/spring	3659170	1	.75
35-38	EC, F, R, G, S, H, T (exc. FB),				
39	STA. WAG.,				
39-41	COMM.,				
41-48	SEDAN,				
42-50	½, ¾ TON, D-D (exc. SGL. UNIT),				
46-48	STA. WAG.,				
53-57	COMM. (PICK-UP) (side mtd.)	CASE (for lock 606076)	379477	1	.65
55-57	PASS. w/C.T.C.	CASE, assy.	3723546	1	1.75

7.680 CYLINDER—PLUNGER—SPRING, Wheel Carrier Lock

34-36	DB, EA, EC, ED, FA, FC, FD,				
37-48	PASS., UTIL. (exc. COE),				
49-50	COMM.,				
53-57	COMM. (PICK-UP) (side mtd.)	less tumblers	601271	1	1.05
55-57	PASS. w/C.T.C.	assy.	3723548	1	1.50
34-38	DC, EA, EC, R, S, T,				
37-50	COMM. (exc. KF, BN),				
39	STA. WAG.,				
41-48	SEDAN,				
46-48	STA. WAG.,				
53-57	COMM. (PICK-UP) (side mtd.),				
55-56	PASS. w/C.T.C.	PLUNGER	496557	1	.25
34-38	DC, EA, EC, R, S, T,				
37-50	COMM. (exc. KF, BN),				
39	STA. WAG.,				
41-48	SEDAN,				
46-48	STA. WAG.,				
53-57	COMM. (PICK-UP) (side mtd.),				
55-56	PASS. w/C.T.C.	SPRING	496558	1	.10

7.751 BRACKET—SPACER—PLATE—RAIL—SUPPORT, Wheel

54-57	COMM. (PICK-UP) (side mtd.)	frt. end panel to side panel (4⅛ O.L. w/3 holes 11/32 dia.)	3707579	1	.50
55-57	UTILITY (2nd Ser.) (exc. D-D)	wheel carrier front cross strap (5 long x 2 wide)	3711785	2	.45
42-50	½ TON, DR,				
42-50	1 TON (SGL. UNIT),				
48-51	D-D	SPACER, frame	3690787	1	2.35
56-57	Ser. 6A-6B w/10 x 22.5 tires	SPACER, frame	3724696	1	.85
53-55	½ TON (PICK-UP) (side mtd.) (1st Ser.)	PLATE (w/three 7/16—20 x 1 attach. bolts)	3702873	1	2.05
53-55	¾, 1 TON (PICK-UP) (side mtd.) (1st Ser.)	PLATE (w/three ½—20 x 1 attach. bolts)	3702900	1	2.05
55-57	½ TON (PICK-UP) (side mtd.) (2nd Ser.)	PLATE (w/three 15/32 sq. holes)	3722240	1	1.05
55-57	¾, 1 TON (PICK-UP) (side mtd.) (2nd Ser.)	PLATE (w/three ½ sq. holes)	3722320	1	1.30
53	COMM. (PICK-UP) (side mtd.)	RAIL, brkt., rear (1⅛ x 1½ x 17½)	3702877	1	1.60
53	COMM. (PICK-UP) (side mtd.)	RAIL, brkt., front (1⅛ x 1½ x 17½)	3702878	1	1.60
53	COMM. (PICK-UP) (side mtd.)	RAIL, brkt., rear (1⅜ x 2½ x 17½)	3702905	1	1.60
53	COMM. (PICK-UP) (side mtd.)	RAIL, brkt., front (1⅜ x 2½ x 17½)	3702906	1	1.60
54-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)	RAIL, brkt., rear (1 15/32 x 19⅝ w/4 slots)	3705613	1	1.60
54-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)	RAIL, brkt., front (1 15/32 x 19⅝ w/4 slots)	3705614	1	1.60
54-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)	RAIL, brkt., rear (1 15/32 x 19⅛ w/3 slots)	3705615	1	1.60
54-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)	RAIL, brkt., front (1 15/32 x 19⅛ w/3 slots)	3705616	1	1.60
55-57	H, Ser. 3A (PICK-UP) (side mtd.) (2nd Ser.)	SUPPORT ASSY., front (19 27/32 long)	3722253	1	.95
55-57	H, Ser. 3A (PICK-UP) (side mtd.) (2nd Ser.)	SUPPORT ASSY., rear upr. (2 31/32 long)	3722255	1	.60
55-57	H, Ser. 3A (PICK-UP) (side mtd.) (2nd Ser.)	SUPPORT ASSY., rear lwr. (16⅞ long)	3722257	1	.90

7.778 STRAP, Wheel Carrier

37-57	UTILITY (exc. 1½ TON SBC),				
53-57	1½ TON SBC w/7.50 x 20 tires	rear cross	609774†	1	1.95
31-42	BN, UTILITY (exc. COE),				
37-38	¾, 1 TON,				
46-50	1 TON, UTILITY (exc. SGL. UNIT),				
51-55	UTILITY (1st Ser.)	front cross	609773	1	1.95
41	COMM. (PICK-UP),				
42	COMM. (SGL. UNIT),				
46-50	½, ¾ TON (CAB, PICK-UP, FFC)		3681633	1	5.50
42-50	COMM. (SGL. UNIT)		3681389	1	5.30
47-50	¾ TON (PLATFORM)	center	3684598	1	5.30
51-57	COMM. (exc. SUB. PICK-UP)	cross (44⅝ O.L.)	3703308	1	3.30
55-57	UTILITY (2nd Ser.) (exc. D-D)	front cross (33½ long x 2 wide)	3711784	1	1.70

†NOTE: Used w/7.50 x 20—8, 8.25 x 20—10 and 9.00 x 18—10 ply tires thru 1955 1st Ser.

7.779 TRACK ASSEMBLY, Wheel Carrier

41-50	½ TON		3658388	1	2.20
41-50	1 TON (SGL. UNIT)		3658036	1	2.20
41-50	AL, AM, BL, BM, DR, ER, FR, FT, GR, GT, HR, HT (CAB w/PICK-UP, PANEL)		3658432	1	2.20

7.780 BRACKET—ROLLER, Wheel Carrier

37-50	¾ TON (PLATFORM)	track	597427	1	.40
51-55	COMM. (1st Ser.),				
55-57	COMM. (2nd Ser.) (exc. side mtd., SUB. PICK-UP)	diagonal cross strap	3697352	1	.30
55-57	SUB. PICK-UP	rear cross sill to spare tire compartment	3812314	1	1.05
37-50	COMM. (SGL. UNIT on DS, ES, FS, GS, HS)	ROLLER (⅜ dia. x 2 23/32 long)	594485	1	.15

7.782 MEMBER—SUPPORT—BRACE—BAR, Wheel Carrier Cross

41-50	1 TON (SGL. UNIT)		3659526	1	1.30
41-50	AL, AM, BL, BM, DR, ER, FR, FT, FU, GR, GT, GU, HR, HT, HU (CAB w/PICK-UP, PANEL)	SUPPORT	3657974	1	1.00
41-50	½ TON	SUPPORT	3658357	1	1.30
51-55	¾, 1 TON (1st Ser.),				
55-57	SGL. UNIT, D-D (2nd Ser.) (exc. Ser. 6),				
55-57	½, ¾ TON (CABS) (rear bmpr.) (2nd Ser.)	SUPPORT, cross bar	3696786	A.R.	1.05

53-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)..	SUPPORT, side panel lower (2 sq., 4 rd. holes—13 O.L.) (2 rd. holes 2 7/32 ctr. to ctr.)	3705882	1	1.00
55-56	PASS. w/C.T.C.	SUPPORT ASSY., lock plate bracket	3722169	1	2.25
57	PASS. w/C.T.C.	SUPPORT ASSY., lock plate bracket	3734144	1	1.75
55-57	SUB. PICK-UP	SUPPORT, front or rear, spare tire compartment	3811860	1	6.15
55-57	COMM. (PICK-UP) (side mtd.) (2nd Ser.)	SUPPORT, lower	3722259	1	1.00
55	M, 3/4, 1 TON (PICK-UP) (2nd Ser.) (side mtd).,				
56-57	Ser. 3B-3E-3G (PICK-UP) (side mtd.)	SUPPORT, side (19 15/16 O.L.)	3722338	2	1.05
53-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)..	BRACE, side	3702880*	2	1.10
53-55	COMM. (PICK-UP) (side mtd.) (1st Ser.)..	BRACE, center	3702881*	1	1.10
53-55	3/4 TON (PICK-UP) (side mtd.) (1st Ser.)..	BRACE, side	3702954†	2	1.00
53-55	3/4 TON (PICK-UP) (side mtd.) (1st Ser.)..	BRACE, center	3702955†	1	1.00
55	M (side mtd.) (2nd Ser.),				
56-57	Ser. 3B (side mtd.)	BRACE w/plate	3725762	1	8.40
55-57	H, Ser. 3A (2nd Ser.) (exc. side mtd., SGL. UNIT, SUB. PICK-UP)	BAR (32 O.L.)	3715063	1	1.35
55	M, J (2nd Ser.) (exc. side mtd., rear bmpr.),				
55-57	1 TON (2nd Ser.) (exc. side mtd., SGL. UNIT),				
56-57	Ser. 3B-3E	BAR (32 9/16 O.L.)	3715062	A.R.	1.35

*NOTE: Used w/7.00 x 17—6 and 8 or 7.50 x 17—8 ply tires.

†NOTE: Used w/15" 6 ply tires.

7.783 PLATE—GUIDE, Wheel Carrier Centering

42	COMM. (PANEL),				
46-50	1/2 TON	(bolts parallel to frame side member)	3690785	1	3.80
46	DR (CAB, PAN., PICK-UP, FFC),				
46	DS (SGL. UNIT)		3681386	1	2.20
47-50	ER, FR, FT, FU, GR, GT, GU, HR, HT, HU,				
47-50	1 TON (SGL. UNIT)	(bolts parallel to frame side member)	3690786	1	2.90
51-52	3/4, 1 TON (exc. side mtd., D-D),				
53-57	COMM. (exc. Ser. 3A, side mtd.)	front	3696505	1	.30
51-55	COMM. (1st Ser.),				
55-57	COMM. (2nd Ser.) (exc. side mtd., SUB. PICK-UP)	rear (bolts to diagonal cross strap)	3726141	1	.85
53-57	3/4, 1 TON (PICK-UP) (side mtd.)	tire lock nut cover (5 7/16 I.D.)	3705083	1	3.30
37-50	3/4 TON (PLATFORM)	GUIDE	597431	2	.95

7.796 BRACKET, Front License Plate

35-38	PASS. (exc. EC)	w/clamp	597893	1	.75
41	PASS.		3658840	1	.40
41-46	COMM., UTILITY		605358	1	.90
42	PASS.		3664316	1	.40
46-48	PASS.		3681292	1	.40
47-53	COMM., UTILITY	w/support	3847439	1	.85
49-50	PASS.		3692649	1	.40
51-52	PASS.		3695392	1	.40
53-55	PASS.	(11 3/8 O.L.)	3700404	1	.40
53-57	CORV.	(8 7/8 O.L.)	3706243	1	2.30
54-57	COMM. (exc. D-D)	(7 ctr. to ctr. rd. holes)	3705102	1	.40
55-56	COMM. (2nd Ser.) (exc. D-D)	(5 9/16 ctr. to ctr. rd. holes)	3719567	1	.40
56	PASS.		3722738	1	.40
57	PASS.	(11 7/16 O.L.)	3732361	1	.40
57	Ser. 3 (exc. D-D)	(8 29/32 O.L.)	3733251	1	.40

7.799 GUARD—BOLT—BUMPER, Front License Plate

49	PASS.		3690351	1	8.70
50	PASS.		3692622	1	5.55
51-52	PASS.		3698613	1	5.55
42	PASS.	BOLT, attach. frt. lic. plate guard	3659743	2	(3.707)
49-50	PASS.	BUMPER, rubber (1/2 dia. head x 5/8 O.L)	3690156	2	(8.024)

7.827 GUARD—CAP, Fender


51-52	PASS.	front, left	3695711	1	12.75
51-52	PASS.	front, right	3695712	1	12.75

51-52	PASS.	rear, left	3695801	1	13.20
51-52	PASS.	rear, right	3695802	1	13.20
53	PASS.	front, left	3702937	1	13.20
53	PASS.	front, right	3702938	1	13.20
53-54	PASS. (exc. SDL., STA. WAG.)	rear, left	3702943	1	13.60
53-54	PASS. (exc. SDL., STA. WAG.)	rear, right	3702944	1	13.60
55	PASS.	front, left	3710757	1	13.90
55	PASS.	front, right	3710758	1	13.90
55	PASS.	rear, left	3710749	1	11.65
55	PASS.	rear, right	3710750	1	11.65
56	PASS.	front, left	3722609	1	11.95
56	PASS.	front, right	3722610	1	11.95
56	PASS.	rear, left	3722237	1	6.55
56	PASS.	rear, right	3722238	1	6.55
56	PASS.	UNIT, rear	987329†	1	
56	PASS.	UNIT, frt. fender and grille	987351†	1	
56	PASS.	CAP Assy., front left	3722227	1	6.40
56	PASS.	CAP Assy., front right	3722228	1	6.40

†Note· Close out price applies, see Dealer P and A Price Schedule.


7.828 GUARD—UNIT—BAR—INSERT—CUSHION UNIT, Bumper and Grille


40	KA, KB, KC, KH	front or rear bumper	3654097	4	2.20
41	PASS.	front bumper	3658726	2	2.80
41	PASS.	rear bumper	3658730	2	2.80
46-48	PASS.	left front and right rear bumper	3681917	1	4.70
46-48	PASS.	right front and left rear bumper	3681918	1	4.70
49	PASS.	left front and right rear,			
50-52	SDL., STA. WAG.	right rear	3698611	A.R.	5.50
49	PASS.	right front and left rear,			
50-52	SDL., STA. WAG.	left rear	3698612	A.R.	5.50
49	PASS.	bumper, grille and trunk, left front and right rear w/bolt	3689669	1	5.85
49	PASS.	bumper, grille and trunk, right front and left rear w/bolt	3689670	1	5.85
50	PASS.	front, left	3692625	1	5.50
50	PASS.	front, right	3692626	1	5.50
50	PASS. (exc. SDL., STA. WAG.)	rear, left	3692645	1	5.50
50	PASS. (exc. SDL., STA. WAG.)	rear, right	3692646	1	5.50
51-52	PASS.	front, left	3698607	1	5.50
51-52	PASS.	front, right	3698608	1	5.50
51-52	PASS. (exc. SDL., STA. WAG.)	rear, left	3698609	1	5.50
51-52	PASS. (exc. SDL., STA. WAG.)	rear, right	3698610	1	5.50
53	PASS.	front, left	3697477	1	5.50
53	PASS.	front, right	3697478	1	5.50
53	PASS. (exc. SDL., STA. WAG.)	rear, left	3697851	1	5.50
53	PASS. (exc. SDL., STA, WAG.)	rear, right	3697852	1	5.50
53	SDL., STA. WAG.	rear, left	3698225	1	5.50
53	SDL., STA. WAG.	rear, right	3698226	1	5.50
53	PASS.	grille	3702931	1	8.35
54	PASS.	front, left	3704517	1	5.50
54	PASS.	front, right	3704518	1	5.50
54	PASS. (exc. SDL., STA. WAG.)	rear, left	3705425	1	5.50
54	PASS. (exc. SDL., STA. WAG.)	rear, right	3705426	1	5.50
54	SDL., STA. WAG.	rear, left	3705479	1	5.50
54	SDL., STA. WAG.	rear, right	3705480	1	5.50
54	PASS.	grille	3707418	1	10.80
54-55	½, ¾ TON (1st Ser.)	L.H., radiator grille (painted)	3707401	1	8.05
54-55	½, ¾ TON (1st Ser.)	R.H., radiator grille (painted)	3707402	1	8.05
55	PASS.	front, left	3709697	1	5.50
55	PASS.	front, right	3709698	1	5.50
55	PASS. (exc. SDL., STA. WAG.)	rear, left	3708593	1	5.50
55	PASS. (exc. SDL., STA. WAG.)	rear, right	3708594	1	5.50
55	SDL., STA. WAG.	rear, left	3708911	1	5.50
55	SDL., STA. WAG.	rear, right	3708912	1	5.50
55-57	SUB. PICK-UP	bumper bar rear	3811847	2	7.20
56	PASS.	front, center bar	3722226	1	10.50
56	PASS.	front, left	3720271	1	6.05
56	PASS.	front, right	3720272	1	6.05



PASSENGER BUMPER PARTS

56	PASS. (exc. SDL., STA. WAG.)	rear, left	3720573	1	4.70
56	PASS. (exc. SDL., STA. WAG.)	rear, right	3720574	1	4.70
56	SDL., STA. WAG.	rear, left	3720595	1	5.85
56	SDL., STA. WAG.	rear, right	3720596	1	5.85
57	PASS.	front, left (prod.)	3730527	1	6.05
57	PASS.	front, right (prod.)	3730528	1	6.05
57	PASS.	front, left (access.)	3733547	1	6.50
57	PASS.	front, right (access.)	3733548	1	6.50
57	PASS. (exc. STA. WAG., SDL.)	rear, left w/anchors (access.)	3734389	1	6.50
57	PASS. (exc. STA. WAG., SDL.)	rear, right w/anchors (access.)	3734390	1	6.50
57	STA. WAG., SDL.	rear, left	3733143	1	6.90
57	STA. WAG., SDL.	rear, right	3733144	1	6.90
55-57	COMM. (2nd Ser.) (exc. K, SUB. PICK-UP, FFC, Ser. 3F)	UNIT, bumper (chrome)	987270	1	19.50
55-57	COMM. (2nd Ser.) (exc. K, FFC, Ser. 3F)	UNIT, bumper (painted)	987177	1	11.90
55-57	UTILITY (2nd Ser.)	UNIT, bumper	987219	1	10.75
55-57	UTILITY (2nd Ser.)	UNIT, grille	987213	1	42.00
56	PASS.	UNIT, front	987351	1	(7.827)
57	PASS. (exc. STA. WAG., SDL.)	UNIT, frt. and rr.	987522	1	27.50
57	Ser. 3	UNIT, grille	987618	1	37.00
49	PASS. (exc. SDL., STA. WAG.)	BAR, trunk guard cross w/bolts	3690084	1	12.20
53	PASS. (exc. SDL., STA. WAG.)	BAR, rear guard cross	3697823	1	6.60
54	PASS. (exc. SDL., STA. WAG.)	BAR, rear guard cross	3705421	1	6.60
54-55	½, ¾ TON (1st Ser.)	BAR, radiator grille (painted)	3707404	1	6.40





1955 PASSENGER BUMPER PARTS

57	PASS.	INSERT, front (stain. steel—1 5/16 I.D. x 3 23/32 O.D.)	3733372	2	.60
57	PASS.	CUSHION UNIT, front guard	987578	1	3.90

7.829 SUPPORT—ADAPTER ASSY.—BOLT—SPACER—CLAMP, Bumper Guard

54	PASS.	left grille guard	3707423	1	5.90
54	PASS.	right grille guard	3707424	1	5.90
55	PASS.	front, fender guard	3710165	2	1.95
56	PASS.	front left, fender guard	3722621	1	.95
56	PASS.	front right, fender guard	3722622	1	.95
55	PASS. w/C.T.C.	ADAPTER ASSY., rr. bumper face bar, L.H.	3721621	1	14.00
55	PASS. w/C.T.C.	ADAPTER ASSY., rr. bumper face bar, R.H.	3721622	1	14.00
56	PASS. w/C.T.C.	ADAPTER ASSY., rr. bumper face bar, L.H.	3721501	1	13.15
56	PASS. w/C.T.C.	ADAPTER ASSY., rr. bumper face bar, R.H.	3721502	1	13.15
57	PASS. w/C.T.C.	ADAPTER ASSY. rear bumper face bar, L.H.	3733139	1	12.50
57	PASS. w/C.T.C.	ADAPTER ASSY. rear bumper face bar, R.H.	3733140	1	12.50
57	PASS.	BOLT, insert front (1/2—13 x 2 7/8)	3736537	2	.35
57	PASS. w/C.T.C.	BOLT, upper attaching (3/8—24 x 3)	3734641	2	.20
57	PASS. w/C.T.C.	BOLT, lower attaching (3/8—24 x 1 1/4)	3722811	2	(16.325)
57	PASS.	SPACER, insert front	3733171	2	.07
57	PASS. w/C.T.C.	SPACER, rear bumper	3734639	2	
57	PASS.	CLAMP ASSY., front bumper guard lower	3734923	2	.45
57	PASS.	CLAMP, front bumper guard upper	3733557	2	.25

7.831 BAR, Bumper Face

FRONT

38-40	PASS., COMM.,				
41	PASS.		3847305†	1	10.50
41-46	COMM. (exc. DS),				
41-42	UTILITY (exc. COE),				
46	DS, OR, PJ (PICK-UP, SGL. UNIT)		3656464†	1	15.75
42-46	UTILITY, DS (exc. SGL. UNIT)	(6 3/4) (channel type)	3666224	1	10.50
46-48	PASS.		3681219	1	17.75
47-55	1/2, 3/4 TON (1st Ser.) (exc. D-D)	(primed)	3700438†	1	12.25
47-55	1 TON (1st Ser.) (exc. D-D)	(primed)	3700437†	1	17.75
47-55	1/2, 3/4 TON (1st Ser.) (exc. D-D)	(chrome)	3683350†	1	17.75
47-55	1 TON (1st Ser.) (exc. D-D)	(chrome)	3683347†	1	18.25
47-55	UTILITY (1st Ser.)	front (dev. length 24 5/8)	3700600	1	17.75
48-53	D-D		3690266	1	12.25
49-52	PASS.	center	3698604*	1	7.75
49-52	PASS.	left	3698605	1	8.25
49-52	PASS.	right	3698606	1	8.25
53	PASS.	left	3697341	1	8.00
53	PASS.	right	3697342	1	8.00
53-54	PASS.	center	3704887	1	8.00
53-55	CORV.	vertical (chrome)	3706235	2	6.75
53-55	CORV.	center, fender (chrome)	3706628	2	4.75
53-55	CORV.	inner, fender (chrome)	3706629	2	4.50
53-55	CORV.	outer, fender (chrome)	3706630	2	5.50
53-55	CORV.	lower, fender (chrome)	3706631	2	5.75
54	PASS.	left	3704531	1	8.25
54	PASS.	right	3704532	1	8.25
54-55	D-D (1st Ser.)	front	3701353	1	17.75
55	PASS.	center	3707509	1	8.50
55-56	PASS.	left	3707507	1	9.25
55-56	PASS.	right	3707508	1	9.25
55-57	COMM. (2nd Ser.) (exc. D-D)	(painted)	3713797†	1	17.25
55-57	COMM. (2nd Ser.) (exc. D-D)	(chrome)	3711981†	1	27.00
55-57	D-D, UTILITY (2nd Ser.)		3711983	1	17.75
56	PASS.	center	3720822	1	11.00
56-57	CORV.	fender (chrome)	3725539	2	9.25
56-57	CORV.	(chrome)	3724970	2	8.00
57	PASS.	center	3730522	1	16.25
57	PASS.	left	3730523	1	17.25
57	PASS.	right	3730524	1	17.25

*NOTE: On 1949 models, drill two 1/16" holes for 1949 License Plate Guard.

†Also listed in rear bumper section of this group.

REAR

NOTE: (front) shown in column at right indicates part is also used as Front Bumper Face Bar.

38-39	HA, HB, JA, JB (CPE., TRUNK); HC, HD, HE, JC, JD, JE (CAB),				
40	K (exc. STA. WAG., SDL., PANEL, SUB.),				
41	PASS. (exc. SDL., STA. WAG.)		3847305	1	(front)
41-42	COMM. (exc. PICK-UP, PLATFORM),				
46	CK, DP, DR (exc. PAN., SUB. w/drs., PLATFORM),				
46	DS (CAN. EXP.),				
46	OR, PJ (PANEL)		3656464	1	(front)
46-48	PASS. (exc. SDL., STA. WAG.)		3681220	1	17.75
46-48	SDL.		3681991	1	12.75
47-48	½, ¾ TON (exc. PICK-UP, PLTFM.),				
49-55	½ TON (SGL. UNIT) (1st Ser.)	(primed)	3700438	1	(front)
47-53	½, ¾ TON (PICK-UP),				
48-55	½, ¾ TON FFC, CAB (1st Ser.)	(primed)	3700469	1	11.00
47-53	½, ¾ TON (PICK-UP),				
48-55	½, ¾ TON FFC, CAB (1st Ser.)	(chrome)	3684823	1	17.75
47-55	1 TON (SGL. UNIT) (1st Ser.)	(primed)	3700437	1	(front)
47-48	½, ¾ TON (exc. PICK-UP, PLTFM.),				
49-55	½ TON (SGL. UNIT) (1st Ser.)	(chrome)	3683350	1	(front)
47-55	1 TON (SGL. UNIT) (1st Ser.)	(chrome)	3683347	1	(front)
49-52	PASS.	center	3698600	1	7.75
49-52	PASS.	left	3698601	1	8.25
49-52	PASS.	right	3698602	1	8.25
53-54	PASS.	left	3697343	1	8.25
53-54	PASS	right	3697344	1	8.25
53-54	PASS. (exc. SDL., STA. WAG.)	center	3697689	1	7.75
53-54	SDL., STA. WAG.	center	3697690	1	11.00
53-55	CORV.	horizontal (chrome)	3706043	1	10.50
53-55	CORV.	center, fender (chrome)	3706648	2	4.75
53-55	CORV.	inner left, fender (chrome)	3706757	1	4.50
53-55	CORV.	inner right, fender (chrome)	3706758	1	4.50
53-55	CORV.	outer, fender (chrome)	3706646	2	8.75
53-55	CORV.	lower, fender (chrome)	3706645	2	6.50
54-55	COMM. (PICK-UP) (1st Ser.)	(chrome)	3705437	1	17.75
54-55	½ TON CAB (1st Ser.),				
54-55	COMM. (PICK-UP) (1st Ser.)	(primed)	3705438	1	10.75
55	PASS. (exc. SDL., STA. WAG.)	center	3707479	1	8.75
55	SDL., STA. WAG.	center	3710241	1	11.25
55	PASS.	left	3707483	1	8.50
55	PASS.	right	3707484	1	8.50
55	PASS. w/C.T.C.	assy., center	3713702	1	43.50
55	PASS. w/C.T.C.	upper	3713703	1	11.00
55	PASS. w/C.T.C.	lower	3713707	1	9.75
55-57	SUB. PICK-UP	left, intermediate	3811845	1	10.00
55-57	SUB. PICK-UP	right, intermediate	3811846	1	10.00
55-56	SUB. PICK-UP	center	3811844	1	27.25
55-57	SUB. PICK-UP	outer, left	3811785	1	24.50
55-57	SUB. PICK-UP	outer, right	3811786	1	24.50
55-57	COMM. (2nd Ser.) (exc. PICK-UP)	(chrome)	3711981	1	(front)
55-57	COMM. (2nd Ser.) (exc. PICK-UP)	(painted)	3713797	1	(front)
55-57	PICK-UP (2nd Ser.) (exc. SUB. PICK-UP).	(chrome)	3714646	1	28.25
55-57	PICK-UP (2nd Ser.) (exc. SUB. PICK-UP).	(painted)	3715875	1	17.00
56	PASS. (exc. SDL., STA. WAG.	center	3719462	1	14.75
56	SDL., STA. WAG.	center	3720600	1	14.75
56	PASS.	left, outer	3721483	1	11.00
56	PASS.	right, outer	3721484	1	11.00
56-57	PASS. w/C.T.C.	upper	3722149	1	11.00
56	PASS. w/C.T.C.	lower	3722150	1	9.75
56-57	CORV.	left	3725223	1	13.25
56-57	CORV.	right	3725224	1	13.25
56-57	CORV.	upper, fender	3725577	2	4.75
56-57	CORV.	lower, fender	3725579	2	6.75
57	PASS. (exc. STA. WAG. SDL.)	center	3729316	1	19.50
57	STA. WAG., SDL.	center	3733128	1	21.25

57	PASS.	left	3743335	1	18.50
57	PASS.	right	3743336	1	18.50
57	PASS. w/C.T.C.	lower	3733536	1	13.50
57	SUB. PICK-UP	center	3739532	1	27.25

7.833 DEFLECTOR—PANEL—SUPPORT—BUMPER—SEAL—RETAINER, Rear Bumper

41-42	CPE., CONV., SED.		3658358	1	5.90
46-48	PASS. (exc. STA. WAG., SDL.)		3681679	1	7.65
46-48	SDL.		3681947	1	7.65
47-55	COMM. (SGL. UNIT) (1st Ser.)		3690257	1	5.45
49-50	PASS. (exc. STA. WAG.),				
51-52	SDL.		3688583	1	5.45
49-52	STA. WAG.		3689015	1	5.90
51-52	PASS. (exc. STA. WAG., SDL.)		3695903	1	5.45
53-54	PASS. (exc. STA. WAG., SDL.)		3702008	1	5.45
53-54	STA. WAG.		3702010	1	7.40
53-54	SDL.		3702009	1	7.30
55-57	PICK-UP (2nd Ser.)	left	3723881	1	.65
55-57	PICK-UP (2nd Ser.)	right	3723882	1	.65
55-57	PICK-UP (2nd Ser.)	body rear panel gravel	3720504	2	.65
55-56	PASS. w/C.T.C.	PANEL ASSY., filler	3721765	1	4.75
57	PASS. w/C.T.C.	PANEL, filler	3733538	1	4.75
47-55	COMM. (SGL. UNIT) (1st Ser.)	SUPPORT, L.H., deflector outer	3807061	1	.35
47-55	COMM. (SGL. UNIT) (1st Ser.)	SUPPORT, R.H., deflector outer	3807062	1	.35
47-55	COMM. (SGL. UNIT) (1st Ser.)	SUPPORT, deflector inner	3808229	2	.60
41-48	PASS. (exc. STA. WAG.)	BUMPER, deflector rubber	3718407	A.R.	(8.024)
42-54	PASS.,				
55	PASS. w/C.T.C.	BUMPER, deflector rubber	3700014	2	(1.286)
53-55	CORV.	BUMPER, center face bar	3706047	1	.40
53-55	CORV.	BUMPER, side face bar	3706048	4	.30
56-57	CORV.	BUMPER, face bar	3725231	4	.20
49-54	PASS.	SEAL, rubber (79 O.L.)	3705106	1	1.40
55	PASS.	SEAL, rubber (63¾ O.L.)	3715221	1	1.10
55-56	SGL. UNIT (2nd Ser.)	SEAL, rubber (73$\frac{3}{16}$ O.L.)	3812061	1	1.30
56	PASS.	SEAL to fender (rubber 7½ long—$\frac{3}{32}$ thick)	3728302	1	.30
56	PASS.	SEAL, to body (rubber 65½ long)	3720570	1	1.10
57	PASS.	SEAL, to fender (rubber—w/two $\frac{3}{16}$ holes)	3736589	2	.35
57	PASS.	SEAL, to body (rubber—58⅞ O.L.)	3736586	1	1.60
55-57	SGL. UNIT (2nd Ser.)	RETAINER, seal (70¼ O.L.)	3812062	1	.50
57	PASS.	RETAINER, left to fender seal	3736587	1	.20
57	PASS.	RETAINER, right to fender seal	3736588	1	.20

7.836 BAR—BRACE—SUPPORT—REINFORCEMENT, Frame to Bumper Attaching (Also see group 7.869)

FRONT

40	PASS.	inner, left	3653341	1	1.90
40	PASS.	inner, right	3653342	1	1.90
40	PASS.	outer, left	3653343	1	2.05
40	PASS.	outer, right	3653344	1	2.05
40	COMM.		3653681	2	3.90
41	PASS.	inner, left	607887	1	2.05
41	PASS.	inner, right	607888	1	2.05
41-46	COMM. (exc. AN, BN, DS)	outer, left	3658053	1	2.05
41-46	COMM. (exc. AN, BN, DS)	outer, right	3658054	1	2.05
41-46	COMM. (exc. AN, BN, DS)	inner, left	3658013	1	1.65
41-46	COMM. (exc. AN, BN, DS)	inner, right	3658014	1	1.65
41-42	COMM., UTILITY (exc. COE),				
46	DS, OR, PJ	outer (used w/4¾ bumper)	3656466	2	2.65
41-42	COMM., UTILITY (exc. COE),				
46	DS, OR, PJ	inner (used w/4¾ bumper)	3656465	2	1.65
42-46	UTILITY, DS (exc. SGL. UNIT)	inner, left (used w/6¾ bumper)	3666227	1	1.65
42-46	UTILITY, DS (exc. SGL. UNIT)	inner, right (used w/6¾ bumper)	3666228	1	1.65
42-46	UTILITY, DS (exc. SGL. UNIT)	outer, left (used w/6¾ bumper)	3666235	1	2.40
42-46	UTILITY, DS (exc. SGL. UNIT)	outer, right (used w/6¾ bumper)	3666236	1	2.40
46-48	PASS.	inner, left	3681253	1	2.50

46-48	PASS.	inner, right	3681254	1	2.50
46-48	PASS.	outer, left	3681255	1	2.70
46-48	PASS.	outer, right	3681256	1	2.70
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	inner, left (22⅛ dev. length)	3701949	1	2.75
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	inner, right (22⅛ dev. length)	3701950	1	2.75
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	outer, left (30 3/16 dev. length)	3701951	1	2.80
47-55	½, ¾ TON (1st Ser.) (exc. D-D)	outer, right (30 3/16 dev. length)	3701952	1	2.80
47-55	1 TON, D-D (1st Ser.)		3683342	1	6.00
46-55	UTIL. (1st Ser.) (exc. COE)	outer	3683314	2	3.30
49-52	PASS.	inner, left	3688285	1	2.50
49-52	PASS.	inner, right	3688286	1	2.50
49-52	PASS.	outer, left	3692451	1	2.75
49-52	PASS.	outer, right	3692452	1	2.75
49-52	PASS.	intermediate, left	3689379	1	2.50
49-52	PASS.	intermediate, right	3689380	1	2.50
53-54	PASS.	inner, left (22 17/32 dev. length)	3697693	1	2.50
53-54	PASS.	inner, right (22 17/32 dev. length)	3697694	1	2.50
53	PASS.	outer, left (31⅛ dev. length)	3697695	1	2.75
53	PASS.	outer, right (31⅛ dev. length)	3697696	1	2.75
53	PASS.	inter., left (23¾ dev. length)	3697697	1	2.50
53	PASS.	inter., right (23¾ dev. length)	3697698	1	2.50
54	PASS.	inter., left (25½ dev. length)	3704565	1	2.50
54	PASS.	inter., right (25½ dev. length)	3704566	1	2.50
54	PASS.	outer, left (1 slot—2 holes ⅜ dia.)	3704567	1	2.15
54	PASS.	outer, right (1 slot—2 holes ⅜ dia.)	3704568	1	2.15
47-55	COE	BRACE, outer	3684837	2	3.10
55	PASS.	BRACE, left (22½ dev. length)	3715927	1	1.25
55	PASS.	BRACE, right (22½ dev. length)	3715928	1	1.25
55-57	COMM. (2nd Ser.) (exc. D-D)	BRACE, left (19 dev. length)	3719079	1	1.60
55-57	COMM. (2nd Ser.) (exc. D-D)	BRACE, right (19 dev. length)	3719080	1	1.60
55-57	UTILITY (2nd Ser.)	BRACE, left (17⅞ dev. length)	3719113	1	3.90
55-57	UTILITY (2nd Ser.)	BRACE, right (17 ⅞ dev. length)	3719114	1	3.90
56	PASS.	BRACE, front left	3720831	1	1.25
56	PASS.	BRACE, front right	3720832	1	1.25
57	PASS.	BRACE, front, left	3734109	1	1.35
57	PASS.	BRACE, front, right	3734110	1	1.35
57	PASS.	BRACE, rear, left	3734111	1	.65
57	PASS.	BRACE, rear, right	3734112	1	.65
53-55	CORV.	SUPPORT, front left	3706969	1	2.50
53-55	CORV.	SUPPORT, front right	3706970	1	2.50
56-57	CORV.	SUPPORT, front left	3724475	1	2.80
56-57	CORV.	SUPPORT, front right	3724476	1	2.80
57	PASS.	SUPPORT, inner left	3732365	1	1.25
57	PASS.	SUPPORT, inner right	3732366	1	1.25

REAR

46-48	PASS. (exc. SDL., STA. WAG.)	inner, left	3681297	1	1.75
46-48	PASS. (exc. SDL., STA. WAG.)	inner, right	3681298	1	1.75
46-48	PASS. (exc. STA. WAG.)	outer, left	3681299	1	1.75
46-48	PASS. (exc. STA. WAG.)	outer, right	3681300	1	1.75
47	½ TON (PICK-UP),				
48-55	½ TON (1st Ser.) (exc. SGL. UNIT)	inner, left (24⅞ dev. length)	3705587	1	2.75
47	½ TON (PICK-UP),				
48-53	½ TON (exc. SGL. UNIT)	inner, right	3684828	1	2.75
47	½ TON (PICK-UP),				
48-53	½ TON (exc. SGL. UNIT)	outer, left	3684829	1	2.75
47	½ TON (PICK-UP),				
48-53	½ TON (exc. SGL. UNIT)	outer, right	3684830	1	2.75
47	½ TON (exc. PICK-UP),				
48-55	½ TON (SGL. UNIT) (1st Ser.)	inner, left	3684727	1	2.50
47	½ TON (exc. PICK-UP),				
48-55	½ TON (SGL. UNIT) (1st Ser.)	inner, right	3684728	1	2.50
47	½ TON (exc. PICK-UP),				
48-55	½ TON (SGL. UNIT) (1st Ser.)	outer, left	3684729	1	2.40
47	½ TON (exc. PICK-UP),				
48-55	½ TON (SGL. UNIT) (1st Ser.)	outer, right	3684730	1	2.40
47	¾ TON (PICK-UP),				
48-53	¾ TON (exc. PLTFM.)	inner, left	3684833	1	2.75

47	¾ TON (PICK-UP),				
48-53	¾ TON (exc. PLTFM.)	inner, right	3684834	1	2.75
47	¾ TON (PICK-UP),				
48-53	¾ TON (exc. PLTFM.)	outer, left	3684835	1	2.75
47	¾ TON (PICK-UP),				
48-53	¾ TON (exc. PLTFM.)	outer, right	3684836	1	2.75
47	¾ TON (exc. PICK-UP, PLTFM.),				
47-55	1 TON (SGL. UNIT) (1st Ser.)	inner, left	3684733	1	2.40
47	¾ TON (exc. PICK-UP, PLTFM.),				
47-55	1 TON (SGL. UNIT) (1st Ser.)	inner, right	3684734	1	2.40
47	¾ TON (exc. PICK-UP, PLTFM.),				
47-55	1 TON (SGL. UNIT) (1st Ser.)	outer, left	3684735	1	2.40
47	¾ TON (exc. PICK-UP, PLTFM.),				
47-55	1 TON (SGL. UNIT) (1st Ser.)	outer, right	3684736	1	2.40
49-50	PASS. (exc. STA. WAG.),				
51-52	SDL.	inner, left	3688291	1	2.75
49-50	PASS. (exc. STA. WAG.),				
51-52	SDL.	inner, right	3688292	1	2.75
49-50	PASS. (exc. STA. WAG.),				
51-52	SDL.	outer, left	3688293	1	2.15
49-50	PASS. (exc. STA. WAG.,,				
51-52	SDL.	outer, right	3688294	1	2.15
49-52	STA. WAG.	front inner, left	3688443	1	2.50
49-52	STA. WAG.	front inner, right	3688444	1	2.50
49-52	STA. WAG.	front outer, left	3688445	1	1.95
49-52	STA. WAG.	front outer, right	3688446	1	1.95
51-52	PASS. (exc. SDL., STA. WAG.)	inner, left	3695019	1	2.50
51-52	PASS. (exc. SDL., STA. WAG.)	inner, right	3695020	1	2.50
51-52	PASS. (exc. SDL., STA. WAG.)	outer, left	3695021	1	2.15
51-52	PASS. (exc. SDL., STA. WAG.)	outer, right	3695022	1	2.15
53-54	PASS. (exc. STA. WAG.)	inner, left (38 dev. length)	3697987	1	2.75
53-54	PASS. (exc. STA. WAG.)	inner, right (38 dev. length)	3697988	1	2.75
53-54	PASS. (exc. STA. WAG.)	outer, left (18¾ dev. length)	3697911	1	2.35
53-54	PASS. (exc. STA. WAG.)	outer, right (18¾ dev. length)	3697912	1	2.35
53-54	STA. WAG.	inner, left (42 dev. length)	3697991	1	2.75
53-54	STA. WAG.	inner, right (42 dev. length)	3697992	1	2.75
53-54	STA. WAG.	outer, left (21½ dev. length)	3697993	1	2.15
53-54	STA. WAG.	outer, right (21½ dev. length)	3697994	1	2.15
54-55	½ TON (1st Ser.) (exc. SGL. UNIT)	inner, right (2 holes 17/32 dia. off center) (dev. length 24⅞)	3705588	1	2.75
54-55	½ TON (1st Ser.) (exc. SGL. UNIT)	outer, left (2 holes 17/32 dia. off center) (dev. length 21⅞)	3705589	1	2.50
54-55	½ TON (1st Ser.) (exc. SGL. UNIT)	outer, right (2 holes 17/32 dia. off center) (dev. length 21⅞)	3705590	1	2.50
54-55	¾ TON (1st Ser.) (exc. PLTFM.)	inner, left (2 holes 17/32 dia. off center) (dev.			
54-55	1 TON PICK-UP) (1st Ser.)	length 21½)	3705593	1	2.75
54-55	¾ TON (1st Ser.) (exc. PLTFM.)	inner, right (2 holes 17/32 dia. off center)			
54-55	1 TON (PICK-UP) (1st Ser.)	(dev. length 21½)	3705594	1	2.75
54-55	¾ TON (1st Ser.) (exc. PLTFM.)	outer, left (2 holes 17/32 dia. off center) (dev.			
54-55	1 TON (PICK-UP) (1st Ser.)	length 24½)	3705595	1	2.75
54-55	¾ TON (1st Ser.) (exc. PLTFM.)	outer, right (2 holes 17/32 dia. off center)			
54-55	1 TON (PICK-UP) (1st Ser.)	(dev. length 24½)	3705596	1	2.75
41-42	COMM. (exc. AN),				
46	CK, DP, DR (exc. PANEL),				
46	DS (CAN. EXP.),				
46	PJ (PANEL)	SUPPORT, rear face bar	3658094	2	1.30
41	AN (PANEL),				
41-42	COMM. (SGL. UNIT) (exc. AN),				
46	CK, DP (CAB, PANEL, SUB.),				
46	DR, DS (PANEL)	SUPPORT, rear face bar	3658095	2	1.80
53-55	CORV.	SUPPORT, rear face bar left	3706045	1	2.75
53-55	CORV.	SUPPORT, rear face bar right	3706046	1	2.75
55	PASS. w/C.T.C.	SUPPORT, lower face bar	3714133	1	3.65
55	PASS. w/C.T.C.	SUPPORT, upper	3714039	2	.65
55-57	SUB. PICK-UP	SUPPORT, left, inner (29 3/16 dev. length)	3811777	1	3.10
55-57	SUB. PICK-UP	SUPPORT, right, inner (29 3/16 dev. length)	3811778	1	3.10
55-57	SUB. PICK-UP	SUPPORT, left, outer (13 dev. length)	3811779	1	3.10

55-57	SUB. PICK-UP	SUPPORT, right, outer (13 dev. length)	3811780	1	3.10
56-57	CORV.	SUPPORT, rear face bar left	3725229	1	2.75
56-57	CORV.	SUPPORT, rear face bar right	3725230	1	2.75
55	PASS.	BRACE, left, bmpr. to frame (18 dev. length)	3715931	1	1.25
55	PASS.	BRACE, right, bmpr. to frame (18 dev. length)	3715932	1	1.25
55-57	CABS, SGL. UNIT (2nd Ser.)	BRACE, left, rear bumper	3719081	1	1.70
55-57	CABS, SGL. UNIT (2nd Ser.)	BRACE, right, rear bumper	3719082	1	1.70
55-57	SUB. PICK-UP	BRACE, left, rear bmpr. to body	3812315	1	1.40
55-57	SUB. PICK-UP	BRACE, right, rear bmpr. to body	3812316	1	1.40
56	PASS.	BRACE, rear, left	3726239	1	1.40
56	PASS.	BRACE, rear, right	3726240	1	1.40
57	PASS.	BRACE, outer left	3734951	1	.85
57	PASS.	BRACE, outer right	3734952	1	.85
57	PASS.	REINFORCEMENT, outer left	3734953	1	.75
57	PASS.	REINFORCEMENT, outer right	3734954	1	.75

7.865 PAD—SPACER—INSULATOR—GROMMET—WASHER—BUMPER—SHIM, Bumper

49-52	PASS.	rear, inner bar to qtr. panel (rubber)	3688663	2	.25
55	PASS.	SPACER, rr. bumper to fdr. ($15/32$ sq. hole—$1\ 23/32$ O.D.)	3719622	2	.20
55-57	PASS. w/C.T.C.	SPACER, rr. bumper face bar ($1/2$ I.D. rd. hole)	3713712	2	1.40
53-55	CORV.	INSULATOR, face bar support	3706213	4	.20
56-57	CORV.	INSULATOR, face bar support	3725233	4	.30
53-57	CORV.	GROMMET, face bar support	3706543	2	.45
55	PASS.	WASHER, rr. bumper face bar bolt ($17/32$ I.D. x $1\ 11/16$ O.D.)	3694372	2	.08
55-57	SUB. PICK-UP	BUMPER, rear center face bar (rubber $1\ 1/2$ x $5/8$)	3811865	2	.08
55-56	SUB. PICK-UP	SHIM, rr. bumper to body brace	3713824	A.R.	(9.011)


7.869 BRACKET, Front and Rear Bumper

47-55	D-D, 1 TON (1st Ser.)	frame to supt., left (frt. bpr.)	3683399	1	2.80
47-55	D-D, 1 TON (1st Ser.)	frame to supt., right (frt. bpr.)	3683400	1	2.80
53-57	CORV.	front, support left	3706241	1	.30
53-57	CORV.	front, support right	3706242	1	.30
54	PASS.	assy., bumper, front left	3708987	1	2.50
54	PASS.	assy., bumper, front right	3708988	1	2.50
55	PASS.	assy., fdr. to bmpr., frt. outer left	3710985	1	2.20
55	PASS.	assy., fdr. to bmpr., frt. outer right	3710986	1	2.20
55	PASS.	bumper, rear left, bumper, frt. inner right	3707815	2	1.25
55	PASS.	bumper, rear right, bumper, frt. inner left	3707816	2	1.25
55	PASS. w/C.T.C.	left, rear, face bar support	3714137	1	2.20
55	PASS. w/C.T.C.	right, rear, face bar support	3714138	1	2.20
55-57	COMM. (2nd Ser.) (exc. D-D)	left, front bumper, rear bumper	3719077	A.R.	1.25
55-57	COMM. (2nd Ser.) (exc. PICK-UP, D-D)				
55-57	COMM. (2nd Ser.) (exc. D-D)	right, front bumper, rear bumper	3719078	A.R.	1.25
55-57	COMM. (2nd Ser.) (exc. PICK-UP, D-D)				
55-57	PICK-UP (2nd Ser.)	left, rear inner ($16\ 3/16$ dev. length)	3716061	1	2.50
55-57	PICK-UP (2nd Ser.)	right, rear inner ($16\ 3/16$ dev. length)	3716062	1	2.50
55-57	PICK-UP (2nd Ser.)	left, rear outer ($11\ 1/2$ dev. length)	3716063	1	2.75
55-57	PICK-UP (2nd Ser.)	right, rear outer ($11\ 1/2$ dev. length)	3716064	1	2.75
55-57	D-D (2nd Ser.)	left, front bumper, upper	3711995	1	2.20
55-57	D-D (2nd Ser.)	right, front bumper, upper	3711996	1	2.20
55-57	D-D (2nd Ser.)	front bumper, lower	3711997	2	1.40
55-57	UTILITY (2nd Ser.)	front bumper	3716200	2	2.20
56	PASS.	left, bumper, frt. inner	3720825	1	1.25
56	PASS.	right, bumper, frt. inner	3720826	1	1.25
56	PASS.	left, bumper rear	3721227	1	1.30
56	PASS.	right, bumper rear	3721228	1	1.30
56	PASS.	assy., bumper, frt. outer left	3722351	1	1.40
56	PASS.	assy., bumper, frt. outer right	3722352	1	1.40
56	PASS. w/C.T.C.	left, rear face bar adapter	3722153	1	3.10
56	PASS. w/C.T.C.	right, rear face bar adapter	3722154	1	3.10
56-57	CORV.	rear face bar support	3725326	2	2.25


57	PASS.	front, rear brace left	3734113	1	.45
57	PASS.	front, rear brace right	3734114	1	.45
57	PASS.	front, outer face bar left	3738267	1	1.25
57	PASS.	front, outer face bar right	3738268	1	1.25
57	PASS.	left, rear	3733167	1	.95
57	PASS.	right, rear	3733168	1	.95
57	PASS. w/C.T.C.	left, rear face bar adapter	3732705	1	2.75
57	PASS. w/C.T.C.	right, rear face bar adapter	3732706	1	2.75


7.874 BOLT, Front or Rear Bumper Bar

36-40	FB, FC, R, GB (exc. CONV.), GC, GD, GE, S, T, VA, VB, VC, VD, WA, WB, WC	(7/16—20 x 1¼)	594205	A.R.	.25
37	COMM.	(7/16—20 x 1)	594202	A.R.	.15
37-54	PASS., ½ TON,				
55-57	½ TON,				
46-57	¾, 1 TON	front and rear,			
47-48	UTILITY,				
55-57	UTILITY (2nd Ser.)	front (½—13 x 1 7/16)	3695906	A.R.	.25
55-57	PASS.	front and rear (7/16—14 x 1¼)	3716509	A.R.	.25
55	PASS.	rear (7/16—20 x 2½)	3711155	2	.25
55-57	SUB. PICK-UP	rear, center bar (chrome ½—13 x 1½)	3812334	2	.30
56	PASS.	rear bumper brace to body (5/16—18 x 1)	3723172	2	.15




1951-57—COMMERCIAL WHEEL CARRIER



7.629
COVER
7.629
RETAINER
N.S.S. PART OF
7.629 CARRIER
7.675
LOCK ASSY.
7.629
CARRIER ASSY.
8.916
NUT
7.633
NUT
7.679
CASE
7.829
ADAPTER ASSY.
7.869
BRACKET
5.858
CAP
8.900
BOLT
2.670
SUPPORT
N.S.S.
PART OF
7.629
7.865
SPACER
7.833
PANEL
ASSY.
7.782
SUPPORT
ASSY.
N.S.S.
PART OF 7.629
CARRIER
8.900
BOLT
8.085
RETAINER
N.S.S. PART OF
7.629 CARRIER ASSY.
7.831
BAR
7.829
ADAPTER
ASSY.
7.869
BRACKET
N.S.S. PART OF
9.828 CARRIER
7.831
BAR




1949 FRONT END-EXPLODED



1956 FRONT END—EXPLODED


8.000
PANEL
8.055
ORNAMENT
8.055
SCOOP
8.055
INSERT
8.055
PLATE
8.009
PAD
8.009
BRACE
8.010
SEAL
8.010
PANEL
8.015
HINGE
8.013
SPRING
8.015
BRACE
1.268
MOULDING
8.147
LOUVER
8.010
REINFORCEMENT
8.153
SUPPORT
8.130
FENDER
2.725
LAMP ASSY.
1.271
BAR
8.145
BRACKET
9.786
DUCT, REAR
1.219
CORE
2.728
MOULDING
8.153
SUPPORT
8.154
SEAL
8.153
PANEL
2.735
SEAL
8.153
SKIRT
8.154
SEAL
8.153
RETAINER
1.270
SUPPORT
9.786
DUCT, FRONT
8.154
SEAL
8.164
BAFFLE
8.083
HOOD LOCK
8.153
SHIELD
9.786
SEAL
9.786
TUBE
1.270
CUSHION
1.270
PLATE
8.915
NUT



1957 FRONT END—EXPLODED (REAR VIEW)

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	8.000 PANEL, Hood Top				
41-46	COMM., UTIL. (exc. COE)	left (w/side panel—less handle)	605189	1	17.20
41-46	COMM., UTIL. (exc. COE)	right (w/side panel—less handle)	605190	1	17.20
42-48	PASS.	left	3684111	1	21.55
42-48	PASS.	right	3684112	1	21.55
47-55	COMM. (1st Ser.)	left	3701465	1	21.55
47-55	COMM. (1st Ser.)	right	3701466	1	21.55
47-55	UTILITY (1st Ser.) (exc. COE)	left	3701401	1	21.55
47-55	UTILITY (1st Ser.) (exc. COE)	right	3701402	1	21.55
47-53	COE		3676235	1	39.50
49-52	PASS.	left	3699625	1	21.55
49-52	PASS.	right	3699626	1	21.55
53-54	PASS.	left	3705345	1	21.55
53-54	PASS.	right	3705346	1	21.55
53-55	CORV.	(plastic laminate)	3718366	1	125.00
54-55	COE		3700243	1	39.50
55	PASS.		3709629	1	33.30
55-56	COMM., UTIL.		3726267*	1	38.90
56	PASS.		3731750	1	33.30
56-57	CORV.	(plastic laminate)	3726735	1	125.00
57	PASS.		3741079	1	33.30
57	Ser. 3-4-6		3731339*	1	38.95

*NOTE: When using on 1955 (2nd Ser.), use w/emblem 3738185.

	8.005 MOULDING—COVER—SCREW, Hood Louver				
41-46	COMM., UTIL. (exc. COE)	left	3657265	3	1.20
41-46	COMM., UTIL. (exc. COE)	right	3657266	3	1.20
46	PASS.	COVER, left	3681485	1	8.20
46	PASS.	COVER, right	3681486	1	8.20
41-46	COMM., UTIL. (exc. COE)	SCREW, moulding	3657267	6	.03
	8.007 BRACKET, Hood Catch (front and rear)				
41-46	COMM., UTIL. (exc. COE)	left, front	3657663	1	.20
41-46	COMM., UTIL. (exc. COE)	right, front	3657664	1	.20
41-46	COMM., UTIL. (exc. COE)	left, rear	3657675	1	.20
41-46	COMM., UTIL. (exc. COE)	right, rear	3657676	1	.20
47-55	COE	left	3686305	1	.58
47-55	COE	right	3686306	1	.58
53-55	CORV.	L.H.	3706949	1	.30
53-55	CORV.	R.H.	3706950	1	.30
	8.009 PLATE—BRACE—PAD, Hood Top Panel Rear Reinforcement Tie				
47-55	COMM., UTIL. (1st Ser.) (exc. COE)		3682843	1	.60
49-54	PASS.		3688037	1	.80
57	PASS.	BRACE, center	3738838	1	1.15
42-46	PASS.,				
47-57	ALL	PAD, reinforcement (rubber—10 x ¼ x 9/32)	3716516	2	.25
57	PASS.	PAD, brace	3734514	1	.25
	8.010 BAFFLE—SEAL—PANEL—REINFORCEMENT, Hood Panel				
49-52	PASS.		3688476	1	4.10
53-54	PASS.		3701896	1	4.10
41	PASS.	SEAL (28⅛ long)	3688784	A.R.	(8.154)

49-54	PASS.	SEAL (37 15/16 x 1 3/4 x 1/8 thick)	3688776	1	.50
55-57	PASS.	SEAL (36 x 1/2 x 5/32 thick)	3721865	1	.20
55	PASS.	PANEL, filler	3710685	1	3.00
56	PASS.	PANEL, filler	3721382	1	3.00
57	PASS.	PANEL, filler	3738801	1	3.00
57	PASS.	REINFORCEMENT, front	3731894	1	2.90

8.013 BRACKET—SPRING, Hood Support Rod and Hinge

42-48	PASS.	spring, left	3664013	1	1.25
42-48	PASS.	spring, right	3664014	1	1.25
40-41	PASS.	SPRING	3659859	2	.70
42-48	PASS.	SPRING	3663756	2	.75
47-48	COMM., UTILITY (exc. COE)	SPRING	368244	1	(0.844)
47-55	COMM., UTILITY (1st Ser.) (exc. COE)	SPRING (flat coil type) (3 O.D. x 5/8 thick)	3686127	2	1.65
49-54	PASS.	SPRING (23 coils)	3700259	2	1.50
53	CORV.	SPRING (3/4 O.D. x 10 1/2 lg.)	3706411	2	.50
55-56	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	SPRING (20 1/2 coils)	3721015	2	.75
56	PASS.	SPRING (6 21/64 free length—21 coils)	3726376	2	.85
57	PASS.	SPRING	3731192	2	

8.015 HINGE—SUPPORT—LINK—REINFORCEMENT—ROD—BRACE—BRACKET—RETAINER—SHIM, Hood Panel

41-46	COMM., UTILITY (exc. COE)	top	3657264	1	1.90
42-48	PASS.	left	3689235	1	2.50
42-48	PASS.	right	3689236	1	2.50
47-55	COE	left (hood half)	3710931	1	2.20
47-55	COE	right (hood half)	3710932	1	2.20
47-53	COE	left (body half)	3686375	1	2.15
47-53	COE	right (body half)	3686376	1	2.15
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	left	3689239	1	2.50
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	right	3689240	1	2.50
49-52	PASS.	left	3688409	1	2.70
49-52	PASS.	right	3688410	1	2.70
53-54	PASS.	left	3697373	1	2.70
53-54	PASS.	right	3697374	1	2.70
53-57	CORV.	left	3706267	1	1.05
53-57	CORV.	right	3706268	1	1.05
54-55	COE	left (body half)	3705501	1	1.80
54-55	COE	right (body half)	3705502	1	1.80
55-56	PASS.	left	3731649	1	3.25
55-56	PASS.	right	3731650	1	3.25
55-57	COMM., UTIL. (2nd Ser.)	left	3732505	1	3.60
55-57	COMM., UTIL. (2nd Ser.)	right	3732506	1	3.60
57	PASS.	left	3735045	1	3.25
57	PASS.	right	3735046	1	3.25
41-46	COMM., UTILITY (exc. COE)	SUPPORT, hinge front	3657250	1	2.00
47-55	COE	SUPPORT, hood panel (11 1/8 closed 17 3/4 open)	3686450	1	1.95
53-55	CORV.,				
57	CORV.	SUPPORT	3706354	1	2.70
55-57	COMM. UTIL. (2nd Ser.)	SUPPORT, hood panel	3733278	1	1.65
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	LINK ASSY., left, hood rear supt. w/spg.	3686039	1	2.95
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	LINK ASSY., right, hood rear supt. w/spg.	3686040	1	2.95
47-53	COE	REINFORCEMENT (body half hinge)	3686455	2	.20
47-55	COE	REINFORCEMENT, rear	3686260	1	6.35
54-55	COE	REINFORCEMENT, left (body half)	3705505	1	.15
54-55	COE	REINFORCEMENT, right (body half)	3705506	1	.15
55	PASS.	REINFORCEMENT, front	3713181	1	2.90
56	PASS.	REINFORCEMENT, panel front	3731742	1	2.90
48-55	COMM. (1st Ser.)	ROD, brace, left (8 3/8 long—stmpd. L.)	3690093	1	.40
48-55	COMM. (1st Ser.)	ROD, brace, right (8 3/8 long—stmpd. R.)	3690094	1	.40
48-55	UTIL. (1st Ser.) (exc. COE)	ROD, brace, left (11 long—stmpd. L.)	3690095	1	.50
48-55	UTIL. (1st Ser.) (exc. COE)	ROD, brace, right (11 long—stmpd. R.)	3690096	1	.50
55	PASS.	ROD, left, support (23 11/64 long—stmpd. L.)	3713187	1	.65

55	PASS.	ROD, right, support (23 11/64 long—stmpd. R.)	3713188	1	.65
55-57	COMM., UTIL. (2nd Ser.)	BRACE, diagonal ,upper	3721544	1	.65
55-57	COMM., UTIL. (2nd Ser.)	BRACE, diagonal, lower	3722880	1	.85
56	PASS.	BRACE, left, diagonal front (28 1/4 O.L.)	3721383	1	.50
56	PASS.	BRACE, right, diagonal front (28 1/4 O.L.)	3721384	1	.50
56-57	COMM., UTIL.	BRACE, diagonal, upper	3722879	1	.85
53-55	CORV.,				
57	CORV.	BRACKET, left	3706275	1	.60
53-55	CORV.,				
57	CORV.	BRACKET, right	3706276	1	.60
57	PASS.	BRACE, left	3735013	1	.50
57	PASS.	BRACE, right	3735014	1	.50
57	PASS.	RETAINER, hinge support	3735078	2	.10
55-57	COMM., UTIL. (2nd Ser.)	SHIM, hood hinge (to hood panel)	3721262	A.R.	.10

MOULDING, Hood Top-Side, Front

42-48	PASS.	top front	3664608	1	.70
46	PASS.	top rear	3681738	1	2.20
47-48	PASS.	top rear	3684363	1	2.15
47-55	COMM. (1st Ser.)	top	3681480	1	2.45
47-55	UTILITY (1st Ser.) (exc. COE)	top	3681600	1	2.45
47-55	COE	top	3686167	1	1.60
49-52	PASS.	top front	3688255	1	1.00
49-54	PASS.	top rear (30 long)	3701990*	1	1.00
53-54	PASS.	top front	3701989	1	.45

*NOTE: On 1949-52 models cut 3 in. from front end.

8.016 ATTACHING PARTS, Hood Moulding and Hinge

40-48	PASS.,				
47-55	COMM., UTIL. (1st Ser.) (exc. COE),				
53-55	CORV.,				
57	CORV.	BOLT, hinge cowl brkt. (5/16—24 x 3/4)	3689234	4	.10
49-54	PASS.	BOLT, hinge cowl brkt. (5/16—24 x 5/8)	3688414	4	.10
53-55	CORV.,				
57	CORV.	BOLT, hood hinge lock	3706948	2	.30
47-55	COE	PIN, hood hinge (5/16 dia. x 1) (chrome finish)	4150120	2	.35

8.024 BUMPER—SCREW, Hood

37-38	ALL (exc. GA, GB)	hood to radiator (1/2 dia. head)	3690156	4	.15
37-39	PASS.,				
38-46	COMM., UTIL.	hood to front fender extension	3711168	2	(16.400)
39-46	COMM., UTILITY (exc. COE)	side rear	3657602	2	.30
40-48	PASS.	hood bumper,			
49-52	PASS.	hood panel to radiator header bar,			
55-57	COMM., UTIL. (2nd Ser.)	hood pnl. to upr. filler pnl. (head 3/4 x 5/16)	3690047	A.R.	.15
41-48	PASS.,				
47-57	COMM., UTILITY	hood to fender bumper (3/4 O.D. x 7/16 thick)	3718407	A.R.	.15
47-55	COE	(3/8 x 7/8)	4114321	6	(12.212)
47-54	ALL,				
55	COMM., UTIL. (1st Ser.)	rubber (3/4 O.D. x 3/4 thick)	3676360	A.R.	.15
49-54	PASS.	hood panel to fender (5/8 O.D.)	3688811	8	.15
49-57	PASS., CORV.	hood to rad. grille bpr. (7/8 O.D. x 9/16)	3716781	2	(12.212)
49-51	PASS.	hood panel to header bar, ctr. (9/16 high)	3689084	2	.15
53-54	PASS.	hood to header bar (1 1/16 O.D. x 3/16 thick)	3704156	2	.15
53-55	CORV.,				
57	CORV.	rubber	3706956	2	.75
55	PASS.	(1 3/16 O.D. x 5/8)	3710575	6	.15
56	PASS.	(1 3/16 x 15/16—tapered face)	3722236	2	.15
49-56	PASS.,				
57	CORV.	SCREW, hood pnl. to cowl bpr. (1/4—20 x 1 1/16)	3715377	2	(12.212)
55-57	PASS.	SCREW, rad. grille to hood pnl. bpr. (5/16—18 x 1 1/16)	3716779	2	.05

8.028 CATCH ASSEMBLY, Hood

41-46	COMM., UTIL. (exc. COE)	left	3657673	1	1.00
41-46	COMM., UTIL. (exc. COE)	right	3657674	1	1.00
47-55	COE	left	3686301	1	2.20
47-55	COE	right	3686302	1	2.20

8.033 GUIDE, Hood Catch Rod

41-46	COMM., UTIL. (exc. COE)		3657665	4	.08

8.039 PLATE—INSERT, Hood Side (Series Designation) (Also see Group 8.147)

47-48	EJ, FJ	(STYLEMASTER) left	3684199	1	2.55
47-48	EK, FK (exc. FLTLN.)	(FLEETMASTER) right	3684204	1	2.55
47-48	FLEETLINE	(FLEETLINE) left	3684207	1	2.55
47-48	FLEETLINE	(FLEETLINE) right	3684208	1	2.55
47-52	COMM., UTILITY	(CHEVROLET)	3692103	2	2.20
49-51	½ TON	(3100)	3692106	2	.85
49-54	¾ TON	(3600)	3700203	2	1.15
49-54	1 TON	(3800)	3700204	2	1.15
49-55	SJ, TJ, UJ, VJ, N	(4100)	3700213	2	1.15
49-55	SK, TK, UK, VK, P	(4400)	3700214	2	1.15
49-54	1½ TON SBC	(4500)	3700215	2	1.15
49-54	SP, TP, UP, S	(5100)	3700216	2	1.15
49-54	SR, TR, UR, T	(5400)	3700217	2	1.15
49-54	SS, TS, US, U	(5700)	3700218	2	1.15
49-54	SV, TV, UV, V	(6100)	3700219	2	1.15
49-54	SW, TW, UW, W	(6400)	3700220	2	1.15
49-54	SX, TX, UX, Y	(6700)	3700222	2	1.15
50-54	TY, UY, X	(6500)	3700221	2	1.15
53-54	½ TON	(3100)	3700202	2	1.15
53-54	Z	(6800)	3701464	2	1.15
55	COMM., UTIL. (1st Ser.) (exc. COE)	(flat)	3718741	2	2.10
55	COE	(curved)	3718764	2	1.85
55-56	COMM., UTIL. 8 cyl. (2nd Ser.)	assembly, engine designation (V/8)	3723732	2	2.75
55	L (1st Ser.)	INSERT, hood plate (3800)	3718747	2	.85

8.040 NUT, Name Plate Attaching

39	PASS.,				
47-55	COMM., UTIL. (1st Ser.),	hood,			
55-56	COMM., UTIL. (2nd Ser.)	fender, series designation (speed.-3/16 rod)	3695282	A.R.	.03
47-48	PASS.	hex (10—24)	120361	4	(8.915)

8.055 EMBLEM—ORNAMENT—PLATE—SCOOP—INSERT—RETAINER—BEZEL—BRACKET ASSY., Hood (Also see group 1.303)

46	PASS.		3681683	1	2.55
47-53	COMM. (exc. D-D)	(CHEVROLET)	3684340	1	5.25
47-53	D-D, UTIL. (exc. COE)	(CHEVROLET)	3684128	1	5.25
47-53	COE	(CHEVROLET)	3699022	1	5.55
47-48	PASS.		3687425	1	2.55
49-50	PASS.		3693312	1	2.75
51	PASS.		3695332	1	3.65
52	PASS.	(CHEVROLET)	3699646	1	5.10
53	PASS.	(CHEVROLET)	3702726	1	5.95
53-55	CORV	w/bezel and flags	759237	1	3.95
54	PASS.		3705033	1	4.25
54-55	COMM. (1st Ser.) (exc. D-D)		3701185	1	4.10
54-55	D-D, UTIL. (1st Ser.) (exc. COE)		3701200	1	4.80
54-55	COE		3701324	1	6.60
55	PASS.	(13 5/16 long)	3709624	1	4.25
55	COMM., UTIL. (2nd Ser.)		3718998	1	4.80
56	PASS. 6 cyl.	(11 11/16 ctr. to ctr. attaching studs)	3721309	1	3.95
56	PASS. 8 cyl.	(6 3/16 ctr. to ctr. attaching studs)	3722453	1	2.55
56	COMM., UTIL. (6 cyl.)		3725688	1	4.80

56	COMM., UTIL. (8 cyl.)		3725690	1	4.80
56-57	CORV.		3725754	1	2.00
57	Ser. 3-4-6 (6 cyl.)		3738185	1	4.95
57	Ser. 3-4-6 (8 cyl.)	(red background)	3738186	1	4.95
42	PASS.	ORNAMENT (production)	3664871	1	4.00
46	PASS.	ORNAMENT (production)	3681650	1	4.85
47-48	PASS.	ORNAMENT (production)	3684376	1	4.60
49-50	PASS.	ORNAMENT (production)	3688253	1	5.65
51	PASS.	ORNAMENT (production)	3695337	1	6.20
52	PASS.	ORNAMENT (production)	3699491	1	6.50
53-54	PASS.	ORNAMENT (production)	3701859	1	5.60
55	PASS.	ORNAMENT (production)	3709685	1	5.95
56	PASS.	ORNAMENT (production)	3731752	1	7.65
56	PASS. 8 cyl.	ORNAMENT (chrome—"V")	3722456	1	2.20
57	A, B (8 cyl.)	ORNAMENT ("V") (chrome)	3733685	1	2.25
57	C (8 cyl.)	ORNAMENT ("V") (gold)	3731673	1	2.50
57	Ser. 3-4-6	ORNAMENT UNIT	987561	1	14.50
57	A, B (6 cyl.)	PLATE ("Chevrolet") (chrome)	3732940	1	.75
57	C (6 cyl.)	PLATE ("Chevrolet") (gold)	3732934	1	1.25
57	A, B (8 cyl.)	PLATE ("Chevrolet") (chrome)	3733212	1	.95
57	C (8 cyl.)	PLATE ("Chevrolet") (gold)	3733210	1	1.25
57	PASS.	SCOOP, air, left	3738977	1	2.65
57	PASS.	SCOOP, air, right	3738978	1	2.65
46	PASS.	INSERT (plastic)	609582	1	3.40
47-48	PASS.	INSERT (plastic)	3847124	1	2.88
57	PASS.	INSERT, air scoop	3738985	2	2.50
53-55	CORV.	RETAINER, hood emblem	3706414	1	.15
56-57	CORV.	BEZEL, hood emblem	3725755	1	2.00
57	PASS.	BRACKET ASSY., hood air scoop	3735318	2	.15

8.056 FASTENER—NUT, Hood (Top) Moulding and Ornament

41-48	PASS.	front, moulding (twist)	3658783	3	.03
41	PASS.	lower, moulding	3657798	18	.03
49-52	PASS.		3688261	7	.03
53-54	PASS.	front (twist) (1 3/32 O.L.)	3701992	3	.03
53-54	PASS.	rear (twist) (5/16 O.L.)	3700176	1	.03
53-54	PASS.	rear (twist) (1 1/2 O.L.)	3701991	3	.03
46-48	PASS.	NUT, speed (5/16 rod—angle mtg.)	3682023	4	(1.307)
49-50	PASS.	NUT, speed (5/16 rod)	3695282	4	(8.040)
55	PASS.	NUT, hood emblem (spring 3/16)	3712372	A.R.	.03

8.058 BRACKET, Hood Support and Dash Hinge Rod

33-34	CA, DA,				
34-46	COMM., UTIL. (exc. COE)	hood hinge rod	473987	1	.20

8.075 ROD—GUIDE, Hood Catch Control w/Tube

40-49	PASS.		3664667†	1	1.45
53	CORV.	w/brkt. (wire lgth. 20 1/4 conduit 18 3/16)	1990775	1	1.70
54-55	CORV.	w/brkt. dbl. cable, (#1-65 3/4 lg.) (#2-22 3/8 lg.)	1990772	1	2.90
56-57	CORV.	w/brkt.	1990837	1	3.25
53-57	CORV.	GUIDE, rod stop	375437	1	(3.483)

†NOTE: On 1940 models cut off 1 15/32, on 1941 cut 2 5/16 and on 1949 cut 3 9/16.

8.077 BRACKET—GUIDE—CLIP, Hood Catch Control Rod Tube

40-49	PASS.	tube	3654573	1	.40
40-49	PASS.	GUIDE, rod wire	375437	1	(3.483)
41-48	PASS.	CLIP, rod tube	3658861	1	.05
42-49	PASS.	NUT, rod (attaching 3/8—24 x 5/32 thick)	357899	1	(3.483)

8.080 PLATE ASSEMBLY, Hood Lower Catch

42-48	PASS.		3664616	1	1.70
47-53	COMM., UTIL. (exc. COE)		3682709	1	1.70

49-50	PASS.	(grille release)	3692800	1	3.50
51-52	PASS.		3695816	1	2.60
53-54	PASS.		3699310	1	2.60
53-57	CORV.		3706666*	2	2.05
54-55	COMM., UTIL. (1st Ser.) (exc. COE)		3701424	1	1.70
55-57	PASS.		3711045	1	.60
55-57	COMM., UTIL (2nd Ser.)	hood lock	3716191	1	.70

*NOTE: When using as L.H. cut the hood catch release brkt. flush w/the hood lock catch, also drill 1/8 hole thru the hood lock catch.

8.081 SPRING, Hood Lower Catch Plate

41-48	PASS.,				
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	safety catch (flat)	3659288	1	.15
41-50	PASS.	(27 coils)	3658835*	1	.25
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	(17 coils—1/2 O.D.)	3692104	1	.25
47-55	COE.	left	3686393	1	.25
47-55	COE.	right	3686394	1	.25
49-54	PASS.	release lever (20 coils)	3692164*	A.R.	.20
51-54	PASS.	(24 coils—13/32 O.D.)	3695821	1	.25

*NOTE: 3658835 must not be used in place of 3692164.

8.083 PLATE ASSEMBLY, Hood Upper Catch

42-48	PASS.		3664720	1	3.60
47-55	COMM. (1st Ser.)		3684297	1	4.15
47-55	UTILITY (1st Ser.) (exc. COE)		3682707	1	4.15
49-52	PASS.		3699717	1	2.65
53-54	PASS.		3702012	1	2.65
53-57	CORV.	hood lock	3706663	2	1.95
55	PASS.	hood lock	3723002	1	2.75
55-56	COMM., UTIL. (2nd Ser.)	hood lock	3722739	1	3.60
55-57	COMM., UTIL. (2nd Ser.)	hood lock locking	3716198	1	.40
56	PASS.		3723378	1	2.85
57	PASS.		3734168	1	2.85
57	Ser. 3-4-6		3737093	1	3.60

8.085 SPRING—RETAINER—BOLT—WASHER—SCREW, Hood Upper Catch Plate

40-54	PASS.	(coil)	3690914	1	.25
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	(10 coils 1 11/32 O.D.)	3690742	1	.30
55	PASS.	safety catch (1st type) (7/8 lg. w/2 hook ends)	3710921	1	.15
55-57	PASS.	safety catch (2nd type) (1 3/16 lg. w/2 hook ends)	3721677	1	.15
55-57	PASS.	lock release lever (3/4 lg. w/2 hook ends)	3710922	1	.15
53-57	CORV.	hood hinge lock (coil) (4 1/16 free length)	3706454	2	.25
53-57	CORV.	hood lock (17 lb. spring load)	3718112	2	.50
55	COMM., UTIL. (2nd Ser.)	safety catch and release lever, (1 lg. w/2 hook ends)	3720266	A.R.	.15
56-57	COMM., UTIL. (exc. (D-D)	safety catch	3722412	1	.15
57	Ser. 3-4-6	hood lock release lever	3722752	1	.15
40-54	PASS.,				
55-57	PASS. (exc. STA. WAG., SDL.)	RETAINER, bolt spring	3654458	1	.25
41-48	PASS.	RETAINER, lock plate	3658875	1	.25
53-57	CORV.	RETAINER, hood lock spring (1 3/8 high)	3706652	2	.25
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	RETAINER, bolt spring	3685641	1	.25
55	COMM., UTIL. (2nd Ser.)	RETAINER, pop-up spring	3718773	1	.50
40-54	PASS.,				
47-55	COMM., UTIL. (1st Ser.) (exc. COE),				
55	PASS. (exc. STA. WAG., SDL.)	BOLT (1/2—20 x 3 9/16 O.L. w/13/32 thd. lgth.)	2227394	1	.32
47-54	COMM., UTIL. (exc. COE)	BOLT (1/4—20 x 5/8)	120585	A.R.	(8.908)
55-56	PASS.	BOLT (5/16—18 x 5/8)	3710926	A.R.	.07
53-57	CORV.	BOLT, hood lock (1/2—13 x 3 11/16)	3706456	2	.60
47-57	COMM., UTIL. (exc. COE)	WASHER (1/4)	138604	A.R.	(8.932)
57	PASS.	SCREW (5/8—18 x 5/8)	273890	1	.05

39-40	JC, JD, JE, KC, KD, KE	left, less skirts	599991	1	26.50
39-40	JC, JD, JE, KC, KD, KE	right, less skirts	599992	1	26.50
40	PASS.	left, less skirts	3652971	1	27.95
40	PASS.	right, less skirts	3652972	1	27.95
41	PASS.	left, less skirts	605417	1	32.00
41	PASS.	right, less skirts	605418	1	32.00
41-42 46	Y, M (exc. COE) (heavy duty axle), OE, OF, PV, PW, PX	left, less skirts	3665273	1	31.00
41-42 46	Y, M (exc. COE) (heavy duty axle), OE, OF, PV, PW, PX	right, less skirts	3665274	1	31.00
41-46	COE	left, less skirts	3658063	1	27.95
41-46	COE	right, less skirts	3658064	1	27.95
41-46	AK, AL, AM, BK, BL, BM, CK, DP, DR	left, less skirts	3664961	1	30.00
41-46	AK, AL, AM, BK, BL, BM, CK, DP, DR	right, less skirts	3664962	1	30.00
46	PASS.	left	3681287	1	33.50
46	PASS.	right	3681288	1	33.50
41-46	AN, Y, BN, M, OR, OS, OW, DS, PJ, PK, PL (exc. YT, MT, COE)	left	3682055	1	33.50
41-46	AN, Y, BN, M, OR, OS, OW, DS, PJ, PK, PL (exc. YT, MT, COE)	right	3682056	1	33.50
47-48	PASS.	left	3684117	1	33.50
47-48	PASS.	right	3684118	1	33.50
47-53	COMM.	left	3682657	1	33.50
47-53	COMM.	right	3682658	1	33.50
47-53	UTILITY (exc. COE)	left	3682481	1	33.50
47-53	UTILITY (exc. COE)	right	3682482	1	33.50
47-53	COE	left	3683963	1	37.75
47-53	COE	right	3683964	1	37.75
49-50	PASS.	left	3690631	1	33.50
49-50	PASS.	right	3690632	1	33.50
51-52	PASS.	left	3694961	1	33.50
51-52	PASS.	right	3694962	1	33.50
53	PASS.	left	3705127	1	33.50
53	PASS.	right	3705128	1	33.50
53-55	CORV.	left (plastic laminate)	3708551	1	135.00
53-55	CORV.	right (plastic laminate)	3708552	1	135.00
54	PASS.	left	3704393	1	33.50
54	PASS.	right	3704394	1	33.50
54-55	COMM. (1st Ser.)	left	3700181	1	32.50
54-55	COMM. (1st Ser.)	right	3700182	1	32.50
54-55	UTILITY (1st Ser.)	left	3700209	1	33.50
54-55	UTILITY (1st Ser.)	right	3700210	1	33.50
54-55	COE	left	3700573	1	35.50
54-55	COE	right	3700574	1	35.50
55	PASS.	left (one piece construction)	3718465	1	35.50
55	PASS.	right (one piece construction)	3718466	1	35.50
55-56	COMM. (2nd Ser.) (exc. FFC)	left	3731789	1	39.25
55-56	COMM. (2nd Ser.) (exc. FFC)	right	3731790	1	39.25
55-57	COMM. (2nd Ser.) (FFC)	left	3741213	1	41.75
55-57	COMM. (2nd Ser.) (FFC)	right	3741214	1	41.75
55	UTIL. (2nd Ser.) (exc. FFC)	left	3723627	1	35.50
55	UTIL. (2nd Ser.) (exc. FFC)	right	3723628	1	35.50
55	UTIL. (FFC) (2nd Ser.)	left	3719341	1	35.50
55	UTIL. (FFC) (2nd Ser.)	right	3723324	1	35.50
56	PASS.	left	3722785	1	35.50
56	PASS.	right	3722786	1	35.50
56	UTIL. (exc. FFC)	left	3727579	1	39.25
56	UTIL. (exc. FFC)	right	3727580	1	39.25
57	PASS.	left	3743649	1	38.50
57	PASS.	right	3743650	1	38.50
57	Ser. 3 (exc. FFC)	left	3741207	1	39.25
57	Ser. 3 (exc. FFC.)	right	3741208	1	39.25
57	Ser. 4-6 (exc. FFC.)	left	3741219	1	41.75
57	Ser. 4-6 (exc. FFC.)	right	3741220	1	41.75
56-57	Ser. 4-6 (FFC.)	left	3741223	1	41.75
56-57	Ser. 4-6 (FFC.)	right	3741224	1	41.75

56-57	CORV	PANEL, left rr. lower (plastic laminate)	3738763	1	33.50
56-57	CORV	PANEL, right rr. lower (plastic laminate)	3738764	1	33.50
56-57	CORV	PANEL, left frt. top (plastic laminate)	3739711	1	85.00
56-57	CORV	PANEL, right frt. top (plastic laminate)	3739712	1	85.00
53-55	CORV	HOUSING, headlamp (plastic laminate)	3706651	2	17.50

8.131 CAP—EXTENSION—NUT, Front Fender

42-48	PASS	left	3663517	1	7.75
42-48	PASS	right	3663518	1	7.75
56	PASS	left (chrome—ribbed)	3720913	1	3.50
56	PASS	right (chrome—ribbed)	3720914	1	3.50
55	PASS	EXTENSION, left lower	3710379	1	3.25
55	PASS	EXTENSION, right lower	3710380	1	3.25
56	PASS	NUT, extension attaching (No. 14—10 "J" shape)	3721628	2	(1.269)

8.132 MOULDING—EXTENSION, Front Fender (and Cap) (See Group 8.147 for Front Fender Mouldings which include Series Designations)

42-48	FLEETLINE	left, upper	3664337	1	2.00
42-48	FLEETLINE	right, upper	3664338	1	2.00
42-48	FLEETLINE	left, center	3664335	1	2.00
42-48	FLEETLINE	right, center	3664336	1	2.00
42-48	FLEETLINE	left, lower	3664319	1	2.00
42-48	FLEETLINE	right, lower	3664320	1	2.00
42-48	FLEETLINE	left, upper (fender cap)	3664321	1	1.85
42-48	FLEETLINE	right, upper (fender cap)	3664322	1	1.85
42-48	FLEETLINE	left, center (fender cap)	3664329	1	1.85
42-48	FLEETLINE	right, center (fender cap)	3664330	1	1.85
42-48	FLEETLINE	left, lower (fender cap)	3664333	1	1.85
42-48	FLEETLINE	right, lower (fender cap)	3664334	1	1.85
47-54	COMM. (PANEL)	side	3676199	2	3.25
47-55	COMM. (PANEL) (1st Ser.)	left, upper	3676203	1	2.00
47-55	COMM. (PANEL) (1st Ser.)	right, upper	3676204	1	2.00
47-55	COMM. (PANEL) (1st Ser.)	left, center	3676205	1	1.85
47-55	COMM. (PANEL) (1st Ser.)	right, center	3676206	1	1.85
47-55	COMM. (PANEL) (1st Ser.)	left, lower	3676207	1	1.80
47-55	COMM. (PANEL) (1st Ser.)	right, lower	3676208	1	1.80
49-50	GK, HK		3693873	2	2.75
51	JK	left (DE LUXE) (w/bolts)	3695287	1	4.45
51	JK	right (DE LUXE) (w/bolts)	3695288	1	4.45
52	KK		3700036	2	2.55
53-54	B, C	left	3698359	1	2.00
53-54	B, C	right	3698360	1	2.00
53-55	CORV	left (spear type)	3706591	1	2.15
53-55	CORV	right (spear type)	3706592	1	2.15
53-55	CORV	front side (st. steel)	3706389	2	3.10
55	C (exc. NOMAD)	left, side (st. steel)	3710663	1	2.75
55	C (exc. NOMAD)	right, side (st. steel)	3710664	1	2.75
55	NOMAD	left, side (chrome)	3716997	1	7.85
55	NOMAD	right, side (chrome)	3716998	1	7.85
55	NOMAD	left, front headlamp crown (chrome)	3717001	1	3.90
55	NOMAD	right, front headlamp crown (chrome)	3717002	1	3.90
56-57	CORV	left, front (st. steel)	3730105	1	1.10
56-57	CORV	right, front (st. steel)	3730106	1	1.10
56-57	CORV	left, rear upper (st. steel)	3730107	1	2.25
56-57	CORV	right, rear upper (st. steel)	3730108	1	2.25
56-57	CORV	left, rear lower (st. steel)	3733571	1	1.75
56-57	CORV	right, rear lower (st. steel)	3733572	1	1.75
56-57	CORV	left, air scoop	3731229	1	2.50
56-57	CORV	right, air scoop	3731230	1	2.50
56	A, B	left, side (48 3/32 long)	3720901	1	2.55
56	A, B	right, side (48 3/32 long)	3720902	1	2.55
56	C	left, side upper (41 3/4 long) (stamped U.L. on flange)	3721277	1	2.40
56	C	right, side upper (41 3/4 long) (stamped U.R. on flange)	3721278	1	2.40
56	C	left, side lower (stamped L.L. on flange)	3721279	1	2.40

56	C	right, side lower (stamped L.R. on flange)	3721280	1	2.40
56	A, B	left, side lower (paint divider—diamond shape)	3724153	1	.90
56	A, B	right, side lower (paint divider—diamond shape)	3724154	1	.90
57	B, C	left side	3734027	1	2.55
57	B, C	right side	3734028	1	2.55
56	PASS.	MOULDING UNIT, side	987362	1	5.85
56	C	EXTENSION, side moulding (9 21/32 long)	3721281	2	1.05

8.133 BRACE—ATTACHING PARTS, Front Fender Moulding (and Cap)



3686667




3682036



3676209



3700044



3667254



4114412

42-48	PASS. (exc. STA. WAG.)	BRACE, left front (fender cap)	3664729	1	.30
42-48	PASS. (exc. STA. WAG.)	BRACE, right front (fender cap)	3664730	1	.30
42-48	PASS. (exc. STA. WAG.)	BRACE, rear (fender cap)	3664378	2	.20

ATTACHING PARTS

42-48	FLEETLINE	BOLT, fender moulding	3664252	18	.12
42-48	FLEETLINE	BOLT, fender cap moulding	3667254	12	.10
47-55	COMM. (PANEL) (1st Ser.)	BOLT, moulding (1/4—20)	3676209	A.R.	.10
56-57	CORV	BOLT, fender mldg. upper and lower	3730104	A.R.	.10
42-48	FLEETLINE	FASTENER, cap moulding (snap-on type)	4114412	18	(12.118)
47-55	COMM. (PANEL) (1st Ser.)	CLIP, moulding	3682036	A.R.	(8.309)
55	C (exc. NOMAD)	CLIP, fender side moulding	3719677	14	.12
49-50	GK, HK	RETAINER, fender mldg. (w/bolt)	3686667	12	.12
52-54	KK, B, C	RETAINER, fender mldg. (w/bolt)	3700044	12	.12
56-57	A, B	RETAINER, side moulding,			
56-57	C	side mldg. extension rr., side upr. and lwr. mldg. (w/attach. spring—w/bolt No. 10—24)	3722635	A.R.	.10
56	C	RETAINER—side moulding extension (1 11/16 x 1 7/8 w/bolt No. 10—24)	3722637	2	.10
56-57	CORV	RETAINER, rear upper and lower mldg.	3730268	A.R.	.15
49-51	GK, HK, JK	WASHER, fender moulding retainer,			
55	NOMAD	fender side and frt. fender frt. (1/4 I.D. x 3/4 O.D.)	3662988	A.R.	(2.704)
55-56	NOMAD	NUT, fender side and frt. fender front moulding	3712372	A.R.	(8.056)
53-57	CORV	STUD (10—24 x 1) (use w/spear type mldg.)	3706596	A.R.	.15

8.141 SUPPORT—REINFORCEMENT—BONDING STRIP, Front Fender

41-46	AK, AL, AM, BK, BL, BM, CK, DP, DR	left	3657175	1	2.00
41-46	AK, AL, AM, BK, BL, BM, CK, DP, DR	right	3657176	1	2.00
41-46	AN, YR, YS, YT, BN, MR, MS, MY, DS, OR, OS, OW, OY, PJ, PK, PL	left (used w/fender 3682055)	3657179	1	2.00
41-46	AN, YR, YS, YT, BN, MR, MS, MY, DS, OR, OS, OW, OY, PJ, PK, PL	right (used w/fender 3682056)	3657180	1	2.00

41-46	YR, YS, YT, MR, MS, MT, MY, OE, OF, OG, PV, PW, PX	left (used w/fender 3665273)	3661777	1	2.00
41-46	YR, YS, YT, MR, MS, MT, MY, OE, OF, OG, PV, PW, PX	right (used w/fender 3665274)	3661778	1	2.00
47-55	COMM. (1st Ser.)	front, left	3684459	1	2.45
47-55	COMM. (1st Ser.)	front, right	3684460	1	2.45
47-55	UTILITY (1st Ser.) (exc. COE)	front, left	3684759	1	2.45
47-55	UTILITY (1st Ser.) (exc. COE)	front, right	3684760	1	2.45
56-57	CORV	left headlamp housing (plastic laminate)	3726575	1	3.25
56-57	CORV	right headlamp housing (plastic laminate)	3726576	1	3.25
54-55	CORV	REINFORCEMENT, left, front (plastic laminate)	3711255	1	1.25
54-55	CORV	REINFORCEMENT, right front (plastic laminate)	3711256	1	1.25
54-55	CORV	REINFORCEMENT, left rear (plastic laminate)	3711253	1	1.40
54-55	CORV	REINFORCEMENT, right rear (plastic laminate)	3711254	1	1.40
55-57	UTIL. (2nd Ser.)	REINFORCEMENT, left, upper front	3731517	1	.60
55-57	UTIL. (2nd Ser.)	REINFORCEMENT, right, upper front	3731518	1	.60
56	PASS.	REINFORCEMENT, left, extension	3722479	1	.75
56	PASS.	REINFORCEMENT, right, extension	3722480	1	.75
56-57	CORV	REINFORCEMENT, left (plastic laminate)	3726709	1	3.95
56-57	CORV	REINFORCEMENT, right (plastic laminate)	3726710	1	3.95
56-57	CORV	REINFORCEMENT, top panel to dash	3731904	1	2.65
57	PASS.	left, front	3731251	1	.25
57	PASS.	right, front	3731252	1	.25
56-57	CORV	BONDING STRIP, left (headlamp and grille opening)	3726617	1	1.95
56-57	CORV	BONDING STRIP, right (headlamp and grille opening)	3726618	1	1.95
56-57	CORV	BONDING STRIP left (headlamp and fender opening)	3726619	1	2.65
56-57	CORV	BONDING STRIP, right (headlamp and fender opening)	3726620	1	2.65

8.143 ATTACHING PARTS, Front Fender

ALL	ALL	WASHER ($11/32$ I.D. x $1\frac{1}{4}$ O.D.)	3688003	2	.04
53-54	CONV	WASHER, rubber ($1\frac{1}{8}$ O.D. x $9/32$ I.D. x $5/32$ thick)	3704580	8	.06
55-57	ALL (exc. FFC)	WASHER ($13/32$ I.D. x $1\frac{5}{16}$ O.D. x $1/16$ thick)	3710405	A.R.	.04
55-57	PASS. (exc. CONV.)	WASHER, frt. fender skirt ($9/32$ I.D. x $15/16$ O.D. x $3/64$ thick)	3714235	A.R.	.03
55-57	CONV	WASHER, skirt dash leg ($9/32$ I.D. x $15/16$ O.D. x $5/32$ thick)	3714236	A.R.	.05
29-42	ALL	NUT, front fender attaching ($5/16$—18)	4034101	A.R.	(12.751)
ALL	ALL, CORV	SCREW (No. 14—10 x $3/4$)	3650059	20	.05
41-46 47-54 53-55	ALL, (exc. 2 TON, COE), ALL CORV	SCREW, skirt splash plate to frame (14—10 x $1/2$)	3659780	A.R.	.05
39-46	COE	SCREW, front fender to body (No. 14—10 x 1)	3651216	22	(8.206)
53-54	CONV	SPACER, front fender to cowl brkt. (steel $3/8$ I.D. x $3/8$ long)	3725708	2	.10
55-57	FFC (2nd Ser.)	SPACER (to cowl—body side rail) ($13/32$ I.D. x $17/32$ O.D. x $11/32$ thick)	3718650	A.R.	.08
55-57	COMM. UTIL. (2nd Ser.) (exc. FFC)	BOLT, rr. reinf. to hinge pillar,			
55	COMM. UTIL. (2nd Ser.)	fender to cowl bracket	3722811	A.R.	(16.325)

8.144 BRACE, Front Fender

41-48	PASS.		3664045	2	.30
47-55	COMM. (1st Ser.)	left, rear	3684841	1	.35
47-55	COMM. (1st Ser.)	right, rear	3684842	1	.35
47-55	UTILITY (1st Ser.) (exc. COE)	left, rear (one end square)	3683707	1	.20
47-55	UTILITY (1st Ser.) (exc. COE)	right, rear (one end square)	3683708	1	.20
49-52	PASS.	fender to frame	3688603	2	.40
49-52	PASS.	left, fender to dash	3688665	1	.90
49-52	PASS.	right, fender to dash	3688666	1	.90
53	PASS. (exc. CONV.)	left, fender to dash	3701615	1	.90
53	PASS. (exc. CONV.)	right, fender to dash	3701616	1	.90
53-54	PASS.	fender to frame (5 slots—$14\frac{3}{8}$ O.L.)	3698051	2	.40
55-57	COMM. (2nd Ser.) (exc. FFC)		3721442	2	.25
56	UTIL. (2nd Ser.)		3722917	2	.45
57	Ser. 4-6		3737591	2	.45

8.145 BRACKET—GROMMET, Front Fender Support

49-52	PASS.	left	3688707	1	1.25
49-52	PASS.	right	3688708	1	1.25
53-54	PASS.	left	3701867	1	1.25
53-54	PASS.	right	3701868	1	1.25
55	COMM., UTIL. (2nd Ser.) (exc. FFC)	left (rnfct. to hinge pillar)	3720175*	1	1.25
55	COMM., UTIL. (2nd Ser.) (exc. FFC)	right (rnfct. to hinge pillar)	3720176*	1	1.25
55-56	PASS.	(to cowl)	3711839	2	.45
55-57	COMM., UTIL. (exc. FFC)	left, to cowl	3730147	1	.50
55-57	COMM., UTIL. (exc. FFC)	right, to cowl	3730148	1	.50
55-57	COMM., UTIL. (FFC) (2nd Ser.)	(to cowl)	3723905	2	.50
55-57	COMM., UTIL. (2nd Ser.) (exc. FFC)	left, (rnfct. to hinge pillar)	3725221†	1	1.25
55-57	COMM., UTIL. (2nd Ser.) (exc. FFC)	right, (rnfct. to hinge pillar)	3725222†	1	1.25
57	PASS.	to cowl	3731341	2	.50
56-57	SGL. UNIT	GROMMET, rr. rnfct. to hinge pillar brkt.	3723272	2	.12

*NOTE: For use on jobs prior to change in plenum side panel to provide clearance for 9.00 x 20 tires.

†NOTE: For use on jobs with new plenum side panel which provides clearance for 9.00 x 20 tires.

8.147 PLATE—MOULDING—EMBLEM—ORNAMENT—LOUVER UNIT—CLIP—NUT—WASHER, Front Fender (Series Designation)

49-50	GK, HK	(Deluxe)	3692093	2	1.40
52	STA. WAG.	(Deluxe)	3697900	2	1.25
53-55	CORV.	(Corvette)	3706358	2	1.05
55	A, B	(Chevrolet)	3710488	2	.95
55	H	left (3100)	3717473	1	4.15
55	H	right (3100)	3717474	1	4.15
55	M	left (3200)	3717477	1	4.15
55	M	right (3200)	3717478	1	4.15
55	J	left (3600)	3717481	1	4.15
55	J	right (3600)	3717482	1	4.15
55	L	left (3800)	3717485	1	4.15
55	L	right (3800)	3717486	1	4.15
55	N (2nd Ser.)	(4100)	3718661	2	1.50
55	P (2nd Ser.)	(4400)	3718663	2	1.50
55	R (2nd Ser.)	(4500)	3718665	2	1.50
55	V (2nd Ser.)	(6100)	3718667	2	1.50
55	W (2nd Ser.)	(6400)	3718669	2	1.50
55	X (2nd Ser.)	(6500)	3718671	2	1.50
55	Y (2nd Ser.)	(6700)	3718673	2	1.50
55-56	Z (2nd Ser.)	(6800)	3718675	2	1.50
56	COMM., 1½ TON w/H.T.	left (Chevrolet Hydramatic)	3726757	1	1.95
56	COMM., 1½ TON w/H.T.	right (Chevrolet Hydramatic)	3726758	1	1.95
56	COMM., UTIL. (exc. D-D, H.T.)	left (Chevrolet)	3726753	1	2.50
56	COMM., UTIL. (exc. D-D, H.T.)	right (Chevrolet)	3726754	1	2.50
56	3A	left (3100)	3726761	1	1.65
56	3A	right (3100)	3726762	1	1.65
56	3B	left (3200)	3726765	1	1.65
56	3B	right (3200)	3726766	1	1.65
56	3E	left (3600)	3726769	1	1.65
56	3E	right (3600)	3726770	1	1.65
56	3G	left (3800)	3726773	1	1.65
56	3G	right (3800)	3726774	1	1.65
56	4A	left (4100)	3726803	1	1.85
56	4A	right (4100)	3726804	1	1.85
56	4B	left (4400)	3726805	1	1.85
56	4B	right (4400)	3726806	1	1.85
56	4C	left (4500)	3726807	1	1.85
56	4C	right (4500)	3726808	1	1.85
56	6A	left (6100)	3726937	1	1.85
56	6A	right (6100)	3726938	1	1.85
56	6B	left (6400)	3726941	1	1.85
56	6B	right (6400)	3726942	1	1.85
56	6C	left (6500)	3726945	1	1.85
56	6C	right (6500)	3726946	1	1.85
56	6D	left (6700)	3726949	1	1.85

56	6D	right (6700)	3726950	1	1.85
56	6E	left (6800)	3726953	1	1.85
56	6E	right (6800)	3726954	1	1.85
57	Ser. 3-4 w/A.T.	(Hydramatic)	3734979	2	1.25
57	A	(Chevrolet) (chrome)	3733212	2	(8.055)
57	3A (exc. SUB. PICK-UP)	MOULDING, left (3100)	3733301	1	5.75
57	3A (exc. SUB. PICK-UP)	MOULDING, right (3100)	3733302	1	5.75
57	SUB. PICK-UP	MOULDING, left (3124)	3733305	1	5.75
57	SUB. PICKUP	MOULDING, right (3124)	3733306	1	5.75
57	3B	MOULDING, left (3200)	3733309	1	5.75
57	3B	MOULDING, right (3200)	3733310	1	5.75
57	3E	MOULDING, left (3600)	3733317	1	5.75
57	3E	MOULDING, right (3600)	3733318	1	5.75
57	3G	MOULDING, left (3800)	3733321	1	5.75
57	3G	MOULDING, right (3800)	3733322	1	5.75
57	4A	MOULDING, left (4100)	3734235	1	5.75
57	4A	MOULDING, right (4100)	3734236	1	5.75
57	4B	MOULDING, left (4400)	3734239	1	5.75
57	4B	MOULDING, right (4400)	3734240	1	5.75
57	4C	MOULDING, left (4500)	3734243	1	5.75
57	4C	MOULDING, right (4500)	3734244	1	5.75
57	6A	MOULDING, left (6100)	3734259	1	5.75
57	6A	MOULDING, right (6100)	3734260	1	5.75
57	6B	MOULDING, left (6400)	3734263	1	5.75
57	6B	MOULDING, right (6400)	3734264	1	5.75
57	6C	MOULDING, left (6500)	3734267	1	5.75
57	6C	MOULDING, right (6500)	3734268	1	5.75
57	6D	MOULDING, left (6700)	3734271	1	5.75
57	6D	MOULDING, right (6700)	3734272	1	5.75
57	6E	MOULDING, left (6800)	3734275	1	5.75
57	6E	MOULDING, right (6800)	3734276	1	5.75
55	CORV. 8 cyl.	EMBLEM	3718384	2	.95
57	Ser. 3-4-6 (8 cyl.)	ORNAMENT "V"	3734981	2	2.00
57	C	LOUVER UNIT (3 louvers and attaching parts)	3742804	2	1.10
53-55	CORV.,				
57	CORV	CLIP, nameplate and emblem	445189	A.R.	.03
55-57	A, B	NUT, fender name plate (3/32)	3712866	10	.02
57	PASS.	NUT, hood name plate and ft. fender louvers,			
57	CORVETTE	rr. compt. lid name plate	1174636	A.R.	.05
55	A, B	WASHER, fender name plate (5/32)	3662988	A.R.	(2.704)

8.148 PANEL—PAD, Front Fender

47-55	COE	left step	3686213	1	4.95
47-55	COE	right step	3686214	1	4.95
41-46	COE	PAD, left step	3681083	1	2.50
41-46	COE	PAD, right step	3681084	1	2.50
47-55	COE	PAD, left, step panel	3686221	1	3.70
47-55	COE	PAD, right, step panel	3686222	1	3.70
47-55	COE	PAD, left, scuff	3685907	1	6.35
47-55	COE	PAD, right, scuff	3685908	1	6.35

8.153 SKIRT—PANEL—EXTENSION—SPACER—SUPPORT—SHIELD—RETAINER—PLATE—BOLT, Front Fender

39-40	COMM., UTIL. (exc. COE)	left	603739	1	3.90
39-40	COMM., UTIL. (exc. COE)	right	603740	1	3.90
41-46	COMM., UTIL. (exc. COE)	left, front	3664975	1	2.35
41-46	COMM., UTIL. (exc. COE)	right, front	3664976	1	2.35
41-46	COMM., UTIL. (exc. COE)	left, rear	3665871	1	4.75
41-46	COMM., UTIL. (exc. COE)	right, rear	3665872	1	4.75
46-48	PASS.	left, front	3684119	1	3.25
46-48	PASS.	right, front	3684120	1	3.25
47-55	COE	left, rear	3685557	1	4.50
47-55	COE	right, rear	3685558	1	4.50
47-53	COMM.	left, front	3687381	1	9.65
47-53	COMM.	right, front	3683076	1	9.65

47-53	UTILITY (exc. COE)	left, front	3683081	1	9.65
47-53	UTILITY (exc. COE, SBC)	right, front	3683082	1	9.65
47-53	SBC	right, front	3676222	1	9.45
47-55	COE	left, front	3700227	1	6.35
47-55	COE	right, front	3700228	1	6.35
49-50	PASS.	left, front	3688519	1	7.45
49-50	PASS.	right, front	3688520	1	7.45
49-52	PASS.	left, rear	3700393	1	9.10
49-52	PASS.	right, rear	3700394	1	9.10
51-52	PASS.	left, front	3694935	1	7.45
51-52	PASS.	right, front	3694936	1	7.45
53	PASS.	left, front	3701905	1	7.45
53	PASS.	right, front	3701906	1	7.45
53-54	PASS.	left, rear	3707847	1	8.75
53-54	PASS.	right, rear	3705136	1	9.10
53-57	CORV.	left, front (plastic laminate)	3706727	1	12.45
53-57	CORV.	right, front (plastic laminate)	3706728	1	12.45
53-55	CORV. 6 cyl.	left, rear (plastic laminate)	3706561	1	42.75
53-55	CORV. 6 cyl.	right, rear (plastic laminate)	3706564	1	42.75
54	PASS.	left, front	3705107	1	7.45
54	PASS.	right, front	3705108	1	7.45
54-55	COMM. (1st Ser.) (exc. D-D)	left, front	3700513	1	10.75
54-55	COMM. (1st Ser.) (exc. D-D)	right, front	3700514	1	10.75
54-55	UTILITY (1st Ser.) (exc. COE)	left, front	3700503	1	10.75
54-55	UTILITY (1st Ser.) (exc. COE, SBC)	right, front	3700504	1	10.75
54-55	SBC (1st Ser.)	right (complete)	3701216	1	9.65
55	PASS.	left	3709463	1	9.95
55	PASS.	right	3709464	1	9.95
55-57	CORV. 8 cyl.	left, rear (plastic laminate)	3715257	1	35.75
55-57	CORV. 8 cyl.	right, rear (plastic laminate)	3715258	1	35.75
55-57	COMM., UTIL. (2nd Ser.)	left	3729967	1	7.25
55-57	COMM., UTIL. (2nd Ser.)	right	3729968	1	7.25
56	PASS.	left	3733357	1	9.95
56	PASS.	right	3733358	1	9.95
57	PASS.	left	3729353	1	9.95
57	PASS.	right	3729354	1	9.95
57	PASS.	PANEL, left filler skirt	3731543	1	1.95
57	PASS.	PANEL, right filler skirt	3731544	1	1.95
41-46	COMM., UTIL. (exc. COE)	EXTENSION, left	3681987	1	2.85
41-46	COMM., UTIL. (exc. COE)	EXTENSION, right	3681988	1	2.85
55	PASS.	EXTENSION, left	3709469	1	2.50
55	PASS.	EXTENSION, right	3709470	1	2.50
55-57	COMM. (2nd Ser.)	EXTENSION, left front	3730947	1	1.95
55-57	COMM. (2nd Ser.)	EXTENSION, right front	3730948	1	1.95
55-57	UTIL. (2nd Ser.)	EXTENSION, left, front lower	3733205	1	2.50
55-57	UTIL. (2nd Ser.)	EXTENSION, right, front lower	3733206	1	2.50
56	PASS.	EXTENSION, left, skirt	3721003	1	2.50
56	PASS.	EXTENSION, right, skirt	3721004	1	2.50
57	CORV.	EXTENSION, left skirt splash plate	3736277	1	1.25
57	CORV.	EXTENSION, right skirt splash plate	3736278	1	1.25
47	COMM.,				
48-55	1 TON (1st Ser.) (exc. D-D)	SPACER, skirt to toe panel	3686945	1	.91
55	PASS.	SUPPORT, left	3709473	1	.35
55	PASS.	SUPPORT, right	3709474	1	.35
55-56	PASS.	SUPPORT, left (skirt to dash leg)	3710851	1	.15
55-56	PASS.	SUPPORT, right (skirt to dash leg)	3710852	1	.15
56	PASS.	SUPPORT, left, skirt (2⅞ wide at foot)	3721321	1	.25
56	PASS.	SUPPORT, right, skirt (2⅞ wide at foot)	3721322	1	.25
57	PASS.	SUPPORT, skirt to fender	3732517	2	.35
57	PASS.	SUPPORT, skirt to dash	3732518	2	.15
56	PASS.	SHIELD, skirt dust (black rubber—13⅞ wide)	3714458	2	.75
57	PASS.	SHIELD, skirt dust	3732519	2	.75
56	PASS.	RETAINER, skirt dust shield (curved—11 15/16 end to end)	3725283	2	.25
57	PASS.	RETAINER, skirt dust shield	3732520	4	.15
53-55	CORV.	PLATE, splash, left	3718629	1	4.25
53-55	CORV. 6 cyl.	PLATE, splash, right	3706918	1	3.95
55	CORV. 8 cyl.	PLATE, splash, right	3715916	1	3.95
56-57	CORV.	PLATE, splash, left	3725277	1	3.95

56-57	CORV.	PLATE, splash, right	3725278	1	3.95
57	CORV.	PLATE, right skirt splash	3739330	1	4.35
55-56	PASS.	BOLT, fender attaching (5/16—18 x 5/8)	3710926	A.R.	(8.085)

8.154 SEAL—ANTI SQUEAK, Front Fender

41-57	PASS.,				
47-57	COMM., UTIL. (exc. COE)	front skirt (37 1/8 long), sponge rubber,			
53-57	CORV.	splash plate to body seal (13 1/2 lg.), skirt to body seal upr. (8 1/8 lg.), skirt to body seal frt. (24 lg.)	3701900*	A.R.	.80
49-54	PASS.,				
53-56	CORV.	rear skirt to frame (28 1/8 long)	3688784	A.R.	.40
49-54	PASS.	rear skirt to dash leg (4 1/16 long)	3701970	2	.20
53	PASS.	front (4 holes 1/2 dia.—sponge rubber)	3701637	2	.23
54	PASS.	front (5 holes 7/16 dia.—sponge rubber)	3705111	2	.25
55-56	PASS.	to fender frt. (12 3/16 lg. sponge rubber)	3712366	2	.10
55-56	PASS.	rear frame (sponge rubber)	3719578	2	.10
55-57	COMM., UTIL. (2nd Ser.)	front rnfct., lwr. extension (1 x 12 11/16 x 3/16—sponge rubber)	3718781	2	.15
55-57	COMM., UTIL. (2nd Ser.)	to cowl (sponge rubber)	3712006	2	.20
56	PASS.	left, skirt to body bracket (curved I.D. w/sltd. lip)	3726079	1	.25
56	PASS.	right, skirt to body bracket (curved I.D. w/sltd. lip)	3726080	1	.25
57	PASS.	engine front shield (1/8 x 1 3/8 x 14 1/2 long)	3715695	2	.25
56	PASS.	to parking lamp panel	3722119	2	.25
57	PASS.	skirt filler panel to fender	3732510	2	.25
56	PASS.	ANTI-SQUEAK, skirt to front fender (40 3/8 long x 1/16 thick)	3727521	2	.35

*NOTE: Cut or rework as necessary.

8.155 BRACE—BRACKET—SUPPORT—REINFORCEMENT, Front Fender Skirt

47-55	COMM., UTIL. (1st Ser.) (exc. COE)	skirt to dash	3685643	2	1.15
47-55	COMM., UTIL. (1st Ser.) (exc. COE)	BRACKET, skirt to dash brace	3685642	2	.25
55-57	COMM., UTIL. (exc. D-D)	BRACKET, left, to radiator upper tie bar	3725469	1	.30
55-57	COMM., UTIL. (exc. D-D)	BRACKET, right, to radiator upper tie bar	3725470	1	.30
55-57	COMM., UTIL. (2nd Ser.)	BRACKET, skirt to toe panel	3721612	2	.50
53-57	CORV.	SUPPORT, left, rear lwr. (4 slots—5/16 x 9/16)	3706725	1	.45
53-55	CORV. 6 cyl.	SUPPORT, right, rear lwr. (4 slots—5/16 x 9/16)	3706726	1	.45
55-57	CORV. 8 cyl.	SUPPORT, right, rear lwr. (4 slots—5/16 x 9/16)	3715534	1	.50
53-57	CORV. 6 cyl.	SUPPORT, rear upper (3 holes 3/16 dia.)	3706735	2	.25
55-57	CORV. 8 cyl.	SUPPORT, rear upper (3 holes 3/16 dia.)	3715532	1	.40
56-57	CORV.	REINFORCEMENT, left front (plastic laminate)	3728019	1	2.25
56-57	CORV.	REINFORCEMENT, right front (plastic laminate)	3728020	1	2.25
56-57	CORV.	REINFORCEMENT, left front upper (plastic laminate)	3728177	1	2.50
56-57	CORV.	REINFORCEMENT, right front upper (plastic laminate)	3728178	1	2.50

8.162 SHIELD UNIT—DEFLECTOR, Front Fender

56	PASS.	(pair)	987286	1	6.95
55-57	COMM., UTIL. (2nd Ser.)	DEFLECTOR, left, to cowl side panel dust	3722723	1	.45
55-57	COMM., UTIL. (2nd Ser.)	DEFLECTOR, right, to cowl side panel dust	3722724	1	.45

8.164 BAFFLE—EXTENSION ASSY., Front Fender

42-48	PASS.	left	3664113	1	2.95
42-48	PASS.	right	3664114	1	2.95
49-52	PASS.	left	3688605	1	2.95
49-52	PASS.	right	3688606	1	2.95
49-52	PASS.	left, lower	3690765	1	1.25
49-52	PASS.	right, lower	3690766	1	1.25
53-54	PASS.	left	3701983	1	2.95
53-54	PASS.	right	3701984	1	2.95
55-56	PASS.	left	3721967	1	2.00
55-56	PASS.	right	3721968	1	2.00

57	PASS.	left, skirt	3729357	1	2.00
57	PASS.	right, skirt	3729358	1	2.00
49-52	PASS.	EXTENSION ASSY., baffle, left	3690751	1	1.30
49-52	PASS.	EXTENSION ASSY., baffle, right	3690752	1	1.30
53-54	PASS. (exc. CONV.)	EXTENSION ASSY., baffle, left	3698023	1	1.30
53-54	PASS. (exc. CONV.)	EXTENSION ASSY., baffle, right	3698024	1	1.30
53-54	CONV.	EXTENSION ASSY., baffle, left	3698047	1	1.30
53-54	CONV.	EXTENSION ASSY., baffle, right	3698048	1	1.30

8.175 PANEL, Rear Wheel Cover (wheel shield)

49-50	PASS.,				
51-52	STA. WAG., SDL.	left (w/rubber seal)	3693333	1	9.75
49-50	PASS.,				
51-52	STA. WAG., SDL.	right (w/rubber seal)	3693334	1	9.75
51-52	PASS. (exc. STA. WAG., SDL.)	(w/rubber seal)	3695982	2	9.75
53-54	PASS.	left (w/panel rods)	3705103	1	9.75
53-54	PASS.	right (w/panel rods)	3705104	1	9.75

8.176 MOULDING and ATTACHING PARTS, Wheel Cover Panel

42-48	FLEETLINE	upper	606223	2	1.40
42-48	FLEETLINE	center	606371	2	1.40
42-48	FLEETLINE	lower	606373	2	1.40
41	PASS.	FASTENER, snap type	3658565	12	(10.253)
41	PASS.	BOLT	3658845	2	(8.309)
49	PASS.	GUIDE, left front lock lever (adjustable type)	3690943	1	.55
49	PASS.	GUIDE, right front lock lever (adjustable type)	3690944	1	.55
49-50	PASS.,				
51-52	STA. WAG., SDL.	GUIDE, left rear rod	3690945	1	.40
49-50	PASS.,				
51-52	STA. WAG., SDL.	GUIDE, right rear rod	3690946	1	.40
49-50	PASS.,				
51-52	STA. WAG., SDL.	GUIDE, left front lock lever (non-adjusting)	3692857	1	.40
49-50	PASS.,				
51-52	STA. WAG., SDL.	GUIDE, right front lock lever (non-adjusting)	3692858	1	.40
51-52	PASS. (exc. STA. WAG., SDL.)	GUIDE, rod	3695671	4	.40
53-54	PASS.	GUIDE, rod (2 holes 1¼ ctr. to ctr.—No. 10—32 thread)	3698379	2	.40
51-52	PASS. (exc. STA. WAG., SDL.)	RETAINER (stmpd. "F") (attaches to qtr. panel)	3695984	4	.40
53-54	PASS.	RETAINER (1/16 x 2)	3699931	2	.25
54-54	PASS.	ROD, left rear	3698377	1	1.10
53-54	PASS.	ROD, right rear	3698378	1	1.10
53-54	PASS.	BRACKET (2 holes 3/16—1⅞ long)	3702165	4	.40

8.177 SEAL, Wheel Cover Panel Rubber

49-54	PASS.	(cut to length required)	3695672	A.R.	.75

8.203 FENDER, Rear

37-38	COMM. (CAB)	left	594855	1	17.65
37-38	COMM. (CAB)	right	594856	1	17.65
37-46	SB, SD, TB, TD, VB, VD, WA, WB, YR, YS, MR, MS, DS, OR, OS, PJ, PK (CABS)	left (dual wheels)	350985	1	29.95
37-46	SB, SD, TB, TD, VB, VD, WA, WB, YR, YS, MR, MS, DS, OR, OS, PJ, PK (CABS)	right (dual wheels)	350986	1	29.95
39	CPES., 4-DR. SPT. SED., TWN. SED., STA. WAG. (w/TRUNK)	left	599341	1	17.65
39	CPES., 4-DR. SPT. SED., TWN. SED., STA. WAG., SDL. (w/TRUNK)	right	599364*	1	17.65
39-46	JC, JD, JE, KC, KD, KE, AK, AL, AM, BK, BL, BM, CK, DP, DR (SINGLE UNIT)	left	599121	1	19.30
39-46	JC, JD, JE, KC, KD, KE, AK, AL, AM, BK, BL, BM, CK, DP, DR (SINGLE UNIT)	right	599122	1	19.30
39	JC, JD, JE (CAB)	left	599295	1	17.65
39	JC, JD, JE (CAB)	right	599296	1	17.65

*NOTE: Install 609655 plug for gasoline filler neck hole where necessary.

40	PASS.	left	604627	1	18.20	
40	PASS.	right (with gas tank filler hole)	604628	1	18.20	
41-48	PASS.	left	609657	1	18.20	
41-48	PASS.	right	609658*	1	18.20	
40-46	COMM. (CABS) (exc. KF, AN, BN, DS)	left	3681977	1	21.55	
40-46	COMM. (CABS) (exc. KF, AN, BN, DS)	right	3681978	1	21.55	
47-55	COMM. (1st Ser.) (exc. SGL. UNIT)	left	3700271	1	21.55	
47-55	COMM. (1st Ser.) (exc. SGL. UNIT)	right	3700272	1	21.55	
47-55	COMM. (SGL. UNIT) (1st Ser.)	left	3684691	1	21.55	
47-55	COMM. (SGL. UNIT) (1st Ser.)	right	3684692	1	21.55	
53-55	½ TON (PICK-UP) (w/tire well) (1st Ser.)	left (used w/side mounted wheel carrier)	3705885	1	21.55	
55-57	COMM. (PICK-UP) (2nd Ser.)	left (not used w/wheel carrier equipt.)	3711541	1	27.75	
55-57	COMM. (PICK-UP) (2nd Ser.)	right	3711542	1	27.75	
55-57	½ TON (PICK-UP) (w/114 W.B.) (2nd Ser.) (exc. SUB. PICK-UP)	left, (used w/side mounted wheel carrier)	3722269	1	29.95	
55-57	½, ¾ TON (PICK-UP) (2nd Ser.) (exc. 114 W.B.)	left, (used w/side mounted wheel carrier)	3722333	1	29.95	

8.204 MOULDING—FASTENER—BOLT—CLIP, Rear Fender

42-48	FLEETLINE	left, upper	3664279	1	1.80	
42-48	FLEETLINE	right, upper	3664280	1	1.80	
42-48	FLEETLINE	left, center	3664281	1	1.80	
42-48	FLEETLINE	right, center	3664282	1	1.80	
42-48	FLEETLINE	left, lower	3664283	1	1.80	
42-48	FLEETLINE	right, lower	3664284	1	1.80	
47-55	COMM. (PANEL) (1st Ser.)	left, upper	3689257	1	2.00	
47-55	COMM. (PANEL) (1st Ser.)	right, upper	3689258	1	2.00	
47-55	COMM. (PANEL) (1st Ser.)	left, center	3689259	1	2.00	
47-55	COMM. (PANEL) (1st Ser.)	right, center	3689260	1	2.00	
47-55	COMM. (PANEL) (1st Ser.)	left, lower	3689261	1	2.00	
47-55	COMM. (PANEL) (1st Ser.)	right, lower	3689262	1	2.00	
42-48	FLEETLINE	FASTENER, moulding	4114412	18	(12.118)	
42-48	FLEETLINE	BOLT, moulding	3667254	12	(8.133)	
47-51	COMM. (PANEL)	BOLT, moulding (¼—20)	3676209	26	(8.133)	
47-51	COMM. (PANEL)	CLIP, moulding	3682036	A.R.	(8.309)	

8.205 ANTI-SQUEAK, Universal

ALL	ALL	radiator ledge	609532	A.R.	(9.127)	
ALL	ALL	(1¾ wide x 100 ft. roll—one bead)	601726	A.R.	.20	ft
40-47	PASS.	front fender to cowl (2¼ wide x 100 ft. roll—one bead)	609725	A.R.	.25	ft
47-55	COMM., UTIL. (1st Ser.)	running board to body	3685433	2	.97	
47-55	COMM., UTIL. (1st Ser.) (exc. COE)					

8.206 ATTACHING PARTS, Rear Fender

ALL	ALL	WASHER (1¼ O.D.—11/32 I.D. x 1/16)	3688003	26	(8.143)
40-48	PASS. (exc. STA. WAG.)	SCREW, rear fender to body (No. 14—10 x 1)	3651216	26	.04
47-55	COMM. (SGL. UNIT) (1st Ser.)	BOLT ASSY., w/lock washer (5/16—18 x 1)	3676478	20	.10

8.208 PLUG, Gasoline Tank Filler Neck Fender Hole

37-48	PASS.	rubber	609655	1	.35

8.212 BRACE—BRACKET—ROD, Rear Fender

41-48	PASS. (exc. STA. WAG.)		3658019	2	.45
46	DP, DR, (CAB, FFC)	center	3681972	2	.75
46	DP (CAB, FFC)	rear	3681981	2	.48
47-55	COMM. (1st Ser.) (exc. SGL. UNIT)	center	3683946	2	.85
47-55	½ TON (1st Ser.) (exc. SGL. UNIT)	rear	3683947	2	.50
47-55	½ TON (SGL. UNIT) (1st Ser.)	rear	3684696	2	.48
47-55	COMM. (1st Ser.) (exc. ¼ TON, SGL. UNIT)	rear	3683983	2	.60
47-55	1 TON (SGL. UNIT) (1st Ser.)	rear	3684813	2	.65
55-57	COMM. (PICK-UP) (2nd Ser.)		3720239	4	.55
55-57	COMM. (PICK-UP) (2nd Ser.)	to side panel	3720243	2	.50

56	PASS.	left	3727627	1	.20
56	PASS.	right	3727628	1	.20
55-57	COMM. (PICK-UP) (2nd Ser.)	BRACKET, left, fender brace	3721331	2	.25
55-57	COMM. (PICK-UP) (2nd Ser.)	BRACKET, right, fender brace	3721332	2	.25
55-57	SUB. PICK-UP	ROD, wheel opening brace, front	3812419	2	.55
55-57	SUB. PICK-UP	ROD, wheel opening brace, rear	3812420	2	.55

8.214 SHIELD—RETAINER—FLAP UNIT—BRACKET UNIT, Rear Fender

41	PASS.	left	609659	1	2.75
41	PASS.	right	609660	1	2.75
42-48	PASS.	left	3664883	1	2.75
42-48	PASS.	right	3664884	1	2.75
42-48	PASS.	RETAINER, shield, left	3664885	1	.30
42-48	PASS.	RETAINER, shield, right	3664886	1	.30
55-56	¾, 1 TON (PLATFORM) (2nd Ser.)	FLAP UNIT, mud (13 x 27) (single wheels)	987227	1	6.50
55-56	UTIL. (PLATFORM) (2nd Ser.)	FLAP UNIT, mud (23 x 33) (dual wheels)	987226	1	11.50
55-57	¾, 1 TON (PLATFORM) (2nd Ser.)	BRACKET UNIT, mud flap (w/attaching parts) (single wheels)	987229	1	6.80
55-56	UTIL. (PLATFORM) (2nd Ser.)	BRACKET UNIT, mud flap (w/attaching parts) (dual wheels)	987228	1	7.95

8.228 APRON—SUPPORT—BRACE—HANGER, Running Board

40-46	KD, KE, AL, AM, BL, BM, DR (CABS)	left	3654025	1	2.14
40-46	KD, KE, AL, AM, BL, BM, DR (CABS)	right	3654026	1	2.14
47-53	½ TON (CAB PICK-UP)	left	3676427	1	3.50
47-53	½ TON (CAB PICK-UP)	right	3676428	1	3.50
47-55	¾ TON (1st Ser.)	left	3676429	1	2.70
47-55	¾ TON (1st Ser.)	right	3676430	1	2.70
47-55	1 TON (1st Ser.) (exc. SGL. UNIT)	left	3676431	1	3.50
47-55	1 TON (1st Ser.) (exc. SGL. UNIT)	right	3676432	1	3.50
47-55	COE (1st Ser.)	left	3686223	1	3.50
47-55	COE (1st Ser.)	right	3686224	1	3.50
54-55	½ TON (CAB PICK-UP) (1st Ser.)	left	3700361	1	1.95
54-55	½ TON (CAB PICK-UP) (1st Ser.)	right	3700362	1	1.95
54-55	¾ TON (PICK-UP) (1st Ser.)	left	3700365	1	2.50
54-55	¾ TON (PICK-UP) (1st Ser.)	right	3700366	1	2.50
54-55	1 TON (PICK-UP) (1st Ser.)	left	3700369	1	3.05
54-55	1 TON (PICK-UP) (1st Ser.)	right	3700370	1	3.05
47-53	COMM. (exc. SGL. UNIT)	SUPPORT, apron	3684174	2	.60
54-55	COMM. (1st Ser.) (exc. SGL. UNIT)	SUPPORT, apron	3700373	2	.55
55-57	COMM., UTIL. (2nd Ser.) (exc. FFC)	BRACE, door opening step	3718740	A.R.	.45
55-57	½, ¾ TON (PICK-UP) (2nd Ser.)	BRACE, running board to frame	3720228	2	.45
56-57	2 TON	HANGER, left, step front	3726475	1	2.70
56-57	2 TON	HANGER, right, step front	3726476	1	2.70
56-57	2 TON	HANGER, left, step rear	3726479	1	2.70
56-57	2 TON	HANGER, right, step rear	3726480	1	2.70

8.299 BOARD, Running

39	PASS.	left, with mat and moulding	603957	1	17.30
39-40	V, WA, WB (exc. COE, SGL. UNIT)	left, short,			
39-40	VB, VD, WA, WB,				
42-46	MR, MS, OR, OS	(dual fenders w/running board ext.),			
46	OE, OF, PV, PW	reg. prod.	599993	1	14.30
39-40	V, WA, WB (exc. COE, SGL. UNIT)	right, short,			
39-40	VB, VD, WA, WB,				
42-46	MR, MS, OR, OS	(dual fenders w/running board ext.),			
46	OE, OF, PV, PW	reg. prod.	599994	1	14.30
41-46	½ TON	left	3656701	1	14.30
41-46	½ TON	right	3656702	1	14.30
41-46	YR, YS, MR, MS, DS, OR, OS, PJ, PK	left (55¾ long)	3656917	1	14.30
41-46	YR, YS, MR, MS, DS, OR, OS, PJ, PK	right (55¾ long)	3656918	1	14.30
41-46	AL, AM, BK, BL, BM, DR	left (93¼ long)	3656703	1	12.30
41-46	AL, AM, BK, BL, BM, DR	right (93¼ long)	3656704	1	12.30
47-55	½ TON (1st Ser.)	left	3682721	1	13.45
47-55	½ TON (1st Ser.)	right	3682722	1	13.45

47-55	¾ TON (PICK-UP) (1st Ser.)	left (75¾ long)	3682729	1	13.45
47-55	¾ TON (PICK-UP) (1st Ser.)	right 75¾ long)	3682730	1	13.45
47-55	¾, 1 TON (1st Ser.) (exc. SGL. UNIT, PICK-UP)	left (40¾ long)	3682725	1	10.10
47-55	¾, 1 TON (1st Ser.) (exc. SGL. UNIT, PICK-UP)	right (40¾ long)	3682726	1	10.10
47-55	1 TON (SGL. UNIT, PICK-UP) (1st Ser.)	left (87½ long)	3682623	1	14.30
47-55	1 TON (SGL. UNIT, PICK-UP) (1st Ser.)	right 87½ long)	3682624	1	14.30
47-55	UTIL. (1st Ser.) (exc. COE, SBC)	left	3682813	1	10.10
47-55	UTIL. (1st Ser.) (exc. COE, SBC)	right	3682814	1	10.10
55-57	½ TON (CAB PICK-UP) (2nd Ser.) (w/114 W.B.)	left (22$^{9}/_{16}$ long)	3721939	1	4.20
55-57	½ TON (CAB PICK-UP) (2nd Ser.) (w/114 W.B.)	right (22$^{9}/_{16}$ long)	3721940	1	4.20
55-57	½, ¾ TON (CAB PICK-UP) (2nd Ser.) (w/123¼ W.B.)	left (31$^{13}/_{16}$ long)	3721937	1	5.30
55-57	½, ¾ TON (CAB PICK-UP) (2nd Ser.) (w/123¼ W.B.)	right (31$^{13}/_{16}$ long)	3721938	1	5.30
55-57	1 TON (PICK-UP) (2nd Ser.)	left (43$^{9}/_{16}$ long)	3721935	1	7.55
55-57	1 TON (PICK-UP) (2nd Ser.)	right (43$^{9}/_{16}$ long)	3721936	1	7.55
56-57	2 TON	left	3726469	1	9.50
56-57	2 TON	right	3726470	1	9.50

8.304 MOULDING, Running Board and Body Sill

Running Board

40	KA, KH		3653729	2	2.60

Body Sill

41	PASS.	left	3658689	1	4.80
41	PASS.	right	3658690	1	4.80
42-48	PASS.	left	3681635	1	5.10
42-48	PASS.	right	3681636	1	5.10
49-52	PASS.	left	3688947	1	5.10
49-52	PASS.	right	3688948	1	5.10
53-54	B, C	left	3698437	1	5.10
53-54	B, C	right	3698438	1	5.10
56	PASS.	left	3721961	1	6.45
56	PASS.	right	3721962	1	6.45
57	A, B		987532*	1	8.35

*NOTE: For replacement purposes on Bel-Air use one part of 987532.

8.307 PANEL—PLATE, Body Sill Extension

42-48	PASS.	left	3665077	1	4.40
42-48	PASS.	right	3665078	1	4.40
42-48	PASS.	PLATE, left, panel scuff	3665251	1	.65
42-48	PASS.	PLATE, right, panel scuff	3665252	1	.65

8.309 FASTENER—BOLT—CLIP—RETAINER—SCREW, Running Board and Body Sill Moulding




3682053




3688946



3682035




3664679



3690097



3682036



3698436



3698439



3654638



3658845



442033



350613

39	JA		350613	20	10/.22
41	PASS.	(snap type)	3658565	36	(10.253)
40	KA, KH	BOLT, moulding	3654638	20	.10
41	PASS.	BOLT	3658845	6	.10
42-48	PASS.	BOLT, front (1/4—20 x 3/4)	3664679	6	.10
46-48	PASS.	BOLT, rear (1/4—20 x 3 3/16)	3682035	12	.15
49-52	PASS.	BOLT, moulding	3688946	4	.10
53-54	B, C	BOLT, moulding (1/4—20 x 3/4)	3698439	2	.10
42-48	PASS.	CLIP, moulding	3682053	16	.05
42-48	PASS.	CLIP, moulding bolt	3682036	12	.05
49-52	PASS.	CLIP, moulding	3690097	12	.05
53-54	B, C	CLIP, moulding	3698436	14	.05
55	PASS.	CLIP, sill moulding (1 x 1 27/64)	3712411	10	.05
56	PASS.	CLIP, sill moulding	3721963	10	.15
57	PASS.	CLIP, moulding	3735073	10	.10
57	PASS.	RETAINER, moulding	3735072	2	.15
42-48	PASS.	SCREW (No. 10—12 x 1 stainless steel)	442033	12	(8.977)

8.315 SUPPORT—BRACE—FRAME, Running Board Mat

47-55	COE	left	3686713	1	1.10
47-55	COE	right	3686714	1	1.10
47-55	COE	BRACE	3686705	2	.90
47-55	COE	FRAME, left (lower)	3686225	1	2.25
47-55	COE	FRAME, right (lower)	3686226	1	2.25

8.316 MAT, Running Board

37-38	PASS.	left (60 long)	597625	1	7.35
37-38	PASS.	right (60 long)	597626	1	7.35
47-55	COE	left	3686235	1	4.15
47-55	COE	right	3686236	1	4.15

8.798 WASHER UNIT, Windshield, and Parts

56	PASS.	(foot operated bag reservoir type—dual controlled) (use w/vacuum or elect. w/s wiper)	987410	1	6.75
56	PASS.	w/coordinator (push button—vacuum operated)	987465	1	9.95
57	PASS.	push button (use w/vacuum wiper)	987530	1	10.65
57	PASS.	foot operated (use w/electric wiper)	987541	1	7.95
57	Ser. 3-4-6	push button (use w/vacuum wiper)	987547	1	10.65
57	Ser. 3-4-6	foot operated (use w/electric wiper)	987549	1	7.95
57	ALL	TANK, vacuum reserve	987681	1	5.40
56	PASS.	COORDINATOR UNIT, w/987465	3729766	1	1.75
57	Ser. 3-4-6	CO-ORDINATOR ASSY., (use w/vacuum operated washer)	3739668	1	1.75
49-54	PASS.	PUMP ASSY.	3701438	1	3.75
53	CORV.,				
54	PASS.,				
54-55	COMM., UTIL. (1st. Ser.) (exc. FFC, COE)	PUMP ASSY. (use w/foot operated)	3706844	1	2.75
55	PASS.	PUMP ASSY. (use w/987105)	3712886	1	3.00
55-56	COMM., UTIL. (2nd Ser.)	PUMP ASSY. (use w/987257)	3721491	1	2.50
56-57	PASS., CORV.	PUMP ASSY., w/987465	3729759	1	5.00
57	Ser. 3-4-6, CORV.	PUMP, (foot operated)	3740489	1	3.50
57	PASS.	PUMP, (foot operated)	3740498	1	3.50
38-42	PASS.,				
40-50	COMM., UTIL. (exc. D-D, COE),				
46-48	PASS. (exc. CONV.)	JET UNIT, windshield washer	604354	1	.95
40-42	ALL (exc. COE),				
46-48	PASS. (exc. CONV.),				
46-51	COMM., UTIL. (exc. COE, D-D)	JAR, washer (vacuum operated)	604088	1	.85
49-57	PASS.,				
53-55	CORV. 6 cyl.	JAR, washer	3692419	1	.80

51-53	COMM., UTILITY (exc. COE, D-D)	JAR, washer (foot operated)	3695923	1	1.00
38-48	PASS.,				
40-50	COMM., UTIL. (exc. D-D, COE)	VALVE, washer control	603010	1	.95
50-53	COMM., UTIL. (exc. COE),				
52-53	PASS.	VALVE ASSY., w/nut	3716750	1	.55
53-54	PASS.,				
53-55	CORV. 6 cyl.	ROD ASSY., valve push	3699487	1	.15
55-56	PASS.	ROD ASSY., pump (w/tube) (use w/foot operated)	3723530	1	.85
55-56	PASS.	ROD ASSY., valve push (w/spring) (use w/987105)	3712888	1	.15
55	PASS.	ROD ASSY., pump (w/tube—29 overall)	3721493	1	.75
54-55	ALL (exc. FFC, COE) (1st Ser.),				
55	ALL (2nd Ser.)	ROD ASSY., pump (w/tube—37½ overall) (use w/987257)	3713341	1	.75
55-57	CORV. 8 cyl.				
57	Ser. 3-4-6	ROD ASSY., pump (w/tube) (foot operated)	3740820	1	1.00
57	PASS.	ROD ASSY., pump (w/tube) (foot operated)	3740493	1	1.00
57	PASS.	ROD ASSY., valve push (vacuum operated)	3734892	1	.15
38-48	PASS.,				
40-50	COMM., UTIL. (exc. D-D, COE)	NOZZLE, washer spray (vacuum operated)	3699138	2	.65
49-54	PASS.	NOZZLE, washer spray	3691951	2	.65
50-53	ALL (exc. D-D, COE)	NOZZLE, spray (1¼ lg.)	3701341	2	1.50
53-57	CORV.,				
54-55	COMM., UTIL. (1st Ser.) (exc. FFC, COE)	NOZZLE, spray (1⅜ lg.)	3706644	2	.80
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	NOZZLE, washer spray	3718638	2	.35
38-55	PASS.,				
40-50	COMM., UTIL. (exc. D-D, COE),				
53-55	CORV.,				
54-55	COMM., UTIL. (1st Ser.) (exc. D-D)	TEE, spray hose connector ("T" shape)	603008	1	.35
38-48	PASS.,				
40-50	COMM., UTIL. (exc. D-D, COE),				
51-57	PASS.,				
53-55	CORV. 6 cyl.	TEE, suction pipe connector ("Y" shape)	3699042	1	.50
56-57	PASS.	TEE, spray connector	3729764	1	.25
55	PASS.	SWITCH, slide, elect. motor, w/clip (nylon)	5097911	1	(10.163)
56	PASS.	CLAMP, motor side valve w/electric wiper	3729769	1	.15
56-57	PASS.	PEDESTAL, w/electric wiper	3729768	1	.40
56-57	PASS.	RETAINER, coordinator w/electric wiper	3729767	1	.10
55	CORV. 8 cyl.	BRACKET, windshield washer jar	3713324	1	1.10
55-56	CORV 8 cyl.	BRACKET, windshield washer reservoir lower	3723686	1	.55

8.800 SERVICE ACCESSORIES, Auto Maintenance

ALL	ALL	CAROMA (evaporator) (carton of 12)	983715	3.60
ALL	ALL	CLEANER, carb. and combustion chamber (16 oz. can)	3727702	1.50
ALL	ALL	CLEANER, cooling system (12-18 oz. containers)	987418	12.00
ALL	ALL	CLEANER UNIT, spot (12—8 oz. cans)	987272	9.00
ALL	ALL	CLEANER, porcelainize (1 gal.)	986363	No List
ALL	ALL	CLEANER UNIT, white sidewall tires (6—12 oz bottles)	987475	6.00
ALL	ALL	CLEANER UNIT, leather and imitation leather (6-8 oz. bottles)	987476	6.00
ALL	ALL	CLEANER UNIT, upholstery (6—28 oz. cans)	987456	12.00
ALL	ALL	CLEANER UNIT, upholstery (6—8 oz. bottles)	987610	6.00
ALL	ALL	CLEANER UNIT, upholstery (12—8 oz. bottles)	987611	12.00
ALL	ALL	CLOTH UNIT, polishing (12 cloths)	986077	9.00
ALL	ALL	CLOTH, polishing (12)	987570	12.00
ALL	ALL	CREAM, haze (24—8 ounce bottles)	986947	24.00
ALL	ALL	CREAM, porcelainize wash (24—8 oz. bottles)	986176	20.00
ALL	ALL	G. M. RUGLYDE (rubber lubricant) (1 gal.)	986047	3.60
ALL	ALL	LOCK-EASE (lubricant) (12—4 oz. cans)	986434	6.60
ALL	ALL	LUBRICANT, door ease (6 sticks)	986897	3.00
ALL	ALL	MITT UNIT, wash and dust (carton of 12 mitts)	987269	19.80
ALL	ALL	OIL UNIT, dripless penetrating (36—4 oz. cans)	986082	9.00
ALL	ALL	WHEEL, polishing	987504	No List
ALL	ALL	PASTE UNIT, gasket seal (carton of 6—16 oz. cans)	987266	13.50
ALL	ALL	POLISH, chrome (12—8 oz. cans)	986084	6.00

ALL	ALL	POLISH AND CLEANER (12—16 oz. cans)	986085	12.00
ALL	ALL	POLISH AND CLEANER, body (1 gal.)	985888	4.00
ALL	ALL	POLISH AND CLEANER (1 gal.) (body)	987698	No List
ALL	ALL	POLISH AND CLEANER (4 gal. cans and 1—empty 16 oz. plastic bottle)	987699	No List
ALL	ALL	POLISH, porcelainize (24—8 oz. bottles)	986175	105.60
ALL	ALL	POLISH, porcelainize, "FASTAC" (carton of 24)	986961	30.00
ALL	ALL	REMOVER, kit glass scratch	987502	No List
ALL	ALL	REMOVER, unit glass scratch	987503	No List
ALL	ALL	RUST PREVENTIVE, radiator (12—16 oz. cans)	986977	9.00
ALL	ALL	SEAL, lustur No. 1 (12—12 ounce bottles)	986945	40.20
ALL	ALL	SEAL, lustur No. 2 (12—12 ounce bottles)	986946	40.20
ALL	ALL	SEAL, lustur No. 1 (1 gallon can)	987284	28.50
ALL	ALL	SEAL, lustur No. 2 (1 gallon can)	987285	28.50
ALL	ALL	SEALZIT UNIT, windshield (12—2 oz. bottles)	986199	10.20
ALL	ALL	SOLVENT, W/S washer (6—2 oz. envelopes)	987462	7.50
ALL	ALL	STOP LEAK UNIT, radiator (12—10 oz. cans)	986088	9.00
ALL	ALL	STOP LEAK UNIT, radiator (12 pellets)	987689	6.00
ALL	ALL	TINT UNIT, upholstery brown (2—2 oz. envelopes)	987485	No List
ALL	ALL	TINT UNIT, upholstery blue (2—2 oz. envelopes)	987482	No List
ALL	ALL	TINT UNIT, upholstery gray (2—2 oz. envelopes)	987486	No List
ALL	ALL	TINT UNIT, upholstery green (2—2 oz. envelopes)	987483	No List
ALL	ALL	TINT UNIT, upholstery red (2—2 oz. envelopes)	987489	No List
ALL	ALL	TINT UNIT, upholstery taupe (2—2 oz. envelopes)	987484	No List
ALL	ALL	TINT UNIT, upholstery turquoise (2—2 oz. envelopes)	987488	No List
ALL	ALL	TINT UNIT, upholstery yellow (2—2 oz. envelopes)	987487	No List
ALL	ALL	TINT UNIT, upholstery white (1 qt. can)	987679	No List
ALL	ALL	TINT UNIT, upholstery brown (1 qt. can)	987678	No List
ALL	ALL	TINT UNIT, upholstery black (1 qt. can)	987677	No List
ALL	ALL	TINT UNIT, upholstery yellow (1 qt. can)	987676	No List
ALL	ALL	TINT UNIT, upholstery lt. green (1 qt. can)	987675	No List
ALL	ALL	TINT UNIT, upholstery dk. gray (1 qt. can)	987674	No List
ALL	ALL	TINT UNIT, upholstery maroon (1 qt. can)	987673	No List
ALL	ALL	TINT UNIT, upholstery lt. blue (1 qt. can)	987672	No List
ALL	ALL	TINT UNIT, upholstery dk. blue (1 qt. can)	987671	No List
ALL	ALL	TINT UNIT, upholstery lt. gray (1 qt. can)	987670	No List
ALL	ALL	TINT UNIT, upholstery dk. green (1 qt. can)	987669	No List
ALL	ALL	TINT UNIT, upholstery taupe (1 qt. can)	987668	No List
ALL	ALL	TINT UNIT, upholstery turquoise (1 qt. can)	987667	No List
ALL	ALL	TINT UNIT, upholstery red (1 qt. can)	987666	No List
ALL	ALL	PAINT—RECONDITIONING (Black) (for under hood appearance)	987680	No List
55-57	ALL	TIPON KIT, paint (carton of 6)	987261	6.00
55	COMM., UTIL. (2nd Ser.)	TIPON KIT, paint (carton of 32)	987321	32.00
ALL	ALL	UNDERCOAT, body	986359	No List
ALL	ALL	UNDERCOAT, body (water emulsion type)	986800*	No List
ALL	ALL	PAINT, spray touch-up (6 6-oz. containers)	987684	11.10

*NOTE: Available in New York City and Detroit only.

8.820 JACK—BASE—HANDLE—SPRING, Auto

29-57	COMM.	axle type (capacity 3300 lbs.)	3719189	1	7.95
34-57	PASS.	mech. bumper type (capacity 1200 lbs.)	3732741	1	6.65
42-56	UTILITY (2nd Ser.)	axle type (capacity 9000 lbs.)	3719192	1	11.00
57	PASS.	mech. bumper type	3735712	1	6.65
34-54	PASS.	BASE	3732804	1	1.75
55-56	PASS.	BASE (use w/3732741) (used as spare wheel clamp)	3732456	1	1.95
57	PASS.	BASE (use w/3735712)	3735713	1	1.25
ALL	COMM.	HANDLE (folding type) (53 extended)	592769	1	.85
34-56	PASS.	HANDLE (also wheel wrench)	3710686	1	(8.821)
49-54	PASS. (exc. STA. WAG., SDL.)	SPRING (jack hold down)	3690594	1	.35

NOTE: Jack Bases not listed in this catalog may be obtained on direct order to Flint.

8.821 TOOLS, Wheel and Tire

37-57	PASS., CORV., COMM.	WRENCH, wheel (¾ hex.) (also jack handle)	3710686	1	.85
46-53	UTILITY	WRENCH, wheel (15/16 hex.)	3682400	1	.85
55-57	COMM. (2nd Ser.) (exc. ½ TON)	WRENCH, wheel (13/16 hex.)	3719846	1	.90
54-55	UTIL.,				
56-57	1½ TON	WRENCH, wheel (1 1/16 hex.) (use w/3715608)	3715607	1	1.50
56-57	2 TON	WRENCH, wheel	3726314	1	2.75
46-55	¾, 1 TON, UTILITY (1st Ser.),				
54-56	UTIL.	IRON, tire (use w/3715607 and hyd. jack)	3715608	1	.95
56-57	COMM., UTIL.	IRON, tire	3726313	1	1.75
49-57	ALL	KIT, tool unit	987322	1	3.55

8.845 HEATER—ADAPTER, Hot Water, w/Defroster

NOTE: For Fuse and Fuse Holder use 1220246 listed in the Radio Parts Catalog.


53-55	CORV. 6 cyl.		3131529	1	77.50
55-56	COMM., UTIL. (2nd Ser.)	(recirculating—12 volt)	987218	1	43.50
56	PASS.	(deluxe—airflow)	987415	1	65.00
56	PASS.	(recirculating)	987413	1	42.00
57	PASS.	(air flow)	987553	1	68.50
57	PASS.	(recirc.)	987650	1	42.50
57	Ser. 3-4-6	(air flow)	987641	1	68.50
57	Ser. 3-4-6	(recirc.)	987654	1	43.50
57	Ser. 3-4-6	(recirc.)	987692	1	46.50
57	Ser. 3-4-6	(air flow)	987691	1	71.50
57	Ser. 3-4-6	ADAPTER (use w/987218)	987655	1	.80

8.846 HOSE, Heater (see group 1.166 for clamps)


ALL	ALL, CORV	(⅝ I.D.) (approx. 100 ft. roll)	3691292	A.R.	.30 ft
53-54	PASS.	(molded "L" shape)	3134837	1	.45
56-57	CORV		3136507	1	2.40
ALL	ALL	(¾ I.D.) (approx. 50 ft. roll)	3740461	A.R. ft.	.35 ft.

8.852 PARTS, Hot Water Heater Controls


34-54	PASS.,				
34-55	COMM., UTILITY (1st Ser.)	SWITCH (high, medium and low—w/dash htr.)	3126693	1	1.90
47-55	COMM., UTILITY (1st Ser.)	SWITCH (high and low—use w/airflow htr.)	3128267	1	1.25
49-50	PASS.	SWITCH (w/controls—for use w/airflow htr.)	3125584	1	6.25
49-50	PASS.	SWITCH (use w/airflow htr.—part of 3125584)	3122018	1	1.25
51-52	PASS.	SWITCH (w/controls, less knobs—use w/airflow)	3126680	1	5.95
51-52	PASS.	SWITCH (w/lock plate—part of 3126680)	3129869	1	1.10
53-54	PASS.	SWITCH (w/controls, less knob—use w/airflow)	3128359	1	8.30
53-54	PASS.	SWITCH (part of 3128359)	3130005	1	.95
55-56	PASS.	SWITCH, heater motor (use w/airflow)	3132945	1	.85
55	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	SWITCH, heater motor (use w/recir.)	3715372	1	1.05
55-57	COMM., UTIL. (2nd Ser.)	SWITCH, heater motor (use w/airflow)	3134242	1	.95
55	PASS. w/C.A.C.	SWITCH, heater and evaporator motor	3134196	1	1.65
55	PASS. w/C.A.C.	SWITCH, heater and evaporator motor	3720897	1	.95
55	PASS. w/C.A.C.	SWITCH, evaporator control	3717331	1	(9.275)
56	PASS. w/C.A.C.	SWITCH, evaporator control	3730488	1	(9.275)
56	PASS.	SWITCH, heater motor (use w/987413)	3724775	1	1.35
56-57	CORV	SWITCH, w/knob and defroster cable	3136508	1	7.85
57	PASS.	SWITCH, heater (recirc.)	3138130	1	1.35
49	COMM., UTILITY	KNOB, htr. and def. control, plastic (w/set screw) (use w/dash htr.)	3127460	1	.35
50-54	ALL				
51-52	PASS.	KNOB, "TEMP" (ivory)	3129274	1	.10
51-52	PASS.	KNOB, "DEF" (ivory)	3129275	1	(9.779)
51-52	PASS.	KNOB, "AIR" (ivory)	3129273	1	(9.787)
53-54	PASS.	KNOB, air control (black plastic)	3128375	1	(9.787)
53-54	PASS.	KNOB, fan control (black plastic)	3128374	1	(9.787)
53-54	PASS.	KNOB, temp. control (black plastic)	3128376	1	.10
53-55	CORV	KNOB, control	3131126	1	1.65
55-56	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	KNOB, temp. control (use w/airflow)	3132939	1	.05




HEATER CONTROLS




BLOWER ASSY.




1953-54 HEATER & DEFROSTER



HEATER CONTROLS





1955 HEATER & DEFROSTER

55-56	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	KNOB, defroster control (use w/airflow)	3132940	1	.05
55-56	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	KNOB, motor switch control (use w/airflow)	3133149	1	.05
55-56	PASS.	KNOB, switch control (use w/recir.)	3714996	1	.15
55-57	COMM., UTIL. (2nd Ser.)	KNOB, switch control (use w/recir.)	3134736	1	.30
55-56	PASS. w/C.A.C.	KNOB, evaporator control	3716076	1	(9.278)
55-56	PASS. w/C.A.C.	KNOB, air inlet control	3716078	1	(9.278)
56	PASS.	KNOB, switch control (use w/987413)	3726242	1	.35
57	PASS.	KNOB, heater switch (use w/recirc.)	3138102	1	.50
57	PASS.	KNOB, heater and evaporator control	3740015	1	.10
53-54	PASS.	PLATE ("air"—"def"—"temp")	3128366	1	1.15
56	PASS.	PLATE, control face (use w/987413)	3718714	1	1.75
57	PASS.	PLATE, control face (recirc.)	3138092	1	2.45
53-54	PASS.	BRACKET, htr. and def. control face plate	3128372	1	.26
53-54	PASS.	BRACKET, htr. and def. control bottom mtg.	3128373	1	.30
53-55	CORV. 6 cyl.	CONTROL ASSY.	3130938	1	4.00
55	PASS.	CONTROL ASSY. (w/knobs, switch and face plate—use w/airflow)	3133598	1	9.50
55-57	COMM., UTIL.	CONTROL ASSY., heater (use w/987641)	3717567	1	9.75
55	PASS. w/C.A.C.	CONTROL ASSY., heater and evaporator	3715816	1	14.95
56	PASS.	CONTROL ASSY. (w/knobs, switch, and face plate—use w/987415)	3135837	1	8.85
56	PASS. w/C.A.C.	CONTROL ASSY., heater and evaporator	3136018	1	13.20
57	PASS.	CONTROL, heater defroster (air flow)	3137942	1	6.90
57	Ser. 3-4-6	CONTROL, heater (use w/987691)	3138528	1	10.95
57	PASS. w/C.A.C.	CONTROL, heater and evaporator	3138036	1	10.95
56-57	CORV.	CABLE ASSY., w/knob, heater air outlet	3136671	1	1.30
55	PASS.	BEZEL, heater switch (use w/recir.)	3715373	1	.25
57	PASS.	BEZEL, heater and evaporator control	3138059	1	1.70
55-56	PASS.	KIT, service (includes control front face, control dial and dial back plate) (use w/airflow)	3134788	1	1.85
55-56	PASS.	LEVER, defroster control	3135916	1	.35
55-56	PASS.	LEVER, temp. control	3135917	1	.35
56	PASS. w/C.A.C.	LEVER, temp. control	3136042	1	.65
56	PASS. w/C.A.C.	LEVER, defroster and refrigeration control	3136043	1	.60
56-57	COMM., UTIL.	LEVER ASSY., temp. control (airflow)	3135886	1	.65
56-57	COMM., UTIL.	LEVER ASSY., defroster control (airflow)	3135884	1	.45
57	PASS.	LEVER, inside-outside air (airflow)	3138073	1	.30
57	PASS.	LEVER, heater and evaporator (airflow)	3138068	A.R.	.80
57	PASS.	SHAFT, lever heater and evaporator (airflow)	3138066	1	.15
56	PASS.	DIAL, control w/lamp socket and wire	3135982	1	.25
53-55	CORV.	DIAL, ("LO-FAN-HI")	3125615	1	.45
57	PASS.	DIAL, use w/airflow	3138076	1	.30
55	PASS.	COVER, instrument panel control hole	3717784	1	.45
55-56	PASS.	RETAINER switch control knob (use w/recir.)	3718237	1	.05
55-57	COMM., UTIL. (2nd Ser.)	RETAINER, switch control (use w/recir.)	3134722	1	.05
56	PASS.	SPRING, heater controls anti-rattle (use w/987415)	3135219	1	.05
56	PASS.	CONNECTOR, control (use w/987415)	3725479	1	.15
53-55	CORV.,				
55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	NUT, switch control (chrome) (use w/recir.)	3126198	1	.20
55	COMM., UTIL. (2nd Ser.)	SCREW, control assy. (No. 8—32 x 1) (use w/987216, 987414, 987416)	3134489	1	.05

8.854 CORE—CASE—HOUSING, Hot Water Heater

35-47	ALL	(Deluxe)	3114410	1	16.60
42-48	PASS.		3115847	1	17.60
40	PASS. (exc. CONV.),				
41-49	SEDAN, SPT. CPE.	(underseat heater)	3128403	1	20.25
47-48	ALL	(use w/dash heater)	3119131	1	21.10
47-52	COMM., UTILITY	(use w/airflow heater)	3119687	1	21.95
49-52	PASS.	(use w/airflow heater)	3122293	1	21.50
49-52	ALL,				
53-55	COMM., UTILITY (1st Ser.)	(use w/dash heater)	3122121	1	16.80
53-54	PASS.	(use w/dash heater)	3128445	1	17.60
53-54	PASS.	(use w/airflow heater)	3131116	1	21.10
53-55	COMM., UTILITY (1st Ser.)	(use w/airflow heater 986895)	3129807	1	19.85
53-55	CORV. 6 cyl.	with fittings	3131568	1	21.10

55-56	PASS.	with fittings (use w/airflow)	3134264	1	21.10
55-56	PASS.	with fittings (use w/recirc.)	3134263	1	16.60
55-57	COMM., UTILITY (2nd Ser.)	with fittings (use w/987218, 987654)	3134580	1	16.80
55-57	COMM., UTILITY (2nd Ser.)	with fittings (use w/987216)	3135271	1	21.95
56	CORV.	with fittings	3136553	1	16.05
57	PASS.	w/fittings (air flow)	3138817	1	20.35
57	Ser. 3-4-6	w/fittings (recirc.) (use w/987692)	3138534	1	19.30
57	Ser. 3-4-6	w/fittings (airflow) (use w/987691)	3138818	1	18.95
49-52	PASS.	CASE, core (rear) (use w/airflow heater)	3127084	1	4.40
49-52	PASS.	CASE, core (front) (use w/airflow heater)	3122360	1	3.25
57	PASS.	HOUSING, core (airflow)	3136813	1	2.20

8.855 MOTOR, Hot Water Heater and Evaporator

35-47	ALL	(Deluxe) (pt. No. stmpd. in case)	5047532	1	7.35
40	PASS. (exc. CONV.),				
41-49	SEDAN, SPT. CPE.	(underseat heater) (pt. No. stmpd. in case)	5047533*	1	11.35
42-48	PASS.	(pt. No. stmpd. in case)	5047534	1	11.90
47-48	ALL	(use w/dash heater) (5047601 stmpd.)	5047601	1	9.05
47-55	COMM., UTILITY (1st Ser.)	(use w/airflow heater) (5047709 stmpd.)	5047709	1	14.30
47-54	PASS.,				
49-55	COMM., UTIL. (1st Ser.)	(use w/dash htr.) (pt. No. stmpd. in case)	5047730	1	12.60
49-52	PASS.	(use w/airflow heater) (pt. No. stmpd. in case)	5047708†	1	12.15
53-54	PASS.	(use w/airflow heater) (5047714 stmpd.)	5047714	1	12.40
55-56	PASS. w/C.A.C.		3716874	1	14.75
55-56	PASS.	(use w/987185, 987186) (5047728 stmpd.)	5047728	1	14.00
55-57	COMM., UTIL. (2nd Ser.)	(use w/987218, 987654)	5047849	1	11.10
55-57	COMM., UTIL. (2nd Ser.)	(use w/987216, 987641)	5047798	1	12.50
57	PASS.	(air flow)	5047958	1	13.50
57	PASS.	(recirc.)	5047960	1	13.60
57	Ser. 3-4-6	(airflow) (use w/987641)	5047944	1	18.10
57	Ser. 3-4-6	(recirc.) (use w/987654)	5047985	1	11.75

*NOTE: When using 5047533 on 1940 models, use FAN ASSY. 3114959.

†NOTE: On 1st design 1949 models install fan with 5/16 I.D. hub.

8.856 SEAL—PLATE, Hot Water Heater and Defroster Motor

55-56	PASS.	heater motor (sponge rubber—3 5/8 O.D.)	3129458	1	.15
55	PASS. w/C.A.C.,				
55-56	PASS.	defroster air duct (sponge rubber—oblong shape) (use w/987185, 987186)	3719110	1	.35
55-57	PASS. w/C.A.C.	motor mounting (1/4 x 3 1/2 O.D.—2 holes)	3119651	1	.10
55	PASS. w/C.A.C.	PLATE, motor mounting (6 1/2 x 15/64—5 holes)	3131455	1	.35
55	COMM., UTIL. (2nd Ser.)	PLATE, motor mounting	3718710	1	1.25
56	PASS. w/C.A.C.	PLATE, motor mounting	3133695	1	.60
56	CORV.	PLATE, motor mounting	3136457	1	.65
57	PASS. w/C.A.C.	PLATE, motor mounting	3138684	1	1.45

8.857 FAN—SLEEVE—NUT—ADAPTER—BRACKET—GASKET, Hot Water Heater

40	PASS. (exc. CONV.),				
41-49	SEDAN, SPT. CPE.	(underseat heater) (use w/986244-370)	3114959	1	.78
46-48	ALL	(3 1/4 dia.)	3118913	1	(9.779)
47-55	COMM., UTIL. (1st Ser.)	(use w/airflow heater) (5 3/4 dia.)	3128926	1	1.85
47-48	ALL	(use w/dash heater)	3119354	1	.78
49	PASS. (1st design)	(use w/airflow heater) (1/4 I.D.)	3122063	1	1.68
49-52	PASS. (2nd design)	(use w/airflow heater) (5/16 I.D.)	3128928	1	1.75
49-54	PASS.,				
49-55	COMM., UTIL. (1st Ser.)	(use w/dash heater)	3122116	1	.85
53-54	PASS.	(use w/airflow heater)	3131441	1	2.55
55-56	PASS.	assembly (tapped hole in hub w/set screw)	3134894	1	2.50
55-57	PASS. w/C.A.C.	assembly (tapped hole in hub) (use w/			
55-57	COMM., UTIL. (2nd Ser.)	airflow)	3134895	1	2.60
57	Ser. 3-4-6	assembly (airflow) (use w/987641)	3138287	1	.95
55-57	COMM., UTIL. (2nd Ser.)	SLEEVE, blower to housing (use w/987216)	3134214	1	.05
50-52	PASS.	NUT, retaining (push-on type) (use w/fans w/out set screws)	3127356	1	.01

52	PASS.,				
53-57	ALL, CORV. (exc. C.A.C.)	NUT, retaining (use w/fans w/out set screws)	3130055	1	.01
55-57	PASS. w/C.A.C.	NUT, retaining (No. 10-32)	3130804	1	.05
55-57	COMM., UTIL. (2nd Ser.)	ADAPTER, air inlet cowl	3134212	1	.70
57	PASS.	ADAPTER, blower	3136811	1	1.95
57	PASS.	BRACKET, blower mounting	3136821	1	1.85
57	PASS.	GASKET, blower mounting	3136909	1	.30

8.866 VALVE ASSY.—NIPPLE—BUSHING, Hot Water Heater

55	PASS.	water shut-off (use w/987185 and C.A.C.)	3132607	1	1.50
29-57	ALL	NIPPLE, hose, coupling (3/8)	3106066	A.R.	.40
55-57	ALL	NIPPLE, hose, coupling (3/8 x 2 3/4)	3719486	1	.30
57	ALL	NIPPLE, hose, coupling (2 3/4 O.L. x 7/8 hex.—1/2—14 thds.)	3736495	1	
40-56	ALL, CORV.	BUSHING, reducing pipe (1/2—14 ext. thd., 3/8—18 int. thd.)	3138803	A.R.	.25

8.873 COMPASS UNIT, Auto

55-56	PASS.	(w/illuminating lamp)	987137	1	5.95
56	PASS.	(w/illuminating lamp)	987473	1	5.95

8.890 LAMP, Underhood

56	PASS.		987442	1	1.95
57	PASS.		987598	1	


8.891 DISPENSER—BASKET, Tissue

57	PASS.		987512	1	4.40
57	PASS.	BASKET, frt. compt.	987696	1	2.25
57	4 DR. (exc. STA. WAG.)	BASKET, rr. compt.	987697	1	2.25

8.895 SHAVER, Electric

56	PASS.		987474	1	31.50


8.899 BALLS



A—Diameter

	A	
7002120	5/32"—Aluminum	(3.826)
1875237	5/32"—Stainless Steel	(3.862)
7002117	3/16"—Stainless Steel	(3.825)
104918	1/4"—Steel	5/.12
266800	9/32"—Stainless Steel	(6.844)
104919	5/16"—Steel	5/.12
119282	11/32"—Steel	5/.12
453593	3/8"—Steel	10/.35
147491	7/16"—Steel	5/.20
169158	1/2"—Steel	.10
145658	9/16"—Chrome Steel	.15

8.900 HEXAGON HEAD BOLTS (Cap Screws) (Cadmium Plated)




A—Diameter B—Threads per inch C—Length

	A B C	
455880	No. 8—32 x 3/8"	10/.36
754381	1/4"—20 x 3/8"	(0.864)
180016	1/4"—20 x 1/2"	100/2.60
180018	1/4"—20 x 5/8"	100/2.88
180020	1/4"—20 x 3/4"	100/2.88
180021	1/4"—20 x 7/8"	100/3.14
180022	1/4"—20 x 1"	100/3.40
180024	1/4"—20 x 1 1/4"	100/3.66
180033	1/4"—20 x 1 3/8"	.10
180034	1/4"—20 x 1 1/2"	100/4.18
180042	1/4"—20 x 1 3/4"	100/4.70
180044	1/4"—20 x 2"	100/5.22
180046	1/4"—20 x 2 1/4"	100/5.50
180048	1/4"—20 x 2 1/2"	100/6.02
180052	1/4"—20 x 3"	100/6.80
189293	1/4"—20 x 3 1/2"	100/8.36
432903	1/4"—20 x 4	.10
181561	1/4"—28 x 1/2"	100/2.62
181003	1/4"—28 x 5/8"	100/2.88
181566	1/4"—28 x 3/4"	100/2.88
181567	1/4"—28 x 7/8"	100/3.14
181568	1/4"—28 x 1"	100/3.40
181573	1/4"—28 x 1 1/4"	100/3.66
181575	1/4"—28 x 1 1/2"	100/4.18
3718081	1/4"—28 x 2 3/4"	(5.615)
180073	5/16"—18 x 1/2"	100/3.66
180075	5/16"—18 x 5/8"	100/3.66
180077	5/16"—18 x 3/4"	100/3.92
9408991	5/16"—18 x 3/4" (self locking)	(0.738)
180078	5/16"—18 x 7/8"	100/4.18
180079	5/16"—18 x 1"	100/4.46
180081	5/16"—18 x 1 1/4"	100/4.98
180083	5/16"—18 x 1 1/2"	100/5.48
180085	5/16"—18 x 1 3/4"	100/6.02
180087	5/16"—18 x 2"	50/3.14
180089	5/16"—18 x 2 1/4"	50/3.40
180091	5/16"—18 x 2 1/2"	50/3.94
180113	5/16"—18 x 3"	50/4.46
187147	5/16"—18 x 3 1/2"	50/5.74
181587	5/16"—24 x 3/8"	100/3.40
181591	5/16"—24 x 1/2"	100/3.66
181593	5/16"—24 x 5/8"	100/3.66
444684	5/16"—24 x 3/4" (300-M Steel)	.03
181596	5/16"—24 x 7/8"	100/4.18
181608	5/16"—24 x 1"	100/4.46
181610	5/16"—24 x 1 1/4"	100/4.98
181614	5/16"—24 x 1 1/2"	100/5.48
181618	5/16"—24 x 1 3/4"	100/6.02
181620	5/16"—24 x 2"	50/3.14
181621	5/16"—24 x 2 1/4"	50/3.40
181622	5/16"—24 x 2 1/2"	50/3.94
180116	3/8"—16 x 1/2"	100/4.46
180118	3/8"—16 x 5/8"	100/4.70
180120	3/8"—16 x 3/4"	100/4.98
180121	3/8"—16 x 7/8"	100/5.22
180122	3/8"—16 x 1"	100/5.48
445552	3/8"—16 x 1 1/8" (290-M Steel)	(4.104)
180124	3/8"—16 x 1 1/4"	100/6.02
456656	3/8"—16 x 1 1/2" (290-M Steel)	.08
180128	3/8"—16 x 1 3/4"	50/3.66
180130	3/8"—16 x 2"	50/3.94
192350	3/8"—16 x 2" (self locking)	(4.104)
445553	3/8"—16 x 2 1/8" (290-M Steel)	(4.104)
180132	3/8"—16 x 2 1/4"	50/4.46
180134	3/8"—16 x 2 1/2"	50/4.98
455960	3/8"—16 x 2 7/8" (290-M Steel)	(4.104)
274107	3/8"—16 x 2 7/16 (300-M Steel Plain)	(3.275)
180138	3/8"—16 x 3"	50/6.28
189304	3/8"—16 x 3 1/4"	.15
445554	3/8"—16 x 3 1/2" (290-M Steel)	(4.104)
186284	3/8"—16 x 3 3/4"	(6.635)
450517	3/8"—16 x 4 3/4"	(6.635)
181629	3/8"—24 x 5/8"	100/4.70
181635	3/8"—24 x 3/4"	100/4.98
454921	3/8"—24 x 7/8" (300-M Steel)	.07
181637	3/8"—24 x 1"	100/5.48
181639	3/8"—24 x 1 1/4"	100/6.02
181643	3/8"—24 x 1 1/2"	50/3.40
181646	3/8"—24 x 1 3/4"	50/3.66
181648	3/8"—24 x 2"	50/3.94
181649	3/8"—24 x 2 1/4"	50/4.46
181650	3/8"—24 x 2 1/2"	50/4.98
181652	3/8"—24 x 3"	50/6.28
187044	3/8"—24 x 3 1/2"	25/3.66
186317	3/8"—24 x 5"	.15
180144	7/16"—14 x 7/8"	50/3.66
180145	7/16"—14 x 1"	50/3.94
180147	7/16"—14 x 1 1/4"	50/4.18
180149	7/16"—14 x 1 1/2"	50/4.46
180151	7/16"—14 x 1 3/4"	50/4.98
180153	7/16"—14 x 2"	50/5.50
9409534	7/16"—14 x 2 (self locking)	(1.672)
180155	7/16"—14 x 2 1/4"	25/3.14
180157	7/16"—14 x 2 1/2"	25/3.40
454950	7/16"—14 x 3" (300-M steel)	.20
181659	7/16"—20 x 3/4"	100/7.32
181665	7/16"—20 x 7/8"	100/7.32
181666	7/16"—20 x 1"	50/3.94
181668	7/16"—20 x 1 1/4"	50/4.18

181670	7/16"—20 x 1½"	50/4.46
181672	7/16"—20 x 1¾"	50/4.98
181674	7/16"—20 x 2"	50/5.50
181675	7/16"—20 x 2¼"	25/3.14
181676	7/16"—20 x 2½"	25/3.40
181678	7/16"—20 x 3"	25/3.94
181680	7/16"—20 x 3½"	25/4.46
181682	7/16"—20 x 4"	20/4.18
187612	7/16"—20 x 4½"	20/5.22
180796	7/16"—20 x 5"	20/6.26
3724100	7/16"—20 x 5½"	(1.268)
180172	½"—13 x ⅞"	50/5.74
180173	½"—13 x 1"	50/6.02
180175	½"—13 x 1¼"	50/6.54
180177	½"—13 x 1½"	50/7.06
427565	½"—13 x 1¾" (300-M Steel)	.15
214406	½"—13 x 1⅜" (300-M Steel)	.15
180181	½"—13 x 2"	25/4.18
180183	½"—13 x 2¼" (280-M Steel)	.20
180191	½"—13 x 3¼" (260-M Steel)	.25
180193	½"—13 x 3¾"	.20
181694	½"—20 x ⅞"	50/5.74
181696	½"—20 x 1"	50/6.02
181698	½"—20 x 1¼"	50/6.54
181700	½"—20 x 1½"	50/7.06
454319	½"—20 x 1½" (290-M Steel)	.10
181702	½"—20 x 1¾"	25/3.94
181705	½"—20 x 2"	25/4.18
181707	½"—20 x 2¼"	25/4.46
181709	½"—20 x 2½"	25/4.70
181711	½"—20 x 3"	25/5.22
181713	½"—20 x 3½"	20/4.70
180201	9/16"—12 x 1¼"	25/4.98
180207	9/16"—12 x 1½"	25/5.50
180212	9/16"—12 x 1¾"	25/5.74
180218	9/16"—12 x 2"	25/6.02
180229	9/16"—12 x 2¼"	25/6.28
180231	9/16"—12 x 2½"	25/6.80
180236	9/16"—12 x 3"	20/6.28
181725	9/16"—18 x 1¼"	25/4.98
181727	9/16"—18 x 1½"	25/5.50
181729	9/16"—18 x 1¾"	25/5.74
181731	9/16"—18 x 2"	25/6.02
181732	9/16"—18 x 2¼"	25/6.28
181733	9/16"—18 x 2½"	25/6.80
181735	9/16"—18 x 3"	20/6.28
181743	9/16"—18 x 3½"	10/3.66
180255	⅝"—11 x 1¼"	25/5.50
180269	⅝"—11 x 1½"	25/5.74
180272	⅝"—11 x 1¾"	25/6.28
180279	⅝"—11 x 2"	20/5.22
271750	⅝"—18 x 2½"	.32


8.902 STEP BOLTS (Cadmium)



A—Diameter B—Threads per inch C—Length

	A B C	
128307	No. 10—24 x ⅝"	100/1.84
128381	¼"—20 x 1"	100/2.62
128390	¼"—20 x 1¼"	100/2.88
128398	¼"—20 x 1½"	50/1.56
128402	¼"—20 x 1¾"	50/1.84
128624	¼"—20 x 2"	50/2.10
128628	¼"—20 x 2¼"	50/2.10
128632	¼"—20 x 2½"	50/2.36
128640	¼"—20 x 3"	50/2.62
128417	5/16"—18 x ⅞"	50/2.36
128421	5/16"—18 x 1"	50/2.62
128430	5/16"—18 x 1¼"	50/2.62
128439	5/16"—18 x 1½"	50/2.88
120232	5/16"—18 x 1¾"	50/3.14
128661	5/16"—18 x 2"	25/1.84
128664	5/16"—18 x 2¼"	25/1.84
128667	5/16"—18 x 2½"	25/2.10
128676	5/16"—18 x 3"	25/2.36
128685	5/16"—18 x 3½"	25/2.62
128480	⅜"—16 x 1½"	25/2.36


8.903 ROUND HEAD CARRIAGE BOLTS (Cadmium Plated)



A—Diameter B—Threads per inch C—Length


	A B C	
126193	No. 10—24 x ⅝"	100/1.32
126335	¼"—20 x 1½"	100/2.88
126339	¼"—20 x 1¾"	100/3.14
126344	¼"—20 x 2"	100/3.40
126609	¼"—20 x 2½"	50/2.10
126358	5/16"—18 x 1"	50/1.84
120230	5/16"—18 x 1¼"	.05
126373	5/16"—18 x 1½"	50/2.36
120231	5/16"—18 x 1¾"	50/2.62
126380	5/16"—18 x 2"	50/2.62
126385	5/16"—18 x 2¼"	50/2.88
126652	5/16"—18 x 2½"	50/3.14
126662	5/16"—18 x 3"	50/3.66
126987	5/16"—18 x 9"	10/2.62
110299	5/16"—18 x 10½"	10/3.14
109392	5/16"—18 x 11½"	10/3.66
120915	⅜"—16 x 1"	50/2.62
126402	⅜"—16 x 1¼"	50/2.88
126411	⅜"—16 x 1½"	50/3.14
126416	⅜"—16 x 1¾"	50/3.40
126419	⅜"—16 x 2"	50/3.66
126422	⅜"—16 x 2¼"	25/2.10
126696	⅜"—16 x 2½"	25/2.36
126705	⅜"—16 x 3"	25/2.62
126715	⅜"—16 x 3½"	25/2.88
126725	⅜"—16 x 4"	25/3.14
458394	⅜"—16 x 6½"	(17.447)
126485	½"—13 x 1¼"	50/5.22
120917	½"—13 x 1½"	50/5.74

8.906 ROUND SLOTTED HEAD BOLTS (Stove Bolts) (Cadmium Plated)




	A—Diameter B—Threads per inch C—Length	
132688	No. 6—32 x ¼"	250/1.32
132696	No. 6—32 x ⅜"	250/1.32
132705	No. 6—32 x ½"	250/1.32
129028	No. 6—32 x ⅝"	250/1.56
132711	No. 6—32 x ¾"	250/1.56
132715	No. 6—32 x ⅞"	250/1.84
132719	No. 6—32 x 1"	250/1.84
122159	No. 8—32 x ¼"	250/1.56
121832	No. 8—32 x ⅜"	250/1.56
132760	No. 8—32 x ½"	250/1.84
132764	No. 8—32 x ⅝"	250/1.84
132821	No. 10—24 x ¼"	250/1.84
132830	No. 10—24 x ⅜"	250/1.84
120221	No. 10—24 x ½"	250/2.10
120222	No. 10—24 x ⅝"	250/2.36
120910	No. 10—24 x ¾"	250/2.62
132844	No. 10—24 x ⅞"	250/2.62
132848	No. 10—24 x 1"	250/2.88
132852	No. 10—24 x 1¼"	250/3.14
155148	No. 10—24 x 1¾" (Cr. Recess)	.05
132892	No. 10—32 x ¼"	250/1.84
132900	No. 10—32 x ⅜"	250/1.84
132908	No. 10—32 x ½"	250/2.10
132911	No. 10—32 x ⅝"	250/2.36
456423	No. 10—32 x ⅝" (Cr. Recess—w/lock washer)	.05
132915	No. 10—32 x ¾"	250/2.62
132919	No. 10—32 x ⅞"	250/2.62
132923	No. 10—32 x 1"	250/2.88
132926	No. 10—32 x 1¼"	250/3.14
132930	No. 10—32 x 1½"	250/3.66
132934	No. 10—32 x 1¾"	100/1.84
132938	No. 10—32 x 2"	100/2.10
132942	No. 10—32 x 2¼"	100/2.36
132947	No. 10—32 x 2½"	100/2.62
132969	No. 12—24 x ⅜"	250/2.62
121742	No. 12—24 x ½"	250/2.62
132979	No. 12—24 x ⅝"	250/2.88
132982	No. 12—24 x ¾"	250/3.14
132985	No. 12—24 x ⅞"	250/3.40
132988	No. 12—24 x 1"	250/3.66
131375	¼"—20 x ⅜"	100/1.32
120628	¼"—20 x ½"	100/1.56
120583	¼"—20 x ⅝"	100/1.56
133043	¼"—20 x ¾"	100/1.84
133046	¼"—20 x ⅞"	100/1.84
133049	¼"—20 x 1"	100/2.10
133053	¼"—20 x 1¼"	100/2.10
133056	¼"—20 x 1½"	100/2.36
133058	¼"—20 x 1¾"	100/2.62
133063	¼"—20 x 2"	100/2.88
143317	¼"—28 x ⅝"	100/1.56
131394	5/16"—18 x ½"	100/2.36
133094	5/16"—18 x ¾"	100/2.62
133102	5/16"—18 x 1"	100/3.14
133106	5/16"—18 x 1¼"	100/3.40

8.907 FILLISTER SLOTTED HEAD BOLTS (Cadmium Plated)




	A—Diameter B—Threads per inch C—Length	
131890	No. 6—32 x ⅜"	100/.80
131919	No. 6—32 x 1"	100/.80
131954	No. 8—32 x ¼"	100/.80
131963	No. 8—32 x ⅜"	100/.80
131970	No. 8—32 x ½"	100/.80
131979	No. 8—32 x ¾"	100/1.04
131987	No. 8—32 x 1"	100/1.04
132042	No. 10—24 x ½"	.05
132046	No. 10—24 x ⅝"	100/1.04
110491	No. 10—24 x 1"	.02
132096	No. 10—32 x ¼"	100/.80
132105	No. 10—32 x ⅜"	100/.80
120216	No. 10—32 x ½"	100/1.04
132119	No. 10—32 x ⅝"	100/1.04
131238	¼"—20 x ⅜"	100/1.32
132255	¼"—20 x ½"	100/1.56
132259	¼"—20 x ⅝"	100/1.56
132264	¼"—20 x ¾"	100/1.84
132268	¼"—20 x ⅞"	100/1.84
132273	¼"—20 x 1"	100/2.10
107664	5/16"—18 x 1½"	.15
132395	⅜"—16 x ⅞"	.05
132405	⅜"—16 x 1¼"	.06
7004324	⅜"—24 x 1⅛"	(3.741)

FILLISTER HEAD BOLT, With Lock Washer



839896	5/16"—18 x 9/16" Cadmium	(1.428)
431791	¼"—20 x 9/16" Cadmium	100/3.94

8.908 FLAT SLOTTED HEAD BOLTS (Machine Screws) (Cadmium Plated)



	A—Diameter B—Threads per inch C—Length	
133414	No. 6—32 x ¼"	250/1.32
133423	No. 6—32 x ⅜"	250/1.32
456288	No. 8—32 x ¼" (Cross Recess)	.05
456848	No. 8—32 x ⅜" (Cross Recess) (Chrome)	.05
455985	No. 8—32 x 7/16" (Cross Recess)	.05

133491	No. 8—32 x ½″	250/1.56
133495	No. 8—32 x ⅝″	250/1.84
133556	No. 10—24 x ⅜″	250/1.84
123854	No. 10—24 x ½″	250/2.10
133567	No. 10—24 x ⅝″	250/2.36
120620	No. 10—24 x ¾″	250/2.62
133573	No. 10—24 x ⅞″	250/2.62
120621	No. 10—24 x 1″	250/2.88
120691	No. 10—24 x 1¼″	250/3.14
133583	No. 10—24 x 1½″	250/3.66
133587	No. 10—24 x 1¾″	100/1.84
133634	No. 10—32 x ½″	250/2.10
120626	No. 12—24 x ⅝″	250/2.88
133767	¼″—20 x ½″	100/1.56
120585	¼″—20 x ⅝″	100/1.56
120697	¼″—20 x ¾″	100/1.84
120629	¼″—20 x ⅞″	100/1.84
120657	¼″—20 x 1″	100/2.10
133781	¼″—20 x 1¼″	100/2.10
133784	¼″—20 x 1½″	100/2.36
133789	¼″—20 x 1¾″	100/2.62
133793	¼″—20 x 2″	100/2.88
133797	¼″—20 x 2¼″	100/3.40
133802	¼″—20 x 2½″	100/3.66
133812	¼″—20 x 3″	100/4.46
439983	¼″—28 x ⅝″ (Cross Recess)	.10
133822	5/16″—18 x ⅝″	250/5.74
127739	½″—13 x 1″	.10


8.909 OVAL SLOTTED HEAD BOLT

134417	¼″—20 x ½″ Chrome	10/.38
451181	¼″—28 x 7/16″ Chrome (cross recess)	.08
168696	No. 10—32 x 1¼″ Chrome	10/.32

8.913 SCREW, Truss or Pan Head (Cadmium Plated)


436733	No. 10—24 x ⅝″ Pan Hd. Sltd. Mach.	.03
436736	No. 10—24 x 1″ Pan Hd. Sltd. Mach.	.03
159980	No. 10—24 x 2″ Pan Hd. Cr. Recess Mach.	.05
160035	No. 10—32 x ⅜″ Pan Hd. Cr. Recess Mach.	.03
456383	No. 10—32 x ⅜″ Truss Hd. Cr. Recess Mach. (Chrome)	.03
445935	¼″—20 x 1″ Truss Hd. Cr. Recess Mach. (Phos.)	.05
274436	¼″—20 x 3⅛″ Truss Hd. Cr. Recess Mach.	.05
450986	¼″—28 x ½″ Pan Hd. Cr. Recess (w/lockwasher)	.06
457013	5/16″—18 x ¾″ Truss Hd. Cr. Recess Mach. (Phos.)	.05
157775	5/16″—18 x ¾″ Truss Hd. Cr. Recess Mach. (Phos.)	.10
3716779	5/16″—18 x 1 1/16″ Truss Hd. Sltd. Mach.	(8.024)
157819	⅜″—16 x ¾″ Truss Hd. Cr. Recess Mach.	.05

8.915 HEXAGON NUTS (Cadmium Plated)




	A—Size B—Threads per inch	
	A **B**	
134530	No. 6—32	100/.52
120622	No. 8—32	100/.52
120361	No. 10—24	100/.52
120614	No. 10—32	100/.52
121743	No. 12—24	100/.80
188445	No. 12—32	100/.80
120375	¼″—20	100/1.84
120367	¼″—28	100/1.84
120376	5/16″—18	100/2.08
121917	5/16″—24	100/2.10
3722860	5/16″—24 (301-M Steel)	(6.164)
120377	⅜″—16	100/2.88
120369	⅜″—24	100/3.00
124573	7/16″—14	50/2.08
120370	7/16″—20	50/2.08
120378	½″—13	50/2.60
120371	½″—20	50/2.60
125653	½″—20 (Thick)	50/3.40
124583	9/16″—12	50/3.66
124634	9/16″—18	50/3.66
143417	9/16″—18 (Thick)	25/2.62
124589	⅝″—11	50/4.98
122021	⅝″—18	50/4.98
220081	¾″—10 (Class 2B Plain)	.15
125949	¾″—16 (Thick)	25/6.26

8.916 CHECK NUTS (Lock Nuts) (Jam Nuts) (Cadmium Plated)




	A—Size B—Threads per inch	
	A **B**	
124818	¼″—20	100/1.56
120613	¼″—28	100/1.56
124824	5/16″—18	100/1.84
124920	5/16″—24	100/1.84
124829	⅜″—16	100/2.62
124925	⅜″—24	100/2.62
124834	7/16″—14	100/3.40
124929	7/16″—20	100/3.40
120238	½″—13	100/4.18
124934	½″—20	100/4.18
124939	9/16″—18	50/3.40
124944	⅝″—18	50/4.46
124949	¾″—16	50/6.80
124954	⅞″—14	.15
273201	1″—12 (287-M Steel)	.30

8.917 SLOTTED NUTS (Castellated Nuts) (Cadmium Plated)



	A—Size A	B—Threads per inch B	
125215	¼″	—28	100/2.36
125224	5/16″	—24	100/2.88
125339	5/16″	—24 (Thick)	100/3.14
125127	⅜″	—16	100/3.40
125233	⅜″	—24 (Thin)	100/3.40
117212	⅜″	—24 (Thick) Plain	.05
121728	7/16″	—20	50/2.36
125357	7/16″	—20 (Thick)	50/2.62
125250	½″	—20 (Thin)	50/2.88
125366	½″	—20 (Thick)	50/3.66
123012	9/16″	—18 (Thick)	50/5.22
125384	⅝″	—18 (Thick)	25/4.18
123048	¾″	—16 (Thick)	25/6.28
427642	⅞″	—9 (288-M Steel)	.20
125411	1″	—14 (Thick)	10/5.22

LOCK NUTS (Castellated Nuts)



	A—Size A	B—Threads per inch B	
442812	5/16″	—24 Plain	(4.115)
126012	7/16″	—14	50/2.62
442816	7/16″	—20 (288-M Steel)	.10
126015	½″	—13	50/3.40
126016	½″	—20	5/.26
442803	⅝″	—18 (303-M Steel)	.40

8.919 BLIND NUTS (Acorn Nuts)



	A—Size A	B—Threads per inch B	
131502	⅜″	—24 Cadmium	10/.80
131436	¼″	—20 Nickel	.15


8.920 WING NUTS



	A—Size A	B—Threads per inch B	
120240	No. 10	—32 Plain	17/.80
126177	¼″	—20 Cadmium	17/.90

8.921 STAMPED NUTS

Pal Nuts



	A—Size A	B—Threads per inch B	
107814	¼″	—20 Cadmium	100/1.04
446061	No. 10	—32 Cadmium	.05

Speed Nuts




177941	3/32″	Rod, Plain	50/.32
445179	¼″	Rod, Phos.	.05

J Nuts


456786	No. 10	—12 Plain	.03

8.925 TEE NUTS



	A—Size A	B—Threads per inch B	
125602	¼″	—20 x 5/16″ Plain (¾ Dia. Base)	25/.90

8.927 FELT WASHERS




	A—Size A		
431533	¼″	Felt	10/.52

8.928 SPRING WASHERS

410224	1/4" I.D. x 1/2" O.D.	(4.019)
3710896	13/32" I.D.	(4.637)
413329	1/2" I.D. x 3/4" O.D.	.02

8.929 PLAIN WASHERS (Cadmium)




A—Size

	A	
131014	1/8" (No. 6)	1000/2.36
131015	3/16" (Small) (No. 8)	1000/2.62
120391	7/32" (Large) (No. 10)	1000/4.46
120392	1/4" (Small)	1000/6.28
120386	5/16" (Large)	500/5.48
120393	5/16" (Small)	500/4.18
120387	3/8" (Large)	500/6.26
120394	3/8" (Small)	500/5.22
120388	7/16" (Large)	250/5.22
120395	7/16" (Small)	250/3.66
120389	1/2" (Large)	250/7.84
120396	1/2" (Small)	250/4.18
120390	9/16" (Large)	125/6.52
121458	9/16" (Small)	125/3.14
131016	5/8" (Small)	125/6.26
131017	13/16" (Small)	125/9.95

8.930 LOCKWASHER, Flush Countersunk

	A	
453279	No. 6	.20

8.931 LOCKWASHERS (Cadmium)




A—Size B—Thickness

	A	B	
131044	No. 6 (Med.)		1000/2.10
121841	No. 8 (Med.)		1000/2.10
120217	No. 10 (Med.)		1000/2.10
121744	No. 12		1000/2.62
120380	1/4" (Med.)		1000/3.66
120214	5/16" (Med.)		50/.44
120638	5/16" (Heavy)		500/3.40
120382	3/8" (Med.)		500/3.94
131099	3/8" (Heavy)		500/4.98
120383	7/16" (Med.)		250/3.14
131100	7/16" (Heavy)		250/3.94
131101	1/2" (Heavy)		250/6.02
120898	9/16" (Med.)		125/2.88
131139	9/16" (Heavy)		125/3.92
121574	5/8" (Med.)		125/3.94
131140	5/8" (Heavy)		125/4.98
131141	11/16" (Heavy)		125/6.02
131046	3/4" (Med.)		50/2.88

8.932 TOOTH LOCKWASHERS (Cadmium)


INTERNAL TOOTH



A—Size

	A	
138530	No. 8	100/.80
121801	No. 10	100/.80
138533	No. 10 (Chrome)	.03
120423	1/4"	100/.80
138538	5/16"	100/1.04
138542	3/8"	100/1.32
131718	7/16"	100/1.56
138549	1/2"	100/2.10
138553	9/16"	100/2.88
138557	5/8"	100/3.40
141707	11/16"	100/4.18


EXTERNAL TOOTH



A—Size

	A	
121752	No. 8	100/.80
138479	No. 10	100/.80
121753	1/4"	100/.80
138485	5/16"	100 1.04
138489	3/8"	100/1.32
136857	7/16"	100/1.56
138502	5/8"	100/3.40

COUNTERSUNK EXTERNAL



A—Size

	A	
138597	No. 10	100/1.04
138604	1/4"	100/1.56
138605	1/4" (Chrome)	.03
134512	5/16"	100/1.84


8.934 RETAINER SPRINGS



A—Groove Diameter

	A	
148145	For 3/32" Dia. Shaft	.02
142582	For 5/32" Dia. Shaft	.01
148147	For 3/16" Dia. Shaft	.02
148148	For 1/4" Dia. Shaft	.02
148149	For 5/16" Dia. Shaft	.01
148150	For 3/8" Dia. Shaft	.02
142591	For 11/16" Dia. Shaft	.03

8.938 COTTER PINS



A—Diameter B—Length

	A	B	
103361	1/16" x	1/2"	1000/1.32
103363	1/16" x	1"	1000/2.10
103364	1/16" x	1 1/4"	1000/2.36
107762	3/32" x	5/8"	1000/2.36
103374	3/32" x	1"	1000/2.62
103376	3/32" x	1 1/2"	1000/3.66
103383	1/8" x	1/2"	1000/2.36
103385	1/8" x	1"	500/2.10
103387	1/8" x	1 1/2"	500/2.88
103389	1/8" x	2"	500/3.40
103407	3/16" x	1"	500/3.94
103411	3/16" x	2"	250/3.40
103419	1/4" x	1 1/4"	.05


8.939 STRAIGHT PINS



A—Diameter B—Length

	A	B	
103677	3/32" x	3/4" (Solid)	10/.38
110732	3/32" x	13/16" (Solid)	.15
103679	7/64" x	1" (Solid)	.10
110757	7/64" x	13/16" (Solid)	10/.38
273337	1/8" x	5/8" (Hollow)	.06
455862	1/8" x	7/8" (Hollow)	.03
453676	1/8" x	1" (Hollow)	10/.38
455346	5/32" x	3/4" (Hollow)	10/.38
454779	3/16" x	3/8" (Hollow)	10/.38
103723	3/16" x	7/8" (Solid)	5/.25
103726	3/16" x	1 1/4" (Solid)	5/.40
424286	3/16" x	2 1/4" (Solid)	.06
456692	7/32" x	15/16" (Hollow)	.10
443769	1/4" x	9/16" (Solid)	.05
3836903	1/4" x	5/8"	(0.738)
141216	5/16" x	9/16" (Solid)	.05
187149	5/8" x	1" (Solid)	.20


8.940 GROOVE PINS (Zinc)



A—Diameter B—Length

	A	B	
142485	1/8" x	5/8" (Taper)	.02
442861	5/32" x	3/8" (Taper)	.05
103565	5/32" x	1 1/4" (Taper) (Steel)	.15
142359	3/16" x	1" (Taper)	.05
447131	3/16" x	1 5/8" (Taper)	.05
142358	1/4" x	1 1/2" (Taper)	.06


8.942 CLEVIS PINS (Cadmium)



A—Diameter B—Length

	A	B	
138083	1/4" x	3/4"	17/.58
121741	5/16" x	31/32" (Hardened)	9/.58
138084	3/8" x	1"	9/.58
138079	7/16" x	1 3/8"	.10
114787	1/2"		.10

8.946 CLEVIS



A—Diameter B—Threads per inch C—Length

	A	B	C	
116535	5/16"	—24 x	1 15/16"	5/1.32
144242	5/16"	—24 x	2 1/4"	.45
104038	3/8"	—24 x	2 1/2"	4/1.56
453505	7/16"			
104039	1/2"	—20 x	3"	2/1.26

8.950 PIPE OR WIRE CLIPS



	Strap Type	Push-Hook Type
3721780	3/16"—5/16" Hook, Push-in Type...	(4.686)
120521	1/4" Strap, Bolt-on Type.....	25/.42
140586	7/8" Strap Bolt-on Type.....	.05
105255	1" Strap, Bolt-on Type.....	.03
148129	1/4" Hook, Push-in Type.....	.08

8.951 DRAIN AND SHUT-OFF COCKS




Type B Type C



Type D Type E

120842	1/8" Type B (Length Closed 1 3/4")	5/2.72
134519	1/8" Type C (Length Closed 1/8")	5/1.64
110293	1/8" Pipe Thread; 7/16"—24 Nut Thread Type E Ball Sleeve...	5/2.72
120899	1/8" Pipe Thread; 1/2"—24 Nut Thread Type D Ball Sleeve...	5/3.80
455883	1/4" Type B (Length Closed 1 5/16")	.70
520446	1/4" Type C (Length Closed 1 1/4")	(1.229)


8.955 COPPER-ASBESTOS GASKETS



A—Size

	A	
105450	3/16".....	10/.26
115308	11/32".....	.03
142756	1 1/4".....	.10

8.960 WOODRUFF KEYS



A—Width B—Diameter

	A B	
106749	1/8" x 1/2" No. 3.....	10/.18
103905	1/8" x 5/8" No. 5.....	10/.18
144542	3/16" x 1 3/8" No. 126.....	.10
106750	5/32" x 5/8" No. 6.....	10/.32
124548	5/32" x 3/4" No. 8.....	20/.62
106751	3/16" x 3/4" No. 9.....	10/.32
103907	3/16" x 7/8" No. 11.....	10/.42

8.962 RUBBER HOSE

601585	5/32" I.D. sold only in 50 ft. rolls...	5.58
601607	7/32" I.D. sold only in 50 ft. rolls...	5.58
604041	9/32" I.D. x 72" long.....	1.11
609863	11/32" I.D. sold only in 10 ft. rolls..	4.03
3720469	1/2" I.D. sold only in 10 ft. rolls...	4.45
3705441	7/32" I.D. x 13/32" O.D. x 1 3/4".....	(3.900)

8.963 TUBE AND PIPE FITTINGS

BALL SLEEVE FITTINGS



Nut Sleeve Union



Elbow Connector 3 Way Tee

		Tubing Size	Nut Threads	Pipe Threads	
121220	Nut.....	1/8"	5/16"—24		17/.94
120487	Nut.....	3/16"	3/8"—24		17/.94
114627	Nut.....	1/4"	7/16"—24		17/1.08
3721658	Nut.....	5/16"	1/2"—20		(4.128)
114630	Nut.....	5/16"	1/2"—24		14/1.08
140287	Nut.....	3/8"	9/16"—24		12/1.08
140290	Nut.....	7/16"	5/8"—24		12/1.08
120131	Nut.....	1/2"	11/16"—20		.45
121322	Sleeve...	1/8"			10/.22
120488	Sleeve...	3/16"			50/1.08
114628	Sleeve...	1/4"			50/1.08
114631	Sleeve...	5/16"			25/.82
114624	Sleeve...	3/8"			20/.82
120430	Sleeve...	7/16"			25/1.20
120130	Sleeve...	1/2"			.10
140284	Connector	1/8"	5/16"—24	1/8"	17/1.84


		Tubing Size	Nut Threads	Pipe Threads	
121711	Connector	3/16"	3/8"—24	1/8"	17/1.84
114626	Connector	1/4"	7/16"—24	1/8"	10/.94
110200	Connector (Flared)	5/16"	1/2"—20	1/4"	.20
114629	Connector	5/16"	1/2"—24	1/8"	10/1.38
114640	Connector	5/16"	1/2"—24	1/4"	10/2.72
140620	Connector	3/8"	9/16"—24	1/8"	10/1.64
140286	Connector	3/8"	9/16"—24	1/4"	10/1.64
3835489	Connector (Steel)	5/16"	5/8"—24	1/4"	(1.531)
115056	Union	1/4"	7/16"—24		8/1.38
115058	Union	5/16"	1/2"—24		5/1.38
140303	Elbow	1/8"	5/16"—24	1/8"	12/2.18
121370	Elbow	3/16"	3/8"—24	1/8"	10/2.18
114632	Elbow	1/4"	7/16"—24	1/8"	10/2.18
114633	Elbow	5/16"	1/2"—24	1/8"	10/2.18
455924	Elbow	5/16"	9/16"—24	1/8"	.30
120287	Elbow	1/2"	11/16"—20	3/8"	.55
114635	3 Way Tee	1/4"	7/16"—24		5/1.64
173182	3 Way Tee	5/16"	1/2"—20		.42

THREADED SLEEVE FITTINGS



	Connector		Sleeve		Union
121534	Sleeve	1/8"	5/16"—24		17/.94
114962	Sleeve	3/16"	3/8"—24		14/.82
114963	Sleeve	1/4"	7/16"—24		12/.82
114964	Sleeve	5/16"	1/2"—20		11/.82
120243	Sleeve	1/2"	11/16"—16		7/1.16
137523	Sleeve	9/16"	3/4"—16		.27
135628	Connector	1/8"	5/16"—24	1/8"	10/1.08
157221	Connector	1/4"	7/16"—24	1/8"	.19
144414	Union	1/8"	5/16"—24		10/1.64
169983	Elbow	1/4"	7/16"—24	1/8"	.32

INVERTED FLARED FITTINGS



	Nut		Connector		
137396	Nut	3/16"	3/8"—24		.10
137397	Nut	1/4"	7/16"—24		.07
455922	Nut	5/16"	9/16"—24		.15
137399	Nut	3/8"	5/8"—18		.06
137400	Nut (Steel)	7/16"	11/16"—18		.10
137401	Nut (Steel)	1/2"	3/4"—18		.14
137404	Connector	3/16"	3/8"—24	1/8"	.10
7006854	Connector	3/16"	7/16"—24	1/8"	(3.740)
137405	Connector	1/4"	7/16"—24	1/8"	.13
137406	Connector	5/16"	1/2"—20	1/8"	.14
191566	Connector	5/16"	1/2"—20	1/8" int. thd.	.35
187343	Connector	5/16"	1/2"—20	1/4"	.30
441385	Connector	7/16"	5/8"—24	1/4"	.30
145477	Connector	7/16"	11/16"—18	1/4"	.22
444894	Connector	3/4"	1 1/16"—16	3/4"	1.50
137420	Elbow	3/16"	3/8"—24	1/8"	.13
137421	Elbow	1/4"	7/16"—24	1/8"	.18
137423	Elbow	3/8"	5/8"—18	1/4"	.44
187712	Elbow	1/2"	3/4"—18	1/2"	.72
143341	Elbow	5/8"	7/8"—18	1/2"	1.45
137412	Union	3/16"	3/8"—24		.15

PIPE FITTINGS



	Coupling	Nipple Pipe Thread	Nipple Length	Nipple Material	Reducing Bushing
192043	Nipple	1/8"	2"	Steel	.21
219661	Nipple	3/4"	4"	Steel	.25
105408	Coupling	1/8"	1"	Iron	14/3.26
9409927	Elbow, Street Pipe 1/8"—27 Int. and Ext. Thds.				.25
127875	Reducing Bushing 3/8" Ext. Thds., 1/8" Int. Thds.				.13
144050	Reducing Bushing 1/2" Ext. Thds., 1/8" Int. Thds.				.32
144051	Reducing Bushing 1/2" Ext. Thds., 1/4" Int. Thds.				.35
597630	Reducing Bushing 1/2" Ext. Thds., 5/8" Int. Thds.				(1.150)
3138803	Reducing Bushing 1/2"—14 Ext. Thds., 3/8"—18 Int. Thds.				(8.866)
3837160	Reducing Bushing 5/8"—18 Ext. Thds., 1/2"—14 Int. Thds.				(1.150)
3692283	Reducing Bushing 9/16" Ext. Thds., 1/8" Int. Thds.				(4.626)

8.964 TUBING, Copper—Steel


1399637	1/8" (10' coil) (copper)	1.45
217276	3/16" (10' coil) (copper)	1.75
364934	1/4" (25' coil) (copper)	4.75
348750	5/16" (25' coil) (copper)	5.85
1324714	5/16" (25' coil) (steel)	3.72
3847597	3/8" (25' coil) (copper)	6.85
3696822	3/16" (25' coil) (steel)	2.15
603827	1/4" (25' coil) (steel)	2.50
3733221	1/2" (10' coil) (copper)	3.00
3733220	1/2" (10' coil) (steel)	1.95
3741598	5/8" (30' coil) (copper)	(4.884)

8.965 FUSES



148086	2 amp.	.10
445635	3 amp.	.10
142630	5 amp.	.05
114512	6 amp.	.05
455640	7.5 amp.	.10
147684	9 amp.	.07
117142	10 amp.	.10
147685	14 amp.	.05
120151	15 amp.	.10
106653	20 amp.	.05
3136772	20 amp.	(9.277)
147686	30 amp.	.10

8.970 EXPANSION PLUGS (Welch Plug)



A—Diameter

	A	
117917	7/16"	20/.90
172529	5/8"	18/.90
103892	3/4"	18/.90
105602	13/16"	17/.90
117919	15/16"	15/.90
103893	7/8"	16/.90
103894	1"	14/.90
106517	1 1/8"	13/.90
107380	1 1/8"—(aluminum)	.08
103895	1 1/4"	12/.90
117923	1 3/8"	10/.90
103896	1 1/2"	8/.90
117924	1 5/8"	7/.90
172578	1 3/4"	6/.90
3835121	2"	(0.034)

8.971 PIPE PLUGS





	Square Head	Headless C'sunk
444606	1/16" Hex. Hd. Dryseal, Plain	4/.16
103877	1/8" Sq. Hd., Plain	11/.52
444613	1/8" Hex. Hd. Dryseal, Cad.	10/.42
444687	1/8" Headless, Hex. C'sunk, Plain	.15
103878	1/4" Sq. Hd., Plain	11/.52
444577	1/4" Sq. Hd. Dryseal, Cad.	11/.62
444819	1/4" Hex. Hd. Dryseal, Cad.	.10
445673	3/8" Sq. Hd. Dryseal, Plain	6/.42
116566	1/2" Headless, Sq. C'sunk, Plain	2/.20
103868	1/2" Sq. Hd., Plain	4/.42
3731890	5/8" Hex. Hd.	(1.150)
143968	3/4" Headless, Sq. C'sunk	.32
103869	3/4" Sq. Hd. Plain Cast Iron	
103876	1" Sq. Hd. Plain	.40
3836636	1 1/4" Headless, Sq. C'sunk	(0.034)
3738306	1 1/4" Headless, Sq. C'sunk	(0.034)

8.973 SHEET METAL or BUTTON PLUGS

142024	3/4" Button	.06

8.975 SET SCREWS

435138	5/8"—18 x 1 1/2" Sq. Hd. Oval Point	.30

8.977 SCREWS, Sheet Metal and Tapping



Cross Recess Hd.



Clutch Hd.



Slotted Hd.



Point A



Point B



Point C



Flat Hd.



Rd. Hd.



Binding Hd.



Oval Hd.



Hex. Hd.

Part Number	Head Style	Point Style	Size	Finish	
106665	Oval Sltd.	A	No. 6—18 x 5/8"	Chrome	10/.32
145698	Oval Sltd.	A	No. 7—16 x 1/2"	Chrome	10/.32
145427	Oval Sltd.—No. 6 Hd.	A	No. 8—15 x 1"	Park.	10/.32
178891	Oval Sltd.—No. 8 Hd.	A	No. 10—12 x 3/4"	Chrome	10/.62
442033	Oval Sltd.	A	No. 10– 12 x 1"	St. Steel	10/.52
165063	Oval Cr. Recess	C	No. 8—32 x 1/2"	Chrome	10/.32
168584	Oval Cr. Recess	A	No. 10—12 x 1/2"	Chrome	.05
273452	Oval Cr. Recess	C	No. 10—16 x 1/2"	Cad.	.05
168616	Oval Cr. Recess	A	No. 10—12 x 1"	Chrome	.05
168626	Oval Cr. Recess	A	No. 10—12 x 1 1/2"	Chrome	.06

442752	Oval Cr. Recess—No. 4 Hd.	C	No. 6—32 x 7/16"	Chrome	10/.32
145417	Oval Cr. Recess—No. 6 Hd.	A	No. 8—15 x 5/8"	Chrome	10/.38
168496	Oval Cr. Recess—No. 6 Hd.	A	No. 8—15 x 3/4"	Chrome	10/.50
148095	Oval Cr. Recess—No. 6 Hd.	A	No. 8—15 x 1"	Chrome	10/.48
145419	Oval Cr. Recess—No. 6 Hd. (Tapping)	A	No. 8—15 x 1 1/4"	Chrome	10/.52
178849	Oval Cr. Recess—No. 6 Hd.	A	No. 8—15 x 1 3/8"	Chrome	10/.58
145420	Oval Cr. Recess—No. 6 Hd.	A	No. 8—15 x 1 1/2"	Chrome	10/.62
168528	Oval Cr. Recess—No. 6 Hd.	A	No. 8—15 x 1 3/4"	Chrome	10/.72
168593	Oval Cr. Recess—No. 8 Hd.	A	No. 10—12 x 3/4"	Chrome	10/.60
431615	Rd. Cr. Recess, w/ext. tooth lockwasher	A	No. 8—15 x 9/16"	Chrome	10/.52
161444	Flat Cr. Recess Tapping	A	No. 10—12 x 7/8"	Cad.	.05
186441	Rd. Cr. Recess Tapping	B	No. 10—16 x 1/4"	Cad.	.03
431601	Flat Cr. Recess—No. 5 Hd.	A	No. 8—15 x 3/8"	Cad.	10/.32
169180	Flat Cr. Recess—No. 5 Hd.	A	No. 8—15 x 1/2"	Nickel	10/.32
442610	Fl. Cr. Recess Tapping—No. 6 Hd.	A	No. 8—32 x 1/2"	Zinc	.03
166291	Fl. Cr. Recess	D	No. 8—32 x 1/4"	Cad.	.03
166317	Fl. Cr. Recess	D	No. 8—32 x 3/4"	Chrome	.05
161788	Pan Cr. Recess Tapping	A	No. 6—18 x 1/4"	Cad.	.05
450991	Pan. Cr. Recess	A	No. 8—15 x 7/16"	St. Steel	6/.28
161897	Pan. Cr. Recess	A	No. 10—12 x 1/2"	Chrome	.06
273446	Pan. Cr. Recess Tapping	B	No. 10—16 x 1/2"	Cad.	.05
273450	Pan Cr. Recess Tapping	C	1/4"—14 x 1"	Cad.	.06
125706	Pan. Sltd.	B	No. 8—18 x 1/4"	Cad.	.05
142611	Pan. Sltd.	A	No. 10—12 x 5/8"	Cad.	10/.12
125607	Pan. Sltd.	A	No. 10—12 x 1"	Cad.	10/.25
120298	Rd. Sltd.	B	No. 6—20 x 5/16"	Nickel	10/.32
145135	Rd. Sltd.	B	No. 8—18 x 5/8"	Cad.	.05
3835862	Rd. Sltd.	B	No. 14—10 x 3/8"	Plain	(1.427)
128270	Rd. Sltd.	A	No. 8—15 x 3/8"	Cad.	10/.12
125591	Rd. Sltd.	A	No. 10—12 x 1/2"	Cad.	10/.12
179037	Rd. Sltd.	A	No. 14—10 x 2 1/4"	Cad.	10/.80
454672	Fill. Clutch Recess Tapping		No. 6—32 x 5/8"	Plain	.03
142385	Binding Sltd.	A	No. 6—18 x 3/8"	Chrome	10/.32
111633	Binding Sltd.	A	No. 8—15 x 1/2"	Cad.	20/.28
127835	Binding Sltd.	A	No. 10—12 x 1/2"	Park.	20/.28
3654597	Binding Clutch	B	No. 8—32 x 1/2"	Cad.	(16.170)
456706	Pan Clutch Recess Tapping	A	No. 12—11 x 5/8"	Cad.	.03
116354	Hex. Clutch	C	No. 8—32 x 7/16"	Cad.	10/.12
444267	Hex. Tapping	A	No. 10—12 x 1/2"	Cad.	.02
3659780	Hex.	A	No. 14—10 x 1/2"	Cad.	(8.143)
3650059	Hex.	A	No. 14—10 x 3/4"	Cad.	(8.143)
3651216	Hex.	A	No. 14—10 x 1"	Cad.	(8.206)
171035	Hex.	C	1/4"—28 x 1/2"	Plain	10/.32
117172	Hex. Clutch	C	1/4"—28 x 5/8"	Plain	10/.32
125714	Hex. Clutch	C	5/16"—24 x 1/2"	Plain	10/.38

8.981 STUDS

(Also see Groups 3.275 and 3.288)

103194	3/8"—16—24 x 1 5/16" (260-M Steel)	.05
103175	5/16"—18—24 x 1 1/2" (260-M Steel)	.06
3729379	7/16"—14—20 x 1 7/16" (300-M Steel)	(0.002)

8.984 LUBRICATION FITTINGS



Straight Lub. | 67 1/2° Elbow | 30° Elbow | 90° Elbow

109350	Elbow (67 1/2°)	.12
109353	Elbow (30°)	.12
109354	Elbow (90°) (Type C) (1/8" pipe thd.)	.12
271329	Elbow (90°) (Type E) (1/4"—28)	.15
191758	Straight (3/4" long)	.06
110347	Straight (1/4"—28 Taper Thread)	.06
145692	Straight (1/4" drive base)	.10
3693782	Elbow (90°) (Special) (1/8" pipe thd.) (high base)	(6.166)
805579	Grease Cup (1/8" pipe thd.)	(2.364)

8.991 BULBS — 6 VOLT SYSTEM

Part No.	General Usage	Mfrs. No.	Candle Power	Type Base	
138177	HEADLAMP	1000	32-32	BAYONET	.30
110185	HEADLAMP	2330	32-32	FLANGE	.41

142309	FOG and BACK-UP LAMP	1133	32	BAYONET	.35
145431	SAFETY LIGHT	1323	32	FLANGE	.37
145416	STOP and DIRECTION SIGNAL	1154	21-3	BAYONET	.39
103642	GENERAL PURPOSE	1129L	21	BAYONET	.32
119294	STOP LAMP	87	15	BAYONET	.30
120406	DOME LAMP	88	15	BAYONET	.32
453138	DOME LAMP	210	15	BAYONET	.32
142306	DOME LAMP (PANEL)	81	6	BAYONET	.15
119434	DOME LAMP	82	6	BAYONET	.19
142303	DASH, LUGGAGE COM'P., PARKING DOME, CLOCK, HEAT INDICATOR, LICENSE, PARKING (in headlamp)	63	3	BAYONET	.15
125588	PARKING (in headlamp), INSTRUMENT PANEL	55	2	BAYONET	.12
115273	BEAM IND., IGNITION, CLOCK	51	1	BAYONET	.12

12 VOLT SYSTEM

Part No.	General Usage	Mfrs. No.	Candle Power	Type Base	
454645	PARKING and DIRECTION SIGNAL, STOP LAMP	1034	32-4	BAYONET	.40
454646	BACK-UP, DIRECTION SIGNAL	1073	32	BAYONET	.33
142456	STOP LAMP	1141	21	BAYONET	.32
455136	DOME LAMP	1004	16	BAYONET	.32
142455	DOME LAMP, LUGGAGE COM'P., UNDERHOOD LAMP	94	15	BAYONET	.32
142453	SIDE ROOF and CORNER LAMP, BRAKE ALARM, COURTESY LAMP	90	6	BAYONET	.19
142452	COURTESY LAMP	89	6	BAYONET	.15
142450	PARKING LAMP, TAIL LAMP, LICENSE LAMP, CLOCK	67	3	BAYONET	.15
127934	INSTRUMENT CLUSTER, OIL PRESSURE and GENERATOR INDICATOR, TRANSMISSION, GLOVE COM'P., CLOCK, RADIO DIAL, PARKING	57	2	BAYONET	.15
131282	LIGHTER, DIRECTION SIGNAL INDICATOR, IGNITION LOCK, BEAM INDICATOR. COMPASS, HEATER CONTROL	53	1	BAYONET	.14

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	9.008 BOLT, Body Hold-Down				
55	PASS. (exc. CONV.)	No. 1 (3/8—16 x 2 1/4)	180132	2	(8.900)
55	CONV.	No. 1 (3/8—16 x 1 3/4)	180128	2	(8.900)
49-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.),				
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	No. 6,			
49-52	CONV., B-A., STA. WAG., SDL.,				
53-54	CONV., SPT. CPE., STA. WAG., SDL.	No. 7,			
53-54	STA. WAG., SDL.	No. 8 (3/8—16 x 4 1/4)	3688463	2	.13
49-52	CONV., BEL AIR	No. 8,			
49-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	No. 7 (3/8—16 x 2 5/8 hex hd.)	3688464	2	.12
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	No. 7,			
53-54	CONV., SPT. CPE.	No. 8 (3/8—16 x 5 hex. hd.)	3696977	2	.15
55	COMM., (PANEL)(2nd Ser.)	No. 1,			
56-57	COMM., UTIL., (exc. D. D.)	No. 1,			
55	COMM., UTIL. (2nd Ser.)	cowl body,			
55	COMM., UTIL. (CABS) (2nd Ser.)	cab, front mounting (9/16—12 x 4)	3721930	A.R.	.25
55	COMM. (CABS)(2nd Ser.)	cab, rear mounting (7/16—14 x 3 5/8)	3719948	2	.15
55-57	UTILITY (2nd Ser.)	cab, rear mounting (7/16—14 x 5 1/2 rd. hd.)	3723288	2	.25
	9.009 BRACKET—BUMPER—SHACKLE—SUPPORT—BUSHING—STOP—NUT, Body Mounting				
47-48	COMM., UTILITY (CABS)	w/bolt	3683701	1	1.00
49-55	COMM., UTILITY (CABS)(1st Ser.)	shackle	3690029	A.R.	1.20
49-55	1/2 TON (CABS)(1st Ser.)	shackle frame, left	3690045	1	1.10
49-55	1/2 TON (CABS)(1st Ser.)	shackle frame, right	3690046	1	1.10
49-55	COE	shackle frame	3703694	2	2.40
47-48	COMM., UTILITY (CABS)	BUMPER ASSY., body mtg. supt.	3685018	4	1.40
47-48	COMM., UTILITY (CABS)	SHACKLE ASSY., w/bolt	3683698	1	1.35
47-48	COMM., UTILITY (CABS)	SHACKLE, less bolt	3685799	2	1.00
49-55	COMM., UTILITY (CABS)(1st Ser.)	SHACKLE ASSY., w/bolts	3691056	2	1.10
49-55	COMM., UTILITY (CABS)(1st Ser.)	SHACKLE, less bolt	3691058	2	.40
47-48	COMM., UTILITY (CABS)	SUPPORT (forged 3683703)	3683703	1	1.65
47-55	COMM., UTILITY (CABS)(1st Ser.)	BUSHING (use w/shackle and support)	3660540	A.R.	(7.524)
55-57	PASS.	BUSHING (rubber—5/8 I.D.)	3710476	A.R.	(7.524)
49-55	COE	STOP, shackle	3690036	2	.30
49-55	COMM., UTILITY (CABS)(1st Ser.)	NUT, shackle bracket anchor (3/8—16)	3690030	2	.20
	9.011 PLATE—WASHER, Hold-Down Bolt				
55-57	1 TON, UTIL. (Platform)		3726918	A.R.	.30
55	PASS. (exc. CONV., SPT. CPE.)	No. 1 thru No. 6 body bolt cushion retainer,			
55-57	SPT. CPE.	No. 3A body bolt cushion retainer (1/2 I.D. x 1 7/8 O.D. x 1/8)	3711611*	A.R.	.10
55-57	COMM., UTILITY (CABS) (2nd Ser.)	WASHER, cab rear mtg. bolt (15/32 I.D. x 2 1/2 O.D.)	3711966	4	.15
55	COMM. (PANEL, SUB.) (2nd Ser),				
56-57	COMM., UTIL.	WASHER, 19/32	3713824	A.R.	.08
	*NOTE: When used as No. 6 Body Bolt Cushion Retainer it is necessary to rework to eliminate interference with frame.				
	9.023 SHIM—SPACER, Body Bolt				
31-57	ALL	body bolt, rubber (6 x 1 1/2 x 3/16—one 5/8 hole ctrd. 1 1/2 from end)	376904	A.R.	.13
31-42	ALL,				
46-47	COMM., UTILITY (CABS)	body bolt, steel (3 x 1 1/2 x 1/16—one 5/8 x 1			
48-57	PASS, CORV.	hole ctrd.—one 7/8 wide slot in one end).	366981	A.R.	.08
47-55	COMM., UTILITY (CABS)(1st Ser.)	No. 1 body bolt, rubber (1 3/4 sq. x 1/4 thk.. —one 5/8 hole)	3701322	A.R.	.08
53-57	CORV.	front and rear cross sill, tire wall	3706913	A.R.	.10

55-57	PASS.	No. 1 body bolt (2½ x 1¾ x 1/16 w/¾ dia. hole)(steel)	3712560	A.R.	.08
55	PASS.	No. 1 body bolt (2½ x 1¾ x ½ w/1¾ dia.			
55-57	CONV.	hole) (flax fiber)	3714408	A.R.	.20
55-57	CONV.	No. 2 thru No. 6 body bolts (1¾ x 1¾ x ½ w/¾ dia. hole)(flax fiber)	3714409	A.R.	.20
55-57	PASS. (exc. CONV.)	No. 1 body bolt,			
55-57	COMM. (CABS)(2nd Ser.)	cab rear mounting (2½ x 1¾)(rubber)	3711607	2	.25
55-57	PASS. (exc. CONV.)	No. 1 thru No. 6 body bolts,			
55-57	COMM. (CABS)(2nd Ser.)	cab rear mounting (1 7/8 x 15/16 x 9/16)(rubber)	3711608	A.R.	.15
55-57	PASS. (exc. CONV.)	No. 1 thru No. 6 body bolts (2 1/8 x 13/16 x ¾) (rubber)	3711614	A.R.	.25
55	COMM. (PANEL)(2nd Ser.)	No. 1 body bolt,			
56	COMM., UTIL. (exc. D. D.)	No. 1 body bolt,			
55	COMM., UTIL. (2nd Ser.)	cowl body,			
55	COMM., UTIL. (2nd Ser.)	cab front mounting (1¾ x 11/32 x 1/16 w/19/32 dia. hole)(rubber)	3713822	A.R.	.08
55	COMM. (PANEL)(2nd Ser.)	No. 1 body bolt,			
56	COMM., UTIL.	No. 1 body bolt,			
55	COMM., UTIL. (2nd Ser.)	cowl body,			
55	COMM., UTIL. (2nd Ser.)	cab front mounting (1¾ x 11/32 x 1/16)(steel)	3713824	A.R.	(9.011)
55-57	COMM., UTIL. (CABS)(2nd Ser.)	cab rear mounting (¾ I.D. x 2¼ O.D. x 1½ thick)(rubber)	3711964	4	.30
55-56	½ TON (PANEL, SUB.) (2nd Ser.)	No. 2 thru No. 5 body hold down bolt,			
55-56	1 TON (PANEL) (2nd Ser.)	No. 2 thru No. 7 body hold down bolt,			
55-56	COMM., UTIL. (Cowl and W/S) (2nd Ser.)	cowl rear body bolt (rubber—2¼ x 2¼ x ¾)	3811688	A.R.	.08
55-57	PASS. (exc. CONV.),	SPACER, No. 1 thru No. 6,			
55-57	COMM. (CABS) (2nd Ser.)	cab rear mtg. (7/8 I.D. x 15/16 lg.) (steel)	3711610	A.R.	.05
55-57	UTIL. (CABS) (2nd Ser.)	SPACER, body bolt cushion (¾ I.D. x 2 7/16 lg.) (steel)	3711965	2	.15

9.127 ANTI-SQUEAK, Hood Ledge (cowl)

49-54	PASS.	(rubber—5/8 wide x approx. 20 ft. roll)	3707799	A.R.	.30
ALL	ALL	(rubber—5/8 wide x 5/32 thick x 50 ft. roll)	609532	A.R.	.15
47-55	COMM., UTILITY (1st Ser.)	(rubber—5/8 wide x 7/32 thick x 50 ft. roll)	3688792	A.R.	.15
53-57	CORV.	(rubber—143 long)	3706539	A.R.	(12.269)
55	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	(rubber—5/8 wide x 51 3/16 long)	4650471	1	1.25
57	PASS.	(rubber 37½ lg. x 5/8 wide)	4688447	1	.85

9.128 CLIP, Hood Ledge Anti-Squeak

55-57	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	(11/32 wide x 1 11/16 long)	4649455	9	.05

9.169 CONDITIONER UNIT, Air

56	PASS. 8 cyl.	(use w/airflow heater)	987494	1	405.00
56	PASS. 8 cyl.	(includes airflow heater)	987534	1	425.00
56	PASS. 8 cyl.	(use w/o/ heater)	987496	1	410.00
56	PASS. 6 cyl.	(use w/airflow heater)	987495	1	405.00
56	PASS. 6 cyl.	(includes airflow heater)	987535	1	425.00
57	PASS. 8 cyl.	(includes air flow heater)	987665	1	425.00
57	PASS. 6 cyl.	(includes air flow heater)	987664	1	430.00
57	PASS. 8 cyl.	(use w/air flow heater)	987558	1	410.00

9.170 COMPRESSOR, Air Conditioning (body assy. less clutch)

55	PASS. w/C.A.C.		5441308*	1	180.00
56	PASS. w/C.A.C.	rubber mounting	5441499*	1	180.00
57	PASS. w/C.A.C.		5910224	1	180.00

*Exchange Price Shown. Add $50.00 to prices if used Compressor Body Assy. is not exchanged.

9.171 BRACKET—SUPPORT—BRACE—SCREW—SLEEVE, Compressor Mounting

55	PASS. w/C.A.C.	front	3719310	1	.95
55	PASS. w/C.A.C.	rear	3719311	1	.95
56	PASS. w/C.A.C.	front	3727963	1	1.40
56	PASS. w/C.A.C.	rear	3726419	1	1.20
56-57	PASS. 6 cyl. w/C.A.C.	rear	3136573	1	2.95

57	PASS. 8 cyl. w/C.A.C. (A.T.)	front	3738422	1	1.50
57	PASS. 8 cyl. w/C.A.C.	rear	3738419	1	1.20
55	PASS. w/C.A.C.	SUPPORT, compressor bracket	3718605	1	4.45
56-57	PASS. w/C.A.C.	SUPPORT, compressor bracket	3731047	1	4.95
56-57	PASS. 6 cyl. w/C.A.C.	SUPPORT, compressor bracket	3136572	1	14.00
55	PASS. w/C.A.C.	BRACE, compressor (1 x 6 3/16 x 3/16 thick)	3718611	1	.30
56-57	PASS. w/C.A.C.	BRACE, compressor (5 1/16 long)	3727969	1	1.10
55-57	PASS. w/C.A.C.	SCREW, w/washer, mtg. brkt. (5/16-24 x 5/8)	5911821	1	.11
56-57	PASS. w/C.A.C.	SLEEVE, compressor frt. and rear brkt. bushing, compressor brace bushing (1/2 O.D. x 15/16 long)	3727968	A.R.	.05

9.172 PARTS, Compressor (Internal)

55-57	PASS. w/C.A.C.	SCREEN and spacer assy., compressor	5912065	1	1.35
55-56	PASS. w/C.A.C.	VALVE, compressor discharge reed	3916207	5	.25
55-57	PASS. w/C.A.C.	WASHER, wave type, compressor	5916242	1	.25
55-57	PASS. w/C.A.C.	VALVE, compressor inlet reed	5916243	1	2.15
55-56	PASS. w/C.A.C.	SCREW, compressor valve mtg.	5918014	5	.10
55-56	PASS. w/C.A.C.	PLATE ASSY., compressor valve	5913872	1	13.25

9.173 BOLT—WASHER—NUT, Compressor Mounting Bracket

55	PASS. w/C.A.C.	bracket pivot (7/16—20 x 6 23/32)	3719380	1	.95
56-57	PASS. w/C.A.C.	(3/8—24 x 8 1/4)	3727967	1	.95
55-57	PASS. w/C.A.C.	WASHER, bracket support	3836710	1	(3.276)
56-57	PASS. w/C.A.C.	NUT (3/8—24) (use w/brkt. pivot bolt)	3836735	1	(0.429)

9.174 HEAD—GASKET—SCREW, Compressor

55-57	PASS. w/C.A.C.		5917306	1	19.75
57	PASS. w/C.A.C.	GASKET	5916279	1	1.30
57	PASS. w/C.A.C.	SCREW	5915222	12	.07

9.175 SEAL—SLINGER—RETAINER—PIN—SPACER—SHIM UNIT—SCREW—VALVE, Compressor Shaft Oil

55-57	PASS. w/C.A.C.	"O" ring (rubber 2 1/2 I.D.)	5916214	1	.35
55	PASS. w/C.A.C.	unit	5876728	1	10.50
56-57	PASS. w/C.A.C.	unit (use w/rubber mtg. compressor)	5876741	1	10.50
55-56	PASS. w/C.A.C.	SLINGER (3/4 I.D. x 1 1/2 O.D. x 1/8 thick)	5917441	1	.05
55-56	PASS. w/C.A.C.	RETAINER, seal seat mtg. (1 3/8 I.D.—spg. steel)	5917100	1	.05
57	PASS. w/C.A.C.	RETAINER, compressor valve reed	5919843	1	.15
57	PASS. w/C.A.C.	RETAINER, compressor valve mtg. screw	5919697	1	.10
55	PASS. w/C.A.C.	PIN, compressor seal seat (1/8 dia. x 13/32 lg.)	5917063	1	.05
56-57	PASS. w/C.A.C.	PIN, seal seat (7/32 long)	5918307	1	.30
56-57	PASS. w/C.A.C.	SPACER, compressor pulley	5918459	1	.15
56-57	PASS. w/C.A.C.	SHIM UNIT, clutch mtg. to body	5876742	1	.50
55-57	PASS. w/C.A.C.	SCREW, compressor seal housing	439983	A.R.	(8.908)
57	PASS. w/C.A.C.	SCREW, compressor valve mtg.	5919696	1	.15
57	PASS. w/C.A.C.	VALVE, compressor discharge reed	5919842	1	.20

9.177 VALVE—CORE—NUT—GASKET—SCREW, Compressor Oil Test

55-56	PASS. w/C.A.C.	assembly	5912192	1	3.45
55-56	PASS. w/C.A.C.	CORE, test valve (29/32 long)	1138041	A.R.	.22
55-56	PASS. w/C.A.C.	NUT, test valve	5888012	2	.25
56-57	PASS. w/C.A.C.	GASKET, on oil fitting	5858696	1	.03
56-57	PASS. w/C.A.C.	SCREW, on oil fitting	5858694	1	.22

9.178 VALVE—GASKET—SCREW, Compressor Pressure Relief


55-57	PASS. w/C.A.C.	assembly	5911708	1	3.45
55-57	PASS. w/C.A.C.	GASKET, pressure relief valve	640044	1	.13
55-56	PASS. w/C.A.C.	SCREW, relief valve mounting (3/8—24 x 11/16)	5917030	1	.20

9.180 PULLEY, Compressor Drive


55	PASS. w/C.A.C.	w/bearing (7 9/32 dia.)	5911830	1	19.25
56	PASS. w/C.A.C.	w/bearing	5912847	1	23.65
56	PASS. 6 cyl. w/C.A.C.	double, w/bearing	5912768	1	18.25
57	PASS. 6 cyl.		5913625	1	25.85


9.181 BEARING—BUSHING—RING—SHIM UNIT—SPACER—WASHER—NUT, Compressor Pulley

55	PASS. w/C.A.C.	double row ball	5911820	1	10.95
56-57	PASS. w/C.A.C.	double row ball	5912761	1	10.45





AIR CONDITIONING UNIT






AIR DISTRIBUTION PARTS


SCREW
N.S.S. PART OF
GASKET UNIT 9.186
8.908
SCREWS
GASKET
N.S.S. PART OF
GASKET UNIT 9.186
RING N.S.S.
PART OF GASKET
UNIT 9.186
9.186
CLIP
9.170
WASHER
9.186
CLAMP
8.900
SCREWS
HOUSING
NOT LISTED
9.175
SLINGER
9.170
BODY ASSY.
9.175
SEAL UNIT
9.186
COIL
9.178
VALVE
9.226
VALVE ASSY.
8.900
SCREW
9.175
RETAINER
9.175
PIN
9.177
VALVE & CORE
9.188
BALLS
8.931
LOCK WASHER
9.226
SEALS
8.900
SCREW
9.181
WASHER
9.181
BEARING
9.181
SHIM UNIT
9.181
RING
9.180
PULLEY
9.188
SCREWS
9.188
CLUTCH PLATE
9.188
SPRING
9.188
CLUTCH PLATE
9.188
RING
9.175
SHIM UNIT



1956 AIR CONDITIONING COMPRESSOR AND PULLEY—EXPLODED



AIR CONDITIONING COMPRESSOR MOUNTING PARTS

56	PASS. w/C.A.C.	BUSHING, brkt., frt., r.r., and brace (½ I.D. x 1⅛ O.D. x 19/32 lg.)	3726026	A.R.	(2.277)
55-57	PASS. w/C.A.C.	RING, bearing retainer snap (1½ O.D. w/2 holes 1/16 dia.)	5916837	1	.25
55	PASS. w/C.A.C.	SHIM UNIT, pulley to clutch mtg. (three shims)	5876664	1	.28
56-57	PASS. w/C.A.C.	SHIM UNIT, pulley to clutch mtg. (four shims)	5876760	1	.30
56-57	PASS. w/C.A.C.	SPACER, hub to pulley bearing	5918343	1	.15
55-56	PASS. w/C.A.C.	WASHER, dust (11/32 I.D. x 1¼ O.D. x 3/16 thick)	5912455	1	.45
56	PASS. w/C.A.C.	WASHER, pulley bearing seal (1/16 thick)	5912760	1	.45
56-57	PASS. w/C.A.C.	WASHER, pulley mounting lock (4 tangs)	5918358	1	.15
57	PASS. w/C.A.C.	(felt)	5918346	1	.07
57	PASS. w/C.A.C.	(steel)	5918341	1	.15
56-57	PASS. w/C.A.C.	NUT, pulley mounting	639795	1	.07

9.185 BELT, Compressor Drive

55-56	PASS. w/C.A.C.	(61¼ long—moulded 3727971)	3727971	1	2.50
56	PASS. 6 cyl. w/C.A.C.		3137883	1	2.75
57	PASS. 8 cyl. w/C.A.C.	(59⅛ long)	3738421	1	2.50
57	PASS. 6 cyl. w/C.A.C. (exc. CONV.)	(62 long)	3738692	1	

9.186 COIL—SWITCH—GASKET—CLIP—CLAMP, Compressor Clutch Actuating

55-57	PASS. w/C.A.C.		5912343	1	10.45
56	PASS. w/C.A.C.	SWITCH, mounted on selector valve	3136281	1	.95
55-57	PASS. w/C.A.C.	GASKET, compressor coil insulator (inner)	5917930	1	.15
55-57	PASS. w/C.A.C.	GASKET, compressor coil insulator (outer)	5918107	1	.10
55	PASS. w/C.A.C.	GASKET, compressor coil insulator (2 3/32 I.D. x 3¾ O.D.)	5917050*	2	.15
55-57	PASS. w/C.A.C.	GASKET UNIT, compressor coil insulator	5876681	1	.70
55-57	PASS. w/C.A.C.	CLIP, w/terminal, compressor coil (⅝ wide—11/32 dia. hole)	5912009	1	.50
55-57	PASS. w/C.A.C.	CLAMP, terminal lead	5917231	1	.10

*NOTE: When using as inner gasket it will be necessary to cut the ½" slot using old piece as a template.

9.188 PLATE—BALL—SPRING—RING—SCREW, Compressor Clutch Actuating

55	PASS. w/C.A.C.	assembly, w/weight	5912346	1	10.75
55	PASS. w/C.A.C.	assembly, w/armature (5 dia.)	5912345	1	6.25
56	PASS. w/C.A.C.	w/armature—rear	5912762	1	6.75
56	PASS. w/C.A.C.	w/weight—front	5912765	1	11.50
57	PASS. w/C.A.C.	w/weight, front	5913710	1	14.25
57	PASS. w/C.A.C.	w/armature, rear	5913707	1	9.70
55-57	PASS. w/C.A.C.	BALL, (carbon—1/16 dia.)	5919632	3	.40
55	PASS. w/C.A.C.	SPRING. (⅛ dia. wire—1 1/32 I.D.)	5916834	1	.40
56	PASS. w/C.A.C.	SPRING (5 coils—23/32 free length)	5918339	3	.15
57	PASS. w/C.A.C.	SPRING, clutch plate	5918904	3	.10
55-56	PASS. w/C.A.C.	RING, snap, spring retaining (15/16 I.D. — 2 holes 1/16 dia.)	5916839	1	.10
55-57	PASS. w/C.A.C.	RING, compressor clutch cover (4 3/16 I.D. x 5⅞ O.D.	5918169	1	2.35
55-56	PASS. w/C.A.C.	SCREW, w/lock washer, clutch cover ring mtg. (¼—20 x ½)	5911822	6	.30
57	PASS. w/C.A.C.	SCREW w/lockwasher, hub to cover	5913654	6	.10

9.190 CONDENSER—ADAPTOR, Air Conditioning Refrigerant

55-56	PASS. w/C.A.C.		5910058	1	79.50
55-56	PASS. w/C.A.C.		5876833	1	85.00
56	PASS. w/C.A.C.	four tube type	8524245	1	85.00
57	PASS. w/C.A.C.		8525607	1	85.00
56-57	PASS. 6 cyl. w/C.A.C.	ADAPTOR, right, condenser mounting	3136574	1	1.10
56-57	PASS. 6 cyl. w/C.A.C.	ADAPTOR, left, condenser mounting	3136575	1	1.10

9.195 RECEIVER ASSY., Refrigerant

55	PASS. w/C.A.C.	(14 1/16 O.L.)	5911814	1	15.75
56	PASS. w/C.A.C.	(11⅝ O.L.)	5912774	1	11.85
56	PASS. w/C.A.C.	Use w/units 987494-5-6	5913129	1	15.75
57	PASS. w/C.A.C.		8525661	1	15.75

9.196 COUPLING ASSY., Refrigerant

57	PASS. w/C.A.C.	evaporator (female self-seal)	3138527	1	4.50
57	PASS. w/C.A.C.	receiver (male self-seal)	3138525	1	4.50

9.202 SIGHT GLASS—GASKET, Freon Inspection

55	PASS. w/C.A.C.		5882848	1	3.70
56	PASS. w/C.A.C.	(5/8—18 thread both ends)	5911932	1	3.75
56-57	PASS. w/C.A.C.	(7/8—24 thread both ends)	3135920	1	2.75
55-56	PASS. w/C.A.C.	GASKET, glass inspection	5915118	1	.10
56-57	PASS. w/C.A.C.	GASKET, liquid ind. (13/16 O.D.)	3135919	1	.10

9.208 ADAPTER ASSY.—SEAL—SPACER—YOKE, Car Heater and Evaporator Air Inlet

55-56	PASS. w/C.A.C.		3723397	1	19.75
55-56	PASS. w/C.A.C.	SEAL, defroster air duct	3719110	1	(8.856)
55-56	PASS. w/C.A.C.	SEAL, outside air inlet valve (rubber—1/2 x 9 1/2 x 1/4)	3715767	1	.25
55-56	PASS. w/C.A.C.	SEAL, adapter to dash (11 x 14 9/16 at widest points)	3715775	1	1.75
55-56	PASS. w/C.A.C.	SPACER, coil mounting (1/4 I.D. x 1/2 O.D. x 3/8)	5918013	1	.10
55-56	PASS. w/C.A.C.	YOKE, adapter	3719030	1	6.95
55-56	PASS. w/C.A.C.	YOKE, adapter, upper (11 O.L.)	3719035	1	2.95

9.210 COIL UNIT—INSULATION—SEAL, Evaporator and Heater

55	PASS. w/C.A.C.	(less expansion valve)	5441436	1	137.50
56	PASS. w/C.A.C.	(less expansion valve)	5910057	1	139.75
56	PASS. w/C.A.C.	mounted on fender skirt (less expansion valve)	8525276	1	105.00
57	PASS. w/C.A.C.	w/outlet tube	8525493	1	115.50
56	PASS. w/C.A.C.	INSULATION, rear case plate—top	5916968	1	.10
57	PASS. w/C.A.C.	SEAL, "O" ring	3138635	1	.20

9.211 PANEL—PLATE ASSY.—INSULATION—TUBE—COVER—GASKET, Evaporator and Heater Access

55-56	PASS. w/C.A.C.		5911931	1	2.75
55-56	PASS. w/C.A.C.	PLATE ASSY., case rear	5911884	1	.40
55-56	PASS. w/C.A.C.	INSULATION, access panel (grey rubber—7 13/16 x 4 9/32 x 1/2)	5917066	1	.75
56	PASS. w/C.A.C.	INSULATION, case air outlet—upper (21/64 thick)	5917609	1	.75
56	PASS. w/C.A.C.	INSULATION, case air outlet—lower (sponge rubber)	5917610	1	.45
55-56	PASS. w/C.A.C.	TUBE, evaporator drain (rubber—4 3/4 long)	3722674	1	.60
57	PASS. w/C.A.C.	COVER, w/fitting, evaporator inlet	3138655	1	27.50
57	PASS. w/C.A.C.	COVER, w/fitting, evaporator outlet	3138658	1	19.75
57	PASS. w/C.A.C.	GASKET, evaporator seal	3138227	1	.60
57	PASS. w/C.A.C.	GASKET, (short)	3138217	1	.15
57	PASS. w/C.A.C.	GASKET, (long)	3138228	1	.75

9.213 VALVE UNIT, Refrigerant Expansion

55	PASS. w/C.A.C.		5441297	1	24.40
56	PASS. w/C.A.C.		5910053	1	23.65
56	PASS. w/C.A.C.	Use w/units 987494-5-6	5910983	1	23.65
57	PASS. w/C.A.C.		5911030	1	23.65

9.214 ELEMENT—RING—PLUG—CONNECTOR—CLAMP—TUBE—NUT—INSULATOR, Expansion Valve

55-56	PASS. w/C.A.C.	filter	5444345	1	.33
57	PASS. w/C.A.C.	filter	5913540	1	4.50
55-56	PASS. w/C.A.C.	RING, filter element retainer	5442094	1	.05
55-56	PASS. w/C.A.C.	PLUG, seal	5447621	1	.55
55-56	PASS. w/C.A.C.	CONNECTOR, equalizer (1/8 x 1/4)	5916570	1	.28
55-56	PASS. w/C.A.C.	CONNECTOR, inlet (3/8)	5444342	1	1.00
55	PASS. w/C.A.C.	CLAMP, thermo bulb	5916714	2	.35
56	PASS. w/C.A.C.	CLAMP, thermo bulb	5442114	2	.28
56	PASS. w/C.A.C.	TUBE, evaporator and heater drain	5918010	2	.65
55-56	PASS. w/C.A.C.	NUT, thermo bulb clamp (No. 10—32 x 1/8)	635160	2	.06
57	PASS. w/C.A.C.	INSULATOR	3137896	1	.75

9.215 MOTOR—BLOWER UNIT—ADAPTER, Evaporator Blower

55-56	PASS. w/C.A.C.		3716874	1	(8.855)
56	PASS. w/C.A.C.	right hand rotation	5047928	1	31.45
56	PASS. w/C.A.C.	left hand rotation (use w/filter)	5047962	1	31.45
57	PASS. w/C.A.C.		5047963	1	30.80
56	PASS. w/C.A.C.	BLOWER UNIT, w/filter	3138191	1	49.75
56	PASS. w/C.A.C.	ADAPTER, outlet	3136274	1	.75

9.216 FAN—BRACKET—FILTER—INSULATOR—PLATE—SEAL—NUT—GASKET, Evaporator Blower Motor

55-57	PASS. w/C.A.C.	assembly (tapped hole in hub)	3134895	1	(8.857)
56	PASS. w/C.A.C.	BRACKET, mtg. blower w/filter	3138163	1	1.35
56	PASS. w/C.A.C.	BRACKET, left mtg. blower w/filter	3138161	1	.75
56	PASS. w/C.A.C.	BRACKET, right mtg. blower w/filter	3138162	1	.75
56	PASS. w/C.A.C.	FILTER, air cond. blower	3138187	1	5.75
55-56	PASS. w/C.A.C.	INSULATOR, fan frt. hsg. flange (rubber—5 dia.)	3719041	1	.20
55	PASS. w/C.A.C.	PLATE, motor mounting (6½ x 15/64—5 holes)	3131455	1	(8.856)
56	PASS. w/C.A.C.	PLATE, motor mtg. w/three attached studs)	3136270	1	1.50
57	PASS. w/C.A.C.	PLATE, mounting	3138684	1	(8.856)
55-56	PASS. w/C.A.C.	SEAL, motor mounting (¼ x 3½ O.D.—2 holes)	3119651	1	(8.856)
55-56	PASS. w/C.A.C.	SEAL, frt. half hsg. cover (rubber)	3719040	1	.35
55-56	PASS. w/C.A.C.	NUT, retaining (No. 10-32)	3130804	1	(8.857)
57	PASS. w/C.A.C.	GASKET, insulating	3133723	1	.45

9.217 SOCKET ASSY., Temperature Control Indicator

55	PASS. w/C.A.C.,				
55-56	COMM., UTIL. (2nd Ser.)	lamp (use w/987216)	5292104	1	.25

9.218 VALVE—SHAFT—SEAL—WASHER—TUBE—CLAMP, Evaporator Fresh Air Inlet

55-56	PASS. w/C.A.C.	assembly	3715769	1	2.25
55-56	PASS. w/C.A.C.	recirculating air inlet (2½ x 7)	3715771	1	.95
56	PASS. w/C.A.C.	selector w/housing and switch, use w/987494-6-7	3136276	1	17.75
55	PASS. w/C.A.C.	SHAFT, fresh air inlet valve (11 31/32 O.L.)	3715766	1	1.35
55-56	PASS. w/C.A.C.	SEAL, fresh air inlet valve lower (rubber—9¼ end to end)	3715768	1	.60
55	PASS. w/C.A.C.	WASHER, air inlet valve shaft (¼ I.D. x 13/32 O.D.)	3716882	1	.15
56	PASS. w/C.A.C.	TUBE, blower to evaporator (w/wire insert)	3136251	1	1.55
56	PASS. w/C.A.C.	CLAMP, blower to evaporator air tube	3136255	4	.50

9.220 HOSE ASSY.—PIPE ASSY., Car Evaporator

55	PASS. w/C.A.C.	to receiver (fittings—5/8—18)(hose—5/16 I.D. x 29¾ O.L.)	5911947	1	9.35
55-56	PASS. w/C.A.C.	compressor, suction (fittings—7/8—14) (hose—½ I.D. x 26½ O.L.)	5911948	1	11.85
56	PASS. w/C.A.C.	w/external threads on compressor end	5912968	1	9.35
56	PASS. 6 cyl. w/C.A.C.	ind. to expansion valve (5/16")	3136686	1	8.25
56	PASS. 8 cyl. w/C.A.C.	ind. to expansion valve	3136685	1	8.50
56	PASS. w/C.A.C.	to compressor (½ dia.)	3136681	1	9.50
55-56	PASS. w/C.A.C.	PIPE ASSY., evap. to sight glass	5911882	1	2.95

9.225 HOSE ASSY., Air Conditioning Compressor

55-56	PASS. w/C.A.C.	compressor, discharge	5911948	1	(9.220)
56-57	PASS. w/C.A.C.	compressor, discharge (use w/units 987494-5-6)	3136683	1	10.75
57	PASS. w/C.A.C.		3138749	1	11.85
57	PASS. w/C.A.C.	compressor to condenser	3138526	1	9.50
57	PASS. w/C.A.C.	sight glass to expansion valve	3138869	1	9.35

9.226 VALVE ASSY.—SEAL—GASKET—CAP—NUT—FITTING, Compressor Suction and Discharge

55	PASS. w/C.A.C.	w/tubes	5911907	1	19.75
56	PASS. w/C.A.C.	w/tubes	5912835	1	18.25
55-57	PASS. w/C.A.C.	SEAL (rubber—13/16 I.D.)	5887997	2	(9.240)
55-56	PASS. w/C.A.C.	GASKET, valve cap (copper—5/8 I.D.)	624357	2	.11
55	PASS. w/C.A.C.	CAP, valve	5917027	2	.35

56	PASS. w/C.A.C.	CAP, valve (5/8 flare seal)	5916764	1	.35
55-56	PASS. w/C.A.C.	NUT, inverted flared tube	5917484	2	.30
57	PASS. w/C.A.C. 6 cyl.	suction side	3138808	1	12.95
57	PASS w/C.A.C. 8 cyl.	suction side	3138673	1	9.75
57	PASS. w/C.A.C.		3138674	1	9.75

9.240 SEAL, Compressor Suction Pipe

	Not required in this Group, see Group 9.226		5887997		.45

9.242 CLAMP, Hose

57	PASS. w/C.A.C.		3138231	1	.15

9.244 CLIP, Refrigerant Liquid Line

55-56	PASS. w/C.A.C.	(3/8 dia.)	5888001	1	.35

9.260 TUBE—FLANGE—EDGING—HOSE, Evaporator Air Outlet

55-56	PASS. w/C.A.C.	rubber w/wire insert (2½ I.D. x 55½ lg.)	3717333*	2	2.50
56	PASS. w/C.A.C.	to selector valve (4½ I.D. x 22" lg. insulated)	3136252	1	6.50
56-57	PASS. w/C.A.C.	selector to outlet assy. (2½" I. D. x 67 lg.)	3136253	1	3.75
56	PASS. w/C.A.C.	FLANGE, selector valve inlet	3136258	1	.75
56	PASS. w/C.A.C.	EDGING, rubber for opng. in fender skirt	3136672	1	.55
57	PASS. (exc. CONV.)	HOSE (3" I.D.)	3138436	1	4.25

*Note: When using as R.H. cut to approx 15" length.

9.262 OUTLET ASSY—DUCT ASSY., Evaporator Air Distributor

55-56	PASS. w/C.A.C.	left	3718137	1	8.50
55-56	PASS. w/C.A.C.	right	3718138	1	8.50
56	PASS. w/C.A.C.	(use w/987494-5-6)	3136262	2	2.65
57	PASS. w/C.A.C.	left	3738453	1	3.85
57	PASS. w/C.A.C.	right	3738454	1	3.85
55-56	PASS. w/C.A.C.	DUCT ASSY., air distribution	3720872	1	(9.786)

9.264 RETAINER—ADAPTER—SWIVEL ASSY.—SPRING—BRACKET—RING—WASHER—SCREW, Evaporator Air Outlet

55-56	PASS. w/C.A.C.	air outlet deflector front (nylon)	3718147	2	.45
55-56	PASS. w/C.A.C.	air outlet deflector rear (nylon)	3718148	2	.45
56	PASS. w/C.A.C.	ADAPTER, air outlet use w/987494-5-6	3136263	2	3.25
56	PASS. w/C.A.C.	SWIVEL ASSY., air outlet deflector	3136412	2	2.85
55-56	PASS. w/C.A.C.	SPRING, outlet deflector retainer tension	3718146	2	.30
55-56	PASS. w/C.A.C.	BRACKET, left ,air outlet inner	3718141	1	.10
55-56	PASS. w/C.A.C.	BRACKET, right, air outlet inner	3718142	1	.10
55-56	PASS. w/C.A.C.	BRACKET, air outlet outer	3718143	2	.06
55-56	PASS. w/C.A.C.	RING, outlet deflector retainer (bronze—3 5/8 O.D.)	3718144	2	.70
55-56	PASS. w/C.A.C.	WASHER, inner and outer bracket (¼ I.D. x 9/16 O.D.—st. steel)	3719439	4	.06
55-56	PASS. w/C.A.C.	SCREW, inner and outer bracket (set—No. 6-32)	3719438	4	.10

9.266 PLATE—NUT, Evaporator Recirculating Air Duct

55-56	PASS. w/C.A.C.	face	3715774	1	.40
55-56	PASS. w/C.A.C.	NUT, face plate ("J" shape No. 8-15)	3719302	2	.06

9.275 SWITCH—CONTROL ASSY.—RESISTOR ASSY., Evaporator Temperature and Fan Control

55	PASS. w/C.A.C.	evaporator control	3717331	1	12.50
56	PASS. w/C.A.C.	evaporator control	3730488	1	12.50
56	PASS. w/C.A.C.	evaporator control, mounted on evaporator	3136302	1	12.50
55	PASS. w/C.A.C.	heater and evaporator motor	3134196	1	(8.852)
56	PASS. w/C.A.C.	motor	3139124	1	1.85
57	PASS.	heater and evaporator motor	3138075	1	1.65
57	PASS. w/C.A.C.	evaporator control	3138223	1	13.75
55	PASS. w/C.A.C.	CONTROL ASSY., heater and evaporator	3715816	1	(8.852)
56	PASS. w/C.A.C.	CONTROL ASSY., heater and evaporator	3136018	1	(8.852)
57	PASS. w/C.A.C.	CONTROL ASSY., heater and evaporator	3138036	1	(8.852)

55	PASS. w/C.A.C.	RESISTOR ASSY., motor switch	3720898	1	1.95
56	PASS. w/C.A.C.	RESISTOR ASSY., motor switch	3732952	1	1.95
56	PASS. w/C.A.C.	RESISTOR, use w/units 987494-5-6	3136340	1	.95
57	PASS.	RESISTOR, blower (use w/airflow heater)	3138152	1	.65

9.276 HARNESS—WIRE ASSY.—CONNECTOR—LAMP SOCKET, Air Conditioning Wire

56	PASS. w/C.A.C.	use w/units 987494-5-6	3136489	1	
57	PASS. w/C.A.C.	WIRE ASSY., compressor to temp. control switch	3138616	1	.40
57	PASS. w/C.A.C.	WIRE ASSY., resistor to temp. control switch	3138617	1	.45
57	PASS.	CONNECTOR, use w/airflow	3138080	1	.10
57	PASS. w/C.A.C.	LAMP SOCKET, w/wire heater and evaporator dial	3138067	1	.30

9.277 RELAY—FUSE, Air Conditioning

55	PASS. w/C.A.C.	assembly	1116895	1	3.95
56	PASS. w/C.A.C.	FUSE, 20 amp	3136772	1	.10

9.278 KNOB—SCREW, Air Conditioning Heater and Evaporator Controls

55-56	PASS. w/C.A.C.	motor switch control	3716078*	1	.10
55-56	PASS. w/C.A.C.	evaporator control	3716076	1	.45
55-56	PASS. w/C.A.C.	temperature control	3132939	1	(8.852)
55-56	PASS. w/C.A.C.	defroster control	3132940	1	(8.852)
57	PASS.	w/retainer	3138070	A.R.	.15
55-56	PASS. w/C.A.C.	SCREW, evap. control knob (No. 8—32 x 3/4)	166317	1	(8.977)

*NOTE: Also used as air inlet control knob.

9.279 PLATE—PANEL—DIAL—RETAINER—SCREW, Heater and Evaporator Control

55	PASS. w/C.A.C.	face (curved—2 3/8 wide)	3716059	1	1.65
56	PASS. w/C.A.C.	face	3727562	1	2.60
57	PASS. w/C.A.C.	dial back	3138071	1	.15
56	PASS. w/C.A.C.	PANEL, Control (mounting for three controls)	3136329	1	2.00
55-56	PASS. w/C.A.C.	DIAL ("HEAT"—"REFR"—"DEFR") (lucite—1 7/8 x 1 5/16)	3716065	1	.75
56	PASS. w/C.A.C.	DIAL. ("HEAT"-AIR-"DEFR.") use w/air cond. and heater	3136322	1	.75
56	PASS. w/C.A.C.	DIAL. ("COLD"-AIR-"DOWN") use w/air cond. only	3136496	1	.65
57	PASS. w/C.A.C.	DIAL	3138127	1	.75
55-56	PASS. w/C.A.C.	RETAINER, control dial (1 13/16 x 1 5/16)	3716060	1	.10
55	PASS. w/C.A.C.	SCREW, control face plate (No. 8—32 x 1/4)	166291	6	(8.977)

9.281 PIN—CLIP—CLAMP—WASHER, Heater and Evaporator Control Lever

55-56	PASS. w/C.A.C.	pivot, air inlet control lever (5/16 dia. x 9/16 long)	3716081	1	.05
55	PASS. w/C.A.C.	pivot, temp. and defroster control lever (1/4 dia. x 1 15/16 long)	3716079	1	.05
55-56	PASS. w/C.A.C.	CLIP, outside air control cable	1314091	A.R.	.10
55-57	PASS. w/C.A.C.	CLIP, air distribution duct valve rod	3127960	A.R.	.10
55-56	PASS. w/C.A.C.	CLAMP, temperature, evaporator, and defroster control cables	3134163	1	.10
55-56	PASS. w/C.A.C.	WASHER, control levers	3716080	2	.05

9.282 SERVICE ITEMS, Air Conditioning Maintenance

55-56	PASS. w/C.A.C.	REFRIGERANT (consists of 5417712 cylinder charged with 25 lbs. Freon No. 12)	563875	A.R.	2.00 per lb.
55-56	PASS. w/C.A.C.	REFRIGERANT (consists of 1—15 oz. can Freon No. 12)	3727736	A.R.	2.00
55-56	PASS. w/C.A.C.	SOLDER, refrigerant line (1 lb. roll—1/8 dia. —95 pct. TIN—5 pct. ANTIMONY)	563876	A.R.	No List
55-57	PASS. w/C.A.C.	LUBRICATING OIL, refrigerant system (1 Qt. bottle—525 viscosity)	5416939	A.R.	.84
55-56	PASS. w/C.A.C.	SEAL, thread, refrigerant line (5/8 dia.—5 lg.) (red)	5877497	A.R.	.45
55-56	PASS. w/C.A.C.	LEAK DETECTOR, freon refrigerant (4 oz. bottle)	564255	A.R.	1.50

*NOTE: Refer to Zone Office Instructions for rebate of cylinder deposit.

9.550 COVER UNIT, Seat

55	2-DR. SEDAN, CLUB CPE.	fiber (brown wicker weave)	987148†	1	
55	2-DR. SEDAN, CLUB CPE.	nylon (brown modern fret)	987160†	1	
55	2-DR. (exc. CONV., SPT. CPE., STA. WAG.)	nylon (coral)	987301†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	fiber (green)	987378†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	fiber (charcoal)	987421†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	plastic (green)	987384†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	plastic (charcoal)	987423†	1	
57	SER. 3-4-6	tu-tone gray vinyl	987471	1	15.75

†NOTE: Closeout price applies. See Dealer P & A Price Schedule.

GLAMOUR GLIDE CUSHION PROTECTOR

55	2-DR. SEDAN, CLUB CPE.	front and rear (blue) (nylon—cross design)	987292†	1	
55	2-DR. SEDAN, CLUB CPE.	front and rear (brown)	987169†	1	
55	2-DR. SEDAN, CLUB CPE.	front and rear (green) (nylon—cross design)	987293†	1	
55	2-DR. SEDAN, CLUB CPE.	front and rear (coral)	987291†	1	
55	2-DR. SEDAN, CLUB CPE.	front and rear (gray)	987193†	1	
55	2-DR. SEDAN, CLUB CPE.	front and rear (turquoise) (nylon—cross design)	987294†	1	
55	2-DR. SEDAN, CLUB CPE.	front and rear (turquoise) (nylon dacron—diamond design)	987197†	1	
55	SPT. CPE.	front and rear (straw) (nylon dacron—diamond design)	987170†	1	
55	SPT. CPE.	front and rear (coral)	987289†	1	
55	SPT. CPE.	front and rear (gray)	987174†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	front and rear (blue)	987402†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	front and rear (green)	987404†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	front and rear (red)	987430†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	front and rear (copper)	987399†	1	
56	2-DR. SED., CLUB CPE., UTIL. SED.	front and rear (turquoise)	987406†	1	
56	4-DR. SED.	front and rear (blue)	987401†	1	
56	4-DR. SED.	front and rear (green)	987403†	1	
56	4-DR. SED.	front and rear (red)	987429†	1	
56	4-DR. SED.	front and rear (copper)	987398†	1	
56	4-DR. SED.	front and rear (turquoise)	987405†	1	
56	SPT. CPE.	front and rear (blue)	987426†	1	
56	SPT. CPE.	front and rear (green)	987427†	1	
56	SPT. CPE.	front and rear (red)	987431†	1	
56	SPT. CPE.	front and rear (copper)	987400†	1	
56	SPT. CPE.	front and rear (turquoise)	987428†	1	
56	PASS.	KOOL KOOSHION, seat (blue and white)	987370	A.R.	4.55
56	PASS.	KOOL KOOSHION, seat (green and white—tan and white—reversible)	987452	A.R.	4.55
57	ALL	KOOL KOOSHION (black and ivory reversible)	987640	1	5.20

†NOTE: Closeout price applies. See Dealer Parts and Accessories Price Schedule.

9.645 ANTENNA UNIT—ADAPTER UNIT, Radio

55-56	PASS.	fender type (right hand installation only)	987100	1	6.35
55-56	COMM., UTIL. (2nd Ser.)	fender type (right hand installation only)	987188	1	7.25
57	PASS.	right frt. fender installation	987603	1	6.35
57	PASS. (exc. SDL, STA. WAG.)	left rr. fender installation	987605	1	9.80
57	PASS.	electric, right rr. fender installation	987606	1	28.75
56	PASS.	ADAPTER UNIT	987449*	1	3.50

*NOTE: Used in conjunction with 987100 to make a rear fender antenna installation.

9.650 RADIO

NOTE: For Fuse and Fuse Holder use 1220246 listed in the Radio Parts Catalog.

55-56	COMM., UTILITY (2nd Ser.)	manual controls w/antenna	987189	1	69.50
56	PASS.	manual controls w/antenna	987367	1	63.50
56	PASS.	push button w/antenna	987369	1	85.00
56	PASS.	signal seeking w/antenna	987365	1	105.00
57	PASS.	manual controls w/antenna	987572	1	65.50
57	PASS.	push button w/antenna	987574	1	89.50
57	PASS.	signal seeking w/antenna	987576	1	112.00
57	PASS.	push button w/antenna	987694	1	89.50

57	PASS. (exc. STA. WAG., SDL.)	manual controls w/antenna	987710	1	68.95
57	PASS. (exc. STA. WAG., SDL.)	push button w/antenna	987711	1	92.95
57	PASS. (exc. STA. WAG., SDL.)	signal seeking w/antenna	987712	1	115.45
56	PASS. (exc. CONV., STA. WAG., SDL.)	SPEAKER, auxiliary radio	987363	1	12.00
57	PASS.	SPEAKER, auxiliary radio	987609	1	12.25

9.694 VENTSHADE UNIT, Window

55-57	2-DR. SEDAN, CLUB CPE		987136	1	9.75
55-57	4-DR. SEDAN		987135	1	9.75
55-56	COMM., UTIL. (2nd Ser.)		987203	1	5.75

9.709 LIGHTER UNIT—HOUSING ASSY.—KNOB—ELEMENT—RETAINER—ESCUTCHEON—LAMP—BEZEL, Cigarette

53-55	CORV. 6 cyl.	complete w/lamp	3708149	1	1.65
55	CORV. 8 cyl.	complete w/lamp	3712419	1	1.65
55-56	COMM., UTIL. (2nd Ser.)	complete w/lamp	987190	1	3.50
57	A		987546	1	3.35
55-57	ALL (exc. Ser. 1200)	HOUSING ASSY., (Rochester)	7008462	1	1.80
55-57	ALL, CORV.	HOUSING ASSY., (exc. Rochester)	3710847	1	.85
37-53	ALL, CORV.	KNOB, w/element (w/spring release)	3699602	1	1.65
51-52	JK, KK	KNOB, w/element (w/o spg. release)	7003058	1	1.80
53	B, C	KNOB, w/element (w/o spg. release)	7003848	1	1.80
53-55	CORV.	KNOB, dummy (heater control hole)	3706915	1	.55
54	PASS.	KNOB, w/element (w/spring release)	3707721	1	1.55
54	B, C	KNOB, w/element (w/o spring release)	7005975	1	1.75
55-57	PASS.,				
56-57	CORV.	KNOB, w/element (use w/Access.) (Casco)	3723940	1	1.75
55	B, C	KNOB, w/element (Roch.)	7006535	1	1.95
54-55	COMM., UTIL. (1st Ser.)	KNOB, w/element (Casco)	3707720	1	1.55
55-57	COMM., UTIL. (2nd Ser.)	KNOB, w/element (use w/987190) (Casco)	3714979	1	1.95
56	B, C	KNOB, w/element (Roch.)	7008461	1	1.95
56-57	CORV.	KNOB, dummy (heater control hole)	3736172	1	.55
57	B, C	KNOB, w/element (Roch.)	7009770	1	2.25
57	PASS.	KNOB, w/element (Casco)	3735264	1	1.75
37-53	ALL, CORV.	ELEMENT, heating (w/spring release)	609829	1	1.10
51-53	JK, KK, B, C	ELEMENT, heating (w/o spg. release)	7002286	1	.90
54	ALL,				
55	CORV. 6 cyl.,				
55	COMM., UTIL. (1st Ser.)	ELEMENT, heating (Casco)	3707723	1	1.40
54	B, C	ELEMENT, heating (Roch.)	7005976	1	.90
55-57	B, C,				
55-57	COMM., UTIL. (2nd Ser.)	ELEMENT, heating (Roch.)	7006626	1	1.00
55-57	PASS., CORV. (8 cyl.),				
55-57	COMM., UTIL. (2nd Ser.)	ELEMENT, heating (Casco)	3710581	1	1.55
55-56	PASS.	RETAINER, lighter (Casco)	3710840	1	.15
55-56	C	ESCUTCHEON, lighter	3711328	1	.45
57	A	ESCUTCHEON, lighter	3735267	1	.35
57	PASS.	LAMP, use w/987546	3735265	1	.55
57	PASS.	BEZEL, lighter	3735749	1	.25

9.743 CASE ASSEMBLY, Instrument

48-53	COMM., UTILITY		1501095	1	2.00
51-52	PASS.		1580500	1	2.20
53-54	PASS.	(w/light shield)	1581306	1	1.95
53-56	CORV.	cluster w/bracket (battery-oil)	1508089	1	3.10
53-55	CORV.	cluster w/bracket (fuel-temp.)	1517940	1	3.95
56-57	CORV.	cluster w/bracket (fuel-temp.)	1584301	2	3.00
54-55	COMM., UTILITY (1st Ser.) (exc. FFC)		1582484	1	2.55
55	PASS.		1584672	1	3.75
55	COMM., UTILITY (2nd Ser.)		1583688	1	4.15
56	PASS.		1584097	1	3.05
56-57	COMM., UTIL.		1584449	1	4.25
53-56	CORV.	BOLT, instrument case (10—32 x 7/8)	3706542	A.R.	(9.744)

9.744 PLATE—RETAINER—BOLT, Instrument Case

53-57	CORV.	instrument carrier (18 9/16 lg.)	3706480	1	3.50
55	PASS.	backing (heat indicator gauge)	1512932	1	.50

55-56	PASS.	backing (gasoline gauge)	1518153	1	.50
56	PASS.	mounting (heat indicator gauge)	1513281	1	.55
57	PASS.	heat ind. and gas guage mtg.	1518712	2	.60
49-50	PASS.	RETAINER, attach. instrument cluster	3688250	1	(10.252)
53-56	CORV.	RETAINER, cluster (2 openings, 2 3/16 dia.)	1501511	2	1.30
57	PASS.	RETAINER, tell tale and turn signal lamp socket	1585181	2	.40
53-56	CORV.	BOLT, use w/tachometer (10—32 x 7/8)	3706542	1	.30

9.746 BEZEL—HOUSING—PLATE—BODY—COVER—MOULDING—GASKET—NUT, Instrument Case

47-53	COMM., UTILITY,				
54-55	FFC (1st Ser.)		1500923	1	1.50
49-50	PASS.		1581964	1	4.50
51-52	PASS.		1580931	2	1.50
53-54	PASS.		1581307	1	1.25
53	B, C	(chrome w/gray)	3696862	1	4.50
53-54	A (exc. STA. WAG.)	(india ivory and onyx black)	3708530	1	2.85
53-57	CORV.	(chrome) (2 holes, 1 13/16 dia.)	1508132	2	3.48
54	B, C	(chrome)	3708595	1	4.95
54-55	COMM., UTILITY (1st Ser.) (exc. FFC)	(chrome)	1582659	1	2.70
55-57	COMM., UTIL. (2nd Ser.)	(chrome)	1583687	1	10.75
57	PASS.	(chrome)	1584734	2	1.00
57	PASS.	HOUSING, instrument cluster	1584918	4	1.75
53-54	PASS.	PLATE, w/signal arrows	3699366	1	1.20
55-56	PASS. w/P.G.	BODY	1583370	1	12.20
55-56	PASS. (exc. P.G.)	BODY	1583385	1	11.90
57	PASS.	BODY	1584766	1	16.10
55-56	PASS.	COVER, steering gear jacket upper	3711015	1	1.95
55-56	PASS.	COVER, steering gear jacket lower	3713579	1	2.50
57	PASS.	COVER, steering gear jacket lower	3735568	1	1.50
57	B, C	MOULDING, cluster trim	3735694	1	.95
55-56	PASS. w/P.G.	GASKET, cluster face bottom (3/16 dia. x 4 long)	1565057	1	.14
55-56	PASS.	NUT, bezel attaching	3711050	A.R.	.05

9.747 RETAINER—SCREW, Instrument Face Glass

47-53	COMM., UTILITY,				
54-55	FFC (1st Ser.)		1500927	1	2.40
49-50	GJ, HJ		1581963	1	2.14
53-57	CORV.	(chrome) (battery-oil)	1501609	1	2.60
53-57	CORV.	(chrome) (fuel-temp.)	1512884	1	3.30
54-55	COMM., UTILITY (1st Ser.) (exc. FFC)		1582485	1	1.65
55	PASS.,				
56	PASS. (exc. P.G.)		1583383	1	2.55
55-57	COMM., UTIL. (2nd Ser.)	instrument cluster	1583684	1	2.50
56	PASS. w/P.G.		1583568	1	2.95
53-57	CORV.	instrument cluster (4 13/16 O.L.) (use w/1512757)	1501515	2	1.65
57	PASS.	heat indicator and gas	1584737	2	1.95
57	PASS.	w/window (oil)	1585000	1	1.40
57	PASS.	w/window (ammeter)	1585001	1	1.40
55	COMM., UTIL. (2nd Ser.)	SCREW, instrument cluster	168616	3	(8.977)

9.748 FACE ASSY., Instrument Cluster, w/Glass

50	HK		1581521	1	7.76
51-52	PASS.		1580934	1	2.90

GLASS, Instrument Case Face

40-46	KA, KH, KB, COMM., UTIL. (exc. SBC)		1565308	1	.85
47-53	COMM., UTILITY,				
54-55	FFC (1st Ser.)		1500924	1	1.05
49-50	GJ, HJ		1568623	1	1.95
51-52	PASS.		1580912	1	.70
53	PASS. (exc. P.G.)	(oil pressure, 0 to 30)	1581308	1	1.40
53	PASS. w/P.G.,				
54	PASS.	(oil pressure, 0 to 60)	1582543	1	1.25
54-55	COMM. UTILITY (1st Ser.) (exc. FFC)	(5 15/16 dia.)	1582460	1	1.25
55-56	PASS.	(miles)	1583372	1	4.25

55-57	COMM., UTILITY (2nd Ser.)	(miles)	1583685	1	6.00
53-54	PASS.	LENS (speedometer)	1581390	1	2.70
53-57	CORV.	LENS (1 31/32 O.D.) (plexiglas)	1501512	4	1.20
53-57	CORV.	LENS, half moon (pyralin) (orange)	1501514	4	.90
57	PASS.	speedometer	1584826	1	3.00
57	PASS.	heat indicator gauge	1584736	1	1.75
57	PASS.	gasoline gauge	1584735	1	1.60

9.749 GASKET, Instrument Case

47-53	COMM., UTILITY,				
54-55	FFC (1st Ser.)		1500925	1	.18
54-55	COMM., UTILITY (1st Ser.) (exc. FFC)	(sponge rubber) (3/4 x 5/32 x 18)	1582459	1	.15
55-56	PASS.	(sponge rubber) (1/2 x 2 x 3/16 thick)	1583386	4	.18
57	PASS.	speedometer lens	1584962	1	.50
57	PASS.	heat indicator and gas gauge lens	1584757	2	.40

9.750 TACHOMETER ASSY. and PARTS

53-55	CORV. 6 cyl.	("TACH" on face)	1548209	1	27.00
55-57	CORV. 8 cyl.	("TACH" on face)	1548346	1	27.00
53-55	CORV. 6 cyl.	SHAFT, flexible (43 21/32 long)	1582823	1	3.80
55-57	CORV. 8 cyl.	SHAFT, flexible (38 1/4 long)	1568836	1	3.90
55-57	CORV. 8 cyl.	GEAR, driven	1930852	1	3.95
53-55	CORV. 6 cyl.	CABLE, flexible (43 21/32 long)	1582825	1	1.10
55-56	CORV. 8 cyl.	CABLE, flexible (38 5/8 long)	1569485	1	1.55
53-55	CORV. 6 cyl.	DRIVE ASSY.	1926891	1	4.95
53-55	CORV. 6 cyl.	CLAMP	1926895	1	.35
55-57	CORV. 8 cyl.	WASHER, gear and shaft (5/8 O.D.)	816278	1	.03
55-57	CORV. 8 cyl.	REPAIR KIT, tach. drive	3723924	1	6.50
55-57	CORV. 8 cyl.	ADAPTER, drive (aluminum)	1930846	1	13.45
56-57	2 TON 8 cyl.	ADAPTER	3732495	1	.75
55-57	ALL 8 cyl.	BRACKET UNIT, tach. steering column mtg.	3738900	1	5.75
55-57	ALL 8 cyl.	HEAD ASSY.	3738899	1	25.50
55-57	ALL 8 cyl.	TRANSMITTER	2339638	1	20.00

9.772 CLOCK and PARTS

51-52	PASS.	(hand wind)	3699111	1	10.38
53-54	PASS.	(electric) (replacement for hand wind and elect.)	3707786	1	9.85
55-56	PASS.	assy.	3710648	1	16.75
53-55	CORV. 6 cyl.	(electric—6 volt)	5089447	1	25.75
55-57	CORV. 8 cyl.	(electric—12 volt)	3735975	1	28.75
57	A, B	(electric)	987545	1	17.85
51-52	PASS.	HOUSING	3696193	1	1.45
41-46	PASS.	GLASS (hand wind) (New Haven clock)	605570	1	.50
41-48	PASS.	GLASS (hand wind) (Westclox)	605571	1	.50
47-48	PASS.	GLASS (for electric clock)	5073070	1	.60
49-50	PASS.	GLASS (for use w/electric clock)	5075750	1	1.90
51-52	PASS.	GLASS	5080805	1	.45
53-54	PASS.	GLASS (w/numerals)	5084889	1	.70
42-54	PASS.	KNOB (use w/electric and hand wind)	3693422	1	.38
53-56	CORV.,				
55-56	PASS.	KNOB, hand set	5089618	1	.50
57	C	KNOB, hand set	3735343	1	.10
55-56	A, B	COVER ASSY., instrument panel clock hole	3713048	1	.65
57	A, B	COVER, instrument panel clock hole	3736091	1	.40
55	PASS.	CONNECTOR (use w/987093)	5297951	1	(2.530)
55-56	PASS.	FACE (w/numerals)	3710654	1	.55
57	C	FACE, (w/numerals)	3735002	1	.55
55	PASS.	HARNESS, panel clock wiring	2964355	1	1.25
56	PASS.	HARNESS, panel clock wiring	2964075	1	.75
57	PASS.	HARNESS ASSY., instr. panel clock wiring	2966966	1	.75
55-56	PASS.	NUT, clock bezel attaching	3711050	A.R.	(9.746)
55-56	PASS.	SCREEN, grille with bezel	3717180	1	(10.256)
55-56	PASS.	SPRING, clock case lock	3710653	1	.15
57	A, B	RETAINER, instr. panel clock hole cover	3736092	1	.05

*NOTE: Used as replacement unit on all 1956 passenger models.

9.773 LAMP UNIT and PARTS, Safetylight

NOTE: For Fuse and Fuse Holder use 1220246 listed in the Radio Parts Catalog.

55-57	ALL	LAMP, portable (12 volt)	987112	1	7.95
55-56	PASS.	LAMP, w/bracket (UNITY)	987224	1	24.50
55-57	COMM., UTIL. (2nd Ser.)	LAMP, w/bracket (GUIDE)	987243	1	22.50
57	PASS.	LAMP, w/bracket	987585	1	24.50
55-56	PASS.	BRACKET UNIT, spot lamp adapter (R.H. installation) (for use w/987224)	987328	1	2.45
55-56	PASS.	BRACKET, left mtg.	3717148	1	1.65
55-57	PASS.	MIRROR, safety light	3718221	1	4.20
55	PASS.,				
53-54	PASS. (exc. STA. WAG.)	BASE, w/switch knob	5945409	1	3.80
46-48	ALL	LENS, safetylight (5 9/16 O.D.)	5936472	1	.90
37-54	ALL,				
55	COMM., UTIL. (1st Ser.)	SEALED BEAM (use w/portable lamp)	451927	1	2.50
47-49	ALL,				
50-55	COMM., UTIL. (1st Ser.)	SEALED BEAM (for use w/UNITY)	444279	1	2.70
49-54	PASS. (exc. STA. WAG.)	SEALED BEAM (for use w/GUIDE)	451651	1	3.70
55-57	ALL	SEALED BEAM (use w/portable lamp)	455242	1	2.65
55-57	PASS.	SEALED BEAM	456720	1	3.50
55-57	COMM., UTIL. (2nd Ser.)	SEALED BEAM (for use w/GUIDE)	273227	1	4.40
49-53	PASS. (exc. STA. WAG.)	DOOR ASSY. (for use w/GUIDE)	5938025	A.R.	3.40
36-49	ALL	CAP, safetylight switch (for lamps with toggle at bottom of switch cap) (for UNITY)	3699178	1	1.10
50-55	COMM., UTIL. (1st Ser.)				
36-49	ALL	SWITCH, safetylight (for lamps with toggle at bottom of switch cap) (for UNITY)	602272	1	.50
50-55	COMM., UTIL. (1st Ser.)				
55-57	COMM., UTIL. (2nd Ser.)	SWITCH and cover assy. (for use w/GUIDE)	5946413	1	3.50
29-48	ALL,				
49-55	COMM., UTIL. (1st Ser.)	KNOB (upper half w/insert) (UNITY)	606127	1	.75
29-48	ALL,				
49-55	COMM., UTIL. (1st Ser.)	KNOB (lower half) (UNITY)	606128	1	.45
31-49	ALL,				
50-55	COMM., UTIL. (1st Ser.)	GEAR, knob shaft inner drive (UNITY)	606196	1	.85
57	PASS.	ADAPTER, right hand installation	987586	1	2.55

9.774 AUXILIARY LAMP UNIT and PARTS

NOTE: For Fuse and Fuse Holder use 1220246 listed in the Radio Parts Catalog.

55-56	COMM., UTIL. (2nd Ser.)	LAMP UNIT, fog (dual-sealed beam)	987263	1	17.75
42-48	ALL	LENS, clear (4 5/8 O.D.)	5933400	A.R.	.90
46-48	ALL	SEALED BEAM (4 5/8 clear)	451653	2	2.50
49-53	ALL	SEALED BEAM (5 clear)	451652	2	2.80
29-50	ALL,				
51-55	COMM., UTIL. (1st Ser.)	SWITCH, dash	5939420	1	2.50
55-56	COMM., UTIL. (2nd Ser.)	SWITCH ASSY. (use w/987263)	3719386	1	1.80
46-48	ALL	DOOR ASSY.	5936674	A.R.	2.70
46-48	ALL,				
55-56	COMM., UTIL. (2nd Ser.)	DOOR ASSY.	5937619	2	2.90
49-52	ALL,				
53-55	COMM., UTIL. (1st Ser.)	DOOR ASSY.	5938377	2	3.00
55-56	COMM., UTIL. (2nd Ser.)	WASHER (cup shaped—1 1/16 O.D.)	5933504	2	.10

9.775 GROMMET

30-57	ALL (w/3/4 sheet metal holes)	rubber (1/2 I.D. x 1 O.D.)	3711896	A.R.	.10
33-46	ALL (exc. CC, DC, EC, FC, KA, KB, KH, AG, AH, BG, BH, DJ, DK, COE)	strg. gear cowl "U" bolt, rubber (1 1/2 I.D. x 2 O.D.)	3681057	1	.25
33-36	ALL	ign. switch cable thru dash (1 7/8 O.D.—rd. hole 3/8)	3681096	1	.10
37-46	COMM., UTILITY				
39-48	ALL	speedometer flexible shaft, rubber (1/4 I.D. x 1 5/16 O.D.)	3702356	1	.15
48-55	COMM., UTILITY (1st Ser.) (exc. D-D)				
39-46	PASS.,				
47-54	ALL (exc. COE)	headlamp wires thru fender, tail and stop lamp wire assy., ammeter to starting switch harness, headlamp and horn wire assy., rubber (1/2 I.D. x 1 O.D.)	3681088	A.R.	.10
39-48	PASS.				
50-52	PASS.				
54-55	COE				

39-42	ALL	wiring harness and hood control wire thru			
46-48	PASS	dash (rubber) (1¾ O.D.—2 holes),			
46-55	COMM., UTIL. (exc. D-D),				
55-57	CORV. 8 cyl	body wiring harness assy	3653762	1	.15
40	COE,				
41-46	COMM., UTILITY	wiring harness, rubber (⅝ I.D. x 1 3/16 O.D.),			
49-54	PASS	headlamp wire thru fender skirt,			
49-56	¾, 1 TON, UTILITY (1st Ser.)	vac. brake cyl. cleaner hose thru floor,			
52-57	COMM	tail, stop lamp wire thru door	3689096	A.R.	.10
40-49	PASS	carburetor choke rod and tube thru dash,			
47	COE	parking lamp wires thru radiator grille,			
49	PASS	hood control wire thru dash,			
51-56	COMM., UTIL.	gas tank meter wire,			
53-54	PASS	license plate lamp wire thru underbody,			
55-57	PASS	rear fender radio antenna (⅛ I.D. x 1 O.D.)	3708179	1	.07
41-53	PASS	headlamp wires thru lamp body, rubber			
48-53	COMM., UTILITY	(⅜ I.D. x 1¼ O.D.)	5931584	2	.11
41-46	COMM., UTIL. (exc. COE)	horn wire thru strg. gear jacket,			
47-50	COMM., UTIL. (exc. D-D, SBC),				
51-53	COMM., UTIL. (exc. D-D)	wiring harness,			
49-50	PASS	fresh air vent control cable,			
53-54	PASS. (exc. STA. WAG., SDL.)	license plate lamp wire thru body,			
55-57	COMM., UTIL. (2nd Ser.)	radio lead (⅜ I.D. x ⅝ O.D.)	3696314	1	.07
47-55	COE	fender skirt support,			
55-57	COMM., UTIL. (2nd Ser.)	fender skirt to radiator baffle,			
55-57	UTIL. (2nd Ser.)	rad. support, rubber (⅜ I.D. x 1 ⅝ O.D.)	3686411	4	.15
49-54	PASS	wiring harness and speedo. cable, rubber			
		(1 13/16 I.D. x 2¼ O.D.—2 holes)	3708180	1	.20
49-54	PASS.,				
50-56	COMM., UTIL. (exc. D-D)	throttle, oil gauge, heat ind., choke rod,			
53-57	CORV	oil gauge, heat ind. capillary tube, w/s			
		wiper, choke rod (rubber—1 7/16 O.D.—4			
		holes)	3719523	A.R.	.20
49	PASS.,				
53-54	B, C	ammeter to starting switch wiring harness,			
53-54	CORV	head lamp wires—chassis wiring harness,			
		rubber (½ I.D. x 1¼ O.D.)	3690820	A.R.	.15
51	½, ¾ TON, D-D	parking brk. rel. rod, rubber (¼ I.D. x			
52-55	COMM. (1st Ser.)	¾ O.D.)	3696521	1	.08
53-54	PASS. (exc. P.G.),				
55-57	COMM., UTIL. (2nd Ser.)	ammeter to starting switch wiring harness,			
53-57	CORV	tach., speedo. flexible shaft, rubber (1⅛			
		O.D. x ⅜ I.D.)	3699171	A.R.	.15
53-55	CORV. 6 cyl	windshield washer hoses (3 holes 11/32 dia.)	3706942	1	.25
55-56	CORV. 8 cyl	windshield washer jar to tee hose (11/32 I.D.			
		x 1 O.D.)	3718920	1	.30
54-56	ALL	hdlp. w/plastic wires (5/16 I.D. x 1 3/16 O.D.)	5942279	2	.15
54-55	UTILITY (1st Ser.) (exc. COE)	throttle, choke, w/s wiper (⅜ I.D. x 1 5/16			
		O.D.)	3710504	1	.20
55-57	PASS. (exc. STA. WAG., SDL.),				
55-57	SUB. PICK-UP	license plate lamp wire,			
55-57	PASS. w/C.A.C.	heater control valve capillary tube,			
55-57	COMM., UTIL. (8 cyl.)	throttle control rod (½ I.D. x ¾ O.D.)	3711345	A.R.	.08
55-57	PASS	ammeter to starting switch wiring harness,			
		w/s wiper control cable and heat ind.			
		capillary tube (1 5/16 O.D. x 5/16 thk.)	3723684	A.R.	.15
55	COMM., UTIL. (2nd Ser.)	ammeter to starting switch wiring harness,			
		heat ind. capill. tube, choke and throttle			
		control rod assy. (1 7/16 O.D.—4 holes			
		11/32 dia.)	3719000	A.R.	.15
55	PASS. O/D	wiring harness o/d cable,			
		ammeter to starting switch wiring,			
55	PASS	wiring harness and spd. flex. shaft,			
55	COMM., UTIL. (2nd Ser.)	(1 11/16 O.D.—4 holes)	3711872	A.R.	.18
55-56	PASS. w/C.A.C.	evaporator and heater suction line	5917329	1	.15
55-56	PASS. w/C.A.C.	evaporator and heater water outlet pipe			
		(1 3/16 lg. w/hole ⅝ dia.)	5916945	1	.20
55-56	PASS. w/C.A.C.	heater temperature control cable (oblong)	3717369	1	.30
55-56	PASS. w/C.A.C.	evaporator and heater freon inlet pipe			
		(1 11/16 lg. w/hole ⅜ dia.)	5916975	1	.20

55-57	COMM., UTIL. (2nd Ser.) (exc. D-D)	air vent. control rod (¾ O.D.—1 diagonal hole 5/32 dia.)	3688835	1	.15
56-57	COMM., UTIL. (exc. D-D)	parking lamp and headlamp wire	3728110	A R.	.15
57	PASS.	heater control valve capillary tube	3711345	1	.08
57	PASS.	windshield wiper motor control cable (⅛)	3736332	1	.15
57	PASS. (exc. STA. WAG. SDL.)	license plate lamp wire, thru rear cross member	3735341	1	.08
57	SUB-PICKUP	license plate lamp wire (½ I.D. x 1 O.D.)	3738999	1	.10
57	PASS.	speedometer flexible shaft (2 holes ½ I.D. x 1¾ O.D.)	3716224	1	.20
57	PASS.	front air duct drain tube (⅝ I.D. x 1 5/32 O.D.)	3740792	2	.05
57	PASS. w/C.A.C.	evaporator core outlet pipe	3138211	1	.25
57	PASS. w/C.A.C.	evaporator core inlet pipe	3138221	1	.15

9.777 FRAME, License Plate

55-56	PASS.		987359	1	4.50
57	PASS.		987601	1	4.25
57	PASS.	(gold plated)	987700	1	6.95

BEZEL—COVER—GASKET, Corvette Rear License Plate

53-55	CORV.	chrome	5942604	1	11.00
53-55	CORV.	COVER, (plexiglas or lucite)	5941752	1	10.25
53-55	CORV.	GASKET, rubber (8 holes—¼ dia.)	5941753	1	1.60

9.779 DEFROSTER PARTS, Windshield

38-48	PASS.,				
47-48	COMM., UTIL.	MOTOR ASSY. (use w/all defrosters)	5047531	1	6.95
38-48	PASS.	HOSE, heater def. blower (1½ I.D. x 35 in. lg.)	3119156	1	1.65
37-38	ALL,				
42-46	PASS.,				
47-54	ALL	HOSE, (1¾ I.D. x 41 lg.) (cut to length a. r.)	3119719	1	1.50
49-52	PASS.	HOSE, def., right, elbow (w/airflow htr.)	3122073	1	.55
49-57	ALL, CORV.	HOSE, defroster, left (2 I.D. x 36 long)	3125764	1	1.40
38-41	ALL,				
42-46	ALL (exc. COE),				
47-48	ALL	SWITCH ASSY., defroster (high and low)	3120407	1	1.25
39-46	COMM., UTILITY	INLET ASSY., blower	3112122	2	.55
42-48	PASS.	INLET ASSY., L., blower	3116312	1	.55
42-48	PASS.	INLET ASSY., R., blower	3116311	1	.55
47-53	COMM., UTILITY	INLET ASSY., R., defroster (1¾ dia. inlet)	3127649	1	1.25
49-52	PASS.	INLET ASSY., defroster	3122369	2	1.25
53-54	PASS.	INLET ASSY., L., defroster	3131818	1	.60
53-54	PASS.	INLET ASSY., R., defroster	3131817	1	.60
53-57	CORV.	INLET ASSY., defroster	3132000	2	1.85
53	COMM., UTILITY	INLET ASSY., L., defroster (2 dia. inlet)	3127650	1	1.25
54-55	COMM., UTILITY (1st Ser.)	INLET ASSY., R., defroster	3131354	1	.80
54-55	COMM., UTILITY (1st Ser.)	INLET ASSY., L., defroster	3131352	1	.80
55-57	COMM., UTIL. (2nd Ser.)	INLET ASSY., R., defroster (use w/987216-218)	3134290	1	1.10
55-57	COMM., UTIL. (2nd Ser.)	INLET ASSY., L., defroster (use w/987216-218)	3134291	1	1.10
41-48	PASS.	CLIP, inlet (part of 3116311-12)	3116230	2	.05
46-48	ALL	FAN ASSY., defroster (3¼ dia.)	3118913	1	1.05
49-54	ALL	FITTING, "Y" (use w/airflow heater)	3130016	1	.40
51-52	PASS.	KNOB, "DEF" (ivory)	3129275	1	.11
53-54	PASS.	KNOB, temp. control (black plastic)	3128376	1	(8.852)
55	PASS.	DUCT, right, defroster	3715560	1	4.40
55	PASS.	DUCT, left, defroster	3715559	1	4.40
55	PASS.	DUCT, center, defroster (two outlets)	3715563	1	4.60
56	PASS.	DUCT ASSY., defroster air	3723342	1	4.60
56	PASS.	BRACKET, left, defroster air duct mounting	3723345	1	.15
56	PASS.	BRACKET, right, defroster air duct mounting	3723346	1	.15

9.782 ELBOW ASSY.—COUPLING—SLEEVE—SEAL—COVER—INLET ASSY.—GASKET, Air Flow

49-52	PASS.	to cowl	3690233	1	6.35
49-54	PASS.	COUPLING, duct assy. (rubber—4 3/16 I.D. x 2 wide)	3688805	2	.30

55	PASS.	SLEEVE, right, air duct (rubber—1½ dia.)	3715562	1	.20
55	PASS.	SLEEVE, left, air duct (rubber—1⅜ dia.)	3715561	1	.20
55-56	PASS.,				
55-57	COMM., UTIL. (2nd Ser.)	SLEEVE, heater air inlet (rubber—4⅝ dia.)	3714902	1	.15
55-56	PASS.	SLEEVE, fan hsg. to core hsg. (rubber—3⅝ dia.)	3715923	1	.15
57	PASS.	SLEEVE, air duct connecting	3740984	2	.50
57	PASS.	SLEEVE, fan housing	3740118	1	.15
55-56	PASS.	INLET ASSY., heater blower	3133241	1	5.50
55-57	COMM., UTIL. (2nd Ser.)	INLET ASSY., heater blower	3717258	1	7.80
55-56	PASS.,				
57	Ser. 3-4-6	GASKET, air inlet housing (6⅞ dia.—notched)	3715546	1	.25
57	Ser. 3-4-6	SEAL, air inlet adapter to cowl (5dia.-⅜ round)	3135222	1	.10
57	PASS.	SEAL, air distribution duct (heat defroster)	3136900	1	.30
57	PASS.	COVER, rear air duct right	3734535	1	.25

9.783 GRILLE, Air Ventilator Outlet

55-57	COMM., UTIL. (2nd Ser.)	left	3716131	1	.75
55-57	COMM., UTIL. (2nd Ser.)	right	3716132	1	.65

9.784 BAFFLE, Air Flow Duct

49-50	PASS.	left	3688935	1	1.00
49-50	PASS.	right	3688936	1	1.00
51-52	PASS.	left	3694945	1	1.00
51-52	PASS.	right	3694946	1	1.00
53	PASS.	left	3697855	1	1.00
53	PASS.	right	3697856	1	1.00
57	PASS.	left	3735075	1	.75
57	PASS.	right	3735076	1	.75

9.786 DUCT—ADAPTER—VALVE—SHAFT—DISTRIBUTOR—TUBE—SEAL—HOSE, Air Flow

49-52	PASS.	right (front section)	3688772	1	1.70
49-52	PASS.	left	3690197	1	5.15
53-54	PASS.	left	3702167	1	5.15
53-54	PASS.	right	3702168	1	5.15
53-54	ALL P/S	left (rubber—27½ long)	3704092	1	3.20
55-56	PASS. w/C.A.C.	DUCT ASSY., air distribution	3720872	1	18.50
57	PASS.	DUCT, front air	3734521	2	5.15
57	PASS.	DUCT, left rear air and valve	3734529	1	6.75
57	PASS.	DUCT, right rear air and valve	3735426	1	6.75
53-54	ALL P/S	ADAPTER (6⅝ long) (use w/3704092)	3704095	1	1.35
55-56	PASS.	ADAPTER, air inlet cowl (4⅞ x 5) (use w/air flow)	3715225	1	.30
55-56	PASS.	VALVE, w/seal, blower inlet (use w/3134866)	3134740	1	1.10
55-57	COMM., UTIL. (2nd Ser.)	VALVE, w/seal, blower inlet	3134869	1	1.05
55-56	PASS.	SHAFT, w/lever blower inlet (use w/3134740)	3134866	1	.35
55-57	COMM., UTIL. (2nd Ser.)	SHAFT, w/lever, blower inlet valve	3134872	1	.55
53-54	PASS.	DISTRIBUTOR, heater (airflow)	3128358	1	2.64
57	PASS.	DISTRIBUTOR, recirculating	3138037	1	4.20
57	PASS.	DISTRIBUTOR, air flow	3136812	1	4.20
57	PASS.	TUBE, front air duct drain (air flow)	3740790	1	.65
57	PASS.	SEAL, rear air duct to dash	3740982	1	.40
57	PASS.	SEAL, front air duct to fender skirt	3734528	1	.25
57	PASS.	HOSE, (air flow)	3136910	1	.95

9.787 ROD—CABLE ASSY.—KNOB—CLAMP—CLIP—NUT—BRACKET, Air Flow Control, w/Tube

47-53	COMM., UTIL.		1990674	1	1.30
49-50	PASS.	(vent control w/knob and brkt.)	1990691	2	1.00
49-56	PASS.	(valve control cable) (47¾ wire—45 tubing)	3122070*	A.R.	.60
55-57	COMM., UTIL. (2nd Ser.)	(vent control w/knob and brkt.)	1990739†	A.R.	.95
51-52	JK, KK	(vent control w/knob and brkt.)	1990737†	2	.95
51-52	JJ, KJ	L. (vent. control w/knob and brkt.) (18¾ lg.)	1990747	1	1.00
53-54	PASS.	R. (vent. control w/knob less brkt.) (31¾ lg.)	1990751	1	.95

54-55	COMM., UTIL. (1st Ser.)	(58 lg.)	3131111	1	1.05
55	PASS.	L. (vent. control w/knob and brkt.) (23¾ lg.)	1990815	1	1.05
55	PASS.	R. (vent. control w/knob and brkt.),			
55	PASS. w/C.A.C.	evaporator air distribution duct (32 lg.)	1990816	1	1.05
55-57	CAB w/deluxe equip.	(vent. control w/knob and bracket) (50 lg.) (knob—chrome)	1990881	2	1.55
56	PASS.	(vent. control w/knob and bracket)	1990820	2	1.05
56	PASS. w/C.A.C.	air dist. duct w/knob and tube (32 lg.)	3726368	1	1.05
56	Ser. 3-4-6	w/tube, air vent. control (40⅞)	1990880	2	1.30
57	PASS.	w/tube left vent control	1990860	1	1.05
57	PASS.	w/tube right vent control	1990877	1	1.15
55	PASS.	CABLE ASSY., heater defroster inlet valve control w/one loop end (19 lg.)	3715584	1	.20
56	PASS. w/C.A.C.	CABLE ASSY., selector valve w/knob ("HEAT") (42 lg.)	3136326	1	1.25
56	PASS.	CABLE ASSY., heater and defroster control w/knob (19¼ lg.)	3726243	1	1.25
56	PASS. w/C.A.C.	CABLE ASSY., temp. control w/knob (71 lg.)	3136328	1	1.65
56	PASS. w/C.A.C.	CABLE ASSY. w/two loop ends (66½ lg.)	3136335	1	.45
56	PASS. w/C.A.C.	CABLE ASSY. w/two loop ends (51 lg.)	3136483	1	.50
56	PASS. w/C.A.C.	CABLE ASSY. w/two loop ends (37½ lg.)	3136493	1	.40
57	PASS.	CABLE ASSY., w/two loop ends (55 lg.)	3138646	1	.50
57	PASS.	CABLE ASSY., w/two loop ends (61½ lg.)	3737220	1	.50
57	PASS.	CABLE ASSY., w/two loop ends (14½ lg.)	3737221	1	.20
51-52	PASS.	KNOB, "AIR" (ivory)	3129273	1	.15
53-54	PASS.	KNOB, fan control (black plastic)	3128374	1	.15
53-54	PASS.	KNOB, air control (black plastic)	3128375	1	.15
55	PASS.,				
55-57	COMM. UTIL. (2nd Ser.)	CLAMP, heater control cable	3127015	2	.15
55	PASS.,				
55-57	COMM. UTIL. (2nd Ser.)	CLIP, vent control rod (½ x 1 grooved)	3711115	A.R.	.10
57	PASS	CLIP, heater control cable	7003137	1	(3.752) (3.841)
55	PASS.	NUT, vent. control rod ("U" shape—No. 10—12)	3712014	A.R.	.05
55-56	COMM., UTIL. (2nd Ser.) (exc. FFC)				
55-57	COMM., UTIL. (2nd Ser.)	NUT, cable to air inlet assy. (round—speed nut)	3132762	1	100/1.00
57	Ser. 3-4-6	NUT, speed air inlet valve control	3136347	1	.05
57	PASS. (exc. C.A.C.)	BRACKET ASSY., vent control rod and tube	1938341	2	.30

†NOTE: Cut off 1 15/16 for use as L.H. Vent Control.

*NOTE: 3122070 to be used for following additional applications by cutting to specified lengths:

Year	Model	Usage	Wire Length	Tubing Length
1949	PASS.	Heater Control Valve Cable	43⅝	40½
1949	PASS.	Heater Defroster Valve Cable	36⅜	33⅛
1950	PASS.	Heater Control Valve Cable	45⅝	42⅝
1950	PASS.	Heater Defroster Valve Cable	37⅝	34⅛
1951-52	PASS.	Heater Control Valve Cable	32 3/16	28⅜
1951-52	PASS.	Heater Defroster Valve Cable	28⅝	25⅛
1951-52	PASS.	Heater Air Valve Cable	36¼	32⅝
1953-54	PASS.	Heater Defroster Valve Cable	17¼	13¼
1953-54	PASS.	Recirculating Door Control Cable	30	25
1953-54	PASS.	Heater Temperature Control Cable	37	33
1955	PASS.	Heater Control Valve Cable	38	34½
1955-56	PASS. w/C.A.C.	Heater Defroster Valve Cable	17¾	15¼
1955-56	PASS. w/C.A.C.	Heater Temperature Control Cable	24½	22
1955-56	PASS. w/C.A.C.	Evaporator Control Cable	30	27
1955-56	PASS. w/C.A.C.	Evaporator Outside Air Control Cable	30¾	27¾
1955	COMM., UTIL. (2nd Ser.)	Heater Temperature Control Cable	43	40
1955	COMM., UTIL. (2nd Ser.)	Heater Air Valve Cable	33	30
1955	COMM., UTIL. (2nd Ser.)	Heater Defroster Valve Cable	8	5½
1956	PASS.	Heater Temperature Control Cable	38¼	30⅜
1956	PASS.	Heater Defroster Inlet Valve Cable	18	15
1956	PASS.	Heater Inlet Valve Control Cable	37⅝	34⅝

9.795 CONTROL—HOUSING—SEAL—RETAINER—VALVE, Air Flow Heater

47-55	COMM., UTILITY (1st Ser.)	(ranco valve)	3119612	1	10.75
49-52	PASS.	(ranco valve)	3125537	1	8.20
53-54	PASS.	(ranco valve)	3129491	1	8.20

55-57	PASS. (exc. C.A.C.),				
55-57	COMM., UTIL. (2nd Ser.)	(ranco valve)	3134209	1	7.45
55-56	PASS. w/C.A.C.	(ranco valve)	3727607	1	14.95
57	Ser. 3-4-6	temperature	3138019	1	7.90
55-56	PASS. w/C.A.C.	HOUSING, heater control valve	3715859	1	1.05
55-56	PASS. w/C.A.C.	SEAL, heater control valve (rubber—2⅛ x 3 1/16 w/2 holes)	3715860	1	.30
57	PASS.	SEAL, valve	3737572	1	.10
55-56	PASS. w/C.A.C.	RETAINER, heater control valve seal (steel—2 x 3 w/2 holes)	3719083	1	.15
57	PASS.	VALVE	3138018	1	6.55

9.806 ROD ASSY., Air Flow Heater Temperature Control

47-53	COMM., UTILITY		3119614	1	.75

9.810 VALVE ASSY.—SHAFT—WASHER, Air Flow Ventilator

49-50	PASS.	in left hand duct	3688863	1	1.70
49-50	PASS.,				
53-54	PASS.	right	3702022	1	1.70
51-52	PASS.	right or left,			
53-54	PASS.	left	3695657	2	1.70
55-56	PASS.,				
55-57	COMM., UTIL. (2nd Ser.) (exc. FFC)	left	3711117	1	1.20
55-56	PASS.	right	3711118	1	1.15
55-57	COMM., UTIL. (2nd Ser.) (exc. FFC)	right	3716122	1	1.70
55	PASS. w/C.A.C.	assembly	3715769	1	(9.218)
55 56	PASS. w/C.A.C.	recirculating air inlet (2½ x 7)	3715771	1	(9.218)
55-56	PASS. w/C.A.C.	SHAFT, fresh air inlet valve (11 31/32 O.L.)	3715766	1	(9.218)
55	PASS. w/C.A.C.	WASHER, air inlet valve shaft (¼ I.D. x 13/32 O.D.)	3716882	1	(9.218)


9.988 LAMP, Rear Luggage Compartment

57	PASS. (exc. STA. WAG., SDL.)		987622	1	2.10

PASSENGER
BODY PARTS SECTION
Models—1929-1957

The identifying Job numbers used to designate model usage in this Passenger Body section are identical with the style number appearing on the Body Name Plate. This style number may be interpreted to give complete information as to the year, Model Series and type of Body, as shown below.

All correspondence and orders should include the information shown on the name-plate, which is located as follows: 1929 to 1936—Plate is on R.H. body sill under floor mat. (Except for roadster and phaeton—on these jobs the Plate is attached to the R.H. side seat frame.)—1937 to 1957—Plate is on R.H. side of cowl under hood.



All Models including Convertible, Station Wagon, and Sedan Delivery are referred to as PASSENGER.

Convertible . . . . . Conv.	Sedan Delivery . . . . . Sdl.
Bel Air . . . . . B-A	Coupe . . . . . Cpe.
Sport Coupe . . . . . Spt. Cpe.	Station Wagon (Steel) . . . . . Sta. Wag. (S)
Station Wagon (Wood) . . . Sta. Wag. (W)	Sport Sedan . . . . . Spt. Sed.
	Sport Models . . . . . Spt. Mdls.

See Chart immediately following this page for typical listings of models by number.

See Passenger Body Model Number Sheet for Model Numbers

Commercial Body Model Identification Sheet Shown at Group 16.000

Windshield 10.027
Doors 10.351
Front Door Ventilator 10.650
Door Window Regulator 10.783
Seat Adjuster 11.561
Rear Compartment Lid 12.181
Wood Parts 12.428
Braces and Brackets 12.650
Body Sheet Metal 12.803
Folding Top 13.346
Trim Assemblies 14.630
Seat Cushions and Trim 14.799
Floor Mats and Carpets 15.286
Trim Yardage 15.490-15.534

The following chart will serve to clarify the model abbreviations as listed in the Body Section of the Chevrolet Parts and Accessories Catalog.

MODEL REFERENCE CHART—1949-1957 MODELS

CODE	MODELS							
	1949	1950-51	1952	1953	1954	1955	1956	1957
FLEETLINE	1007 1008 1207 1208	1007 1008 1207 1208	1007					
BEL AIR		1037	1037	1011WD 1037D 1067D 1069WD	1011WD 1037D 1062D 1067D 1069WD	1011D 1019D 1037D 1062D 1064DF 1067D	1011D 1019D 1037D 1039D 1062DF 1064DF 1067D	1011D 1019D 1037D 1039D 1062DF 1064DF 1067D
STATION WAGON	1061 1062	1062	1062	1062 1062F 1262F	1062D 1062F 1262F	1062F 1062DF 1063F 1064DF 1263F	1062F 1062DF 1062FC 1063F 1064DF 1263F	1062F 1062DF 1062FC 1063F 1064DF 1263F
SPORT COUPE				1037 1037D	1037D	1037 1037D	1037 1037D	1037 1037D
SPORT SEDAN							1039 1039D	1039 1039D
SPORT MODELS						1037 1037D 1064DF 1067D	1037 1037D 1039 1039D 1064DF 1067D	1037 1037D 1039 1039D 1064DF 1067D
SERIES 1000	1007 1008 1011 1027 1061 1062 1067 1069	1007 1008 1011 1027 1037 1062 1067 1069	1007 1011 1027 1037 1062 1067 1069	1011W 1011WD 1027 1037 1037D 1062 1062F 1067 1067D 1069W 1069WD	1011W 1011WA 1011WD 1037D 1062D 1062F 1067D 1069W 1069WD	1011 1011A 1011D 1019 1019D 1037 1037D 1062F 1062DF 1063F 1064DF 1067D	1011 1011A 1011D 1019 1019D 1037 1037D 1039 1039D 1062F 1062FC 1062DF 1063F 1064DF 1067D	1011 1011A 1011D 1019 1019D 1037 1037D 1039 1039D 1062F 1062FC 1062DF 1063 1064DF 1067D
SERIES 1200	1207 1208 1211 1227 1227B 1269 1271	1207 1208 1211 1227 1227B 1269 1271	1211 1227 1227B 1269 1271	1211 1227 1227B 1262F 1269 1271	1211W 1211WB 1262F 1269W 1271	1211 1211B 1219 1263F 1271	1211 1211B 1219 1263F 1271	1211 1211B 1219 1263F 1271

MODEL REFERENCE CHART—1949-1957 MODELS (Continued)

CODE	MODELS							
	1949	1950-51	1952	1953	1954	1955	1956	1957
2 DOORS	1007 1011 1027 1067 1207 1211 1227 1227B 1271	1007 1011 1027 1037 1067 1207 1211 1227 1227B 1271	1007 1011 1027 1037 1067 1211 1227 1227B 1271	1011W 1011WD 1027 1037 1037D 1067 1067D 1211 1227 1227B 1271	1011W 1011WA 1011WD 1037D 1037D 1211W 1211WB 1271	1011 1011A 1011D 1037 1037FD 1063F 1064DF 1067D 1211 1211B 1263F 1271	1011 1011A 1011D 1037 1037D 1063F 1064DF 1067D 1211 1211B 1263F 1271	1011 1011A 1011D 1037 1037D 1063 1064DF 1067 1211 1211B 1263F 1271
4 DOORS	1008 1061 1062 1069 1208 1269	1008 1062 1069 1208 1269	1062 1069 1269	1062 1062F 1069W 1069WD 1262F 1269	1062D 1062F 1069W 1069WD 1262F 1269W	1019 1019D 1062F 1062DF 1219	1019 1019D 1039 1039D 1062F 1062DF 1062FC 1219	1019 1019D 1039 1039D 1062F 1062DF 1062FC 1219
COUPES	1027 1227 1227B	1027 1227 1227B	1027 1227 1227B	1027 1037 1037D 1227 1227B	1011WA 1037D	1011A 1037 1037D	1011A 1037 1037D	1011A 1037 1037D
1011	1011	1011	1011	1011W 1011WD	1011W 1011WA 1011WD	1011 1011A 1011D	1011 1011A 1011D	1011 1011A 1011D
1019						1019 1019D	1019 1019D	1019 1019D
1062	1062	1062	1062	1062 1062F	1062D 1062F	1062F 1062DF	1062F 1062DF 1062FC	1062 1062DF 1062FC
1069	1069	1069	1069	1069W 1069WD	1069W 1069WD			
1211	1211	1211	1211	1211	1211W 1211WB	1211 1211B	1211 1211B	1211 1211B

PASSENGER BODY MODEL NUMBERS

This list will identify body styles with designated job numbers, to which some part listing will refer to in this section of the Parts Book. The nameplate on the car will furnish the body model numbers, serial number, trim combination number, and paint combination number. Refer to Paint Combination Chart, in Supplementary Data Section, for detailed information as to colors and Duco numbers.

1929

Model No.	Body Style	Model
8890	Convertible	Inter.
8870	Coach	Inter.
8840	Coupe—Sport	Inter.
8880	Coupe—Standard	Inter.
8860	Landau—Imperial	Inter.
8910	Sedan—Imperial	Inter.
8850	Sedan—Standard	Inter.
8900	Sedan—Delivery	Inter.

1930

30551	Coach	Univ.
30558	Coupe—Sport	Univ.
30557	Coupe—Standard	Univ.
30552	Sedan—Club	Univ.
30569	Sedan—Special	Univ.
30559	Sedan—Standard	Univ.
30570	Sedan—Delivery	Univ.

1931

31568	Convertible	Indep.
31551	Coach	Indep.
31572	Coupe—5-Pass.	Indep.
31567	Coupe—5-Window	Indep.
31558	Coupe—Sport	Indep.
31557	Coupe—Standard	Indep.
31571	Phaeton—Landau	Indep.
31569	Sedan—Special	Indep.
31559	Sedan—Standard	Indep.
31570	Sedan—Delivery	Indep.

1932

32568	Convertible	Confed.
32551	Coach	Confed.
32572	Coupe—5-Pass.	Confed.
32567	Coupe—5-Window	Confed.
32558	Coupe—Sport	Confed.
32557	Coupe—Standard	Confed.
32571	Phaeton—Landau	Confed.
32569	Sedan—Special	Confed.
32559	Sedan—Standard	Confed.
32570	Sedan—Delivery	Confed.

1933

33568	Convertible	Mas.
33551	Coach	Mas.
33601	Coach	Std.
33567	Coupe—5-Window	Mas.
33578	Coupe—Sport	Mas.
33628	Coupe—Sport	Std.
33607	Coupe—Standard	Std.
33559	Sedan—Standard	Mas.
33581	Sedan—Town	Mas.
33570	Sedan—Delivery	Mas.

1934

Model No.	Body Style	Model
34568	Convertible	Mas.
34551	Coach	Mas.
34601	Coach	Std.
*351201	Coach	Std.
34567	Coupe—5-Window	Mas.
34578	Coupe—Sport	Mas.
34607	Coupe—Standard	Std.
*351207	Coupe—Standard	Std.
34569	Sedan—Sport	Mas.
34559	Sedan—Standard	Mas.
*351209	Sedan—Standard	Std.
34581	Sedan—Town	Mas.
34570	Sedan—Delivery	Mas.
*351271	Sedan—Delivery	Std.

1935

351000	All	Master Series
351200	All	Standard Series
351001	Coach	Mas.
†351201A	Coach	Std.
351017	Coupe—5-Window	Mas.
351057	Coupe—Sport	Mas.
†351207A	Coupe—Standard	Std.
351019	Sedan—Sport	Mas.
351009	Sedan—Standard	Mas.
†351209A	Sedan—Standard	Std.
351011	Sedan—Town	Mas.
†351271A	Sedan—Delivery	Std.

1936

361000	All	Master Series
361200	All	Standard Series
361267	Convertible	Std.
361001	Coach	Mas.
°361201	Coach	Std.
361017	Coupe—5-Window	Mas.
361217	Coupe—5-Window	Std.
361057	Coupe—Sport	Mas.
361019	Sedan—Sport	Mas.
°361219	Sedan—Sport	Std.
361009	Sedan—Standard	Mas.
361209	Sedan—Standard	Std.
361011	Sedan—Town	Mas.
361211	Sedan—Town	Std.
361271	Sedan—Delivery	Std.

1937

371000	All	DeLuxe Master Series
371200	All	Master Series
371067	Convertible	D. Mas.
371001	Coach	D. Mas.
371201	Coach	Mas.
371017	Coupe—5-Window	D. Mas.
371217	Coupe—5-Window	Mas.
371087	Coupe—Sport	D. Mas.

*1935 Style Bodies on 1934 "DC" Chassis.
†1935 Style Bodies on 1935 "EC" Chassis.
°Standard Jobs having the Letter "Z" after the Body Model Number are equipped with Steel Doors.

PASSENGER BODY MODEL NUMBERS (Cont.)

1937 (Cont.)

Model No.	Body Style	Mode
371019	Sedan—Sport	D. Mas.
371219	Sedan—Sport	Mas.
371009	Sedan—Standard	D. Mas.
371209	Sedan—Standard	Mas.
371011	Sedan—Town	D. Mas.
371211	Sedan—Town	Mas.
371271	Sedan—Delivery	Mas.

1938

381000	All	DeLuxe Master Series
381200	All	Master Series
381067	Convertible	D. Mas.
381001	Coach	D. Mas.
381201	Coach	Mas.
381017	Coupe—5-Window	D. Mas.
381217	Coupe—5-Window	Mas.
381087	Coupe—Sport	D. Mas.
381019	Sedan—Sport	D. Mas.
381219	Sedan—Sport	Mas.
381009	Sedan—Standard	D. Mas.
381209	Sedan—Standard	Mas.
381011	Sedan—Town	D. Mas.
381211	Sedan—Town	Mas.
381271	Sedan—Delivery	Mas.

1939

391000	All	DeLuxe Master Series
391200	All	Master "85" Series
391001	Coach	D. Mas.
391201	Coach	Mas. "85"
391017	Coupe—5-Window	D. Mas.
391217	Coupe—5-Window	Mas. "85"
391027	Coupe—w/Aux. Seats	D. Mas.
391019	Sedan—Sport	D. Mas.
391219	Sedan—Sport	Mas. "85"
391009	Sedan—Standard	D. Mas.
391209	Sedan—Standard	Mas. "85"
391011	Sedan—Town	D. Mas.
391211	Sedan—Town	Mas. "85"
391271	Sedan—Delivery	Mas. "85"

1940

401000	All	Special DeLuxe Series
401500	All	Master DeLuxe Series
401200	All	Master "85" Series
401067	Convertible	Spec. DeL.
401017	Coupe	Spec. DeL.
401517	Coupe	Mas. DeL.
401217	Coupe	Mas. "85"
401027	Coupe—w/Aux. Seat	Spec. DeL.
401527	Coupe—w/Aux. Seat	Mas. DeL.
401019	Sedan—Sport	Spec. DeL.
401519	Sedan—Sport	Mas. DeL.
401219	Sedan—Sport	Mas. "85"
401011	Sedan—Town	Spec. DeL.
401511	Sedan—Town	Mas. DeL.
401211	Sedan—Town	Mas. "85"
401571	Sedan Delivery	Mas. DeL.
401271	Sedan Delivery	Mas. "85"

1941

Model No.	Body Style	Model
411000	All	Special DeLuxe Series
411200	All	Master DeLuxe Series
411067	Convertible	Spec. DeL.
411027	Coupe—4-Pass.	Spec. DeL.
411227	Coupe—4-Pass.	Mas. DeL.
411027B	Coupe—2-Pass.	Spec. DeL.
411227B	Coupe—2-Pass.	Mas. DeL.
411227P	Coupe—2-Pass. w/Pick-Up Box	Mas. DeL.
411019	Sedan—Sport, 4 Door	Spec. DeL.
411219	Sedan—Sport, 4 Door	Mas. DeL.
411069	Sedan—Fl. Line, 4-Dr.	Spec. DeL.
411011	Sedan—Town, 2 Door	Spec. DeL.
411211	Sedan—Town, 2 Door	Mas. DeL.
411271	Sedan Delivery	Mas. DeL.

1942

421000	All	Special DeLuxe Series Fleetline
421200	All	Master DeLuxe Series
421007	Aerosedan	Fleetline
421069	Sedan—4-Door	Fleetline
421067	Convertible	Spec. DeL.
421027	Coupe—4-Pass.	Spec. DeL.
421227	Coupe—4-Pass.	Mas. DeL.
421027B	Coupe—2-Pass.	Spec. DeL.
421227B	Coupe—2-Pass.	Mas. DeL.
421227P	Coupe—2-Pass. w/Pick-Up Box	Mas. DeL.
421019	Sedan—Sport, 4-Door	Spec. DeL.
421219	Sedan—Sport, 4-Door	Mas. DeL.
421011	Sedan—Town, 2-Door	Spec. DeL.
421211	Sedan—Town, 2-Door	Mas. DeL.
421271	Sedan Delivery	Mas. DeL.

1946

461000	All	Fleetmaster Fleetline
461200	All	Stylemaster
461007	Aerosedan	Fleetline
461069	Sedan—4-Door	Fleetline
461067	Convertible	Spec. DeL.
461027	Coupe—4-Pass.	Fl. Master
461227	Coupe—4-Pass.	St. Master
461227B	Coupe—2-Pass.	St. Master
461019	Sedan—Sport, 4-Door	Fl. Master
461219	Sedan—Sport, 4-Door	St. Master
461011	Sedan—Town, 2-Door	Fl. Master
461211	Sedan—Town, 2-Door	St. Master
461271	Sedan Delivery	St. Master

1947

471000	All	Fleetmaster Fleetline
471200	All	Stylemaster
471007	Aerosedan	Fleetline
471069	Sedan—4-Door	Fleetline
471067	Convertible	Fl. Master
471027	Coupe—6-Pass.	Fl. Master
471227	Coupe—6-Pass.	St. Master
471227B	Coupe—3-Pass.	St. Master
471019	Sedan—Sport, 4-Door	Fl. Master

PASSENGER BODY MODEL NUMBERS (Cont.)

1947 (Cont.)

Model No.	Body Style	Model
471219	Sedan—Sport, 4-Door	St. Master
471011	Sedan—Town, 2-Door	Fl. Master
471211	Sedan—Town, 2-Door	St. Master
471271	Sedan Delivery	St. Master

1948

481000	All	Fleetmaster Fleetline
481200	All	Stylemaster
481007	Aerosedan	Fleetline
481069	Sedan—4-Door	Fleetline
481067	Convertible	Fl. Master
481027	Coupe—6-Pass.	Fl. Master
481227	Coupe—6-Pass.	St. Master
481227B	Coupe—3-Pass.	St. Master
481019	Sedan—Sport, 4-Door	Fl. Master
481219	Sedan—Sport, 4-Door	St. Master
481011	Sedan—Town, 2-Door	Fl. Master
481211	Sedan—Town, 2-Door	St. Master
481271	Sedan Delivery	St. Master

1949

491000	(2100)	All	Fleetline DeLuxe Styleline DeLuxe
491200	(1500)	All	Fleetline Spec. Styleline Spec.
491007	(2152)	Sedan—2-Door	Fl. DeL.
491207	(1552)	Sedan—2-Door	Fl. Spec.
491008	(2153)	Sedan—4-Door	Fl. DeL.
491208	(1553)	Sedan—4-Door	Fl. Spec.
491067	(2134)	Convertible	St. DeL.
491027	(2124)	Coupe—6-Pass.	St. DeL.
491227	(1524)	Coupe—6-Pass.	St. Spec.
491227B	(1504)	Coupe—3-Pass.	St. Spec.
491011	(2102)	Sedan—2-Door	St. DeL.
491211	(1502)	Sedan—2-Door	St. Spec.
491069	(2103)	Sedan—4-Door	St. DeL.
491269	(1503)	Sedan—4-Door	St. Spec.
491061	(2109)	Station Wagon (Wood)	St. DeL.
491062	(2119)	Station Wagon (Steel)	St. DeL.
491271	(1508)	Sedan Delivery	St. Spec.

1950

501000	(2100)	All	Fleetline DeLuxe Styleline DeLuxe
501200	(1500)	All	Fleetline Special Styleline Special
501007	(2152)	Sedan—2-Door	Fl. DeL.
501207	(1552)	Sedan—2-Door	Fl. Spec.
501008	(2153)	Sedan—4-Door	Fl. DeL.
501208	(1553)	Sedan—4-Door	Fl. Spec.
501067	(2134)	Convertible	St. DeL.
501037	(2154)	Bel Air	St. DeL.
501027	(2124)	Coupe—6-Pass.	St. DeL.
501227	(1524)	Coupe—6-Pass.	St. Spec.
501227B	(1504)	Coupe—3-Pass.	St. Spec.
501011	(2102)	Sedan—2-Door	St. DeL.
501211	(1502)	Sedan—2-Door	St. Spec.
501069	(2103)	Sedan—4-Door	St. DeL.
501269	(1503)	Sedan—4-Door	St. Spec.
501062	(2119)	Station Wagon	St. DeL.
501271	(1508)	Sedan Delivery	St. Spec.

1951

511000	(2100)	All	Fleetline DeLuxe Styleline DeLuxe
511200	(1500)	All	Fleetline Special Styleline Special
511007	(2152)	Sedan—2-Door	Fl. DeL.
511207	(1552)	Sedan—2-Door	Fl. Spec.
511008	(2153)	Sedan—4-Door	Fl. DeL.
511208	(1553)	Sedan—4-Door	Fl. Spec.
511067	(2134)	Convertible	St. DeL.
511037	(2154)	Bel Air	St. DeL.
511027	(2124)	Coupe—6-Pass.	St. DeL.
511227	(1524)	Coupe—6-Pass.	St. Spec.
511227B	(1504)	Coupe—3-Pass.	St. Spec.
511011	(2102)	Sedan—2-Door	St. DeL.
511211	(1502)	Sedan—2-Door	St. Spec.
511069	(2103)	Sedan—4-Door	St. DeL.
511269	(1503)	Sedan—4-Door	St. Spec.
511062	(2119)	Station Wagon	St. DeL.
511271	(1508)	Sedan Delivery	St. Spec.

1952

521000	(2100)	All	Fleetline DeLuxe Styleline DeLuxe
521200	(1500)	All	Styleline Special
521007	(2152)	Sedan—2-Door	Fl. DeL.
521067	(2134)	Convertible	St. DeL.
521037	(2154)	Bel Air	St. DeL.
521027	(2124)	Coupe—6-Pass.	St. DeL.
521227	(1524)	Coupe—6-Pass.	St. Spec.
521227B	(1504)	Coupe—3-Pass.	St. Spec.
521011	(2102)	Sedan—2-Door	St. DeL.
521211	(1502)	Sedan—2-Door	St. Spec.
521069	(2103)	Sedan—4-Door	St. DeL.
521269	(1503)	Sedan—4-Door	St. Spec.
521062	(2119)	Station Wagon	St. DeL.
521271	(1508)	Sedan Delivery	St. Spec.

1953

531000	(2400, 2100)	All	Bel Air Two-Ten
531200	(1500)	All	One-Fifty
531011WD	(2402)	Sedan—2-Door	Bel Air
531037D	(2454)	Sport Coupe	Bel Air
531067D	(2434)	Convertible	Bel Air
531069WD	(2403)	Sedan—4-Door	Bel Air
531011W	(2102)	Sedan—2-Door	Two-Ten
531027	(2124)	Club Coupe	Two-Ten
531037	(2154)	Sport Coupe	Two-Ten
531062	(2119)	Station Wagon "Townsman" (8 Pass.)	Two-Ten
531062F	(2109)	Station Wagon "Handyman" (6 Pass.)	Two-Ten
531067	(2134)	Convertible	Two-Ten
531069W	(2103)	Sedan—4-Door	Two-Ten
531211	(1502)	Sedan—2-Door	One-Fifty
531227	(1524)	Club Coupe	One-Fifty
531227B	(1504)	Business Coupe	One-Fifty
531262F	(1509)	Station Wagon "Handyman" (6 Pass.)	One-Fifty
531269	(1503)	Sedan—4-Door	One-Fifty
531271	(1508)	Sedan Delivery	One-Fifty

PASSENGER BODY MODEL NUMBERS (Cont.)

1954

Model No.	Body Style	Model
541000	(2400, 2100) All	Bel Air / Two-Ten
541200	(1500) All	One-Fifty
541011WD	(2402) Sedan—2-Door	Bel Air
541037D	(2454) Sport Coupe	Bel Air
541067D	(2434) Convertible	Bel Air
541069WD	(2403) Sedan—4-Door	Bel Air
541062D	(2419) Station Wagon "Townsman" (8 Pass.)	Bel Air
541011W	(2102) Sedan—2-Door	Two-Ten
541011WA	(2124) Club Coupe	Two-Ten
541062F	(2109) Station Wagon "Handyman" (6 Pass.)	Two-Ten
541069W	(2103) Sedan—4-Door	Two-Ten
541211W	(1502) Sedan—2-Door	One-Fifty
541211WB	(1512) Utility Sedan	One-Fifty
541262F	(1509) Station Wagon "Handyman" (6-Pass.)	One-Fifty
541269W	(1503) Sedan—4-Door	One-Fifty
541271	(1508) Sedan Delivery	One-Fifty

1955


Model No.	Body Style	Model
551000	(2400, 2100) All	Bel Air / Two-Ten
551200	(1500) All	One-Fifty
551011D	(2402) Sedan—2-Door	Bel Air
551019D	(2403) Sedan—4-Door	Bel Air
551037D	(2454) Sport Coupe	Bel Air
551067D	(2434) Convertible	Bel Air
551062DF	(2409) Station Wagon "Beauville" (4-Door)	Bel Air
551064DF	(2429) Station Wagon "Nomad" (2-Door)	Bel Air
551011	(2102) Sedan—2-Door	Two-Ten
551011A	(2124) Club Coupe	Two-Ten
551019	(2103) Sedan—4-Door	Two-Ten
551037	(2154) Sport Coupe	Two-Ten
551062F	(2109) Station Wagon "Townsman" (4-Door)	Two-Ten
551063F	(2129) Station Wagon "Handyman" (2-Door)	Two-Ten
551211	(1502) Sedan—2-Door	One-Fifty
551211B	(1512) Utility Sedan	One-Fifty
551219	(1503) Sedan—4-Door	One-Fifty
551263F	(1529) Station Wagon "Handyman" (2-Door)	One-Fifty
551271	(1508) Sedan Delivery	One-Fifty


1956


Model No.	Body Style	Model
561000	(2400, 2100) All	Bel Air / Two-Ten
561200	(1500) All	One-Fifty
561011D	(2402) Sedan—2-Door	Bel Air
561019D	(2403) Sedan—4-Door	Bel Air
561037D	(2454) Sport Coupe	Bel Air
561039D	(2413) Sport Sedan	Bel Air
561067D	(2434) Convertible	Bel Air
561062DF	(2419) Station Wagon— "Beauville" (9 Pass.)	Bel Air
561064DF	(2429) Station Wagon— "Nomad" (2-Door)	Bel Air
561011	(2102) Sedan—2-Door	Two-Ten
561011A	(2124) Club Coupe	Two-Ten
561019	(2103) Sedan—4-Door	Two-Ten
561037	(2154) Sport Coupe	Two-Ten
561039	(2113) Sport Sedan	Two-Ten
561062F	(2109) Station Wagon— "Townsman" (4-Door)	Two-Ten
561062FC	(2119) Station Wagon— "Beauville" (9 Pass.)	Two-Ten
561063F	(2129) Station Wagon— "Handyman" (2-Door)	Two-Ten
561211	(1502) Sedan—2-Door	One-Fifty
561211B	(1512) Utility Sedan	One-Fifty
561219	(1503) Sedan—4-Door	One-Fifty
561263F	(1529) Station Wagon— "Handyman" (2-Door)	One-Fifty
561271	(1508) Sedan Delivery	One-Fifty
	(2934) Convertible (2 Pass.)	Corvette


1957

Model No.	Body Style	Model
571000	(2400, 2100) All	Bel Air / Two Ten
571200	(1500) All	One-Fifty
571011D	(2402) Sedan—2 Door	Bel Air
571019D	(2403) Sedan—4 Door	Bel Air
571037D	(2454) Sport Coupe	Bel Air
571039D	(2413) Sport Sedan	Bel Air
571067D	(2434) Convertible	Bel Air
571062DF	(2409) Station Wagon "Townsman" (6 Pass.)	Bel Air
571064DF	(2429) Station Wagon "Nomad" (2-Door)	Bel Air
571011	(2102) Sedan—2 Door	Two-Ten
571011A	(2124) Club Coupe	Two-Ten
571019	(2103) Sedan—4 Door	Two-Ten
571037	(2154) Sport Coupe	Two-Ten
571039	(2113) Sport Sedan	Two-Ten
571062F	(2109) Station Wagon "Townsman" (4-Door)	Two-Ten
571062FC	(2119) Station Wagon "Beauville" (9-Pass.)	Two-Ten
571063F	(2129) Station Wagon "Handyman" (2-Door)	Two-Ten
571211	(1502) Sedan—2-Door	One-Fifty
571211B	(1512) Utility Sedan	One-Fifty
571219	(1503) Sedan—4-Door	One-Fifty
571263F	(1529) Station Wagon "Handyman" (2-Door)	One-Fifty
571271	(1508) Sedan Delivery	One-Fifty
	(2934) Convertible (2-Pass.)	Corvette



10.093 MOULDING
10.674 DEFLECTOR
10.354 TRANSFER
10.052 MOULDING
10.658 GLASS
10.686 CHANNEL
10.354 TRANSFER
11.011 GLASS
11.008 CHANNEL
8.055 ORNAMENT
10.093 MOULDING
10.681 GLASS
10.741 GLASS
12.810 TOP
12.075 MOULDING
11.011 GLASS
8.015 MOULDING
8.000 HOOD
10.027 GLASS
12.116 MOULDING
2.728 MOULDING
8.015 MOULDING
7.828 GUARD
2.727 SEAL BEAM
2.585 LAMP
7.828 GUARD
7.874 BOLT
1.287 PANEL
8.132 MOULDING
5.858 CAP
8.147 PLATE
10.655 CHANNEL
10.351 DOOR
10.373 DOOR
12.114 SHIELD
10.527 HANDLE
12.940 PANEL
7.831 FACE BAR
7.831 FACE BAR
5.803 WHEEL
8.130 FENDER
12.112 MOULDING
12.112 MOULDING
10.527 HANDLE
12.934 PANEL
8.304 MOULDING
12.114 MOULDING
8.175 PANEL
7.874 BOLT


12.269 WEATHERSTRIP
12.178 FRAME ASSY.
12.242 LOCK W/HANDLE
12.184 HINGE
12.810 PANEL
12.237 PLATE
11.119 MOULDING
11.380 RETAINER
15.100 PANEL
12.116 MOULDING
3.028 CAP
12.944 PANEL
11.380 STOP
12.579 BOARD
15.306 MAT
12.203 SUPPORT
15.306 MAT
12.237 PLATE
12.269 W/STRIP
12.237 STRIKER
15.520 WEATHERCORD
12.203 SUPPORT
11.370 MOULDING
12.242 LOCK
12.237 PLATE
12.269 W/STRIP
7.831 BAR
7.874 BOLT
3.705 PIPE
12.237 PLATE
7.828 GUARD
12.179 GATE ASSY.
1953



12.178
FRAME ASSY.
12.237
STRIKER
12.180
GLASS
12.269
W/STRIP
12.184
HINGE
12.492 PANEL
(METAL)
11.380
RETAINER-COVER
12.203
SUPPORT
15.520
W/CORD
15.100
PANEL
11.011
GLASS
14.818
MOULDING
11.031
MOULDING
12.195
GUIDE
12.212
BUMPER
2.682 LENS
10.569
STRIKER
PLATE
14.818
MOULDING
12.944
PANEL
15.306
MAT
12.203
SUPPORT
12.195
MOULDING
12.269
W/STRIP
11.370
MOULDING
12.269
W/STRIP
12.579
BOARD
3.705
PIPE
12.237
PLATE
12.242
LOCK W/HANDLE
12.179
GATE ASSY.
7.828
GUARD
7.831
BAR
7.874
BOLT



8.055 ORNAMENT
8.000 PANEL
10.307 PANEL
10.093 MOULDING
10.654 MOULDING
10.686 CHANNEL
10.681 GLASS
12.075 SCALP MOULDING
12.810 PANEL
11.011 GLASS
11.011 GLASS
11.031 MOULDING
12.182 NOMAD PLATE
12.944 PANEL
12.195 VERTICAL MLDG.
12.114 EMBLEM
2.679 LAMP
2.682 LENS
2.680 ORNAMENT
2.681 DOOR
8.130 FENDER
8.132 MOULDING
2.727 SEALED BEAM
2.728 MOULDING
2.585 LAMP
7.828 GUARD
7.831 BAR
8.131 FENDER EXT.
5.803 WHEEL
5.858 CAP
8.132 MOULDING
10.658 GLASS
10.351 DOOR
12.112 MOULDING
10.707 MOULDING
10.527 HANDLE
10.550 CYL. LOCK
11.010 HANDLE
12.940 OUTER PANEL
11.031 MOULDING
12.944 DOOR
7.831 BAR

1956 NOMAD STATION WAGON




1957 NOMAD STATION WAGON





8.130 FENDER
10.351 DOOR
10.527 HANDLE
10.707 MOULDING
10.772 MOULDING
11.031 MOULDING
12.180 MOULDING
12.180 GLASS
12.810 PANEL
8.132 MOULDING
8.147 LOUVER
12.178 FRAME ASSY.
12.116E MOULDING
7.831 BAR
5.858 CAP
12.242 LOCK W/HANDLE
12.112B MOULDING
12.114B MOULDING
8.304 MOULDING
2.679 LAMP ASSY.
12.114B MOULDING
12.114 INSERT
12.940 PANEL
12.116B MOULDING
12.116B INSERT
12.116C ORNAMENT
12.116C EMBLEM
2.697 COVER
12.944 DOOR
12.246 ORNAMENT
12.182 PLATE
7.828 GUARD
7.831 BAR
12.184 HINGE
12.179 GATE ASSY.
7.831 BAR


1957 BEL AIR STATION WAGON (REAR VIEW)




1955 BEL AIR SPORT COUPE INTERIOR





1955 BEL AIR 4-DOOR SEDAN INTERIOR








1956 BEL AIR SPORT COUPE INTERIOR


11.208 MOULDING
12.810 PANEL
11.120 MOULDING
14.651 MOULDING
15.388 HOOK
10.512 HANDLE
11.089 MOULDING
12.075 SCALP
10.797 HANDLE
10.559 KNOB
14.730 CAP
14.651 MOULDING
10.658 GLASS
10.721 W/STRIP
11.204 GLASS
10.203 SUNSHADE
14.760 TRIM
10.051 MOULDING
14.804 BUTTON
10.185 MIRROR
10.569 STRIKER
10.093 MOULDING
15.000 TRIM
10.656 MOULDING
15.035 TRIM
14.665 W/CORD
14.764 MOULDING
10.051 MOULDING
5.803 WHEEL
10.686 CHANNEL & SCALP
5.858 CAP
12.804 AIR DUCT
15.520 W/CORD
10.797 HANDLE
12.113 MOULDING
11.179 PLATE
10.569 STRIKER
15.306 CARPET
14.860 TRIM
11.175 PLATE
14.818 MOULDING
14.880 TRIM
14.691 MOULDING
15.300 CARPET
14.685 PAD



12.810 PANEL
11.120 MOULDING
14.686 ARM REST
15.388 HOOK
10.512 HANDLE
11.089 MOULDING
10.797 HANDLE
14.730 CAP
11.075 MOULDING
10.686 CHANNEL
12.075 SCALP
6.513 WHEEL
10.203 SUNSHADE
10.051 MOULDING
10.093 MOULDING
10.027 GLASS
10.096 ESCUTCHEON
10.147 ARM
10.093 MOULDING
4.006 LEVER
14.665 W/CORD
4.591 LEVER
11.950 SWITCH
15.286 MAT
4.625 PEDAL
14.760 TRIM
15.000 TRIM
15.035 TRIM
15.033 CUSHION
15.520 W/CORD
11.179 PLATE
14.764 MOULDING
15.294 MAT
10.569 STRIKER
14.800 TRIM
14.799 CUSHION
14.860 TRIM
11.175 PLATE
14.686 ARM REST
14.880 TRIM
14.878 CUSHION
14.691 MOULDING
10.797 HANDLE
9.746 COVER



10.093 MOULDING
12.810 PANEL
10.051 MOULDING
10.686 CHANNEL
11.075 MOULDING
14.686 ARM REST
12.492 PANEL
10.559 KNOB
11.089 MOULDING
10.741 GLASS
10.512 HANDLE
11.119 MOULDING
11.011 GLASS
11.031 MOULDING
10.027 GLASS
10.096 ESCUTCHEON
10.093 MOULDING
2.906 LEVER
9.746 COVER
14.665 W/CORD
11.950 SWITCH
15.286 MAT
11.031 MOULDING
14.974 BACK
14.976 TRIM
10.569 STRIKER
14.974 CUSHION
14.976 TRIM
11.380 HINGE
5.858 CAP
8.304 MOULDING
11.175 PLATE
14.818 MOULDING
14.880 TRIM
14.878 CUSHION
11.588 KNOB
14.860 TRIM
15.000 TRIM
10.569 STRIKER
15.306 MAT
14.764 MOULDING
11.179 PLATE
5.803 WHEEL



12.237
STRIKER
12.170
LID ASSY.
12.182
MOULDING
14.070
HEADER PARTS
12.269
W/STRIP
14.050
HEADER
14.080
LATCH ASSY.
12.184
HINGE ASSY.
10.659
KNOB
6.513
WHEEL
15.490
MATERIAL
14.691
MOULDING
12.242
LOCK ASSY
12.121
MOULDING
SPRING
12.247
FERRULE
11.358
PANEL ASSY.
10.009
FRAME
12.116
MOULDING
10.569
STRIKER ASSY.
12.112
MOULDING
14.970
TRIM
10.687
BRACKET ASSY.
15.300
CARPET
12.840
SEAL
14.818
MOULDING




1953-54 PASSENGER INSTRUMENT PANEL



1.148
GAUGE
2.486
ROD
9.746
BODY
3.108
GAS GAUGE
9.748
GLASS
9.709
LIGHTER
10.050
ESCUTCHEON
10.146
BLADE
10.092
CHANNEL
10.252
PLATE
10.147
ARM
10.051
MOULDING
10.252
PLATE
2.820
CAP
10.051
MOULDING
4.591
LEVER
2.830
RING
9.787
ROD
10.164
KNOB
10.164
ESCUTCHEON
2.198
DIAL
2.188
SWITCH
6.513
WHEEL
12.016
PLATE
10.266
KNOB
10.256
COVER
10.261
DOOR
10.252
PLATE
9.772
CLOCK
9787
ROD
10.256
SCREEN
10.256
BEZEL
12.804
GRILLE


1.148 GAUGE
2.515 WINDOW
9.748 LENS
9.746 HOUSING
1.800 WINDOW
3.108 GAUGE
8.852 PLATE
12.016 ASH TRAY
10.050 ESCUTCHEON
10.256 SCREEN
9.650 KNOB
10.051 MOULDING
10.147 ARM
10.252 PLATE
2.895 WINDOW
2.486 ROD
10.797 HANDLE
10.164 KNOB
4.592 HANDLE
2.459 SWITCH
9.746 COVER
2.188 SWITCH
4.625 PEDAL
9.709 LIGHTER
3.451 PEDAL
9.650 KNOB
9.650 RADIO
10.266 KNOB
10.261 DOOR
10.252 PLATE
15.300 CARPET
9.772 CLOCK
10.252 MOULDING



10.232 TRIM
10.146 BLADE
10.147 ARM
8.852 KNOB
3.521 ROD
9.650 RADIO
10.187 SUPPORT
10.185 MIRROR
9.650 KNOB
9.709 LIGHTER
10.256 GRILLE
10.027 GLASS
10.092 CHANNEL
10.252 ESCUTCHEON
10.159 TRANS.
10.160 ESCUTCHEON
12.804 PANEL
4.589 LAMP ASSY.
10.051 MOULDING
10.164 KNOB
2.486 ROD
3.451 PEDAL
10.009 CHANNEL
10.009 FRAME
10.256 EMBLEM
8.075 ROD
12.045 TRAY
12.048 ESCUTCHEON
9.772 CLOCK
15.300 CARPET
10.230 PANEL
15.300 CARPET
2.188 SWITCH
3.108 GAUGE
10.313 CONTROL ASSY.
1.148 GAUGE
4.006 LEVER
4.009 KNOB
9.750 TACHOMETER
2.515 AMMETER
1.803 GAUGE

1956-57 CORVETTE INSTRUMENT PANEL








1949-52 METAL REPAIR PANELS—FOUR DOOR BODY STYLES




1949-52 METAL REPAIR PANELS—TWO DOOR BODY STYLES


12.810
PANEL
12.952
BOW
12.807
FRAME ASSY.
12.964
PANEL
12.953
SUPPORT
12.956
RAIL-
OUTER
12.957
RAIL-
INNER
12.840
PILLAR
12.941
PANEL
12.768
BRACE
12.958
PANEL
12.181
LID ASSY.
12.966
PANEL
12.768
BRACE
12.981
PAN ASSY.
REAR
12.944
PANEL
12.942
PANEL
PART OF
GP. 12.803
12.803
COWL ASSY.
10.230
PANEL
2.333
SUPPORT
ASSY.
12.804
PANEL
12.650
BRACE ASSY.
12.980
PAN
12.944
PANEL
12.940
PANEL
12.491
PILLAR
10.373
DOOR ASSY.
REAR
12.934
PANEL ASSY
10.351
DOOR ASSY.
FRONT
12.934
EXT. ASSY.



12.810
PANEL
12.952
BOW
12.807
FRAME ASSY.
10.373
DOOR ASSY.
REAR
12.964
PANEL
10.351
DOOR ASSY.
FRONT
12.953
SUPPORT
12.956
RAIL-
OUTER
12.942
PANEL
12.957
RAIL-
INNER
12.491
PILLAR
12.944
PANEL
12.840
PILLAR
12.941
PANEL
12.934
EXT. ASSY.
12.934
PANEL ASSY.
12.958
PANEL
12.768
BRACE
12.181
LID ASSY.
12.966
PANEL
12.768
BRACE
12.981
PAN ASSY.
REAR
12.941
PANEL
12.944
PANEL
12.957
RAIL
12.942
PANEL
12.956
RAIL OUTER
12.980
PAN
12.804
PANEL
PART OF
GP. 12.803
12.803
COWL ASSY
12.650
BRACE
ASSY.
10.230
PANEL
2.333
SUPPORT
ASSY.
12.804
PANEL
12.650
BRACE ASSY.
12.944
PANEL
12.940
PANEL
12.491
PILLAR
12.840
PILLAR
10.373
DOOR ASSY.
REAR
12.934
PANEL ASSY.
10.351
DOOR ASSY.
FRONT
12.934
EXT. ASSY.




PHANTOM VIEW—1956 SPORT COUPE




PHANTOM VIEW—1956 CONVERTIBLE


10.230
PANEL-INSTRUMENT
10.351
DOOR ASSY.
12.952
BOW
12.807
FRAME
12.941
PANEL-REAR
12.808
FRAME
12.178
FRAME ASSY.
12.179
GATE ASSY.
12.944
PANEL-OUTER
EXTENSION
12.840
PILLAR
12.934
ROCKER PANEL
OUTER
12.934
ROCKER PANEL
INNER
12.980
PAN-FLOOR
12.956
RAIL-OUTER
12.981
PAN-FLOOR
REAR
12.940
PANEL-REAR
QUARTER SIDE
OUTER
12.944
PLATE
12.966
PANEL
12.966
REINFORCEMENT



1. 10.252—Instrument Panel End Plate
2. 8.153—Front Fender Skirt Assy., Front, LH
3. 8.153—Front Fender Skirt Assy., Front, RH
4. 8.153—Front Fender Skirt Assy., Front, LH
5. 8.153—Front Fender Skirt Assy., Front, RH
6. 1.286—Radiator Grille Baffle Lower
7. 1.263—Body Front Upper Panel
8. 8.130—Headlamp Housing
9. 12.565—Underbody Toe Panel Reinforcement
10. 10.230—Instrument Panel
11. 1.263—Body Front Bottom Panel
12. 8.000—Hood Top Panel
13. 1.287—Front Panel to Radiator Extension
14. N.S.S.—Front Fender Frt. Skirt Upper Reinf., LH
15. N.S.S.—Front Fender Frt. Skirt Upper Reinf., RH
16. N.S.S.—Front Fender Frt. Skirt Upper Reinf., LH
17. N.S.S.—Front Fender Frt. Skirt Upper Reinf., RH
18. 1.266—Radiator Grille
19. 1.268—Radiator Grille Belt Moulding
20. 7.831—Front Bar, RH
21. 7.833—Front Bumper Face Bar
22. 7.831—Front Face Bar, LH
23. 8.130—Panel, Body Front Side, LH
24. 8.130—Panel, Body Front Side, RH
25. 12.804—Panel, Cowl Top


1953-55 CORVETTE FRONT BODY—EXPLODED



1. 12.840—Front Body Hinge Pillar, LH
2. 12.840—Front Body Hinge Pillar, RH
3. 11.358—Front Seat Back Panel
4. 11.358—Front Seat Separator
5. 12.944—Gas Tank Filler Compt. Cover
6. 12.934—Underbody Rocker Panel Reinf., LH
7. 12.934—Underbody Rocker Panel Reinf., RH
8. 12.934—Underbody Rocker Panel, LH
9. 12.934—Underbody Rocker Panel, RH
10. 12.986—Body Rear Panel Assy.
11. 12.942—Tail & Stop Lamp Housing, LH
12. 12.942—Tail & Stop Lamp Housing, RH
13. 12.170—Folding Top Compt. Lid Assy.
14. 12.181—Rear Compartment Lid
15. 12.944—Gas Tank Filler Compt. Hsg. & Door
16. 10.351—Front Door, LH
17. 10.351—Front Door, RH
18. 14.691—Side Door, Indside Trim Mldg., LH
19. 14.691—Side Door, Inside Trim Mldg., RH
20. 12.840—Frt. Body Hinge Seat (Pillar to Dr.), LH
21. 12.840—Frt. Body Hinge Seat (Pillar to Dr.), RH
22. 11.373—Seat Back Bulkhead Ext., LH
23. 11.373—Seat Back Bulkhead Ext., RH
24. 12.940—Panel, Body Rr. Qtr. Side, LH
25. 12.940—Panel, Body Rr. Qtr. Side, RH
26. 12.986—Panel, Rr. End, Repair (Between Deck Lid & Lower Panel)


1953-55 CORVETTE REAR BODY—EXPLODED


1. 12.981—Underbody Assy.
1a. 12.981—Panel Underbody Rear Lower
2. 12.981—Rear Compartment Floor Panel
3. 3.705—Muffler Tail Pipe Duct, LH
4. 3.705—Muffler Tail Pipe Duct, RH
5. 12.981—Underbody Cross Sill
6. 12.565—Underbody Toe Panel Reinforcement, LH
7. 12.565—Underbody Toe Panel Reinforcement, RH
8. 12.944—Rear Fender Baffle, LH
8a. 12.944—Rear Fender Baffle, RH
9. 12.802—Dash Panel
10. 12.579—Spare Wheel Cover
11. 7.331—Rear Fender Bumper, RH
12. 7.831—Rear Bumper Face Bar
13. 7.831—Rear Fender Bumper, LH




1956-57 CORVETTE FRONT BODY—EXPLODED


1956-57 CORVETTE FRONT VIEW—EXPLODED


10.307
REINFORCEMENT
12.804
PANEL
8.141
REINFORCEMENT
12.802
PANEL
10.230
PANEL
10.230
REINFORCEMENT
12.840
GUTTER
12.840
EXTENSION
12.840
REINFORCEMENT
12.840
PILLAR
12.840
RETAINER
12.840
RETAINER
VIEW "A"
12.840
PILLAR
ASSY.
"A"
10.450
HINGE
ASSY.
12.840
SUPPORT ASSY.
12.565
REINFORCEMENT
10.351
PANEL
10.351
PANEL
12.840
GUTTER
10.450
HINGE ASSY.
12.840
PILLAR
ASSY.
10.450
HINGE ASSY.
12.840
SUPPORT
ASSY.
10.450
REINFORCEMENT
10.351
PANEL
10.351
PANEL
12.934
PANEL
12.565
REINFORCEMENT
12.981
SILL
12.934
REINFORCEMENT
10.450
REINFORCEMENT
12.981
SILL
12.981
PANEL
12.934
REINFORCEMENT
12.934
PANEL



12.170
LID ASSY.
12.944
COVER
12.184
HINGE
ASSY.
11.358
PANEL
12.181
LID
15.103
PANEL
12.981
SUPPORT
12.184
HINGE
ASSY.
12.944
HOUSING
12.981
PANEL-SIDE SILL
12.986
PANEL
12.944
DOOR ASSY.
12.986
PANEL
12.944
BAFFLE
12.981
PANEL
RR. COMPT. FLOOR
12.981
STRIP
12.941
REINFORCEMENT
12.940
PANEL
12.981
STRIP
12.944
BAFFLE
12.981
PANEL
REAR
LOWER CENTER
12.981
PANEL
REAR LOWER SIDE
12.940
PANEL
12.980
PLATE
11.358
PANEL
12.981
STRIP
12.941
REINFORCEMENT
12.981
STRIP
12.981
PANEL-SIDE SILL
12.986
STRIP
12.981
PANEL
REAR LOWER SIDE
12.981
PANEL ASSY.
COMPLETE
CTR. & SIDES




1956-57 CORVETTE UNDERBODY—FRONT VIEW




1956-57 CORVETTE UNDERBODY—REAR VIEW




1956-57 CORVETTE WINDSHIELD—EXPLODED


11.021 CHANNEL
10.721 GASKET
10.674 DEFLECTOR
11.021
CHANNEL
N.S.S.
ADHESIVE
WEATHERSTRIP
10.721
WEATHERSTRIP
10.721
GASKET
10.721
RETAINER
10.721
WEATHERSTRIP
10.721
WEATHERSTRIP
8.977 SCREW
END VIEW



1953-54 BEL AIR QUARTER WINDOW MOULDINGS



1955-56 BEL AIR SPORT COUPE INTERIOR WINDOW MOULDINGS



1955-56 BEL AIR SPORT COUPE INTERIOR WINDOW MOULDINGS

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE

10.001 BODY ASSEMBLY (Painted and trimmed with all hardware, less instruments supplied during production year.)

BODY SHELL (Less paint, trim, glass, hardware, doors, and rear compartment lid).

Availability and prices will be furnished upon request.


10.009 FRAME—CHANNEL—PLATE—SCREW, Windshield Glass

53-55	CORV.	right	4154360	1	17.75
53-55	CORV.	left	4154361	1	17.75
56-57	CORV.	lower	3716268	1	3.95
56-57	CORV.	upper	3716296	1	1.95
56-57	CORV.	left side	3716385	1	17.75
56-57	CORV.	right side	3716386	1	17.75
53-55	CORV.	CHANNEL, lower ("U" shape 69 dev. length)	4154362	1	8.75
53-55	CORV.	CHANNEL, upper ("U" shape 58 dev. length)	4154363	1	17.75
54-57	CORV.	PLATE, lower channel ($1\frac{11}{32}$ x $1\frac{23}{32}$)	4154898	1	.50
53-57	CORV.	SCREW, windshield to body, front top panel	3706730	8	.05

10.027 GLASS, Windshield (safety)

41-48	PASS. (exc. 1007)	($16\frac{3}{16}$ x $24\frac{9}{16}$)	4115809	2	13.95
42-48	1007	($14\frac{3}{16}$ x $24\frac{9}{16}$)	4125235	2	12.50
49-52	1011-27-69-1211-27-27B-69-71	right	4561510	1	29.75
49-52	1011-27-69-1211-27-27B-69-71	left	4561511	1	29.75
49-52	FLEETLINE	right	4561512	1	28.75
49-52	FLEETLINE	left	4561513	1	28.75
49-52	CONV., BEL AIR	right	4561791	1	29.75
49-52	CONV., BEL AIR	left	4561792	1	29.75
49-52	STA. WAG.	right	4564409	1	34.50
49-52	STA. WAG.	left	4564410	1	34.50
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)		4601260	1	62.25
53-54	CONV., SPT. CPE.		4598909	1	59.75
53-54	STA. WAG.		4615796	1	72.25
53-55	CORV.		4632595	1	125.50
55-56	PASS. (exc. SPT. MDLS.)		4642678	1	82.75
55-56	SPT. MDLS.		4645846	1	79.75
56-57	CORV.		3716239	1	125.50
52	1011-27-69-1211-27-27B-69	right (tinted)	4611346	1	39.75
52	1011-27-69-1211-27-27B-69	left (tinted)	4611347	1	39.75
52	1007	right (tinted)	4614805	1	33.25
52	1007	left (tinted)	4614806	1	33.25
52	STA. WAG.	right (tinted)	4611350	1	42.30
52	STA. WAG.	left (tinted)	4611351	1	42.30
52	CONV., BEL AIR	right (tinted)	4614740	1	39.75
52	CONV., BEL AIR	left (tinted)	4614741	1	39.75
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	(tinted)	4612502	1	79.85
53-54	CONV., SPT. CPE.	(tinted)	4612499	1	77.75
53-54	STA. WAG.	(tinted)	4615797	1	91.25
55-56	PASS. (exc. SPT. MDLS.)	(tinted)	4646465	1	100.00
55-56	SPT. MDLS.	(tinted)	4645847	1	98.00
57	PASS. (exc. SPT. MDLS.)		4687528	1	84.75
57	PASS. (exc. SPT. MDLS.)	(tinted)	4687529	1	102.00
57	SPT. MDLS.		4687530	1	81.75
57	SPT. MDLS.	(tinted)	4687531	1	100.00

10.050 ESCUTCHEON—CLIP, Windshield Garnish Mldg.



4566475

49-52	PASS.	upper, lower	4610025	1	.30
53-54	PASS.	(1 3/16 x 1 7/16)	4639566	2	.30
55-56	PASS. (exc. 1064),				
57	PASS. (exc. 1039-39D-64),				
57	SPT. SED. (2nd Type)	lower (steel—1 5/8 x 1 1/16)	4656534	1	.30
55-57	1064	lower (chrome—1 5/8 x 1 1/16)	4661945	1	.50
55-57	SDL,				
57	SPT. SED. (1st Type)	upper	4675173	1	.30
49-52	PASS.	CLIP, garnish moulding	4566475	6	.04

10.051 MOULDING, Windshield Garnish

49-52	FLEETLINE	right	4609996	1	3.95
49-52	FLEETLINE	left	4609997	1	3.95
49-52	CONV., BEL AIR	right	4568846	1	3.50
49-52	CONV., BEL AIR	left	4568847	1	3.50
49-52	STA. WAG.	right (green)	4610201	1	3.55
49-52	STA. WAG.	left (green)	4610202	1	3.55
49-52	1011-27-69-1211-27-27B-69-71	right (gray)	4610008	1	4.60
49-52	1011-27-69-1211-27-27B-69-71	left (gray)	4610009	1	4.60
53-54	1011-27-69-1211-27-27B-69-69W	right	4639736	1	4.35
53-54	1011-27-69-1211-27-27B-69-69W	left	4639737	1	4.35
53-54	CONV.	right	4639146	1	3.95
53-54	CONV.	left	4639147	1	3.95
53-54	SPT. CPE.	right	4639154	1	4.35
53-54	SPT. CPE.	left	4639155	1	4.35
53-54	STA. WAG.	right	4639130	1	4.65
53-54	STA. WAG.	left	4639131	1	4.65
53-54	SDL.	right	4621097	1	3.95
53-54	SDL.	left	4621098	1	3.95
53-55	CORV.	lower	4154364	1	9.45
55-56	PASS. (exc. 1064)	right (lower)	4656602	1	2.85
55	PASS. (exc. 1064)	left (lower)	4656607	1	2.85
55-56	1064	right	4661946	1	7.05
55-56	1064	left	4661947	1	7.05
55-57	PASS. (exc. SPT. MDLS.)	right (upper)	4656622	1	2.45
55-57	PASS. (exc. SPT. MDLS.)	left (upper)	4656623	1	2.45
55-56	PASS. (exc. SPT. MDLS.)	right (side)	4686363	1	4.25
55-56	PASS. (exc. SPT. MDLS.)	left (side)	4686364	1	4.25
55-57	CONV.	right (upper) (stainless 25 7/16 long)	4648252	1	4.80
55-57	CONV.	left (upper) (stainless 25 7/16 long)	4648253	1	4.80
55-56	CONV.	right (side) (stainless 15 long)	4649405	1	8.85
55-56	CONV.	left (side) (stainless 15 long)	4649406	1	8.85
55-57	SPT. CPE., SPT. SED.	right (upper) (1 5/16 x 20)	4657324	1	2.20
55-57	SPT. CPE., SPT. SED.	left (upper) (1 5/16 x 20)	4657325	1	2.20
55-57	1064	right	4661222	1	4.20
55-57	1064	left	4661223	1	4.20
55-56	SPT. CPE., SPT. SED.	right (side) (6 3/16 at bottom x 14 13/32 long)	4657356	1	6.20
55-56	SPT. CPE., SPT. SED.	left (side) (6 3/16 at bottom x 14 13/32 long)	4657357	1	6.20
55-56	1064	right (side)	4661224	1	9.45
55-56	1064	left (side)	4661225	1	9.45

56	PASS. (exc. 1064)	left, (lower)	4656603	1	2.85
57	PASS. (exc. SPT. MDLS.)	right (side)	4700966	1	4.25
57	PASS. (exc. SPT. MDLS.)	left (side)	4700967	1	4.25
57	PASS. (exc. 1039-39D-64), SPT. SED. (1st. Type)	right (lower)	4700952	1	2.85
57	PASS. (exc. 1039-39D-64), SPT. SED. (1st Type)	left (lower)	4700953	1	2.85
57	SPT. CPE., SPT. SED.	right (side)	4700978	1	6.20
57	SPT. CPE., SPT. SED.	left (side)	4700979	1	6.20
57	SPT. SED. (1st Type)	right (lower)	4702809	1	2.85
57	CONV.	right (side)	4688855	1	9.60
57	CONV.	left (side)	4688856	1	9.60
57	1064	right (side)	4697934	1	12.15
57	1064	left (side)	4697935	1	12.15
57	1064	right (lower)	4697886	1	7.85
57	1064	left (lower)	4697887	1	7.85

MOULDING—CLIP—PLUG—SPACER, Windshield Side Finish

53-54	CONV.	right (stainless 13⅛ long)	4614907	1	1.90
53-54	CONV.	left (stainless 13⅛ long)	4614908	1	1.90
53	1037	right (stainless 14¾ long)	4624914	1	1.90
53	1037	left (stainless 14¾ long)	4624915	1	1.90
53-54	1037D	right (stainless 13¾ long)	4602322	1	1.90
53-54	1037D	left (stainless 13¾ long)	4602323	1	1.90
55-57	1011D-19D-62DF	right (stainless 14½ long)	4648200	1	3.10
55-57	1011D-19D-62DF	left (stainless 14½ long)	4648201	1	3.10
55-57	CONV.	right (stainless 13 long)	4649393	1	3.35
55-57	CONV.	left (stainless 13 long)	4649394	1	3.35
55-57	SPT. CPE.	right (stainless 14¼ O.L.) (on body hinge pillar)	4648756	1	2.75
55-57	SPT. CPE.	left (stainless 14¼ O.L.) (on body hinge pillar)	4648757	1	2.75
55-57	1064	right	4661927	1	3.65
55-57	1064	left	4661928	1	3.65
56-57	SPT. SED.	right, side pillar finishing	4671716	1	3.95
56-57	SPT. SED.	left, side pillar finishing	4671717	1	3.95
53-54	CONV., SPT. CPE.	CLIP (1 wide)	4602349	4	.04
53-54	SPT. CPE.	PLUG, right, body hinge pillar finish mldg.	4602539	1	.10
53-54	SPT. CPE.	PLUG, left, body hinge pillar finish mldg.	4602540	1	.10
53-55	CORV.	SPACER, side frame to body	3706731	2	.20
56-57	CORV.	SPACER, side frame to body	3724128	2	.20

10.052 MOULDING—ESCUTCHEON—SCREW—NUT—RETAINER, Windshield Division Outer

41-48	Ser. 1000 (exc. 1007)	less weatherstrip (15⅞ long)	4114948	1	1.30
42-48	1007	less weatherstrip (13⅞ long)	4125921	1	1.30
49-52	PASS. (exc. FLTLN., CONV., B-A, STA. WAG.)	(bowed—use 3 attach. screws)	4573832	1	1.65
49-52	FLTLN.	(bowed—use 3 attach. screws)	4573833	1	1.65
49-52	STA. WAG.	(bowed—use 3 attach. screws)	4573834	1	1.65
49-52	CONV., BEL AIR	(bowed—use 3 attach. screws)	4573835	1	1.65
49-52	PASS.	ESCUTCHEON	4562219	1	.45
49-52	PASS.	SCREW (w/square washer) (No. 6—32 x 1)	4574744	3	.10
49-52	PASS.	NUT, barrel (No. 6—32 x ⅝ chrome)	4576656	3	.06
50-52	PASS. (exc. CONV., B-A, STA. WAG.)	RETAINER (⅝ x 5⅞ w/2 studs)	4584375	1	.30

REINFORCEMENT, Windshield Division

49-52	PASS. (exc. FLTLN., CONV., B-A, STA. WAG.)		4583114	1	.85
49-52	FLEETLINE		4561540	1	.85
49-52	CONV., BEL AIR	mirror hole 12⅝ from top (16⅞ O.L.)	4591237	1	.85

10.053 MOULDING, Windshield Division Inner

49-52	FLEETLINE	(16 3/16 x 15/16) (gray)	4610017	1	.95
49-52	STA. WAG.	(18 15/16 x 15/16) (green)	4610022	1	.85

49-52	CONV.,				
50	BEL AIR (1st type)	(15 3/8 x 15/16) (mirror hole 3 9/16 from top)	4582300	1	.65
49-52	1011-27-69-1211-27-27B-69-71,				
52	Ser. 1200	(17 3/16 x 15/16) (gray)	4610012	1	.95
50-52	BEL AIR (2nd type)	(15 3/8 x 15/16) (mirror hole 11 15/16 from top)	4591239	1	.65

10.056 SCREW—NUT, Windshield Garnish Moulding

41-48	PASS.	inner div. mldg. to frt end frame (No. 10 hd. 8—32 x 1 1/4)	168696	5	(8.909)
49-52	PASS.	lower (No. 8—15 x 1 1/2)	145420	A.R.	(8.977)
49-52	PASS.	upper and sides (No. 8—15 x 1)	148095	A.R.	(8.977)
53-54	PASS.	upper and sides (No. 8—15 x 1 1/4)	145419	A.R.	(8.977)
53 54	PASS.	lower (No. 8—15 x 1 3/4)	168528	8	(8.977)
55-57	CONV.	to pillar (flat head cross recess No. 6-32)	4666209	4	.05

10.092 CHANNEL—STRIP, Windshield Glass (rubber)


34-36	PASS. (exc. CONV.),				
37-39	SDL.	(5/8 x 13/16 x 103 long, with lip)	4046290	1	4.90
41-48	Ser. 1200	(moulded in one piece—ident. No. H76304)	4116260	1	5.60
41-48	Ser. 1000 (exc. 1007)	(moulded in one piece—ident. No. H77930			
46-48	STA. WAG.	or H76069)	4122594	1	5.60
42-48	1007	(moulded in one piece—ident. No. H78834)	4125418	1	5.60
49-52	1211-27-27B-69	(moulded in one piece, pt. no. moulded on)	4587341	1	8.70
49-52	CONV., BEL AIR	(3 holes in ctr. section, pt. no. moulded on)	4573857	1	8.70
49-52	STA. WAG.	(3 holes in ctr. section, pt. no. moulded on)	4573858	1	8.70
49-51	1207-08	(pt. no. moulded on)	4585281	1	8.70
49-52	1007-08	(pt. no. moulded on)	4585280	1	8.70
49-52	1011-27-69-1271	(moulded in one piece, pt. no. moulded on) (identified by red daub)	4587340	1	8.70
53-54	1011-27-69-1271	(132 dev. length) (w/mldg. slot)	4601374	1	7.15
53-54	1211-27-27B-69-69W	(132 dev. length) (w/o mldg. slot)	4616205	1	7.15
53-54	CONV. SPT. CPE.	(128 dev. length) (ident. by yellow daub)	4601373	1	7.15
53-54	1062-62D-62F	(132 1/2 dev. length) (ident. by red daub w/mldg. slot)	4615798	1	7.15
53-54	1262F	(132 1/2 dev. length) (ident. by red daub w/o mldg. slot)	4616476	1	7.15
53-55	CORV.	(136 1/2 dev. length)	3706523	1	5.30
55	Ser. 1200	(148 5/8 dev. length) (w/o mldg. slot)	4657625	1	7.45
55-57	Ser. 1000 (exc. CONV.)	(148 5/8 dev. lgth.) (w/mldg. slot 75 1/2 lg.)	4663515	1	7.45
55-57	CONV.	(148 5/8 dev. lgth.) (w/mldg. slot 55 3/16 lg.)	4650350	1	7.45
56	PASS. (exc. CONV.)	(148 5/8 dev. length)	4686463	1	7.45
56	CORV.	(138 3/4 dev. length)	3740253	1	5.30
53-57	CORV.	STRIP, frame sealing	3724131	1	1.95

10.093 MOULDING ASSEMBLY, Windshield Reveal

41-48	Ser. 1000 (exc. 1007)	right	4114443	1	2.73
41-48	Ser. 1000 (exc. 1007)	left	4114444	1	2.73
49-52	CONV., BEL AIR	right, upper	4560823	1	4.10
49-52	CONV., BEL AIR	left, upper	4560824	1	4.10
49-52	1011-27-69-1271	right, upper	4560828	1	4.10
49-52	1011-27-69-1271	left, upper	4560829	1	4.10
49-52	1007-08	right, upper	4560915	1	4.10
49-52	1007-08	left, upper	4560916	1	4.10
49-52	PASS.	right, lower	4562378	1	3.05
49-52	PASS.	left, lower	4562379	1	3.05
49-52	STA. WAG.	right, upper	4563588	1	4.30
49-52	STA. WAG.	left, upper	4563589	1	4.30
49-52	Ser. 1000, SDL.	right, lower corner	4560942	1	1.30
49-52	Ser. 1000, SDL.	left, lower corner	4560943	1	1.30
53-54	1011-27-69-1271	right, upper (T-shape)	4605763	1	4.10
53-54	1011-27-69-1271	left, upper (T-shape)	4605764	1	4.10
53-54	CONV.	upper (T-shape 43 5/32 across ends)	4597890	1	3.65
53-54	SPT. CPE.	upper (T-shape 43 across ends)	4608657	1	4.10
53-54	1062-62D-62F	right, upper (T-shape)	4600835	1	3.90
53-54	1062-62D-62F	left, upper (T-shape)	4600836	1	3.90

53-54	Ser. 1000, SDL.	lower (T-shape 49½ across ends)	4595099	1	3.95
53-54	1011-27-69-1271	right, lower corner (3⅞ x 4¼)	4605765	1	1.55
53-54	1011-27-69-1271	left, lower corner (3⅞ x 4¼)	4605766	1	1.55
53-54	1062-62D-62F	right, lower corner (3⅝ x 3¾)	4600837	1	1.20
53-54	1062-62D-62F	left, lower corner (3⅝ x 3¾)	4600838	1	1.20
53-54	CONV.	right, side (14⅜ on straight edge)	4597891	1	4.85
53-54	CONV.	left, side (14⅜ on straight edge)	4597892	1	4.85
53-54	SPT. CPE.	right, side (14⅜ on straight edge)	4597893	1	4.85
53-54	SPT. CPE.	left, side (14⅜ on straight edge)	4597894	1	4.85
55	Ser. 1000 (exc. SPT. MDLS.),				
56-57	PASS. (exc. SPT. MDLS.)	right, upper (T-shape 38½ dev. length)	4654613	1	4.10
55	Ser. 1000 (exc. SPT. MDLS.),				
56-57	PASS. (exc. SPT. MDLS.)	left, upper (T-shape 38½ dev. length)	4654614	1	4.10
55-57	Ser. 1000,				
56	PASS.	right, lower (34½ dev. length)	4646490	1	3.05
55	Ser. 1000,				
56	PASS.	left, lower (34½ dev. length)	4646491	1	3.05
55-57	Ser. 1000 (exc. CONV.)	right, lower corner (3½ x 4¼)	4649993	1	1.80
55-57	Ser. 1000 (exc. CONV.)	left, lower corner (3½ x 4¼)	4649994	1	1.80
55-57	CONV.	right, side (19 dev. length)	4648764	1	6.40
55-57	CONV.	left, side (19 dev. length)	4648765	1	6.40
55-57	CONV.	upper (T-shape 45½ long)	4648250	1	4.10
55-57	1037-37D-39-39D-64	right, upper (38½ dev. length)	4654615	1	3.00
55-57	1037-37D-39-39D-64	left, upper (38½ dev. length)	4654616	1	3.00
56-57	Ser. 1200	right, lower corner (3¾ x 4⅜)	4661890	1	1.80
56-57	Ser. 1200	left, lower corner (3¾ x 4⅜)	4661891	1	1.80
56	CORV.	lower	3716330	1	9.45
57	PASS.	right, lower	4690912	1	3.30
57	PASS.	left, lower	4690913	1	3.30

10.096 RETAINER—CLIP—WASHER—ESCUTCHEON—SCREW—NUT, Windshield Reveal Moulding



4606149

49-52	PASS.	center	4566788	1	.15
49-52	PASS.	CLIP (with 10-24 bolt)	4606149	4	.15
55	Ser. 1000,				
56-57	PASS.	CLIP, outer (1¼ x 1⅛) (13/64 dia. hole)	4655478	2	.05
55	Ser. 1000,				
56-57	PASS.	CLIP, outer w/bolt	4665343	2	.10
55-56	Ser. 1000	CLIP, inner (1¼ x 1⅛)	4655538	1	.15
56-57	PASS.	CLIP, lower center	4676693	1	.10
49-52	PASS.	WASHER (#12 cup lock)	4635942	A.R.	(12.118)
49-52	PASS.	WASHER (rubber use w/431535)	4574232	A.R.	(12.118)
53-54	Ser. 1000, SDL. (exc. CONV., SPT. CPE.)	ESCUTCHEON, upper reveal (¾ x 15/16)	4595379	1	.30
55	Ser. 1000,				
56-57	PASS.	ESCUTCHEON, lower (1 x 1 7/16)	4654578	1	.30
55	Ser. 1000 (exc. CONV.),				
56-57	PASS. (exc. CONV.)	ESCUTCHEON, upper (⅞ x 15/16)	4646446	1	.25
55	Ser. 1000	SCREW, lower reveal mldg. (No. 8—15 x ½)	445974	A.R.	.03
55-56	Ser. 1000	NUT, lower reveal mldg. outer clip	4644959	A.R.	(12.110)

10.146 BLADE—INSERT—BAR, Windshield Wiper

29-48	PASS.	(9 long)	1292963	2	.55
49-54	PASS.,				
53-55	CORV.	(11¼ long)	3733355	2	1.50
55	PASS.,				
56-57	PASS. (exc. elect. wiper)	(12 long) (Trico)	3733356	2	1.50
55-56	ALL (exc. FFC)	(12 long) (Anco)	3721849	2	1.50
56	PASS.	(11⅞ lg. w/coil spg.) (use w/elect. wiper)	4901607	2	1.65

56-57	CORV.	4 bar type	3724030	2	1.50
57	PASS.	(Anco) (use w/elect. wiper)	3743334	2	1.75
57	PASS.	(Trico) (use w/elect. wiper)	1464595	2	1.60
49-50	PASS.	INSERT, blade (rubber w/retaining plate)	1338928	2	.62
51-54	PASS.	INSERT, blade (11¼" lg.) (rubber w/ret. plate)	561268	2	.62
55-57	PASS.	INSERT, blade (12 long)	566510	2	.75
	Not used in this group—see group 16.062	BAR ASSY.	477373		.52

10.147 ARM—SPRING—ROD UNIT, Windshield Wiper

31-48	PASS.	ARM UNIT, universal (adjustable 5¾ to 8⅛)	609562	2	1.40
49-57	PASS. (exc. elect. wiper)	ARM ASSY., universal (adjustable 9¾ to 12¼)	3703494	2	1.75
53-55	CORV.	ARM ASSY., right (12 in.)	3706482	1	1.50
53-55	CORV.	ARM ASSY., left (12 in.)	3706481	1	1.50
56	PASS.	ARM ASSY., right (w/electric wiper)	4900370	1	2.95
56	PASS.	ARM ASSY., left (w/electric wiper)	4900369	1	2.95
56-57	CORV.	ARM ASSY., right	3724032	1	1.50
56-57	CORV.	ARM ASSY., left	3724031	1	1.50
41-48	PASS.	SPRING, arm locking	605578	2	.06
57	PASS. (elect. wiper)	ROD UNIT, left	4901769	1	1.50
57	PASS. (elect. wiper)	ROD UNIT, right	4901770	1	1.50
	Not used in this group—see group 16.063	ROD UNIT	609563		1.40

10.150 MOTOR and PARTS, Windshield Wiper

37-38	PASS.		4073750	1	6.03
39	PASS.		4089935	1	6.03
41	PASS.		4115421	1	6.57
42-48	PASS.	(use w/brass hex. bushing on drive studs)	4147618	1	7.50
49-52	PASS.		4614268	1	9.25
53-54	PASS.		4646190	1	9.25
53-55	CORV. 6 cyl.	(vacuum)	3706280	1	12.75
55-56	CORV. 8 cyl.	(electric)	5047924	1	25.25
55	PASS.	(less auxiliary drive) (vacuum)	4651974	1	9.25
55-56	PASS.	installation unit w/wiper blades and arm assemblies (electric)	3727136	1	17.85
56	PASS.	less auxiliary drive (vacuum) (C.P.M. on motor cover)	3730552	1	9.25
57	CORV.	(electric)	5047984	1	26.75
57	PASS.	(vacuum)	3735305	1	9.25
57	PASS.	UNIT (electric) (includes 5047988 motor)	3742846	1	19.25
55-57	PASS., CORV.	ARMATURE ASSY., motor	5095130	1	5.60
55-57	PASS., CORV.	KIT, motor brush replacement	4901596	1	1.00
55-57	PASS., CORV.	FIELD ASSY., motor	4900532	1	4.45
55-56	PASS., CORV.	CASE, w/brush	5096436	1	4.05
55-56	PASS., CORV.	HOUSING ASSY., motor (use w/elect. W/S wiper)	5095116	1	5.50
53-55	CORV.	PLATE, support bracket anchor	3706694	2	.25
56-57	CORV.	PLATE, support bracket anchor	3723980	2	.25
55-57	PASS., CORV.	SPRING, motor toggle	5095162	2	.05

10.151 NUT—SCREW, Windshield Wiper

35	Ser. 1000,				
36-38	PASS.,				
41-42	PASS.	control stem to spacer (7/16—27)	4058841	1	.12
39-41	PASS.	control to frt. end (½—24)	606318	1	(11.253)
42-48	PASS. (exc. STA. WAG.)	control to frt. end (7/16—27)	4132282	1	.17
49-54	PASS.,				
53	CORV.	control	4562132	1	.20
54-57	CORV.	control	3706946	1	.30
55-56	PASS.	control	4653425	1	.35
57	PASS.		3735212	1	.08
55	PASS., CORV.	SCREW, armature end play (use w/elect. W/S wiper) (5/16 x 24 x 5/8)	5098082	1	.10
55-56	CORV.	SCREW, w/lock washer, W/S wiper motor switch (6—32 x 5/16)	5095893	2	.05

10.152 GROMMET—GASKET, Windshield Wiper Motor

35-52	PASS.	suction pipe in dash (½ I.D.)	3711896	1	(9.775)
41	PASS.	rubber (7/16 dia. x ½ long, cone shape)	3685792	1	.10
53	PASS. (1st type)	GASKET, to panel (1 13/16 x 2 7/8)	4599965	1	.05
53-57	PASS. (w/drum type drive)	GASKET, to panel (2 5/16 x 4 1/8)	4630475	1	.05

10.154 FITTINGS, Windshield Wiper Pipe

NOTE: For hose and tubing see group 8.962 and 8.964.

39-42	PASS. (exc. CONV.)	TEE, manifold pipe (3 way—threaded type)	3650554	1	.55
46-48	PASS.	TEE, manifold pipe (3 way—threaded type)	3682937	1	.75
50-54	Ser. 1000 w/P.G. (w/o vac. pump)	TEE, ¼" w/s wiper connector—manifold	3707544	1	.45
50-54	Ser. 1000 w/P.G. (w/vac. pump)	TEE, manifold (7/16—24 x 7/16—24 x ⅜ pipe thd.)	3694156	1	.55
54	PASS. (w/vac. pump)	TEE, manifold (7/16—24 int. thd., ½—14 ext. thd.)	3711152	1	1.25
55-56	PASS. 8 cyl. w/P.B. (exc. C.A.C.)	TEE ASSY., pipes to carb. (not used w/elect. W/S wiper)	3718911	1	(4.931)
39-54	PASS.	EXTENSION, suction pipe (5 in. required)	364934	1	(8.964)
42-48	PASS. (exc. CONV., STA. WAG., SDL.)	CONNECTOR, w/rr. wind. wiper (3 way for 7/32 hose)	3682929	1	(16.066)
49-53	PASS.	CONNECTOR, silencer (at manifold)	3692459	1	.50
54	PASS. (w/o vac. pump)	CONNECTOR, windshield wiper manifold	3711151	1	.55
55-57	PASS.	CONNECTOR, windshield wiper manifold	3707979	1	(16.066)
55-57	PASS. 8 cyl. (exc. P.B.)	CONNECTOR, windshield wiper hose (not used w/elect. W/S wiper)	3717223	1	.40
57	PASS. w/T.G. (exc. P.B.)	to manifold	3738707	1	.55
55	CORV.	PLUG, W/S wiper conn. (use w/elect. W/S			
55-56	PASS. 8 cyl.	wiper)	444819	1	(8.971)

10.157 DRIVE ASSY. AND PARTS, Windshield Wiper Motor Aux.


53	PASS. (1st design)	lever type	4601402	1	2.30
53-54	PASS. (2nd design)	drum type	4630476	1	2.75
55-56	PASS. (1st design)	drum type	4651975	1	2.95
56-57	PASS. (2nd design)	lever type	4687643	1	2.95
56	CORV.		4900555	1	6.10
55	PASS.	COVER, w/link, shaft slotted at end (use w/			
55-56	CORV. 8 cyl.	elect. W/S wiper motor)	5096274	1	3.85
57	PASS.	COVER, w/link, shaft slotted at end (electric)	4902450	1	3.85
55-56	CORV. 8 cyl.	ADAPTER, coordinator (electric)	5097475	1	(16.065)
57	PASS.	ADAPTER, coordinator (electric)	4902365	1	.45
55	PASS., CORV.	CAM ASSY. (electric)	5096389	1	.60
56-57	PASS., CORV.	CAM ASSY. (electric)	4900567	1	.80
55	PASS., CORV.	SHAFT, drive w/gear (electric)	5096385	1	4.05
56-57	PASS., CORV.	SHAFT, drive w/gear (electric)	4900556	1	4.05
55-57	PASS., CORV.	CUSHION, drive arm (electric)	5095169	1	.05
55	PASS., CORV.	KIT, drive assy. conversion (electric)	4900211	1	.45
55-57	PASS., CORV.	KIT, drive assy. washer and retaining ring (electric)	4901597	1	.85
55	CORV. 8 cyl.	PLATE, w/pulley mounting	3717228	1	2.75
56	CORV.	PLATE, w/pulley mounting	3724035	1	2.75
56	CORV.	WASHER (.010 thick)	4900213	A.R.	.05
57	PASS.	LATCH (electric)	5095155	1	2.60
57	PASS.	RETAINER (electric)	4902349	1	.05
57	PASS.	CAP, w/pin (electric)	4902339	1	.95
57	PASS.	GEAR (electric)	4902338	1	1.45
57	PASS.	PAWL, lock (electric)	4902345	1	.30

10.158 RETAINER—WASHER, Windshield Wiper Link w/Spring

36-48	PASS.	(2⅛ overall)	4065091	1	.15
49-52	PASS.	(2¾ overall)	4570135	1	.13
35-48	PASS.	WASHER, driver and link to motor—felt	431533	1	(8.927)


10.159 TRANSMISSION, Windshield Wiper w/Link

36	PASS.	right and left	4065088	2	2.98
39	PASS.	right	4089606	1	3.30



1941-48 WINDSHIELD WIPER PARTS

39	PASS.	left	4089607	1	3.30
40	PASS.	right	4101960	1	3.30
40	PASS.	left	4101961	1	3.30
41-42	PASS.	right (w/out rubber bushings)	4114813	1	3.32
41	PASS.	left (w/out rubber bushings)	4114814	1	3.32
42-46	PASS. (exc. STA. WAG.) (1st design)	right (w/rubber bushings)	4132644	1	3.30
42-46	PASS. (exc. STA. WAG.) (1st design)	left (w/rubber bushings)	4132645	1	3.30
46-48	PASS. (2nd design)	left (w/rubber bushings) (with W/S washer hose)	4147908	1	4.00
46-48	PASS. (2nd design)	right (w/rubber bushings) (with W/S washer hose)	4147909	1	4.00
49-52	PASS.	right (16¾ long ctr. hole to ctr. hole, w/rubber bushing)	4614275	1	3.75
49-52	PASS.	left (16¾ long ctr. hole to ctr. hole, w/rubber bushing)	4614276	1	3.75
53	PASS. (1st design)	right (w/cable 17 15/16 long)	4601062	1	5.00
53	PASS. (1st design)	left (w/cable 17⅞ long)	4601063	1	5.00
53-54	PASS. (2nd design)	right (w/cable 19¾ long)	4630411	1	5.00
53-54	PASS. (2nd design)	left (w/cable 19 long)	4630412	1	5.00
53-55	CORV.	right	3706521	1	5.00
53-55	CORV.	left	3706522	1	5.00
55-56	PASS. (1st design)	right (w/cable 22½ long)	4670396	1	5.00
55-56	PASS. (1st design)	left (w/cable 17⅝ long)	4670397	1	5.00
56	PASS. (2nd design)	right	4687641	1	5.00
56	PASS. (2nd design)	left	4687642	1	5.00
56-57	CORV.	right (w/cable)	3724034	1	5.00
56-57	CORV.	left (w/cable)	3724033	1	5.00
57	PASS.	right	4691802	1	5.50
57	PASS.	left	4691803	1	5.50



1955-57 ELECTRIC WINDSHIELD WIPER PARTS

10.160 GASKET—RETAINER—ESCUTCHEON—NUT—SPACER—BRACKET, Windshield Wiper Transmission

40-48	PASS.	rubber ($1\frac{7}{64}$ x $1\frac{21}{32}$ inside dimensions)	4116798	2	.10
49-52	PASS.		4562197	2	.10
53-54	PASS.	($1\frac{3}{8}$ x $1\frac{7}{8}$)	4597009	2	.10
55-56	PASS.	rubber (1 dia. x $\frac{1}{8}$ thick)	4653681	1	.10
49-52	PASS.	RETAINER	4562133	2	.30
53-54	PASS.	ESCUTCHEON, right ($1\frac{5}{16}$ x $1\frac{3}{4}$)	4597007	1	.85
53-54	PASS.	ESCUTCHEON, left ($1\frac{5}{16}$ x $1\frac{3}{4}$)	4597008	1	.85
53-57	CORV.	ESCUTCHEON, right	3706527	1	.75
53-57	CORV.	ESCUTCHEON, left	3706528	1	.75
55	Ser. 1200	ESCUTCHEON, right	4653322	1	.85
55	Ser. 1200	ESCUTCHEON, left	4653323	1	.85
55 56	Ser. 1000, PASS.	ESCUTCHEON, right	4662038	1	.85
55 56	Ser. 1000, PASS.	ESCUTCHEON, left	4662039	1	.85
57	PASS.	ESCUTCHEON, right	4690727	1	1.25
57	PASS.	ESCUTCHEON, left	4690728	1	1.25
53-57	PASS.	NUT ($\frac{5}{8}$—24 x $\frac{7}{8}$ O.D.)	4636163	2	.25
55	PASS.	SPACER (T-shape $1\frac{1}{16}$ x $\frac{13}{16}$) (1st type)	4653682	2	.25
55-56	PASS.	SPACER (T-shape $1\frac{1}{8}$ x $\frac{13}{16}$) (2nd type)	4670400	2	.25
53-55	CORV.	BRACKET, trans. support, right	3706709	1	.25
53-55	CORV.	BRACKET, trans. support, left	3706710	1	.25
57	PASS.	SUPPORT	4689691	2	.30

10.163 CONTROL—GASKET—SWITCH—COVER—KIT, Windshield Wiper

40	PASS.	with round knob—having finger projection (w/offset lever and grommet)	4101964	1	.88
41	PASS.	with round knob—having finger projection (w/round operating stem)	4115285	1	.90
42-48	PASS.		4131075	1	1.20
49	PASS.	(w/cable)	4564459	1	1.83
50-52	PASS.	(w/cable)	4585617	1	3.15
53	CORV. (1st type)	w/cable ($34\frac{7}{8}$ long)	3706857	1	2.50
53-54	CORV. (2nd type)	w/cable ($34\frac{7}{8}$ long)	3706974	1	3.15
53-54	PASS.	(w/cable)	4597744	1	3.15
54-56	CORV. (1st type)	w/cable ($28\frac{5}{8}$ long)	3706943	1	3.15
56-57	CORV. 2nd type	w/cable (35 long)	3724062	1	3.15
55	PASS.	(w/cable)	4653424	1	3.15
56	PASS.	(w/cable)	4687079	1	3.15
57	PASS.	w/tube protruding from body) (w/cable)	3735709	1	3.15
41-54 53-57	PASS., CORV.	GASKET, control	4562131	1	.10
53-57	CORV.	GASKET, transmission	3706526	2	.15
55-57	PASS., CORV.	SWITCH (w/elect. W/S wiper motor)	5098393	1	2.30
55-56	PASS.	SWITCH UNIT, slide, elect. motor, w/clip (nylon) (w/elect. W/S wiper motor)	5097911	1	1.25
57	PASS.	SWITCH UNIT, slide electric motor	4902362	1	.60
57	PASS.	SWITCH UNIT, guide, electric motor	4902503	1	.50
55	PASS.	COVER, elect. motor switch (w/elect. W/S wiper)	4901088	1	.35
56	PASS.	COVER, elect. motor switch	4901092	1	.35
55	CORV.	COVER, elect. motor switch	5097468	1	1.30
56	CORV.	COVER, motor switch and slide	4901094	1	1.30
55-57	PASS., CORV.	KIT, switch arm repair (electric)	4901598	1	.25

10.164 KNOB—ESCUTCHEON—BEZEL, Windshield Wiper Control

42-48	PASS.		4132267	1	.42
49	PASS.		4570976	1	.58
50-52	PASS.		4594185	1	.58
53-54	Ser. 1000	(w/stainless steel band)	4619383	1	.72
53-54	Ser. 1200		4619384	1	.58
53-55	CORV.	white (w/stainless steel band)	3706858	1	.70
53-55	CORV. 6 cyl.	1 O.D. (w/stainless steel band)	3706945	1	.70
55	PASS.	(w/stainless steel band)	3711324	1	.50
56-57	PASS.	(w/stainless steel band)	1990822	1	.50

57	Ser. 1200		1990862	1	.30
57	Ser. 1000	(chrome cap)	1990861	1	.50
55-56	Ser. 1000 (exc. BEL AIR)	ESCUTCHEON (clear plastic)	4665170	1	.50
55-56	BEL AIR	ESCUTCHEON (black plastic)	4661227	1	.70
57	Ser. 1200	ESCUTCHEON	3735211	1	.15
57	Ser. 1000	ESCUTCHEON	3735210	1	.25
57	PASS. (exc. BEL-AIR)	BEZEL	3735209	1	.40
57	BEL-AIR	BEZEL	3735213	1	.50

10.167 LINK, Windshield Wiper Control Connecting

40	PASS.	(7⅞ long)	4101968	1	.18

10.168 GROMMET, Windshield Wiper Control Connecting Link

39-41	PASS.	rubber (⅛ I.D. x ⅜ O.D.)	4093397	1	.08
46-52	PASS.	rubber (11/32 I.D. x 19/32 O.D.)	4161287	2	.15

10.185 MIRROR ASSEMBLY, Rear View

31-48	SDL	outside (5 1/16 O.D.)	3696632	1	1.55
39-52	PASS. (exc. CONV., B-A, SDL)	inside, non-glare (6⅞ long)	516506	1	2.05
38-50	CONV.,				
49-54	SDL	outside—left (4½ O.D.)	515848	1	4.40
50-52	CONV., BEL AIR	inside—chrome	515871	1	2.35
53-57	PASS. (exc. B-A, SDL.)	inside (painted)	4622070	1	2.35
53-57	BEL AIR	inside (chrome)	4584708	1	2.55
53-56	CORV	inside	3718120	1	4.35
53-57	CORV	outside (on door)	3724311	1	6.95
53-54	PASS.	outside (clamp-on type—installation unit)	3699196	1	3.45
53-55	PASS. (exc. SDL.)	inside, non-glare	986948†	1	
55-57	SDL	outside—left (non-glare—4 1/16 O.D.)	3722928	1	4.40
56	PASS. (exc. SDL.)	inside non-glare prismatic	987338	1	4.50
56	PASS. (exc. SDL.)	outside (body mounted type)	987460	1	4.40
57	CORV	inside, non-glare (chrome)	3739391	1	4.35
57	PASS. (exc. SDL)	inside, non-glare prismatic	987615	1	4.95
54-56	CORV	SCREW, mirror adjusting	3714890	1	.50

†NOTE: Closeout price applies. See Dealer Parts and Accessories Price Schedule.

10.186 NUT, Rear View Mirror

31-48	SDL	spacer	3847036	1	.47
55-57	SDL	outside (No. 10-32)	3716712	2	.15

10.187 SUPPORT, Rear View Mirror, Inside

53-54	PASS. (exc. CONV., SPT. CPE., SDL.)	(3 x 7⅛)	4615485	1	3.30
53-54	CONV.	(3 x 5)	4601549	1	3.30
53-54	SPT. CPE.	(2½ high)	4615484	1	2.75
53-54	CORV. (1st type)		4154391	1	3.85
54-56	CORV. (2nd type)		3714888	1	1.50
55-57	PASS. (exc. 1039-39D-62DF-62FC-63F 67D-1263F-71)	(3⅝ x 5½) (chrome plate)	4648665	1	3.30
55-57	CONV.	(4 x 5) (chrome plate)	4648730	1	3.30
55-57	STA. WAG. (exc. 1064)		4691189	1	3.85
56	SPT. SED. (2nd. type)		4665928	1	3.85
57	SPT. SED (1st. type)		4698294	1	3.84
57	CORV.		3739392	1	1.50
57	SPT. SED. (1st. type)	BRACE ASSY., support	4711121	1	.85

10.195 MIRROR, Vanity Visor

50-52	CONV., BEL AIR,				
53	CONV., SPT. CPE.,				
54-55	PASS.	(3 x 10 long)	986605	1	1.65

10.201 VISOR—BRACKET—VIEWER, Outside Sun

55-57	PASS. (exc. 1037-37D-39-39D-64-67D)...	w/attaching parts.....	987110	1	19.95
55-57	SPT. CPE.....	w/attaching parts.....	987111	1	19.95
56-57	SPT. SED.....	w/attaching parts.....	987444	1	19.95
55-57	PASS. (exc. 1064-67D).....	BRACKET, mounting left.....	3715877	2	.90
55-57	PASS. (exc. 1064-67D).....	BRACKET, mounting right.....	3715878	2	.90
50-56	PASS.....	VIEWER, traffic light.....	987273	1	2.90
57	PASS.....	VIEWER, traffic light.....	987499	1	2.95

10.203 SUNSHADE ASSEMBLY—GLARESHADE

40	PASS. (exc. CONV., STA. WAG., SDL.),				
42-47	PASS. (exc. CONV., SDL.),				
48	1007-11-19-27-69.....	right or left (comb. 129, 130, 132, 141, 151, 152, 153) less supt.....	4163244	2	4.90
40-48	CONV.....	right or left, less supt. (tan).....	4165932	2	6.07
41	PASS. (exc. CONV., SDL.).....	right or left (comb. 115-6-7-8-9, 126) (w/adjusting screw), less supt.....	4122402	1	4.90
49-51	PASS. (exc. CONV., B-A, STA. WAG., SDL.).....	right or left (comb. 156, 157, 158, 170, 171) (also taxi—cloth),			
53	1011-27-69.....	right or left (comb. 200, 201, 241, 245, 291).....	4192016	2	5.10
49-52	SDL.....	right or left (comb. 163, 216) (less support)	4171588	1	4.90
50	BEL AIR.....	right or left (w/attaching parts).....	4585915	A.R.	6.07
50-53	1269,				
53	1069W.....	left (less supt.) (taxi—comb. 172, 214)..	4176126	1	4.90
51	CONV.....	right or left (red, comb. 205).....	4183715	2	6.07
51	BEL AIR.....	right or left (comb. 185, 186, 187, 189)..	4180954	2	6.07
51-52	STA. WAG.....	right or left (comb. 202).....	4180936	2	4.90
52	PASS.(exc. CONV., B-A, STA. WAG., SDL.),				
53	Ser. 1200 (exc. 1262F, SDL.).....	right or left (comb. 210, 211, 249).....	4189124	A.R.	4.90
52-53	1007-11-27-69.....	right or left (comb. 212, 242, 246).....	4192125	2	4.90
52	1007-11-27-69.....	right or left (comb. 213),			
53	1011W-27-69W.....	right or left (comb. 243).....	4192018	2	4.90
52	BEL AIR.....	right or left (comb. 235, 239).....	4189333	2	4.90
52	BEL AIR.....	right or left (comb. 237).....	4189367	2	4.90
52	BEL AIR.....	right or left (comb. 240).....	4190343	2	4.82
53	1011W-27-69W.....	right or left (comb. 244).....	4192019	2	4.90
53	1011WD-69WD.....	right or left (comb. 247, 292).....	4192126	2	4.90
53	1011WD-69WD.....	right or left (comb. 248).....	4192127	2	4.90
53	1067.....	right or left (comb. 286).....	4193123	2	4.90
53	1037.....	right or left (comb. 242).....	4198213	2	4.90
53	1037.....	right or left (comb. 244).....	4198211	2	4.90
53	1037D.....	right or left (comb. 254).....	4192256	2	4.90
53	1037D.....	right or left (comb. 258, 259).....	4192257	2	4.90
53	1037D.....	right or left (comb. 256).....	4192258	2	4.90
53	1037D.....	right or left (comb. 257).....	4192259	2	4.90
53	1062-62F.....	right or left (comb. 278, 280).....	4193268	2	5.40
53	1262F.....	(comb 277).....	4193282	1	5.40
53	SPT. CPE.,				
54	1011W-11WD-69-1211-69W.....	right or left (comb. 241, 300, 304, 309)..	4200740	2	4.90
54	1011W-11WD-69.....	right or left (comb. 305, 310).....	4200741	2	4.90
54	1011W-11WD-69.....	right or left (comb. 306, 311).....	4200742	2	4.90
54	1011W-11WD-69-1211W-69W.....	right or left (comb. 350, 354, 358).....	4211357	2	4.90
54	1011W-11WD-69.....	right or left (comb. 355, 359).....	4211358	2	4.90
54	1011W-69W.....	right or left (comb. 307).....	4200743	2	4.90
54	1011W-69W.....	right or left (comb. 352).....	4211355	2	4.90
54	1011W-69W.....	right or left (comb. 353).....	4211356	2	4.90
54	1011WD-69WD.....	right or left (comb. 330).....	4200971	2	4.90
54	1011WD-69WD.....	right or left (comb. 331).....	4208545	2	4.90
54	1011WD-69WD.....	right or left (comb. 360).....	4211543	2	4.90
54	1011WD-69WD.....	right or left (comb. 361).....	4211544	2	4.90
54	1011WA.....	right or left (comb. 332, 333, 334).....	4209161	2	4.90
54	1069W-1269W (TAXICAB).....	(comb. 301, 312).....	4211252	A.R.	4.90
54	CONV.....	right or left (comb. 326).....	4201189	2	5.60
54	CONV.....	right or left (comb. 337).....	4201191	2	5.60
54	SPT. CPE.....	right or left (comb. 314).....	4201076	2	4.90
54	SPT. CPE.....	right or left (comb. 315).....	4201077	2	4.90

54	SPT. CPE.	right or left (comb. 316, 317, 319)	4201078	2	4.90
54	SPT. CPE.	right or left (comb. 318)	4202168	2	4.90
54	SPT. CPE.	right or left (comb. 362)	4211671	2	4.90
54	SPT. CPE.	right or left (comb. 363)	4211670	2	4.90
54	SPT. CPE.	right or left (comb. 364)	4211669	2	4.90
54	SPT. CPE.	right or left (comb. 365-6)	4211672	2	4.90
54	1062D-62F	right or left (comb. 323, 324)	4201238	2	5.40
54	1062F	right or left (comb. 356-7)	4211843	2	5.40
54	1262F	(comb. 322)	4201263	1	5.40
54	1262F	(comb. 371)	4211877	1	5.40
54	SDL	(comb. 303)	4201159	1	5.10
54	SDL	(comb. 351)	4211891	1	5.10
55	1011-19-37 (exc. 11A)	right or left (comb. 503, 509)	4214255	2	5.20
55	1011-19-37 (exc. 11A)	right or left (comb. 504, 510)	4214256	2	5.20
55	1011-19-37 (exc. 11A-11D-19D)	right or left (comb. 505)	4214257	2	5.20
55	1011A-37D	right or left (comb. 508, 550)	4214143	2	5.20
55	1011A-37D	right or left (comb. 506, 507, 519, 520, 521, 522)	4214141	2	5.20
55	1011D-19D	right or left (comb. 511)	4214478	2	5.20
55	1011D-19D	right or left (comb. 513)	4214480	2	5.20
55	1011D-19D	right or left (comb. 531)	4214479	2	5.20
55	1011D-19D-1211-19	right or left (comb. 500, 547, 549)	4215176	2	5.20
55	1019 (TAXICAB) (exc. 19D)	right or left (comb. 553)	4243788	2	5.60
55	1019-1219 (TAXICAB) (exc. 1019D)	right or left (comb. 529, 530)	4243787	2	5.60
55	CONV.	right or left (comb. 525)	4215038	2	5.60
55	CONV.	right or left (comb. 526)	4215039	2	5.60
55	CONV.	right or left (comb. 527)	4215040	2	5.60
55	CONV.	right or left (comb. 528)	4215041	2	5.60
55	CONV.	right or left (comb. 533)	4215043	2	5.60
55	CONV.	right or left (comb. 537)	4215042	2	5.60
55	CONV.	right or left (comb. 551)	4243202	2	5.60
55	1037D	(comb. 532)	4214685	1	5.20
55	1062F-62DF-63F	right or left (comb. 514, 516, 517, 518)	4214821	2	5.20
55	1062F-63F-1263F	right or left (comb. 515, 524)	4214822	2	5.20
55	1064	right or left (comb. 541, 542, 543, 544)	4243380	2	5.20
55	1064	right or left (comb. 545, 552)	4243381	2	5.20
55	1064	right or left (comb. 546)	4243382	2	5.20
55	1263F	(comb. 502)	4215219	1	5.20
55	SDL	(comb. 501)	4215246	1	5.10
56	1011-19-37-39 (exc. 11A)	right or left (comb. 564, 573, 578, 626),			
56	1019 (TAXI) (exc. 19D)	right or left (comb. 624) (black)	4245372	2	5.75
56	1011-19-37-39 (exc. 11A)	right or left (comb. 564, 573),			
56	1019 (TAXI)	right or left (comb. 624) (gray)	4259557	2	5.75
56	1011-19-37-39 (exc. 11A)	right or left (comb. 565, 574)	4247218	2	5.75
56	1011-19-37-39 (exc. 11A)	right or left (comb. 566, 575)	4245374	2	5.75
56	1011A-37D-39D-64	right or left (comb. 567-9, 579, 611)	4245480	2	5.75
56	1011D-19D	right or left (comb. 577)	4245661	2	5.75
56	1011D-19D	right or left (comb. 578)	4259571	2	5.75
56	1011D-19D	right or left (comb. 617)	4245660	2	5.75
56	1011D-19D	right or left (comb. 626)	4259349	2	5.75
56	1019-1219 (TAXI) (exc. 1019D)	right or left (comb. 623, 625)	4258729	2	5.75
56	1211-19	(comb. 560)	4246975	2	5.75
56	CONV.	right or left (comb. 602, 604, 631)	4246847	2	6.00
56	CONV.	right or left (comb. 603)	4246848	2	6.00
56	CONV.	right or left (comb. 605)	4246850	2	6.00
56	CONV.	right or left (comb. 606)	4246851	2	6.00
56	CONV.	right or left (comb. 607)	4246852	2	6.00
56	CONV.	right or left (comb. 621)	4246853	2	6.00
56	1037D-39D-64	right or left (comb. 580, 590)	4246611	2	5.75
56	1037D-39D-64	right or left (comb. 581, 591)	4246612	2	5.75
56	1037D-39D-64	right or left (comb. 583, 593)	4246614	2	5.75
56	1037D-39D-64	right or left (comb. 584, 594)	4246615	2	5.75
56	1037D-39D-64	right or left (comb. 585, 595)	4246616	2	5.75
56	1037D-39D-64	right or left (comb. 618, 620, 628, 633)	4246613	2	5.75
56	1037D-39D-64	right or left (comb. 627, 632)	4259293	2	5.75
56	1062-63F (exc. 62DF)	right or left (comb. 570)	4246238	2	5.75
56	1062-63F (exc. 62DF)	right or left (comb. 572)	4246240	2	5.75
56	1062-63F	right or left (comb. 609, 610)	4246241	2	5.75
56	1062DF	right or left (comb. 586)	4246445	2	5.75

56	1062DF	right or left (comb. 587)	4246446	2	5.75
56	1062DF	right or left (comb. 588)	4246447	2	5.75
56	1062DF	right or left (comb. 619, 629)	4246448	2	5.75
56	1062DF	right or left (comb. 630)	4259386	2	5.75
56	1263F-71 (1st type)	(comb. 562, 615, 616)	4247016	1	5.75
56	1263F (2nd type)	right or left (comb. 562, 616)	4267891	1	5.75
56	Ser. 1200 (exc. STA. WAG., SDL.)	(gold—headlining cloth)	987332	1	5.95
56	1263F-71	(gold—imitation leather)	987333	1	5.95
57	1011-19-37-39-1211-19 (exc. 11A-11D-19D)	(comb. 650, 654, 715)	4260142	2	5.75
57	1011-19-37-39 (exc. 11A-11D-19D)	(comb. 655)	4260143	1	5.75
57	1011-19-37-39 (exc. 11A-11D-19D)	(comb. 656)	4260144	1	5.75
57	1011A-62F-62FC-63F-1263F-71	(comb. 651, 652, 653, 657, 660, 716, 717)	4260250	1	5.75
57	1011A-62-63F-64	(comb. 658, 661, 692)	4260251	1	5.75
57	1011A-62-63F-64	(comb. 659, 662, 695)	4260252	1	5.75
57	1011D-19D	(comb. 663, 669)	4260459	1	5.75
57	1011D-19D	(comb. 664)	4260460	1	5.75
57	1011D-19D	(comb. 665)	4260461	1	5.75
57	1011D-19D	(comb. 666)	4260462	1	5.75
57	1011D-19D	(comb. 667)	4260463	1	5.75
57	1011D-19D	(comb. 668)	4260464	1	5.75
57	1037D-39D	(comb. 670)	4260859	1	5.75
57	1037D-39D	(comb. 671)	4260860	1	5.75
57	1037D-39D	(comb. 672)	4260861	1	5.75
57	1037D-39D	(comb. 673)	4260862	1	5.75
57	1037D-39D	(comb. 674)	4260863	1	5.75
57	1037D-39D	(comb. 675)	4260364	1	5.75
57	1037D-39D	(comb. 676)	4260865	1	5.75
57	CONV.	(comb. 677, 682, 683)	4261512	1	6.00
57	CONV.	(comb. 678)	4261513	1	6.00
57	CONV.	(comb. 679)	4261514	1	6.00
57	CONV.	(comb. 680)	4261515	1	6.00
57	CONV.	(comb. 681)	4261516	1	6.00
57	1062DF-64	(comb. 684, 691)	4261068	1	5.75
57	1062DF-64	(comb. 686, 693)	4261070	1	5.75
57	1062DF-64	(comb. 687, 694)	4261071	1	5.75
57	1062DF-64	(comb. 689, 696)	4261073	1	5.75
57	1062DF-64	(comb. 690, 697)	4261074	1	5.75
57	1200 (exc. STA. WAG. SDL.)	(light gray)	987630	1	6.20
57	1263-71	(ivory)	987648	1	6.20
55-56	PASS. (exc. SPT. MDLS., SDL.)	GLARESHADE, inside	987115	1	7.25
55-56	SPT. MDLS.	GLARESHADE, inside	987139	1	7.25

10.219 SUPPORT—BRACKET—PIVOT—RETAINER, Sunshade

37-40	PASS. (exc. CONV.)	right	4074008	1	1.50
37-40	PASS. (exc. CONV.)	left	4074009	1	1.50
40-48	CONV.		4090488	4	1.08
41-48	PASS. (exc. 1007-67, STA. WAG.),				
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	right	4113901	1	2.25
41-48	PASS. (exc. 1007-67, STA. WAG.),				
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	left	4113902	1	2.25
49-50	CONV., BEL AIR	right (less arm) (for R.H. or L.H. sunshade)	4168792	2	1.02
49-50	CONV., BEL AIR	left (less arm) (for R.H. or L.H. sunshade)	4168793	2	1.02
51-52	CONV., BEL AIR	right (less pivot)	4183951	1	2.65
51-52	CONV., BEL AIR	left (less pivot)	4183952	1	2.65
53-54	CONV., SPT. CPE.	right, w/pivot	4616118	1	4.95
53-54	CONV., SPT. CPE.	left, w/pivot	4616119	1	4.95
55-57	PASS. (exc. CONV.)	right and left, w/pivot	4650306	2	2.25
55-57	CONV.	right, w/pivot	4650133	1	4.95
55-57	CONV.	left, w/pivot	4650134	1	4.95
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	BRACKET, left, mounting	3699959	1	1.50
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	BRACKET, right, mounting	3699960	1	1.50
53-54	PASS. (exc. CONV., STA. WAG., SDL.)	BRACKET, center, mounting	3699965	1	2.75
51-52	CONV., BEL AIR	PIVOT	4183950	2	1.45

51-54	CONV.	RETAINER, rod, right (hook shape)	4578830	1	1.55
51-54	CONV.	RETAINER, rod, left (hook shape)	4578831	1	1.55
55-57	CONV.	RETAINER, rod (hook shape)	4649655	2	1.40
51-52	CONV., BEL AIR	PARTS UNIT, sunshade support (small parts)	4183945*	1	.55

*NOTE: 4183945 consists of flat washer, bushing, spring washer and screw.

10.224 NUT—GROMMET, Sunshade Adjusting Sleeve Wing

53-54	PASS. (exc. CONV., STA. WAG., SDL.)		3699968	1	.05
51-55	CONV.,				
57	CONV.	GROMMET, sunshade rod anti-rattle	4559950	2	.06

10.225 SCREW, Sunshade Support

34-54	PASS. (exc. CONV., B-A, STA. WAG.)	supt. to rod (No. 10—24 x ½ fill. hd.—chr.)	132042	3	(8.907)
39-54	PASS. (exc. CONV.)	supt. to frt. end (No. 10 x ¾ oval hd. metal screw—chr.)	168593	3	(8.977)
55-57	CONV.	support to body	4653567	6	.05

10.230 PANEL—REINFORCEMENT—CAP, Instrument

49-50	PASS.		4580028	1	17.85
51-52	PASS.		4588644	1	24.10
53-54	PASS.		4637700	1	24.10
53-55	CORV.	(plastic)	3708677	1	27.50
55-56	PASS.		4678562	1	40.90
55-56	PASS.	right, instrument panel end	4639953	1	6.35
55-56	PASS.	left, instrument panel end	4639954	1	6.35
56-57	CORV.	(plastic laminate)	3725584	1	27.50
57	PASS.	(less finish)	4695691	1	40.90
53-55	CORV.	REINFORCEMENT, steel	3706581	1	2.50
56-57	CORV.	REINFORCEMENT, steel	3726461	1	2.50
57	PASS.	CAP, right, panel end	4702851	1	.05
57	PASS.	CAP, left, panel end	4702852	1	.05

10.231 RAIL ASSY., Instrument Panel Trim

53-57	CORV.	(plastic laminate and steel)	3706571	1	69.50

10.232 TRIM—RETAINER, Instrument Panel

53-55	CORV.	(comb. 295) red	4199995	1	4.95
54-55	CORV.	(comb. 341) beige	4648523	1	4.95
55	CORV.	(comb. 555) light red	3728904	1	4.95
55	CORV.	(comb. 556) dark green	3728903	1	4.95
56-57	CORV.	(red)	3726518	1	4.95
56-57	CORV.	(beige)	3726526	1	4.95
54-55	CORV.	RETAINER, inst. panel pad	4649793	1	14.50

10.252 MOULDING—PLATE—ORNAMENT—ESCUTCHEON—RETAINER—COVER—CLIP—NUT—SCREW—EMBLEM, Instrument Panel



3688250

42-48	PASS.	left, control trim (1 5/8 x 4 5/16)	3684341	1	.33
42-48	PASS.	right, control trim (1 5/8 x 4 5/16)	3684342	1	.33
49-50	PASS.	left (5/8 wide x 6 29/32 long)	3688429	1	.55

49-50	PASS.	right (5/8 wide x 35 23/32 long)	3688430	1	1.55
57	Ser. 1000 (exc. BEL-AIR)	right, lower	4694565	1	1.65
57	Ser. 1000 (exc. BEL-AIR)	left, lower	4694566	1	1.05
49-54	PASS.	PLATE, name (Chevrolet) (9 11/16 long)	3702994	1	.70
53-55	CORV.	PLATE, end, right or left (plastic laminate)	3710021	2	.95
55-56	PASS. (exc. BEL AIR)	PLATE, name (Chevrolet) (5 9/16 long)	3711574	1	.40
55-56	BEL AIR	PLATE, name (Bel Air) (gold—4 7/8 long)	3711609	1	.55
55	BEL AIR	PLATE, center trim (27 3/16 long)	3713485	1	1.70
55	BEL AIR	PLATE, right corner trim (9 9/16 long) (embossed aluminum)	3713490	1	1.05
55	BEL AIR	PLATE, left, corner trim (9 5/16 long) (embossed aluminum)	3713487	1	1.05
56	BEL AIR	PLATE, center trim	3722641	1	1.70
56	BEL AIR	PLATE, left, corner trim	3722643	1	1.05
56	BEL AIR	PLATE, right, corner trim	3722646	1	1.05
57	BEL-AIR	PLATE, name (gold)	3736052	1	.85
57	BEL-AIR	PLATE, center trim	3736058	1	2.00
57	BEL-AIR	PLATE, right trim	3736060	1	1.25
57	BEL-AIR	PLATE, left trim	3736059	1	1.25
53-54	BEL AIR	ORNAMENT, end (w/2 attach. studs)	4603467	1	1.75
53-57	CORV.	ESCUTCHEON, defroster opening	4154398	2	1.15
49-50	PASS.	RETAINER, attach instr. panel mouldings (1/2 wide x 5/8 thick x 1 long w/10—32 bolt)	3688250	A.R.	.05
51-52	PASS.	COVER, trans. control shaft hole	3699056	1	1.05
49-50	PASS.	CLIP, instrument panel mldg.	2121310	1	.04
40-48	PASS.	NUT, extension moulding (speed nut) (3/16 rod)	3695282	A.R.	(8.040)
49-54	PASS.	NUT, speed (for name plate)	3690217	4	.03
55-56	PASS.	NUT, name plate (special spring 1/16)	3713432	3	.02
55-56	BEL AIR	SCREW (10-12 x 1/2)	168584	2	(8.977)
53-56	CORV.	SCREW (10—16 x 1/2) panel end plate	273452	A.R.	(8.977)
57	PASS. (exc. BEL-AIR)	EMBLEM (Chevrolet)	4695930	1	.75

10.253 CLIP, Instrument Panel Moulding



3658565

41	PASS.	(snap on type—15/32 high)	3658565	36	.02

10.256 GRILLE—PLATE—SCREEN—COVER—BEZEL—PANEL—EMBLEM—RETAINER—CLIP, Radio

49-50	PASS.		3699026	1	4.40
51-52	Ser. 1000		3699027	1	6.40
53-54	Ser. 1000	(w/ash tray opening)	3702986	1	6.70
53-54	Ser. 1200	(w/4 No. 10—24 x 15/16 attach. studs)	3702988	1	6.29
53-57	CORV.	upper	3706625	1	.65
53-57	CORV.	lower, left	3706641	1	.95
53-57	CORV.	lower, right	3706642	1	.95
57	PASS.	lower panel finish	4694298	1	1.40
42-48	PASS.	PLATE (2 5/8 x 8, ctr. to ctr. holes 7)	3684343	1	.50
55-56	PASS.	SCREEN, grille (perforated steel painted black)	3717108	1	.85
53-54	PASS.	COVER, inst. panel radio control hole (8 3/8 O.L. w/2 10—24 x 25/32 attach. studs)	3698486	1	.60
53-57	CORV.	COVER, radio control hole	3707868	1	.75
56-57	CORV.	COVER, radio speaker hole	3734075	1	.25
55-57	PASS.	BEZEL, with grille screen	3717180	1	4.35
53-56	CORV.	BEZEL, radio speaker grille	3706626	1	2.45
51-52	PASS.	PANEL, grille dial cover	3695648	1	.50
53-57	CORV.	EMBLEM, radio speaker grille	3706638	1	1.95
49-50	PASS.	RETAINER, grille attach. (1/2 wide x 5/8 thick x 1 long w/10—32 bolt)	3688250	1	(10.252)

53-56	CORV	CLIP, grille and bezel	445189	A.R.	(8.147)
57	PASS.	CLIP, speaker grille front, R.H.	4697014	1	.10

10.260 BOX, Instrument Panel Compartment

41-48	PASS.		4116124	1	2.03
49-50	PASS.		4586673	1	3.05
51-52	PASS.		4588363	1	3.05
53-54	PASS.	(4 7/8 x 10 7/8 opening)	4599945	1	3.05
55-56	PASS.		4649392	1	3.05
57	PASS.		4697438	1	3.05

10.261 DOOR—STOP, Instrument Panel Compartment, Less Knob

49-50	PASS.		4611682	1	4.40
51-52	PASS.		4611683	1	4.65
53-54	Ser. 1000		4639127	1	8.20
53	Ser. 1200	(5 1/4 x 12 3/4)	4621773	1	4.65
54	Ser. 1200		4639129	1	4.65
55-56	PASS.		4656532	1	4.65
57	PASS.	(less knob)	4701164	1	4.65
55-56	PASS.	STOP, door	4656824	1	.65
57	PASS.	STOP, door	4703226	1	.65

10.262 HINGE—SCREW, Instrument Panel Compartment Door

51-52	PASS.	right	4611842	1	.80
51-52	PASS.	left	4611843	1	1.05
53-54	PASS.	right (stamped "CR")	4639709	1	.90
53-54	PASS.	left (stamped "CL")	4639710	1	1.05
55-56	PASS.		4656556	1	1.05
57	PASS.		4703225	1	1.05
53-54	PASS.	SCREW (10—32 x 7/16)	4585972	8	.05
55-57	PASS.	SCREW, hinge to door (10—32 x 5/16)	4564818	3	.05
55-56	PASS.	SCREW, hinge to panel (8—15 x 7/16)	4585528	3	.05
57	PASS.	SCREW, door hinge	4715128	3	.05

10.263 BUMPER, Instrument Panel Compartment Door

36-57	PASS.	(3/8 O.D. x 1 1/8 O.L.)	4128599	2	.06
49-54	PASS.	(11/16 O.D. x 1/2 O.L.) (on hinge)	4558911	2	.06
55-57	PASS.	door stop (5/16 x 3/4 x 9/16)	4566397	1	.06

10.266 KNOB ASSEMBLY, Instrument Panel Compartment Door—with lock cylinder and keys complete coded to no specified key number.

36-37	PASS.	with lock bolt (1 x 2 face size x 1 15/16 long—chrome)	602551	1	2.05
39	PASS.	with lock bolt (15/16 face diameter x 1 1/4 long—chrome)	603624	1	2.25
40-57	PASS.	with lock bolt (7/8 face diameter x 1 9/16 long—chrome)	3732065	1	1.85
56-57	CORV		4615917	1	1.20
35-54	PASS.	KEY blank (round head)	7002238	1	(2.187)
35-57	PASS., CORV	KEY blank (octagon head)	3694624	1	(2.187)

KNOB ONLY, Instrument Panel Compartment Door—less Lock Cylinder, Retainer and Keys

40-57	PASS.	with lock bolt and spring	4099315	1	1.00
	Not required in this group—see group 16.110		4099316		1.00

CYLINDER, Instrument Panel Door Lock

40-56	PASS.,				
56-57	CORV	uncoded, less keys	1394994	1	.80

10.267 RETAINER—ESCUTCHEON, Instrument Panel Compartment Door Knob

40-50	PASS.	(1 5/16 long)	4131049	1	.20
51-52	PASS.	(1 3/16 long)	4587925	1	.20
53-57	PASS.	(1 1/4 long)	4599106	1	.20
56-57	CORV.	ESCUTCHEON	4615980	1	.40

10.268 STRIKER, Instrument Panel Compartment Lock

41-48	PASS.	(7/8 x 2 1/4 x 1/4 high)	4114874	1	.20
49-50	PASS.	(1/2 wide x 1 3/4 long)	4551932	1	.35
51-52	PASS.	(1/2 wide x 1 3/4 long)	4587977	1	.35
53-54	Ser. 1000.	(1/2 high x 1 3/4 long)	4626628	1	.25
53-54	Ser. 1200,				
55-57	PASS.	(1/2 high x 1 3/4 long)	4626627	1	.20

10.272 PLATE, Clock Hole Cover

49-50	Ser. 1200	(2 1/4 x 3 1/8) medium grey	3700011	1	.37

10.275 LAMP—SWITCH—SUPPORT, Instrument Panel Compartment

53-57	CORV.	courtesy	4129371	2	2.35
55-56	PASS.	courtesy	987138	1	2.75
56	Ser. 1000.	w/switch	987436	1	1.10
57	Ser. 1000 (exc. CONV.)	courtesy	987569	1	2.75
57	Ser. 1000.	w/switch	987604	1	1.15
50-52	Ser. 1000,				
53-54	PASS.	SWITCH	3699662	1	.80
55	PASS.	SWITCH	3711670	1	.70
56-57	PASS.	SWITCH, lamp	1998161	1	.75
55-57	PASS.	SUPPORT, socket (courtesy lamp)	4651338	2	.25

10.307 PANEL—COVER—REINFORCEMENT, Cowl Ventilator

55-56	PASS.	top louver (36 13/16 long)	4651538	1	2.70
53-57	CORV.	COVER, steel	4154389	1	9.50
53-57	CORV.	REINFORCEMENT, cover (plastic laminate and steel)	3706585	1	12.25

10.313 HANDLE, Cowl Ventilator Adjuster w/Lower Link

56	CORV.	use w/3729445	4619984	1	(11.588)
53-57	CORV.	w/brace	3729445	1	16.50

10.331 GASKET—BUMPER—WEATHERSTRIP, Cowl Ventilator

37-48	PASS.	(formed in one piece--lip type, developed length—38)	4081958	1	1.60
55-56	PASS.	BUMPER, top louver (7/8 x 1/2)	4652124	8	.05
53-57	CORV.	WEATHERSTRIP	3706914	1	1.35

10.344 HOSE—GROMMET—CLIP, Cowl Ventilator Drain

40-48	PASS.	(15/32 I.D. x 13 5/8 developed length—molded)	4101941	1	.50
55	PASS.	windshield gutter (25 long)	4667553	2	.45
56-57	PASS.		4678561	1	.45
55-57	PASS.	GROMMET, gutter drain hose	4667518	2	.05
55-57	PASS.	CLIP, gutter drain hose	4667519	2	.03

10.351 DOOR, Front (less paint, trim and hardware)

42-48	1019-1219-71	right (jobs less upper belt mldg. holes)	4184824	1	53.15
42-48	1019-1219-71	left (jobs less upper belt mldg. holes)	4184825	1	53.15
42-48	1011-1211	right (jobs less upper belt mldg. holes)	4184826	1	61.55
42-48	1011-1211	left (jobs less upper belt mldg. holes)	4184827	1	61.55
42-48	1069	right (jobs less upper belt mldg. holes)	4184828	1	53.15

42-48	1069	left (jobs less upper belt mldg. holes)	4184829	1	53.15
42-48	CPE	right (jobs less upper belt mldg. holes)	4184830	1	61.55
42-48	CPE	left (jobs less upper belt mldg. holes)	4184831	1	61.55
42-48	1007	right (jobs less upper belt mldg. holes)	4184832	1	61.55
42-48	1007	left (jobs less upper belt mldg. holes)	4184833	1	61.55
49-51	1008-1208	right	4184846	1	63.50
49-51	1008-1208	left	4184847	1	63.50
49-52	1069-1269	right	4184844	1	64.95
49-52	1069-1269	left	4184845	1	64.95
49-52	1062	right	4184836	1	64.95
49-52	1062	left	4184837	1	64.95
49-52	1007-1207	right	4184838	1	69.35
49-52	1007-1207	left	4184839	1	69.35
49-52	CONV., BEL AIR	right	4184848	1	69.35
49-52	CONV., BEL AIR	left	4184849	1	69.35
49-52	SDL	right	4184850	1	64.95
49-52	SDL	left	4184851	1	64.95
49-52	1011-1211	right	4184840	1	69.35
49-52	1011-1211	left	4184841	1	69.35
49-52	1027-1227-27B	right	4184842	1	69.35
49-52	1027-1227-27B	left	4184843	1	69.35
53-54	1011-27-1211-27-27B	right	4200414	1	68.90
53-54	1011-27-1211-27-27B	left	4200415	1	68.90
53-54	1069-1269-69W	right (pierced type)	4211044*	1	61.60
53-54	1069-1269-69W	left (pierced type)	4211045*	1	61.60
53-54	CONV., SPT. CPE.	right	4200416	1	66.90
53-54	CONV., SPT. CPE.	left	4200417	1	66.90
53-55	CORV.	right	3714208	1	99.50
53-55	CORV.	left	3714207	1	99.50
53-54	STA. WAG.	right	4191748	1	64.95
53-54	STA. WAG.	left	4191749	1	64.95
53-54	SDL.	right	4191750	1	57.95
53-54	SDL.	left	4191751	1	57.95
55-57	1011-63F-1211-63F-71	right	4210503	1	68.90
55-57	1011-63F-1211-63F-71	left	4210504	1	68.90
55-57	4-DR.	right	4210499	1	66.90
55-57	4-DR.	left	4210500	1	66.90
55	CONV.	right	4210848	1	64.40
55-57	CONV.	left	4244808	1	64.40
55-57	SPT. CPE.	right	4244805	1	66.90
55-57	SPT. CPE.	left	4244806	1	66.90
55-57	1064	right	4268356	1	79.95
55-57	1064	left	4268357	1	79.95
56-57	CONV.	right	4244807	1	64.40
56	SPT. SED.	right	4244809	1	64.40
56	SPT. SED.	left	4244810	1	64.40
56-57	CORV.	left, outer panel (plastic laminate)	3724305	1	19.75
56-57	CORV.	right, outer panel (plastic laminate)	3724306	1	19.75
56-57	CORV.	left, inner panel (plastic laminate)	3726459	1	31.60
56-57	CORV.	right, inner panel (plastic laminate)	3726460	1	31.60
57	SPT. SED.	right	4259439	1	64.40
57	SPT. SED.	left	4259440	1	64.40

*NOTE: On non-pierced type doors, use 4191860 w/strip glue-on type Group 10.694.
On pierced type doors, use 4648290 w/strip snap-on type Group 10.694.

10.352 GUARD UNIT, Door Edge

55-56	2-DR. SEDAN	987129	1	3.45
55-56	CONV., SPT. CPE.	987130	1	3.45
56	4 DR. SEDAN	987411	1	6.25
56	SPT. SED.	987339	1	6.25
57	2 DR. (exc. SPT. CPE., CONV.)	987566	1	3.45
57	4 DR. (exc. SPT. SED.)	987565	1	6.25
57	SPT. CPE., CONV.	987568	1	3.45
57	SPT. SED.	987567	1	6.25

10.353 CAP, Lock Pillar Finishing

56-57	SPT. SED.	front door	4674692	2	.35

10.354 TRANSFER, Body

49-54	1062-62D	(exterior, mahogany—21½ x 48¼)	4573156	A.R.	7.50
49-54	1062-62D	(exterior, ash—32 x 55)	4573157	A.R.	12.45

KIT—Transfer Installation (For Transfers see Groups 10.354—12.195)

49-53	1062	KIT	4172015	A.R.	No List

NOTE: 4172015 Consists of two (2) each of 4172016-18, one (1) each 4172017-20-21-22-23-24-25 and 2 Squee Gees.

49-54	1062-62D	BONDING COAT MATERIAL (K-36) (1 PT.)	4172016	A.R.	No List
49-54	1062-62D	WELDING SOLUTION (A-1171) (1 PT.)	4172017	A.R.	No List
49-54	1062-62D	TOP COAT (R&M-XP-2857) (1 PT.)	4172018	A.R.	No List
49-54	1062-62D	DI-NOC, Highlight (17000-H) (¼ PT.)	4172020	A.R.	No List
49-54	1062-62D	DI-NOC, Solid (17000-S) (¼ PT.)	4172021	A.R.	No List
49-54	1062-62D	DI-NOC, Highlight (17001-H) (¼ PT.)	4172022	A.R.	No List
49-54	1062-62D	DI-NOC, Solid (17001-S) (¼ PT.)	4172023	A.R.	No List
49-53	1062	DI-NOC, Highlight (17002-H) (¼ PT.)	4172024	A.R.	No List
49-53	1062	DI-NOC, Solid (17002-S) (¼ PT.)	4172025	A.R.	No List

10.355 COVER, Front Door Panel Access Hole

56-57	CORV	front	3716348	2	.20
56-57	CORV	rear	3716347	2	.30

10.359 DOOR—HINGE—PIN, Package Compartment

53-55	CORV	w/male hinge	4154382	2	2.85
53-55	CORV	HINGE, female	4154685	2	.95
53-55	CORV	PIN, door hinge	4154687	2	.25

10.373 DOOR, Rear (less paint, trim and hardware)

41-48	1069	right (jobs with upper belt mldg. holes)	4184856	1	44.35
41-48	1069	left (jobs with upper belt mldg. holes)	4184857	1	44.35
41-48	1019-1219	right (jobs less upper belt mldg. holes)	4184854	1	44.35
41-48	1019-1219	left (jobs less upper belt mldg. holes)	4184855	1	44.35
49-52	1069-1269	right	4184858	1	68.90
49-52	1069-1269	left	4184859	1	68.90
49-52	1062	right	4184862	1	68.90
49-52	1062	left	4184863	1	68.90
49-51	1008-1208	right	4184860	1	68.90
49-51	1008-1208	left	4184861	1	68.90
53-54	1069-1269	right (pierced)	4211046*	1	68.90
53-54	1069-1269	left (pierced)	4211047*	1	68.90
53-54	STA. WAG.	right	4191174	1	68.90
53-54	STA. WAG.	left	4191175	1	68.90
55	4-DR. (exc. STA. WAG.),				
57	4-DR. (exc. STA. WAG.)	right	4210501	1	68.90
55	4-DR. (exc. STA. WAG.),				
57	4-DR. (exc. STA. WAG.)	left	4210502	1	68.90
55	1062,				
57	1062	right	4210505	1	73.10
55	1062,				
57	1062	left	4210506	1	73.10
56	4 DR. SEDAN	right	4244821	1	68.90
56	4 DR. SEDAN	left	4244822	1	68.90
56	SPT. SED.	right	4244811	1	68.90
56	SPT. SED.	left	4244812	1	68.90
56	1062	right	4244823	1	73.10
56	1062	left	4244824	1	73.10
57	SPT. SED.	right	4259451	1	68.90
57	SPT. SED.	left	4259452	1	68.90

*NOTE: On non-pierced type doors, use 4191860 w/strip glue-on type Group 10.694. On pierced type doors, use 4648290 w/strip snap-on type Group No. 10.694.

10.377 COVER, Rear Door Access Hole

56-57	SPT. SED.	right, lock pillar	4670615	1	.40
56-57	SPT. SED.	left, lock pillar	4670616	1	.40

10.390 DOOR, Back

41-48	SDL.		4147994	1	38.15
49-54	SDL.		4191207	1	50.40
55-57	SDL.		4210511	1	99.10
57	SDL.	assy.	4269444	1	99.75

10.393 MOULDING—WEATHERSTRIP, Back Door Opening Finishing

53-54	SDL.	right	4641041	1	3.10
53-54	SDL.	left	4641042	1	3.10
55-57	SDL.	upper	4648655	1	9.25
55-56	SDL.	side upper ($9\frac{15}{32}$ x 1)	4657867	2	.55
55-56	SDL.	side lower ($14\frac{7}{32}$ x 1)	4657868	2	.75
57	SDL.	side upper	4711154	2	.55
57	SDL.	side lower	4711237	2	.85
49-54	SDL.	WEATHERSTRIP (attaches to door)	4167900	1	(10.694)
49-54	SDL.	WEATHERSTRIP (attaches to body opening)	4172355	1	(12.269)

10.444 SPRING—RIVET, Door Hinge Hold Open


53-57	PASS.,				
56-57	CORV.	front door	4156601	8	.25
55-57	4 DR.	rear door lower	4155704	2	.25
56-57	SPT. SED.		4155197	2	.25
53-57	PASS.,				
56-57	CORV.	RIVET ($\frac{3}{16}$ O.D. x $\frac{3}{8}$ O.L. w/$\frac{5}{16}$ hd.)	4180860	16	.05


10.450 HINGE — BOX — STRAP — PLATE — RETAINER — REINFORCEMENT, Front Door, Upper

42-48	PASS.	right (ident. No., male half "7", female half "45")	4125227	1	3.50
42-48	PASS.	left (ident. No., male half "6", female half "44")	4125228	1	3.50
49-52	PASS.	right and left (w/bushing and pin)	4559290	2	4.80
53-55	CORV.	upper and lower	4154365	4	5.85
56-57	CORV.	upper left and lower right	3723441	A.R.	6.65
56-57	CORV.	upper right and lower left	3723442	A.R.	6.65
53-54	PASS.	BOX, right (w/spring)	4191681	1	4.80
53-54	PASS.	BOX, left (w/spring)	4191682	1	4.80
55-57	PASS.	BOX, right (w/spring)	4156606	1	(10.454)
55-57	PASS.	BOX, left (w/spring)	4156607	1	(10.454)
53-54	PASS.	STRAP, right (w/bushing)	4191683	1	4.80
53-54	PASS.	STRAP, left (w/bushing)	4191684	1	4.80
55-57	PASS.	STRAP, right (w/bushing)	4156602	1	(10.454)
55-57	PASS.	STRAP, left (w/bushing)	4156603	1	(10.454)
53-54	PASS.	PLATE, hinge on body, r. and l. (two $\frac{5}{16}$ holes)	4614531	2	.20
53-55	CORV	PLATE, hinge adjustment	3706814	4	.15
53-55	CORV	PLATE, hinge anchor	3706805	4	.30
56-57	CORV.	PLATE, hinge	4624268	4	.30
53-55	CORV.	RETAINER, hinge anchor	3706806	4	.15
56-57	CORV.	RETAINER, hinge anchor	3724123	4	.15
56-57	CORV.	RETAINER, hinge nut	3727600	A.R.	.06
56-57	CORV.	RNFCT., left, inner pnl. hinge (plastic laminate)	3725995	1	10.50
56-57	CORV.	RNFCT. right, inner pnl. hinge (plastic laminate)	3725996	1	10.50

10.454 HINGE—BOX—STRAP, Front Door, Lower

42-48	PASS.	right and left Ident. No., male half "53," female half "52"	4125273	2	4.00
49-52	PASS.	right and left (w/bushing and pin)	4559290	2	(10.450)
53-54	PASS.	BOX, right (w/spring)	4150328	1	3.85


10.701
GLASS RUN
CHANNEL
10.559
KNOB
10.563
ROD
10.565
CLIP
10.681 GLASS
10.710 WEATHER STRIP
10.696 WEATHER STRIP
10.565 CLIP
10.512 HANDLE
10.506 ROD
10.513 RETAINER
10.515
PLATE
10.565
CLIP
10.500
REMOTE
CONTROL
10.470
LOCK ASSY.
10.685 SASH CHANNEL
10.569
STRIKER
10.527
OUTSIDE
HANDLE
10.687
CAM TRACK
10.538
GASKET
UNIT
10.551
RETAINER
10.792 CAM TRACK
10.783
WINDOW
REGULATOR
10.694 WEATHER STRIP
10.652 WEATHER STRIP
10.694 WEATHER STRIP
(AT BELT)
10.650
VENTILATOR ASSY.
10.686
DIVISION
CHANNEL
10.658 GLASS
10.660-10.664
VENT. HANDLE
AND PARTS
10.695
FASTENER
10.694
SEALING
STRIP
10.797
HANDLE
10.450 HINGE
10.806
SPRING
10.516
SPRING
10.515
PLATE
10.513
RETAINER
10.695
FASTENERS
10.606
CHECK LINK
10.608 SUPPORT
10.704 STUD
10.454 HINGE
10.694 WEATHER STRIP
10.694 RETAINER
10.695 STUD
10.695
CLIP


10.833
GROMMET
10.832
AIR DEFLECTOR
10.694 WEATHER STRIP
10.820
VENTILATOR
ASSEMBLY
10.624
HANDLE
10.759 CHANNEL
10.741
GLASS
10.827
GLASS
10.559 KNOB
10.710 WEATHER STRIP
10.822
WEATHER STRIP
10.563
ROD
10.565 CLIP
10.696 WEATHER STRIP
10.565 CLIP
10.563
ROD
10.747 SASH CHANNEL
10.556
LEVER
10.565 CLIP
10.748 CAM TRACK
10.806
SPRING
10.473
LOCK ASSY.
10.563 ROD
10.506
CONTROL
10.456 HINGE
10.569
STRIKER
10.565 CLIP
10.516
SPRING
10.527
OUTSIDE
HANDLE
10.829
DIVISION
CHANNEL
10.791
REGULATOR
10.606
CHECK LINK
10.538
GASKET
UNIT
10.515
PLATE
10.608
SUPPORT
10.704
STUD
10.792
CAM TRACK
10.513
RETAINER
10.460 HINGE
10.515
PLATE
10.513
RETAINER
10.551
RETAINER
10.797
HANDLE
10.694 WEATHER STRIP
10.512
HANDLE
10.694
WEATHER STRIP
10.694 WEATHER STRIP

53-54	PASS.	BOX, left (w/spring)	4150329	1	3.85
55-56	PASS.	BOX, right (w/spring)	4156606	1	2.75
55-56	PASS.	BOX, left (w/spring)	4156607	1	2.75
53-54	PASS.	STRAP, right or left (w/bushing)	4155168	2	3.20
55-56	PASS.	STRAP, right (w/bushing)	4156602	1	3.20
55-56	PASS.	STRAP, left (w/bushing)	4156603	1	3.20

10.456 HINGE—BOX—SUPPORT, Rear Door, Upper

49-52	1008-62-69-1208-69	right (w/bushing and pin)	4559411	1	4.15
49-52	1008-62-69-1208-69	left (w/bushing and pin)	4559412	1	4.15
49	1061	left (w/bushing and pin)	4565793	1	3.70
53-54	4-DR.	(w/bushing and pin)	4644958	2	4.30
55-57	4-DR.	(w/bushing and pin)	4645041	2	4.15
56-57	SPT. SED.	right	4663711	1	4.70
56-57	SPT. SED.	left	4663712	1	4.70
41-48	4-DR. SEDANS	BOX, right (stamped H75190 also 90 on base)	4114480	1	1.88
41-48	4-DR. SEDANS	BOX, left (stamped H75189)	4114481	1	1.88
56-57	1039D	SUPPORT, body side right	4664830	1	1.05
56-57	1039D	SUPPORT, body side left	4664831	1	1.05

10.460 HINGE, Rear Door, Lower

49-52	1008-62-69-1208-69	right (w/bushing and pin)	4559314	1	4.00
49-52	1008-62-69-1208-69	left (w/bushing and pin)	4559315	1	4.00
49	1061	left (w/bushing and pin)	4565737	1	5.40
53-54	4-DR.	(w/bushing and pin)	4595624	2	4.15
55-57	4-DR.	right (w/hold open and check)	4637079	1	6.55
55-57	4-DR.	left (w/hold open and check)	4637080	1	6.55
56-57	SPT. SED.	right	4667596	1	6.55
56-57	SPT. SED.	left	4667597	1	6.55

10.461 HINGE—STRAP—ROD, Back Door

40-48	SDL.	lower (stamped H72194)	4102229	1	5.12
49-54	SDL.	lower	4561963	1	6.20
49-54	SDL.	upper	4561972	1	6.20
55-57	SDL.	STRAP, right, upper hinge female	4157392	1	7.65
55-57	SDL.	STRAP, left, upper hinge female	4157393	1	7.65
55-57	SDL.	STRAP, right, upper hinge (w/link)	4157394	1	8.75
55-57	SDL.	STRAP, left, upper hinge (w/link)	4157395	1	8.75
55-57	SDL.	ROD, right, door hinge torque	4652178	1	2.85
55-57	SDL.	ROD, left, door hinge torque	4652179	1	2.85

10.463 BOLT—SCREW, Door Hinge to Hinge Pillar

40-41 46-48	PASS., 1019-69-1219-71,				
53-57	PASS., CORV.	front door, hinge to door (w/washer)	4559284	12	.10
42-48 49-54	PASS. 4-DR.	front door, hinge to door and body, rear door, hinge to door and body,			
55-57	STA. WAG.	tail gate, hinge to body	4573149	A.R.	.10
41 42-46	1069, 1019-69-1219	rear door, hinge to door	3685462	A.R.	.10
41 42-46	1027B-67-1227B-71 1019-69-1219	front and rear door, hinge to body (⅜— 24 x ⅞ long oval hd.)	4096042	A.R.	.10
49-54	PASS.	front door, hinge to body (w/washer)	4589780	8	.15
49-52 50-54	PASS. (exc. 1061) SDL.	front door, hinge to door, back door hinge			
56	SPT. SED.	rear door upper hinge	4569805	A R.	.10
55-57	4-DR.	rear door, hinge to door and body	4605666	12	.15
55-57 56-57	PASS., CORV.	front door hinge to body (w/washer) (5/16— 24 x ⅞)	4667009	8	.10
55-57	SDL.	back door upr. hinge and retainer to body	4689982	8	.10
53-57 56-57	PASS. CORV.	SCREW, front door, hinge to body (w/washer) (5/16—24 x ⅞)	4602582	A.R.	.10

10.464 BUSHING, Door Hinge

32-57	PASS.,				
56-57	CORV.	front and rear	4110660	A.R.	.15

10.466 PIN, Door Hinge

29-30	PASS.,				
31	568-70-71,				
33	570	front door, upper,			
29-31	PASS.	front and rear door, center and lower,			
32	568-71	front door, center and lower,			
29-35	PASS. (exc. Ser. 351000)	rear door, upper and lower,			
32-41	PASS. (exc. Ser. 351200)	front and rear door, upper and lower,			
32-54	SDL.	back door, upper and lower,			
42-48	4-DR.	rr., upr and lwr. ($^{11}/_{32}$ x $2\frac{3}{8}$, w/oil groove)	4023559	A.R.	.25
42-48	PASS. (exc. STA. WAG.)	front, upper and lower,			
49-52	PASS.	front, upper and lower,			
49-57	4-DR.	rear, upper and lower ($^{11}/_{32}$ x $3\frac{9}{32}$)	4125658	A.R.	.25
53-54	PASS.	front, upper ($2\frac{7}{16}$ O.L.)	4156402	4	.30
53-57	PASS.,				
56-57	CORV.	front, lower ($2\frac{1}{4}$ O.L.)	4156399	2	.25
55-57	SDL.	back, torque rod	4670434	2	.45
55-57	SDL.	back, upper hinge	4157400	2	.25

10.469 PLATE—SCREW, Door Hinge Cover

53-54	PASS.	right (on front door—upper) (stmpd. 42)	4596442	1	.42
53-54	PASS.	left (on front door—upper) (stmpd. 43)	4596443	1	.42
53	1069-1269	right (on rear door—upper)	4596641	1	.23
53	1069-1269	left (on rear door—upper)	4596642	1	.23
53-54	1069-1269-69W	r. or l. (on body, rr. door—upr.) ($7\frac{1}{8}$ O.L.)	4597753	2	.17
53-54	4-DR.	right (on rear door—lower) ($5^{13}/_{16}$ O.L.)	4631637	1	.40
53-54	4-DR.	left (on rear door—lower) ($5^{13}/_{16}$ O.L.)	4631638	1	.40
53-54	4-DR.	right (on body, rear door—lower) (7 O.L.)	4598734	1	.25
53-54	4-DR.	left (on body, rear door—lower) (7 O.L.)	4598735	1	.25
53-54	STA. WAG.	right or left (on body, rear door—upper) (stmpd. 75)	4597675	2	.17
53-54	SDL.	(on body, rear door—lower)	4637858	1	.25
53-54	SDL.	(on body, rear door—upper)	4637859	1	.25
53-55	CORV.	right, upper	3715492	1	.55
53-55	CORV.	left, upper	3715491	1	.55
53-55	CORV.	right, lower	4154372	1	.55
53-55	CORV.	left, lower	4154373	1	.55
54	1069-1269W	right (on rear door—lower)	4631635	1	.25
54	1069-1269W	left (on rear door—lower)	4631636	1	.25
55-57	4-DR. (exc. SPT. SED.)	(on body, rear door—lower)	4646057	2	.30
56	PASS.	front door upper anchor (on body)	4663735	2	.70
57	CORV.,				
56	PASS.	front door lower anchor (on body)	4663734	2	.70
56-57	SPT. SED.	rear door lower (on body)	4664199	2	.30
57	PASS.	front, anchor on body	4687135	4	.30
42-47	PASS. (exc. STA. WAG.),				
48	PASS.	SCREW, cover plate	120221	A.R.	(8.906)

10.470 LOCK, Front Door

37-39	PASS.	right	4082040	1	6.35
37-39	PASS.	left	4082041	1	6.35
40	PASS.	right	4102240	1	6.35
40	PASS.	left	4102239	1	6.35
41-48	PASS.	right	4113799	1	7.25
41-48	PASS.	left	4113800	1	7.25
49-54	PASS.	right	4244839	1	7.25
49-54	PASS.	left	4244840	1	7.25
53-55	CORV.	right	4154232	1	12.50
53-55	CORV.	left	4154233	1	12.50
55	PASS.	right (first type) (lock bolt hsg. $1\frac{1}{4}$ high—bottom edge is angular)	4631670	1	7.25

55	PASS.	left (first type) (lock bolt hsg. 1¼ high—bottom edge is angular)	4631671	1	7.25
55	PASS.	right (second type) (lock bolt hsg. 1⁹⁄₁₆ high—bottom edge is rounded)	4664954	1	7.25
55	PASS.	left (second type) (lock bolt hsg. 1⁹⁄₁₆ high—bottom edge is rounded)	4664955	1	7.25
56-57	PASS. (exc. SPT. CPE., SPT. SED., CONV.)	right	4670002	1	7.25
56	SPT. CPE., CONV.	left	4670003	1	7.25
56	SPT. CPE., CONV.	right	4667431	1	9.25
56	SPT. SED.	left	4667432	1	9.25
56	SPT. SED.	left	3723505	1	4.95
56-57	CORV.	right	3723506	1	4.95
56-57	CORV.	right	4689433	1	9.25
57	SPT. SED.	left	4689434	1	9.25
57	SPT. SED.				

10.471 DEFLECTOR, Door Panel Water

53	PASS.,				
54	CONV., SPT. CPE.	right, at lock (molded 4596734)	4596734	1	.33
53	PASS.,				
54	CONV., SPT. CPE.	left, at lock (molded 4596735)	4596735	1	.33

10.473 LOCK, Rear Door

37-39	4-DR.	right	4082041	1	(10.470)
37-39	4-DR.	left	4082040	1	(10.470)
41-48	4-DR.	right	4125851	1	6.25
41-48	4-DR.	left	4125852	1	6.25
49-51	4-DR. (1st type)	right, includes shaft, washer and washer ring	4255859	1	7.55
49-51	4-DR. (1st type)	left, includes shaft, washer and washer ring	4255860	1	7.55
51-54	4-DR. (2nd type)	right	4643361	1	7.15
51-54	4-DR. (2nd type)	left	4643362	1	7.15
55	4-DR.	right (first type) (lock bolt hsg. 1¼ high—bottom edge is angular)	4631672	1	7.15
55	4-DR.	left (first type) (lock bolt hsg. 1¼ high—bottom edge is angular)	4631673	1	7.15
55-57	4-DR. (exc. SPT. SED.)	right (second type) (lock bolt hsg. 1⁹⁄₁₆ high—bottom edge is rounded)	4664956	1	7.15
55-57	4-DR. (exc. SPT. SED.)	left (second type) (lock bolt hsg. 1⁹⁄₁₆ high—bottom edge is rounded)	4664957	1	7.15
56	SPT. SED.	right	4667433	1	9.25
56	SPT. SED.	left	4667434	1	9.25
57	SPT. SED.	right	4697265	1	9.25
57	SPT. SED.	left	4697266	1	9.25

10.474 SPRING—CLIP—SCREW—SPACER, Front and Rear Door Lock

42-48	PASS.	lock bolt return (front and rear)	4147585	1	.20
42-48	PASS.	lock handle return (front and rear)	4147586	1	.20
49-51	PASS. (1st type)	lock bolt return	4172039	A.R.	.20
49-51	PASS.	right—lock hook lever (C-shape .063 wire)	4183793	A.R.	.20
49-51	PASS.	left—lock hook lever (C-shape .063 wire)	4183794	A.R.	.20
49-51	4-DR. (1st type)	right—rr. dr. lock tie bar (C-shape .045 wire)	4172042	1	.20
49-51	4-DR. (1st type)	left—rr. dr. lock tie bar (C-shape .045 wire)	4172043	1	.20
51-54	PASS. (2nd type)	right—lock bolt and hook return	4183797	A.R.	.20
51-54	PASS. (2nd type)	left—lock bolt and hook return	4183798	A.R.	.20
51-54	4-DR. (2nd type)	right—rear door lock tie bar (loop type—1¾ free height .045 wire)	4183795	1	.20
51-54	4-DR. (2nd type)	left—rear door lock tie bar (loop type—1¾ free height .045 wire)	4183796	1	.20
55-57	PASS. (exc. SPT. SED.)	right, push button lever	4154144	2	.20
55-57	PASS. (exc. SPT. SED.)	left, push button lever	4154145	2	.20
55-57	1019-62-1219	right, rear door lock free wheeling	4154196	1	.25
55-57	1019-62-1219	left, rear door lock free wheeling	4154197	1	.25
56-57	SPT. SED.	lock handle connecting lever	4158971	4	.20

56-57	SPT. SED.	right, lock multiplier lever	4159000	1	.20
56-57	SPT. SED.	left, lock multiplier lever	4159001	1	.20
56	SPT. SED.	right, rear dr. lock free wheeling	4159026	1	.20
56	SPT. SED.	left, rear dr. lock free wheeling	4159027	1	.20
49-54	PASS.	SPRING UNIT, front and rear doors	3721574*	A.R.	.30
57	SPT. SED	SPRING, right, free wheeling	4233706	1	.20
57	SPT. SED	SPRING, left, free wheeling	4233707	1	.20
42-48	PASS.	CLIP, lock bolt return spring (front and rear)	4147584	1	.20
56-57	SPT. CPE., SPT. SED., CONV.	CLIP, door lock spring (frt. and rr.)	4234830	6	.10
49-55	PASS.,				
57	CONV., CORVETTE	SCREW, door lock to facing	4591016	12	.05
56-57	PASS.	SCREW, dr. lock to dr. facing	4671989	16	.05
56-57	CORV.	SPACER, left dr. lock support	3729209	1	1.25
56-57	CORV.	SPACER, right dr. lock support	3729210	1	1.25

*NOTE: Consists of 1—hold down and tumbler return bolt spring, 1—int. lever lift bolt pin, 1—right bell crank lift bolt spring, 1—left bell crank lift bolt spring.

10.479 LOCK, Back Door


40-48	SDL.		4102243	1	6.05
49-54	SDL.		4244840	1	(10.470)
55-57	SDL.	right	4678326	1	4.25
55-57	SDL.	left	4678327	1	4.25

10.500 CONTROL, Door Lock Remote


40-48	PASS.	right, front and rear door	4133003	A.R.	1.95
40-48	PASS.	left, front and rear door	4133004	A.R.	1.95
49-52	PASS. (exc. STA. WAG.)	right, front and rear door	4562601	1	1.95
49-52	PASS. (exc. STA. WAG.)	left, front and rear door	4562602	1	1.95
49-52	STA. WAG.	right, front and rear door	4563368	1	1.95
49-52	STA. WAG.	left, front and rear door	4563369	1	1.95
53-54	PASS.	right, front	4569559	1	1.95
53-54	PASS.	left, front	4569560	1	1.95
53-54	4-DR.	right, rear	4596423	1	1.95
53-54	4-DR.	left, rear	4596424	1	1.95
53-55	CORV.	right	4154374	1	2.15
53-55	CORV.	left	4154375	1	2.15
55-57	PASS.	right, front and rear door	4646569	A.R.	1.95
55-57	PASS.	left, front and rear door	4646570	A.R.	1.95
55-57	SDL.	back door	4650829	1	5.50
56-57	SPT. SED.	right, rear dr. locking rod to lock	4667825	1	1.95
56-57	SPT. SED.	left, rear dr. locking rod to lock	4667826	1	1.95
56	SPT. SED.	right, rear dr. locking rod to lock (w/2 shafts w/levers on each end)	4684806	1	5.90
56-57	CORV.	left	3735227	1	3.90
56	CORV.	right	3723510	1	3.90
57	SDL. (2nd type)	back door	4713812	1	5.95

10.506 LINK—ROD—BUMPER—SPRING—PIN—CLIP, Door Lock Remote Control Connecting

29-30	PASS.,				
31-32	SDL,				
33-34	PASS. (exc. SDL.),				
35	1201A-07A-09A-71A,				
36	Ser. 1200 (exc. 1217-67),				
37-40	PASS.	front door,			
38-39	2-DR. SEDAN	right front door,			
41-48	1019-69-1219-71	front door,			
29-41	4-DR.	rear door (universal—5/8 wide x 20 1/2 long)	4033996	2	.35
53-55	CORV.		3706922	2	.35
49-52	1007-11-27-1207-11-27-27B	ROD, right front door (21 3/16 long)	4561811	1	.17
49-52	1007-11-27-1207-11-27-27B	ROD, left front door (21 3/16 long)	4561812	1	.17
49-52	1069-1269	ROD, right rear door (12 5/8 long)	4562594	1	.13
49-52	1069-1269	ROD, left rear door (12 5/8 long)	4562595	1	.13
49-52	1062	ROD, right front door (12 3/16 long)	4562610	1	.13
49-52	1062	ROD, left front door (12 3/16 long)	4562611	1	.13
49-52	CONV., BEL AIR	ROD, right front door (20 3/4 long)	4562498	1	.17



1949-54 DOOR LOCK MECHANISM



1949-54 DOOR LOCKING HANDLE

49-52	CONV., BEL AIR	ROD, left front door (20¾ long)	4562499	1	.17
49-51	1008-1208	ROD right rear door (12$^{7}/_{16}$ long)	4572892	1	.13
49-51	1008-1208	ROD, left rear door (12$^{7}/_{16}$ long)	4572893	1	.13
53-54	1011-27-1211-27-27B	ROD, right front (21$^{3}/_{16}$ long)	4597458	1	.17
53-54	1011-27-1211-27-27B	ROD, left front (21$^{3}/_{16}$ long)	4597459	1	.17
53-54	1069-1269-69W	ROD, right front (14$^{5}/_{16}$ long)	4597460	1	.15
53-54	1069-1269-69W	ROD, left front (14$^{5}/_{16}$ long)	4597461	1	.15
53-54	CONV., SPT. CPE.	ROD, right front (21½ long)	4597462	1	.17
53-54	CONV., SPT. CPE.	ROD, left front (21½ long)	4597463	1	.17
53-54	STA. WAG., SDL.	ROD, right front (14⅛ long)	4597464	1	.13
53-54	STA. WAG., SDL.	ROD, left front (14⅛ long)	4597465	1	.13
53-54	1069-1269-69W	ROD, right rear (9$^{5}/_{8}$ long)	4601398	1	.13
53-54	1069-1269-69W	ROD, left rear (9$^{5}/_{8}$ long)	4601399	1	.13
53-54	STA. WAG.	ROD, right rear (9 long)	4601400	1	.17
53-54	STA. WAG.	ROD, left rear (9 long)	4601401	1	.17
55-57	2-DR. (exc. CONV., SPT. CPE., SPT. SED.)	ROD, right and left, front (22$^{7}/_{16}$ long)	4646441	2	.20
55-57	4-DR.	ROD, right and left, front (16⅛ long)	4644405	2	.15
55-57	4-DR.	ROD, rear door, link remote control	4685700	2	.15
55-57	CONV., SPT. CPE.	ROD, right, front (22 long)	4651243	1	.20
55-57	CONV., SPT. CPE.	ROD, left, front (22 long)	4651244	1	.20
55 56	SDL.	ROD, back door (20⅛ long)	4651149	2	(12.195)
56-57	SPT. SED.	ROD, front door, lock remote control	4670005	2	.15
56-57	SPT. SED.	ROD, rear door, link remote control	4670081	2	.15
56-57	SPT. SED.	ROD, rear door, lock to connecting remote	4670579	2	.15
56	SPT. CPE., CONV.	ROD, right, lock cylinder to lock connector	4670313	1	.15
56	SPT. CPE., CONV.	ROD, left, lock cylinder to lock connector	4670314	1	.15
56-57	SPT. SED.	ROD, front door, lock cylinder to remote control	4670061	2	.15
56	SPT. SED.	ROD, front door, outer handle to remote control	4670062	2	.30
56-57	CORV.	ROD, door, lock remote control	3735233	2	.35
56	SPT. SED.	BUMPER, rr. dr. locking rod to link connecting	4615576	2	(12.934)
53-57	CORV.	SPRING, link (⅜ O.D.)	3706924	4	.05
53	CORV.	PIN, link	3706664	4	.20
49-57	PASS., CORV.	CLIP (at end of rod)	4576655	A.R.	(10.565)
49-57	PASS.	CLIP, front and rear (at center of rod)	4596210	A.R.	(10.565)
55-57	STA. WAG.	CLIP, end gate remote control rod	4637217	2	(10.565)
55-57	SDL.	CLIP, back door control rod at lock	4662070	2	.05
56-57	SPT. CPE., SPT. SED., CONV.	CLIP, rod hook to door lock spring, locking rod lever spring	4158970	A.R.	.15
56-57	SPT. SED.	CLIP, rod to door lock remote connecting rod	4685395	A.R.	(10.565)

10.512 HANDLE—KNOB, Door Lock Inside

31-32	PASS. (exc. 31570),				
33-34	PASS. (STD.),				
34-35	PASS. MASTER, Ser. 351200	front and rear doors,			
35	1009-19	rear doors,			
36-38	PASS.	front and rear doors	4073890	A.R.	1.65
39-48	PASS. (exc. 1942 STA. WAG.)	front and rear doors	4102254*	A.R.	1.65
49-52	STA. WAG.	front and rear doors	4572930	4	1.65
49-52	PASS. (exc. STA. WAG.),				
53-56	PASS.	front and rear, w/bearing plate	3703632	A.R.	1.65
49-54	SDL.	KNOB, back dr. (¼ O.D. x 1$^{1}/_{32}$ lg. w/6—32 thd.)	4575341	1	.15
53-57	CORV.	KNOB	4154376	2	1.70

*NOTE: 1942 closed use escutcheon plate 4146889 with handle.

10.513 RETAINER—Door Lock Inside Handle

29-52	PASS.	handle (spring steel snap on type)	4090144	A.R.	.05
49-52	PASS. (exc. STA. WAG.),				
53-57	PASS.,				
56-57	CORV.	handle (spring steel snap on type)	4168122	A.R.	.05

10.515 PLATE, Door Lock Inside Handle Escutcheon—(Trim Protector)

29-48	PASS. (exc. STA. WAG.)	(2$^{3}/_{16}$ dia.)	4125997*	A.R.	.50
49-50	PASS.	(2¼ dia.)	4177710*	A.R.	.50

*NOTE: 4125997 and 4177710 used to protect damaged trim.

ESCUTCHEON—SCREW—WASHER, Door Lock Inside Handle

40-48	PASS. (exc. STA. WAG.)	front and rear doors	4146889	A.R.	.55
47-48	STA. WAG.	front and rear doors	4161784	4	.60
49-52	STA. WAG.	front and rear doors	4551579	4	.60
49-52	PASS. (exc. STA. WAG.)	frt. and rear (brg. plate) (1¼ I.D.)	4565043	A.R.	.15
53-57	PASS.				
57	CORVETTE	front and rear, bearing ($1\frac{1}{16}$ I.D. x $1\frac{15}{16}$ O.D.)	4659983	A.R.	.15
53-55	CORV.		4154624	2	.55
53-55	CORV.	SCREW, escutcheon (8—18 x ⅝)	3713030	4	.05
56-57	CORV.	WASHER, remote control handle	4665068	2	.10

10.516 SPRING, Door Lock Inside Handle Escutcheon

38-40	PASS.,				
49-56	PASS. (exc. 491061-2)	front and rear doors	4078002	A.R.	(10.666)

10.517 WASHER, Door Lock Inside Handle

40-57	PASS. (exc. STA. WAG.)	filler, rubber (⅞ I.D. x $1\frac{15}{16}$ O.D. x ⅜			
46-48	STA. WAG.	thick)	3686114	A.R.	.10

10.527 HANDLE—REINFORCEMENT—SCREW, Door Outside Locking (iess cylinder)

37-40	PASS. (exc. CONV.)	right or left front	4098734	2	4.50
49-52	PASS. (exc. 1061)	right, front door,			
49-52	1062-69-1269	right, rear door	4168322	A.R.	3.30
49-52	PASS. (exc. 1061)	left, front door,			
49-52	1062-69-1269	left, rear door	4168323	A.R.	3.30
49-54	SDL.	back door	4168324	1	3.30
49	1061	right, front door—right and left rear door	4168381	3	3.88
49	1061	left, front door	4168382	1	3.88
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	right, front and rear	4150568	A.R.	3.40
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	left, front and rear	4150569	A.R.	3.40
53-54	CONV., SPT. CPE.	right	4150572	1	3.40
53-54	CONV., SPT. CPE.	left	4150573	1	3.40
53-54	STA. WAG.	right, front and rear	4150570	2	3.40
53-54	STA. WAG.	left, front and rear	4150571	2	3.40
55-57	PASS. (exc. CONV., SPT. CPE.)	right, front and rear,			
56-57	SPT. SED.	right, rear	4234330	A.R.	3.30
55-57	PASS. (exc. CONV., SPT. CPE.)	left, front and rear,			
56-57	SPT. SED.	left, rear	4234331	A.R.	3.30
55-57	CONV., SPT. CPE.	right	4156544	1	3.30
55-57	CONV., SPT. CPE.	left	4156545	1	3.30
55-56	SDL.	back door	4156733	1	(12.246)
56	SPT. SED.	right, front	4156542	1	3.30
56	SPT. SED.	left, front	4156543	1	3.30
56-57	CORV.	right	4667425	1	3.30
56-57	CORV.	left	4667426	1	3.30
56-57	CORV.	REINFORCEMENT, right outer panel	4644591	1	.15
56-57	CORV.	REINFORCEMENT, left outer panel	4644592	1	.15
56	CORV.	SCREW, outer panel handle (¼—20 x ½)	454542	1	.04

10.529 PARTS, Door Handle Push Button

49-54	PASS.	WASHER, front door handle,			
49-54	SDL.	back door handle—outer spring seat	4168349	2	.20
49	4-DR. PASS. (1st type)	WASHER, rear door handle—outer spring seat	4168350*	2	.20
49-54	4-DR. PASS. (2nd type)	WASHER, rear door handle—outer spring seat	4173132*	2	.20
49-54	PASS.,				
57	1064	WASHER, push button spring stop—frt. and rr. dr.	4173130	4	.10
55-57	PASS.	WASHER, push button—frt. and rr. dr. hdles.	4157515	4	.20
49-54	PASS.,				
57	1064	RETAINER, push button spring—frt. and rr. dr. hdles.	4168353	4	.10
55-57	PASS.	RETAINER, push button—frt. and rr. dr. hdles.	4157519	4	.10
49-54	PASS.	SPRING, push button—frt., rr. and back dr. hdles.	4173131	4	.20
55-57	PASS.	SPRING, push button—frt. and rr. dr. hdles.	4156547	4	.15

49-54	PASS.,				
57	1064	RING, push button—front and rear door handles	4168356	4	.20
55-57	PASS.	RING, push button—front and rear door handles	4156548	4	.10
49-54	4-DR. PASS.	BUTTON, push—rear door handles	4151760	2	.90
55-57	PASS. (exc. SPT. SED.)	BUTTON, push, w/shaft—frt. and rr. dr. hdles.	4156554	4	.75
56-57	SPT. SED.	BUTTON, front door, w/shaft	4159112	2	.70
56-57	SPT. SED.	BUTTON, rear door, w/shaft	4159877	2	.85
56	SPT. SED.	SUPPORT, w/lever, right frt. dr. outside handle	4159706	1	1.05
56	SPT. SED.	SUPPORT, w/lever, left frt. dr. outside handle.	4159707	1	1.05
57	SPT. SED.	SUPPORT, right, w/lever	4233500	1	1.05
57	SPT. SED.	SUPPORT, left, w/lever	4233501	1	1.05
56	SPT. SED.	CLIP, front door outer handle to rod clip	4685395	A.R.	(10.565)

*NOTE: 1st type parts must be used with shaft having spade shaped head. 2nd type parts are used with shaft having round head.

10.531 PAWL, Door Outside Locking Handle

55-57	PASS. (exc. CONV., SPT. CPE.)	left, front door lock cylinder	7006852	2	.25
55-57	CONV., SPT. CPE.	right, front door lock cylinder (1 3/16 O.L.)	7006088	2	.30
55-56	SDL.	back door	4171920	1	(12.254)
56-57	SPT. CPE., SPT. SED., CONV.		7008064	2	.30

10.534 HANDLE, Door Outside (plain)

41-48	PASS. (exc. CONV., STA. WAG.)	left and right, front and rear	4125220	A.R.	3.95
42-48	SDL.	back door	4125378	1	2.98
41-48	CONV.	left and right doors	4125377	2	2.98
49-51	1008-1208	right, rear door (less button)	4168327	1	2.80
49-51	1008-1208	left, rear door (less button)	4168328	1	2.80

10.536 ESCUTCHEON—SHIELD UNIT, Door Outside Handle

47-48	PASS. (exc. STA. WAG.)	right, front and rear door (stamped 17)	4147641*	1	.75
47-48	PASS. (exc. STA. WAG.)	left, front and rear door (stamped 18)	4147642*	1	.75
56-57	CORV.	side door lock cylinder	3725526	2	.50
55	PASS.	SHIELD UNIT (front or rear doors)	987204	1	2.80
57	PASS.	SHIELD UNIT (front or rear doors)	987505	1	3.25

*NOTE: On 1069 models, use on front door only.

10.537 FERRULE, Door Outside Handle

29-48	PASS. (exc. STA. WAG.)	w/grommet outside (3/4 I.D. x 1 1/16 O.D. x			
46-48	STA. WAG.	3/4 long)	4125630	A.R.	.45

10.538 GROMMET—GASKET UNIT, Door Outside Handle Ferrule

38-41	PASS.	side door,			
41-48	SDL.	back door (3/4 I.D. x 1 1/16 O.D. x 15/32 high)	4082057	A.R.	.20
49-52	PASS. (exc. 1061)	GASKET UNIT, all doors,			
53-54	SDL.	back door	3692246*	A.R.	.20
53-54	PASS.	GASKET UNIT, front and rear	3704007*	A.R.	.20
55	PASS.	GASKET UNIT, left (front and rear doors)	3719303	A.R.	.20
55-57	PASS.	GASKET UNIT, right (front and rear doors)	3719304	A.R.	.20
55-56	SDL.	GASKET UNIT, back door	4650704	A.R.	(12.247)

*NOTE: Contains front and rear gaskets for one handle.

10.540 SCREW, Door Outside Handle Retaining

29-31	PASS.	(1/4—28 x 17/32 clutch fillister head, w/			
32-39	SDL. and OPEN	shoulder—chrome)	3654594	A.R.	.15
32-48	PASS.	(No. 8—32 x 23/32 headless slotted)	4556055	A.R.	.15

10.548 LOCK ASSEMBLY, Door Safety (w/cylinder and keys)

41-48	PASS.	right, front	1393155	1	2.90
41-48	PASS.	left, front	1393156	1	2.90
41-48	SDL.	w/two keys (back)	4131756	1	3.20

10.550 CYLINDER—KEY, Door Lock Outside Locking Handle

34	SDL.,				
35-40	PASS.	less tumblers and keys	601263	1	1.20
35-56	PASS., CORV.	KEY, blank (octagon head)	3694624	A.R.	(2.187)
49-54	PASS.	UNIT, front doors,			
49-54	SDL.	back door (less tumbler and keys)	3697875*	1	1.65

*NOTE: Unit 3697875 consists of one cylinder, shaft, washer, lock ring, retainer, button ring. When using on SDL. it will be necessary to use 7003042 shaft (10.554).

CYLINDER, Door Safety Lock, less Tumblers and Keys

41-48	PASS.	right	1394993	1	.75
41-48	PASS.	left	1394992	1	.75
55-57	PASS.	unit, front door	3716757	2	1.60

10.551 SPRING—PIN—RETAINER—COVER, Door Outside Lock Handle

34-40	PASS. (exc. SDL.)	tension (5/8 O.D. x 5/8 long—3 coils)	4043224	1	.10
34-40	PASS.	PIN	4045949	1	.10
49-52	PASS. (exc. 1061)	RETAINER, right, front door,			
49-52	1062-69-1269	right, rear door	4561579	1	.50
49-52	PASS. (exc. 1061)	RETAINER, left, front door,			
49-52	1062-69-1269	left rear door,			
49-54	SDL.	back door (13/16 x 7 1/2 long)	4561580	1	.50
49-51	1008-1208	RETAINER, right, rear door	4563235	1	.50
49-51	1008-1208	RETAINER, left, rear door	4563236	1	.50
53-54	PASS. (exc. CONV., SPT. CPE.)	RETAINER, right, frt. and rr. (2 1/16 x 7 5/8 lg.)	4601481	A.R.	.50
53-54	PASS. (exc. CONV., SPT. CPE.)	RETAINER, left, front and rear (2 1/16 x 7 5/8 lg.)	4601482	A.R.	.50
53-54	CONV., SPT. CPE.	RETAINER, right (has one 3/16 hole)	4601975	A.R.	.50
53-54	CONV., SPT. CPE.	RETAINER, left (has two 3/16 holes)	4601976	A.R.	.50
56-57	CORV.	RETAINER, side door lock cylinder	3724127	2	.20
53-54	CONV., SPT. CPE.	COVER, snap on (2 11/16 O.L.)	4603740	2	.15

RETAINER—SCREW—NUT—HOUSING, Door Safety Lock

41-48	PASS. (exc. STA. WAG.)	housing	4131755	1	.30
41-48	PASS. (exc. STA. WAG.)	w/clip, washer, and spring	1394715	1	.35
55-57	PASS.	lock cylinder pawl (hairpin type)	7006092	2	.35
55-56	2-DR. (exc. CONV., SPT. CPE.)	housing (3 21/64 O.L.)	4646566	2	.35
55-56	4-DR.	front door housing (3 1/64 O.L.)	4646567	2	.35
55	CONV., SPT. CPE.	housing (3 15/64 O.L.)	4646568	2	.35
56	4 DR.	front door lock cyl.	4690668	2	.35
56	SPT. CPE.	door lock cylinder	4663816	2	.35
56	SPT. SED.	front door lock cylinder	4635353	2	.35
57	1011-63F-64-1211-63F-71	door lock cylinder	4714025	2	.35
57	1019-62-1219	front door lock cylinder	4714026	2	.35
57	CONV., SPT. CPE.	door lock cylinder	4714028	2	.35
57	SPT. SED.	front door lock cylinder	4714027	2	.35
55-56	PASS.	HOUSING, frt. dr. lock cylinder	7006091	2	.50
57	PASS.	HOUSING, front door lock cylinder	7010851	2	.40
47-48	STA. WAG.	SCREW	3687995	2	(16.270)
47-48	STA. WAG.	TEE NUT	125602	2	(8.925)
56-57	SPT. SED.	NUT, handle to lock	4688190	2	(10.563)

10.552 SLEEVE—CAP—WASHER—RING—ROD—SUPPORT, Door Outside Handle Push Button and Lock Cylinder

49	PASS.	front doors,			
49	SDL.	back door—1st type	7001021†	A.R.	.33
49-50	PASS.	front doors,			
49-50	SDL.	back door—2nd type	7002210†	A.R.	.40
51-54	PASS.	front doors,			
51-54	SDL.	back door	7003043	A.R.	.35
49	PASS.	CAP, front doors,			
49	SDL.	back door—1st type	7001022†	A.R.	.45
49-50	PASS.	CAP, front doors,			
49-50	SDL.	back door—2nd type	7002226†	A.R.	.40

51-54	PASS.	CAP, front door,			
51-54	SDL.	rear door	7003044	A.R.	.40
55-56	PASS.	CAP, front door outside lock case	7003014	1	(12.249)
49	PASS.	WASHER, front doors,			
49	SDL.	back door (shaft retaining) 1st type	7001024⊕†	A.R.	.30
49-54	PASS.	WASHER, front doors,			
49-54	SDL.	back door (shaft retaining) 2nd type	7001043*†	A.R.	.30
49-54	PASS.	RING, front doors,			
49-54	SDL.	back door (shaft ret. washer lock)	4584716†	A.R.	.17
56-57	CORV.	ROD, lock cylinder to lock	3724117	2	.25
56-57	CORV.	SUPPORT, right lock	3724122	1	.55
56-57	CORV.	SUPPORT, left lock	3724121	1	.55

⊕NOTE: When replacing 7001024 washer it is necessary to use 4584716—lock ring.

*NOTE: When replacing 7001043 washer, it will be necessary to use 4584716 lock ring.

†NOTE: 1st type parts must be used with shaft having spade shape head. 2nd type parts are used with shaft having round head.

CASE—Door Safety Lock, w/Dust Cover

41-48	PASS.	right	1394712	1	.75

10.553 TUMBLER UNIT, Door Lock Cylinder

34	351271,				
35-57	PASS., CORV.	copper (unit contains 72 tumblers)	601256	A.R.	.90
34	351271,				
35-57	PASS., CORV.	nickel (unit contains 72 tumblers)	601257	A.R.	.90
34	351271,				
35-57	PASS., CORV.	black (unit contains 72 tumblers)	601258	A.R.	.90
34	351271,				
35-57	PASS., CORV.	yellow (unit contains 72 tumblers)	601259	A.R.	.90

SPRING UNIT AND RETAINER UNIT, Lock Tumbler

34	351271,				
35-57	PASS., CORV.	SPRING UNIT (unit contains 144 springs)	601260	A.R.	.80
34	351271,				
35-57	PASS., CORV.	RETAINER UNIT (unit contains 12 retainers)	601261	A.R.	.40

10.554 SHAFT, Door Locking Handle Lock

41-42	PASS. (exc. STA. WAG.)	left or right door safety lock ($2^{15}/_{16}$ universal			
46-48	PASS.	length)	605325	2	.40
49	PASS. (1st type)	frt. and rr. dr. (w/spade shape head)	7001075	4	.30
49-54	SDL.	back door (with round head)	7003042	1	.25
49-54	PASS. (2nd type)	front and rear doors (with round head)	7003040	4	.30

10.555 CONTROL, Door Inside Locking

56-57	CORV.		3723507	2	.65

10.556 LEVER—BOLT—RETAINER, Door Inside Locking Control

41-54	4-DR.,				
49-54	STA. WAG.,				
56-57	SPT. SED.	right and left rear door	4113807	2	.10
55-57	4-DR. (exc. SPT. SED.)	right, rear door	4635039	1	.10
55-57	4-DR. (exc. SPT. SED.)	left, rear door	4635040	1	.10
56-57	CORV.	left	3735231	1	3.90
56-57	CORV.	right	3735232	1	3.90
51-57	4-DR.	BOLT, lever ($\frac{1}{4}$—20 x $\frac{5}{8}$ w/shoulder)	4550519	2	.10
56-57	CORV.	RETAINER, locking rod lever plate	3729975	2	.10

10.559 KNOB—HANDLE ASSY., Door Inside Locking Rod

37-48	PASS.,				
49	Ser. 1000 (exc. CONV.),				
50-51	STA. WAG.,				
55	PASS. (exc. 1011A-37D-1211-19)	front and rear doors (bronze)	4661023	4	.20

49	Ser. 1200,				
51	PASS. (exc. CONV., B-A, STA. WAG.)	front and rear doors	4596262	A.R.	.20
49-51	CONV., BEL AIR	(chrome)	4633370	2	.75
50	PASS. (exc. CONV., B-A, STA. WAG.),				
52-53	PASS. (exc. CONV., B-A, STA. WAG.),				
54	1011W-WD-69,				
55	1011D-19-37D-64-67D-1211-19	front and rear doors (grey)	4611913	A.R.	.20
51-52	CONV., BEL AIR (2nd type),				
53-54	1011WA-37D-67D-1211-69W-71,				
55	1011A,				
56-57	PASS	(black plastic)	4604766	2	.20
51	CONV., BEL AIR (2nd type),				
52	Ser. 1000 (exc. STA. WAG.),				
53	1011-27-69,				
55	1011-19-37D-64-67D (exc. 11A)	front and rear doors (maroon)	4661024	A.R.	.20
51	CONV., BEL AIR (2nd Type),				
52	Ser. 1000 (exc. STA. WAG.)	front and rear doors (green)	4611910	4	.20
51	CONV., BEL AIR (2nd type),				
52	Ser. 1000 (exc. STA. WAG.)	front and rear doors (blue)	4611851	A.R.	.20
52	CONV., B-A, STA. WAG.,				
53	Ser. 1000 (exc. 1062),				
54	1011W-62D-62F-69W	(brown)	4612705	2	.20
52	BEL AIR,				
55	BEL AIR (exc. 1062 DF)	front and rear doors (coral)	4661026	2	.20
53	Ser. 1000 (exc. STA. WAG.)	front and rear doors (blue)	4624117	A.R.	.20
53	CONV.,				
54	1011W-11WD-69-1262F	(red)	4611917	2	.20
53	1037D-67D	(yellow)	4622312	2	.20
53	1062	(beige)	4622314	2	.20
53	Ser. 1000, 1262F (exc. 1062),				
54	Ser. 1000,				
56	PASS. (exc. 1062 DF-1211-19-71)	front and rear doors (green)	4683796	4	.20
54	Ser. 1000 (exc. STA. WAG.)	front and rear doors (blue)	4643171	4	.20
54	1011WD-37D-67D-69WD	front and rear doors (turquoise)	4641914	4	.20
54	BEL AIR (exc. 1062D),				
56-57	BEL AIR,	front and rear doors (copper)	4683806	4	.20
54	CONV., SPT. CPE.,				
55-56	1037D-39D-62DF-64-67D	front and rear doors (red)	4641913	2	.20
55	Ser. 1000	front and rear doors (blue)	4646985	4	.20
55	Ser. 1000, 1263F	front and rear doors (green)	4661965	4	.20
55	BEL AIR	front and rear doors (turquoise)	4661025	4	.20
55	PASS. (exc. 1011A-37D-1211-19)	front and rear doors (brown)	4666918	4	.20
56-57	Ser. 1000 (exc. 1011A-62-63F)	front and rear doors (blue)	4683797	4	.20
56	Ser. 1000 (exc. 1011-19-37-39-63F)	front and rear doors (turquoise)	4683798	4	.20
56-57	Ser. 1000 (exc. 1011-19-37-39)	front and rear doors (med. turquoise)	4683805	4	.20
57	Ser. 1000, 1263F	front and rear doors (green)	4705743	4	.20
57	BEL-AIR	front and rear doors (red)	4705720	4	.20
56-57	CORV	HANDLE ASSY	4664251	2	.95

DEVICE, Door Inside Locking

35-36	PASS	amber tenite	4061423	A.R.	.57

10.563 ROD, Door Inside Lock to Knob

41-48	1011-19-67-69-1211-19-71	right, front	4114133	1	.20
41-48	1011-19-67-69-1211-19-71	left, front	4114134	1	.20
49-52	1008-62-69-1208-69	right rear door (1/8 O.D. x 5 3/8 dev. length)	4563088	1	.20
49-52	1008-62-69-1208-69	left rear door (1/8 O.D. x 5 3/8 dev. length)	4563089	1	.20
49-52	PASS. (exc. STA. WAG.)	right frt. dr. (1/8 O.D. x 5 3/16 dev. length)	4560512	1	.20
49-52	PASS. (exc. STA. WAG.)	left frt. dr. (1/8 O.D. x 5 3/16 dev. length)	4560513	1	.20
49-52	1062	right front (1/8 O.D. x 6 1/2 developed length)	4563262	1	.20
49-52	1062	left front (1/8 O.D. x 6 1/2 developed length)	4563263	1	.20
53-54	1011-27-1211-27-27B	right (5 1/16 O.L.)	4595346	1	.20
53-54	1011-27-1211-27-27B	left (5 1/16 O.L.)	4595347	1	.20
53-54	CONV., SPT. CPE.	right (7 1/2 O.L.)	4603361	1	.20
53-54	CONV., SPT. CPE.	left (7 1/2 O.L.)	4603362	1	.20
53-54	1069-1269-69W-71	right, front (5 O.L.)	4598664	1	.20
53-54	1069-1269-69W-71	left, front (5 O.L.)	4598665	1	.20

53-54	STA. WAG.	right, front (5⅞ O.L.)	4603603	1	.20
53-54	STA. WAG.	left, front (5⅞ O.L.)	4603604	1	.20
53-54	1069-1269-69W	right, rear (4 O.L.)	4598507	1	.20
53-54	1069-1269-69W	left, rear (4 O.L.)	4598508	1	.20
53-54	STA. WAG.	right or left, rear (3¾ O.L.)	4598506	2	.20
55-57	PASS. (exc. CONV., SPT. CPE., SPT. SED.)	right, front (5⅞ O.L.)	4646377	1	.20
55-57	PASS. (exc. CONV., SPT. CPE., SPT. SED.)	left, front (5⅞ O.L.)	4646378	1	.20
55-57	CONV., SPT. CPE.	right and left (6½ O.L.)	4648488	2	.20
56-57	SPT. SED.	right, front door inside locking	4685207	1	.20
56-57	SPT. SED.	left, front door inside locking	4685208	1	.20
56	SPT. SED.	right, rear door lock to inside locking (1st type) (5 3/16 O.L.)	4684812	1	.20
56-57	SPT. SED.	right, rear dr. lock to inside locking control (23⅞ O.L.)	4684809	1	.30
56-57	SPT. SED.	left, rear dr. lock to inside locking control (23⅞ O.L.)	4684810	1	.30
56	SPT. SED.	right, rear door to inside locking control connecting (1st type)	4684804	1	.35
56-57	SPT. SED.	right, rear dr. lock to inside locking (2nd type) (4¼ O.L.)	4684814	1	.20
56-57	SPT. SED.	left, rear dr. lock to inside locking (2nd type) (4¼ O.L.)	4684815	1	.20
56	SPT. SED.	right, rear door lock to conn. inner locking (1st type) (5 5/32 O.L.)	4685209	1	.20
56-57	SPT. SED.	rear door, lock to connecting inner locking (4 11/16 O.L.)	4670582*	A.R.	.20
56-57	CORV.	long	3735226	2	.35
56-57	CORV.	short	3724120	2	.25
56-57	CORV.	right, outside handle to lock	3725146	1	.20
56-57	CORV.	left, outside handle to lock	3725145	1	.20
57	SPT. SED.	to remote control	4693841	2	.35
	Not required in this group. See group 10.551		4688190	2	.17

*NOTE: One used on R.H. as 2nd type. One used on L.H. as 1st and 2nd type.

ROD, Rear Door Lock to Control Lever

49-52	4-DR. PASS.	right and left (24⅞ long)	4562067	2	.25
53-54	1069-1269-69W	right or left (23 9/16 long)	4598263	2	.25
53-54	STA. WAG.	right (22⅞ long)	4598242	1	.25
53-54	STA. WAG.	left (22⅞ long)	4598243	1	.25
55-57	4-DR. (exc. SPT. SED.)	right, rr. locking control conn. (21 9/16 O.L.)	4644505	1	.25
55-57	4-DR. (exc. SPT. SED.)	left, rr. locking control conn. (21 9/16 O.L.)	4644506	1	.25
55-57	4-DR. (exc. SPT. SED.)	right and left rear	4635265	2	.25

10.565 CLIP—WASHER, Door Inside Locking Rod

41-52	4-DR. PASS.,				
53-57	PASS. (exc. SPT. SED.)	rear locking connecting rod (at center)	4596210	2	.05
49-57	PASS. (exc. SPT. SED.)	rear locking rod (at end), rear locking connecting rod (at ends)	4576655	4	.05
49-51	CONV., BEL AIR	locking rod knob washer (1 1/16 x 15/16 O.L. w/hole)	4185247	2	.08
50-54	PASS.	frt. door locking control rod	4592716	2	.05
55-57	PASS. (exc. CONV., SPT. CPE., SPT. SED.)	front door	4637217	2	.05
56	SPT. SED.	rear dr. lock to conn. rod (at center)	4125376	2	.05
56-57	SPT. SED.	front and rear door lock cyl. to conn. rod.	4685395	8	.05
56-57	SPT. SED.	rear door inside locking rod	4698552	2	.05
56-57	SPT. SED.	rear	4558315	2	.05
49-51	CONV., BEL AIR	WASHER, rubber—locking rod knob (1 1/16 wide x 13/16 O.L. w/hole)	4162171	2	.12
53-57	4-DR.	WASHER, cup (w/5/16 dia. hole)	4622521	2	.05

10.569 STRIKER, Door Lock

39-40	PASS.	side door,			
41-42	SDL.	back door (base 1 7/16 x 1¾, w/plunger)	4131103	A.R.	1.65
41-48	PASS.	(base 1 7/16 x 1¾, w/plunger and spring)	4131875	4	1.65
49-52	PASS.	right front and rear doors	4604440	A.R.	1.95

49-52	SDL.	back door,			
49-52	PASS.	left front and rear doors	4604441	A.R.	1.95
53-54	PASS.	right, front and rear	4664971	A.R.	1.95
53-54	PASS.	left, front and rear,			
53-54	SDL.	back door	4664972	A.R.	1.95
53-55	CORV.	right	4154368	1	8.25
53-55	CORV.	left	4154369	1	8.25
55-57	PASS.,				
56-57	CORV.	left, front and rear	4664964	2	2.50
55-57	PASS.,				
56-57	CORV.	right, front and rear	4664963	2	2.50
55-57	SDL.,				
57	STA. WAG.	back door (chrome—2⅛ x 4$\frac{1}{16}$)	4650157	2	1.15

10.570 SCREW, Door Lock Striker to Pillar

40-48	PASS.	(¼—20 x 1 long)	4132281	A.R.	.15
49-54	PASS.	($\frac{5}{16}$—24 x ⅞ long) (used w/spacers 4604339 and 4604340)	4587325	A.R.	.15
55-57	PASS.	w/lockwasher ($\frac{5}{16}$—24 x 1$\frac{5}{16}$)	4676731	A.R.	.15
55	PASS.	front and rear doors ($\frac{5}{16}$—24 x 1⅛)	4637615	A.R.	.15
56	PASS.	($\frac{5}{16}$—24 x 1$\frac{3}{16}$)	4676574	A.R.	.15
56-57	PASS.	emergency use (flat cross recess c'sunk $\frac{5}{16}$—24 x 1$\frac{9}{16}$)	4686760	A.R.	.15
56-57	CORV.	w/lockwasher ($\frac{5}{16}$—24 x 1$\frac{9}{16}$)	3734107	A.R.	.10

10.571 SPACER—PLATE—RETAINER—PAD, Door Lock Striker

49	CONV.,				
50-52	PASS.	right	4604339	1	1.30
49	CONV.,				
50-52	PASS.	left	4604340	1	1.30
53-54	PASS.	right	4666927	A.R.	.90
53-54	PASS.	left	4604342	A.R.	1.30
55-57	PASS.	right (⅛ thick)	4651465	A.R.	.85
55-57	PASS.	left (⅛ thick)	4651466	A.R.	.85
55-57	PASS.,				
56-57	CORV.	right ($\frac{1}{16}$ thick)	4670835	A.R.	.35
55-57	PASS.,				
56-57	CORV.	left ($\frac{1}{16}$ thick)	4670836	A.R.	.35
49-52	PASS. (exc. 4-DR.)	PLATE, right anchor—front door.			
49-52	4-DR.	rear door,			
53-54	CONV., SPT. CPE.	right, rear pillar anchor	4593946	A.R.	1.20
49-52	PASS. (exc. 4-DR.)	PLATE, left anchor—front door,			
49-52	4-DR.	rear door,			
49-54	SDL.	back door,			
53-54	CONV., SPT. CPE.	left, rear pillar anchor	4593947	A.R.	1.20
49-52	4-DR.,				
53-54	PASS. (exc. CONV., SPT. CPE.)	PLATE, anchor—front doors	4561311	2	.35
49-52	4-DR.	PLATE, right adjusting—front door	4561313	1	.45
49-52	4-DR.	PLATE, left adjusting—front door	4561314	1	.45
53-54	PASS. (exc. CONV., SPT. CPE.)	PLATE, right, adj.—frt. and rr. (1$\frac{3}{8}$ x 4$\frac{7}{16}$—notched)	4595071	A.R.	.40
53-54	PASS. (exc. CONV., SPT. CPE.)	PLATE, left, adj.—front and rear (1$\frac{3}{8}$ x 4$\frac{7}{16}$)	4595072	A.R.	.40
53-54	1011-1211	PLATE, right, rear pillar anchor	4595512	1	1.95
53-54	1011-1211	PLATE, left, rear pillar anchor	4595513	1	1.95
53-54	1069-1269	PLATE, right, rear pillar anchor	4595514	1	1.55
53-54	1069-1269	PLATE, left, rear pillar anchor	4595515	1	1.55
53-54	STA. WAG.	PLATE, right, rear pillar anchor	4598802	1	1.75
53-54	STA. WAG.	PLATE, left, rear pillar anchor	4598803	1	1.75
53-54	SDL.	PLATE, right, rear pillar anchor	4601633	1	2.25
53-54	SDL.	PLATE, left, rear pillar anchor	4601634	1	2.25
55-57	PASS.,				
56-57	CORV.	PLATE, adjusting lower—front and rear doors	4649282	A.R.	.10
55-57	PASS.,				
56-57	CORV.	PLATE, adjusting upper—front and rear doors	4649281	A.R.	.10
55-57	SDL.	PLATE, adjusting—back door	4650524	A.R.	.15
55-57	PASS.,				
56-57	CORV.	PLATE, anchor—front and rear doors	4668255	4	.25

53-55	CORV.	PLATE, anchor (2 5/16 long)	3706807	2	.30
50-54	PASS. (exc. CONV., SPT. CPE.)	RETAINER, right, anchor plate	4564611	1	.20
50-54	PASS. (exc. CONV., SPT. CPE.)	RETAINER, left, anchor plate	4564612	1	.20
53-55	CORV.	RETAINER, anchor plate	3706808	2	.35
55-57	PASS. (exc. CONV., SPT. CPE., SPT. SED.)	RETAINER, anchor plate	4631819	A.R.	.20
56-57	SPT. SED.	RETAINER, anchor plate	4668254	4	.20
56-57	CORV.	RETAINER, anchor plate	3724124	2	.30
53-55	CORV.	PAD, anti-slip	3716723	2	.50

10.574 CASING, Door Dovetail w/Bumper

40	PASS.	left rear door,			
40-48	PASS. (exc. STA. WAG.)	left front door,			
40-48	SDL.	back door, w/stationary shoe and cushion	4111659	A.R.	.65
40	PASS.	right rear door,			
40-48	PASS. (exc. STA. WAG.)	right front, w/stationary shoe and cushion	4111660	A.R.	.65

10.578 PACKING, Door Dovetail Bumper

32-35	OPEN	front door (rubber)	3681079	A.R.	.08

10.581 SHOE, Door Dovetail Bumper

32-35	OPEN	front door	4220099	A.R.	.08
40-48	PASS. (exc. STA. WAG.)	upper front, rear and back door,			
55-57	STA. WAG.	tail gate	4099832	A.R.	.35
40-48	PASS. (exc. STA. WAG.)	lower front, rear and back door	4105845	A.R.	.35

10.582 CUSHION—SPRING, Door Dovetail Bumper Casing Shoe

40-48	PASS. (exc. STA. WAG.)	lower front, rear and back door	4099838	A.R.	.09
40-48	PASS. (exc. STA. WAG.)	SPRING, upper front, rear and back door	4099836	A.R.	.08

10.584 PLATE, Door Dovetail Bumper Wedge

29-40	PASS. (exc. STA. WAG.)	rear doors,			
37-48	PASS. (exc. STA. WAG.)	front doors,			
37-48	SDL.	back doors,			
48	STA. WAG.	front and rear doors	2038264	A.R.	.50
46-47	STA. WAG.	front and rear doors	3807344	4	(16.420)


10.587 BUMPER—STOP—PLUG, Door Side

32-33	PASS.	(1 diameter x 1/4 thick)	3681070	A.R.	.15
32-40	PASS. (exc. Ser. 351200)	on body (13/16 dia. x 3/16 thick)	4063520	2	.15
37-55	PASS. (exc. CONV., STA. WAG., SDL.)	frt. dr. lock pillar upper body side,			
49-55	1008-69-1208-69	rear dr. lock pillar lower body side,			
49-52	1062	rear dr. lock pillar upr. body side,			
53-57	4-DR.	rear dr. lock pillar lwr. door side,			
56-57	1011-63F	door window switch spacer,			
56-57	1062DF	frt. dr. on center pillar	4565415	A.R.	.15
41-52	PASS. (exc. B-A, STA. WAG.),				
49-52	1062	body hinge pillar (3/4 dia. plug type),			
53	PASS. (exc. CONV., SPT. CPE.)	front and rear doors	3718407	A.R.	(8.024)
41-57	PASS. (exc. CONV., SPT. CPE., SPT. SED.)	door hinge pillar	4115282	4	.15
49	1008-62-69-1208-69,				
50-52	1062	frt. dr. lock pillar lower body side (Ident.			
55-57	2-DR.	No. 4974) (double base),			
56-57	SPT. SED.	emergency use	4564974	A.R.	.15
49-52	1062	frt. and rr. dr. lock pillar upr. and lwr. body side,			
53-56	4-DR. (exc. SPT. SED.)	frt. dr. lock pillar upper body side,			
56-57	SPT. SED.	rr. door lower rear	4563029	A.R.	.15
49-54	SDL.	back door lock pillar body side	4564976	4	.25
49	1061	frt. and rear dr. lock pillar body side	4568539	4	.15
49-54	2-DR.	lock pillar lower body side	4565786	2	.15
50-52	1008-69-1208-69	frt. dr. lock pillar lower body side,			
55-57	SDL.	back door (on door)	4589761	2	.15

53-54	2-DR. (exc. CONV., SPT. CPE., SDL.)	door lock pillar upper body side,			
53-54	STA. WAG.	rear door lock pillar upper body side,			
53-57	CORV.	folding top header end,			
55	PASS. (exc. CONV., SPT. CPE.)	door lock pillar upper body side	4573914	2	.15
53-54	4-DR.	front door lock pillar lower body side	4598924	2	.15
53-54	1069-1269-69W	front door on center pillar	4571913	2	.15
55-57	4-DR. SEDAN	rear door link pillar upper body side	4574349	2	.17
55-57	1019-62-1219	front door on center pillar lower	4605858	2	.15
56-57	1019-62-1219	lock pillar (body side)	4678196	2	.15
56-57	SPT. SED.	lock pillar upper (on door)	4564975	2	.15
	Not required in this group. See group 12.212		4603240	2	.15
55-57	SDL.	STOP, back door bumper (on door)	4671272	2	.25
56-57	SPT. SED.	PLUG, lock pillar access hole	4668116	2	.15

10.602 CASING ASSEMBLY, Door Check Link Hold-Open

42-48	PASS. (exc. STA. WAG.)	front door	4137829	2	2.15
46-48	SDL.	back door	4147912	1	.75





10.606 LINK—SUPPORT ASSY., Door Check

42-48	PASS. (exc. STA. WAG.)	front door, right and left	4132474	2	.95
41-48	4-DR. (exc. STA. WAG.)	rear door, right and left	4114410	2	.45
46-48	SDL.	back door	4147913	1	.65
49-52	PASS.	front doors	4600309	2	.80
49-52	1008-62-69-1208-69	rear doors	4586827	2	.80
49	1061	rear doors	4566686	2	.50
49-54	SDL.	back doors	4563595	1	6.20
53-54	4-DR.	rear doors	4600310	2	.80
53-54	TAXI	rear doors	4609715	2	.80
53-55	CORV.	front doors	4154377	2	1.50
55-57	SDL.	SUPPORT ASSY., back door	4650455	2	9.65

10.608 SUPPORT—REINFORCEMENT—PLATE—RETAINER, Door Check Link

40-48	PASS. (exc. STA. WAG.)	rear door,			
41	PASS.	front door (3/8—24 x 1 1/16 lgth. ctr. hole)	4099843	2	.45
42-48	PASS. (exc. STA. WAG.)	front door	4132087	2	.45
46-48	SDL.	back door	4147911	1	.35
49	1061	right, front door (w/rnfct.)	4575305	1	2.03
49	1061	left, front door (w/rnfct.)	4575306	1	2.03
49	1061	rear doors	4566699	2	.52
49-52	PASS. (exc. 1061)	front and rear doors,			
53-54	4-DR.	rear doors	4561013	A.R.	1.05
49-51	PASS. (exc. CONV., B-A, STA. WAG.)	REINFORCEMENT, front door	4180727	2	.85
53-55	CORV.	PLATE, check link	3706809	2	.25
53-55	CORV.	PLATE, anchor (2 7/16 long)	3706855	2	.30
53-55	CORV.	RETAINER, anchor plate (steel 4 1/4 long) (2 holes 3/16—2 holes 1/2)	3706810	2	.15





FRONT DOOR VENTILATOR

10.613 CUSHION, Door Check Link

41-48	PASS. (exc. STA. WAG.)	front and rear door, rubber (¾ x ¾ x 2 w/anchor nut)	4091161	A.R.	.65

10.627 WASHER, Door Check Link

49-52	PASS.	front and rear (hairpin type),			
53-54	4-DR.	rear (1 wide x 1¼ long—int. tooth)	4582902	A.R.	.10

10.650 VENTILATOR ASSEMBLY—WINDOW ASSY.—KNOB—SCREW—PIN—SASH, Front Door

49-51	CONV., BEL AIR (1st type)	right, w/handle and rain deflector	4582118	1	54.45
49-51	CONV., BEL AIR (1st type)	left, w/handle and rain deflector	4582119	1	54.45
49-52	PASS. (exc. FLTLN., CONV., B-A)	right, w/handle (less glass)	4611127	1	20.35
49-52	PASS. (exc. FLTLN., CONV., B-A)	left, w/handle (less glass)	4611128	1	20.35
49-52	FLEETLINE	right, w/handle (less glass)	4612779	1	20.35
49-52	FLEETLINE	left, w/handle (less glass)	4612780	1	20.35
51-52	CONV., BEL AIR (2nd type)	right, w/handle (less glass)	4613252*	1	51.90
51-52	CONV., BEL AIR (2nd type)	left, w/handle (less glass)	4613253*	1	51.90
52	STA. WAG.	right, w/handle (less glass)	4614044	1	20.35
52	STA. WAG.	left, w/handle (less glass)	4614045	1	20.35
53-54	PASS. (exc. CONV., SPT. CPE.)	right (less reg. and glass)	4616518	1	20.35
53-54	PASS. (exc. CONV., SPT. CPE.)	left (less reg. and glass)	4616519	1	20.35
53-54	CONV.	right (less reg. and glass)	4606163	1	51.90
53-54	CONV.	left (less reg. and glass)	4606164	1	51.90
53-54	SPT. CPE.	right (less reg. and glass)	4606165	1	51.90
53-54	SPT. CPE.	left (less reg. and glass)	4606166	1	51.90
53-55	CORV.	right	4157802	1	35.00
53-55	CORV.	left	4157803	1	35.00
55-57	PASS. (exc. SPT. MDLS.)	right (less reg. and glass)	4643474	1	20.35
55-57	PASS. (exc. SPT. MDLS.)	left (less reg. and glass)	4643475	1	20.35
55	CONV.	right (less reg. and glass)	4646055	1	24.75
55	CONV.	left (less reg. and glass)	4646056	1	24.75
55-56	SPT. CPE.	right (less reg. and glass)	4644800	1	24.75
55-56	SPT. CPE.	left (less reg. and glass)	4644801	1	24.75
55	1064	right (less reg. and glass)	4660991	1	24.75
55	1064	left (less reg. and glass)	4660992	1	24.75
56	CONV.	right (less glass)	4683393	1	24.75
56	CONV.	left (less glass)	4683394	1	24.75
56	SPT. SED.	right (less glass)	4680685	1	24.75
56	SPT. SED.	left (less glass)	4680686	1	24.75
56	1064	right (less glass)	4683387	1	24.75
56	1064	left (less glass)	4683388	1	24.75
57	CONV.	right (less glass)	4712485	1	24.75
57	CONV.	left (less glass)	4712486	1	24.75
57	SPT. CPE.	right (less glass)	4712479	1	24.75
57	SPT. CPE.	left (less glass)	4712480	1	24.75
57	SPT. SED.	right (less glass)	4712481	1	24.75
57	SPT. SED.	left (less glass)	4712482	1	24.75
57	1064	right (less glass)	4712483	1	24.75
57	1064	left (less glass)	4712484	1	24.75
53-55	CORV.	WINDOW ASSY., door right	4154408	1	115.00
53-55	CORV.	WINDOW ASSY., door left	4154409	1	115.00
56-57	CORV.	WINDOW ASSY., right	3725380	1	35.00
56-57	CORV.	WINDOW ASSY., left	3725379	1	35.00
53-55	CORV.	KNOB, door window mounting	4155785	2	.95
53-55	CORV.	SCREW, door window mounting	4155763	2	.40
53-55	CORV.	PIN, spring	4155788	2	.05
56-57	CORV.	SASH, right, glass upper	3725382	1	11.45
56-57	CORV.	SASH, left, glass upper	3725381	1	11.45
56	CORV.	SASH, left lower	3716381	1	6.75
56	CORV.	SASH, right lower	3716382	1	6.75

*NOTE: 2nd type Vent. Assy. can be identified by angular rubber bumper at upper end of Vent Frame.

10.652 WEATHERSTRIP—SCREW, Front Door Ventilator

41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)	right	4117557	1	1.75
41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)	left	4117558	1	1.75
41-48	1069	right	4128371	1	1.75
42-48	1007	right	4134791	1	1.75
42-48	1007	left	4134792	1	1.75
49	PASS. (exc. CONV.)	right	4168194	1	2.05
49	PASS. (exc. CONV.)	left	4168195	1	2.05
49-52	CONV., BEL AIR	right	4180805	1	5.35
49-52	CONV., BEL AIR	left	4180806	1	5.35
50-52	PASS. (exc. CONV., B-A)	right	4151480	1	2.35
50-52	PASS. (exc. CONV., B-A)	left	4151481	1	2.35
53-54	PASS. (exc. CONV., SPT. CPE.)	right (molded T-87046)	4191718	1	2.35
53-54	PASS. (exc. CONV., SPT. CPE.)	left (molded T-87047)	4191719	1	2.35
53-54	CONV., SPT. CPE.	right (screw on type)	4154776	1	5.35
53-54	CONV., SPT. CPE.	left (molded T-87053)	4154777	1	5.35
53-55	CORV.	right	3718256	1	2.50
53-55	CORV.	left	3718255	1	2.50
55-57	PASS. (exc. SPT. MDLS.)	right	4156296	1	2.15
55-57	PASS. (exc. SPT. MDLS.)	left	4156297	1	2.15
55-57	SPT. MDLS.	right	4156644	1	2.50
55-57	SPT. MDLS.	left	4156645	1	2.50
55-57	SPT. MDLS.	SCREW, vent. garnish mldg. upper	456848	4	(8.908)

10.654 MOULDING, Door Ventilator Reveal

55	1064-67D	right (13⅜ O.L.) (chrome)	4664341	1	7.50
55	1064-67D	left (13⅜ O.L.) (chrome)	4664342	1	7.50
55-57	SPT. CPE.	right (13⅜ O.L.) (chrome)	4648236	1	7.50
55-57	SPT. CPE.	left (13⅜ O.L.) (chrome)	4648237	1	7.50
56-57	1039-39D-64-67D	right	4680027	1	7.50
56-57	1039-39D-64-67D	left	4680028	1	7.50

10.655 CHANNEL—FRAME ASSY.—FILLER, Front Door Ventilator Glass (with tee shaft)

41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)	right, with bearing cap and tee shaft	4147563	1	5.00
41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)	left, with bearing cap and tee shaft	4147564	1	5.00
42-48	1007	r., w/brg. cap, tee shaft and safety lock	4147799	1	5.00
42-48	1007	left, w/brg. cap, tee shaft and safety lock	4147800	1	5.00
49-52	FLEETLINE	right, w/handle, shaft and brg. stud	4167995	1	7.50
49-52	FLEETLINE	left, w/handle, shaft and brg. stud	4167996	1	7.50
49-52	STYLELINE (exc. CONV., B-A)	right, w/handle, shaft and brg. stud	4167984	1	7.75
49-52	STYLELINE (exc. CONV., B-A)	left, w/handle, shaft and brg. stud	4167985	1	7.75
49-52	CONV., BEL AIR	right, w/handle, shaft and brg. stud	4168055	1	7.75
49-52	CONV., BEL AIR	left, w/handle, shaft and brg. stud	4168056	1	7.75
53-54	PASS. (exc. CONV., SPT. CPE.)	right (ident. No. 06 on shaft)	4191722	1	7.75
53-54	PASS. (exc. CONV., SPT. CPE.)	left (ident. No. 07 on shaft)	4191723	1	7.75
53-54	CONV., SPT. CPE.	right (w/tee shaft, pivot, and safety lock)	4191704	1	8.40
53-54	CONV., SPT. CPE.	left (w/tee shaft, pivot, and safety lock)	4191705	1	8.40
55-57	PASS. (exc. SPT. MDLS.)	right	4156320	1	6.55
55-57	PASS. (exc. SPT. MDLS.)	left	4156321	1	6.55
55-57	CONV.	right	4156678	1	6.25
55-57	CONV.	left	4156679	1	6.25
55-57	SPT. MDLS.	right	4156676	1	7.50
55-57	SPT. MDLS.	left	4156677	1	7.50
53-55	CORV.	right, division	3727740	1	12.75
53-55	CORV.	left, division	3727739	1	12.75
53-55	CORV.	FRAME ASSY., right, door window and vent	4157783	1	85.00
53-55	CORV.	FRAME ASSY., left, door window and vent	4157784	1	85.00
53-55	CORV.	FRAME ASSY., right, door window and vent lower	3728536	1	27.75
53-55	CORV.	FRAME ASSY., left, door window and vent lower	3728535	1	27.75
53-55	CORV.	FRAME ASSY., right, door window and vent upper	4154924	1	19.85
53-55	CORV.	FRAME ASSY., left, door window and vent upper	4154925	1	19.85
33-55	PASS. (exc. STA. WAG.)	FILLER, channel (.032 thick) (60 ft. roll)	603954	A.R. (10.696)	
33-55	PASS. (exc. STA. WAG.)	FILLER, channel (.047 thick) (40 ft. roll)	603955	A.R. (10.696)	

10.656 FRAME—CAP—MOULDING, Front Door Ventilator

49-51	CONV., BEL AIR (1st type)	right, w/rain deflector	4175596	1	16.51
50	BEL AIR,				
51	CONV., BEL AIR (1st type)	left, w/rain deflector	4175597	1	16.51
51-52	CONV., BEL AIR (2nd type)	left, less rain deflector	4184694*	1	13.95
51-52	CONV., BEL AIR (2nd type)	right, less rain deflector	4184692*	1	13.95
53-54	CONV., SPT. CPE.	right, less rain deflector	4191714	1	15.50
53-54	CONV., SPT. CPE.	left, less rain deflector	4191715	1	15.50
55	1037-37D-64-67D,				
56-57	SPT. CPE.	CAP	4231471	1	2.20
55	1037-37D-64-67D,				
56-57	SPT. CPE.	MOULDING, right, vent. garnish (13 7/32 long)	4648202	1	4.90
55	1037-37D-64-67D,				
56-57	SPT. CPE.	MOULDING, left, vent. garnish (13 7/32 long)	4648203	1	4.90
56-57	1039-39D-64-67D	MOULDING, right, garnish	4680029	1	4.90
56-57	1039-39D-64-67D	MOULDING, left, garnish	4680030	1	4.90
56-57	1039-39D-64-67D	MOULDING, right, upper finishing	4680475	1	2.20
56-57	1039-39D-64-67D	MOULDING, left, upper finishing	4680476	1	2.20

*NOTE: 2nd type Vent. Frame can be identified by angle at upper end. 1st type has square upper end.

10.657 SHAFT, Front Door Ventilator Tee

49-52	PASS. (exc. CONV., B-A)	right	4173478	1	.75
49-52	PASS. (exc. CONV., B-A)	left	4173479	1	.75
49-52	CONV., BEL AIR	right	4173481	1	.75
49-52	CONV., BEL AIR	left	4173482	1	.75
53-54	PASS. (exc. CONV., SPT. CPE.)	right	4155730	1	1.40
53-54	PASS. (exc. CONV., SPT. CPE.)	left	4155731	1	1.40
53-54	CONV., SPT. CPE.	right	4155732	1	1.40
53-54	CONV., SPT. CPE.	left	4155733	1	1.40
55-57	PASS. (exc. SPT. MDLS.)	right and left	4156322	2	1.25
55-57	SPT. MDLS.	right and left	4156688	2	1.25

ANCHOR ASSY.—BRACKET, Side Door Window and Ventilator

53-55	CORV.	right, front	4155030	1	5.50
53-55	CORV.	left, front	4155031	1	5.50
53-55	CORV.	right, rear	4155814	1	5.50
53-55	CORV.	left, rear	4155815	1	5.50
53-55	CORV.	BRACKET, right	4155794	1	3.75
53-55	CORV.	BRACKET, left	4155795	1	3.75

10.658 GLASS, Front Door Ventilator (safety)

41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)		4115803	2	4.25
42-48	1007		4125272	2	4.25
49-52	FLEETLINE		4560574	2	4.50
49-52	CONV., BEL AIR		4561184	2	4.75
49-52	STYLELINE (exc. CONV., B-A)		4561275	2	4.75
53-54	PASS. (exc. CONV., SPT. CPE.)		4599944	2	4.50
53-54	CONV., SPT. CPE.		4602799	2	4.50
53-55	CORV.	right (plexiglas)	4154926	1	9.75
53-55	CORV.	left (plexiglas)	4154927	1	9.75
55-57	PASS. (exc. SPT. MDLS.)		4643480	2	3.00
55-57	SPT. MDLS.		4645230	2	2.75
52	1007	(tinted)	4614727	2	4.85
52	STYLELINE (exc. CONV., B-A)	(tinted)	4611352	2	5.00
52	CONV., BEL AIR	(tinted)	4611353	2	5.00
53-54	PASS. (exc. CONV., SPT. CPE.)	(tinted)	4612509	2	4.85
53-54	CONV., SPT. CPE.	(tinted)	4612507	2	4.85
55-57	PASS. (exc. SPT. MDLS.)	(tinted)	4643481	2	3.25
55-57	SPT. MDLS.	(tinted)	4645231	2	3.00

10.659 LOCK—CATCH—SPACER—KNOB—FERRULE—SEAL, Door Ventilator Channel

39-48	PASS. (exc. CONV.),				
53-54	PASS. (exc. CONV.)	right	4128367	1	1.15

39-48	PASS. (exc. CONV.),				
53-54	PASS. (exc. CONV.)	left	4128368	1	1.15
53-55	CORV.	side door vent	3717205	1	1.25
55-57	PASS. (exc. CONV.)	right, safety	4156172	1	1.15
55-57	PASS. (exc. CONV.)	left, safety	4156173	1	1.15
49-52	PASS. (exc. CONV., B-A)	CATCH, right	4176124	1	.55
49-52	PASS. (exc. CONV., B-A)	CATCH, left	4176125	1	.55
49-52	CONV., BEL AIR	CATCH, right	4173101	1	.60
49-52	CONV., BEL AIR	CATCH, left	4173102	1	.60
53-55	CORV.	CATCH, right	4154410	1	12.50
53-55	CORV.	CATCH, left	4154411	1	12.50
55	PASS.,				
56-57	PASS. (exc. CONV.)	SPACER, right and left ventilator safety lock	4156169	2	.20
53-55	CORV.	KNOB, catch	4155046	2	1.55
53-55	CORV.	FERRULE, catch (st. steel)	4155044	2	.40
55	CORV.	SEAL, latch	3722174	2	.10

10.660 LOCK PARTS, Door Ventilator Channel

39-48	PASS. (exc. CONV.),				
53-57	PASS. (exc. CONV.)	KNOB, lock	4126502	2	.25
39-48	PASS. (exc. CONV.),				
53-57	PASS. (exc. CONV.)	BOLT, lock—use on front doors	4094294	2	.35
39-48	PASS. (exc. CONV.),				
53-57	PASS. (exc. CONV.)	SPRING, knob—use on front doors	4094292	2	.10
49-52	PASS.	SPRING, frt. and rear dr. pivot shaft	4162191*	4	.15
49-52	PASS.	SPRING, frt. and rear dr. push button	4167991*	4	.10
39-48	PASS. (exc. CONV.),				
53-57	PASS. (exc. CONV.)	SCREW, knob—use on front doors	4094293	2	.35
39-54	PASS.	RIVET, handle support to channel	4172393	8	.03
49-52	PASS.	SUPPORT, w/stud--handle front and rear doors	4172437	A.R.	1.15
49-52	PASS.	STOP, frt. dr. pivot shaft (lower—1/16 thick)	4167943	2	.10
49-52	PASS.	BUTTON, frt. and rear dr.	4167990*	4	.25
49-52	PASS.	PIN, frt. and rear dr. handle	4167992*	4	.10
49-52	PASS.	WASHER, frt. and rear dr. pivot shaft (fiber)	4162192*	4	.05
49-52	PASS.	WASHER, frt. and rear dr. pivot shaft (steel)	4162193*	4	.05

*NOTE: Used on Jobs 1208-69 front doors only.

10.661 REGULATOR—CLIP, Front Door Ventilator

40-48	PASS. (exc. STA. WAG.)	right	4099411*	1	3.90
40-48	PASS. (exc. STA. WAG.)	left	4099412*	1	3.90
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	R. (spindle extension lgth. 13/16)	4636692	1	3.90
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	L. (spindle extension lgth. 13/16)	4636693	1	3.90
53-54	CONV., SPT. CPE.	R. (spindle extension lgth. 3/4) (cast "L")	4646183	1	3.90
53-54	CONV., SPT. CPE.	L. (spindle extension lgth. 3/4) (cast "R")	4646184	1	3.90
53-54	STA. WAG.	R. (spindle extension lgth. 11/16)	4636696	1	3.90
53-54	STA. WAG.	L. (spindle extension lgth. 11/16)	4636697	1	3.90
55-56	PASS.	right	4647006	1	3.90
55-56	PASS.	left	4647007	1	3.90
53-54	PASS.	CLIP, regulator spring	4155278	2	.05

*NOTE: When necessary use extra filler washers to bring out trim pad far enough to make up 1/8 in. difference in length of spindle.

10.664 HANDLE—RETAINER, Front Door Ventilator Regulator

39-48	PASS.	(white knob w/brown insert)	4147119	2	1.75
46-48	STA. WAG.,				
49-52	PASS.	right, locking	4167988*	1	1.10
49-52	PASS.	left, locking	4167989*	1	1.10
53-57	Ser. 1000	(w/chrome insert in knob)	4619385	2	2.05
53-57	Ser. 1200	(plain knob)	4619386	2	2.05
39-48	PASS. (exc. STA. WAG.)	RETAINER, handle (spring steel, hairpin type)	4090144	2	(10.513)

*NOTE: For internal parts for pt. Nos. 4167988-9 see Grp. 10.660

10.665 PLATE, Front Door Ventilator Handle Escutcheon

29-48	PASS. (exc. STA. WAG.)	(2 3/16 dia.) (to be used to protect trim)	4125997	A.R.	(10.515)
39-48	PASS. (exc. STA. WAG.)		4146889	2	(10.515)
47-48	STA. WAG.		4161784	2	(10.515)

10.666 SPRING, Front Door Ventilator Handle Escutcheon

37-48	PASS.	(conical coil—5 turns) (use w/die cast			
53-57	PASS.	reg. hsg.)	4078002	2	.17
39-48	PASS. (exc. STA. WAG.)	(straight coil—5 turns)	4090162	2	.17

10.669 PIVOT—CLAMP—RIVET, Front Door Ventilator

49-52	PASS. (exc. CONV., B-A)	right (on retainer)	4173376	1	.65
49-52	PASS. (exc. CONV., B-A)	left (on retainer)	4173377	1	.65
49-52	PASS. (exc. CONV., B-A)	right (on glass channel)	4173378	1	.35
49-52	PASS. (exc. CONV., B-A)	left (on glass channel)	4173379	1	.35
51-52	CONV., BEL AIR	right—upper—channel	4186162	1	.65
51-52	CONV., BEL AIR	left—upper—channel	4186163	1	.65
53-54	PASS. (exc. CONV., SPT. CPE.)	right (on retainer)	4191720	1	.65
53-54	PASS. (exc. CONV., SPT. CPE.)	left (on retainer)	4191721	1	.65
53-54	PASS. (exc. CONV., SPT. CPE.)	right (on glass channel)	4191724	1	.65
53-54	PASS. (exc. CONV., SPT. CPE.)	left (on glass channel)	4191725	1	.65
53-54	CONV., SPT. CPE.	right, with stud	4191716	1	.65
53-54	CONV., SPT. CPE.	left, with stud	4191717	1	.65
40-41	PASS.,				
46-48	PASS.,				
53	PASS. (exc. CONV., SPT. CPE.),				
54	PASS.	CLAMP, regulator friction (1 3/4 long)	4104796	2	.10
42	PASS.,				
53	CONV., SPT. CPE.	CLAMP, regulator friction (2 long)	4133662	2	.10
55-57	PASS.	CLAMP, regulator friction	4153766	2	.10
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	RIVET, pivot hinge (5/16 dia. hd. x 5/16 lg. w/shldr.)	4168086	2	.10
	Not required in this group. See group 16.175		443587	12	.03

PIN—SPRING—HINGE—SUPPORT, Side Door Ventilator

53-55	CORV.	lower	4154784	2	.50
53-55	CORV.	SPRING, lower hinge	4154786	2	.12
53-55	CORV.	HINGE, right, upper frame half	4155292	1	.60
53-55	CORV.	HINGE, left, upper frame half	4155293	1	.60
53-55	CORV.	HINGE, right, lower frame half	4154958	1	.80
53-55	CORV.	HINGE, left, lower frame half	4154959	1	.80
53-55	CORV.	HINGE, right, lower sash half	4154794	1	.85
53-55	CORV.	HINGE, left, lower sash half	4154795	1	.85
53-54	CORV.	SUPPORT, right, upper glass channel pivot	4154778	1	.95
53-54	CORV.	SUPPORT, left, upper glass channel pivot	4154779	1	.95

10.670 MISCELLANEOUS SMALL PARTS, Front Door Ventilator

53	PASS. (exc. CONV., SPT. CPE.),				
54	PASS.	SCREW, regulator friction clamp (1 5/32 lg.)	4104797	2	.10
55-57	PASS.	SCREW, reg. friction clamp (No. 12 24-2 thd.— non std.)	4153767	2	.10
41-48	CONV.	WASHER, ventilator to inner panel	138538	6	(8.932)
53-54	PASS.	BOLT, regulator to tee shaft (1/4—20 x 7/8)	180021	2	(8.900)
51-52	CONV., BEL AIR,				
53-54	CONV., SPT. CPE.	BUMPER, right (top rear of vent. frame)	4180904	1	1.00
51-52	CONV., BEL AIR,				
53-54	CONV., SPT. CPE.	BUMPER, left (top rear of vent. frame)	4180905	1	1.00
55-57	SPT. MDLS.	BUMPER, door window glass (on ventilator)	4156638	2	.60

10.674 DEFLECTOR, Front Door, Rain

49-52	FLEETLINE	right	4583977	1	.80
49-52	FLEETLINE	left	4583978	1	.80

49-52	STYLELINE (exc. CONV., B-A)	right	4583986	1	.85
49-52	STYLELINE (exc. CONV., B-A)	left	4583987	1	.85
50-51	CONV., BEL AIR (1st type)	right, w/rivets (attaches to ventilator)	3695746	1	3.85
50-51	CONV., BEL AIR (1st type)	left, w/rivets (attaches to ventilator)	3695745	1	3.85
51-52	BEL AIR (2nd type)	right (attaches to roof rail)	4614522	1	4.35
51-52	BEL AIR (2nd type)	left (attaches to roof rail)	4614523	1	4.35
53-54	PASS. (exc. 1011WD-37D-67D-69WD)	right (stamped 42)	4597442	1	.95
53-54	PASS. (exc. 1011WD-37D-67D-69WD)	left (stamped 43)	4597443	1	.95
53-54	1011WD-69WD	right (stainless, 6 attach. holes)	4614671	1	3.10
53-54	1011WD-69WD	left (stainless, 6 attach. holes)	4614672	1	3.10
53-54	CONV.	right (stainless steel)	4601069	1	3.10
53-54	CONV.	left (stainless steel)	4601070	1	3.10
53-54	SPT. CPE.	right (stainless steel)	4599966	1	3.10
53-54	SPT. CPE.	left (stainless steel)	4599967	1	3.10

10.681 GLASS, Front Door Window (safety)

41-48	1011-1211		4117561	2	11.32
41-48	1019-1219-71		4115805	2	7.32
41-48	CPES.		4115804	2	10.75
42-48	1007		4125241	2	14.75
49-52	1011-1211		4559940	2	14.95
49-52	1007-1207		4561192	2	13.75
49-52	1069-1269-71		4559295	2	11.75
49-52	CPES.		4559951	2	14.95
49-51	1008-1208		4560558	2	10.65
49-52	CONV., BEL AIR		4560906	2	13.75
49-52	1062		4566721	2	10.65
53-54	1011-27-1211-27-27B		4595550	2	14.75
53-54	1069-1269-69W-71		4599950	2	11.25
53-54	CONV., SPT. CPE.		4602629	2	13.75
53-54	STA. WAG. (exc. 1262F)		4603203	2	10.65
53-54	1262F		4603297	2	8.95
53-55	CORV.	right (plexiglas)	4154928	1	15.75
53-55	CORV.	left (plexiglas)	4154929	1	15.75
55-57	2-DR. (exc. 1037-37D-64-67D)		4649037	2	12.25
55-57	4-DOOR		4648579	2	10.25
55-57	CONV., SPT. CPE.		4645915	2	13.25
55-57	1064		4662341	2	13.25
56-57	SPT. SED.		4668225	1	10.25
56-57	CORV.		3716237	2	12.75
52	1007	(tinted)	4614728	2	14.25
52	1011-1211	(tinted)	4611355	2	15.25
52	1069-1269	(tinted)	4611357	2	12.50
52	CPES.	(tinted)	4614729	2	15.25
52	CONV., BEL AIR	(tinted)	4611356	2	14.75
53-54	1011-27-1211-27-27B	(tinted)	4612510	2	15.50
53-54	1069-1269-69W-71	(tinted)	4612511	2	13.25
53-54	CONV., SPT. CPE.	(tinted)	4612513	2	14.75
53-54	STA. WAG.	(tinted)	4612514	2	11.75
55-57	2-DR. (exc. 1037-37D-64-67D)	(tinted)	4649038	2	13.25
55-57	4-DOOR	(tinted)	4648580	2	11.25
55-57	CONV., SPT. CPE.	(tinted)	4645916	2	14.25
55-57	1064	(tinted)	4662342	2	14.25
56-57	SPT. SED.	(tinted)	4668226	1	11.25

10.685 CHANNEL—FILLER, Front Door Glass Lower Sash

41-48	CONV.	right, less cam (23 13/16 long)	4114469	1	4.35
41-48	CONV.	left, less cam (23 13/16 long)	4114470	1	4.35
49-52	1007-11-27-1207-11-27-27B	right, less cam (25 5/8 long)	4560073	1	1.70
49-52	1007-11-27-1207-11-27-27B	left, less cam (25 5/8 long)	4560074	1	1.70
49-52	1008-69-1208-69-71	right, less cam (18 11/16 long)	4560285	1	1.60
49-52	1008-69-1208-69-71	left, less cam (18 11/16 long)	4560286	1	1.60
49-52	CONV., BEL AIR	right, less cam (26 long)	4613791	1	4.70
49-52	CONV., BEL AIR	left, less cam (26 long)	4613792	1	4.70
49-52	STA. WAG.	right, less cam (cut to size)	4561166	1	(11.007)
49-52	STA. WAG.	left, less cam (cut to size)	4561167	1	(11.007)

53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	right, less cam (25 3/8 long)	4596421	1	1.70
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	left, less cam (25 3/8 long)	4596422	1	1.70
53-54	CONV., SPT. CPE.	right, less cam (25 11/16 long)	4598524	1	2.05
53-54	CONV., SPT. CPE.	left, less cam (25 11/16 long)	4598525	1	2.05
53-54	STA. WAG.	right, less cam (17 7/8 long)	4598520	1	.80
53-54	STA. WAG.	left, less cam (17 7/8 long)	4598521	1	.80
54	1011	right, less cam (w/elect. window lift)	4644676	1	1.10
54	1011	left, less cam (w/elect. window lift)	4644677	1	1.10
54	CONV., SPT. CPE.	right, less cam (w/elect. window lift)	4644669	1	2.05
54	CONV., SPT. CPE.	left, less cam (w/elect. window lift)	4644670	1	2.05
55-57	2-DR. (exc. 1037-37D-64-67D)	right, less cam (25 1/16 long)	4645427	1	1.05
55-57	2-DR. (exc. 1037-37D-64-67D)	left, less cam (25 1/16 long)	4645428	1	1.05
55-57	4-DR. (exc. SPT. SED.)	right, less cam (19 long)	4647093	1	.85
55-57	4-DR. (exc. SPT. SED.)	left, less cam (19 long)	4647094	1	.85
55-57	CONV., SPT. CPE.	right, less cam (24 1/4 long)	4648397	1	1.60
55-57	CONV., SPT. CPE.	left, less cam (24 1/4 long)	4648398	1	1.60
55-57	1064	right, less cam	4658473	1	1.60
55-57	1064	left, less cam	4658474	1	1.60
56-57	SPT. SED.	right	4670122	1	8.90
56-57	SPT. SED.	left	4670123	1	8.90
29-56	PASS.	FILLER (.032 thick x 1 1/2 wide—60 ft. roll)	603954	A.R.	(10.696)
29-56	PASS.	FILLER (.047 thick x 1 1/2 wide—40 ft. roll)	603955	A.R.	(10.696)

NOTE: When necessary, use old sash channel as guide and cut new channel off at one or both ends as required.

10.686 CHANNEL—SCALP—WEATHERSTRIP—DEFLECTOR—RIVET, Front Door Glass Division

40	PASS. (exc. CONV.)	right	4101999	1	3.55
40	PASS. (exc. CONV.)	left	4102000	1	3.55
41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)	right	4161380	1	5.20
41-48	PASS. (exc. FLTLN., CONV., STA. WAG.)	left	4161381	1	5.20
41-48	1069	right	4161371	1	3.55
41-48	1069	left	4161372	1	3.55
42-48	1007	right	4161383	1	5.20
42-48	1007	left	4161384	1	5.20
49-51 52	PASS. (exc. FLTLN., CONV., B-A), PASS. (exc. FLTLN., CONV., B-A, STA. WAG.)	right, w/retainer	4151738*	1	7.00
49-51 52	PASS. (exc. FLTLN., CONV., B-A), PASS. (exc. FLTLN., CONV., B-A, STA. WAG.)	left, w/retainer	4151739*	1	7.00
49-52	PASS. (exc. FLTLN., CONV., B-A)	(glass run upr. frt. chnl.—use w/4151738-39)	4151487	2	.90
49-52	FLEETLINE	right, w/retainer	4151736*	1	5.70
49-52	FLEETLINE	left, w/retainer	4151737*	1	5.70
49-52	FLEETLINE	(glass run upr. frt. chnl.—use w/4151736-37)	4151486	2	.90
49-52	CONV., BEL AIR	right (less glass run upper front channel)	4180930	1	4.80
49-52	CONV., BEL AIR	left (less glass run upper front channel)	4180931	1	4.80
49-52	CONV., BEL AIR	(glass run upr. frt. chnl.—use w/4180930-31)	4168059	2	.90
53-54	PASS. (exc. CONV., SPT. CPE.)	right, w/retainer	4151974*	1	6.90
53-54	PASS. (exc. CONV., SPT. CPE.)	left, w/retainer	4151975*	1	6.90
53-54	PASS. (exc. CONV., SPT. CPE.)	(glass run upper front) (14 long)	4191728	2	.90
53-54	CONV., SPT. CPE.	right	4191710*	1	4.60
53-54	CONV., SPT. CPE.	left	4191711*	1	4.60
53-54	CONV., SPT. CPE.	(glass run upper front) (14 1/8 long)	4191697	2	.90
55-57	PASS. (exc. SPT. MDLS.)	right, w/retainer	4157676*	1	5.70
55-57	PASS. (exc. SPT. MDLS.)	left, w/retainer	4157677*	1	5.70
55-57	PASS. (exc. SPT. MDLS.)	upper front (14 19/32 long)	4156303	2	.90
55-57	PASS. (exc. SPT. MDLS.)	lower front (14 1/16 long)	4151589	2	.90
55-56	CONV., SPT. CPE., SPT. SED. (1st Type)	right, w/retainer	4157876*	1	5.70
55-56	CONV., SPT. CPE., SPT. SED. (1st Type)	left, w/retainer	4157877*	1	5.70

55-56	1064 (1st Type)	right, w/retainer	4158880*	1	8.40
55-56	1064 (1st Type)	left, w/retainer	4158881*	1	8.40
55-57	SPT. MDLS.	upper front	4155553	2	.80
55-57	SPT. MDLS.	lower front (15⅛ long)	4151592	2	.90
57	CONV., SPT. CPE., SPT. SED.	right, w/retainer (rubber)	4236426	1	
57	CONV., SPT. CPE., SPT. SED.	left w/retainer (rubber)	4236427	1	
57	1064 (2nd Type)	right, w/retainer (rubber)	4236428	1	
57	1064 (2nd Type)	left, w/retainer (rubber)	4236429	1	
49-52	PASS. (exc. FLTLN., CONV., B-A, STA. WAG.)	SCALP, channel, right (inner)	4190395	1	.40
49-52	PASS. (exc. FLTLN., CONV., B-A, STA. WAG.)	SCALP, channel, left (inner)	4190396	1	.40
49-52	PASS. (exc. FLTLN., CONV., B-A)	SCALP, vent. div. chnl. outer air (13 1/16)	4190978	2	.85
49-52	FLEETLINE	SCALP, channel, left (inner)	4190393	1	.40
49-52	FLEETLINE	SCALP, channel, right (inner)	4190394	1	.40
49-52	FLEETLINE	SCALP, vent. div. chnl. outer air (12⅜)	4190977	2	.85
49-52	STA. WAG.	SCALP, channel, right (inner)	4150490	1	.40
49-52	STA. WAG.	SCALP, channel, left (inner)	4150491	1	.40
50-52	CONV., BEL AIR	SCALP, channel, right (outer)	4180809	1	.85
50-52	CONV., BEL AIR	SCALP, channel, left (outer)	4180810	1	.85
53-54	PASS. (exc. CONV., SPT. CPE.)	SCALP, channel (outer)	4191729	2	.85
53-54	PASS. (exc. CONV., SPT. CPE.)	SCALP, channel, right (inner) (12⅞ long)	4153404	1	.85
53-54	PASS. (exc. CONV., SPT. CPE.)	SCALP, channel, left (inner) (12⅞ long)	4153405	1	.85
53-54	CONV., SPT. CPE.	SCALP, channel, right (inner)	4150510	1	.75
53-54	CONV., SPT. CPE.	SCALP, channel, left (inner)	4150511	1	.75
53-54	CONV., SPT. CPE.	SCALP, channel, right (outer) (12½ long)	4191698	1	.75
53-54	CONV., SPT. CPE.	SCALP, channel, left (outer) (12½ long)	4191699	1	.75
55-57	PASS. (exc. SPT. MDLS.)	SCALP, channel, right (inner) (14 long)	4156328	1	.75
55-57	PASS. (exc. SPT. MDLS.)	SCALP, channel, left (inner) (14 long)	4156329	1	.75
55	PASS. (exc. CONV., SPT. CPE.),				
56-57	PASS. (exc. SPT. MDLS.)	SCALP, channel (outer) (13⅝ long)	4156519	2	.50
55-57	SPT. MDLS.	SCALP, channel, right (inner)	4156892	1	.75
55-57	SPT. MDLS.	SCALP, channel, left (inner)	4156893	1	.75
55-57	SPT. MDLS.	SCALP, channel, right (outer) (12 9/16 long)	4156884	1	.75
55-57	SPT. MDLS.	SCALP, channel, left (outer) (12 9/16 long)	4156885	1	.75
49-52	PASS. (exc. FLTLN., CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	WEATHERSTRIP, channel, right (11 29/32)	4190979	1	1.00
49-52	PASS. (exc. FLTLN., CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	WEATHERSTRIP, channel, left (11 29/32)	4190980	1	1.00
49-52	FLEETLINE	WEATHERSTRIP, channel, right (11⅜)	4151482	1	1.00
49-52	FLEETLINE	WEATHERSTRIP, channel, left (11⅜)	4151483	1	1.00
49-52	CONV., BEL AIR	WEATHERSTRIP, channel, right (12¼)	4180811	1	1.25
49-52	CONV., BEL AIR	WEATHERSTRIP, channel, left (12¼)	4180812	1	1.25
53-54	CONV., SPT. CPE.	WEATHERSTRIP, chnl., right (molded T-99174)	4191700	1	1.25
53-54	CONV., SPT. CPE.	WEATHERSTRIP, chnl., left (molded T-99175)	4191701	1	1.25
55-57	PASS. (exc. SPT. MDLS.)	WEATHERSTRIP, channel, right	4156330	1	1.00
55-57	PASS. (exc. SPT. MDLS.)	WEATHERSTRIP, channel, left	4156331	1	1.00
55-57	SPT. MDLS.	WEATHERSTRIP, channel, right	4156664	1	1.00
55-57	SPT. MDLS.	WEATHERSTRIP, channel, left	4156665	1	1.00
51-52	PASS. (exc. CONV., B-A)	DEFLECTOR, vent. div. chnl., water (1⅝ x 21/32)	4605963	2	.10
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.),				
55-57	PASS.	RIVET, vent. div. upr. run channel (¼)	4190981	4	.03
55-56	PASS. (exc. SPT. MDLS.)	RIVET, vent. div. channel upper	4082768	2	.05

*NOTE: The above parts do not include the inner and outer scalp, run channel or weatherstrip.

10.687 CAM, Front Door Glass Lower Sash Channel

NOTE: Also refer to group 10.685 for sash channel (with cam).

33-54	PASS.,				
55-57	1019-62F-64-1219	right and left (cut to size)	4099974	2	(11.046)
56-57	SPT. SED.		4670483	1	.30

SUPPORT—BRACKET, Side Door Window Glass

53-55	CORV.	right, front	4154838	1	.50
53-55	CORV.	left, front	4154839	1	.50
53-55	CORV.	BRACKET, center support	4155764	2	4.75

10.689 CHANNEL—GUTTER, Door Glass Sash

49-51	CONV., BEL AIR (1st type)	right, upper and rear	4560812	1	17.70
49-51	CONV., BEL AIR (1st type)	left, upper and rear	4560813	1	17.70
51-52	CONV., BEL AIR (2nd type)	right, upper and rear	4596366	1	15.70
51-52	CONV., BEL AIR (2nd type)	left, upper and rear	4596367	1	15.70
53-54	CONV., SPT. CPE.	right, upper and rear	4601065	1	15.70
53-54	CONV., SPT. CPE.	left, upper and rear	4601066	1	15.70
55-57	CONV., SPT. CPE.	right, upper and rear	4648704	1	14.95
55-57	CONV., SPT. CPE.	left, upper and rear	4648705	1	14.95
55-57	1064	right, upper and rear	4658475	1	13.70
55-57	1064	left, upper and rear	4658476	1	13.70
56-57	SPT. SED.	upper sash	4668250	2	13.70
56-57	SPT. SED.	GUTTER, right, upper sash channel	4668258	1	3.90
56-57	SPT. SED.	GUTTER, left, upper sash channel	4668259	1	3.90

10.694 WEATHERSTRIP, Door Opening

37-40	PASS.	front, rear and back door-top and sides,			
40-48	SDL.	back door,			
41-48	PASS. (exc. STA. WAG.)	front and rear dr., upr. and lock pillar side,			
41	PASS.	front hinge pillar side, front and rear,			
42-48	4-DR. (exc. STA. WAG.)	hinge pillar side, rear door,			
46-48	STA. WAG.	doors rear body opening bottom of doors,			
49-54	PASS.	front door top, upper and lower lock pillar,			
49-54	4-DR.	rear door top and lock pillar (60 ft. roll—cut to size)	3692045*	A.R.	.25 ft.
42-48	PASS. (exc. STA. WAG.)	left front door, hinge pillar side (ident.			
46-48	STA. WAG.	No. H79841)	4125527	1	3.25
42-48	PASS. (exc. STA. WAG.)	right front door, hinge pillar side (ident.			
46-48	STA. WAG.	No. H79840)	4125526	1	3.25
42-48	CONV.	right lock pillar (ident. No. P20725)	4131426	1	.95
42-48	CONV.	left lock pillar (ident. No. P20726)	4131427	1	.95
49-52	4-DR.	right rear lock pillar lower (12¾ long) (molded 4565899)	4565914	1	1.35
49-52	4-DR.	left rear lock pillar lower (12¾ long) (molded 4565899)	4565915	1	1.35
49	CONV. (1st type)	right hinge pillar (molded 4567403-5)	4567401	1	2.55
49	CONV. (1st type)	left hinge pillar (molded 4567404-6)	4567402	1	2.55
49-52	1008-62-69-1208-69	right rear hinge pillar (molded 4565924)	4565924	1	3.10
49-52	1008-62-69-1208-69	left rear hinge pillar (molded 4565925)	4565925	1	3.10
49	PASS. (exc. CONV.) (1st type)	right hinge pillar (molded 4565918)	4565918	1	2.65
49	PASS. (exc. CONV.) (1st type)	left hinge pillar (molded 4565919)	4565919	1	2.65
49-52	CONV., BEL AIR	right lock pillar (68½ long)	4606455	1	2.65
49-52	CONV., BEL AIR	left lock pillar (68½ long)	4606456	1	2.65
49	1061	right frt. dr. top and lock pillar (105½ lg.)	4572179	1	3.40
49	1061	left frt. dr. top and lock pillar (105½ lg.)	4572180	1	3.40
49-52	PASS.	body hinge pillar to door sealing (26$\frac{7}{32}$ long x 7$\frac{1}{16}$ wide) (rubberized cloth)	4571889	2	1.70
49-52	PASS. (exc. CONV., B-A) (2nd type)	right, door hinge pillar at belt (molded 4571918)	4571918*	1	1.60
49-52	PASS. (exc. CONV., B-A) (2nd type)	left, door hinge pillar at belt (molded 4571919)	4571919*	1	1.60
49-50	CONV., BEL AIR (1st type)	right, door hinge pillar at belt (12¼ O.L.)	4578472	1	1.35
49-50	CONV., BEL AIR (1st type)	left, door hinge pillar at belt (12¼ O.L.)	4578473	1	1.35
49-52	PASS. (exc. CONV., B-A)	right, body hinge pillar at belt (high lip type) (molded 4589389)	4589389	1	1.70
49-52	PASS. (exc. CONV., B-A)	left, body hinge pillar at belt (high lip type) (molded 4589390)	4589390	1	1.70
49-52	PASS. (exc. CONV., B-A)	right, body hinge pillar at belt (low lip type) (molded 4589397)	4589397	1	1.70
49-52	PASS. (exc. CONV., B-A)	left, body hinge pillar at belt (low lip type) (molded 4589398)	4589398	1	1.70
50-52	CONV., BEL AIR (2nd type)	right, door hinge pillar at belt, upr. end flat (12¼ O.L.) (molded 4589811)	4589811	1	1.80

50-52	CONV., BEL AIR (2nd type)	left, door hinge pillar at belt, upr. end flat (12¼ O.L.) (molded 4589812)	4589812	1	1.80
51-52	CONV., BEL AIR	right, body lock pillar aux. (29 long)	4606231	1	1.35
51-52	CONV., BEL AIR	left, body lock pillar aux. (29 long)	4606232	1	1.35
53-54	PASS. (exc. CONV., SPT. CPE.)	front and rear (168 long) (glue-on type)	4191860	A.R.	5.15
53-54	CONV., SPT. CPE.	right, lock pillar (52 long)	4632297	1	2.55
53-54	CONV., SPT. CPE.	left, lock pillar (52 long)	4632298	1	2.55
53-54	CONV., SPT. CPE.	right, hinge pillar and bottom (104 long)	4620562	1	4.00
53-54	CONV., SPT. CPE.	left, hinge pillar and bottom (104 long)	4620563	1	4.00
53-57	CORV.	door and fldg. top compt. (sponge rubber)	3715490	3	2.15
54	1069-1269W	front and rear (150 long) (snap on type)	4648290	A.R.	6.75
55-57	PASS.	right, frt. dr. hinge pillar aux. (19 dev. lgth.)	4654559	1	1.95
55-57	PASS.	left, frt. dr. hinge pillar aux. (19 dev. lgth.)	4654560	1	1.95
55-57	PASS. (exc. SPT. MDLS.)	right, front (165⅜ long) (snap on type)	4647172	1	8.20
55-57	PASS. (exc. SPT. MDLS.)	left, front (165⅜ long) (snap on type)	4647173	1	8.20
55-57	4-DR. (exc. SPT. SED.)	rear (131$\frac{7}{32}$ long) (snap on type)	4647178	A.R.	7.00
55-57	CONV.	right (118 long) (snap on type)	4647358	1	13.75
55-57	CONV.	left (118 long) (snap on type)	4647359	1	13.75
55-57	SPT. MDLS.	front hinge pillar aux.—upr.	4676236	2	1.25
55-57	SPT. CPE.	right (118 long) (snap on type)	4655143	1	13.75
55-57	SPT. CPE.	left (118 long) (snap on type)	4655144	1	13.75
55-57	1064	right (112½ long) (snap on type)	4671310	1	15.95
55-57	1064	left (112½ long) (snap on type)	4671311	1	15.95
55-56	1064	right, side roof rail (molded 4663340)	4663340	1	12.65
56-57	SPT. SED.	right, front door	4670441	1	12.40
56-57	SPT. SED.	left, front door	4670442	1	12.40
56-57	SPT. SED.	right, rear door	4670447	1	10.95
56-57	SPT. SED.	left, rear door	4670448	1	10.95
56-57	1064	right, side roof rail	4687747	1	12.65
56-57	1064	left, side roof rail	4687748	1	12.65
56-57	CORV.	right door	3736270*	1	3.95
56-57	CORV.	left door	3736269*	1	3.95
56-57	CORV.	right, door auxiliary	3732020	1	.85
56-57	CORV.	left, door auxiliary	3732019	1	.85

*NOTE: 3692045 is used in conjunction with 4571918-9 to make up an assy.

WEATHERSTRIP, Door Bottom—Corners

40	1011-17-27-67-1211-17-1511-17-27,	right front door, bottom w/corner (ident.			
41-48	1011-27-27B-67-1211-27-27B-27P	No. P21458)	4143071	1	2.55
40	1011-17-27-67-1211-17-1511-17-27	left front door, bottom w/corner (ident. No.			
41-48	1011-27-27B-67-1211-27-27B-27P	P21459)	4143072	1	2.55
41-48	1007-69	right front door, bottom w/corner (ident. No. P21462)	4143073	1	2.55
41-48	1069	bottom, left frt. dr. (ident. No. P21465)	4143076	1	2.55
41-48	1069	bottom, r. and l. rr. dr. (ident. No. P21474)	4143079	2	2.55
41-48	1019-1219-71	right front door, bottom w/corner (ident. No. P21456)	4143069	1	1.75
41-48	1019-1219-71	left front door, bottom w/corner (ident. No. P21457)	4143070	1	1.75
42-48	1007	left front door, bottom w/corner (ident. No. P21463)	4143074	1	2.55
41-48	1019-1219	rear doors, bottom w/corners (ident. No. P21472)	4143077	2	2.55
49-54	SDL.	backdr.opg.(attachestobodyopg.)(126lg.)	4172355	1	(12.269)
49-54	SDL.	(attaches to back door)	4167900	1	4.25
49-52	1008-62-69-1208-69	right rr. dr. (28¼ lg.) (molded 4565898)	4565912	1	1.95
49-52	1008-62-69-1208-69	left rr. dr. (28¼ lg.) (molded 4565898)	4565913	1	1.95
49-52	PASS.	right, front door (40¾ long)	4578148	1	2.65
49-52	PASS.	left, front door (40¾ long)	4578149	1	2.65
49-52	CONV., BEL AIR	right, front corner (9½ long)	4604030	1	1.10
49-52	CONV., BEL AIR	left, front corner (9½ long)	4604031	1	1.10
54	PASS.	frt. and rr., bottom drain hole sealing (z-shaped) (4 lg.)	4622501	8	.15
55	STA. WAG. (exc. 1064)	tail gate bottom sealing,			
55-57	SDL.	back door (155¾ long)	4652468	1	6.90

56-57	PASS.	door bottom drain hole seal,			
56-57	SDL.	back door opening,			
56-57	STA. WAG.	tail gate bottom sealing (4½ long w/2 holes)	4676124	10	.15

RETAINER—FASTENER—FILLER, Weatherstrip, Door Opening

49	PASS. (exc. STA. WAG.)	right, front dr. hinge pillar	4563183	1	.60
49	PASS. (exc. STA. WAG.)	left, front dr. hinge pillar	4563184	1	.60
49-52	1008-62-69-1208-69	right, rear dr. hinge pillar	4563192	1	.65
49-52	1008-62-69-1208-69	left, rear dr. hinge pillar	4563193	1	.65
49-52	PASS. (exc. 1061)	front, pillar sealing strip (1¾ x 1⅝ O.L. w/2 slotted holes)	4578142	2	.25
53-54	CONV., SPT. CPE.	right, hinge pillar upr. corner (w/two 5/16 holes)	4615787	1	.30
53-54	CONV., SPT. CPE.	left, hinge pillar upr. corner (w/two 5/16 holes)	4615788	1	.30
56-57	CORV.	right (st. steel)	3732532	1	.35
56-57	CORV.	left (st. steel)	3732531	1	.35
56-57	SPT. SED.	FASTENER, rr. dr. lock pillar filler stud	4651255	2	.05
56-57	SPT. SED.	FILLER, right, hinge pillar at belt (rubber w/steel insert) (1 11/16 high)	4687005	1	.30
56-57	SPT. SED.	FILLER, left, hinge pillar at belt (rubber w/steel insert) (1 11/16 high)	4687006	1	.30

10.695 CLIP—FASTENER—STUD—SCREW, Door Weatherstrip

42-48	PASS. (exc. STA. WAG)	door bottom front and rear	4131105	8	.05
49-52	PASS. (exc. 1061)	front pillar sealing strip (⅝ O.D. x 5/16 I.D.)	4578145	2	.05
55-57	4-DR. SEDAN (exc. SPT. SED.)	rear door lower at lock,			
55-57	PASS.	front door retaining (2 prong type)	4665930	A.R.	.05
55-57	4-DR. SEDAN (exc. SPT. SED.)	rear door upper at lock	4667785	2	.05
56-57	PASS.	door bottom drain hole strip, tailgate bottom seal strip	4685752	20	.05
49-52	PASS. (exc. 1061)	FASTENER, front pillar sealing strip (17/32 dia. hd.—¼ dia. stud)	4604900	4	.05
53-54	PASS.	FASTENER, button type at lock pillar,			
55-57	PASS.	hinge pillar aux. w/strip,			
56-57	CORV.	side door aux. w/strip	4653672	A.R.	.10
49-52	PASS. (exc. 1061)	STUD, frt. pillar sealing strip (#8—15 thd.—17/32 O.L.)	4578144	2	.10
48	CONV.	SCREW, lock pillar weatherstrip to door	120221	A.R.	(8.906)
55-57	SPT. MDLS.	SCREW, frt. dr. w/strip to door	4651543	2	.05



4578145



4604900



4578144



4131105

10.696 WEATHERSTRIP—FILLER—SEAL, Door Glass Lower Sash Channel

38	1009-19-1209-19	rear door,			
38	PASS. (exc. CONV.),				
39	PASS. (exc. CPE., SDL.),				
40	1011-1211,				
41-48	1069	front door,			
49-52	PASS. (exc. 52-CONV., B-A)	front and rear doors	4099014*	A.R.	1.45
52	CONV., BEL AIR	right (25½ long)	4614077	1	.85
52	CONV., BEL AIR	left (25½ long)	4614078	1	.85
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	front and rear (27¾ long)	4598677	A.R.	.85
53-54	CONV., SPT. CPE.	(25 11/16 long)	4587323	2	.85

53-54	STA. WAG.	front and rear (27⅞ long)	4598108	4	.85
53-55	CORV.	right, lower frame front (32⅛ long)	4155834	1	2.85
53-55	CORV.	left, lower frame front (32⅛ long)	4155835	1	2.85
55-57	PASS. (exc. 1039D)	front and rear (25⅛ long)	4652028	4	.85
57	1019-37-37D-62-64-67D-1219		4244974	2	
57	SPT. CPE., CONV.	inner	4235068	2	.75
57	1064	right, inner	4235062	1	.75
57	1064	left, inner	4235063	1	.75
29-57	PASS.	FILLER (.032 thick—1½ wide—60 ft. roll)	603954	A.R.	2.40
29-57	PASS.	FILLER (.047 thick—1½ wide--40 ft. roll)	603955	A.R.	2.30
56-57	CORV.	SEAL, right, lower sash	3726784	1	1.15
56-57	CORV.	SEAL, left, lower sash	3726783	1	1.15

*NOTE: Using old w/strip as a guide, trim lip to contour of outer door panel and where necessary make cut-out to clear brace.

10.701 CHANNEL—WEATHERSTRIP—SCREW—WASHER—BOLT—STUD, Front Door Glass Run

33-38	PASS. (exc. CONV.)	upper, on lock pillar (38¼ long),			
49	1061	front door upper and side (w/chrome bead)	4074354*	A.R.	1.45
33-39	PASS.	universal (½ wide 36 long)	609528	A.R.	1.25
38-40	PASS. (exc. CONV.),				
41-48	PASS. (exc. CONV., TWN. SED., STA. WAG.)	upper,			
49-52	PASS. (exc. CONV., B-A, 1061)	front dr. window (w/chrome bead—55			
53-57	PASS. (exc. CONV., SPT. CPE.)	lg.)	4209768*	A.R.	2.60
41-48	1011-1211	right or left (with chrome bead—82 long)	4209769*	2	(10.759)
49-52	CONV., BEL AIR	right or left lower (13/16 wide x 5/8 high x 17⅜ long "U" shaped w/lining)	4556937	2	2.90
53-54	CONV., SPT. CPE.	right, lower (20⅛ long, w/lining)	4608082	1	2.50
53-54	CONV., SPT. CPE.	left, lower (20⅛ long, w/lining)	4608083	1	2.50
55-57	CONV., SPT. CPE.	right, door window (18⅞ long)	4663432	1	2.50
55-57	CONV., SPT. CPE.	left, door window (18⅞ long)	4663433	1	2.50
55-57	1064	right, door window	4662035	1	2.60
55-57	1064	left, door window	4662036	1	2.60
56-57	SPT. SED.	right	4669797	1	2.30
56-57	SPT. SED.	left	4669798	1	2.30
56-57	SPT. SED.	inner	4671344	2	.75
56-57	CORV.	left upper on door	3723247	1	17.75
56-57	CORV.	right upper on door	3723248	1	17.75
50-52	CONV., BEL AIR	WEATHERSTRIP, at lock (8⅜ x 1 15/16—w/lip)	4586795	2	.65
56-57	1037-37D-64-67D	SCREW, glass run channel lower	4631280	2	.10
56-57	1037-37D-64-67D	SCREW, w/washer, glass run channel upper	4664320	2	.10
55-57	1037-37D-64-67D	WASHER, lower (¾ x 1 3/16) (w/8 tooth int. lockwasher)	4606324	2	.20
56	SPT. SED.	WASHER, glass run channel lower	4665932	2	.20
57	SPT. SED.	WASHER, glass run channel lower	4713159	2	.10
56	SPT. SED.	BOLT, glass run channel	4668216	4	.10
57	SPT. SED.	BOLT, glass run channel	4713158	2	.05
57	SPT. SED.	BOLT, glass run channel upr.	4711718	2	.10
56-57	CORV.	STUD, ¼—20	3724126	A.R.	.45

*NOTE: 4074354, 4209768 and 4209769 do not include clips or retainer. Screw part No. 431601 must be used for attaching.

RUN ASSY—SEAL ASSY., Corvette Door Window Glass

56-57	CORV.	front	3725134	2	.85
56-57	CORV.	right, rear	3723512	1	3.35
56-57	CORV.	left, rear	3723511	1	3.35
56-57	CORV.	SEAL ASSY., side door post to glass (held in place by glass run)	3736167	2	.40

10.702 CAP, Front Door Window Glass Run Channel

42-52	CONV., BEL AIR	right	4595985	1	1.10
42-52	CONV., BEL AIR	left	4595986	1	1.10

10.703 RETAINER, Front Door Glass Run Channel

39-48	PASS. (exc. STA. WAG.)	front door wind. glass run channel, lower	4103233	2	.35
49-52	PASS. (exc. CONV., B-A)	lower ($11\frac{1}{16}$ wide x $18\frac{11}{16}$ long)	4616215	2	.60
53-54	4-DR., SDL.	lower ($16\frac{3}{4}$ long)	4616221	2	.35
53-54	1011-27-1211-27-27B	lower ($15\frac{3}{4}$ long)	4643072	2	.60
55-57	2-DR. (exc. 1037D-64-67D)		4650546	2	.70
55-57	4-DR. (exc. SPT. SED.)		4650545	2	.70

RETAINER—SCREW, Side Roof Rail Weatherstrip

50-52	BEL AIR	right (on w/s side rail)	4600746	1	1.25
50-52	BEL AIR	left (on w/s side rail)	4600747	1	1.25
50-51	BEL AIR	right (over door only)	4600748	1	2.80
50-51	BEL AIR	left (over door only)	4600749	1	2.80
50-52	BEL AIR	SCREW, retainer attaching (No. 8—15 x ½)	111633	A.R.	(8.977)

NOTE: Retainers for 1950 over quarter windows are listed in group 11.024

10.704 STUD, Door Window Division Channel Adjusting

39-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	lower support (adjusting)	4090062	2	.20
40-52	CONV., BEL AIR,				
53-54	CONV., SPT. CPE.,				
55	Ser. 1200, 1062-63F,				
56-57	PASS. (exc. SPT. MDLS.)	lower support	4090580	2	.17
38	PASS. (exc. CONV.),				
41-52	CONV., BEL AIR,				
53-54	CONV., SPT. CPE.	lower run channel	4084009	2	.15

STUD—SCREW, Door Ventilator

50-52	CONV., BEL AIR,				
53-54	CONV., SPT. CPE.	(front support adjusting)	4590302	2	.17
55-57	SPT. MDLS.	to inner panel lower	4631123	2	.17
57	SPT. MDLS. (1st Type)	SCREW, frt. dr. (to hinge pillar upr.)	4670688	4	
57	SPT. MDLS. (2nd Type)	SCREW, frt. dr. (to hinge pillar)	4712445	4	.05

10.707 MOULDING, Front Door Window Reveal

41-47	1019	right	4114306	1	2.52
41-47	1019	left	4114307	1	2.52
42-48	1007	right	4125710	1	6.95
42-48	1007	left	4125711	1	6.95
48	1019	right	4162527	1	2.73
48	1019	left	4162528	1	2.73
49-51	1008	right	4560783	1	3.15
49-51	1008	left	4560784	1	3.15
49-52	1011	right	4560568	1	3.15
49-52	1011	left	4560569	1	3.15
49-52	1027	right	4560570	1	3.15
49-52	1027	left	4560571	1	3.15
49-52	1069	right	4560584	1	3.15
49-52	1069	left	4560585	1	3.15
49-52	1007	right	4560781	1	3.15
49-52	1007	left	4560782	1	3.15
53-54	1011WD	right, header	4606860	1	3.35
53-54	1011WD	left, header	4606861	1	3.35
53-54	1011WD	right, upper ($28\frac{1}{8}$ long)	4607637	1	3.75
53-54	1011WD	left, upper ($28\frac{1}{8}$ long)	4607638	1	3.75
53-54	1011WD	right, lower ($28\frac{1}{8}$ long)	4608057	1	5.20
53-54	1011WD	left, lower ($28\frac{1}{8}$ long)	4608058	1	5.20
53-54	1011W-11WA-27	right (47 O.L.—curved)	4595502	1	3.15
53-54	1011W-11WA-27	left (47 O.L.—curved)	4595503	1	3.15
53-54	1011WD-69WD	right, front	4603643	1	11.15
53-54	1011WD-69WD	left, front	4603644	1	11.15
53-54	1069W	right	4595504	1	3.15
53-54	1069W	left	4595505	1	3.15
53-54	1069WD	right, header (36 O.L.—curved at one end)	4603836	1	3.50

53-54	1069WD	left, header (36 O.L.—curved at one end)	4603837	1	3.50
53-54	1069WD	right, upper (21 3/8 long)	4603631	1	3.55
53-54	1069WD	left, upper (21 3/8 long)	4603632	1	3.55
53-54	1069WD	right, lower (21 7/16 long) (with w/strip)	4603793	1	4.35
53-54	1069WD	left, lower (21 7/16 long) (with w/strip)	4603794	1	4.35
53-54	CONV., SPT. CPE.	right, lower (41 1/2 long)	4611196	1	7.50
53-54	CONV., SPT. CPE.	left, lower (41 1/2 long)	4611197	1	7.50
55-57	1011-63F (exc. 11D)	right and left, lower (35 1/4 long)	4643353	2	3.50
55-57	1011D	right, upper (35 1/4 long)	4648240	1	6.20
55-57	1011D	left, upper (35 1/4 long)	4648241	1	6.20
55-57	1011D	right, lower (35 1/4 long)	4648122	1	6.00
55-57	1011D	left, lower (35 1/4 long)	4648123	1	6.00
55-57	1019D	right, upper (29 1/8 long)	4647917	1	5.75
55-57	1019D	left, upper (29 1/8 long)	4647918	1	5.75
55-57	1019D	right, lower (29 9/16 long)	4647200	1	5.75
55-57	1019D	left, lower (29 9/16 long)	4647201	1	5.75
55-57	1019-62 (exc. 19D)	right and left, lower (29 9/16 long)	4643355	2	3.10
55	CONV., SPT. CPE.,				
56-57	1037D-67D	right, front (9 3/16 O.L.) (stainless steel)	4649321	1	6.80
55	CONV., SPT. CPE.,				
56-57	1037D-67D	left, front (9 3/16 O.L.) (stainless steel)	4649322	1	6.80
55	CONV., SPT. CPE.,				
56-57	1037D-67D	right, rear (26 3/16 O.L.)	4649323	1	3.95
55	CONV., SPT. CPE.,				
56-57	1037D-67D	left, rear (26 3/16 O.L.)	4649324	1	3.95
55-57	1062	right, upper (29 1/16 long)	4643472	1	2.15
55-57	1062	left, upper (29 1/16 long)	4643473	1	2.15
55-57	1063F	right, upper (35 1/4 long)	4643470	1	2.15
55-57	1063F	left, upper (35 1/4 long)	4643471	1	2.15
55-57	1064	right, lower (34 5/16 long)	4658518	1	8.85
55-57	1064	left, lower (34 5/16 long)	4658519	1	8.85
56-57	1037	right, front	4677120	1	6.70
56-57	1037	left, front	4677121	1	6.70
56-57	1037	right, rear	4677122	1	2.10
56-57	1037	left, rear	4677123	1	2.10
56-57	1039	right, front	4676850	1	6.70
56-57	1039	left, front	4676851	1	6.70
56-57	1039	right, rear	4676852	1	2.20
56-57	1039	left, rear	4676853	1	2.20
56-57	1039D	right, front	4669777	1	6.70
56-57	1039D	left, front	4669778	1	6.70
56-57	1039D	right, rear	4669781	1	3.80
56-57	1039D	left, rear	4669782	1	3.80
56-57	CORV	left	3716373	1	1.75
56-57	CORV	right	3716374	1	1.75

10.708 CLIP—ESCUTCHEON—END—RETAINER—SCREW, Door Window Reveal Moulding



4114230



4114324



4105730



4561940

40	Ser. 1000 (exc. CONV.)		4105730	A.R.	.05
41-48	1011-19-27-27B	(for oblong holes)	4114230	A.R.	.05
41-48	PASS. (exc. SDL.)	(for round holes)	4114324	A.R.	.05
49-52	1007-08-11-27-69	front and rear doors	4561940	36	.05
53-54	1011W-11WA-27-69W	front and rear doors (wing type)	4608220	A.R.	.05
53-54	1011W-11WA-27-69W	front door, rear (bottom 1/2 wide),			
53-54	1069W	rear door, front and rear	4608219	A.R.	.05
53-54	1011WD-69WD	header mldg. (7/8 wide, w/c'sunk tapped hole)	4647028	A.R.	.05
54	1011WA	front door, rear (1/2 x 1)	4595404	A.R.	(11.031)
55-57	1011-19-62-63F (exc. 11D-19D)	front and rear dr. upr. and lwr. end frt.	4643034	A.R.	.10
55	1062-63F	upper reveal mldg. center	4644700	A.R.	.10
55-57	1011D-19D	upper reveal mldg. center	4643407	16	.05
55-57	1011-19-62-63F (exc. 11D-19D)	lower, center clip	4640845	A.R.	(11.031)

56	1019 (exc. 19D)	front dr. lwr. mldg. center,			
56	1011-19-62	lwr. reveal mldg. center clip,			
56	1011-19-63F (exc. 11D-19D)	qtr. window lwr. reveal mldg.,			
56	1062F-62FC-64	rear qtr. window	4673015	A.R.	.10
56-57	1062-63F	center, upper	4673014	A.R.	.10
57	1011-11A-19-62-63F (exc. 1011D)	lower mldg, ctr and qtr. window lwr. reveal mldg. clip	4703806	24	.10
56-57	CORV.	end	4574666	2	.15
56-57	CORV.	END, right (st. steel)	3716370	1	1.35
56-57	CORV.	END, left (st. steel)	3716369	1	1.35
56-57	CORV.	RETAINER, right	3716376	1	.35
56-57	CORV.	RETAINER, left	3716375	1	.35
56-57	CORV.	SCREW, hex. hd. w/lockwasher (bright chrome)	4670951	2	.07

10.710 WEATHERSTRIP, Front Door Window Outer

37-57	PASS.	(7/16 wide x 35 3/4 long, w/chrome beads)	4102157	2	1.45

SEAL ASSY., Door Window Glass

56-57	CORV.	right, outer	3725138	1	.90
56-57	CORV.	left, outer	3725137	1	.90
56-57	CORV.	right, inner	3725136	1	.90
56-57	CORV.	left, inner	3725135	1	.90

10.712 CLIP, Door Window Outer Weatherstrip

39-48	PASS. (exc. 1007-61-67-69)		4113415	A.R.	.05

10.715 PLATE—RETAINER—SCREW, Front Door Glass

42-52	CONV., BEL AIR	stop adjusting, w/bolt and bumper	4614039	4	.75
53-57	SPT. SED.	stop adjusting (13/16 x 1 1/8)	4605158	6	.35
57	1037-37D-64-67D	stop adjusting	4694385	6	.35
56-57	CORV.	stop adj. screw anchor	3716344	4	.12
56-57	CORV.	RETAINER, stop adj. screw anchor plate	3716345	4	.10
52	CONV., BEL AIR,				
53-57	CONV., SPT. CPE., SPT. SED.	SCREW, stop adj. plate (10—32 x 1 7/16)	4613777	4	.15
55-57	CONV., SPT. CPE.	SCREW, stop adj. plate rr. (10—32 x 1 3/4)	4625894	2	.15
55-57	1064	SCREW, stop adj. plate (10—32 x 2 3/16)	4625895	4	.15
56-57	CORV.	SCREW, stop adj. (10—32 x 7/8)	3716346	4	.15

10.716 BUMPER—CUSHION—SUPPORT, Front Door Window Stop

41-52	PASS. (exc. CONV., B-A, 1061),				
53-57	PASS. (exc. SPT. MDLS.)	(molded 4131052) (1 3/16 x 1 3/16 x 1/4)	4131052	A.R.	.15
41-52	CONV., BEL AIR,				
53-54	CONV., SPT. CPE.,				
55-57	Ser. 100 (exc. 1063F), CORV.	(molded 4609684) (1 5/16 x 1 5/16 x 1/2)	4609684	2	.15
50-52	CONV., BEL AIR,				
53-57	SPT. MDLS., CORV.	CUSHION, stop adjusting plate	4099476	A.R.	.17
56-57	CORV.	SUPPORT, right, bumper	3724130	1	.30
56-57	CORV.	SUPPORT, left, bumper	3724129	1	.30

10.721 WEATHERSTRIP—GASKET—SLEEVE—SPRING, Side Roof Rail

50	BEL AIR (1st type)	right, front body hinge pillar and side roof rail (molded 4590305)	4605527†	1	12.10
50	BEL AIR (1st type)	left, front body hinge pillar and side roof rail (molded 4590306)	4605528†	1	12.10
50-51	BEL AIR (2nd type)	right, includes body hinge pillar section	4600737*	1	6.25
50-51	BEL AIR (2nd type)	left, includes body hinge pillar section	4600738*	1	6.25
52	BEL AIR	sealing—right (over dr. only—flipper type)	4615503	1	10.55
52	BEL AIR	sealing—left (over dr. only—flipper type)	4615504	1	10.55
52	BEL AIR	right, body hinge pillar—upper, and inner corner (molded 4600733)	4610963	1	2.65
52	BEL AIR	left, body hinge pillar—upper, and inner corner (molded 4600734)	4610964	1	2.65

52	BEL AIR	right, body hinge pillar—upper outer corner (molded 4616479)	4616479	1	.40
52	BEL AIR	left, body hinge pillar—upper outer corner (molded 4616480)	4616480	1	.40
53-54	SPT. CPE.	R., sealing (over door only—flipper type).	4615011	1	10.55
53-54	SPT. CPE.	L., sealing (over door only—flipper type).	4615012	1	10.55
53-54	SPT. CPE.	R., front corner outer (molded 4615469)	4615469	1	.70
53-54	SPT. CPE.	L., front corner outer (molded 4615470)	4615470	1	.70
55-57	SPT. CPE.	right, front corner outer	4659971	1	1.20
55-57	SPT. CPE.	left, front corner outer	4659972	1	1.20
55-57	SPT. CPE.	right, rear corner outer (molded 4650269)	4650269	1	.25
55-57	SPT. CPE.	left, rear corner outer (molded 4650270).	4650270	1	.25
55-57	SPT. CPE.	right, sealing (over door only—flipper type)	4678582	1	12.45
55	SPT. CPE.	left, sealing (over door only—flipper type)	4648446	1	12.45
56-57	SPT. CPE.	left, sealing	4678583	1	12.45
56-57	SPT. SED.	right	4671008	1	13.15
56-57	SPT. SED.	left	4671009	1	13.15
56-57	SPT. SED.	right, front and rear sealing on roof	4702856	1	.55
56-57	SPT. SED.	left, front and rear sealing on roof	4702857	1	.55
52	BEL AIR	GASKET, right, side roof rail w/strip—upr. (56½ lg.)	4610961	1	1.70
52	BEL AIR	GASKET, left, side roof rail w/strip—upr. (56½ lg.)	4610962	1	1.70
52	BEL AIR	GASKET, right, side roof rail w/strip—lwr. (30¼ lg.)	4611214	1	.75
52	BEL AIR	GASKET, left, side roof rail w/strip—lwr. (30¼ lg.)	4611215	1	.75
53-54	SPT. CPE.	GASKET, right, weatherstrip (molded 4615527)	4615527	1	.90
53-54	SPT. CPE.	GASKET, left, weatherstrip (molded 4615528).	4615528	1	.90
55-57	SPT. CPE.	GASKET, right, side roof rail w/strip (34⅝ long)	4662868	1	.85
55-57	SPT. CPE.	GASKET, left, side roof rail w/strip (34⅝ long)	4662869	1	.85
52	BEL AIR,				
53-54	SPT. CPE.	SLEEVE, striker (nylon)	4614586	2	.10
55-57	SPT. CPE.	SLEEVE, striker	4690492	2	.10
52-54	SPT. CPE.	SPRING, front, roof rail sealing strip	4608285	2	.50
52-54	SPT. CPE.	SPRING, right rear, roof rail sealing strip	4608287	1	.40
52-54	SPT. CPE.	SPRING, left rear, roof rail sealing strip	4608288	1	.40
55-57	SPT. CPE.	SPRING, front, roof rail sealing strip	4643226	2	.50
55-57	SPT. CPE.	SPRING, rear, roof rail sealing strip	4674682	2	.45

†NOTE: 4605527-8 consists of upper hinge pillar w/strip vulcanized to full length side roof rail w/strip.

*NOTE: 4600737-38 consists of upper hinge pillar vulcanized to front side roof rail w/strip runs to quarter window.

10.726 BUMPER, Door Window Glass Roller

31-33	CONV., PHAETON,				
33	551-59-67-78,				
35	1001-11-17-71,				
36	1017-57-1217	roller type on belt bar (bracket height to center of roller 11/16 x 1½ wide),			
37-52	CONV., BEL AIR				
53-57	SPT. MDLS.	outer,			
55-56	1011-1211	quarter window anti-rattle	4091152	A.R.	.85
36	1001-09-11-19-1201-09-11-19,				
40-46	PASS. (exc. STA. WAG.)	rear dr. (11/32 dia. x 1 high for garn. mldg.)	4128599	A.R.	(10.263)
53-56	SPT. MDLS.	inner (1½ wide, brkt, height to ctr. of roller 1½)	4591566	2	.85

10.728 GUIDE—SHOE—STUD—BOLT—PAD—CLIP, Door Window

51-52	CONV., BEL AIR		4592553	2	.75
56-57	SPT. SED.	right, front	4670297	1	4.35
56-57	SPT. SED.	left, front	4670298	1	4.35
56	SPT. SED. (1st type)	center (w/weld nut)	4670266	2	1.10
56-57	SPT. SED. (2nd type)	center (less weld nut)	4690320	2	1.10
56-57	SPT. SED.	right, rear	4670300	1	2.05
56-57	SPT. SED.	left, rear	4670301	1	2.05
56-57	SPT. SED.	SHOE, center guide	4670263	2	.81
57	SPT. SED.	SHOE, rear (ctr. guide)	4713552	2	.85

56-57	SPT. SED.	STUD, front and rear guide	4676841	8	.15
56	SPT. SED. (1st type)	BOLT, center guide (w/round shoulder)	4671385	2	.30
56-57	SPT. SED. (2nd type)	BOLT, center guide (w/square shoulder)	4689522	2	.10
56-57	SPT. SED.	PAD, front guide	4159258	2	1.25
56-57	SPT. SED.	CLIP, guide tab rr. wind	4231098	4	.30

GUIDE ASSY.—BRACKET, Corvette Door Window

56-57	CORV.	right, front	3723504	1	1.30
56-57	CORV.	left, front	3723503	1	1.30
56-57	CORV.	right, rear	3723502	1	1.10
56-57	CORV.	left, rear	3723501	1	1.10
56-57	CORV.	BRACKET, front guide lwr. supt.	3724132	2	.20

10.741 GLASS, Rear Door (safety)

49-52	1069-1269		4559296	2	11.25
49-51	1008-1208		4560991	2	12.25
49-52	1062		4566723	2	17.50
49-51	1208	stationary section	4570656	2	3.25
53-54	1069-1269-69W		4600533	2	14.50
53-54	STA. WAG. (exc. 1262F)		4603271	2	16.95
53-54	1262F		4603539	2	13.95
55-57	1019-1219		4648104	2	13.25
55-57	1062		4648106	2	13.25
56-57	SPT. SED.		4667973	2	14.25
52	1069-1269	(tinted)	4611358	2	12.45
53-54	1069-1269-69W	(tinted)	4615088	2	16.00
53-54	STA. WAG.	(tinted)	4612522	2	17.95
55-57	1019-1219	(tinted)	4648105	2	14.75
55-57	1062	(tinted)	4648107	2	14.75
56-57	SPT. SED.	(tinted)	4667974	2	15.25

10.747 CHANNEL—FILLER—WEATHERSTRIP, Rear Door Window Lower Sash

41-52	1069,				
49-52	1269	right, less cam (18 21/32 long)	4561136‡	1	1.10
41-52	1069,				
49-52	1269	left, less cam (18 21/32 long)	4561137‡	1	1.10
49-51	1008-1208	right, less cam (23 11/16 long)	4562665	1	1.25
49-51	1008-1208	left, less cam (23 11/16 long)	4562666	1	1.25
53-54	1069-1269-69W	right, less cam (27 11/16 long) (17 11/16 between outer edges of cam supports)	4598518	1	1.10
53-54	1069-1269-69W	left, less cam (27 11/16 long) (17 11/16 between outer edges of cam supports)	4598519	1	1.10
53-54	STA. WAG.	right, less cam (27 11/16 long) (14 between outer edges of cam supports)	4598522†	1	.95
53-54	STA. WAG.	left, less cam (27 11/16 long) (14 between outer edges of cam supports)	4598523†	1	.95
55-57	4-DR. (exc. SPT. SED.)	right	4647182	1	1.10
55-57	4-DR. (exc. SPT. SED.)	left	4647183	1	1.10
56-57	SPT. SED.	right, lower and front	4232544⊕	1	23.95
56-57	SPT. SED.	left, lower and front	4232545⊕	1	23.95
29-56	PASS.	FILLER (.032 thick x 1½ wide—60 ft. roll)	603954	A.R.	(10.696)
29-56	PASS.	FILLER (.047 thick x 1½ wide—40 ft. roll)	603955	A.R.	(10.696)
38	4-DR.	WEATHERSTRIP, sash chnl., lwr. (15/32 high x 36 lg.)	4099014*	2	(10.696)

‡NOTE: Cut-off and drill holes using old channel as guide.

†NOTE: When necessary, cut off new sash channel using old channel as guide. Rubber w/strip should protrude 3/16 in. beyond ends.

⊕NOTE: When used in place of channel having round hole, use one 4689522 bolt and one 4690320 guide.

*NOTE: Using old weatherstrip as a guide, trim lip to contour of outer door panel and where necessary, make cut-out to clear brace.

10.748 CAM, Rear Door Window Lower Sash Channel

37-38	1009-19-1209-19,				
41-48	1019-69-1219,				
49-54	1008-69-1208-69-69W	(1 x 22¾ lg., less holes) (cut to size and drill)	4099974	A.R.	(11.046)
55-56	1063F				
56-57	SPT. SED.	right	4668206	1	.65
56-57	SPT. SED.	left	4668207	1	.65

10.749 STUD, Rear Door Window Sash Channel

39	1009-19-1209-19	guide (11 1/16 long)	4084009	2	(10.704)

10.759 CHANNEL—SUPPORT—RETAINER—WEATHERSTRIP—FILLER, Rear Door Window Glass

33-39	PASS.	universal (½ wide 36 long)	609528	A.R.	(10.701)
33-48	4-DR.	rear door upper,			
34-35	SDL.	back door upr. (w/chrome bead 55 long),			
49-52	1008-61-69-1208-69	rear door	4209768*	A.R.	(10.701)
39-40	4-DR.	right or left upper (82 long),			
49-54	STA. WAG. (exc. 1061)	rear door upper (w/chrome bead),			
53-54	1069-1269	rear door rear,			
55-57	4-DR. SEDAN (exc. SPT. SED.)	rear door upper	4209769*	2	3.75
49-52	STA. WAG.	rear dr. front and rear slide	4074354*	A.R.	(10.701)
53-54	1069-1269-69W	front, lower (15 1/16 long)	4606055	2	.80
53-54	STA. WAG.	front, lower (16 long)	4651459	2	.80
53-54	STA. WAG.	rear, lower (14½ long)	4651461	2	1.40
55	1019-1219	right, upper glass run	4644788	1	3.65
55	1019-1219	left, upper glass run	4644789	1	3.65
55-56	4-DR. (exc. SPT. SED.)	glass run front (16 7/8 long) (2nd type)	4667923	2	1.40
55	1019-1219 (TAXI) (exc. 19D),				
56-57	4-DR. (exc. SPT. SED.)	glass run front	4686340	2	1.40
55	4-DR.	rear, lower (14½ long)	4644504	2	1.40
41-42	4-DR.	SUPPORT, channel, lower	4103233	2	(10.703)
49-52	1069-1269	RETAINER, channel, lwr. (1 1/16 wide x 19 3/16 lg.)	4616213	2	.55
53-54	1069-1269-69W	RETAINER, right (11 5/16 long)	4616229	1	.50
53-54	1069-1269-69W	RETAINER, left (11 5/16 long)	4616230	1	.50
55	4-DR.	RETAINER, upper glass run channel (1st type)	4646396	2	.65
55-57	4-DR. (exc. SPT. SED.)	RETAINER, upper glass run channel (2nd type)	4667928	2	.65
56-57	SPT. SED.	WEATHERSTRIP, inner lower front	4677133	2	.80
56-57	SPT. SED.	WEATHERSTRIP, inner lower rear	4674925	2	.85
57	SPT. SED.	WEATHERSTRIP, inner lower rear	4714134	2	.85
56	SPT. SED.	FILLER, right, lock pillar glass run (rubber w/7/32 dia. hole)	4687095	1	.10
56	SPT. SED.	FILLER, left, lock pillar glass run (rubber w/7/32 dia. hole)	4687096	1	.10

*NOTE: Part Nos. 4074354, 4209768 and 4209769 do not include clips or retainer.

10.763 MOULDING—CHANNEL—GUTTER—PAD, Rear Door Window Frame

56-57	SPT. SED.	right, scalp	4688070	1	6.75
56-57	SPT. SED.	left, scalp	4688071	1	6.75
56-57	SPT. SED.	CHANNEL, sash upper	4231246	2	9.95
56-57	SPT. SED.	GUTTER, right, upper sash channel	4668175	1	2.80
56-57	SPT. SED.	GUTTER, left, upper sash channel	4668176	1	2.80
56	SPT. SED.	PAD, lower channel	4231222	4	.65
56-57	SPT. SED.	PAD, lower channel support guide	4159280	4	.65

10.764 WEATHERSTRIP, Rear Door Window Frame

56-57	SPT. SED.	right	4671362	1	1.95
56-57	SPT. SED.	left	4671363	1	1.95

10.769 PLATE, Rear Door Window Wedge

56-57	SPT. SED.	right, male	4678208	1	.55
56-57	SPT. SED.	left, male	4678209	1	.55
56-57	SPT. SED.	right, female	4678212	1	.65
56-57	SPT. SED.	left, female	4678213	1	.65
56-57	SPT. SED.	wedge plate-bearing (½ x 1¼)	4676899	2	.10

10.772 MOULDING—CLIP, Rear Door Window Reveal

49-52	1069	right	4560682	1	2.70
49-52	1069	left	4560683	1	2.70
49-51	1008	right	4561185	1	2.60
49-51	1008	left	4561186	1	2.60
53-54	1069W	right (32 O.L.)	4595506	1	2.55
53-54	1069W	left (32 O.L.)	4595507	1	2.55
53-54	1069WD	right, header (32 O.L.)	4603760	1	2.70
53-54	1069WD	left, header (32 O.L.)	4603761	1	2.70
53-54	1069WD	right, upper (21¾ O.L.)	4628184	1	3.75
53-54	1069WD	left, upper (21¾ O.L.)	4628185	1	3.75
53-54	1069WD	right, lower (21⅞ O.L.)	4628186	1	4.00
53-54	1069WD	left, lower (21⅞ O.L.)	4628187	1	4.00
53-54	1069WD	right, rear (10⁷⁄₁₆ across bottom)	4628182	1	10.15
53-54	1069WD	left, rear (10⁷⁄₁₆ across bottom)	4628183	1	10.15
55-57	1019 (exc. 19D)	right, lower (29⁹⁄₁₆ long)	4643397	1	3.90
55-57	1019 (exc. 19D)	left, lower (29⁹⁄₁₆ long)	4643398	1	3.90
55-57	1019D	right, upper (29½ long)	4648164	1	7.20
55-57	1019D	left, upper (29½ long)	4648165	1	7.20
55-57	1019D	right, lower (29⁹⁄₁₆ long)	4647338	1	7.80
55-57	1019D	left, lower (29⁹⁄₁₆ long)	4647339	1	7.80
55-57	1062	right and left, upper (29¼ long)	4648697	2	2.10
55-57	1062	right and left, lower	4649033	2	2.70
56-57	1039	right	4676816	1	3.80
56-57	1039	left	4676817	1	3.80
56-57	1039D	right	4669898	1	5.50
56-57	1039D	left	4669899	1	5.50
40	Ser. 1000 (exc. CONV.)	CLIP, reveal moulding	4105730	A.R.	(10.708)
41-48	1011-19-27-27B	CLIP, reveal mldg. (for oblong holes)	4114230	A.R.	(10.708)

10.774 WEATHERSTRIP, Rear Door Window, Outer

37-39	1009-19-1209-19,				
40	1019-1219-1519,				
41-48	1019-1219,				
49-56	PASS	outer (35¾ long)	4102157	2	(10.710)
55-57	1019-1219 (exc. 1019D)	right (25⁵⁄₁₆ long)	4647004	1	1.05
55-57	1019-1219 (exc. 1019D)	left (25⁵⁄₁₆ long)	4647005	1	1.05
55-57	1019D	right, outer glass run	4156778	1	.90
55-57	1019D	left, outer glass run	4156779	1	.90
56-57	SPT. SED.	right, outer glass run	4159522	1	1.05
56-57	SPT. SED.	left, outer glass run	4159523	1	1.05

10.777 ELECTRIC WINDOW LIFT PARTS

54	Ser. 1000	BREAKER, circuit	4603696	1	(14.490)
55-56	Ser. 1000,				
57	CORV	BREAKER, circuit	4634948	1	1.70
54	Ser. 1000	COVER, right frt. dr. electric switch hole	4645237	1	.40
54	Ser. 1000	COVER, left frt. dr. electric switch hole	4645238	1	.40
55-57	Ser. 1000 (exc. 1039D-64)	COVER, frt. dr. switch hole	4646463	1	.50
55-57	1064	COVER, left frt, dr. switch hole	4648812	1	.45
55-57	Ser. 1000	COVER, right frt. dr. switch hole,			
55-57	1019-62-1219	right or left, rear dr. switch hole	4649070	2	.40
56-57	SPT. SED.	COVER, right, frt. dr. window switch	4661247	1	.70
56	SPT. SED.	COVER, left, frt. dr. window switch	4661944	1	.70
57	SPT. SED.	COVER, left switch hole	4695968	1	.70
54-57	Ser. 1000, CORV	SWITCH, right frt. and rear (one button)	4634122	2	3.05
54	Ser. 1000,				
55-57	1064, CORV	SWITCH, left frt. dr. (two button)	4644663	1	5.35
55	Ser. 1000	SWITCH, left frt. dr. (four button)	4634123	1	11.85
56-57	Ser. 1000 (exc. 1064)	SWITCH, left frt. dr. (four button)	4686799	1	11.85
54-57	Ser. 1000	ESCUTCHEON, right frt. dr. switch	4634125	1	2.40
54	Ser. 1000,				
55-57	1064, CORV	ESCUTCHEON, left frt. dr. switch	4644664	1	2.40
55	Ser. 1000	ESCUTCHEON, frt. dr. switch (four button)	4634126	1	3.05
56-57	Ser. 1000 (exc. 1064)	ESCUTCHEON, frt. dr. switch (four button)	4686801	1	3.05

54-57	Ser. 1000, CORV.	RETAINER, left switch escutcheon (one button).	4557922	1	.25
54	Ser. 1000,				
55-57	1064, CORV.	RETAINER, lift switch escutcheon (two button).	4644667	1	.25
55-57	Ser. 1000	RETAINER, lift switch (four button)	4557896	1	.25
54-56	Ser. 1000	CONNECTOR, reg. motor lead wire (1⅝ lg.)	5295456	3	.15
55-56	Ser. 1000	CONNECTOR, lift control (3 wire)	2962492	4	.25
55-56	Ser. 1000 (exc. 1064)	CONNECTOR, lift control (9 wire)	2962495	1	.60
55-56	1064	CONNECTOR, lift control (5 wire)	2962493	1	.50
54-57	Ser. 1000, CORV.	CLIP, frt. dr. switch retainer	4154886	A.R.	.15
54-57	Ser. 1000, CORV.	REINFORCEMENT, right ft. dr. trim pad	4611192	A.R.	.20
54	Ser. 1000,				
55-57	1064, CORV.	REINFORCEMENT, left frt. dr. trim pad	4644666	1	.25
55-57	Ser. 1000	REINFORCEMENT, left frt. dr. trim pad	4611191	1	.30
54	Ser. 1000	HARNESS, body wiring	4644682	1	(13.090)

10.783 REGULATOR—FIELD—COVER—GEAR—MOTOR—CONDUIT—ARMATURE—CASE—SCREW, Front Door Window

41	PASS. (exc. 1019-69-1219-71)	right	4114316	1	5.25
41	PASS. (exc. 1019-69-1219-71)	left	4114317	1	5.25
41-48	1019-1219-71	right	4114326	1	5.25
41-48	1019-1219-71	left	4114327	1	5.25
42-48	PASS. (exc. 4-DR., STA. WAG., SDL)	right	4125877	1	7.90
42-48	PASS. (exc. 4-DR., STA. WAG., SDL)	left	4125878	1	7.90
42-48	1069	right	4131135	1	7.90
42-48	1069	left	4131136	1	7.90
46-48	STA. WAG.	right	3847274	1	7.15
46-48	STA. WAG.	left	3847275	1	7.15
49-52	1008-69-1208-69-71	right, double arm type	4559558	1	8.50
49-52	1008-69-1208-69-71	left, double arm type	4559559	1	8.50
49-52	2-DR. (exc. SDL)	right, double arm type	4561302	1	8.50
49-52	2-DR. (exc. SDL)	left, double arm type	4561303	1	8.50
49	1061	right, double arm type	4564801	1	6.75
49	1061	left, double arm type	4564802	1	6.75
49-52	1062	right, double arm type	4564588	1	6.75
49-52	1062	left, double arm type	4564589	1	6.75
53-54	2-DR. (exc. SDL.)	right, double arm type	4596388	1	8.50
53-54	2-DR. (exc. SDL.)	left, double arm type	4596389	1	8.50
53-54	4-DR., SDL.	right, double arm type	4594755	1	8.50
53-54	4-DR., SDL.	left, double arm type	4594756	1	8.50
54	1011-37D-67D	right, less motor (w/elect. window lift) 30 teeth	4157314	1	15.75
54	1011-37D-67D	left, less motor (w/elect. window lift) 30 teeth	4157315	1	15.75
54	1069	right, less motor (w/elect. window lift) 34 teeth	4157312	1	16.50
54	1069	left, less motor (w/elect. window lift) 34 teeth	4157313	1	16.50
54	1062D-62F	right, less motor (w/elect. window lift)	4157342	1	16.50
54	1062D-62F	left, less motor (w/elect. window lift)	4157343	1	16.50
55-57	2-DR. (exc. CONV., SPT. CPE.)	right	4646527	1	8.50
55-57	2-DR. (exc. CONV., SPT. CPE.)	left	4646528	1	8.50
55-57	4-DR. (exc. SPT. SED.)	right	4644751	1	8.50
55-57	4-DR. (exc. SPT. SED.)	left	4644752	1	8.50
55-57	CONV., SPT. CPE.	right	4646531	1	8.50
55-57	CONV., SPT. CPE.	left	4646532	1	8.50
55-57	1011-63F	right (w/elect. window lift)	4157320	1	16.50
55-57	1011-63F	left (w/elect. window lift)	4157321	1	16.50
55-57	1019-62	right (w/elect. window lift)	4157322	1	16.50
55-57	1019-62	left (w/elect. window lift)	4157323	1	16.50
55-57	CONV., SPT. CPE.	right (w/elect. window lift)	4157350	1	16.50
55-57	CONV., SPT. CPE.	left (w/elect. window lift)	4157351	1	16.50
55-57	1064	right (w/elect. window lift)	4157960	1	16.50
55-57	1064	left (w/elect. window lift)	4157961	1	16.50
56-57	SPT. SED.	right, less motor (w/elect. window lift)	4159492	1	16.50
56-57	SPT. SED.	left, less motor (w/elect. window lift)	4159493	1	16.50
56-57	SPT. SED.	right	4670285	1	8.50
56-57	SPT. SED.	left	4670286	1	8.50
56-57	CORV.	right	3723474	1	6.65
56-57	CORV.	left	3723473	1	6.65

54-56	Ser. 1000	FIELD, regulator motor (w/elect. window lift)	5091678	4	5.70
57	Ser. 1000 (w/elec. window)	FIELD, motor	4901831	4	5.70
54-55	CONV.	COVER, reg. motor gear (w/elect. window lift)	5091720	4	.40
54-57	Ser. 1000	GEAR, regulator motor (w/elect. window lift)	4900085	2	3.90
54	Ser. 1000	MOTOR, right (w/elect. window lift)	5047837	1	25.85
54	Ser. 1000	MOTOR, left (w/elect. window lift)	5047838	1	25.85
55-56	Ser. 1000	MOTOR, right (w/elect. window lift)	4900218*	1	19.95
55-56	Ser. 1000	MOTOR, left (w/elect. window lift)	4900219*	1	19.95
57	Ser. 1000 (w/elec. window)	MOTOR, right	4902201	1	20.35
57	Ser. 1000 (w/elec. window)	MOTOR, left	4902202	1	20.35
54	Ser. 1000	CONDUIT, right, frt. dr. hinge pillar (w/elect. window lift)	4636190	1	.85
54	Ser. 1000	CONDUIT, left, frt. dr. hinge pillar (w/elect. window lift)	4636191	1	.85
55-57	Ser. 1000	CONDUIT, right, frt. dr. hinge pillar (w/elect. window lift)	4645904	1	.85
55-57	Ser. 1000	CONDUIT, left, frt. dr. hinge pillar (w/elect. window lift)	4645905	1	.85
56-57	CORV.	CONDUIT, right (w/elect. window lift)	4653351	1	.75
56-57	CORV.	CONDUIT, left (w/elect. window lift)	4653352	1	.75
55-57	Ser. 1000	ARMATURE, door window regulator motor (w/elect. window lift)	5097146	2	7.55
55-56	Ser. 1000	CASE, door window regulator motor (w/brush) (w/elect. window lift)	5095329	2	5.70
57	Ser. 1000 (w/elec. window)	CASE, motor	4902142	4	6.25
55-57	Ser. 1000	SCREW, door window motor set	5096732	2	.35

*NOTE: Less pinion and gear

10.791 REGULATOR—MOTOR—CONDUIT—GROMMET—CLIP, Rear Door Window

46-48	STA. WAG.	right	3847282	1	5.20
46-48	STA. WAG.	left	3847283	1	5.20
49-52	1008-69-1208-69	right	4561640	1	5.30
49-52	1008-69-1208-69	left	4561641	1	5.30
49-52	STA. WAG.	right	4563194	1	5.30
49-52	STA. WAG.	left	4563195	1	5.30
53-54	1069-1269-69W	right (ident. groove 7/16 from end of spindle)	4595036	1	5.90
53-54	1069-1269-69W	left (ident. groove 7/16 from end of spindle)	4595037	1	5.90
53-54	STA. WAG.	right (ident. groove 5/8 from end of spindle)	4600171	1	5.90
53-54	STA. WAG.	left (ident. groove 5/8 from end of spindle)	4600172	1	5.90
55-57	4-DR. (exc. SPT. SED.)	right	4646537	1	6.45
55-57	4-DR. (exc. SPT. SED.)	left	4646538	1	6.45
55-57	1019-62	right (w/elect. window lift)	4157324	1	16.50
55-57	1019-62	left (w/elect. window lift)	4157325	1	16.50
56-57	SPT. SED.	right	4670291	1	8.25
56-57	SPT. SED.	left	4670292	1	8.25
56-57	SPT. SED.	right, less motor (w/elect. window lift)	4159698	1	18.50
56-57	SPT. SED.	left, less motor (w/elect. window lift)	4159699	1	18.50
55-56	Ser. 1000	MOTOR, right (w/elect. window lift)	4900218	1	(10.783)
55-56	Ser. 1000	MOTOR, left (w/elect. window lift)	4900219	1	(10.783)
57	Ser. 1000 (w/electric window)	right	4902201	1	(10.783)
57	Ser. 1000 (w/electric window)	left	4902202	1	(10.783)
55-57	4-DR. (exc. 1039-39D-1219)	CONDUIT, right, rr. dr. hinge pillar (w/elect. window lift)	4645924	1	.60
55-57	4-DR. (exc. 1039-39D-1219)	CONDUIT, left rr. dr. hinge pillar (w/elect. window lift)	4645925	1	.60
56-57	SPT. SED.	CONDUIT, right rr. dr. hinge pillar (w/elect. window lift)	4670059	1	.55
56-57	SPT. SED.	CONDUIT, left, rr. hinge pillar (w/elect. window lift)	4670060	1	.55
55-57	4-DR. (exc. 1039-39D-1219)	GROMMET, rr. dr. hinge pillar	4645926	2	.10
56-57	SPT. SED.	GROMMET, conduit at ctr. pillar	4651825	2	.75
56	SPT. SED.	CLIP, regulator spring	4231790	1	.25

10.792 CAM—RAIL, Door Window Regulator

37-39	PASS. (exc. 1009-19-1209-19-71),				
40	1011-17-27-67-1211-17-1511-17-27	front door,			
49-57	STA. WAG. (exc. 1064)	rr. dr. inner panel,			
53-54	CONV., SPT. CPE.,				
55-57	4-DR. (exc. SPT. SED.)	inner panel cam (1 1/16 x 7 1/4 w/nuts)	4073936	2	.55

41-48	1019-69-1219	R. rear (1 1/16 x 6 5/8, w/nuts and plate),			
53-54	1011-27-1211-27-27B	L. front	4114452	1	.55
41-48	1019-69-1219	L. rear (1 1/16 x 6 5/8, w/nuts and plate),			
53-54	1011-27-1211-27-27B	R. front	4114451	1	.55
49-51	1008-1208	right and left rear door,			
55-57	PASS. (exc. 1039-39D-62-63F-1263F)	right and left frt. door (1 wide x 6 11/16 long)	4091249	A.R.	.55
49-54	4-DR., SDL	left and right front door (1 x 8 long),			
49-54	1069-1269-69W	left and right rear door	4091252	A.R.	.60
49-52	PASS. (exc. 4-DR., SDL.)	right and left (1 1/16 x 6 1/8 long)	4074627	2	.55
56-57	SPT. SED	front door inner panel (7 13/64 long)	4667911	2	.35
56-57	SPT. SED	right, rear door inner panel (curved-13 17/32 long)	4670063	1	1.10
56-57	SPT. SED	left, rear door inner panel (curved-13 17/32 long)	4670064	1	1.10
56-57	CORV	RAIL, upper guide	3723498	2	.45

10.794 SPRING, Door Window Regulator Coil

56-57	CORV		4025362	2	.40

10.797 HANDLE—RETAINER, Door Window Regulator


41-46	Ser. 1000,				
47	Ser. 1200	front and rear (white knob w/brown insert)	4147120	A.R.	2.30
39-41	PASS. (exc. 411000),				
42-48	Ser. 1200	front and rear (white knob)	4146766	A.R.	2.30
46-48	STA. WAG.,				
47-48	Ser. 1000	front and rear (white w/gold insert)	4161358	A.R.	2.30
49	PASS. (exc. STA. WAG.)	front and rear doors	3703831	A.R.	2.30
49	STA. WAG.	front and rear doors	4572295	4	2.30
50	Ser. 1000 (exc. STA. WAG.)	front and rear doors	3703833	A.R.	2.30
50	Ser. 1200	front and rear doors	3703832	A.R.	2.30
50	STA. WAG.	front and rear doors	4582153	2	2.30
51-52	Ser. 1000 (exc. STA. WAG.)	front and rear doors	3703835	A.R.	2.30
51-52	Ser. 1200	front and rear doors	3703834	A.R.	2.30
51-52	STA. WAG.	front doors	4601170	2	2.30
51-52	STA. WAG.	rear doors	4601171	2	2.30
53-57	Ser. 1000	front and rear dr. (black knob w/chr. insert)	4619387	A.R.	2.30
53-57	Ser. 1200	front and rear doors (without insert)	4619388	A.R.	2.30
56-57	CORV	(w/knob)	3725377	2	1.95
29-52	PASS.	RETAINER, handle (spring steel) (snap-on type)	4090144	A.R.	(10.513)

10.805 ESCUTCHEON, Door Window Regulator Handle

29-48	PASS. (exc. STA. WAG.)	(2 3/16 dia.) (used to protect worn trim)	4125997	A.R.	(10.515)
39-48	PASS. (exc. STA. WAG.)		4146889	A.R.	(10.515)
47-48	STA. WAG.		4161784	2	(10.515)
49	PASS. (exc. STA. WAG.)	bearing plate	4565043	A.R.	(10.515)
53-56	PASS.,				
56	CORV	bearing plate, front and rear	4659983	AR.	(10.515)
49-52	STA. WAG.		4551579	A.R.	(10.515)

10.806 RETAINER—SPRING, Window Regulator Handle Escutcheon Plate

39-48	PASS.	handle (spring steel) (snap-on type)	4090144	A.R.	(10.513)
39-48	PASS. (exc. STA. WAG.)	SPRING (straight coil—5 turns)	4090162	A.R.	(10.666)
42-48	PASS. (exc. STA. WAG.)	SPRING (conical coil—5 turns) (use w/die cast reg. hsg.)	4078002	A.R.	(10.666)
49-52	PASS. (exc. STA. WAG.)	SPRING, front and rear,			
53-57	PASS.,				
56-57	CORV	front,			
53-57	4-DR. (exc. STA. WAG.)	rear	4566746	A.R.	.20



REAR DOOR VENTILATOR

10.820 VENTILATOR ASSEMBLY, Rear Door

49-51	1008	right, w/handle	4561624	1	11.95
49-51	1008	left, w/handle	4561625	1	11.95

10.822 WEATHERSTRIP, Rear Door Ventilator

49-52	1069	right	4151532	1	1.70
49-52	1069	left	4151533	1	1.70
49	1008	right	4168189	1	1.42
49-51	1008	left	4175693	1	1.70
50-51	1008	right	4175692	1	1.70

10.824 REGULATOR, Rear Door Ventilator

41-48	1069	left	4099411	1	(10.661)
41-48	1069	right	4099412	1	(10.661)

HANDLE—CATCH, Rear Door Ventilator

42-48	1069	left and right (white knob w/brown insert)	4147119	2	(10.664)
49-52	1008-61-62-69	right	4167988*	1	(10.664)
49-52	1008-61-62-69	left	4167989*	1	(10.664)
49-52	1069	CATCH, right	4176124	1	(10.659)
49-52	1069	CATCH, left	4176125	1	(10.659)
	Not required in this group. See group 16.176		3696038	1	.05

*NOTE: For internal parts for part numbers 4167988-9, see Group 10.660.

10.825 SHAFT—STOP, Rear Door Ventilator

49-52	1008-69	tee, right and left	4173480	2	.65
49-52	1008-69	STOP, lower (1/16 thick)	4167994	2	.10

10.826 CHANNEL, Rear Door Ventilator Glass

49-51	1008	right, w/handle, shaft and brg. stud	4167997	1	4.92
49-51	1008	left, w/handle, shaft and brg. stud	4167998	1	4.92
49-52	1069	right, w/handle, shaft and brg. stud	4167999	1	4.92
49-52	1069	left, w/handle shaft and brg. stud	4168000	1	4.92
49-52	1269	right, staty. glass (rubber) (molded 4577610)	4577610	1	4.25
49-52	1269	left, staty. glass (rubber) (molded 4577611)	4577611	1	4.25

10.827 GLASS, Rear Door Ventilator

49-52	1069		4559589	2	4.25
49-51	1008		4560940	2	2.97
49-51	1208	stationary section	4570656	2	(10.741)
52	1069	(tinted)	4611354	2	4.08

10.829 CHANNEL—SCALP—RIVET—STUD, Rear Door Glass Division

49-51	1008	right	4604078	1	4.00
49-51	1008	left	4604079	1	4.00
49-51	1208	right	4580637	1	2.98
49-51	1208	left	4580638	1	2.98
49-52	1269	right	4608487	1	4.00
49-52	1269	left	4608488	1	4.00
49-52	1069	right, w/retainer	4151740	1	4.55
49-52	1069	left, w/retainer	4151741	1	4.55
52	1069	SCALP, channel, right (outer)	4150496	1	.45
52	1069	SCALP, channel, left (outer)	4150497	1	.45
52-54	PASS. (exc. CONV., SPT. CPE.),				
57	PASS.	RIVET, upr. glass run channel (1/4)	4190981	4	(10.686)
41-48	1069,				
49	1008-69-1208-69	STUD, lower support	4090062	2	(10.704)

10.832 DEFLECTOR, Rear Door Ventilator Air

49-52	1069	right (grey)	4610207	1	1.45
49-52	1069	left (grey)	4610208	1	1.45

10.833 GROMMET, Rear Door Ventilator Air Deflector

41-52	1008-69	right, upper	4101912	1	.17
41-52	1008-69	left, upper	4101913	1	.17
41-52	1008-69	right, lower	4101914	1	.17
41-52	1008-69	left, lower	4101915	1	.17

10.997 TUBE AND HOSE, Rear Quarter Ventilator and Back Window Drain

37-48	PASS. (exc. STA. WAG.)	(cut 31 long)	3691292	A.R.	(8.846)
49	1007-11-27-1207-11-27,				
50-52	1027	(25 7/16 long)	4563889	2	.48
50-52	1007-11-1207-11	(20 15/16 long)	4592355	2	.90
50-53	CONV.	lower (23 long)	4598258*	2	.30
53-54	1011-27-62-62D-1211-11W	rubber (24 O.L.)	4600975	2	.85
55	1011-19-1211-19,				
56-57	SPT. SED.	hose, bk. window gutter drain	4670157	2	.35
56-57	1011-19-1211-19	hose, bk. window gutter drain	4689363	2	.35

*NOTE: To be used with plastic gutter 4598267-68.

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	11.005 CHANNEL—REINFORCEMENT, Quarter Window Upper Sash				
42-48	CONV.		4135038	2	10.05
49-52	CONV., BEL AIR		4170830	2	10.35
53-54	CONV.		4151675	2	10.05
55-57	CONV.		4156751	2	8.10
53-54	SPT. CPE.		4151694	2	12.60
55-57	SPT. CPE.		4156611	2	9.80
56-57	CORV. (w/HARD TOP)	left	3729393	1	3.85
56-57	CORV. (w/HARD TOP)	right	3729394	1	3.85
53-54	SPT. CPE.	REINFORCEMENT, upper to front channel	4150878	2	.80
	11.007 CHANNEL—STOP—FILLER—CAM—SCREW—REINFORCEMENT, Quarter Window Lower Sash				
42-48	CONV.	right, front and lower	4135040	1	19.25
42-48	CONV.	left, front and lower	4135041	1	19.25
49-52	1007-11-1207-11	right, less cam 27 5/8 long	4561166	1	.80
49-52	1007-11-1207-11	left, less cam 27 5/8 long	4561167	1	.80
49-50	1027,				
53-54	1027	right, with regulator	4114727	1	3.30
49-54	1027	left, with regulator	4114728	1	3.30
49-52	CONV., BEL AIR	right, front and lower (w/cam)	4177727	1	19.25
49-52	CONV., BEL AIR	left, front and lower (w/cam)	4177728	1	19.25
53-54	1011-1211	right (27 11/16 O.L.) (12 1/2 between outer edges of cam supports)	4598861	1	.80
53-54	1011-1211	left (27 11/16 O.L.) (12 1/2 between outer edges of cam supports)	4598862	1	.80
53-54	CONV.	right, front and lower	4150856	1	19.25
53-54	CONV.	left, front and lower	4150857	1	19.25
53-54	SPT. CPE.	right, front and lower	4150642	1	19.25
53-54	SPT. CPE.	left, front and lower	4150643	1	19.25
55-57	1011-1211 (exc. 1211B)	right (33 1/16 O.L.)	4673301	1	2.50
55-57	1011-1211 (exc. 1211B)	left (33 1/16 O.L.)	4673302	1	2.50
55-57	1011	right (w/elect. window lift)	4673303	1	2.70
55-57	1011	left (w/elect. window lift)	4673304	1	2.70
55-57	CONV.	right, front and lower (w/cam)	4156754	1	19.25
55-57	CONV.	left, front and lower (w/cam)	4156755	1	19.25
55-57	SPT. CPE.	right, front and lower	4156612	1	18.75
55-57	SPT. CPE.	left, front and lower	4156613	1	18.75
55-57	1063F	right	4650568	1	.85
55-57	1063F	left	4650569	1	.85
56-57	CORV. (w/HARD TOP)	right	3732406	1	6.90
56-57	CORV. (w/HARD TOP)	left	3732405	1	6.90
53-54	SPT. CPE.	STOP, right, lower sash channel	4151696	1	.30
53-54	SPT. CPE.	STOP, left, lower sash channel	4151697	1	.30
29-57	PASS. (exc. STA. WAG.)	FILLER (.032 thick—1 1/2 wide—60 ft. roll)	603954	A.R.	(10.696)
29-57	PASS. (exc. STA. WAG.)	FILLER (.047 thick—1 1/2 wide—40 ft. roll)	603955	A.R.	(10.696)
37-39	1001-11-1201-11	CAM, lwr. channel (cut to size)	4099974	2	(11.046)
49-52	CONV., BEL AIR	SCREW, upr. channel (No. 8—32 x 1/4 cross recess)	456288	8	(8.908)
53-55	CONV., SPT. CPE.				
53-57	CONV., SPT. CPE.	SCREW, rear (No. 8—32 x 7/16 cross recess)	455985	2	(8.908)
56-57	CORV. (w/HARD TOP)	REINFORCEMENT, left	3732375	1	.85
56-57	CORV. (w/HARD TOP)	REINFORCEMENT, right	3732376	1	.85
	NOTE: When necessary cut off new channel using old channel as guide. Rubber w/strip should protrude 3/16 in. beyond ends.				
	11.008 CHANNEL—MOULDING—RETAINER—GROMMET, Quarter Window Division				
46-50	STA. WAG.	right, w/handle and w/strip (14 3/4 long)	3808250*	1	2.80
46-50	STA. WAG.	left, w/handle and w/strip (14 3/4 long)	3808249*	1	2.80
51-54	1062-62D	stationary window (13 13/32 long)	4598511	2	1.25
51-54	1062-62D	right, sliding window, w/hdle. (13 15/32 lg.)	4593537	1	1.85

51-54	1062-62D	left, sliding window, w/hdle. (13 15/32 lg.)	4593538	1	1.85
55-57	1064	right, stationary window outer	4658490	1	2.50
55-57	1064	left, stationary window outer	4658491	1	2.50
55-57	1064	right, sliding window	4658492	1	2.20
55-57	1064	left, sliding window	4658493	1	2.20
55-57	1063F-1263F	sliding or stationary window (14 5/16)	4643201	2	.75
55-57	1063F-1263F	MOULDING, outer (12 13/16 long)	4656557	2	.75
55	1063F-1263F	MOULDING, inner (12 9/16 long)	4656558	2	1.05
56	1063F-1263F	MOULDING, inner	4675193	2	1.05
57	1063F-1263F	inner	4678247	2	1.05
55-57	1063F-1263F	RETAINER, outer (1 3/8 x 12 1/2 w/3 bolts)	4653385	2	1.05
55-57	1063F-1263F	RETAINER, inner (1 7/32 x 14 1/8)	4653386	2	.35
55-57	1063F-1263F	GROMMET, outer moulding (molded 4650840)	4650840	4	.15
55	1063F-1263F	GROMMET, inner moulding	4661045	4	.15
56-57	1063F-1263F	GROMMET, inner moulding	4683814	4	.20

*NOTE: When using 3808249-50 on 1949-50 models, cut and form stop same as on old channel.

11.010 LATCH—KNOB—HANDLE—STRIKER, Quarter Window

46-52	STA. WAG. (1st type)	right	3847300	1	1.45
46-52	STA. WAG. (1st type)	left	3847301	1	1.45
52-54	1062-62D (2nd type)	right w/knob	4613561	1	1.45
52-54	1062-62D (2nd type)	left w/knob	4613562	1	1.45
49-51	STA. WAG.	KNOB, sliding window (bronze)	4661023	2	(10.559)
52	STA. WAG.	KNOB, sliding window (w/1st type latch)	4612705	2	(10.559)
55-57	1064	HANDLE, w/latch, right, sliding window	4663731	1	5.50
55-57	1064	HANDLE, w/latch, left, sliding window	4663732	1	5.50
55-57	1064	STRIKER, sliding window handle	4663807	2	.25

11.011 GLASS, Quarter Window (safety)

42-48	CONV.		4132083	2	7.75
49-52	1011-1211		4561036	2	14.25
49-52	1027		4561939	2	8.95
49-52	1227-27B		4562015	2	7.45
49-52	1007-1207		4562221	2	14.25
49-52	CONV., BEL AIR		4562415	2	9.50
49-52	1062	stationary	4566725	2	8.50
49-52	1062	sliding	4566727	2	8.50
53	1011-1211,				
54	1011-1211W		4599419	2	13.50
53	1027		4601263	2	9.25
53	1227-27B		4601264	2	7.45
53-54	CONV.		4599953	2	9.50
53-54	SPT. CPE.		4600839	2	9.50
53-54	1062F-1262F	stationary	4602745	2	13.25
53-54	1062-62D	stationary	4603277	2	7.50
53-54	1062-62D	sliding	4603275	2	10.25
54	1211WB	stationary	4644490	2	8.95
55-57	1011-1211 (exc. 1211B)		4649356	2	17.00
55-57	1019-1219		4646108	2	2.95
55-57	1211B		4649516	2	11.95
55-57	CONV.		4646346	2	10.25
55-57	SPT. CPE.		4647515	2	12.95
55-57	1062	right, stationary	4647555	1	37.25
55-57	1062	left, stationary	4647556	1	37.25
55-57	1063F-1263F	right, rear stationary	4647559	1	30.75
55-57	1063F-1263F	left, rear stationary	4647560	1	30.75
55-57	1063F	front quarter	4652010	2	14.25
55-57	1263F	rear quarter front (stationary)	4652012	2	10.50
55-57	1064	sliding	4662708	2	17.50
55-57	1064	right, stationary	4660809	1	38.25
55-57	1064	left, stationary	4660810	1	38.25
52	1007	(tinted)	4614734	2	14.50
52	1011-1211	(tinted)	4611359	2	15.50
52	CONV., BEL AIR	(tinted)	4611361	2	10.25
53	1011-1211,				
54	1011-1211W	(tinted)	4612515	2	14.50

53	1027	(tinted)	4612516	2	9.95
53-54	CONV.	(tinted)	4612518	2	10.25
53-54	SPT. CPE.	(tinted)	4612517	2	10.25
53-54	1062F-1262F	(tinted) stationary	4612521	2	15.25
53-54	1062-62D	(tinted) sliding	4612520	2	10.75
54	1211WB	(tinted) stationary	4645036	2	9.65
55-57	1011-1211 (exc. 1211B)	(tinted)	4649357	2	18.25
55-57	1019-1219	(tinted)	4646109	2	3.60
55-57	1211B	(tinted)	4649517	2	13.25
55-57	CONV.	(tinted)	4646347	2	11.25
55-57	SPT. CPE.	(tinted)	4647516	2	13.95
55-57	1062	right, stationary (tinted)	4647557	1	41.75
55-57	1062	left, stationary (tinted)	4647558	1	41.75
55-57	1063F-1263F	right, rear stationary (tinted)	4647561	1	36.75
55-57	1063F-1263F	left, rear stationary (tinted)	4647562	1	36.75
55-57	1063F	rear quarter (tinted)	4652011	2	15.50
55-57	1263F	rear quarter front (stationary) (tinted)	4652013	2	11.95
55-57	1064	sliding (tinted)	4662709	2	18.75
55-57	1064	right, stationary (tinted)	4660811	1	42.50
55-57	1064	left, stationary (tinted)	4660812	1	42.50
56-57	CORV. (w/HARD TOP)	stationary (Plexiglass)	3726330	2	6.95

11.012 STOP—PLATE—WASHER, Quarter Window Glass

53-54	CONV.	right, upper (L shape 1¾ wide)	4602176	1	.40
53-54	CONV.	left, upper (L shape 1¾ wide)	4602177	1	.40
55-57	1011-37-37D-1211 (exc. 1211B)	lower, w/bumper	4626151	2	.20
55-57	SPT. CPE.	upper	4692356	2	.25
56-57	1011	lower (w/elect. window lift)	4678376	2	.40
56	SPT. CPE.	lower (w/elect. window lift)	4688873	2	.10
53-54	SPT. CPE.	PLATE, stop adjusting	4614039	A.R.	(10.715)
55	1011-37-37D,				
56	1037-37D	WASHER, lower stop (rubber)	4663454	4	.10

11.013 BUMPER—CUSHION, Quarter Window Glass

33-35	33551, 351001-11-1201-01A,	roller type, belt bar (brkt. height to ctr. of roller 11/16 x 1½ wide),			
57	1037-37D-64-67D	dr. window roller outer bumper	4091152	2	(10.726)
41-57	1007-11-1207-11	stop window	4131052	2	(10.716)
42-52	CONV., BEL AIR	lower	4131772	2	.05
42-52	CONV., BEL AIR	upper, rubber (9/32 x 15/16 x ¾)	4132055	2	.10
53-54	CONV.	rear (9/16 wide x 5/8 high) (oblong hole)	4599954	2	.10
55-57	CONV.	rear, rubber (¼ x 5/8 I.D.)	4665181	2	.10
55-57	1063F	rear qtr. front stop (1 5/16 sq. x 1 5/32 high)	4672308	2	.10
55-57	1064	sliding window	4663538	2	.05
55-57	SPT. CPE.	CUSHION, stop adjusting	4099476	A.R.	(10.716)

11.015 CHANNEL—WEATHERSTRIP, Quarter Window Glass Rubber

49-52	1227-27B	right and left	4567736	2	2.10
49-53	1061-62	right and left stationary glass	4162630	2	(12.180)
53	1227-27B	stationary (58 5/8 dev. length)	4597180	2	2.35
53-54	1062F-1262F	stationary (88¼ dev. length)	4603465	2	3.85
54	1211WB	stationary (72 3/8 dev. length)	4644350	2	2.80
55-57	1211B	stationary (83¼ dev. length)	4647564	2	2.95
55-57	4-DR. SEDAN (exc. SPT. SED.)	right, stationary (38 dev. length)	4646946	1	2.35
55-57	4-DR. SEDAN (exc. SPT. SED.)	left, stationary (38 dev. length)	4646947	1	2.35
55-57	CONV.	right quarter inner channel	4648166	1	.90
55-57	CONV.	left quarter inner channel	4648167	1	.90
55-57	1063F-1263F	stationary (98¾ dev. length)	4653560	2	3.40
55-57	1263F	stationary, front (83 dev. length)	4653559	2	3.20
55-57	1064	right, stationary	4662969	1	6.80
55-57	1064	left, stationary	4662970	1	6.80
55-57	1064	right, sliding lower	4664209	1	3.20
55-57	1064	left, sliding lower	4664210	1	3.20
55-57	1062	stationary (110 3/16 dev. length)	4653558	2	4.05
56-57	CORV. (w/HARD TOP)	left, front w/channel	3726381	1	3.20
56-57	CORV. (w/HARD TOP)	right, front w/channel	3726382	1	3.20
56-57	CORV. (w/HARD TOP)	stationary	3737720	1	(11.207)

39	1001-11-1201-11,				
41-48	1007-11-1211	right and left (7/16 wide x 35¾ long, with			
49-54	PASS. (exc. 1011WA-27)	chrome beads)	4102157	2	(10.710)
42-48	CONV.	right front (in frame) (12½ long)	4131897	1	2.35
42-48	CONV.	left front (in frame) (12½ long)	4131898	1	2.35
49-52	1027	right, rear (molded 4562384) (rubber)	4562384	1	.25
49-52	1027	left, rear (molded 4562385) (rubber)	4562385	1	.25
49-52	1027	right, outer (54¾ dev. lgth.) w/chr. bead	4562297	1	1.75
49-52	1027	left, outer (54¾ dev. lgth.) w/chr. bead	4562298	1	1.75
49-52	CONV., BEL AIR	right (on front of window frame)	4562592	1	2.75
49-52	CONV., BEL AIR	left (on front of window frame)	4562593	1	2.75
49-52	CONV., BEL AIR	lower frt., on lock pillar (15/16 wide x 1⅝ lg.)	4615019	2	.60
50-54	1062-62D	right, sliding or stationary (13 11/16 O.L.)	4627098	2	.50
50-54	1062-62D	left, sliding or stationary (13 11/16 O.L.)	4627099	2	.50
53	1027	right, outer	4596466	1	1.80
53	1027	left, outer	4596467	1	1.80
53-54	CONV.	right (front of window frame)	4602953	1	2.75
53-54	CONV.	left (front of window frame)	4602954	1	2.75
53-54	SPT. CPE.	right (front of window frame) (13⅜ O.L.)	4602583	1	2.75
53-54	SPT. CPE.	left (front of window frame) (13⅜ O.L.)	4602584	1	2.75
53-54	SPT. CPE.	right, inner rear w/plate (6 15/16 O.L.)	4604327	1	1.55
53-54	SPT. CPE.	left, inner rear w/plate (6 15/16 O.L.)	4604328	1	1.55
53-54	CONV., SPT. CPE.	lower front—on lock pillar (½ x 1 3/16 x 1⅛)	4607180	1	.65
55-57	1011-1211 (exc. 1011D-1211B)	right, outer (34 1/16 long)	4647470	1	1.55
55-57	1011-1211 (exc. 1011D-1211B)	left, outer (34 1/16 long)	4647471	1	1.55
55-57	1011D	right, outer glass run	4156972	1	1.55
55-57	1011D	left, outer glass run	4156973	1	1.55
55-57	CONV.	right, frame (14½ O.L.)	4646917	1	2.35
55-57	CONV.	left, frame (14½ O.L.)	4646918	1	2.35
55-57	CONV.	upper body lock pillar (½ x 1¼)	4648555	2	.70
55-57	CONV.	right, outer glass run (18 13/16 O.L.)	4157138	1	.80
55-57	CONV.	left, outer glass run (18 13/16 O.L.)	4157139	1	.80
55-57	SPT. CPE.	right, frame (14 9/16 O.L.)	4648220	1	2.75
55-57	SPT. CPE.	left, frame (14 9/16 O.L.)	4648221	1	2.75
55-57	SPT. CPE.	right, upr. corner lock pillar (4649432 molded)	4649432	1	.80
55-57	SPT. CPE.	left, upr. corner lock pillar (4649433 molded)	4649433	1	.80
55-57	SPT. CPE.	right, outer glass run front—lower	4157020	1	.90
55-57	SPT. CPE.	left, outer glass run front—lower	4157021	1	.90
55-57	1064	right, sliding window channel	4663415	1	.60
55-57	1064	left, sliding window channel	4663416	1	.60
56-57	1037	right, outer glass run	4678321	1	2.65
56-57	1037	left, outer glass run	4678322	1	2.65
56	CORV. (w/HARD TOP)	left, outer glass run	3732407	1	3.35
56	CORV. (w/HARD TOP)	right, outer glass run	3732408	1	3.35
39-48	PASS. (exc. STA. WAG.)	CLIP	4113415	A.R.	(10.712)

11.021 CHANNEL—EXTENSION, Quarter Window Glass Run

31-32	558-67	(15/32 wide x ½ high)	4070069	2	(11.207)
33-39	PASS.	universal (½ wide x 36 long)	609528	A.R.	(10.701)
33-34	551-601,				
35	1001-11-1201-01A,				
36	1001-09-11-19-1201-09-11-19,				
37-39	1001-11-1201-11	upper,			
55	1063F	front,			
55	1064	sliding window upr. (w/chr. bead—55 lg.)	4209768	2	(10.701)
39	1009,				
39-48	1019-27,				
49-53	1027	right or left, front (21 5/16 O.L.)	4597185	2	.25
41	1011-1211	lower,			
49-52	STA. WAG.	sliding glass (w/chrome bead 38¼ long)	4074354	2	(10.701)
40-55	1007-11-1207-11	upper,			
55	1019-62	upper (w/chrome bead—82 long)	4209769	2	(10.759)

50	BEL AIR (1st type)	upper right—attaches to roof rail (has one ½ dia. hole) (25¼ dev. length) ("L" shape—chrome and w/strip one side)	4582964	1	3.35
50	BEL AIR (1st type)	upper left—attaches to roof rail (has one ½ dia. hole) (25¼ dev. length) ("L" shape—chrome and w/strip one side)	4582965	1	3.35
50-52	BEL AIR (2nd type)	right, "U" shape—st. steel (25½ dev. lgth.)	4610957	1	10.75
50-52	BEL AIR (2nd type)	left, "U" shape—st. steel (25½ dev. lgth.)	4610958	1	10.75
53-54	SPT. CPE	right, "U" shape—stainless	4601620	1	9.65
53-54	SPT. CPE	left, "U" shape—stainless	4601621	1	9.65
53-54	1062-62D	right, sliding, lower	4602704	1	2.35
53-54	1062-62D	left, sliding, lower	4602705	1	2.35
55-57	1011-1211 (exc. 1211B)	right	4676848	1	3.75
55-57	1011-1211 (exc. 1211B)	left	4676849	1	3.75
55-57	SPT. CPE	right (curved) (37 dev. length)	4649928*	1	13.15
55-57	SPT. CPE	left (curved) (37 dev. length)	4649929*	1	13.15
55-57	1063F	rear (19¾ long)	4652484	2	1.00
55-57	SPT. CPE	EXTENSION, right	4650066	1	3.65
55-57	SPT. CPE	EXTENSION, left	4650067	1	3.65

*NOTE: Forward section of Reveal Mldg. included with assembly.

11.024 RETAINER—SUPPORT, Quarter Window Glass Channel

41-48	PASS. (exc. STA. WAG.)	right and left	4103233	2	(10.703)
50	BEL AIR	right (attaches to side roof rail)	4588938*	1	3.15
50	BEL AIR	left (attaches to side roof rail)	4588939*	1	3.15
53-54	1011-1211	right front and left rear (9⅜ O.L.)	4597940	2	.45
53-54	1011-1211	left front and right rear (9⅜ O.L.)	4597941	2	.45
53-54	1062-62D	upper front and lower rear	4603384	4	.25
53-54	1062F-1262F	upper	4628626	1	.20
55-57	1063F	right, front (12¼ long w/support)	4649402	1	.45
55-57	1063F	left, front (12¼ long w/support)	4649403	1	.45
55-57	STA. WAG.	upper	4663852	A.R.	.15
55-57	1063F-1263F	right, channel at belt	4651489	1	1.65
55-57	1063F-1263F	left, channel at belt	4651490	1	1.65
55-57	1062	right, channel at belt	4651491	1	1.65
55-57	1062	left, channel at belt	4651492	1	1.65
55-57	1063F	right, rear run channel (5 lg. w/support)	4650160	1	.40
55-57	1063F	left, rear run channel (5 lg. w/support)	4650161	1	.40
55-57	1064	right, stationary window rear channel	4663925	1	1.00
55-57	1064	left, stationary window rear channel	4663926	1	1.00
55-57	1064	stationary window front channel	4671633	A.R.	.10
55-57	1064	sliding window lower channel	4663846	6	.15
55-57	1211B	stationary window	4665809	6	.05
55-57	1263F	right, belt front (27¾ long w/spacer)	4651258	1	1.25
55-57	1263F	left, belt front (27¾ long w/spacer)	4651259	1	1.25
55-56	1064	SUPPORT, upper rear	4663339	2	.45
55	1064	SUPPORT, lower	4663029	2	.40
56	1064	SUPPORT, lower	4688368	2	1.00

*NOTE: For 1st type 1950 see group 10.703.

11.027 WEATHERSTRIP, Quarter Window Lower Sash Channel

38-39 40-41 42-54	1001-11-1201-11, 1011-1211-1511, 1007-11-1207-11	rear quarter window	4099014*	2	(10.696)
55-57	1011-63F-1211	rear quarter	4211196	2	1.10
55-57	1011	rear quarter (w/elect. window lift)	4242218	2	1.10

*NOTE: Using old w/strip as a guide, trim to fit contour of rear quarter panel.

11.030 WASHER, Rear Door Fender Shield

Not required in this group. See groups 12.114-12.116	4563821	10	.05
Not required in this group. See groups 12.114-12.116	4563822	10	.05

49-52	1011	right	4561151	1	2.35
49-52	1011	left	4561152	1	2.35
49-52	1027	right	4561731	1	2.05
49-52	1027	left	4561732	1	2.05
49-52	1007	right	4561910	1	2.35
49-52	1007	left	4561911	1	2.35
50-52	BEL AIR	right, upper (attaches to roof rail)	4610955	1	7.10
50-52	BEL AIR	left, upper (attaches to roof rail)	4610956	1	7.10
53-54	1011WD	right, upper (25¾ dev. length)	4617002	1	4.05
53-54	1011WD	left, upper (25¾ dev. length)	4617003	1	4.05
53-54	1011WD	right, lower (30¼ O.L.)	4617070	1	4.80
53-54	1011WD	left, lower (30¼ O.L.)	4617071	1	4.80
53-54	1011WD	right, rear (3¼ wide at base)	4617088	1	4.80
53-54	1011WD	left, rear (3¼ wide at base)	4617089	1	4.80
53-54	1011WD	right, front header (26¼ dev. length)	4616705	1	2.05
53-54	1011WD	left, front header (26¼ dev. length)	4616706	1	2.05
53-54	1011WD	right, rear header (7⅜ wide at base)	4617090	1	4.05
53-54	1011WD	left, rear header (7⅜ wide at base)	4617091	1	4.05
53-54	1011W-11WA	right, front (28 dev. length)	4595398	1	2.15
53-54	1011W-11WA	left, front (28 dev. length)	4595399	1	2.15
53-54	1011W-11WA	right, rear (5⅞ wide at base)	4595973	1	3.20
53-54	1011W-11WA	left, rear (5⅞ wide at base)	4595974	1	3.20
53	1027	right, front (23 dev. length)	4596120	1	1.65
53	1027	left, front (23 dev. length)	4596121	1	1.65
53	1027	right, rear (5 11/16 wide at base)	4596463	1	2.55
53	1027	left, rear (5 11/16 wide at base)	4596464	1	2.55
53-54	1069WD	right, upr., side qtr. pnl. (10⅜ wide at base)	4603611	1	5.10
53-54	1069WD	left, upr., side qtr. pnl. (10⅜ wide at base)	4603612	1	5.10
53-54	1069W	right, rear (4⅞ wide at base)	4595971	1	2.55
53-54	1069W	left, rear (4⅞ wide at base)	4595972	1	2.55
53-54	1067D	right, lower (32⅛ O.L.)	4612685	1	6.20
53-54	1067D	left, lower (32⅛ O.L.)	4612686	1	6.20
53-54	SPT. CPE.	right, lower (17¾ O.L.)	4611961	1	4.25
53-54	SPT. CPE.	left, lower (17¾ O.L.)	4611962	1	4.25
53-54	SPT. CPE.	right, rear (7 5/16 O.L.)	4611959	1	2.00
53-54	SPT. CPE.	left, rear (7 5/16 O.L.)	4611960	1	2.00
53-54	SPT. CPE.	right, at lower roof (7 O.L.)	4611963	1	1.45
53-54	SPT. CPE.	left, at lower roof (7 O.L.)	4611964	1	1.45
55-57	1011 (exc. 11D)	right, lower (35 5/16 O.L.)	4654245	1	3.65
55-57	1011 (exc. 11D)	left, lower (35 5/16 O.L.)	4654246	1	3.65
55-57	1011D	right, upper (24 13/16 O.L.)	4648575	1	6.70
55-57	1011D	left, upper (24 13/16 O.L.)	4648576	1	6.70
55-57	1011D	right, lower	4686808	1	8.20
55-57	1011D	left, lower	4686809	1	8.20
55-57	1011D	right, rear (11½ wide at base)	4649270	1	10.45
55-57	1011D	left, rear (11½ wide at base)	4649271	1	10.45
55-57	1019D	right, lower (9 3/16 O.L.)	4648155	1	2.55
55-57	1019D	left, lower (9 3/16 O.L.)	4648156	1	2.55
55-57	1019 (exc. 19D)	right, rear (10⅞ O.L.)	4654247	1	1.40
55-57	1019 (exc. 19D)	left, rear (10⅞ O.L.)	4654248	1	1.40
55-57	1019D	right, upper (14 dev. length)	4648153	1	10.45
55-57	1019D	left, upper (14 dev. length)	4648154	1	10.45
55-57	CONV.	right, lower (19 1/16 O.L.)	4649064	1	4.35
55-57	CONV.	left, lower (19 1/16 O.L.)	4649065	1	4.35
55-56-57	SPT. CPE., 1037D	right, front lower (23¾ O.L.)	4649366	1	5.05
55-56-57	SPT. CPE., 1037D	left, front lower (23¾ O.L.)	4649367	1	5.05
55-56-57	SPT. CPE., 1037D	right, rear (26 dev. length) (12¾ at base)	4650064	1	11.15
55-56-57	SPT. CPE., 1037D	left, rear (26 dev. length) (12¾ at base)	4650065	1	11.15
55-57	1063F	right, upper (64⅝ O.L.)	4649659	1	4.25
55-57	1063F	left, upper (64⅝ O.L.)	4649660	1	4.25
55-57	1063F	right, lower (73 1/16 O.L.)	4649663	1	4.80

55-57	1063F	left, lower (73 1/16 O.L.)	4649664	1	4.80
55-57	1064	right, upper front	4663157	1	7.05
55-57	1064	left, upper front	4663158	1	7.05
55	1064	right, lower front	4663159	1	7.05
55	1064	left, lower front	4663160	1	7.05
55-57	1064	right, upper rear	4663331	1	7.50
55-57	1064	left, upper rear	4663332	1	7.50
55-57	1064	right, lower rear	4663333	1	7.35
55-57	1064	left, lower rear	4663334	1	7.35
55-57	1064	right, vertical rear	4682461	1	6.50
55-57	1064	left, vertical rear	4682462	1	6.50
55-57	1062	right, upper	4649657	1	3.35
55-57	1062	left, upper	4649658	1	3.35
55-57	1062	right, lower	4649661	1	3.65
55-57	1062	left, lower	4649662	1	3.65
56-57	1037	right, rear	4678200	1	11.15
56-57	1037	left, rear	4678201	1	11.15
56-57	1064	right, lower front	4671907	1	7.85
56-57	1064	left, lower front	4671908	1	7.85
56-57	CORV. (w/HARD TOP)	right	3726340	1	1.25
56-57	CORV. (w/HARD TOP)	left	3726339	1	1.25

CLIP—RETAINER—WASHER—BOLT, Quarter Window Reveal Mldg.

40	PASS.	reveal moulding	4105730	A.R.	(10.708)
41-48	1011-19-27-27B	reveal mldg. (for oblong holes)	4114230	A.R.	(10.708)
41-48	PASS. (exc. STA. WAG., SDL.)	reveal mldg. (for round holes)	4114324	A.R.	(10.708)
53-54	1011WD	front header (7/8 x 7/8)	4637242	8	(12.118)
53-54	1011WD	rear header	4617810	2	.15
53-54	1011W-11WA-27	front (1/2 x 1)	4595404	8	.05
53-54	1011W-11WA-27	rear	4615695	2	.15
53-54	1011W-11WA-27	rear mldg. (11/16 x 1 head w/No. 6—32 thd.)	4616849	2	.10
53-54	1069W	front (5/8 x 1 head w/No. 6—32 thd.)	4615693	2	.10
53-54	1069W	rear	4616850	2	.15
55-57	1063F	lower mldg., front	4651150	4	.10
55-56	1011D	upper and rear,			
55-56	1019D	upper reveal (w/bolt)	4651420	4	.10
55-57	1011D	upper and rear,			
55-57	1019D	upper reveal	4650828	16	.05
55-56	1011-19-62-63F (exc. 11D-19D)	lower	4640845	A.R.	.15
55-57	1011D	lower	4650856	2	.10
55	1062-63F	upper	4644700	A.R.	(10.708)
55-57	1062-63F	center (3/16 x 5/8)	4667441	A.R.	(12.180)
56-57	STA. WAG. (exc. 1064)	upper rear	4702951	2	.05
49-52	1011	RETAINER, right	4561837	1	.65
49-52	1011	RETAINER, left	4561838	1	.65
49-52	1027	RETAINER, right	4562054	1	.55
49-52	1027	RETAINER, left	4562055	1	.55
49-52	1007	RETAINER, right and left—lower	4562737	2	.15
56-57	CORV. (w/HARD TOP)	RETAINER, right	3729058	1	.50
56-57	CORV. (w/HARD TOP)	RETAINER, left	3729057	1	.50
53-54	1011W-11WA-27-69W	WASHER, front, cup lock (9/16 O.D.)	4601364	2	.05
53-54	1011W-11WA-27-69W	WASHER, front (1/8 thick x 1/2 O.D.) (rubber)	4595721	2	.05
56-57	CORV. (w/HARD TOP)	BOLT, retainer	3725361	6	(11.209)

11.040 GUIDE—STUD, Rear Quarter Window

49-52	CONV.	right	4562794	1	4.20
49-52	CONV.	left	4562795	1	4.20
50-52	BEL AIR	right	4578740	1	3.55
50-52	BEL AIR	left	4578741	1	3.55
53-54	CONV.	right, with supports ("U" shape)	4601059	1	4.55
53-54	CONV.	left, with supports ("U" shape)	4601060	1	4.55
53-54	SPT. CPE.	right, with supports ("U" shape)	4642320	1	5.35
53-54	SPT. CPE.	left, with supports ("U" shape)	4642321	1	5.35
55-57	1011-1211 (exc. 1211B)	right, front (1 1/16 x 23 w/supports)	4648658	1	2.55
55-57	1011-1211 (exc. 1211B)	left, front (1 1/16 x 23 w/supports)	4648659	1	2.55

55-57	1011-1211 (exc. 1211B)	right, rear (curved shape)	4648714	1	2.00
55-57	1011-1211 (exc. 1211B)	left, rear (curved shape)	4648715	1	2.00
55-57	CONV.	right (curved w/w/strip and support)	4646986	1	5.25
55-57	CONV.	left (curved w/w/strip and support)	4646987	1	5.25
55-57	SPT. CPE.	right, frt. (curved—21½ O.L. w/3 supt.)	4646426	1	2.45
55-57	SPT. CPE.	left, frt. (curved—21½ O.L. w/3 supt.)	4646427	1	2.45
55-57	SPT. CPE.	right, rear (11⅞ O.L. w/2 supports)	4649253	1	1.65
55-57	SPT. CPE.	left, rear (11⅞ O.L. w/2 supports)	4649254	1	1.65
50-52	BEL AIR	STUD, guide to inner panel (¼—20 x 1⅜—			
55-57	CONV.	w/hex. shoulder)	4578800	4	.10
51-52	CONV., BEL AIR	STUD, guide center (¼—20 x 1⅛—w/9/16 hex.			
53	CONV., SPT. CPE.	shoulder)	4084009	4	(10.704)
55-57	SPT. CPE.	STUD, guide to inner panel	4638064	2	.15
55-57	1037	STUD, rear guide lower	4658800	2	.15

11.041 REGULATOR—COVER—MOTOR—GEAR—ARMATURE—CASE, Quarter Window

49-54	1007-11-1207-11	right	4561573	1	4.85
49-54	1007-11-1207-11	left	4561574	1	4.85
49-52	CONV., BEL AIR	right	4562704	1	4.85
49-52	CONV., BEL AIR	left	4562705	1	4.85
53-54	CONV., SPT. CPE.	right (arm 11¾ O.L.)	4598503	1	4.85
53-54	CONV., SPT. CPE.	left (arm 11¾ O.L.)	4598504	1	4.85
55-57	1011-1211 (exc. 1211B)	right	4647475	1	6.90
55-57	1011-1211 (exc. 1211B)	left	4647476	1	6.90
55-57	1011	right, less motor (w/elect. window lift)	4157332	1	16.50
55-57	1011	left, less motor (w/elect. window lift)	4157333	1	16.50
55-57	CONV.	right	4646460	1	4.85
55-57	CONV.	left	4646461	1	4.85
55-57	CONV.	right, less motor (w/elect. window lift)	4231094	1	16.50
55-57	CONV.	left, less motor (w/elect. window lift)	4231095	1	16.50
55-57	SPT. CPE.	right	4657650	1	6.90
55-57	SPT. CPE.	left	4657651	1	6.90
55-57	SPT. CPE.	right, less motor (w/elect. window lift)	4158334	1	16.50
55-57	SPT. CPE.	left, less motor (w/elect. window lift)	4158335	1	16.50
55-57	1063F	right	4650571	1	6.90
55-57	1063F	left	4650572	1	6.90
55-57	1063F	right, less motor (w/elect. window lift)	4157346	1	16.50
55-57	1063F	left, less motor (w/elect. window lift)	4157347	1	16.50
54-55	SPT. CPE.	COVER, reg. motor gear (w/elect. wind. lift)	5091720	4	(10.783)
55-56	Ser. 1000	MOTOR, right (w/elect. window lift)	4900219	1	(10.783)
55-56	Ser. 1000	MOTOR, left (w/elect. window lift)	4900218	1	(10.783)
55	CONV.	GEAR, reg. motor (24 teeth) (w/elect. wind. lift)	5097960	2	7.65
55	SPT. CPE.	GEAR, reg. motor (12 teeth) (w/elect. wind. lift)	4900085	2	(10.783)
56-57	CONV.	GEAR, w/cover, regulator motor	5099592	2	5.80
55	SPT. CPE.	ARMATURE, motor reg. (w/elect. wind. lift)	5097146	2	(10.783)
55	SPT. CPE.	CASE, motor reg. (w/elect. window lift)	5095329	2	(10.783)

11.044 HANDLE, and PARTS, Quarter Window Regulator

42-46	1007-11,				
47	Ser. 1200	(white knob w/brown insert)	4147120	2	(10.797)
46-48	CONV.	(white knob w/brown insert)	4147119	2	(10.664)
39	1001-11-1201-11,				
41	1011,				
41-48	1211	(white knob)	4146766	2	(10.797)
47-48	1011-67	(white w/gold insert)	4161358	2	(10.797)
49	1007-11-67-1207-11		3703831	2	(10.797)
50	1207-11		3703832	2	(10.797)
50	1007-11-37-67		3703833	2	(10.797)
51-52	1007-11		3703835	2	(10.797)
51-52	1207-11		3703834	2	(10.797)
51-52	CONV., BEL AIR		4601169	2	1.85
53-57	1011, CONV., SPT. CPE.	(black knob w/chrome insert)	4619387	2	(10.797)
53-57	1211	(black knob w/o insert)	4619388	2	(10.797)
50-56	CONV.	WASHER, handle filler	3686114	2	(10.517)
29-38	PASS.,				
39-48	1001-11-1201-11	RETAINER, handle (spring steel, snap on type)	4090144	2	(10.513)
49-56	2-DR.	RETAINER, handle (spring steel, snap on type)	4168122	A.R.	(10.513)
39-48	1011-67-1211	SPRING, escutcheon plate	4090162	2	(10.666)

11.046 CAM, Quarter Window Regulator

38-39	1001-11-1201-11	(1 1/16 x 6 1/8 long, with nuts)	4074627	2	(10.792)
40	1011-1211-1511,				
41-57	1007-1011-1207-11	(1 x 22 3/4 long, less holes)	4099974	2	.90
55-57	1063F	rear quarter inner panel	4650691	2	.45

11.047 ESCUTCHEON—PLATE—WASHER, Quarter Window Regulator Handle

39-40	PASS.,				
41	1011-1211,				
42	1007-67-1211,				
46-48	PASS. (exc. STA. WAG.)		4146889	A.R.	(10.515)
29-48	PASS. (exc. STA. WAG.)	PLATE, trim protector (2 3/16 dia.)	4125997	A.R.	(10.515)
49-52	1007-11-37-67-1207-11	PLATE, handle bearing	4565043	2	(10.515)
53-56	PASS.	PLATE, handle bearing (nylon—1 15/16 dia.)	4659983	2	(10.515)
49-52	1007-11-1207-11,				
50-57	CONV., SPT. CPE.	WASHER (sponge rubber 7/16 I.D.)	3686114	2	(10.517)

11.052 HINGE, Quarter Window

49-52	CONV., BEL AIR	right	4562209	1	2.30
49-52	CONV., BEL AIR	left	4562210	1	2.30
53-57	CONV., SPT. CPE.	right, female	4606826	1	3.20
53-57	CONV., SPT. CPE.	left, female	4606827	1	3.20

11.053 BUSHING, Quarter Hinge Pivot

42-52	CONV., BEL AIR		4613557	4	.10

11.054 PLATE, Rear Quarter Window Hinge Adjusting

49-52	CONV., BEL AIR,				
53-57	CONV., SPT. CPE.	right (serrated)	4562263	1	.95
49-52	CONV., BEL AIR,				
53-57	CONV., SPT. CPE.	left (serrated)	4562264	1	.95

11.057 STUD—BOLT, Quarter Window Hinge Pivot

49-52	CONV., BEL AIR,				
53-57	CONV., SPT. CPE.	(5/16—24 x 1 3/16 long w/center shoulder)	4557324	4	.20
53-54	CONV., SPT. CPE.,				
55-57	CONV.	BOLT (3/8—24 x 1 7/8)	4607677	2	.15

11.075 MOULDING, Front Door Window Garnish

49-52	1027	right (gray)	4610040	1	12.50
49-52	1027	left (gray)	4610041	1	12.50
49-52	1269-71	right	4608473	1	12.65
49-52	1269-71	left	4608474	1	12.65
49-52	1069	right (gray)	4610064	1	12.35
49-52	1069	left (gray)	4610065	1	12.35
49-51	1008	right	4593231	1	11.70
49-51	1008	left	4593232	1	11.70
49-52	1007	right (gray)	4610050	1	12.50
49-52	1007	left (gray)	4610051	1	12.50
49-52	1011	right	4610074	1	13.10
49-52	1011	left	4610075	1	13.10
49-52	1211	right	4608471	1	11.25
49-52	1211	left	4608472	1	11.25
49-52	1062	right, upper	4568900	1	14.65
49-52	1062	left, upper	4568901	1	14.65
49-52	1062	right, lower	4566771	1	13.35
49-52	1062	left, lower	4566772	1	13.35
49-52	CONV., BEL AIR	right	4604831	1	5.35
49-52	CONV., BEL AIR	left	4604832	1	5.35
49-52	1227-27B	right	4608467	1	11.25

49-52	1227-27B	left	4608468	1	11.25
53-54	1011-27-1211-27-27B	right	4639661	1	12.35
53-54	1011-27-1211-27-27B	left	4639662	1	12.35
53-54	CONV., SPT. CPE	right, belt finishing	4639657	1	5.10
53-54	CONV., SPT. CPE	left, belt finishing	4639658	1	5.10
53-54	STA. WAG. (exc. 1062)	right	4639681	1	10.15
53-54	STA. WAG. (exc. 1062)	left	4639682	1	10.15
53	1062	right, w/bead and w/strip	4621502	1	16.10
53	1062	left, w/bead and w/strip	4621503	1	16.10
53-54	1069-1269W-71	right	4639526	1	12.65
53-54	1069-1269W-71	left	4639527	1	12.65
54	CONV., SPT. CPE	right, belt finishing	4639657	1	5.75
54	CONV., SPT. CPE	left, belt finishing	4639658	1	5.75
55-57	2-DR. (exc. 1037-37D-64-67D)	right	4656678	1	11.80
55-57	2-DR. (exc. 1037-37D-64-67D)	left	4656679	1	11.80
55-57	4-DR	right	4657382	1	11.25
55-57	4-DR	left	4657383	1	11.25
55-56	CONV., SPT. CPE	right, belt finishing	4657261	1	5.75
55-57	CONV., SPT. CPE	left, belt finishing	4698303	1	6.50
55-56	1064	right, belt finishing	4675214	1	7.50
55-56	1064	left, belt finishing	4675215	1	7.50
56-57	SPT. SED	right, belt finishing	4675216	1	7.00
56-57	SPT. SED	left, belt finishing	4675217	1	7.00
56-57	CORV	right	3716372	1	4.25
56-57	CORV	left	3716371	1	4.25
57	CONV., SPT. CPE	right	4698302	1	6.50
57	1064	right	4705773	1	10.75
57	1064	left	4705774	1	10.75

11.084 WEATHERSTRIP, Front Door Window Garnish Moulding

37-48	PASS. (exc. STA. WAG.)	right and left (7/16 x 35 3/4) w/chrome bead.	4102157	2	(10.710)

11.085 SUPPORT—CUSHION, Door Window Garnish Moulding

49-52	CONV., BEL AIR	belt finishing moulding	4562416	2	.15
50-52	CONV., BEL AIR.,				
53-54	CONV., SPT. CPE.,				
55-57	SPT. MDLS.	CUSHION, adjusting (rubber—3/4 O.D.)	4099476	A.R.	(10.716)

11.086 BEAD, Front Door Window Garnish Moulding

49-52	CONV., BEL AIR	right door belt	4570600	1	1.60
49-52	CONV., BEL AIR	left door belt	4570601	1	1.60
49-52	1007-11-27	right door window	4167913	1	1.45
49-52	1007-11-27	left door window	4167914	1	1.45
49-52	1008-69	right door window	4167915	1	1.45
49-52	1008-69	left door window	4167916	1	1.45

11.089 MOULDING—CAP, Rear Door Window Garnish

49-52	1069	right (gray)	4610084	1	11.70
49-52	1069	left (gray)	4610085	1	11.70
49-52	1269	right	4608465	1	10.25
49-52	1269	left	4608466	1	10.25
49-51	1008	right	4593247	1	11.45
49-51	1008	left	4593248	1	11.45
49-51	1208	right	4593249	1	10.25
49-51	1208	left	4593250	1	10.25
49-52	1062	right and left, upper	4568898	2	16.20
49-52	1062	right, lower	4566331	1	15.05
49-52	1062	left, lower	4566332	1	15.05
53-54	STA. WAG. (exc. 1062)	right	4639689	1	10.60
53-54	STA. WAG. (exc. 1062)	left	4639690	1	10.60
53	1062	right	4621510	1	15.60
53	1062	left	4621511	1	15.60
53-54	1069-1269-69W	right	4639184	1	10.60
53-54	1069-1269-69W	left	4639185	1	10.60
55-57	1019-1219	right	4657370	1	10.60
55-57	1019-1219	left	4657371	1	10.60

55-57	1062	right	4675120	1	9.60
55-57	1062	left	4675121	1	9.60
56-57	SPT. SED.	right, belt finishing (black)	4675230	1	8.50
56-57	SPT. SED.	left, belt finishing (black)	4694111	1	8.50
56	SPT. SED.	right, belt finishing (green)	4694112	1	8.50
56	SPT. SED.	left, belt finishing (green)	4694113	1	8.50
56-57	SPT. SED.	right, belt finishing (blue)	4694114	1	8.50
56-57	SPT. SED.	left, belt finishing (blue)	4694115	1	8.50
56-57	1039D	right, belt finishing (brown)	4694116	1	8.50
56-57	1039D	left, belt finishing (brown)	4694117	1	8.50
56-57	1039D	right, belt finishing (red)	4694118	1	8.50
56-57	1039D	left, belt finishing (red)	4694119	1	8.50
56	1039D	right, belt finishing (turquoise)	4675242	1	8.50
56	1039D	left, belt finishing (turquoise)	4675243	1	8.50
56-57	1039D	right, belt finishing (light turquoise)	4695312	1	8.50
56-57	1039D	left, belt finishing (light turquoise)	4695313	1	8.50
57	SPT. SED.	right	4700940	1	8.50
57	SPT. SED.	left	4700941	1	8.50
56	SPT. SED.	CAP, right, belt finishing (black)	4231190	1	.55
56	SPT. SED.	CAP, left, belt finishing (black)	4231191	1	.55
56-57	SPT. SED.	CAP, right, belt finishing (black) (vertical ribbed)	4233476	1	.55
56-57	SPT. SED.	CAP, left, belt finishing (black) (vertical ribbed)	4233477	1	.55
56	SPT. SED.	CAP, right, belt finishing (green)	4231192	1	.55
56	SPT. SED.	CAP, left, belt finishing (green)	4231193	1	.55
56	SPT. SED.	CAP, right, belt finishing (green) (vertical ribbed)	4233478	1	.55
56	SPT. SED.	CAP, left, belt finishing (green) (vertical ribbed)	4233479	1	.55
56	SPT. SED.	CAP, right, belt finishing (blue)	4231194	1	.55
56	SPT. SED.	CAP, left, belt finishing (blue)	4231195	1	.55
56-57	SPT. SED.	CAP, right, belt finishing (blue) (vertical ribbed)	4233480	1	.55
56-57	SPT. SED.	CAP, left, belt finishing (blue) (vertical ribbed)	4233481	1	.55
56	1039D	CAP, right, belt finishing (brown)	4231196	1	.55
56	1039D	CAP, left, belt finishing (brown)	4231197	1	.55
56-57	1039D	CAP, right, belt finishing (brown) (vertical ribbed)	4233482	1	.55
56-57	1039D	CAP, left, belt finishing (brown) (vertical ribbed)	4233483	1	.55
56	1039D	CAP, right, belt finishing (red)	4231200	1	.55
56	1039D	CAP, left, belt finishing (red)	4231201	1	.55
56-57	1039D	CAP, right, belt finishing (red) (vertical ribbed)	4233484	1	.55
56-57	1039D	CAP, left, belt finishing (red) (vertical ribbed)	4233485	1	.55
56	1039D	CAP, right, belt finishing (turquoise)	4231202	1	.55
56	1039D	CAP, left, belt finishing (turquoise)	4231203	1	.55
56-57	1039D	CAP, right, belt finishing (turquoise) (vertical ribbed)	4234802	1	.55
56-57	1039D	CAP, left, belt finishing (turquoise) (vertical ribbed)	4234803	1	.55
57	SPT. SED.	CAP, right (green)	4235410	1	.55
57	SPT. SED.	CAP, left (green)	4235411	1	.55

11.101 BEAD, Rear Door Window Garnish Moulding

49-51	1008	right and left	4167917	2	1.40
49-52	1069	right and left	4167919	2	1.40

11.102 WEATHERSTRIP, Rear Door Window Garnish Moulding

37-39 40-56	1009-19-1209-19, PASS. (exc. STA. WAG.)				
57	1019-1219	right and left (7/16 x 27 1/4 w/chrome bead)	4102157	2	(10.710)
56-57	SPT. SED.	right, inner glass run	4670888	1	1.45
56-57	SPT. SED.	left, inner glass run	4670889	1	1.40

11.113 BEAD, Quarter Window Garnish Moulding

49-52	1011	right and left	4167921	2	1.40
49-52	1007	right and left	4167923	2	1.40
49-52	CONV.	right and left quarter belt	4570913	2	.90
50-52	BEL AIR	right quarter belt (10 tabs—31 O.L.)	4579183	1	1.50
50-52	BEL AIR	left quarter belt (10 tabs—31 O.L.)	4579184	1	1.50

11.118 WEATHERSTRIP, Quarter Window Garnish Moulding

39	1001-11-1201-11,				
40	1011-1211-1511,				
41	1019-1219,				
42-52	1007-11-37-67-1207-11	right and left (7/16 x 35 3/4) w/chrome bead.	4102157	A.R.	(10.710)
55-57	1011-1211 (exc. 1211B)	right, quarter inner channel	4648041	1	1.15
55-57	1011-1211 (exc. 1211B)	left, quarter inner channel	4648042	1	1.15
55-57	SPT. CPE.	right, quarter inner channel (25 O.L.)	4649333	1	.85
55-57	SPT. CPE.	left, quarter inner channel (25 O.L.)	4649334	1	.85

11.119 MOULDING—RETAINER—SUPPORT—SPACER, Quarter Window Garnish

49-52	1027	right (gray)	4609812	1	11.45
49-52	1027	left (gray)	4609813	1	11.45
49-52	1007	right (gray)	4610094	1	11.45
49-52	1007	left (gray)	4610095	1	11.45
49-52	1011	right (gray)	4610104	1	11.45
49-52	1011	left (gray)	4610105	1	11.45
49-52	1062	right	4568896	1	15.25
49-52	1062	right, quarter belt	4613565	1	15.25
49-52	1062	left, quarter belt	4613566	1	15.25
50-52	BEL AIR	right, quarter belt	4580128	1	3.20
50-52	BEL AIR	left, quarter belt	4580129	1	3.20
53-54	1011-1211	right	4639546	1	9.60
53-54	1011-1211	left	4639547	1	9.60
53	1027	right	4621725	1	11.15
53	1027	left	4621726	1	11.15
53-54	1069WD	R. or L., belt finishing (2 3/8 x 10 3/4)	4639577	2	1.40
53-54	CONV.	right, belt finishing	4639607	1	3.30
53-54	CONV.	left, belt finishing	4639608	1	3.30
53-54	1037D	right, belt finishing	4639623	1	3.75
53-54	1037D	left, belt finishing	4639624	1	3.75
53-54	STA. WAG. (exc. 1062-62D)	right	4639637	1	9.60
53-54	STA. WAG. (exc. 1062-62D)	left	4639638	1	9.60
53	1062	right	4621129	1	15.25
53	1062	left	4621130	1	15.25
54	1211WB	right	4644597	1	9.60
54	1211WB	left	4644598	1	9.60
54	1062D	right	4639158	1	9.60
54	1062D	left	4639159	1	9.60
55-57	1011-1211 (exc. 1211B)	right	4656728	1	9.60
55-57	1011-1211 (exc. 1211B)	left	4656729	1	9.60
55-57	1211B	right	4675132	1	8.00
55-57	1211B	left	4675133	1	8.00
55-57	1019-1219	right	4657416	1	5.10
55-57	1019-1219	left	4657417	1	5.10
55-57	CONV.	right, belt finishing	4657288	1	5.60
55-57	CONV.	left, belt finishing	4657289	1	5.60
55-57	SPT. CPE.	right, belt finishing	4657274	1	6.20
55-57	SPT. CPE.	left, belt finishing	4657275	1	6.20
55-57	STA. WAG. (exc. 1064)	right, rear	4675455	1	15.55
55-57	STA. WAG. (exc. 1064)	left, rear	4675456	1	15.55
55-56	1063F	right, front	4675443	1	10.45
55-56	1063F	left, front	4675444	1	10.45
55-56	1263F	right, front	4675439	1	9.90
55-56	1263F	left, front	4675440	1	9.90
55-57	1064	right, front	4662054	1	8.70
55-57	1064	left, front	4662055	1	8.70
55-57	1064	upper, front (1 5/8 x 42)	4662052	2	7.65
55-57	1064	right, upper rear	4662050	1	19.90
55-57	1064	left, upper rear	4662051	1	19.90
55-57	1064	rear vertical	4662048	2	5.35
55-57	1064	right, belt finish front	4675272	1	8.00
55-57	1064	left, belt finish front	4675273	1	8.00
55-57	1064	right, belt finish rear	4675023	1	7.85
55-57	1064	left, belt finish rear	4675024	1	7.85
55-57	1062	right, front	4675437	1	3.95

55-57	1062	left, front	4675438	1	3.95
57	1063F	right, front	4678248	1	10.45
57	1063F	left, front	4678249	1	10.45
57	1263F	right, front	4675441	1	9.90
57	1263F	left, front	4675442	1	9.90
53-54	1069WD	RETAINER, belt finishing mldg. (13/16 x 2 3/16)	4617646	2	.10
53-54	CONV., SPT. CPE.	SUPPORT, right, belt finishing mldg. (14 15/16 O.L.)	4603805	1	1.20
53-54	CONV., SPT. CPE.	SUPPORT, left, belt finishing mldg. (14 15/16 O.L.)	4603806	1	1.20
55-56	1063F	SPACER, front garnish mldg. (3 3/4 long)	4651257	2	.15
55-57	STA. WAG.	SPACER, front garnish mldg. (29/32 x 1 1/16)	4665983	4	.10

11.120 MOULDING, Back Window Garnish

49-52	FLEETLINE	(gray)	4609822	1	6.25
49-52	1027-1227-27B		4610119	1	6.55
49-52	1011-69-1211-69	(gray)	4610114	1	6.55
53	1027-1211-27-27B-69		4623169	1	6.55
53	1011-69,				
54	1011-69-1211-69W	right	4639164	1	6.55
53	1011-69,				
54	1011-69-1211-69W	left	4639165	1	6.55
53-54	SPT. CPE.	upper	4599914	1	6.40
53-54	SPT. CPE.	lower (57 5/8 O.L.)	4599916	1	7.05
53-54	SPT. CPE.	right, lower corner	4605579	1	3.35
53-54	SPT. CPE.	left, lower corner	4605580	1	3.35
55	1011-19-1211-19	right, side	4676643	1	2.45
55	1011-19-1211-19	left, side	4676644	1	2.45
55-57	1037	right, side	4662973	1	5.30
55-57	1037	left, side	4662974	1	5.30
55-57	1037D	right, side (stainless steel)	4647462	1	4.05
55-57	1037D	left, side (stainless steel)	4647463	1	4.05
55	1011-19D-1211-19	upper	4676522	1	3.95
55-57	SPT. CPE.	upper (stainless steel)	4647461	1	6.40
56-57	SPT. SED.	right, side	4670691	1	5.80
56-57	SPT. SED.	left, side	4670692	1	5.80
56-57	SPT. SED.	upper	4670693	1	7.05

11.128 SCREW, Garnish Moulding (sheet metal type)

36	1201-09-11-19	front door window,			
37-48	PASS. (exc. STA. WAG.)	quarter window (oval hd. No. 8-15 x 1 1/4 chrome),			
53-55	1011-19-27-1211-27-27B				
53-55	SPT. CPE.	back window, upper and lower corner	145419	A.R.	(8.977)
37-48	PASS. (exc. STA. WAG.)	door window (oval cross sltd. hd. No. 8			
53-55	PASS. (exc. CONV., SPT. CPE.)	x 5/8 chrome)	145417	A.R.	(8.977)
37-48	PASS. (exc. STA. WAG.)	quarter window (oval head No. 8—15 x			
53-55	1011-19-27-1211-27-27B, STA. WAG.	1 chrome),			
53-55	1011-19-27-69-1211-27-27B-69	back window,			
53-55	4-DR., SDL.	rear and back door	148095	A.R.	(8.977)
40-48	PASS. (exc. STA. WAG.)	back window (oval hd. No. 8 x 1 3/8 chrome)	178849	A.R.	(8.977)
53-55	SPT. CPE.	back window, lower	145420	7	(8.977)
53-55	PASS. (exc. CONV., SPT. CPE.)	front door window (oval hd. No. 8—15 x 3/4 chrome),			
53-55	STA. WAG.	lift gate window	168496	A.R.	(8.977)

11.133 CLIP—ESCUTCHEON, Garnish Moulding



4562163 4112927 4563383

40-48	PASS. (exc. 1067-69, STA. WAG.).....	used on doors and quarter moulding,			
49-52	1007-11-27-1207-11-27-27B,				
53-57	1011-1211.....	used as qtr. window mldg. spacer.....	4112927	A.R.	.10
49-52	PASS. (exc. CONV., B-A, STA. WAG.),				
53-57	PASS. (exc. SPT. MDLS.).....	door garnish mldg. spacer,			
53	1027-1227-27B.....	qtr. window mldg. spacer.....	4562163	A.R.	.05
49-52	CONV., BEL AIR.....	(door garnish mldg. spacer).....	4563383	6	.10
53-57	1037-37D-64-67-67D.....	belt finish mldg., spacing.....	4605610	4	.05
54	1211WB.....	rear quarter, spacing.....	4644402	6	.05
55-57	1019-1219.....	rear quarter spacing.....	4649416	2	.05
55-57	1062.....	rear door spacing.....	4649656	2	.15
55-57	CONV., SPT. CPE.....	door belt finishing—front.....	4661091	2	.10
55-57	SPT. CPE.....	rear quarter window belt finish, spacing..	4649916	2	.05
49-51	PASS. (exc. CONV., B-A, STA. WAG., SDL.),				
52	1007-11-27-69-1211-27-27B-69.....	ESCUTCHEON, back window (gray).....	4610035	1	.25
53-54	1011-27-69-1211-27-27B-69-69W.....	ESCUTCHEON, back window.....	4639566	2	(10.050)
55-57	1062.....	ESCUTCHEON, upper quarter window.....	4675177	2	.30
55-57	1062.....	ESCUTCHEON, lower quarter window.....	4675184	2	.30
55-56	1063F-1263F.....	ESCUTCHEON, upper quarter window.....	4675178	2	.30
55-56	1063F-1263F.....	ESCUTCHEON, lower quarter window.....	4675185	2	.30
57	1063F-1263F.....	ESCUTCHEON, upper.....	4678245	2	.30
57	1063F-1263F.....	ESCUTCHEON, lower.....	4678246	2	.30

11.139 BUMPER, Door Garnish Moulding

49-52	CONV., BEL AIR,				
53-57	SPT. MDLS.....	(5/16 O.D. cone type).....	4162170	2	.10

11.175 PLATE—SUPPORT—FILLER—SCREW, Front Door Sill

41-48	1019-1219-71.....	right (31 5/8 long).....	4114764	1	2.35
41-48	1019-1219-71.....	left (31 5/8 long).....	4114765	1	2.35
41-48	1069.....	right (34 1/4 long).....	4121529	1	2.35
41-48	1069.....	left (34 1/4 long).....	4121530	1	2.35
41-48	1011-27-27B-67-1211-27-27B-27P,				
46-48	STA. WAG.....	right (42 1/4 long).....	4114762	1	3.35
41-48	1011-27-27B-67-1211-27-27B-27P,				
46-48	STA. WAG.....	left (42 1/4 long).....	4114763	1	3.35
42-48	1007.....	right (44 1/4 long).....	4132090	1	3.40
42-48	1007.....	left (44 1/4 long).....	4132091	1	3.40
49-52	1007-11-27-1207-11-27-27B.....	right.....	4584354	1	3.40
49-52	1007-11-27-1207-11-27-27B.....	left.....	4584355	1	3.40
49-52	1008-61-62-69-1208-69-71.....	right.....	4584357	1	3.10
49-52	1008-61-62-69-1208-69-71.....	left.....	4584358	1	3.10
49-52	CONV., BEL AIR.....	right.....	4603327	1	3.80
49-52	CONV., BEL AIR.....	left.....	4603328	1	3.80
53-54	2-DR. (exc. SDL.).....	right (42 3/4 O.L.).....	4602021	1	3.80
53-54	2-DR. (exc. CONV., SDL.).....	left (42 3/4 O.L.).....	4602022	1	3.80
53-54	4-DR., SDL.....	right (35 3/8 O.L.).....	4602017	1	3.10
53-54	4-DR., SDL.....	left (35 3/8 O.L.).....	4602018	1	3.10
53-54	CONV.....	left (43 1/8 O.L.).....	4602352	1	3.80
53-55	CORV.....	right (st. steel).....	4154380	1	5.85
53-55	CORV.....	left (st. steel).....	4154381	1	5.85
55-57	2-DR.....	right and left (40 1/2 O.L.).....	4651283	2	2.95
55-57	4-DR. (exc. SPT. SED.).....	right and left (33 5/8 O.L.).....	4651279	2	2.55
56-57	SPT. SED.....	right.....	4669887	1	3.35
56-57	SPT. SED.....	left.....	4669888	1	3.35
56-57	CORV.....	right.....	3726872	1	6.55
56-57	CORV.....	left.....	3726871	1	6.55
50	Ser. 1000,				
51-52	Ser. 1000 (exc. CONV., BEL AIR).....	SUPPORT (front and rear) (fiber 38 5/8).....	4596691	A.R.	.45
51-52	CONV., BEL AIR.....	SUPPORT, plate, right (44 1/2).....	4603214	1	.55
51-52	CONV., BEL AIR.....	SUPPORT, plate, left (44 1/2).....	4603215	1	.90
53	PASS. (exc. SDL),				
54	PASS.....	SUPPORT, right, plate (37 O.L.) (fiber).....	4606077	1	.45
53	PASS. (exc. CONV., SDL.),				
54	PASS.....	SUPPORT, left, plate (37 O.L.) (fiber).....	4606078	1	.45

53-55	CORV.	FILLER, sill plate	3706841	2	.55
56-57	CORV.	FILLER, sill plate	3726800	2	.45
53-55	CORV.	SCREW, sill plate filler (8—18 x 5/8)	273490	10	.05

11.176 SUPPORT—EXTENSION, Door Opening Carpet

55-57	2-DR.	right (43½ O.L.)	4646154	1	2.50
55-57	2-DR.	left (43½ O.L.)	4646155	1	2.50
55-57	4-DR. (exc. SPT. SED.)	right, front (3 9/16 x 39 9/16 O.L.)	4646092	1	1.60
55-57	4-DR. (exc. SPT. SED.)	left, front (3 9/16 x 39 9/16 O.L.)	4646093	1	1.60
55-57	4-DR. (exc. SPT. SED.)	right, rear (3 5/8 x 25 5/8)	4646078	1	1.40
55-57	4-DR. (exc. SPT. SED.)	left, rear (3 5/8 x 25 5/8)	4646079	1	1.40
56-57	SPT. SED.	right, front	4669924	1	1.85
56-57	SPT. SED.	left, front	4669925	1	1.85
56-57	SPT. SED.	right, rear	4669922	1	1.50
56-57	SPT. SED.	left, rear	4669923	1	1.50
55-57	2-DR. (exc. CONV., SPT. CPE., SDL.)	EXTENSION, right (21½ O.L.)	4649862	1	.95
55-57	2-DR. (exc. CONV., SPT. CPE., SDL.)	EXTENSION, left (21½ O.L.)	4649863	1	.95

11.179 PLATE, Rear Door Sill

49-52	4-DR.	right	4584359	1	4.35
49-52	4-DR.	left	4584360	1	4.35
53-54	4-DR.	right (24 O.L.)	4602019	1	3.65
53-54	4-DR.	left (24 O.L.)	4602020	1	3.65
55-57	4-DR. (exc. SPT. SED.)	right and left (21 O.L.)	4651281	2	2.20
56-57	SPT. SED.	right	4669889	1	2.20
56-57	SPT. SED.	left	4669890	1	2.20

11.187 CHANNEL—BUMPER—CLIP—MOULDING, Back Door Window Glass

33-39	SDL.	universal (½ wide x 36 long)	609528	A.R.	(10.701)
35-39	SDL.	(5/8 x 13/16 x 103 long, with lip)	4046290	1	(10.092)
49-54	SDL.		4564672	1	3.65
55-56	SDL.	(rubber)	4650061	1	(12.180)
34-35	SDL.	BUMPER, roller type glass, on belt bar (bracket height to ctr. of roller 1 1/16 x 1½ wide),			
57	1037-37D-64-67D	dr. window roller outer bumper	4091152	1	(10.726)
55-56	SDL.	CLIP, window glass retainer lower (1 x 2)	4665824	2	(12.180)
55-56	SDL.	CLIP, window glass retainer upper (1 x 1 31/32).	4665842	2	(12.180)
57	STA. WAG. SDL. (exc. 1064)	CLIP, window glass retainer upper	4711765	2	(12.180)
57	STA. WAG. SDL. (exc. 1064)	CLIP, window glass retainer lower	4711766	2	(12.180)
55-56	SDL.	MOULDING, right, back door window garnish	4661171	1	6.00
55-56	SDL.	MOULDING, left, back door window garnish	4661172	1	6.00
57	SDL.	MOULDING, right	4711241	1	6.50
57	SDL.	MOULDING, left	4711242	1	6.50

11.204 GLASS, Back Window (safety)

41-48	PASS. (exc. CONV., SDL., FLTLN., STA. WAG.)		4116683	1	15.25
41-50	CONV.		4117576	1	5.15
41-48	1069		4122406	1	13.25
42-48	1007		4125275	1	16.95
49-52	FLEETLINE		4559990	1	19.75
49-52	CPES.		4561843	1	17.50
49-52	1011-69-1211-69		4559993	1	19.75
49-54	SDL.	back door window	4562389	1	14.10
50-52	BEL AIR	right side	4577106	1	9.50
50-52	BEL AIR	left side	4577107	1	9.50
50-52	BEL AIR	center	4577108	1	15.50
51-52	CONV.	plastic	4597407	1	11.25
53	1027-1211-27-27B-69		4596047	1	25.85
53 54	1011-69, 1011-69-1211-69W		4616100	1	39.75
53-54	CONV.	fldg. top back curtain (plastic)	4623969	1	10.75
53-54	SPT. CPE.		4618686	1	45.50
53-55	CORV.	fldg. top back curtain (plastic)	4637945	1	11.95

55-57	1011-19-1211-19		4646181	1	41.25
55-57	CONV.	fldg. top back curtain (plastic)	4657083	1	13.50
55-57	SPT. CPE.		4647541	1	40.95
55-57	SDL.		4649514	1	(12.180)
56-57	SPT. SED.		4667732	1	43.80
56-57	CORV.	fldg. top back curtain (plastic)	3724125	1	11.95
56-57	CORV. (w/HARD TOP)	plastic	3724972	1	45.00
52	1007	(tinted)	4614738	1	23.25
52	1011-69-1211-69	(tinted)	4611366	1	24.25
52	CPES.	(tinted)	4614739	1	20.75
52	BEL AIR	(tinted) right side	4611368	1	10.50
52	BEL AIR	(tinted) left side	4611369	1	10.50
52	BEL AIR	(tinted) center	4611370	1	18.35
53	1027-1211-27-27B-69	(tinted)	4612527	1	30.75
53	1011-69,				
54	1011-69-1211-69W	(tinted)	4616101	1	45.50
53-54	SPT. CPE.	(tinted)	4618717	1	48.90
55-57	1011-19-1211-19	(tinted)	4646182	1	48.90
55-57	SPT. CPE.	(tinted)	4647542	1	48.45
56-57	SPT. SED.	(tinted)	4667733	1	51.00

11.207 CHANNEL, Back Window Glass (rubber)

29-32	PASS. (exc. SDL.)	(15/32 base x 1/2 high) (footage)	4070069	A.R.	.25 ft.
37-40	PASS. (exc. CONV., SDL.)	(ident. No. H72893)	4102340	1	3.12
41-48	Ser. 1200 (exc. SDL.)	(ident. No. H76283)	4114979	1	3.12
41-48	1007-11-19-27-27B-69	(ident. No. H75976) (87 3/4 long)	4125388	1	3.12
49-52	1211-69	(109 1/2 long)	4564356	1	5.65
49-52	1011-69	for reveal mldg. (109 1/2 long)	4564357	1	5.65
49-52	1007-08	for reveal mldg. (102 long)	4564358	1	5.35
49-52	1227-27B	(104 13/16 long)	4564359	1	5.35
49-52	1027	for reveal mldg. (104 13/16 long)	4564360	1	5.35
49-51	1207-08	(102 long)	4570888	1	5.35
50-52	BEL AIR	(with 2 division channels)	4592650	1	11.60
53	1027	(slotted for reveal mldg.) (116 1/4 dev. lgth.)	4597457	1	4.65
53	1211-27-27B-69	(not slotted) (116 1/4 dev. length)	4633111	1	5.65
53-54	1011-69	(143 3/4 dev. length)	4616107	1	6.45
53-54	SPT. CPE.	(150 1/2 dev. length)	4620102	1	7.50
54	1211-69W	(143 3/4 dev. length)	4641068	1	6.45
55	1011-19	(148 dev. length)	4650475	1	7.00
55	1211-19	(148 dev. length)	4650476	1	7.40
55-57	SPT. CPE.	(154 3/8 dev. length)	4647949	1	7.50
56-57	1011-19-1211-19		4671705	1	9.65
56-57	SPT. SED.		4670432	1	7.50
56-57	CORV. (w/HARD TOP)		3737720	1	10.75

CHANNEL, Back Window Reveal Moulding Sealing

41-48	1007-1011-19-27-27B-69	(9/16 x 90 11/16)	4125397	1	1.30
56-57	CORV.	window glass side	3731194	2	.30
56-57	CORV.	window glass top	3731195	1	.70

11.208 MOULDING, Back Window Glass Reveal

49-54	SDL.	right	4561928	1	2.55
49-54	SDL.	left	4561929	1	2.55
49-52	1011-69	right, upper	4561487	1	3.65
49-52	1011-69	left, upper	4561488	1	3.65
49-52	1027	right, upper	4561466	1	3.10
49-52	1027	left, upper	4561467	1	3.10
49-52	1011-69	lower	4561502	1	2.55
49-52	1027	lower	4561494	1	2.40
49-52	1027	right, lower corner	4561617	1	1.25
49-52	1027	left, lower corner	4561618	1	1.25
49-52	1011-69	right, lower corner	4561721	1	1.30
49-52	1011-69	left, lower corner	4561722	1	1.30
49-52	1007-08	right	4562137	1	4.45
49-52	1007-08	left	4562138	1	4.45

50 52	BEL AIR	right, upper	4578936	1	3.65
50-52	BEL AIR	left, upper	4578937	1	3.65
50-52	BEL AIR	right, lower front	4579092	1	1.30
50-52	BEL AIR	left, lower front	4579093	1	1.30
50-52	BEL AIR	right, lower rear	4586977	1	3.95
50-52	BEL AIR	left, lower rear	4586978	1	3.95
53	1027	right, upper	4595318	1	3.60
53	1027	left, upper	4595319	1	3.60
53	1027	lower (45 9/16 O.L.)	4595093	1	2.85
53	1027	right, lower corner	4595698	1	1.25
53	1027	left, lower corner	4595699	1	1.25
53-54	1011-69	upper (54 1/8 end to end)	4595990	1	4.30
53-54	1011W-69W	right, upper corner	4637357	1	1.45
53-54	1011W-69W	left, upper corner	4637358	1	1.45
53-54	1011W-11WA-69W	right, lower	4595992	1	3.65
53-54	1011W-11WA-69W	left, lower	4595993	1	3.65
53-54	1011WD-69WD	lower (56 1/4 end to end)	4614263	1	4.20
53-54	1011WD-69WD	right, side	4614326	1	4.25
53-54	1011WD-69WD	left, side	4614327	1	4.25
53-54	SPT. CPE	upper (58 7/16 end to end)	4599525	1	4.80
53-54	SPT. CPE	right, lower	4601533	1	3.65
53-54	SPT. CPE	left, lower	4601534	1	3.65
53-54	SPT. CPE	right, lower corner (5 wide at base)	4615906	1	1.55
53-54	SPT. CPE	left, lower corner (5 wide at base)	4615907	1	1.55
55-57	1011-19,				
56-57	1211-19	upper (57 1/4 end to end)	4646945	1	4.35
55-57	1011-19,				
56-57	1211-19	right, lower (29 1/16 end to end)	4646943	1	3.65
55-57	1011-19,				
56-57	1211-19	left, lower (29 1/16 end to end)	4646944	1	3.65
55-57	SPT. CPE	upper (58 13/16 end to end)	4648489	1	4.25
55-57	SPT. CPE	right, lower	4648254	1	3.65
55-57	SPT. CPE	left, lower	4648255	1	3.65
56-57	SPT. SED	upper	4671357	1	5.10
56-57	SPT. SED	right, lower	4670930	1	3.65
56-57	SPT. SED	left, lower	4670931	1	3.65
56-57	SPT. SED	right, side	4671740	1	5.60
56-57	SPT. SED	left, side	4671741	1	5.60
56-57	CORV. (w/HARD TOP)	right side	3726322	1	.75
56-57	CORV. (w/HARD TOP)	left side	3726321	1	.75
56-57	CORV. (w/HARD TOP)	upper	3726323	1	3.85
56-57	CORV. (w/HARD TOP)	lower	3726320	1	4.35

11.209 ESCUTCHEON—CLIP—BOLT—NUT—RETAINER, Back Window Glass Reveal Moulding

49-52	1007-08-11-27-69-1271,				
53-54	1271		4562218	2	.40
50-52	BEL AIR	lower (11/16 wide)	4586841	1	.40
53-54	1011W-11WA-37-37D-69W	lower (11/16 x 13/16)	4597174	1	.40
53-54	1011WA-27	upper (3/4 x 13/16)	4595379	1	(10.096)
55-57	1011-19,				
56-57	1211-19	upper	4647354	2	1.00
55-57	1011-19-37-37D,				
56-57	1211-19	lower	4647160	1	.30
55-57	SPT. CPE	upper	4648755	2	1.00
56-57	SPT. SED	lower	4671619	1	.20
56-57	CORV. (w/HARD TOP)	upper	3726874	2	.75
56-57	CORV. (w/HARD TOP)	left, lower	3732183	1	.85
56-57	CORV. (w/HARD TOP)	right, lower	3732184	1	.85
50-52	BEL AIR	CLIP, side (attaches mldg. to panel)	4580629	10	.05
50-25	BEL AIR	CLIP, lower rr. (attaches mldg. to rubber chnl.)	4571696	8	.05
50-52	BEL AIR	CLIP, upper rr. (attaches mldg. to rubber chnl.)	4571697	12	.06
53-54	SPT. CPE	CLIP, right, lower corner (w/bolt No. 6—32 thd.)	4616563	1	.10
53-54	SPT. CPE	CLIP, left, lower corner (w/bolt No. 6—32 thd.)	4616564	1	.10
55-57	1011-19-37-37D,				
56-57	1211-19	CLIP, upper	4657731	20	.05
55-57	1011-19-37-37D,				
56-57	1039-39D-1211-19	CLIP, lower	4657771	14	.05
55-56	1062-63F	CLIP, center	4640845	A.R.	(11.031)

56-57	SPT. SED.	CLIP, right, upper	4687058	1	.15
56-57	SPT. SED.	CLIP, left, upper	4687059	1	.15
56-57	SPT. SED.	CLIP, right, lower	4687060	1	.15
56-57	SPT. SED.	CLIP, left, lower	4687061	1	.15
56-57	CORV. (w/HARD TOP)	CLIP	3726326	7	.10
56-57	CORV. (w/HARD TOP)	BOLT, lower and side	3725361	A.R.	.10
56-57	CORV. (w/HARD TOP)	BOLT, upper and side	3729040	A.R.	.10
56	CORV. (w/HARD TOP)	NUT, oval hd. barrel (No. 6-32 x 31/64)	3734021	A.R.	.15
51-52	BEL AIR	RETAINER, upper center (21/32 x 25/16 O.L.)	4589855	1	.10
56-57	CORV. (w/HARD TOP)	RETAINER, upper	3729059	1	1.55
56-57	CORV. (w/HARD TOP)	RETAINER, lower	3729060	1	1.85
56-57	CORV. (w/HARD TOP)	RETAINER, left side	3729061	1	.35
56-57	CORV. (w/HARD TOP)	RETAINER, right side	3729062	1	.35

11.216 MOULDING—REINFORCEMENT—BOLT—NUT, Back Window Division

50-52	BEL AIR	outer (13 3/8 long x 3/4 wide—chrome)	4578502	2	1.05
50-52	BEL AIR	inner, right (13 1/4 long x 15/16 wide—chrome)	4591242	1	2.35
50-52	BEL AIR	inner, left (13 1/4 long x 15/16 wide—chrome)	4591243	1	2.35
50-52	BEL AIR	REINFORCEMENT (14 1/4 long—"U" shape)	4578499	2	.80
50-52	BEL AIR	BOLT, moulding, w/clip (outer) (clip 5/8 sq.—bolt 1 1/2 O.L.)	4582941	4	.10
50-52	BEL AIR	NUT, barrel (No. 6—32 x 5/8 chrome)	4576656	4	(10.052)

11.253 CONTROL—NUT, Rear Window Wiper

42-48	PASS.		606307	1	1.83
42-48	PASS.	NUT, control (1/2—24 hex.)	606318	1	.15

11.254 MOTOR, Rear Window Wiper

42-48	PASS.	(spindle length—1 27/64)	606303	1	5.72

11.357 FRAME ASSEMBLY—REINFORCEMENT—SUPPORT, Front Seat (less trim)

49-54	SDL.	driver's seat	4564533	1	32.50
53-55	CORV.	driver's seat	4635020	1	29.75
56-57	CORV.	driver's seat	3716359	1	29.75
54-55	CORV.	REINFORCEMENT, driver's seat frame	3710131	1	.45
56-57	CORV.	SUPPORT, seat frame	3726300	2	.35
56-57	CORV.	SUPPORT, left seat frame	3736181	1	.45
56-57	CORV.	SUPPORT, right seat frame	3736182	1	.45

11.358 BACK ASSY.—PANEL—EXTENSION—SEPARATOR—HINGE—CYLINDER—REINFORCEMENT, Front Seat

38-39	PASS.,				
40-49	SDL.	passenger seat,			
55-56	SDL.	driver's seat	4089064	1	23.25
57	SDL.	driver's seat (white)	4261686	1	24.75
49-52	4-DR. PASS.	PANEL	4597420	1	17.74
53-54	2-DR. (exc. SDL.)	PANEL, right, upper	4605690	1	2.25
53-54	2-DR. (exc. SDL.)	PANEL, left, upper	4605691	1	2.25
53-54	2-DR. (exc. SDL.)	PANEL, right, inner (1 1/16 x 16 1/2 O.L.)	4601695	1	.85
53-54	2-DR. (exc. SDL.)	PANEL, left, inner (1 1/16 x 16 1/2 O.L.)	4601696	1	.85
53-54	2-DR. (exc. SDL.)	PANEL, right, side	4605073	1	4.15
53-54	2-DR. (exc. SDL.)	PANEL, left, side	4605074	1	4.15
53-54	4-DR.	PANEL, upper	4624454	1	3.75
53-54	4-DR.	PANEL, right, side and lower	4630594	1	9.25
53-54	4-DR.	PANEL, left, side and lower	4642521	1	9.25
53-55	CORV.	PANEL, partition upper (behind seat)	3716999	1	49.50
55-56	2-DR. (exc. SDL.)	PANEL, right, inner (1 3/4 x 15 1/2)	4649995	1	.65
55-56	2-DR. (exc. SDL.)	PANEL, left, inner (1 3/4 x 15 1/2)	4649996	1	.65
55-56	2-DR. (exc. SDL.)	PANEL, right, outer	4653580	1	7.55
55-56	2-DR. (exc. SDL.)	PANEL, left, outer	4653581	1	7.55
55-56	4-DR.	PANEL, right, side and lower	4652142	1	13.15
55-56	4-DR.	PANEL, left, side and lower	4652143	1	13.15

56-57	CORV.	PANEL, partition upper (behind seat)	3715474	1	49.50
56-57	CORV.	PANEL, separator compartment bottom	3727577	1	1.35
56-57	CORV.	PANEL, left seat side filler	3725605	1	12.45
56-57	CORV.	PANEL, right seat side filler	3725606	1	12.45
57	2-DR. (exc. SDL)	PANEL, right, back, outer	4695856	1	7.55
57	2-DR. (exc. SDL.)	PANEL, left, back, outer	4695857	1	7.55
57	4-DR. (exc. 1062 FC)	PANEL, right ,side	4695848	1	10.90
57	4-DR. (exc. 1062 FC)	PANEL, left, side	4695849	1	10.90
55-56	4-DR.	EXTENSION, right, front seat side	4652288	1	1.85
55-56	4-DR.	EXTENSION, left, front seat side	4652289	1	1.85
57	4-DR.	EXTENSION, right, side panel	4695858	1	1.85
57	4-DR.	EXTENSION, left, side panel	4695859	1	1.85
53-55	CORV.	SEPARATOR, back partition center	3706975	1	9.75
56-57	CORV.	SEPARATOR (plastic laminate)	3725593	1	9.75
56-57	CORV.	HINGE, separator compartment door	3718041	1	1.25
56-57	CORV.	CYLINDER, lock seat separator compt. door	4615827	1	.85
56-57	CORV.	REINFORCEMENT, left, partition panel	3727091	1	1.80
56-57	CORV.	REINFORCEMENT, right, partition panel	3727092	1	1.80
56-57	CORV.	REINFORCEMENT, center, partition panel	3725410	1	5.35
56-57	CORV.	REINFORCEMENT, left, partition panel (steel)	3735061	1	2.75
56-57	CORV.	REINFORCEMENT, right, partition panel (steel)	3735062	1	2.75
57	CORV.	REINFORCEMENT, filler panel right (plastic laminate)	3736195	1	.75

11.360 BOARD, Folding Seat

53-54	1062F-1262F	back cushion	4602673	1	14.85
53-54	1062F-1262F	bottom cushion	4603311	1	10.75
55-57	STA. WAG.	bottom cushion (5/8 x 14 11/16 x 54)	4662865	1	10.75
55	STA. WAG.	back cushion	4662857	1	14.85
55-57	SDL.	assembly, passenger seat bottom	4651295	1	12.50
55-57	SDL.	assembly, driver's seat bottom	4653348	1	16.75
56	STA. WAG. (exc. 1062FC-62DF)	back cushion (5/8 x 19 1/4 x 54)	4682430	1	14.85
56-57	1062FC-62DF	right, center bottom cushion (5/8 x 13 1/4 x 17 13/16)	4678066	1	10.75
56-57	1062FC-62DF	left, center bottom cushion (5/8 x 13 1/4 x 35)	4678067	1	13.95
56	1062FC-62DF	right, center back cushion (5/8 x 17 13/16 x 19 1/8)	4678155	1	10.75
56	1062FC-62DF	left, center back cushion (5/8 x 19 1/8 x 35)	4678160	1	13.95
56-57	1062FC-62DF	floor and rear seat back front (1/2 x 14 5/16 x 44 5/8)	4680026	1	10.75
56-57	1062FC-62DF	floor and rear seat back rear (1/2 x 16 11/16 x 44 5/8)	4678600	1	10.75
57	1062FC-62DF	right, center back cushion	4698078	1	10.75
57	1062FC-62DF	left, center back cushion	4698081	1	13.95
57	STA. WAG. (exc. 1062FC)		4711735	1	16.25

11.362 PANEL ASSEMBLY—EXTENSION, Front Seat Side Lower

49-52	2-DR. (exc. SDL.)	right	4597588	1	5.75
49-52	2-DR. (exc. SDL.)	left	4597589	1	5.75
49-52	4-DR.	right	4584568	1	5.75
49-52	4-DR.	left	4584569	1	5.75
53-54	2-DR. (exc. SDL.)	right, lower	4630592	1	5.75
53	1011-27-37-1211-27-27B,				
54	2 DR. (exc. SDL.)	left, lower	4642519	1	5.75
55-56	2-DR. (exc. SDL.)	right	4653582	1	5.75
55-56	Ser. 1000 2-DR.	(w/elect. seat),			
55-56	2-DR. (exc. SDL.)	left	4653583	1	5.75
57	2-DR. (exc. SDL.)	right	4695852	1	7.30
57	2-DR. (exc. SDL.)	left	4695853	1	7.30
55-57	2-DR. (exc. SDL.) (1st Type)	EXTENSION, right, bottom frame rear	4665847	1	.25
55-57	2-DR. (exc. SDL.) (1st Type)	EXTENSION, left, bottom frame rear	4665848	1	.25

11.370 MOULDING—ESCUTCHEON, Body Floor

49-52	STA. WAG.	rear side, rear floor (8 1/8 O.L.) chrome	4563663	2	1.00
49-54	SDL.	rear, floor (1/2 x 34 1/2)	4564916	1	2.07
49-52	STA. WAG.	rear floor, center (on spare tire cover board—34 3/4 O.L.) chrome	4563662	1	1.73

53-54	1062-62D	rear floor, front (7/8 x 45 O.L.) chrome	4606122	1	1.95
53-54	1062	rear floor, center (34 O.L.)	4682444	1	(12.579)
53-54	1062	rear floor, side (8 1/2 O.L.) chrome	4605266	2	.95
53-54	1062F	rear floor, front (7/8 x 43 13/16) chrome	4623434	1	2.15
53-54	1262F	rear floor, front (43 7/8 O.L.) painted	4641642	1	1.70
53-54	1262F	rear floor, center (34 1/8 O.L.) painted	4641676	1	1.50
53-54	1262F	rear floor, side (8 1/2 O.L.) painted	4641677	2	.65
53-54	SDL.	right, rear floor, center	4605302	1	1.95
53-54	SDL.	left, rear floor, center	4605303	1	1.95
55	STA. WAG., SDL. (exc. 1064)	right, rr. compt. floor board side (46 1/8 O.L.)	4657870	1	2.50
55	STA. WAG., SDL. (exc. 1064)	left, rear compt. floor board side (46 1/8 O.L.)	4657871	1	2.50
55-57	1064	right, rear compt. floor board side	4662846	1	3.75
55-57	1064	left, rear compt. floor board side	4662847	1	3.75
55	STA. WAG.,				
56-57	STA. WAG. (exc. 1062DF-62FC)	rear floor, frt. finish (46 O.L.) st. steel	4650081	1	1.95
55-57	STA. WAG., SDL.	right, rr. floor finish side (6 1/32 O.L.) chr.	4651964	1	.30
55-57	STA. WAG., SDL.	left, rear floor finish side (6 1/32 O.L.) chrome	4651965	1	.30
55-57	SDL.	right, rr. compt. floor board ctr. (22 O.L.)	4657987	1	1.85
55-57	SDL.	left, rr. compt. floor board ctr. (22 O.L.)	4657988	1	1.85
55-57	SDL.	front, rear compt. floor board (24 3/64 O.L.)	4657869	1	1.95
56-57	1062F-63F-1263F	right, rear compt. floor board side,			
56-57	SDL.	rr. compt. floor board rr. mldg.	4685453	1	2.50
56-57	1062F-63F-1263F	left, rear compt. floor board side,			
56-57	SDL.	rr. compt. floor board rr. mldg.	4685454	1	2.50
56	1062F	right, rear compt. floor board side	4685461	1	1.85
56	1062F	left, rear compt. floor board side	4685462	1	1.85
56-57	1062DF	right, rear compt. floor board front	4684568	1	.30
56-57	1062DF	left, rear compt. floor board front	4684569	1	.30
56	1062DF	rear compt. floor board side	4685452	2	1.50
57	1062DF	right, rear compartment floor board side	4685459	1	1.85
57	1062DF	left, rear compartment floor board side	4685460	1	1.85
55-57	1064	ESCUTCHEON, right, rr. compt. floor board finish	4663647	1	2.25
55-57	1064	ESCUTCHEON, left, rr. compt. floor board finish	4663648	1	2.25

11.373 FRAME ASSEMBLY—BUMPER—SPRING—EXTENSION, Front Seat Back, w/Springs

49-52	4 DR.		4176702	1	33.30
53-54	2-DR. (exc. SDL.)	right	4208675	1	35.55
53-54	2-DR. (exc. SDL.)	left	4208676	1	35.55
53-54	4-DR.		4208531	1	33.30
55-56	2-DR. (exc. SDL.)	right	4241528	1	31.65
55-56	2-DR. (exc. SDL.)	left	4241529	1	31.65
55-56	4-DR. SEDAN—1062		4256838	1	47.60
57	2-DR. (exc. SDL.)	FRAME, right	4700348	1	38.75
57	2-DR. (exc. SDL.)	FRAME, left	4700349	1	38.75
57	4-DR.	FRAME	4700355	1	46.50
55-57	2-DR. (exc. SDL.) (1st Type)	BUMPER, frame	4640083	4	.20
53-54	CORV.	SPRING, seat back, passenger	4645529	1	22.50
53-54	CORV.	SPRING, seat back, driver	4645528	1	22.50
55	CORV.	SPRING, seat back, passenger	4649835	1	22.50
55	CORV.	SPRING, seat back, driver	4649834	1	22.50
56-57	CORV.	SPRING, seat back, passenger	3740252	1	22.50
56-57	CORV.	SPRING, seat back, driver	3740251	1	22.50
53-55	CORV.	EXTENSION, right, seat back partition panel (plastic laminate)	3706826	1	4.75
53-55	CORV.	EXTENSION, left, seat back partition panel (plastic laminate)	3706825	1	4.75
56-57	CORV.	EXTENSION, center, seat back partition panel (plastic laminate)	3724174	1	2.75
56-57	CORV.	EXTENSION, left, seat back partition panel (plastic laminate)	3724175	1	3.55
56-57	CORV.	EXTENSION, right, seat back partition panel (plastic laminate)	3724176	1	3.55

11.375 SUPPORT—PLATE—STOP—RETAINER—PIN, Front Seat Hinge Arm

49-52	2-DR. (exc. SDL.)	right—outer (on seat bottom frame)	4564238	1	.95
49-52	2-DR. (exc. SDL.)	left—outer (on seat bottom frame)	4564239	1	.95
53-54	2-DR. (exc. SDL.)	right—side	4633359	1	.95
53-54	2-DR. (exc. SDL.)	left—side	4633360	1	.95
53-54	2-DR. (exc. SDL.)	center (21½ long, w/dbl. hinge)	4604022	1	3.10
55-57	2-DR. (exc. 1064-1271)	right—outer	4676694	1	1.50
55-57	2-DR. (exc. 1064-1271)	left—outer	4676695	1	1.50
55-57	2-DR. (exc. SDL.) (1st Type)	center	4648716	1	2.65
53-54	2-DR. (exc. SDL.)	PLATE, center cover	4625660	1	.10
53-54	2-DR. (exc. SDL.)	PLATE, right, outer cover	4615883	1	.50
53-54	2-DR. (exc. SDL.)	PLATE, left, outer cover	4615884	1	.50
53-57	CORV	PLATE, driver seat mounting (steel—1 long) (2 holes 3/16)	3706838	10	.20
55-56	2-DR. (exc. 1063F-1263F-71)	PLATE, center cover	4640075	1	.30
53-54	2-DR. (exc. SDL.)	STOP, front seat back inner	4637788	1	.30
55-56	2-DR. (exc. SDL.)	STOP, right, seat hinge arm side	4648717	1	1.85
55-56	2-DR. (exc. SDL.)	STOP, left, seat hinge arm side	4648718	1	1.85
57	2-DR. (exc. SDL.)	STOP, right	4695823	1	1.85
57	2-DR. (exc. SDL.)	STOP, left	4695824	1	1.85
53-57	2-DR. (exc. SDL.)	RETAINER, seat back hinge arm outer (¾ dia.)	4630023	3	.06
57	2-DR. (exc. SDL.)	RETAINER	4714626	2	.06
53-57	2-DR. (exc. 1064-1271)	PIN (1⅛ long w/hook tip)	4627331	2	.30

SUPPORT, Driver and Passenger Seat

41-54	SDL	passenger seat back,			
55-56	SDL	driver and passenger, folding seat back	4685491	4	1.40
49-54	SDL	right lower front, driver and passenger	4563720*	1	.95
49-54	SDL	left lower front, driver and passenger	4563721*	1	.95
49-54	SDL	upper front, passenger seat	4083592	2	.35
55-57	SDL	passenger seat, rear	4658449	1	1.05
55-57	SDL	lower front outer, passenger seat	4654227	1	5.30
55-57	SDL	lower front inner, passenger seat	4654225	1	5.50
57	SDL		4711248	4	1.95

*NOTE: Also used with seat assembly 4193301 and 4201153.

11.380 PARTS, Folding Seat

53-54	1062F-1262F	SUPPORT, right, seat back outer (stmpd. 4623208)	4623208	1	3.30
53-54	1062F-1262F	SUPPORT, left, seat back outer (stmpd. 4623209)	4623209	1	3.30
53-54	1062F-1262F	SUPPORT, w/pin, seat back inner	4602198	2	1.50
55-57	STA. WAG.	SUPPORT, right, back lower	4688439	1	1.95
55-57	STA. WAG.	SUPPORT, left, back lower	4688440	1	1.95
55 56 57	STA. WAG., 1062F-63F-64-1263F, STA. WAG.	SUPPORT, bottom cushion (9/16 x 11 x 47 3/16)	4688376	1	5.30
56 57	1062FC-62DF, 1062DF	SUPPORT, right fldg. floor and rr. seat back frt. board	4688037	1	1.30
56 57	1062FC-62DF, 1062DF	SUPPORT, left fldg. floor and rr seat. back frt. board	4688038	1	1.30
56-57	1062FC-62DF	SUPPORT, right, center seat back cushion hinge arm (rt. angle w/spring clip)	4682247	1	1.10

56-57	1062FC-62DF	SUPPORT, left, center seat back cushion hinge arm (rt. angle w/spring clip)	4682248	1	1.10
56	1062FC-62DF,				
57	1062FC	SUPPORT, right, folding center seat bottom	4689805	1	3.10
56	1062FC-62DF,				
57	1062FC	SUPPORT, left, folding center seat bottom ("U" shaped ½ dia. x 10⅞ high x 32⅝ long)	4685443	1	3.65
56-57	1062FC-62DF	SUPPORT, right, folding center seat outer rear ("U" bolt type 3⅜ long)	4682268	1	.50
56-57	1062FC-62DF	SUPPORT, right, folding seat back and floor board (chrome, rod type w/bracket)	4685644	1	3.70
56-57	1062FC-62DF	SUPPORT, left, folding seat back and floor board (chrome, rod type w/bracket)	4685645	1	3.70
53	1062F-1262F	HINGE, lower half	4629884	2	2.05
53	1062F-1262F	HINGE, upper half	4629885	2	2.05
54	1062F-1262F	HINGE, lower half	4631250	2	2.65
54	1062F-1262F	HINGE, upper half	4631251	2	2.60
55-57	STA. WAG. (exc. 9 PASS.)	HINGE, right, bottom cushion lower (painted) (w/one ½ and four 5/16 holes)	4662812	1	5.30
55-57	STA. WAG. (exc. 9 PASS.)	HINGE, left, bottom cushion lower (painted) (w/one ½ and four 5/16 holes)	4662813	1	5.30
55-57	STA. WAG. (exc. 9 PASS)	HINGE, right upper (painted) (w/one 7/16 and three ¼ holes)	4662762	1	5.30
55-57	STA. WAG. (exc. 9 PASS)	HINGE, left upper (painted) (w/one 7/16 and three ¼ holes)	4662763	1	5.30
56-57	1062FC-62DF	HINGE, rear seat back front to floor board (chrome, 42⅞ long, piano type)	4680657	1	7.30
56-57	1062FC-62DF	HINGE, right, folding seat bottom cushion pivot (3 holes)	4678153	1	2.25
56-57	1062FC-62DF	HINGE, left, folding seat bottom cushion pivot (3 holes)	4678154	1	2.25
56-57	1062FC-62DF	HINGE, right, folding center seat back pivot (2 x 7 w/5 holes)	4685437	2	4.40
56-57	1062FC-62DF	HINGE, left, folding center seat back pivot (2 x 7 w/5 holes)	4685438	2	4.40
56	1062FC-62DF,				
57	1062FC	HINGE, right center seat outer side panel front (stamp 4678398)	4685445	1	6.45
56-57	1062FC-62DF	HINGE, rear seat back rear board (chrome, 28¼ long, piano type)	4680679	1	6.15
53	1062F-1262F	NUT, acorn (¼—20)	131436	2	(8.919)
53-54	1062F-1262F	BOLT, upr. to lwr. hinge (¼—20 x ¾)	4607927	2	.15
55-57	STA. WAG.	BOLT, cushion support to seat (hex. ⅜—16 x ⅞ shoulder)	4657487	2	.15
55-57	STA. WAG. (exc. 1062DF-62FC)	BOLT, bottom cushion hinge (hex. 7/16—20 x 1½ shoulder)	4663900	2	.60
56-57	1062FC-62DF	BOLT, fldg. ctr. seat hinge pivot	4689803	1	.35
53-54	1062F-1262F	RETAINER, w/spring clip, seat back	4607462	2	.95
56-57	1062FC-62DF	RETAINER, fldg. seat back and floor board support (chr. 1 x 2½)	4685641	2	.95
56-57	1062FC-62DF	RETAINER, rr. seat back spring to board upper	4680646	1	.95
55-57	STA. WAG. (exc. 1062DF-62FC)	RETAINER, seat back (3 5/16 x 1 5/16 w/clips and bpr.)	4650413	2	.75
53-54	1062F-1262F	COVER, retainer (1⅝ x 3⅜)	4625082	2	.65
55-57	STA. WAG. (exc. 1062FC)	COVER, back retainer (up position) (1⅝ x 3⅝)	4650078	1	.85
55-56	1062DF-64,				
57	1064	COVER, right, bottom cushion upper hinge (curved, chrome, w/three ⅜ holes)	4667437	1	3.65
55-56	1062DF-64,				
57	1064	COVER, left, bottom cushion upper hinge (curved, chrome, w/three ⅜ holes)	4667438	1	3.65
56-57	1062FC-62DF	COVER, right fldg. ctr. back hinge arm supt.	4688151	1	.30
56-57	1062FC-62DF	COVER, left fldg. ctr. back hinge arm supt.	4688152	1	.30
56	1062FC-62DF	COVER, fldg. floor and rr. seat frt. board hole	4681969	2	.15
53-54	1062F-1262F	COLLAR, supt. ret. (1 7/16 hex.—11/16 hole w/1—14 thd.)	4602711	2	.75
53-54	1062F-1262F	STOP, seat back at top (stmpd. 4602549)	4602549	2	1.85
53-54	1062F-1262F	STOP, w/pin, seat back at side (w/four ¼ holes)	4602298	2	1.40

55-57	STA. WAG. (exc. 1062DF-62FC)	STOP, seat back at side (1¾ x 4¼ w/pin)	4650189	2	1.40
55-57	STA. WAG. (exc. 1062DF-62FC)	CLIP, cushion support retainer (U shaped)	4662991	2	.15
55-57	STA. WAG. (exc. 1062DF-62FC)	PLATE, upr. corner supt. bpr. (1½ dia. w/9/32 hole)	4662900	2	.20
55	STA. WAG.	PLATE, right, seat cushion anchor (on seat) (3 holes w/clip)	4663050	1	3.20
55	STA. WAG.	PLATE, left, seat cushion anchor (on seat) (3 holes w/clip)	4663051	1	3.20
56-57	STA. WAG.	PLATE, right, seat cushion anchor (on seat)	4688431	1	3.20
56-57	STA. WAG.	PLATE, left, seat cushion anchor (on seat)	4688432	1	3.20
56-57	1062FC-62DF	PLATE, folding seat to floor anchor—inner left	4678409	1	1.40
56-57	1062FC-62DF	PLATE, folding seat to floor anchor—outer left	4687494	1	1.25
56-57	1062FC-62DF	PANEL, left ctr. seat side inner	4685676	1	16.75
56-57	1062FC-62DF	PANEL, left ctr. seat side outer	4685677	1	12.95
56	1062FC-62DF	PANEL, right ctr. seat side inner and outer	4689877	1	31.75
56-57	STA. WAG. (exc. 1062FC)	SCREW, folding seat cushion upper hinge	4644902	6	.10
56-57	1062FC-62DF	SPACER, left, folding seat pivot hinge	4678318	1	.35
56-57	1062FC-62DF	BUMPER, folding seat back and floor board support	4668145	2	.08

11.381 BUMPER—WASHER, Front Seat Back

39-48	2-DR.	end (curved—1/16 thick)	4125797	2	.10
40-48	2-DR.	center arm adjuster (round tapered)	4105439	1	.30
49-52	2-DR. (exc. SDL.)	side (stamped 4580720)	4580720	2	.30
49-52	2-DR. (exc. SDL.)	center arm (stamped 4612056)	4612056	1	.50
53	2-DR. (exc. SDL.) (1st type)	side and center (molded 4603829)	4603829	4	.25
53-54	1062F-1262F	bottom, folding seat cushion,			
55	STA. WAG.	seat bottom and back cushion,			
56	STA. WAG. (exc. 1062DF)	seat back cushion (1¼ x ½) (molded			
57	STA. WAG. (exc. 1062FC)	4602561)	4602561	A.R.	.30
54	2-DR. (exc. SDL.) (2nd type)	side and center (one hole) (molded 4637784)	4637784	4	.25
54	2-DR. (exc. SDL.)	side and center (two hole type) (molded 4646163)	4646163	4	.30
55-57	2-DR. (exc. SDL.) (1st Type)	side and center (to bottom frame) (molded 4649526)	4649526	4	.20
56-57	STA. WAG.	bottom cushion	4685588	4	.15
54-56	Ser. 1000	WASHER, rubber (w/elect. seat)	4576323	4	(11.561)

11.419 FRAME ASSEMBLY—SPRING, Front Seat Bottom, w/Springs

49-52	2-DR. (exc. SDL.)		4176710	1	41.40
49-54	4-DR.		4209446	1	35.80
53-54	2-DR. (exc. SDL.)		4209445	1	41.40
55	2-DR. (exc. 1064-1271),				
56	2-DR. (exc. 1271)		4680546	1	56.85
55-57	4-DR.		4678714	1	55.70
55	1064		4699569	1	63.95
57	2-DR.		4699569	1	63.95
57	4-DR.		4700344	1	59.75
53-55	CORV.	SPRING, passenger seat cushion	4651077	1	24.75
53-55	CORV.	SPRING, driver seat cushion	4651076	1	24.75
56-57	CORV.	SPRING, passenger seat cushion	3725150	1	24.75
56-57	CORV.	SPRING, driver seat cushion	3725149	1	24.75

UNIT, Front Seat Cushion and Back Tie Wire


49-56	PASS. (TAXI) (exc. SDL.)		3690013†	A.R.	2.80
49-57	PASS. (exc. SDL.)	seat cushion	3723040*	1	3.30

*NOTE: Consists of 1—end spring, 6—main springs and 25—wire clips.

†NOTE: Unit 3690013 consists of 3 tie wires and 53 attaching clips.

11.556 PARTS, Electric Seat Adjuster

54	Ser. 1000	MOTOR, w/regulator	4644905	1	30.65
55-56	Ser. 1000	MOTOR, w/regulator	5047824	1	35.05
57	Ser. 1000	MOTOR, horizontal, w/regulator	5047968	1	35.95



1955-57 ELECTRIC SEAT ADJUSTER

54	Ser. 1000	SUPPORT, on floor	4644871	1	1.95
54	Ser. 1000	SUPPORT, on seat	4645891	1	2.80
55	Ser. 1000	SUPPORT, on floor	4652298	1	2.20
56-57	Ser. 1000	SUPPORT, horizontal regulator on floor	4685396	1	2.20
54	Ser. 1000	BRACKET, seat and reg. mtr. mounting (2 5/16 O.L.)	5091778	1	1.40
54-55	Ser. 1000	RETAINER, motor and regulator to supt.	4630023	2	(11.375)
54-55	Ser. 1000	SCREW, motor set (1/4—28 x 1/2)	5094333	3	.05
55-56	Ser. 1000	ARMATURE, horizontal seat motor	5097293	1	7.15
57	Ser. 1000	ARMATURE, horizontal motor	4900876	1	6.75
55-56	Ser. 1000	CASE, w/brush, horizontal seat motor	5096575	1	4.10
57	Ser. 1000	CASE, w/brush, horizontal motor	4902258	1	4.10
55-57	Ser. 1000	FITTING, horizontal seat motor and regulator	5095582	1	1.20
55	Ser. 1000	FIELD, horizontal seat motor	5092127	1	5.00
55-57	Ser. 1000	PIN, regulator support on seat	4655199	1	.10

11.561 ADJUSTER ASSEMBLY, Front Seat

41-48	PASS. (exc. 1007-1271)	right, less rod	4115381	1	14.30
41-48	PASS. (exc. 1007-1271)	left, less rod	4115382	1	15.10
41-48	SDL.		4115144	1	11.00
49	PASS. (exc. SDL.) (1st type)	left (inside height of front leg 3 5/8),			
50	PASS. (exc. CONV., B-A, SDL.) (1st type)	(3 pc. control linkage)	4572789	1	15.10
49	PASS. (exc. CONV., SDL.),				
49	CONV. (1st type),				
50-52	PASS. (exc. CONV., B-A, SDL.)	right	4593481	1	13.45
49-52	CONV., BEL AIR (2nd type)	right (inside of front leg 3)	4593477	1	13.45
49	CONV. (2nd type),				
50	CONV. (1st type)	left (inside height of front leg 3)	4574305	1	14.30
49-54	SDL.		4627138	1	12.30
50-52	PASS. (exc. CONV., B-A, SDL.) (2nd type)	left (1-pc. control linkage)	4593482	1	15.10
50-52	CONV., BEL AIR (2nd type)	left (1-pc. control linkage)	4593478	1	15.10
53	PASS. (exc. CONV., 1037D, SDL.),				
54	PASS. (exc. SDL.)	right	4603100	1	14.30
53	PASS. (exc. CONV., 1037D, SDL.),				
54	PASS. (exc. SDL.)	left	4628498	1	15.10
53	1037D-67-67D	right	4617779	1	14.30
53	1037D-67-67D	left	4617778	1	15.10
53-55	CORV.	right (less handle)	4154400	1	10.90
53-55	CORV.	left	4154401	1	11.75
54	Ser. 1000	right (w/elect. seat)	4644393	1	11.50
54	1062-69	left (w/elect. seat)	4644394	1	12.30
54	1011-37D-67D	left (w/elect. seat)	4644397	1	12.30
55-56	PASS. (exc. SDL.),				
57	STA. WAG.	right	4648349*	1	13.45
55-56	PASS. (exc. SDL.),				
57	STA. WAG.	left	4648350*	1	14.30
55-57	Ser. 1000	right (w/elect. seat)	4652477	1	10.90
55-57	Ser. 1000	left (w/elect. seat)	4652478	1	10.90
55-57	SDL.	driver's seat	4658452	1	12.30
56	PASS. (exc. SDL.)	left	4683740	1	14.30
56	Ser. 1000	right (w/elec. seat)	4683743	1	10.90
56	Ser. 1000	left (w/elec. seat)	4683744	1	10.90
56-57	CORV.	left, inner	3723415	1	4.35
56-57	CORV.	right, inner	3723416	1	4.35
56-57	CORV.	left, outer	3723421	1	13.50
56-57	CORV.	right, outer	3723422	1	13.50
57	PASS. (exc. STA. WAG., SDL.)	right	4704031	1	13.45
57	PASS. (exc. STA. WAG., SDL.)	left	4704032	1	14.30
57	PASS. (exc. STA. WAG.)	right (w/electric seat)	4704033	1	10.90
57	PASS. (exc. STA. WAG.)	left (w/electric seat)	4704034	1	10.90
50-52	2 DR. (exc. SDL.),				
54-56	Ser. 1000	WASHER, rubber (seat. adj. equalizer)	4576323	4	.06
57	PASS. (exc. SDL.)	WASHER, to seat side bar front	4588818	4	.03
54-55	Ser. 1000	RETAINER, to rod (w/elect. seat)	4630023	2	(11.375)
55-57	STA. WAG.	RETAINER, to floor pan	4589817	2	.20
57	PASS. (exc. STA. WAG., SDL.)	RETAINER, to floor pan	4704037	2	.20

*NOTE: When used for 1st type 1956 replacement shims must be used to equalize height of adjuster.

ROD, Front Seat Adjuster

41-48	PASS. (exc. SDL.)		4114446	1	.85
54	Ser. 1000	(w/elect. seat) (equalizing)	4644790	1	5.60
55-57	Ser. 1000	(w/elect. seat) (equalizing) (45 lg. w/arm and pin)	4649992	1	5.45

11.562 STOP—SUPPORT—RETAINER—SWITCH—PLATE—ESCUTCHEON, Front Seat Adjuster

37-38	1201-11-71,				
39	SDL.,				
41-54	SDL.	driver's seat	4612054	1	1.45
55-56	SDL.	driver's seat w/handle	4685490	1	4.20
57	SDL.	driver's seat w/handle	4711244	1	4.75
54	Ser. 1000	SUPPORT, right seat adj. rod (w/elect. seat)	4637236	1	1.05
54	Ser. 1000	SUPPORT, left seat adj. rod (w/elect. seat)	4637237	1	1.05
55-57	Ser. 1000	SUPPORT, right, seat adj. rod (w/elect. seat).	4653515	1	.95
55-57	Ser. 1000	SUPPORT, left, seat adj. rod (w/elect. seat)	4653516	1	.95
55-57	Ser. 1000	SUPPORT, on seat (w/elect. seat)	4655389	1	1.40
53-54	PASS. (exc. SDL.)	RETAINER, right front seat	4605339	1	.20
53-54	PASS. (exc. SDL.)	RETAINER, left front seat	4605340	1	.20
54-57	Ser. 1000	SWITCH, frt. seat adj.	4634122	2	(10.777)
54	Ser. 1000	PLATE (w/elect. seat)	4645280	1	.30
55-57	Ser. 1000	PLATE, switch escutcheon (w/elect. seat)	4650642	2	.60
56-57	STA. WAG.	PLATE, frt. seat bar to adjuster spacer frt.	4650380	2	.20
54	Ser. 1000 (exc. STA. WAG.),				
55-57	Ser. 1000	ESCUTCHEON, seat switch (w/elect. seat)	4630843	1	1.35

11.563 CONNECTOR, Front Seat Adjuster

54	Ser. 1000	motor lead	5295456	3	(10.777)
55-56	Ser. 1000	motor lead (3 wire) (w/elect. seat)	2962492	A.R.	(10.777)

11.573 COVER, Seat Adjuster

49-52	2-DR. SEDANS, CPES.	right	4611887	1	1.60
49-52	2-DR. SEDANS, CPES.	left	4611888	1	1.60

11.581 SPRING, Front Seat Adjuster

49	PASS. (exc. SDL.) (1st type)	lock bar (angled end)	4162924	2	.10
49-52	PASS. (exc. SDL.)	pull back (pass. side) ($\frac{7}{16}$ x $8\frac{1}{4}$)	4162438	2	.35
49-54	PASS. (exc. SDL.)	lock bar (hooked end) (3 coils)	4150669	2	.20
53-54	PASS. (exc. SDL.)	pull back (pass. side) ($\frac{9}{16}$ x $6\frac{3}{4}$)	4154813	2	.35
54	Ser. 1000	to equalizing rod (w/elect. seat) ($\frac{7}{8}$ x 10)	4646982	1	.75
55-57	PASS. (exc. SDL.)	pull back (pass. side) ($\frac{5}{8}$ x $4\frac{7}{16}$)	4159384	2	.35
55-57	Ser. 1000	to equalizing rod (w/elect. seat) ($\frac{15}{16}$ x $9\frac{3}{8}$)	4652463	1	.75
56-57	PASS. (exc. SDL.)	lock bar	4156813	2	.15

11.582 CLIP—SUPPORT, Front Seat Adjuster

41-51	PASS. (exc. SDL.)	locking rod	4572939	A.R.	.08
52-54	PASS. (exc. SDL.)	SUPPORT, locking rod (rubber)	4609588	1	.08

11.588 HANDLE—KNOB, Front Seat Adjuster

34	551-70-81,				
35	1001-11-1201A-71A,				
36-38	1201-11-71,				
39-54	SDL.	($7\frac{1}{2}$ long)	4640988	1	.80
41-48	PASS. (exc. SDL.)	($5\frac{21}{32}$ long)	4114344	1	.85
55	SDL.		4658451	1	(11.562)
49-52	PASS. (exc. STA. WAG., SDL.)	KNOB	4591925	1	.85
49-52	STA. WAG.	KNOB	4591926	1	.85
53-54	PASS. (exc. SDL.)	KNOB	4603614	1	.85
55-57	PASS. (exc. SDL.),				
57	CORV.	KNOB	4619984	1	1.25

11.589 ROD—ESCUTCHEON, Front Seat Adjusting Lock

49-54	PASS. (exc. SDL.)	(3/16 dia. x 4 5/16)	4618641	1	.45
55-57	PASS. (exc. SDL.)	(1/8 x 44)	4649320	1	.45
49-52	PASS. (exc. SDL.)	ESCUTCHEON, seat adj. knob (chr.) (3/4 x 2 5/8)	4562513	1	.40
53	PASS. (exc. B-A, SDL.),				
54	PASS. (exc. SDL.)	ESCUTCHEON, seat adj. knob. (chr.) (1 1/2 x 1 3/4)	4603647	1	.40
55-57	PASS. (exc. SDL.)	ESCUTCHEON, seat adj. knob (chr.) (3/4 x 2 3/16)	4649460	1	.40

11.591 SCREW, Front Seat Adjuster Handle

29-32	PASS. (exc. SDL.)	(No. 10—32 x 9/16 clutch fillister head)	3654595	1	.10
40-48	PASS.	(No. 8—32 x 1/2—hdr. pt.—spec. hd.)	4559885	1	.05

11.607 FRAME ASSEMBLY

53-54	1062-62D	center seat	4609549	1	42.75
53-54	1062-62D	rear seat	4609559	1	49.75

11.608 SCREW, Center and Rear Seat Attaching

46-54	1061-62-62D	thumb type (3/8—16 thd. 1 7/8 high)	4567135	4	30

11.610 FRAME AND SPRING ASSY., Seat Cushion

53-54	1011-1211	rear	4616411	1	39.15
53-54	1069-1269-69W	rear	4616410	1	39.15
53-54	CONV.	rear	4620671	1	35.85
53-54	SPT. CPE.	rear	4618289	1	36.70
53-54	1062-62D	rear	4618932	1	27.70
53-54	1062F	folding	4619123	1	24.65
53-54	1262F	folding	4619122	1	26.30
54	1062D	center	4618936	1	26.30
55-56	1011-1211 (exc. 1211B)	rear	4650976	1	43.40
55-56	1019-1219	rear	4677925	1	44.25
55-57	CONV.	rear	4700728	1	39.75
55-56	SPT. CPE.	rear	4659015	1	37.80
55-57	STA. WAG.	folding	4657016	1	24.65
56	SPT. SED.	rear	4677048	1	44.25
56	1062FC-62DF,				
57	1062FC	right, folding seat	4686658	1	10.90
56	1062FC-62DF	left, folding seat	4672659	1	17.65
57	1062FC	left, folding seat	4686659	1	17.65
56	1062FC-62DF	rear	4688143	1	26.30
57	1011-1211 (exc. 11B)	rear, w/springs	4707960	1	45.75
57	1019-1219	rear, w/springs	4707962	1	47.75
57	SPT. CPE.	rear, w/springs	4700572	1	42.50
57	SPT. SED.	rear, w/springs	4707964	1	47.75
57	1062FC-62DF	SPRING, folding seat	4696659	1	

11.612 RAIL, Center Seat Grab

46-54	1061-62-62D		4161868	1	6.10

11.628 FRAME ASSEMBLY, Rear Seat Back, w/Springs

53-54	CONV.		4649010	1	33.60
53-54	SPT. CPE.		4647914	1	35.55
53-54	1062-62D		4618928	1	25.20
53-54	1062-62D	center	4618934	1	20.00
53-54	1062F-1262F	folding	4631044	1	25.20
54	1011-1211W-69W		4208532	1	27.70
55-56	1011-19-1211-19 (exc. 1211B)		4682091	1	36.70
55-56	CONV.,				
57	1062FC-62DF		4686324	1	33.30

55-57	SPT. CPE.		4657150	1	36.70
55	STA. WAG.,				
56	STA. WAG. (exc. 1062FC-62DF),				
57	STA. WAG. (exc. 1062FC)	folding	4682857	1	25.20
56-57	SPT. SED.		4674190	1	36.70
56	1062FC-62DF	right, folding seat	4672660	1	10.35
56	1062FC-62DF	left, folding seat	4672661	1	16.25
56-57	1062FC-62DF	rear seat	4680648	1	24.35
57	1011-19-1211-19 (exc. 1211B)	w springs	4698460	1	38.95
57	CONV.	w springs	4656272	1	37.50

11.878 ESCUTCHEON—SCREW, Robe Cord End

38-39	1001-09-11-19,				
40	1011-19-1511-19,				
41-48	1007-11-19-69-1219,				
49-52	1007-08-11-69-1208-69		4082846	A.R.	.35
53-54	1011-69	(attach. holes 2¾ ctr. to ctr.)	4605687	A.R.	.35
53-54	1011-69	SCREW (No. 10—32 x ⅛ oval cr. recess head)	147947	A.R.	.05

11.898 CORD, Front Seat Back Robe (less supports)

41	1011,				
52	1007-11	(22½ O.L.) (comb. 127, 212)	4612387	2	1.95
41	1011,				
52	1007-11	(22½ O.L.) (comb. 128, 213)	4612388	2	1.95
40-49	1011-1511	(21⅜ overall length) (comb. 88, 89, 97,			
42-49	1007	130, 131, 132, 141, 151, 152, 153, 157, 158)	4569344	2	1.95
40-47	1219-1519	(45⅞ overall length) (comb. 115, 16, 17,			
40-48	1019-69	126, 29, 130, 31, 32, 142, 152, 153)	4163167	1	2.65
49	1008-69-1208-69	(comb. 156, 7),			
50	1008-69	(43¾ overall length) (comb. 171)	4583410	1	2.65
49	1008-69	(43¾ overall length) (comb. 158)	4569339	1	2.65
50-52	1007-11	(22½ overall length) (comb. 171, 201, 211)	4610581	2	1.95
51-52	1008-69	(43¾ overall length) (comb. 201, 211)	4610582	1	2.65
52	1069	(43¾ overall length) (comb. 212)	4612438	1	2.65
52	1069	(43¾ overall length) (comb. 213)	4612439	1	2.65
53-54	1011W-11WD	(comb. 241, 245, 291, 354, 358)	4618854	2	1.95
53-54	1011W-11WD	(comb. 242, 246, 355, 359)	4619242	2	1.95
53-54	1011W-11WD	(comb. 243, 247, 292, 352, 360)	4619254	2	1.95
53-54	1011W-11WD	(comb. 244, 248, 353, 361)	4619255	2	1.95
53-54	1069	(comb. 241, 245, 291, 354, 358)	4624673	1	3.30
53-54	1069	(comb. 242, 246, 355, 359)	4624668	1	3.30
53-54	1069	(comb. 243, 247, 292, 352, 360)	4624667	1	3.30
53-54	1069	(comb. 244, 248, 353, 361)	4624674	1	3.30
54	1011W	(comb. 304)	4634408	1	2.00
54	1011W	(comb. 305)	4634409	1	2.00
54	1011W	(comb. 306)	4634410	1	2.00
54	1011W	(comb. 307)	4634411	1	2.00
54	1011WA	(comb. 334)	4645161	2	2.00
54	1011WD	(comb. 309)	4635548	2	2.00
54	1011WD	(comb. 330)	4640327	2	2.05
54	1011WD	(comb. 331)	4645822	2	2.00
54	1011WA-11WD	(comb. 310, 332)	4635549	2	2.00
54	1011WA-11WD	(comb. 311, 333)	4635550	2	2.00
54	1069W	(comb. 304)	4634412	1	3.30
54	1069W	(comb. 305)	4634413	1	3.30
54	1069W	(comb. 306)	4634414	1	3.30
54	1069W	(comb. 307)	4634415	1	3.30
54	1069WD	(comb. 309)	4635552	1	3.30
54	1069WD	(comb. 310)	4635553	1	3.30
54	1069WD	(comb. 311)	4635554	1	3.30
54	1069WD	(comb. 330)	4640329	1	3.30
54	1069WD	(comb. 331)	4645823	1	3.30

11.899 SUPPORT, Robe Cord End

49-52	1007-08-11-69-1208-69		4562283	A.R.	.45

11.900 SPRING, Robe Cord Support

40	1011-19-1511-19,				
41	1011-19-69,				
42-48	1007-11-19-69-1219,				
49-52	1007-08-11-69-1269		4095634	A.R.	.05

11.925 LAMP, Dome (less Bulb)

33-39	PASS.,				
40	1017-27, Ser. 1200-1500	with switch and lens	4090212	1	2.90
40-52	CONV.	with lens	4101787	1	2.90
41-48	Ser. 1000 (exc. CONV.)	with lens	4118997	1	2.50
41-48	Ser. 1200	with lens	4116139	1	2.50

11.927 REFLECTOR—SPACER, Dome Lamp

49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	w/switch	4185138	1	2.10
50-52	BEL AIR	rear corner lamp (4⅜ O.L.)	4589575	2	3.30
53-54	CONV.	rear bow, dome lamp	4577220	1	2.10
53-54	SPT. CPE.	w/socket	4603601	2	2.10
55	PASS. (exc. 1037D-64D-67D),				
56-57	PASS. (exc. 1064D-67D)	w/socket (4 dia.)	4156802	1	1.70
55	SPT. CPE.	rear quarter corner lamp, side roof rail			
55-57	1064	lamp (w/socket and rim)	4650248	2	3.10
54	CONV.	SPACER, reflector to bow (plastic 2¼ x 5½)	4615673	1	.65

11.928 RIM—LENS—BULB, Dome Lamp

40	1011-19-69,				
41-48	Ser. 1200	w/out lens	4089646	1	1.40
40-52	CONV.	w/out lens	4101790	1	1.40
41-48	Ser. 1000 (exc. CONV.)	w/out lens	4122197	1	1.40
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.),				
55	STA. WAG., SDL. (exc. 1064)	without lens (2¾ x 7½)	4168052	1	1.20
55-57	PASS. (exc. 1064-67D)	w/out lens (5¼ dia.)	4156597	1	.95
40	1011-19-69,				
41-48	Ser. 1200	LENS	4091399	1	.65
40-52	CONV.	LENS	4102341	1	.65
41-48	Ser. 1000 (exc. CONV.)	LENS	4122196	1	.65
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV., SPT. CPE.)	LENS (2⅛ x 4½) (plastic)	4168051	1	.65
50-52	BEL AIR	LENS, rear corner lamp	4589622	2	.65
53-54	CONV.	LENS, rear bow (plastic)	4577221	1	.65
53-55	SPT. CPE.	LENS, rear corner lamp,			
55-57	1064	side roof rail lamp (2⅛ O.D.)	4605664	2	.65
55	PASS. (exc. 1037D-64-67D),				
56-57	PASS. (exc. 1064-67D)	LENS (3¾ dia.)	4158037	1	.50
41-48	PASS. (exc. CONV., STA. WAG.),				
53-54	PASS.	BULB (6 C.P. 1⅞ O.L.)	119434	1	(8.991)
49-52	PASS. (exc. CONV., B-A)	BULB	120406	1	(8.991)
49-52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV.)	BULB (15 C.P. 1¾ O.L.)	453138	1	(8.991)

11.935 SWITCH, Dome Lamp

29-40	PASS.		4102342	1	.75
41-48	PASS. (exc. STA. WAG.),				
50-52	BEL AIR, CONV.		4594201	1	.75
53-54	CONV.	rear. bow,			
53-54	SPT. CPE.	rear corner lamp (1¹⁵⁄₁₆ O.L.) (plastic)	4610315	1	.75
55-57	1064	side roof rail	4610313	1	.55

11.938 PLATE, Dome Lamp Switch


29-38	PASS.,				
41-46	Ser. 1000	dome lamp,			
55-57	1064	side roof rail lamp	4002769	1	1.05

11.950 SWITCH, Dome Lamp Door Jamb


41-54	Ser. 1000, CORV	front door,			
55-56	Ser. 1000	front and rear door	4598597	A.R.	.75
55-57	CORV	(courtesy lamp)	1998109	2	.85
57	Ser. 1000	front	4709878	4	.80

11.951 GASKET, Dome Lamp Door Jamb Switch


42-54	Ser. 1000	front door,			
55-56	Ser. 1000	front and rear door	4598587	A.R.	.07
57	Ser. 1000		4709880	A.R.	.06



SPT. CPE. MODEL 2454 BODY STYLE 55-1037D




2-DR. SED. MODEL 2402 BODY STYLE 55-1011D




CONV. MODEL 2434 BODY STYLE 55-1067D


1955 TRIM MOULDINGS—EXTERIOR



4 DR. SED. MODEL 2403 BODY STYLE 55-1019D




4 DR. SED. MODEL 2103 BODY STYLE 55-1019




2 DR. SED. & CLUB CPE. MODELS 2102, 2124
BODY STYLE 55-1011-1011A


1955 TRIM MOULDINGS—EXTERIOR



STA. WAG. MODEL 2129 BODY STYLE 55-1063F




STA. WAG. MODEL 2409 BODY STYLE 55-1062DF




STA. WAG. MODEL 2109 BODY STYLE 55-1062F


1955 TRIM MOULDINGS—EXTERIOR



SPT. COUPE MODEL 2454 BODY STYLE 56-1037D




SPT. SEDAN MODEL 2413 BODY STYLE 56-1039 D




4 DR. SEDAN MODEL 2403 BODY STYLE 56-1019 D


1956 TRIM MOULDINGS—EXTERIOR



STA. WAG. MODEL 2129 BODY STYLE 56-1063




STA. WAG. MODEL 2109, 2119
BODY STYLE 56-1062F-1062FC



STA. WAG. MODEL 2429 BODY STYLE 56-1064 DF

1956 TRIM MOULDINGS—EXTERIOR



YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	12.009 RECEIVER UNIT, Ash				
41-48	PASS.	(in insirument panel, sliding door type)	3684345	1	2.00
54	Ser. 1200	(attaches below instrument panel) (ivory)	3705388	1	2.20
57	PASS.	(vacuum)	987715	1	
	12.013 TRAY, Ash Receiver (Tray Only)				
49-50	PASS.	(in instrument panel—sliding type) (painted)	3693560	1	1.45
51-52	Ser. 1000	(in radio grille)	3694952	1	1.00
53-54	Ser. 1000	(in radio grille)	3697067	1	1.00
55	Ser. 1000,				
56	PASS.	(in instrument panel)	3711131	1	1.00
57	PASS.	w/face plate	3734516	1	1.00
	12.014 SNUFFER, Ash Tray				
49-50	PASS.	(for instrument panel tray)	3694565	1	.15
	12.016 PLATE—COVER—CLIP—RETAINER—PIN—NUT—SPRING, Ash Receiver Mounting				
49-50	PASS.	ash tray mounting	3688148	1	1.72
51-52	Ser. 1000	ash tray mounting	3699029	1	1.25
53-54	Ser. 1000	(chrome w/6 ribs)	3702990	1	1.25
55	Ser. 1200	COVER, ash tray hole (2 x 4¾)	3719475	1	.30
51-52	Ser. 1000	CLIP, ash tray mounting plate	3695630	1	.10
49-50	Ser. 1200	RETAINER, (used to attach ash tray dummy plate) (½ wide x ⅝ thick x 1 long w/10—32 bolt)	3688250	A.R.	(10.252)
51-52	Ser. 1000	RETAINER	3694953	1	.27
53-54	Ser. 1000	RETAINER, on instrument panel	3705422	1	.25
55-56	PASS.	RETAINER	3711137	1	.45
55-56	Ser. 1200	RETAINER, ash tray hole (⅝ x 2⅜)	3713366	1	.25
56-57	CORVETTE	RETAINER	3728941	2	.10
57	PASS.	RETAINER, ash tray	3732341	1	.45
53-54	Ser. 1000	PIN, pivot (3/16 dia. x 2½ O.L.)	3697069	1	.10
55	Ser. 1000,				
56	PASS.	PIN, pivot (1/16 x 1)	3711139	1	.10
57	PASS.	PIN, pivot	3734520	1	.10
51-52	Ser. 1000	NUT, spd. (used to attach ash tray mtg. plate) (⅞ x ⅜)	3698801	2	50/.85
55-56	PASS.	SPRING	3711133	1	.15
57	PASS.	SPRING	3734518	1	.15
	12.030 TRAY ASSEMBLY, Ash				
49-50	1008-69	(in front seat back)	4583095	1	3.05
51-54	1008-69	(in front seat back) (chrome)	4610722	1	3.95
55-56	1019-39 (exc. 19D)	(in front seat back) (green)	4675480	1	3.95
55-56	1019-39 (exc. 19D)	(in front seat back) (blue)	4675481	1	3.95
55	1019 (exc. 19D)	(in front seat back) (bronze)	4656827	1	3.95
55-56	1019D-39D	(in front seat back) (chrome)	4603400	1	3.95
56	1019-39 (exc. 19D)	(in front seat back) (black)	4641326	1	3.95
57	1019D-39D-62DF	(chrome)	4701687	1	3.95
57	1019-39-62F-62FC (exc. 1019D-39D)	(black)	4701688	1	3.95
57	1019-39-62F-62FC (exc. 1019D-39D)	(green)	4701689	1	3.95
57	1019-39 (exc. 1019D-39D)	(blue)	4701690	1	3.95
57	1062F-62FC	(gold)	4701691	1	3.95

12.045 TRAY, Rear Quarter Ash (in arm rest)

41-48	1007-27		4161329	2	1.20
49-52	CONV.	(in quarter)	4568475	2	4.18
49-51	1007-11-27	right	4602502	1	1.85
49-51	1007-11-27	left	4602503	1	1.85
50-52	BEL AIR,				
53-57	CONV., SPT. CPE.	(chrome)	4579370	2	4.35
52-54	1007-11-27,				
56	1011	right (grey)	4643563	1	1.20
52	1007-11-27	left (grey)	4611804	1	1.20
53-54	1011-27,				
56	1011	left (grey)	4643564	1	1.20
53-57	CORVETTE	in door arm rest	4162426	2	2.75
54	1011	right (blue)	4624228	1	1.20
54	1011	left (blue)	4624229	1	1.20
54	1011	right (green)	4643567	1	1.20
54	1011	left (green)	4643568	1	1.20
54	1011W	right (tan)	4643559	1	1.20
54	1011W	left (tan)	4643560	1	1.20
54	1011WD	right (tan)	4643561	1	1.20
54	1011WD	left (tan)	4643562	1	1.20
54	1011WD,				
55	1011A	right (white)	4644282	1	1.20
54	1011WD,				
55	1011A	left (white)	4644283	1	1.20
54	CONV., SPT. CPE.	(ash receptacle only)	4209246	2	1.00
55	1011 (exc. 11A-11D)	right (blue)	4661064	1	1.20
55	1011 (exc. 11A-11D)	left (blue)	4661065	1	1.20
55	1011 (exc. 11A-11D)	right (green)	4661056	1	1.20
55	1011 (exc. 11A-11D)	left (green)	4661057	1	1.20
55	1011A	right (beige)	4661072	1	1.20
55	1011A	left (beige)	4661073	1	1.20
55	1011D	right (gray)	4661052	1	1.20
55	1011D	left (gray)	4661053	1	1.20
55	1011D	right (turquoise)	4661060	1	1.20
55	1011D	left (turquoise)	4661061	1	1.20
55	1011D	right (green)	4643555	1	1.20
55	1011D	left (green)	4643556	1	1.20
55	1011D	right (blue)	4643557	1	1.20
55	1011D	left (blue)	4643558	1	1.20
56	1011 (exc. 11A-11D)	right, blue	4684771	1	1.20
56	1011 (exc. 11A-11D)	left, blue	4684772	1	1.20
56	1011-11A (exc. 11D)	right, green	4684767	1	1.20
56	1011-11A (exc. 11D)	left, green	4684768	1	1.20
56	1011A	right, turquoise	4684680	1	1.20
56	1011A	left, turquoise	4684681	1	1.20
56	1011D	right, turquoise	4684682	1	1.20
56	1011D	left, turquoise	4684683	1	1.20
56	1011D	right, blue	4684765	1	1.20
56	1011D	left, blue	4684766	1	1.20
56	1011D	right, beige	4684668	1	1.20
56	1011D	left, beige	4684669	1	1.20
56	1011D	right, green	4684769	1	1.20
56	1011D	left, green	4684770	1	1.20
57	1011D	right, silver	4704708	1	1.20
57	1011D	left, silver	4704709	1	1.20
57	1011D	right, yellow	4704706	1	1.20
57	1011D	left, yellow	4704707	1	1.20
57	1011D	right, turquoise	4704704	1	1.20
57	1011D	left, turquoise	4704705	1	1.20
57	1011D	right, blue	4704702	1	1.20
57	1011D	left, blue	4704703	1	1.20
57	1011D	right, green	4704700	1	1.20
57	1011D	left, green	4704701	1	1.20
57	1011D	right, beige	4704698	1	1.20
57	1011D	left, beige	4704699	1	1.20
57	1011D	right, red	4704696	1	1.20
57	1011D	left, red	4704697	1	1.20

57	1011 (exc. 11A-11D)	right, blue	4704690	1	1.20
57	1011 (exc. 11A-11D)	left, blue	4704691	1	1.20
57	1011 (exc. 11D)	right, green	4704692	1	1.20
57	1011 (exc. 11D)	left, green	4704693	1	1.20
57	1011 (exc. 11D)	right, ivory	4704694	1	1.20
57	1011 (exc. 11D)	left, ivory	4704695	1	1.20
57	1011A	right, beige	4704688	1	1.20
57	1011A	left, beige	4704689	1	1.20
57	1063F	black	4701693	2	1.95
57	1063F	green	4701694	2	1.95
57	1063F	gold	4701695	2	1.95
57	1064	black	4701696	2	3.25
57	1064	green	4701697	2	3.25
57	1064	blue	4701698	2	3.25
57	1064	turquoise	4701699	2	3.25
57	1064	gold	4701700	2	3.25

12.048 ESCUTCHEON, Ash Tray

39	1001-11,				
41-48	1007-27	(in arm rest)	4146967	2	.35
53-56	CORV	door arm rest	4101822	2	.40

12.050 SPRING, Ash Tray Anti-Rattle

41-42	1007-27,				
52-56	1007-11-27	(in arm rest)	4088916	2	.06

12.075 MOULDING—SCALP—SCREW, Roof Drip

49-52	1007-1207	right front	4560006	1	.65
49-52	1007-1207	left front	4560007	1	.65
49-52	1011-27-1211-27-27B-71	right front	4559994	1	.85
49-52	1011-27-1211-27-27B-71	left front	4559995	1	.85
49-52	STA. WAG.	right front	4562759	1	.65
49-52	STA. WAG.	left front	4562760	1	.65
49-52	1007-08-1207-08	right side	4561189*	1	2.10
49-52	1007-08-1207-08	left side	4561190*	1	2.10
49-52	1069-1269	right side	4561161	1	2.00
49-52	1069-1269	left side	4561162	1	2.00
49-52	CPES.	right rear	4559998	1	.65
49-52	CPES.	left rear	4559999	1	.65
49-52	1011-1211	right rear	4559996	1	.82
49-52	1011-1211	left rear	4559997	1	.82
49-52	STA. WAG.	right rear	4564950	1	.65
49-52	STA. WAG.	left rear	4564951	1	.65
49-54	STA. WAG.	rear end	4564116	1	1.55
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	right, front	4596445	1	.85
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	left, front	4596446	1	.85
53-54	STA. WAG.	right, front	4603329	1	.65
53-54	STA. WAG.	left, front	4603330	1	.65
53-54	SPT. CPE.	right	4601537	1	1.70
53-54	SPT. CPE.	left	4601538	1	1.70
53	1011-69,				
54	1011-69-1211-69W	right, rear	4596449	1	.90
53	1011-69,				
54	1011-69-1211-69W	left, rear	4596450	1	.90
53-54	STA. WAG.	right, rear	4599542	1	1.03
53-54	STA. WAG.	left, rear	4599543	1	1.03
53	1211-69	right, rear	4596447	1	.90
53	1211-69	left, rear	4596448	1	.90
53-54	SDL.	back door opening	4614089	1	1.45
55-57	1011-19-1211-19	right	4647309	1	1.70
55-57	1011-19-1211-19	left	4647310	1	1.70
55-57	SPT. CPE.	right	4648231	1	1.70

*NOTE: When using 4561189-90 on 1007-1207 it will be necessary to cut to size at rear end.

55-57	SPT. CPE.	left	4648232	1	1.70
55	STA. WAG., SDL.,				
56-57	STA. WAG., SDL. (exc. 1064)	right	4650800	1	2.65
55	STA. WAG., SDL.,				
56-57	STA. WAG., SDL. (exc. 1064)	left	4650801	1	2.65
55	STA. WAG., SDL.,				
56-57	STA. WAG., SDL. (exc. 1064)	body opening (42 long)	4650798	1	1.65
55-57	1064	right, front	4658495	1	1.50
55-57	1064	left, front	4658496	1	1.50
55-57	1064	right, rear	4658497	1	2.35
55-57	1064	left, rear	4658498	1	2.35
56-57	SPT. SED.	right	4669990	1	1.85
56-57	SPT. SED.	left	4669991	1	1.85
56-57	SPT. SED.	right, side reveal	4671323	1	15.50
56-57	SPT. SED.	left, side reveal	4671324	1	15.50
56-57	CORV.	right	3726388	1	9.75
56-57	CORV.	left	3726387	1	9.75
50-52	BEL AIR	MLDG. UNIT, w/s header (consists of drip mldg. and scalps)	3695198	1	5.35
50-52	BEL AIR	MLDG. UNIT, right side (consists of drip mldg. and scalp)	3695200	1	3.80
50-52	BEL AIR	MLDG. UNIT, left side (consists of drip mldg. and scalp)	3695199	1	3.80
50-52	BEL AIR	SCALP, right—chrome (fits over drip mldg.)	4578709	1	2.85
50-52	BEL AIR	SCALP, left—chrome (fits over drip mldg.)	4578710	1	2.85
50-52	BEL AIR	SCALP, right w/s header—chr. (fits over drip mldg.)	4580173	1	2.45
50-52	BEL AIR	SCALP, left w/s header—chr. (fits over drip mldg.)	4580174	1	2.45
53-54	1037D	SCALP, right, moulding roof drip	4602111	1	3.00
53-54	1037D	SCALP, left, moulding roof drip	4602112	1	3.00
55-57	1064	SCALP, right, moulding roof drip	4658522	1	6.25
55-57	1064	SCALP, left, moulding roof drip	4658523	1	6.25
56-57	CORV.	SCREW, to roof panel (#10—16 x ½)	3731205	6	.10

12.110 MOULDING—RETAINER—CLIP—NUT, Cowl Belt

53-54	PASS.	right	4596460	1	3.20
53-54	PASS.	left	4596461	1	3.20
41-46	PASS. (exc. STA. WAG.)	RETAINER	4116287	2	(12.116)
53-54	PASS.	RETAINER (½ x 1¾ w/2 holes)	4591069	2	.15
53-54	PASS.	CLIP (1 x 1 hd. w/10—24 bolt)	4606150	7	.10
53-54	PASS.				
57	PASS.	NUT, moulding clip (w/rubber washer)	4644959	A.R.	.10

12.112 MOULDING, Front Door

12.112A MOULDING, Belt

42-47	1007	right, upper (11/16 wide x 45 long)	4125979	1	.98
42-47	1007	left, upper (11/16 wide x 45 long)	4125980	1	.98
42-46	1007	right, lower (1⅛ wide x 46 11/16 long)	4125276	1	2.18
42-46	1007	left, lower (1⅛ wide x 46 11/16 long)	4125277	1	2.18
53-54	1011W-11WA-27-1211-27-27B	right (15/16 wide x 42 11/16 long)	4596622	1	3.35
53-54	1011W-11WA-27-1211-27-27B	left (15/16 wide x 42 11/16 long)	4596623	1	3.35
53-54	1011WD	right (15/16 wide x 42 11/16 lg.) (notched on upr. edge)	4621336	1	3.35
53-54	1011WD	left (15/16 wide x 42 11/16 lg.) (notched on upr. edge)	4621337	1	3.35
53-54	1069W-1269-69W	right (15/16 wide x 36¼ long)	4596624	1	2.90
53-54	1069W-1269-69W	left (15/16 wide x 36¼ long)	4596625	1	2.90
53-54	Ser. 1000 2-DR.	lower (46¼ long)	4635617	2	3.30
53-54	Ser. 1000 4-DR.	lower (39⅛ long)	4635616	2	3.30

12.112B MOULDING, Outer Panel

42-46	1011-27-27B-67-1211-27-27B-27P	right, lower (1⅛ wide x 44 25/32 long)	4125286	1	2.18
42-46	1011-27-27B-67-1211-27-27B-27P	left, lower (1⅛ wide x 44 25/32 long)	4125287	1	2.18
48	CONV.	right (⅞ wide x 43 9/16 long)	4162493	1	2.02
48	CONV.	left (⅞ wide x 43 9/16 long)	4162494	1	2.02

48	1011-1211	right (1⅛ wide x 43⅞ long)	4162495	1	2.18
48	1011-1211	left (1⅛ wide x 43⅞ long)	4162496	1	2.18
48	1007	right (1⅛ wide x 45¾ long)	4162497	1	2.18
48	1007	left (1⅛ wide x 45¾ long)	4162498	1	2.18
48	CPES	right (1⅛ wide x 43 11/16 long)	4162499	1	2.18
48	CPES	left (1⅛ wide x 43 11/16 long)	4162500	1	2.18
48	1019-1219	right (1⅛ wide x 33 3/16 long)	4162501	1	2.02
48	1019-1219	left (1⅛ wide x 33 3/16 long)	4162502	1	2.02
48	1069	right (1⅛ wide x 35¾ long)	4162503	1	2.02
48	1069	left (1⅛ wide x 35¾ long)	4162504	1	2.02
49-52	1008-69-1208-69	right, upper (1⅛ wide x 36 1/16 long)	4561289	1	2.90
49-52	1008-69-1208-69	left, upper (1⅛ wide x 36 1/16 long)	4561290	1	2.90
49-52	1007-11-27-1207-11-27-27B	right, upper (1⅛ wide x 41⅞ long)	4561291	1	3.10
49-52	1007-11-27-1207-11-27-27B	left, upper (1⅛ wide x 41⅞ long)	4561292	1	3.10
49-52	CONV., BEL AIR	right, upper (1⅛ wide x 41⅞ long)	4565181	1	3.10
49-52	CONV., BEL AIR	left, upper (1⅛ wide x 41⅞ long)	4565182	1	3.10
49-52	1062	right, upper (1⅛ wide x 15¼ long)	4564416	1	2.57
49-52	1062	left, upper (1⅛ wide x 15¼ long)	4564417	1	2.57
49-52	SDL	right (1⅛ wide x 36 1/16 long)	4562413	1	2.55
49-52	SDL	left (1⅛ wide x 36 1/16 long)	4562414	1	2.55
49-50	Ser. 1000	frt. dr. lwr. outer panel (⅞ wide x 38½ lg.)	4560098	2	3.20
51-52	1007-11-27-37-67	lower outer panel (1⅛ wide x 45 long)	4587007	2	4.35
51-52	1008-62-69	lower outer panel (1⅛ wide x 40 3/16 long)	4587005	2	3.90
53-54	1069WD	right (15/16 wide x 36¼ lg.) (notched on upr. edge)	4613754	1	3.15
53-54	1069WD	left (15/16 wide x 36¼ lg.) (notched on upr. edge)	4613755	1	3.15
53-54	CONV., SPT. CPE	right (15/16 wide x 42 11/16 lg.) (notched on lwr. edge)	4613752	1	3.35
53-54	CONV., SPT. CPE	left (15/16 wide x 42 11/16 lg.) (notched on lwr. edge)	4613753	1	3.35
53-54	STA. WAG.	right	4599093	1	2.90
53-54	STA. WAG.	left	4599094	1	2.90
53-54	SDL	right (15/16 wide x 35⅞ long)	4596626	1	2.90
53-54	SDL	left (15/16 wide x 35⅞ long)	4596627	1	2.90
55	1011-37-63F (exc. 11D)	right, outer panel lwr. (1⅝ wide x 9¼ lg.)	4648173	1	2.20
55	1011-37-63F (exc. 11D)	left, outer panel lwr. (1⅝ wide x 9¼ lg.)	4648174	1	2.20
55	1011D	right, outer panel lwr. rr. (2¼ wide x 9 5/16 lg.)	4647103	1	2.55
55	1011D	left, outer panel lwr. rr. (2¼ wide x 9 5/16 lg.)	4647104	1	2.55
55	BEL AIR	right, outer panel lwr. frt. (1⅛ wide x 25 5/16 lg.)	4647189	1	3.35
55	BEL AIR	left, outer panel lwr. frt. (1⅛ wide x 25 5/16 lg.)	4647190	1	3.35
55	CONV., SPT. CPE	right, outer panel lwr. rr. (2¼ wide x 13 7/16 lg.)	4647111	1	2.70
55	CONV., SPT. CPE	left, outer panel lwr. rr. (2¼ wide x 13 7/16 lg.)	4647112	1	2.70
55	1064	right, outer panel lwr. (die cast chr. 45½ lg.)	4658513	1	12.70
55	1064	left, outer panel lwr. (die cast chr. 45½ lg.)	4658514	1	12.70
56	1011-37-63F-1211-63F-71 (exc. 11D)	right, outer panel lower (1 5/16 x 46⅜)	4670459	1	3.35
56	1011-37-63F-1211-63F-71 (exc. 11D)	left, outer panel lower (1 5/16 x 46⅜)	4670460	1	3.35
56	1011D-37D-64-67D	outer panel, right lower and left upper (46½ long)	4670779	2	3.10
56	1011D-37D-64-67D	outer panel, left lower and right upper (46½ long)	4670780	2	3.10
56	1019D-62DF	outer panel, right lower and left upper (39 13/16 long)	4670781	2	3.10
56	1019D-62DF	outer panel, left lower and right upper (39 13/16 long)	4670782	2	3.10
56	1019-62F-62FC-1219 (exc. 1019D)	outer panel, lower (39⅞ long)	4670461	2	3.10
56	1039	outer panel, lower front	4676812	2	3.35
56	1039D	outer right lower and left upper panel (39⅜ long)	4670783	1	3.10
56	1039D	outer left lower and right upper panel (39⅜ long)	4670784	1	3.10
57	Ser. 1200 2 DR	right	4693775	1	1.70
57	Ser. 1200 2 DR	left	4693776	1	1.70

57	Ser. 1000 2 DR.	right	4687825	1	3.35
57	Ser. 1000 2 DR.	left	4687826	1	3.35
57	Ser. 1000 4 DR. (exc. SPT. SED.)	right	4687827	1	3.10
57	Ser. 1000 4 DR. (exc. SPT. SED.)	left	4687828	1	3.10
57	SPT. SED	right	4687829	1	3.10
57	SPT. SED	left	4687830	1	3.10

MOULDING—CLIP, Corvette Side Door

53-55	CORV.	right, outer lower	3706386	1	4.25
53-55	CORV.	left, outer lower	3706385	1	4.25
53-55	CORV.	right, outer upper	4154378	1	7.50
53-55	CORV.	left, outer upper	4154379	1	7.50
56-57	CORV.	right, lower	3730114	1	2.25
56-57	CORV.	left, lower	3730113	1	2.25
56-57	CORV.	right, upper	3730112	1	2.25
56-57	CORV.	left, upper	3730111	1	2.25
56-57	CORV.	end	3730115	2	1.15
53-55	CORV.	CLIP, lower moulding	3706830	10	.25

12.113 MOULDING—FILLER, Center Pillar Belt

48	1019-69-1219	right and left, lower (1⅛ wide x 1⁹⁄₁₆ long)	4162492	2	.38
49-52	1008-69	upper (⅞ wide x 1¹⁄₁₆ long)	4564586	2	.40
53-54	1069W	upper (¾ wide x 1⁷⁄₃₂ long)	4628803	2	.90
53-54	1069WD	right, upper (1¼ wide x 1¹⁵⁄₁₆ long)	4628825	1	1.00
53-54	1069WD	left, upper (1¼ wide x 1¹⁵⁄₁₆ long)	4628826	1	1.00
53-54	1069WD	right, lower (1¼ wide x 2½ long)	4603575	1	1.05
53-54	1069WD	left, lower (1¼ wide x 2½ long)	4603576	1	1.05
55-57	1019D	right, lower (1¹⁄₃₂ wide x 1⁵⁄₃₂ long)	4648628	1	.75
55-57	1019D	left, lower (1¹⁄₃₂ wide x 1⁵⁄₃₂ long)	4648629	1	.75
55-57	1019D	upper (¹³⁄₁₆ wide x 1¾ long)	4643150	2	.85
55-57	1062	upper (¹³⁄₁₆ wide x ⅞ long)	4643177	2	.40
56	1019D-62DF	upper right and lower left (cast 787)	4670787	2	.95
56	1019D-62DF	upper left and lower right (cast 788)	4670788	2	.95
56	1039D	upper right and lower left (cast 801)	4670801	2	.95
56	1039D	upper left and lower right (cast 802)	4670802	2	.95
57	1019D-62DF	right	4689245	1	.95
57	1019D-62DF	left	4689246	1	.95
57	1039D	right	4689247	1	.95
57	1039D	left	4689248	1	.95
55-57	1019-1219	FILLER, center pillar outer panel upper	4643469	2	.15
55-57	1019D-62	FILLER, center pillar outer panel upper	4639814	2	.15

12.114 MOULDING—SHIELD—EMBLEM—EXTENSION, Rear Door

12.114A MOULDING, Belt

48	1019-1219	right (1⅛ wide x 27¾ long)	4162505	1	1.80
48	1019-1219	left (1⅛ wide x 27¾ long)	4162506	1	1.80
48	1069	right (1⅛ wide x 32⁵⁄₁₆ long)	4162507	1	1.92
48	1069	left (1⅛ wide x 32⁵⁄₁₆ long)	4162508	1	1.92
49-52	1069-1269	right, upper (1⅛ wide x 35⁹⁄₁₆ long)	4561339	1	3.00
49-52	1069-1269	left, upper (1⅛ wide x 35⁹⁄₁₆ long)	4561340	1	3.00
49-51	1008-1208	right (1⅛ wide x 35⁵⁄₁₆ long)	4561337	1	3.00
49-51	1008-1208	left (1⅛ wide x 35⁵⁄₁₆ long)	4561338	1	3.00
53-54	1069W-1269-69W	right (32½ long)	4597183	1	2.95
53-54	1069W-1269-69W	left (32½ long)	4597184	1	2.95
53-54	1069W (TAXICAB)	right, upper (33⅜ long)	4627202	1	2.85
53-54	1069W (TAXICAB)	left, upper (33⅜ long)	4627203	1	2.85
53-54	1069WD	right (32⁹⁄₁₆ long)	4628188	1	3.15
53-54	1069WD	left (32⁹⁄₁₆ long)	4628189	1	3.15
53-54	STA. WAG.	right (33 long)	4599650	1	2.95
53-54	STA. WAG.	left (33 long)	4599651	1	2.95

12.114B MOULDING, Rear Door Outer Panel

42-46	1019-1219	right, lower (1⅛ wide x 27 ³¹⁄₃₂ long)	4125292	1	1.80
42-46	1019-1219	left, lower (1⅛ wide x 27³¹⁄₃₂ long)	4125293	1	1.80
51-52	1008-62-69	lower (15 long)	4607722	2	2.30

53-54	1062-62D-62F-69	right, upper (33 3/16 long)	4603189	1	3.85
53-54	1062-62D-62F-69	left, upper (33 3/16 long)	4603190	1	3.85
53-54	1062-62F-69W	right, lower above shield (8 long)	4603568	1	(12.116)
53-54	1062-62F-69W	left, lower above shield (8 long)	4603569	1	(12.116)
53-54	1062D-69WD	right, lower	4627363	1	3.35
53-54	1062D-69WD	left, lower	4627364	1	3.35
55	1019	right, diagonal (15 long)	4648029	1	(12.116)
55	1019	left, diagonal (15 long)	4648030	1	(12.116)
55	1019-62F (exc. 19D)	right, lower (30 7/8 long)	4648124	1	3.65
55	1019-62F (exc. 19D)	left, lower (30 7/8 long)	4648125	1	3.65
55	1019D-62DF	right, lower (30 3/4 long)	4647507	1	5.10
55	1019D-62DF	left, lower (30 3/4 long)	4647508	1	5.10
55	1062-63F	right, diagonal (6 3/4 wide x 5 5/8 long)	4649220	1	3.55
55	1062-63F	left, diagonal (6 3/4 wide x 5 5/8 long)	4649221	1	3.55
56	1019-62F-62FC (exc. 19D)	right, lower (31 long)	4670598	1	3.35
56	1019-62F-62FC (exc. 19D)	left, lower (31 long)	4670599	1	3.35
56	1019D-62DF	right, lower (31 long)	4670746	1	3.35
56	1019D-62DF	left, lower (31 long)	4670747	1	3.35
56	1219	right, lower	4686429	1	2.55
56	1219	left, lower	4686430	1	2.55
56	1039	right, lower	4676050	1	4.10
56	1039	left, lower	4676051	1	4.10
56	1039D	right, lower (37 3/4 long)	4670748	1	3.80
56	1039D	left, lower (37 3/4 long)	4670749	1	3.80
56	1019-1219 (exc. 1019D)	right, diagonal (11 1/4 long)	4670919	1	3.90
56	1019-1219 (exc. 1019D)	left, diagonal (11 1/4 long)	4670920	1	3.90
56	1019D	right, diagonal	4670825	1	4.05
56	1019D	left, diagonal	4670826	1	4.05
56	1039	right, diagonal (9 3/8 long)	4676854	1	3.90
56	1039	left, diagonal (9 3/8 long)	4676855	1	3.90
56	1039D	right, diagonal (16 dev. length)	4671198	1	3.90
56	1039D	left, diagonal (16 dev. length)	4671199	1	3.90
56	1062F-62FC-63F	right, diagonal (12 1/2 long)	4670921	1	3.90
56	1062F-62FC-63F	left, diagonal (12 1/2 long)	4670922	1	3.90
56	1062DF	right, diagonal (21 dev. length)	4671196	1	4.35
56	1062DF	left, diagonal (21 dev. length)	4671197	1	4.35
57	Ser. 1000 4 DR. (exc. SPT. SED.)	right, lower	4687900	1	3.35
57	Ser. 1000 4 DR. (exc. SPT. SED.)	left, lower	4687901	1	3.35
57	SPT. SED.	right, lower	4687902	1	3.90
57	SPT. SED.	left, lower	4687903	1	3.90
57	1019-62	right, upper	4689092	1	2.65
57	1019-62	left, upper	4689093	1	2.65
57	SPT. SED.	right, upper	4689094	1	2.85
57	SPT. SED.	left, upper	4689095	1	2.85
57	1219	right	4693783	1	3.10
57	1219	left	4693784	1	3.10
57	1019D-62DF	right, insert	4689096	1	2.75
57	1019D-62DF	left, insert	4689097	1	2.75
57	1039D	right, insert	4689098	1	3.95
57	1039D	left, insert	4689099	1	3.95
57	1219	right, diagonal	4693779	1	(12.116)
57	1219	left, diagonal	4693780	1	(12.116)

12.114C EMBLEM—ORNAMENT

52	1069	EMBLEM, right—"DELUXE"	4610435	1	1.80
52	1069	EMBLEM, left—"DELUXE"	4610436	1	1.80
53-54	BEL AIR	ORNAMENT, rear door and fender ("BEL AIR")	4612776	2	3.65
55-56	BEL AIR	ORNAMENT, rr. dr. and fender ("BEL AIR") 10 3/4 lg.	3725207	2	(12.114)

12.114D FENDER SECTION SHIELD—EXTENSION

49-50	1008-69				
49-52	STA. WAG.	right (metal)	4561470	1	7.45
49-50	1008-69,				
49-52	STA. WAG.	left (metal)	4561471	1	7.45
49-50	1208-69	right (rubber)	4561762	1	3.95
49-50	1208-69	left (rubber)	4561763	1	3.95
49-50	1008-61-62-69,				
51-52	STA. WAG.	right, extension (metal)	4594176	1	4.45

49-50	1008-61-62-69,				
51-52	STA. WAG.	left, extension (metal)	4594177	1	4.45
49-50	1208-69	right, lower extension (rubber)	4561897	1	1.55
49-50	1208-69	left, lower extension (rubber)	4561898	1	1.55
49-50	1208-69	right, front extension (rubber) (on rocker)	4566886	1	1.55
49-50	1208-69	left, front extension (rubber) (on rocker)	4566887	1	1.55
49-50	1008-69,				
49-52	STA. WAG.	right, front extension (metal) (on rocker)	4567431	1	3.95
49-50	1008-69,				
49-52	STA. WAG.	left, front extension (metal) (on rocker)	4567432	1	3.95
51-52	1008-69	right (metal)	4587725	1	7.40
51-52	1008-69	left (metal)	4587726	1	7.40
51-52	1208-69	right (rubber)	4587729	1	4.15
51-52	1208-69	left (rubber)	4587730	1	4.15
51-52	1008-69	right, lower extension (metal)	4587727	1	5.55
51-52	1008-69	left, lower extension (metal)	4587728	1	5.55
51-52	1208-69	right, lower extension (rubber)	4587731	1	3.20
51-52	1208-69	left, lower extension (rubber)	4587732	1	3.20
52	1069	right, upper (metal)	4610631	1	4.80
52	1069	left, upper (metal)	4610632	1	4.80
53-54	1011WD-37D-62D-67D	right fender upper,			
53-54	1069WD	right, door upper (2½ wide)	4603401	1	1.75
53-54	1011WD-37D-62D-67D	left fender upper,			
53-54	1069WD	left, door upper (2½ wide)	4603402	1	1.75
53-54	1062-62D-62F-69	right, door lower	4632974	1	7.55
53-54	1062-62D-62F-69	left, door lower	4632975	1	7.55
53-54	1262F-69-69W	right, door (rubber covering)	4632976	1	5.15
53-54	1262F-69-69W	left, door (rubber covering)	4632977	1	5.15
53-54	1062-62D-62F-69	EXTENSION, right	4603201	1	5.05
53-54	1062-62D-62F-69	EXTENSION, left	4603202	1	5.05
53-54	1262F-69-69W	EXTENSION, right (rubber)	4604906	1	2.50
53-54	1262F-69-69W	EXTENSION, left (rubber)	4604907	1	2.50
49-52	2-DR.,				
53-54	Ser. 1000	WASHER (internal tooth lock) (¼ I.D. x 1 O.D.)	4563821	10	(11.030)
49-52	2-DOOR.				
53-54	Ser. 1000	WASHER (rubber) (3/16 I.D. x 1 O.D.)	4563822	10	(11.030)
52	Ser. 1000 (exc. 1062, B-A),				
53-54	BEL AIR	NUT, rear fender emblem to panel	4615081	18	.10
55-56	1011D-37D-67D	CLIP, rr. fender, ornam. and emblem to pnl.,			
55-56	1019-62DF	rear door emblem to panel,			
56	PASS.	rear fender name plate,			
56	BEL AIR	rear fender emblem	4635016	A.R.	10/.50

12.114E FENDER SECTION CROWN MOULDING

49-50	4-DR.,				
51-52	STA. WAG.	right	4561382	1	2.60
49-50	4-DR.,				
51-52	STA. WAG.	left	4561383	1	2.60
49-50	4-DR.,				
51-52	STA. WAG.	right, extension (on rocker)	4561492	1	1.10
49-50	4-DR.,				
51-52	STA. WAG.	left, extension (on rocker)	4561493	1	1.10

12.116 MOULDING—SHIELD—EMBLEM—ORNAMENT, Rear Quarter

12.116A BELT MOULDING

41	1027-27B-67	right, upper (½ wide x 50⅛ long)	4114588	1	1.58
41	1027-27B-67	left, upper (½ wide x 50⅛ long)	4114589	1	1.58
42-47	CONV	right, upper (1 1/16 wide x 55 1/16 long)	4125621	1	1.58
42-47	CONV	left, upper (1 1/16 wide x 55 1/16 long)	4125622	1	1.58
42-47	1007	right, upper (⅝ wide x 52 17/32 long)	4125983	1	1.58
42-47	1007	left, upper (⅝ wide x 52 17/32 long)	4125984	1	1.58
42-47	1011,				
47	1211	right, upper (1 1/16 wide x 78 19/32 long)	4125950	1	2.25
42-47	1011,				
47	1211	left, upper (1 1/16 wide x 78 7/32 long)	4125951	1	2.25

42-47	1019,				
47	1219	right, upper (11/16 wide x 59 9/16 long)	4125954	1	1.95
42-47	1019,				
47	1219	left, upper (11/16 wide x 59 3/16 long)	4125955	1	1.95
42-47	1027-27B,				
47	1227-27B	right, upper (11/16 wide x 50 7/16 long)	4125952	1	1.95
42-47	1027-27B,				
47	1227-27B	left, upper (11/16 wide x 50 7/16 long)	4125953	1	1.95
42-47	1069	right, upper (11/16 wide x 46 15/32 long)	4125956	1	1.58
42-47	1069	left, upper (11/16 wide x 46 15/32 long)	4125957	1	1.58
48	CPES.	right (1 1/8 wide x 50 13/16 long)	4162515	1	2.75
48	CPES.	left (1 1/8 wide x 50 13/16 long)	4162516	1	2.75
48	CONV.	right (7/8 wide x 55 15/32 long)	4162517	1	2.50
48	CONV.	left (7/8 wide x 55 15/32 long)	4162518	1	2.50
48	1007	right (1 1/8 wide x 53 29/32 long)	4162521	1	2.75
48	1007	left (1 1/8 wide x 53 29/32 long)	4162522	1	2.75
48	1011-1211	right (1 1/8 wide x 78 27/32 long)	4162509	1	3.40
48	1011-1211	left (1 1/8 wide x 78 27/32 long)	4162510	1	3.40
48	1019-1219	right (1 1/8 wide x 60 long)	4162511	1	2.90
48	1019-1219	left (1 1/8 wide x 60 long)	4162512	1	2.90
48	1069	right (1 1/8 wide x 47 long)	4162513	1	2.75
48	1069	left (1 1/8 wide x 47 long)	4162514	1	2.75
49-52	1069-1269	right (1 1/8 wide x 44 long) (w/esch.)	4561872	1	3.55
49-52	1069-1269	left (1 1/8 wide x 44 long)	4561873	1	3.20
49-52	CPES.	right (1 1/8 wide x 63 3/4 long) (w/esch)	4561955	1	5.10
49-52	CPES.	left (1 1/8 wide x 63 3/4 long)	4561956	1	4.75
49-52	1011-1211	right (1 1/8 wide x 74 long) (w/esch.)	4562043	1	5.40
49-52	1011-1211	left (1 1/8 wide x 73 5/8 long)	4562044	1	5.10
49-52	1007-1207	right (1 1/8 wide x 49 1/4 long)	4563260	1	4.30
49-52	1007-1207	left (1 1/8 wide x 49 1/4 long)	4563261	1	4.30
49-51	1008-1208	right (1 1/8 wide x 19 3/16 long)	4562911	1	3.20
49-51	1008-1208	left (1 1/8 wide x 19 3/16 long)	4562912	1	3.20
49-52	CONV., BEL AIR	right (1 1/8 wide x 68 long)	4579792	1	4.80
49-52	CONV., BEL AIR	left (1 1/8 wide x 68 long)	4579793	1	4.80
49-52	SDL.	right (1 1/8 wide x 82 7/8 long)	4563212	1	5.10
49-52	SDL.	left (1 1/8 wide x 82 7/8 long)	4563213	1	5.10
53-54	1011-1211	right	4597197	1	5.40
53-54	1011-1211	left	4597198	1	5.10
53	1027-1227-27B	right	4596789	1	5.10
53	1027-1227-27B	left	4596790	1	4.75
53-54	1069-1269-69W	right	4597201	1	3.65
53-54	1069-1269-69W	left	4597202	1	3.20
53-54	CONV.	right	4599593	1	5.10
53-54	CONV.	left	4599594	1	4.75
53-54	SPT. CPE.	right	4600270	1	5.10
53-54	SPT. CPE.	left	4600271	1	4.80
53-54	STA. WAG.	right	4600536	1	3.65
53-54	STA. WAG.	left	4600537	1	3.65
53-54	SDL.	right	4600856	1	5.10
53-54	SDL.	left	4600857	1	5.10
55-57	CONV.	right, w/retainer (pinchweld finish 54 lg.)	4649652	1	12.70
55-57	CONV.	left, w/retainer (pinchweld finish 54 lg.)	4649653	1	12.15

BELT MOULDING RETAINER

41	Ser. 1000	right or left (1/2 wide x 31 3/32 lg., stmpd. H77058)	4116276	2	(12.121)
41-46	PASS.(exc. STA. WAG.)	right, lower (15/16 wide x 59 5/8 long)	4116287	1	1.05
41-46	PASS.(exc. STA. WAG.)	left, lower (15/16 wide x 59 5/8 long)	4116288	1	1.05
42-46	Ser. 1000 (exc. STA. WAG.),				
47	PASS. (exc. STA. WAG., SDL.)	right, upper (9/16 wide x 43 11/32 long)	4125725	1	.95
42-46	Ser. 1000 (exc. STA. WAG.),				
47	PASS. (exc. STA. WAG., SDL.)	left, upper (9/16 wide x 43 11/32 long)	4125726	1	.95
48	1011-69-1211	right (1 wide x 41 5/8 long)	4162561	1	.73
48	1011-69-1211	left (1 wide x 41 5/8 long)	4162562	1	.73
48	1007	right (1 wide x 43 3/8 long)	4162563	1	.73
48	1007	left (1 wide x 43 3/8 long)	4162564	1	.73
48	1019-27-1219-27-27B	right and left (1 wide x 28 13/16 long)	4162571	2	.65
48	CONV.	(3/4 wide x 34 3/4 long)	4162573	2	(12.121)
49-52	1007-1207	right and left (1 wide x 32 13/16 long)	4562958	1	.60

49-52	CPES	right (1 wide x 24 3/4 long)	4562920	1	.55
49-52	CPES	left (1 wide x 24 3/4 long)	4562921	1	.55
49-52	1011-1211	right (1 wide x 35 1/2 long)	4562320	1	.70
49-52	1011-1211	left (1 wide x 35 1/2 long)	4562321	1	.70
49-52	CONV.	right (7/8 wide x 28 long)	4563875	1	.55
49-52	CONV.	left (7/8 wide x 28 long)	4563876	1	.55
49-52	SDL.	right (7/8 wide x 63 7/8 long)	4563047	1	1.05
49-52	SDL.	left (7/8 wide x 63 7/8 long)	4563048	1	1.05
50-51	1008-1208	(1/2 wide x 1 5/8 long)	4576240*	2	.08
50-52	BEL AIR	right (29/32 wide x 18 29/32 long)	4579970	1	.50
50-52	BEL AIR	left (29/32 wide x 18 29/32 long)	4579971	1	.50

*NOTE: Also listed in fender moulding retainer section.

12.116B OUTER PANEL MOULDING

42-46	1011-1211	right, lower (1 5/32 wide x 50 19/32 long)	4125297	1	2.47
42-46	1011-1211	left, lower (1 5/32 wide x 50 19/32 long)	4125298	1	2.47
42-46	1019-1219	right, lower (1 5/32 wide x 31 5/16 long)	4125299	1	1.75
42-46	1019-1219	left, lower (1 5/32 wide x 31 5/16 long)	4125300	1	1.75
52	1007-11-27-37-67	side (49 3/4 long)	4614937	2	4.60
52	1069	side (45 3/16 long)	4610265	2	4.25
53-54	1011WD-37D-67D	right, upper front (61 5/8 long)	4603300	1	5.95
53-54	1011WD-37D-67D	left, upper front (61 5/8 long)	4603301	1	5.95
53-54	1011WD-37D-67D	right, lower front (59 3/4 long)	4603302	1	5.95
53-54	1011WD-37D-67D	left, lower front (59 3/4 long)	4603303	1	5.95
53-54	1062D-69WD	right, upper front (34 7/8 long)	4603304	1	4.25
53-54	1062D-69WD	left, upper front (34 7/8 long)	4603305	1	4.25
53-54	1069WD	right, lower front (with bolt)	4603607	1	4.60
53-54	1069WD	left, lower front (with bolt)	4603608	1	4.60
53-54	BEL AIR	rear ("V" shape)	4606007	2	3.35
53-54	1011W-11WA-27-37-67	right, (72 11/16 long)	4603308	1	5.60
53-54	1011W-11WA-27-37-67	left, (72 11/16 long)	4603309	1	5.60
53-54	1069W-62-62D-62F	right, (1 3/16 wide x 45 15/16 long)	4603306	1	4.25
53-54	1069W-62-62D-62F	left, (1 3/16 wide x 45 15/16 long)	4603307	1	4.25
53-54	1011W-11WA-27-37-62D-62F-67-69W	right, lower (8 long)	4603568	1	2.00
53-54	1011W-11WA-27-37-62D-62F-67-69W	left, lower (8 long)	4603569	1	2.00
55	1011-37-63F (exc. 11D)	right, lower (75 5/16 long)	4647923	1	8.40
55	1011-37-63F (exc. 11D)	left, lower (75 5/16 long)	4647924	1	8.40
55	1011D-37D-67D	right, lower (75 3/8 long)	4648011	1	11.00
55	1011D-37D-67D	left, lower (75 3/8 long)	4648012	1	11.00
55	1019D-62DF	right, lower (50 5/16 long)	4648013	1	8.20
55	1019D-62DF	left, lower (50 5/16 long)	4648014	1	8.20
55	1019-62F (exc. 19D)	right, lower (50 1/4 long)	4647925	1	6.50
55	1019-62F (exc. 19D)	left, lower (50 1/4 long)	4647926	1	6.50
55	1011	right, rear (diagonal 15 dev. length)	4648029	1	3.65
55	1011	left, rear (diagonal 15 dev. length)	4648030	1	3.65
55	1063F	right, diagonal (6 3/4 wide x 5 5/8 long)	4649220	1	(12.114)
55	1063F	left, diagonal (6 3/4 wide x 5 5/8 long)	4649221	1	(12.114)
55	CONV., SPT. CPE.	right, diagonal (13 dev. length)	4648031	1	3.65
55	CONV., SPT. CPE.	left, diagonal (13 dev. length)	4648032	1	3.65
56	1011-37-63F (exc. 11D)	right, lower	4670416	1	12.70
56	1011-37-63F (exc. 11D)	left, lower	4670417	1	12.70
56	1011D-37D-64-67D	right, lower	4670420	1	12.15
56	1011D-37D-64-67D	left, lower	4670421	1	12.15
56	1019-62F-62FC (exc. 19D)	right, lower	4670418	1	8.10
56	1019-62F-62FC (exc. 19D)	left, lower	4670419	1	8.10
56	1019D-62DF	right, lower	4670422	1	7.85
56	1019D-62DF	left, lower	4670423	1	7.85
56	Ser. 1200 (exc. 1219)	right, lower	4686431	1	2.20
56	Ser. 1200 (exc. 1219)	left, lower	4686432	1	2.20
56	1039	right, lower	4676809	1	7.50
56	1039	left, lower	4676810	1	7.50
56	1039D	right, lower	4670424	1	7.05
56	1039D	left, lower	4670425	1	7.05
56	1011-1211 (exc. 1011D)	right, diagonal (11 1/4 long)	4670919	1	(12.114)
56	1011-1211 (exc. 1011D)	left, diagonal (11 1/4 long)	4670920	1	(12.114)
56	1011D	right, diagonal (20 1/2 dev. length)	4670823	1	3.55

56	1011D	left, diagonal (20½ dev. length)	4670824	1	3.55
56	1037	right, diagonal (15¼ dev. length)	4676854	1	(12.114)
56	1037	left, diagonal (15¼ dev. length)	4676855	1	(12.114)
56	1037D-67D	right, diagonal (9⅜ long)	4671207	1	3.55
56	1037D-67D	left, diagonal (9⅜ long)	4671208	1	3.55
56	1063F	right, diagonal (12½ long)	4670921	1	(12.114)
56	1063F	left, diagonal (12½ long)	4670922	1	(12.114)
56	1064	right, diagonal (15 dev. length)	4671570	1	4.35
56	1064	left, diagonal (15 dev. length)	4671571	1	4.35
56	1064	right, diagonal filler (chrome w/2 tabs)	4671567	1	2.15
56	1064	left, diagonal filler (chrome w/2 tabs)	4671568	1	2.15
57	Ser. 1200 (exc. 1219)	right	4693777	1	8.40
57	Ser. 1200 (exc. 1219)	left	4693778	1	8.40
57	1219	right	4693785	1	6.50
57	1219	left	4693786	1	6.50
57	Ser. 1000 2 DR.	right, lower	4689237	1	12.15
57	Ser. 1000 2 DR.	left, lower	4689238	1	12.15
57	Ser. 1000 4-DR. (exc. SPT. SED.)	right, lower	4689241	1	7.85
57	Ser. 1000 4-DR. (exc. SPT. SED.)	left, lower	4689242	1	7.85
57	SPT. SED.	right, lower	4689251	1	7.05
57	SPT. SED.	left, lower	4689252	1	7.05
57	Ser. 1000 2 DR.	right, upper front	4689100	1	2.55
57	Ser. 1000 2 DR.	left, upper front	4689101	1	2.55
57	Ser. 1000 2 DR.	right, upper rear	4689102	1	4.10
57	Ser. 1000 2 DR.	left, upper rear	4689103	1	4.10
57	1019-62	right, upper	4689239	1	4.10
57	1019-62	left, upper	4689240	1	4.10
57	SPT. SED.	right, upper	4689249	1	3.65
57	SPT. SED.	left, upper	4689250	1	3.65
57	1211	right, diagonal	4693779	1	4.20
57	1211	left, diagonal	4693780	1	4.20
57	1263F	right, diagonal	4693781	1	4.35
57	1263F	left, diagonal	4693782	1	4.35
57	BEL AIR 2 DR.	right, insert	4689104	1	19.80
57	BEL AIR 2 DR.	left, insert	4689105	1	19.80
57	1019D-62DF	right, insert	4689243	1	17.50
57	1019D-62DF	left, insert	4689244	1	17.50
57	1039D	right, insert	4689253	1	16.40
57	1039D	left, insert	4689254	1	16.40
54	1011WD-37D-67D	NUT, rear fender lower front mldg.,			
55	1011-19D-37-37D-67D	rear dr. and fender diagonal mldg.,			
55	Ser. 1000 (exc. 1064-67D)	rear fender lower mldg.,			
55	1011-63F (exc. 11D)	dr. outer panel lower mldg.,			
55	1011D-19D-67D	dr. outer panel lower rear mldg. front,			
55	1011D-37D	rear dr. outer panel lwr. mldg. rear,			
55	1019D	rear dr. outer panel lwr. mldg.	4646559	A.R.	.15

FENDER SECTION MOULDING RETAINER

49-50	PASS.,				
51-52	STA. WAG., SDL.	crown, right (frt. on 4-DR., ctr. on 2-DR.)	4561883	1	.90
49-50	PASS.,				
51-52	STA. WAG., SDL.	crown, left (frt. on 4-DR., ctr. on 2-DR.)	4561884	1	.90
49-50	2-DR.,				
51-52	SDL.	crown, w/bolt, front (½ x 2)	4568466	2	.20
52	1069	side, front (½ wide x 1⅝ long)	4576240*	2	.10
52	1007-11-27-37-67	CLIP, front (⅜ x 1⅝)	4562227	2	(12.118)
49-50	2-DR.,				
51-52	SDL.	CLIP	4570408	12	(12.118)

*NOTE: Also listed in belt moulding retainer section.

12.116C EMBLEM—ORNAMENT—PLATE—WASHER—CLIP

52	1007-11-27-37-67	right—"DELUXE"	4610435	1	(12.114)
52	1007-11-27-37-67	left—"DELUXE"	4610436	1	(12.114)
55	PASS., 8 cyl.	left rear (V-shape) (chrome)	3711035	1	.65
55	PASS., 8 cyl.	right rear (V-shape) (chrome)	3711036	1	.65
55-56	BEL AIR	(1⅛ wide x 3¼ long)	3725209	2	1.65

56	1064 8 cyl.	right (V-shape—chrome)	3724044	1	2.20
56	1064 8 cyl.	left (V-shape—chrome)	3724043	1	2.20
57	BEL AIR		4692819	2	1.65
55	1011D-19D-37-37D-67D	ORNAMENT, right rear (2⅝ x 5 15/16—8 ribs)	4660142	1	3.55
55	1011D-19D-37-37D-67D	ORNAMENT, left rear (2⅝ x 5 15/16—8 ribs)	4660143	1	3.55
56	BEL AIR	ORNAMENT (Bel Air) (Script)	3725207	1	1.50
57	BEL AIR	ORNAMENT (Bel Air)	4692821	2	1.95
56	PASS. (exc. B-A)	PLATE, rear fender (Chevrolet)	3710488	2	(8.147)
57	Ser. 1000 (exc. Bel Air)	PLATE (Chevrolet) (chrome)	3733212	2	(8.055)
49-50	2-DR.,				
51-52	SDL.,				
53-54	Ser. 1000	WASHER (rubber) (3/16 I.D. x 1 O.D.)	4563822	10	(11.030)
49-50	2-DR.,				
51-52	SDL.,				
53-54	Ser. 1000	WASHER (internal tooth lock) (¼ I.D. x 1 O.D.)	4563821	10	(11.030)
55	1011D-19D-37-37D-67D	CLIP, w/bolt, rr. fender rr. ornament (5/8 x 2 7/16)	4660735	4	.15

12.116D FENDER SHIELD

49-50	1007-11-27-37-67	right (metal)	4561729	1	8.85
49-50	1007-11-27-37-67	left (metal)	4561730	1	8.85
49-50	1207-11-27-27B,				
49-52	SDL	right (rubber)	4561819	1	5.35
49-50	1207-11-27-27B,				
49-52	SDL	left (rubber)	4561820	1	5.35
49-50	1207-11-27-27B,				
49-52	SDL	right, front extension (rubber) (on rocker)	4566886	1	(12.114)
49-50	1207-11-27-27B,				
49-52	SDL	left, front extension (rubber) (on rocker)	4566887	1	(12.114)
49-50	1007-11-27-37-67	right, front extension (metal) (on rocker)	4567431	1	(12.114)
49-50	1007-11-27-37-67	left, front extension (metal) (on rocker)	4567432	1	(12.114)
51-52	1007-11-27-37-67	right (metal)	4589001	1	10.75
51-52	1007-11-27-37-67	left (metal)	4589002	1	10.75
51-52	1207-11-27-27B	right (rubber)	4589005	1	5.35
51-52	1207-11-27-27B	left (rubber)	4589006	1	5.35
52	1007-11-27-37-67	right, upper (metal)	4610633	1	4.00
52	1007-11-27-37-67	left, upper (metal)	4610634	1	4.00
53-54	Ser. 1000 2-DR.	right	4603388	1	10.75
53-54	Ser. 1000 2-DR.	left	4603389	1	10.75
53-54	1211-27-27B-71	right (rubber)	4605178	1	5.35
53-54	1211-27-27B-71	left (rubber)	4605179	1	5.35

FENDER SECTION SHIELD CLIP ASSY.

49-50	1007-11-27-37-67		4563308	12	(12.118)

12.116E CROWN MOULDING, Fender

49-50	PASS. (exc. 4-DR.),				
51-52	SDL	right, rear, crown	4561542	1	4.70
49-50	PASS. (exc. 4-DR.),				
51-52	SDL	left, rear, crown	4561543	1	4.70
49-50	4-DR.,				
51-52	STA. WAG.	right, crown	4561544	1	3.20
49-50	4-DR.,				
51-52	STA. WAG.	left, crown	4561545	1	3.20
49-50	PASS. (exc. 4-DR.),				
51-52	SDL	right, front, crown	4568119	1	2.00
49-50	PASS. (exc. 4-DR.),				
51-52	SDL	left, front, crown	4568120	1	2.00
51	Ser. 1000 (exc. STA. WAG.)	crown	3695257	2	3.55

MOULDING—CLIP, Corvette, Body Rear Side

57	PASS. (exc. BEL AIR)	horizontal	4687681	2	4.40
57	BEL AIR (exc. STA. WAG.)	right, horizontal	4687682	1	10.75
57	BEL AIR (exc. STA. WAG.)	left, horizontal	4687683	1	10.75
57	1062DF-64	horizontal	4688719	2	10.10
57	PASS.	right, vertical	4692713	1	7.65
57	PASS.	left, vertical	4692714	1	5.60
53-55	CORV.	right	3706388	1	2.10

53-55	CORV.	left	3706387	1	2.10
53-55	CORV.	CLIP, front and rear	3706833	A.R.	.25


12.118 ATTACHING PARTS, Door and Quarter Mouldings

12.118A Belt Mouldings


40	Ser. 1000	CLIP	4089649	A.R.	.05
41-46	PASS. (exc. STA. WAG.)	CLIP, lwr. belt mldg. (Not used on ctr. pillar)	4099225	A.R.	.05
41-48	1011-19-27-27B	CLIP, upper belt moulding (for oblong holes)	4114230	A.R.	(10.708)
41-48	PASS. (exc. STA. WAG.)	CLIP, upper belt moulding (for round holes)	4114324	A.R.	(10.708)
42-46	Ser. 1000,				
47	PASS. (exc. CONV., STA. WAG., SDL.)	CLIP, upper belt moulding	4659859	A.R.	.08
48	PASS. (exc. CONV., STA. WAG., SDL.)	CLIP, belt moulding to panel	4162580	A.R.	.05
49-52	PASS. (exc. STA. WAG.)	CLIP, door belt moulding	4562113	A.R.	.05
49-52	1062	CLIP, door belt moulding	4562228*	A.R.	.10
53-54	PASS.	CLIP, door belt mldg.	4585973	A.R.	.05
53-54	Ser. 1000	CLIP, door belt mldg.	4599135	A.R.	.05
53-55	CORVETTE	CLIP, side door belt mldg.	4574742*	A.R.	.15
50-52	BEL AIR	CLIP, rr. qtr. bolt—rear (1 x 1 w/bolt)	4580065	10	.10
50-52	BEL AIR	CLIP, rr. qtr. belt—side (1 x $^{23}/_{32}$)	4580172	2	.05
50-52	BEL AIR	CLIP, rr. qtr. belt—center (1 x 3 w/bolt)	4581511	1	.10
53-54	1011-1211, STA. WAG.	CLIP, qtr. belt mldg.,			
53-54	PASS. (exc. 1069-1269-69W)	qtr. belt mldg.,			
53-54	STA. WAG.	tail gate belt mldg.,			
53-54	SDL.	bk. dr. belt	4637242	A.R.	.08
53-54	PASS.	CLIP, dr. belt mldg.	4585973	A.R.	.05
53-54	SDL.	CLIP, rr. qtr. belt mldg.	4599499	A.R.	.04
53-54	1011-37D-69	CLIP and bolt, rr. qtr. belt mldg.	4633831	6	.08
53-54	CONV.	CLIP, qtr. belt mldg. spacing	4614521	14	.10
53-54	STA. WAG.	CLIP, tail gate belt mldg. end	4626199	2	.10
40-48	PASS. (exc. STA. WAG.)	BOLT, rr. qtr. belt mldg. (12—24 x $^{7}/_{8}$ bind. hd.)	431516	A.R.	.05
49-52	CONV.	BOLT, rr. qtr. belt mldg. w/ret. (1 wide x $^{3}/_{4}$ lg.)	4574443	A.R.	.10
49-52	CONV.	BOLT, rr. qtr. belt mldg. ctr., w/ret. (1 wide x 3 lg.)	4574444	1	.30
49-52	FLEETLINE	BOLT, w/clip, rr. qtr. belt mldg.	4595000	2	.08
41-46	PASS. (exc. STA. WAG.)	SCREW, belt mldg., lwr.—cowl (10—2 sht. metal w/$^{1}/_{2}$ washer hd.)	4116816	A.R.	.05
42-48	PASS. (exc. STA. WAG.)	WASHER, (rbr.) rr. qtr. belt mldg.,			
54	PASS. (exc. CONV.)	rr. qtr. belt mldg.	4635942*	A.R.	.08
49	PASS. (exc. 1008-61-62-67-1208)	WASHER, rr. qtr. belt mldg. retainer ($^{3}/_{4}$ x $^{3}/_{4}$)	4569392	A.R.	.03
53	SPT. CPE., SDL.	WASHER, (rbr.) rr. qtr. belt mldg.	4590967	A.R.	.07
53-57	CORVETTE	CLIP, side dr. belt mldg. (2) fldg. top compt. lid outer mldg. (8)	3706550	A.R.	.10

12.118B Front Door Outer Panel Moulding

49-51	Ser. 1000,				
52	Ser. 1000 (exc. 4-DR.)	CLIP, lower mldg. ($^{1}/_{2}$ x $^{3}/_{4}$ washer and clip w/bolt)	4562227	A.R.	.10
51-52	Ser. 1000	CLIP ($^{9}/_{16}$ x $1\,^{1}/_{8}$ washer and clip w/bolt)	4562228*	A.R.	.10
52	Ser. 1000	CLIP, lwr. mldg., front,			
52	1062-69	front door, rear,			
55	1011D-19D-37D-62DF-67D	lwr. mldg., front	4609428*	A.R.	.10
52	Ser. 1000	CLIP, lwr. mldg., ctr.	4609429*	A.R.	.10
53-54	1069WD	CLIP, center pillar lwr. reveal mldg.	4605469	2	.05
55	1011-19-62F-63F (exc. 11D)	CLIP, door panel lwr. mldg., rear	4648279*	2	.15
55	1011-37-63F (exc. 11D)	CLIP, dr. otr. panel lwr. mldg.	4620432*	A.R.	.15
55	1011D-37D-67D	CLIP, dr. lwr. rr. mldg., front	4647981*	A.R.	.15
55	1011-37D-67D	CLIP, dr. pnl. lwr. mldg. rr. ($^{3}/_{4}$ x $2\,^{1}/_{16}$—10—24 thd.)	4648278	2	.15
55-57	1019-1219	CLIP, w/bolt, ctr. pillar outer pnl. upr. filler	4646341	2	.15
55-56	1019D-62F	CLIP, ctr. pillar upr. reveal	4643486	2	.15
55	1011D-19-37D-62DF-67D	CLIP, lwr. mldg. frt.	4664269	16	.15
55-57	1064	CLIP, lwr. mldg.	4595034	A.R.	.08
56	1011D-37D-39D-64-67D	CLIP, frt. dr. outer pnl. mldg. frt. and rr.,			
56	1019D-62DF	frt. dr. outer pnl. mldg. front,			
		frt. dr. outer pnl. lwr. mldg. rr.	4653662*	8	.15



4603661




4603364



4603596



4603676



4607720



4581511



4570408



4580065



4580172



4114324




4114230




4089649



4627285



4614521



4574742



4591309




4626199



4585973



4605469



4620432



4562228



4563308



4562113



4099225



4595034




4162580



4562227



4610428



4637277



4628729



4601265




4637242




4590967



4635615



4610427



4588153



4633833



4638021



4114412



4588152

4654206

4610324

4609428

4633831

4648278

4648279

4648280

4648746

4653662

4576432

4599135

4635942

4664269

4646341

4670172

4647981

4643486

4609429

4650634

56	1011-19-37-39-62FC-63F (exc. 11D-19D)	CLIP, front dr. outer pnl. lwr. mldg., center (3/8 high x 1 long)			
57	Ser. 1200	rr. fender lwr. mldg. frt. and ctr., rr. dr. outer pnl. lwr. mldg. ctr.	4670395	12	.08
56	BEL AIR	CLIP, front door outer pnl. center (3/8 high)	4667804	24	.08
56	1011-37-63F-1211-63F-71 (exc. 11D)	CLIP, door outer pnl. lwr. mldg. front and rear,			
56	1019-39-62F-62FC-1219	front door outer pnl. lwr. mldg. front and rear	4672948*	4	.15
56	1019D-62DF	CLIP, rear	4673416	4	.15
56	1019D-62DF	CLIP, frt. dr. outer pnl. upr. mldg. rr.	4672958*	2	.08
57	Ser. 1000	CLIP, center	4667548	A.R.	.05

12.118C Rear Door and Quarter Moulding

53	1011W-37-67	rear fender mldg. rear,			
53	BEL AIR	rear fender mldg.,			
53	1011WD	qtr. window frt. header mldg. rear,			
53	1069W	rear fender lower mldg.,			
53	1069WD	rear door upper mldg. rear	4562228*	A.R.	.10
49-50	1008-61-62-69,				
51-52	1062	CLIP, w/bolt rear door fender shield 9/16 x 13/16)	4563308	12	.10
49-50	1008-61-62-69-1208-69,				
51-52	1062-1271	CLIP, rear door fender crown mldg.	4570408	12	.20
51-52	Ser. 1000 (exc. STA. WAG.),				
53-54	Ser. 1000	CLIP, w/bolt, rear fender shield	4588152	8	.08
51-52	Ser. 1000 (exc. STA. WAG.)	CLIP, w/bolt, rr. fender and rr. dr. shield (1 x 2 3/8)	4588153	4	.10
52	1062-69	CLIP, rear door (23/32 x 1 x 1)	4609429*	A.R.	.10
52	Ser. 1000 (exc. STA. WAG.)	CLIP, w/bolt, rr. fender and dr. upr. shield frt. (12—24 bolt w/washer)	4610324	6	.15
52	1007-11-27-37-67	CLIP, w/bolt, rr. fender upr. shield rr. (washer 1 1/4 x 2 27/32)	4610427	2	.15
52	1069	CLIP, rr. dr. upr. shield rr. (w/pointed press. washer)	4610428	2	.10
52	CONV	CLIP, qtr. upr. crease mldg. spacing (1/4 hole)	4614465	10	.15
53-54	1069WD	CLIP, quarter outer panel upper mldg. front	4630066	2	.08
53-54	1062-62D-62F-69	CLIP, rear door upper moulding	4603364	2	.10
53-54	1062-62D-62F-69	CLIP, rear door upper moulding front and rear	4607720	A.R.	.10
53	Ser. 1000 2-DR	CLIP, rear fender lwr. mldg. front,			
53-54	1062F-69WD	rear dr. mldg. and upr. mldg. front,			
53	STA. WAG.	rear dr. upr. mldg.	4574742	A.R.	.15
53	1069WD,				
54	1062D	CLIP, rear dr. outer panel lwr. mldg.	4627285	2	.15
53-54	1011WD-37D-67D	CLIP, rear fender upper moulding front	4603596	2	.05
53	BEL AIR	CLIP, rear fender moulding upper front center,			
53	Ser. 1000 (exc. B-A)	rear fender moulding center	4603676	6	.08
53-54	1011WD-62-62D-62F-69	CLIP, rear fender moulding front,			
53-54	1011W-69	rear fender upper moulding front	4601265	2	.08
53-54	1062-62D-62F-69	CLIP, rear door fender shield rear	4632978	2	.10
53-54	BEL AIR	CLIP, rr. fender or dr. upr. shield (1 1/4 x 5 5/8 w/2 bolts No. 12—24)	4603661	2	.30
54	Ser. 1000	CLIP, rear fdr. mldg. upper front center			
54	1011W-11WA-62F-69W	rear fdr. mldg. center	4638021	A.R.	.05
54	1011	CLIP, rear fender moulding front,			
54	1011D-37D-67D	rear fender lower and upper front mldg.,			
54	1019-1062	rear door upper mldg. center,			
54	1019D	rear door lower mldg. center,			
55-57	Ser. 1000	rear fender lower mldg.	4637277	A.R.	.15
55	1011-19-37-37D-67D,				
55-56	1019,	CLIP, rear door diagonal mldg.,			
56	PASS. (exc. SDL.),				
57	1211-19-63F	rear fender mldg.	4648746	A.R.	.15
55	1011-19-37-62F-63F (exc. 11D-19D)	CLIP, rr. dr. lwr. mldg., rr. (3/4 x 1 1/2—10—24 thd.),			
55	1019-62	rr. dr. otr. panel lwr. mldg., frt.	4648279*	2	.15
55	1011-19-37-62F-63F (exc. 11D)	CLIP, rear fender lower mldg.,			
55	PASS.	rear fender lower mldg. front,			
55	1019-62F	rr. door lower mldg. rear,			
55	1019D-62F	rr. door outer panel lower mldg. center	4620432*	A.R.	.15

55	BEL AIR (exc. STA. WAG.)	CLIP, rear fender lower mldg.,			
55	1019D-62DF	rr. door lower mldg.,			
55	1019D-62F	rr. door outer panel lower mldg. center	4647981*	A.R.	.15
55	1019D-62DF	CLIP, rr. dr. lwr. mldg. rr. (¾ x 1 3/16—10—24 thd.)	4648280	2	.15
55-56	CONV	CLIP, rr. quarter mldg. (pinchweld)	4654206	20	.05
55	1062-63F	CLIP, rear fender diagonal mldg.,			
55	1062F	rear door diagonal mldg.	4650634	2	.35
56	1019-39D-62DF,				
56	1219,				
56	1064D,	CLIP, rr. dr. diagonal mldg., ctr. rr. dr. outer			
57	Ser. 1200, BEL AIR	panel lwr. mldg., rr. fender diagonal mldg.	4673604	6	.15
56	1019D-62DF	CLIP, rr. dr. outer pnl. lwr. mldg. rr.,			
		rr. dr. outer pnl. lwr. mldg. frt.,			
		rr. dr. diagonal mldg. frt. (13/64 dia. hole w/tapped thrds. No. 8-32)	4653662*	8	.15
56	Ser. 1000	CLIP, rear fender lower mldg., center,			
56	1211-63F-71	rear quarter lower mldg., rear	4673700	A.R.	.15
56	Ser. 1000	CLIP, rear fender lower mldg., rear	4676189	2	.15
56	1019-39-62FC-1219	CLIP, rear door outer pnl. lwr. mldg. front			
57	PASS.	(1⅛ wide w/slot)	4672948*	4	.15
56	1019-39-62F-62DF (exc. 19D)	CLIP, rear door outer pnl. lwr. mldg. center	4674640	10	.15
56	1019-39-62F-62FC (exc. 19D)	CLIP, rear door outer pnl. lwr. mldg. rear (1⅜			
57	1019-39-62 (exc. 19D)	wide w/slot)	4686779	2	.15
56	1019D-39D-62DF	CLIP, rear door outer pnl. lwr. mldg. rear			
		(1 wide w/slot)	4673095	2	.15
56	1019D-39D-62DF	CLIP, rear door outer pnl. lwr. mldg. center	4670172	10	.15
56	1039D	rear door outer pnl. lwr. mldg. front, rear			
		door outer pnl. diagonal mldg. front			
		(⅞ x 1)	4673416	4	.15
56	1039D	CLIP, rr. dr. outer panel lwr. mldg.,			
56	SPT. SED,				
57	1019-62	rr. dr. outer panel diagonal mldg. frt.	4672958*	2	.08
56	1039	CLIP, rear door outer pnl. lwr. mldg. front	4677145	2	.15
53-57	CORVETTE	CLIP, fldg. top compt. lid outer mldg. clip			
		pressure washer	4603364	8	.10
57	Ser. 1000 4 DR.	CLIP, center, lower mldg.	4689331	A.R.	.15
57	BEL AIR 4 DR.	CLIP, rear, upper mldg.	4695923	A.R.	.08
57	Ser. 1000, 2-DR.	CLIP, joint retainer, upper mldg.	4695922	2	.15
57	1019-62DF	CLIP, front, upper mldg.	4698322	2	.15
57	1039D	CLIP, front, upper mldg.,			
57	Ser. 1200	rear	1165051	A.R.	.15
57	BEL AIR	CLIP, center, upper mldg.	4695924	18	.15
57	Ser. 1000	CLIP, rear, upper mldg.	4695923	4	.08
57	PASS.	CLIP, crown moulding,			
57	1062DF	crown moulding, rear	4697443	A.R.	.05
57	1062DF	CLIP, crown moulding, front	4697635	10	.03
49-52	1008-69	BOLT, w/clip ctr. pillar upr. reveal mldg.			
		(10—24 x 1⅞ lg.)	4601972	2	.20
53-54	Ser. 1000 (exc. B-A),	BOLT, rear fender moulding (No. 10—24),			
57	CORVETTE	fldg. top rr. bow lock assy.	4628748	2	.05
56-57	CORVETTE	BOLT ASSY., upr., lwr., end mldg.	3730104	A.R.	(8.133)
55	PASS. 8 cyl.	NUT, rear fender emblem (3/16)	3712372	A.R.	(8.056)
55-56	PASS.	NUT (used w/mldg. clip requiring nut)	4644959	A.R.	(12.110)
49-50	4 DR.,				
51-52	1062	RETAINER, rear dr. fender crown mldg.	4569537	2	.03
40	Ser. 1000	WASHER, rubber (used as seal around bolt			
41	PASS.	next to outside body panel)	3685793	2	.10
49-52	PASS. (exc. STA. WAG.)	WASHER, door and fender mldg.,			
54	1011WD	quarter window front header mldg. rear,			
54	1062D	rear quarter outer panel upper mldg.,			
54	1062D	rear fender lower front mldg.,			
54	1069WD	rear quarter outer upper mldg.,			
54	1069WD	rear fender lower front mldg.,			
55	1011	rear quarter window stop	4635942*	A.R.	.08

42-48	PASS. (exc. STA. WAG.)	WASHER, rear quarter belt mldg.,			
49-52	PASS. (exc. STA. WAG.)	dr. and fender mldg. (use w/431535)	4574232	A.R.	.05
51-52	CONV.	WASHER, rear qtr. crease mldg.	4583676	A.R.	.05
53-54	1011W-11WA-27-69W	WASHER (rubber), qtr. window rr. reveal mldg.,			
53	1069	rear fender moulding,			
53-54	1011	rear quarter header moulding,			
53	1069WD	rear quarter side outer moulding	4591309	2	.10
	Not required in this group. See groups 8.133—8.204		4114412	A.R.	.05

*NOTE: These part numbers are applicable to Gps. 12.118A-B-C and appear in the various Gps. where usage applies.

12.120 MOULDING, Back Door Belt

49-52	SDL.		4562261	1	1.80
53-54	SDL.		4631552	1	1.80

12.121 MOULDING—RETAINER—BOLT, Rear End Belt

42-47	1027-27B-67		4125284	1	1.37
48	CPES.	(1⅛ wide x 28 27/32 long)	4162519	1	1.80
48	CONV.	(⅞ wide x 28 27/32 long)	4162520	1	1 42
53-54	STA. WAG.	tail gate belt (50½ long)	4600074	1	2.85
41	1027-27B-67-69	RETAINER (½ wide x 31 3/32 lg., stamped H77058)	4116276	1	1.10
42-47	1011-19-27-27B-69,				
46-47	1227-27B,				
47	1211-19	RETAINER (9/16 x 43 11/32)	4125725	1	(12.116)
48	1011-19-1211-19	RETAINER (1 wide x 28 13/16 long	4162571	1	(12.116)
48	CPES.	RETAINER (1 wide x 28 13/16 long)	4162572	1	.50
48	CONV.	RETAINER (¾ wide x 34¾ long)	4162573	1	.50
49	STYLELINE (exc. STA. WAG., SDL.),				
50-52	PASS. (exc. CONV., B-A, STA. WAG.),				
53-54	PASS. (exc. CONV.)	BOLT, w/clip, mldg. ret.	4633833	A.R.	(12.118)

MOULDING—SPRING—BRACKET—BRACE, Corvette Body Rear Panel

53-54	CORV. (1st type)	right, top, with flipper	4154394	1	7.35
53-54	CORV. (1st type)	left, top, with flipper	4154395	1	7.35
54-55	CORV. (2nd type)	right, top	3710740	1	3.50
54-55	CORV. (2nd type)	left, top	3710739	1	3.50
56-57	CORV.	left	3726875	1	4.15
56-57	CORV.	right	3726876	1	4.15
53-54	CORV.	SPRING, top moulding (use w/4154394)	4155144	1	.45
53-54	CORV.	SPRING, top moulding (use w/4154395)	4155145	1	.45
54-55	CORV.	BRACKET, right, top moulding	3710744	1	.95
54-55	CORV.	BRACKET, left, top moulding	3710743	1	.95
54-55	CORV.	BRACE (plastic laminate)	3710735	1	1.95
56-57	CORV.	STUD (5/16—18 x ⅞)	3726873	2	.25
56-57	CORV.	SCREW, roof panel	3727973	3	.25
56-57	CORV.	NUT, body rear upper (5/16—18)	3729392	2	.15

12.170 LID ASSY., Folding Top Compartment

53-55	CORV.	(plastic laminate and steel)	3706475	1	98.50
56	CORV.	(plastic laminate and steel)	3718046	1	98.50
57	CORV.		3736232	1	98.50

12.178 FRAME ASSY., Upper Endgate (less glass and hardware)

49-54	STA. WAG. (exc. 1061)	solid glass type	4562629	1	29.80
55-57	STA. WAG. (exc. 1064)	solid glass type	4650378	1	39.85
55-57	1064	lower inner (die cast)	4675192	1	23.50
55-57	1064	right, side inner (die cast)	4658483	1	5.50
55-57	1064	left, side inner (die cast)	4658484	1	5.50
55-57	1064	outer (chrome)	4658485	1	79.50

12.179 GATE ASSY., Lower End (less hardware)

49-52	1062	(metal) (less transfer)	4190439	1	58.80
53-54	STA. WAG.	less hardware	4191878	1	58.80
55-57	STA. WAG. (exc. 1064)		4210512	1	65.80
55-57	1064		4243778	1	65.80

12.180 GLASS—CHANNEL—MOULDING—SUPPORT—COVER—CLIP, Upper End Gate


49-54	STA. WAG. (exc. 1061)		4566729	1	16.25
55-57	STA. WAG. (exc. 1064)		4649514	1	22.35
55-57	1064		4657775	1	27.75
52-54	STA. WAG. (exc. 1061)	(tinted)	4611371	1	19.82
55-57	STA. WAG. (exc. 1064)	(tinted)	4649515	1	25.25
55-57	1064	(tinted)	4657776	1	30.75
46-54	STA. WAG. (exc. 1061)	CHANNEL, glass	4162630	1	1.85
55-56	STA. WAG. (exc. 1064)	CHANNEL, glass	4650061	1	1.85
55-56	1064	CHANNEL, glass	4661955	1	3.10
49-53	1062	MOULDING, window garnish, grained	4569208	1	10.15
49-53	1062	MOULDING, upr. (3¼ wide x 50 long) grained	4621668	1	14.75
53-54	1062F-1262F	MOULDING, upper, opening finish, painted	4623206	1	10.85
53-54	STA. WAG	MOULDING, r. opg. finish—lwr. (2⅞ x 14⅝) in prime	4615747	1	2.65
53-54	STA. WAG.	MOULDING, l., opg. finish—lwr. (2⅞ x 14⅝) in prime	4615748	1	2.65
53 54	1062F-1262F, 1062D-62F-1262F	MOULDING, window garnish	4639698	1	7.05
55-57	STA. WAG. (exc. 1064)	MOULDING, right, window garnish	4675478	1	5.25
55-57	STA. WAG. (exc. 1064)	MOULDING, left, window garnish	4675479	1	5.25
55-57	STA. WAG. (exc. 1064)	MOULDING, opg. finish—upr. (24 long)	4675032	1	.95
55-57	1062F-62DF-63F	MOULDING, upper (27/32 x 43 long)	4648554	1	2.45
55-57	1062F-62DF-63F	MOULDING, lower (27/32 x 46¼ long)	4648474	1	2.55
55-57	1064	MOULDING, opening finish—upper	4658494	1	22.45
55-57	1064	SUPPORT, opening upper mldg. center	4665970	1	6.75
55-57	1064	SUPPORT, right, opening upper mldg. side	4665975	1	5.50
55-57	1064	SUPPORT, left, opening upper mldg. side	4665976	1	5.50
55-57	1064	COVER, right inner lower frame (19½ lg.)	4675153	1	2.50
55-57	1064	COVER, left inner lower frame (19½ lg.)	4675154	1	2.50
55-56	STA. WAG. (exc. 1064)	CLIP, window glass retainer lwr. (1 x 2)	4665824	2	.10
55-56	STA. WAG. (exc. 1064)	CLIP, window glass retainer upr. (1 x 2)	4665842	2	.10
55-57	1062-63F	CLIP, lower reveal mldg. center	4667442	3	.10
55-57	1062-63F	CLIP, upper reveal mldg. center (3/16 x 5/8)	4667441	A.R.	.10
57	STA. WAG., SDL. (exc. 1064)	CLIP, upper, glass retainer	4711765	2	.10
57	STA. WAG., SDL. (exc. 1064)	CLIP, lower, glass retainer	4711766	2	.10

12.181 LID, Rear Compartment, (less hardware)

41-48	1069		4161992	1	35.55
42-48	1007		4149869	1	44.50
42-48	1011-19-1211-19		4149870	1	36.40
42-48	1027-67-1227-27B		4147955	1	44.50
49-52	1011-69-1211-69		4180870	1	62.45
49-52	FLEETLINE		4180873	1	54.30
49-52	CPES., CONV., B-A		4180876	1	62.45
53-54	1011-69-1211-69-69W		4199992	1	62.45
53 53-54	1227-27B, CONV., SPT. CPE.		4199993	1	62.45
53-55	CORV.	(plastic laminate)	3706498	1	145.00
56-57	CORV.	(plastic laminate)	3724467	1	145.00
55-56	PASS. (exc. STA. WAG.)		4244934	1	62.45
57	PASS.		4259606	1	62.45

PARTS, Corvette License Plate Moisture Absorber

54-55	CORV.	HOUSING (plastic laminate, 6¾ O.L.)	3710055	1	2.25
54-55	CORV.	ABSORBER, moisture	3715926	2	.25
54-55	CORV.	SCREEN, wire mesh (2¼ x 5½)	3710057	1	.25
54-55	CORV.	SEAL, rubber (3½ x 6¾ w/4 holes 3/16)	3710058	1	.25
54-55	CORV.	NUT (9/32 O.L. x ¼ O.D.)	3710011	4	.10


12.181 LID
12.183 WASHER
12.246 HANDLE
12.184 BOX
12.204 PLATE
12.204 PLATE
12.204 GUIDE
12.186 PIN
N.S.S. PART OF
12.187 STRAP
12.187 STRAP
12.269 WEATHERSTRIP
12.242 LOCK
12.237 STRIKER
12.237 PLATE
12.252
SHAFT
12.249
SPRING
12.247
GASKET
12.249
CASE
12.248
CYLINDER
12.249
CAP
12.251 KEY

12.182 EMBLEM—PLATE—MOULDING—ORNAMENT, Rear Compartment Lid

41-48	1007-69	"F"	4129242	1	1.00
41-48	1007-69	"LEETLINE"	4129243	1	1.75
42-48	PASS. (exc. 1007-61-69)	"CHEVROLET"	3664044	1	.85
47-48	1007-69	EMBLEM, trunk (3⅞ wide x 2 11/16 high)	3685099	1	1.40
49	PASS. (exc. STA. WAG.)	EMBLEM (2⅝ wide x 12¾ long)	3688052	1	1.85
49-51	STA. WAG.	EMBLEM, lower end gate (12¾ x 2⅝)	3699038	1	1.85
56	CORV.	EMBLEM, body rear	3725754	1	(8.055)
50	Ser. 1000 w/P.G.	"POWER"	3694841	1	1.60
50	Ser. 1000 w/P.G.	"GLIDE"	3694842	1	1.60
52-54	STA. WAG.	PLATE, "CHEVROLET" (lower end gate)	3697660	1	1.60
54	PASS. (exc. STA. WAG., SDL.)	PLATE, "CHEVROLET"	3707970	1	1.00
54	PASS. (exc. STA. WAG., SDL.)	PLATE, "POWERGLIDE"	3707971	1	1.00
55-56	1064	PLATE, "NOMAD" (gold plated)	3716749	1	1.40
57	PASS. 8 cyl. (exc. BEL AIR)	PLATE ("CHEVROLET"—chrome)	3733212	1	(8.055)
57	BEL AIR 8 cyl. (exc. 1064)	PLATE ("CHEVROLET"—gold)	3733210	1	(8.055)
57	1064	PLATE ("NOMAD"—gold)	3732860	1	2.00
50	PASS. (exc. P.G., STA. WAG.)	MOULDING, right	3693354	1	1.05
50	PASS. (exc. P.G., STA. WAG.)	MOULDING, left	3693353	1	1.05
53-55	CORV.	MOULDING, right, folding top compt. lid	4154396	1	4.50
53-55	CORV.	MOULDING, left, folding top compt. lid	4154397	1	4.50
56-57	CORV.	MOULDING, right, folding top compt. lid	3716308	1	3.60
56-57	CORV.	MOULDING, left, folding top compt. lid	3716307	1	3.60
57	1064 8 cyl.	ORNAMENT, "V"	3732862	1	2.15
54	PASS. (exc. STA. WAG., SDL.)	NUT, rear name plate (spring 3/32)	3708164	4	.05
56	CORV.	BEZEL, body rear emblem	3725755	1	(8.065)
57	1064DF	CLIP, rear tubular spring rr. name plate, body rear "V" emblem assy.	521600	A.R.	.03

NOTE: See group 12.246 for 1951-54 rear compartment lid emblem and handle.

12.184 HINGE—BOX—COVER—PLATE, Rear Compartment Lid

40-41	CONV.				
40-48	CPE.	right	4101842	1	3.15
40-41	CONV.				
40-48	CPE.	left	4101843	1	3.15
42-48	CONV.	right	4147637	1	4.00
42-48	CONV.	left	4147638	1	4.00
53-55	CORV.	right, also fldg. top hinge	4154976	1	34.50
53-55	CORV.	left, also fldg. top hinge	4154977	1	34.50
56	CORV.	right, also fldg. top hinge	3723250	1	34.50
56	CORV.	left, also fldg. top hinge	3723249	1	34.50
57	CORV.	right, also fldg. top hinge	3736228	1	34.50
57	CORV.	left, also fldg. top hinge	3736227	1	34.50
49-52	CPES.	BOX, right	4167937	1	1.77
49-52	CPES.	BOX, left	4167938	1	1.77
49-50	1011-69-1211-69 (1st type)	BOX, right (10 ctr. to ctr. pin holes)	4167929	1	1.77
49-50	1011-69-1211-69 (1st type)	BOX, left (10 ctr. to ctr. pin holes)	4167930	1	1.77
49-52	FLEETLINE	BOX, right	4167934	1	2.00
49-52	FLEETLINE	BOX, left	4167935	1	2.00
50-52	BEL AIR	BOX, right	4174635	1	1.71
50-52	BEL AIR	BOX, left	4174636	1	1.71
50-52	1011-69-1211-69 (2nd type)	BOX, right (9¾ ctr. to ctr. pin holes)	4173473	1	1.77
50-52	1011-69-1211-69 (2nd type)	BOX, left (9¾ ctr. to ctr. pin holes)	4173474	1	1.77
53-54	1011-69-1211-69	BOX, right	4191686	1	2.00
53-54	1011-69-1211-69	BOX, left	4191687	1	2.00
53	1027-1227-27B	BOX, right	4150534	1	1.77
53	1027-1227-27B	BOX, left	4150535	1	1.77
53-54	CONV.	BOX, right	4191692	1	2.68
53-54	CONV.	BOX, left	4191693	1	2.68
53-54	SPT. CPE.	BOX, right	4150536	1	2.00
53-54	SPT. CPE.	BOX, left	4150537	1	2.00
55-57	1011-19-39-39D-1211-19	BOX, right	4156434	1	3.10
55-57	1011-19-39-39D-1211-19	BOX, left	4156435	1	3.10
55-57	CONV.	BOX, right	4156622	1	2.75

55-57	CONV.	BOX, left	4156623	1	2.75
55-57	SPT. CPE.	BOX, right	4156918	1	3.75
55-57	SPT. CPE.	BOX, left	4156919	1	3.75
55-57	PASS. (exc. STA. WAG., SDL.)	COVER, torque rod	4659517	1	.65
53-57	CORV.	PLATE, anchor (2¾ long)	3706839	4	.25

HINGE—COVER—ESCUTCHEON—PLATE—RETAINER, End Gate

46-48	STA. WAG.	upper end gate	3847251	2	2.28
49-54	STA. WAG.	lower end gate	4621528	1	13.75
49-54	STA. WAG.	right, upper end gate	4573440	1	4.55
49-54	STA. WAG.	left, upper end gate	4573441	1	4.55
55-56	STA. WAG. (exc. 1064)	lower end gate	4648729	2	5.35
55-57	STA. WAG. (exc. 1064)	right, upper end gate	4649346	1	5.45
55-57	STA. WAG. (exc. 1064)	left, upper end gate	4649347	1	5.45
55-57	1064	right, upper end gate	4665219	1	6.50
55-57	1064	left, upper end gate	4665220	1	6.50
55-57	1064	lower end gate	4658488	2	5.35
55-56	STA. WAG. (exc. 1064),				
57	1062F-63F-64-1263F	COVER, right, gate hinge (on lift gate)	4675161	1	2.75
55-56	STA. WAG. (exc. 1064),				
57	1062F-63F-64-1263F	COVER, left gate hinge (on lift gate)	4675162	1	2.75
56	1062FC-62DF	COVER, right, on lift gate hinge (plastic)	4685753	1	3.25
56	1062FC-62DF	COVER, left, on lift gate hinge (plastic)	4685754	1	3.25
57	1062FC-62DF	COVER (end gate) right	4685757	1	1.65
57	1062FC-62DF	COVER (end gate) left	4685758	1	1.65
55-57	STA. WAG.	ESCUTCHEON, end gate hinge (3⅝ long)	4663733	2	.15
55-57	STA. WAG. (exc. 1064)	PLATE, right, tail gate hinge (on body)	4647993	1	1.00
55-57	STA. WAG. (exc. 1064)	PLATE, left, tail gate hinge (on body)	4647994	1	1.00
55-57	1064	PLATE, right, tail gate hinge (on body)	4659846	1	1.00
55-57	1064	PLATE, left, tail gate hinge (on body)	4659847	1	1.00
55-57	STA. WAG.	PLATE, right, tail gate hinge (on gate) (1¼ x 3 11/32)	4659986	1	.25
55-57	STA. WAG.	PLATE, left, tail gate hinge (on gate) (1¼ x 3 11/32)	4659987	1	.25
55-56	1064	RETAINER, hinge torque rod	4673524	2	.10

12.185 FILLER—SHIM, Rear Compartment Lid Hinge

ALL	PASS. (exc. STA. WAG.)	gasket shim (.032 thick x 1½—60 ft. roll)	603954	A.R.	(10.696)
ALL	PASS. (exc. STA. WAG.)	gasket shim (.047 thick x 1½—40 ft. roll)	603955	A.R.	(10.696)
53-57	CORV.	SHIM, fldg. top compt., rear compt.—4 ea.	3706734	A.R.	.15

12.186 PIN, Rear Compartment Hinge

41-48	SEDAN,				
49-56	PASS. (exc. STA. WAG., SDL.)	strap pin	4023559	2	(10.466)
49-52	PASS. (exc. STA. WAG., SDL.),				
53-54	1011-69-1211-69, SPT. CPE.	hinge pin	4167931	2	.15
53	1027-67-67D-1227-27B	hinge pin	4172423	2	.25

12.187 STRAP—LINK—ROD, Rear Compartment Lid Hinge

41-48	SEDANS (exc. 1007)		4120735	2	2.50
42-48	1007		4131402	2	2.50
49-50	1011-69-1211-69 (1st type)	w/link and spring (link 11¼ long)	4167932	2	6.15
49-52	1007-08-1207-08	w/link and spring	4167936	2	6.15
49-52	CPES.	w/link and spring	4167939	2	6.15
49-52	CONV.		4167942	2	2.50
50-52	BEL AIR	w/link and spring	4174637	2	6.15
50-52	1011-69-1211-69 (2nd type)	w/link and spring (link 10⅜ long)	4173475	2	6.15
53-54	1011-69-1211-69		4191688	2	6.15
53	1027-1227-27B		4150528	2	6.15
53-54	CONV.		4191694	2	2.50
53-54	SPT. CPE.	w/link and spring	4154216	2	6.15
55-57	1011-19-39-39D-1211-19	w/link assy.	4156442	2	3.25
55-57	CONV., SPT. CPE.	w/link assy.	4156630	2	3.65
53-54	CONV.	LINK, w/spring	4150330	2	3.55
55-57	1011-19-39D-1211-19	ROD, right, torque	4648630	1	2.65

55-57	1011-19-39D-1211-19	ROD, left, torque	4648631	1	2.65
55-57	CONV., SPT. CPE.	ROD, right, torque	4649938	1	2.65
55-57	CONV., SPT. CPE.	ROD, left, torque	4649939	1	2.65
55-57	1064	ROD, right, lift gate hinge torque	4665221	1	1.70
55-57	1064	ROD, left, lift gate hinge torque	4665222	1	1.70

12.195 PARTS, Lower End Gate

49-52	1062	STRIP, end gate skid	4562893	4	3.05
53-54	1062-62D-62F	STRIP, skid (21 9/16 w/4 holes)	4617949	A.R.	3.30
53-54	1062-62D-62F	MOULDING, finishing upr. (9/16 x 37 5/8—chr.)	4617772	1	3.00
53-54	1062-62D-62F	MOULDING, finishing lower (9/16 x 48—chrome)	4617774	1	3.20
53-54	1262F	MOULDING, finishing upper (9/16 x 37 5/8—painted)	4641615	1	1.65
53-54	1262F	MOULDING, finishing lower (9/16 x 48—painted)	4641617	1	1.85
53-54	STA. WAG.	MOULDING, right center on pillar (1 1/2 x 8)	4615749	1	1.20
53-54	STA. WAG.	MOULDING, left center on pillar (1 1/2 x 8)	4615750	1	1.20
53	STA. WAG.	MOULDING, right side finishing, curved (9/16			
54	1062D-62F	wide x 21 3/4 O.L.)	4617768	1	2.80
53	STA. WAG.	MOULDING, left side finishing, curved (9/16			
54	1062D-62F	wide x 21 3/4 O.L.)	4617769	1	2.80
53-54	1262F	MOULDING, right side finishing	4641611	1	1.85
53-54	1262F	MOULDING, left side finishing	4641612	1	1.85
55	1062-63F,				
56-57	1062-63F-1263F	MOULDING, finishing lwr. (31 5/8 x 1/2—chr.)	4650039	1	2.55
55	1062-63F,				
56-57	1062-63F-1263F	MOULDING, right finishing upper (20 9/16 x 9/16)	4665779	1	2.00
55	1062-63F,				
56-57	1062-63F-1263F	MOULDING, left finishing upper (20 9/16 x 9/16)	4665780	1	2.00
55	1062-63F,				
56-57	1062-63F-1263F	MOULDING, right finishing side (15 1/8)	4665787	1	2.20
55	1062-63F,				
56-57	1062-63F-1263F	MOULDING, left finishing side (15 1/8)	4665788	1	2.20
55	1263F	MOULDING, right finishing upper (1/2 x 20 9/16)	4665785	1	1.20
55	1263F	MOULDING, left finishing upper (1/2 x 20 9/16)	4665786	1	1.20
55	1263F	MOULDING, finishing lower (1/2 x 31 5/8)	4657873	1	1.35
55	1263F	MOULDING, right side finishing (15 1/8)	4665793	1	1.50
55	1263F	MOULDING, left side finishing (15 1/8)	4665794	1	1.50
55-57	STA. WAG. (exc. 1064)	MOULDING, opening finish (1 1/4 x 14 3/4)	4675028	2	.85
55-56	1064	MOULDING, opening finishing (1 1/4 x 18 1/16)	4664182	2	.75
55-57	1064	MOULDING, right finishing upr. (1/2 x 20 3/8			
		—chr.)	4658507	1	1.50
55-57	1064	MOULDING, left finishing upr. (1/2 x 20 3/8—chr.)	4658508	1	1.50
55-57	1064	MOULDING, finishing lwr. (1/2 x 42 3/16—chr.)	4658502	1	1.95
55-57	1064	MOULDING, finishing side (1/2 x 15—chrome)	4658505	2	1.00
55-57	1064	MOULDING, outer plate vertical center	4671779	1	5.50
55-57	1064	MOULDING, outer plate vertical side	4658499	6	4.80
57	1064	MOULDING, finishing	4685487	2	.85
49-52	1062	TRANSFER, inner (mahogany) (20 1/4 x 47)	4571635	1	7.85
49-53	1062	TRANSFER (exterior, ash—32 x 55)	4573157	A.R.	(10.354)
49-52	1062	COVER, upper finishing (2 x 49) grain	4569203	1	9.75
53-54	STA. WAG.	COVER, finishing (2 x 49) in prime	4623204	1	9.65
55-57	STA. WAG.	COVER, tail gate inner access hole	4667445	1	3.25
55-57	STA. WAG.	CAP, tail gate bumper casing	4652277	1	.60
55-57	STA. WAG.	CASING, tail gate bumper (2 1/4 x 3 5/8)	4652328	1	.45
55-56	STA. WAG.	CLIP, control rod at lock	4662070	2	(10.506)
55	1064	CLIP, outer panel vertical moulding	4595034	A.R.	(12.118)
55-57	STA. WAG.	GUIDE, right tail gate support cable	4650500	1	1.05
55-57	STA. WAG.	GUIDE, left tail gate support cable	4650501	1	1.05
55-57	STA. WAG.	PLATE, tail gate support cable ret. (1 1/2 x 3)	4650444	2	.65
55-57	STA. WAG.	RETAINER, tail gate support cable	4668227	2	.55
55-57	1064	RETAINER, lock button spring	4168353	4	(10.529)
55-57	STA. WAG. (exc. 1064)	REEL ASSY., tail gate	4650430	2	2.05
55-57	1064	REEL ASSY., tail gate	4664256	2	2.05
55-57	STA. WAG. (exc. 1064)	ROD, tail gate remote control (20 1/8)	4651149	2	.35
55-57	1064	ROD, tail gate remote control (17 13/16)	4663510	2	.15
55-57	STA. WAG.	SPRING, tail gate bpr. casing (5/16 OD—14 coils)	4666226	2	.05

55-56	STA. WAG.	STOP, tail gate bumper (on gate)	4671272	2	(10.587)
55-57	STA. WAG.	STOP, right tail gate cable	3810564	1	.95
55-57	STA. WAG.	STOP, left tail gate cable	3810563	1	.95
55-57	1064	RING, lock bottom stop	4168356	4	(10.529)
55-57	1064	WASHER, lock bottom stop	4173130	4	(10.529)
55	1064	WEATHERCORD, opening (comb. 541-544)	4243314	2	1.00
55	1064	WEATHERCORD, opening (comb. 545-552)	4243315	2	1.00
55	1064	WEATHERCORD, opening (comb. 546)	4243316	2	1.00
56	1064	WEATHERCORD, opening (comb. 590)	4246541	2	1.00
56	1064	WEATHERCORD, opening (comb. 591)	4246542	2	1.00
56	1064	WEATHERCORD, opening (comb. 593, 633)	4246544	2	1.00
56	1064	WEATHERCORD, opening (comb. 594)	4246545	2	1.00
56	1064	WEATHERCORD, opg. (comb. 595, 611, 632)	4246546	2	1.00
56	1064	WEATHERCORD, opening (comb. 620)	4246543	2	1.00
57	1064	WINDLACE, (comb. 691, 696, 697)	4261354	1	1.00
57	1064	WINDLACE, (comb. 692)	4261355	1	1.00
57	1064	WINDLACE, (comb. 693)	4261356	1	1.00
57	1064	WINDLACE, (comb. 694)	4261357	1	1.00
57	1064	WINDLACE, (comb. 695)	4261358	1	1.00
56-57	1064	GROMMET, tail gate support cable	4687027	2	.45

12.203 SUPPORT ASSEMBLY, Rear Compartment Lid

37-39 40	1017-27-1217, 1017-27-67-1217-1517-27	right	4082887*	1	3.65
37-39 40	1017-27-1217, 1017-27-67-1217-1517-27	left	4082888*	1	3.65
41-48	SEDANS (exc. 1007)		4114964	2	3.10
41-48	CPES., CONV.		4114965	2	3.10
42-48	1007		4131286	1	5.45

*NOTE: When using 4082887-8 on 1937 models it is necessary to drill additional holes in deck lid and gutter.

SUPPORT ASSEMBLY, End Gate

46-48	STA. WAG.	on rear corner post (use w/3847248-9)	3847294	2	1.51
49-53	STA. WAG.	right upper (push button type)	4622992	1	10.00
49-53	STA. WAG.	left upper (push button type)	4622993	1	10.00
49	1061	right upper	4583141	1	8.40
49	1061	left upper	4583142	1	8.40
49-54	STA. WAG. (exc. 1061)	right, lower	4618568	1	12.25
49-54	STA. WAG. (exc. 1061)	left, lower	4618569	1	12.25
51	STA. WAG.	right, upper (lift release type)	4605292	1	9.90
51	STA. WAG.	left, upper (lift release type)	4605293	1	9.90
54	STA. WAG.	right upper (push button type)	4645894	1	10.80
54	STA. WAG.	left upper (push button type)	4645895	1	10.80
55-57	STA. WAG. (exc. 1064)	right, lift gate	4662581	1	10.65
55-57	STA. WAG. (exc. 1064)	left, lift gate	4662582	1	10.65
55-57	STA. WAG. (exc. 1064)	tail gate (cable type 36 3/8 lg.)	4650503	2	2.40
55-57	1064	right, lift gate	4662827	1	10.90
55-57	1064	left, lift gate	4662828	1	10.90
55-57	1064	tail gate (cable type 46 7/8 lg.)	4662647	2	3.15
46-48	STA. WAG.	ARM and BRKT. ASSY., R. upr. end gate	3847248	1	3.34
46-48	STA. WAG.	ARM and BRKT. ASSY., L. upr. end gate	3847249	1	3.34

SUPPORT ASSEMBLY, Back Door

55-57	SDL.		4650455	2	(10.606)

12.204 SPRING—GUIDE—PLATE, Rear Compartment Lid Support

38-40	381011-17-19-1211-17-19, 391017-27-1217, 401017-27-67-1217-1517-27	cam, flat type (3/16 max. width x 15/32 high)	4085735	1	.10
38-40	381017-1217, 391017-27-1217, 401017-27-67-1217-1517-27	coil, support	4018366	2	.82
39 41-47	1011-19-1211-19, 1007, CPES, CONV.	cam (1 coil—15/32 I.D.)	4121855	2	.10

50-52 53-57	STYLELINE (exc. STA. WAG., SDL.), PASS. (exc. STA. WAG., SDL.)	GUIDE	4593195	1	.20
50-52 53-57	STYLELINE (exc. STA. WAG., SDL.) PASS. (exc. STA. WAG., SDL.)	PLATE, guide pin and supt. anchor (3/16 x 3/4 x 2 9/16)	4585265	1	.30
50-52 53-57	STYLELINE (exc. STA. WAG.), PASS. (exc. STA. WAG.)	PLATE, pin guide	4590011	1	.20

END GATE PARTS

50-52	STA. WAG.	SPRING, support lever	4180878	2	.10
50-52	STA. WAG.	LEVER, support push button (stamping)	4150389	2	1.25
50-52	STA. WAG.	RIVET, support lever (1/8 dia. x 7/8 long)	4150390	2	.05

12.205 KNOB, End Gate Support Bracket

46-48	STA. WAG.		4161794	2	.38

12.212 BUMPER—STOP—SCREW, Rear Compartment

41-48	PASS. (exc. STA. WAG., SDL.)	(3/8 x 7/8, round)	4114321	2	.15
42-48 49-50 53-57	1007, PASS. (exc. STA. WAG., SDL.), CORV.	(7/8 O.D. x 9/16)	3716781	2	.15
49-52	1062	lower end gate support	4577310	2	.25
50-54	PASS. (exc. STA. WAG., SDL.)	(body side-plug type)	4595786	2	.15
53-54	STA. WAG.	tailgate support	4633112	4	.25
55-57	PASS. (exc. STA. WAG., SDL.)	(body side) (7/8 dia. x 13/16 lg.)	4687558	2	.10
55-57	STA. WAG. (exc. 1064)	lower end gate bumper stop (on body)	4603240	2	(10.587)
55-57	STA. WAG. (exc. 1064)	upper end gate lower center (on gate)	4664288	1	.35
55-57	1064	upper end gate lower center (on gate)	4664289	2	.20
55-57	STA. WAG.	tail gate (on gate)	4589761	2	(10.587)
57	1064	lift gate body side	4652531	2	.10
55 56-57	STA. WAG. (exc. 1064), STA. WAG.	STOP, end gate bumper (on gate)	4664873	2	.15
49-50 57	PASS. (exc. STA. WAG., SDL.), CORV.	SCREW, bumper support (1/4—20 x 1 1/16)	3715377	2	.10

12.233 BRACKET, Endgate

46-49	STA. WAG. (W)	w/latch, right lower endgate	4162030	1	8.40
46-49	STA. WAG. (W)	w/latch, left lower endgate	4162031	1	8.40

12.237 STRIKER—PLATE, Rear Compartment Lid Lock

41-48	PASS. (exc. 1007, STA. WAG.)	(1 in. wide x 2 7/8 long, with teeth)	4113816	1	.45
42-48	1007	(1 15/16 wide x 3 long, with teeth)	4131037	1	.55
49	FLEETLINE	(2 1/16 wide x 3 13/16 long, w/teeth)	4563704	1	.45
49-57 56-57	PASS. (exc. FLTLN., STA. WAG., SDL.), CORV.	(2 5/16 wide x 3 13/16 long, w/teeth)	4578531	1	.75
50-52	FLEETLINE	(2 1/4 wide x 3 13/16 long, w/teeth)	4579016	1	.75
53-55	CORV.	rear	4154384	1	2.85
49-52	PASS.	PLATE, striker anchor (welded to body)	4563199	1	1.25
53-54	PASS. (exc. STA. WAG., SDL.)	PLATE, striker anchor	4595625	1	1.25
53-55	CORV.	PLATE, spacer	4154385	A.R.	.35
55-57	PASS. (exc. STA. WAG., SDL.)	PLATE, striker anchor	4646988	1	1.25
56-57	CORV.	PLATE, striker anchor	3724302	1	.15

STRIKER—PLATE, Endgate Lock

46-48	STA. WAG.	lower endgate lock	3847244	1	1.20
49-54	STA. WAG. (exc. 1061)	upper endgate (1 1/16 x 2 11/16 long)	4564134	1	1.70
49-54	STA. WAG. (exc. 1061)	lower endgate (1 1/16 x 2 11/16 long)	4564859	2	1.70
49	1061	upper endgate (1 1/16 wide x 2 long)	4566766	1	1.35
55-57	STA. WAG.	tail gate (2 1/8 x 4 1/16)	4650157	2	(10.569)
55-57	STA. WAG.	lift gate bumper wedge center (1 5/16 x 2 3/8)	4652278	1	.65
46-48	STA. WAG.	PLATE, lower endgate adjustable wedge	4162037	1	1.05

46-49	STA. WAG.	PLATE, lower endgate anti-rattle	4162036	3	.40
49-54	STA. WAG. (exc. 1061)	PLATE, wedge, upr. and lwr. anti-rattle (5/8 x 1 1/2)	4566413	4	.95
49-54	STA. WAG. (exc. 1061)	PLATE, body side wedge—upper and lower end gate (7/8 wide x 3 5/16 long)	4574137	2	1.25
55-57	STA. WAG.	PLATE, striker adjusting	4650524	2	(10.571)

STRIKER—SPACER, Corvette Folding Top Compartment Lid Lock

53-57	CORV.		4154388	1	.45
53-55	CORV.	SPACER, striker (1 1/16 wide)	4154734	A.R.	.30

12.241 COVER, Rear Compartment Lid Lock End

49-52	PASS. (exc. STA. WAG.)		4579017	1	.55
49-54	1062-62D-62F	upper endgate lock	4563176	1	2.95
53-54	PASS. (exc. STA. WAG., SDL.)		4572957	1	.55
53-54	1262F	lift gate lock	4641635	1	1.00
55-57	PASS. (exc. STA. WAG., SDL.),				
56-57	CORV.		4661859	1	.55

12.242 LOCK—GASKET—SCREW—NUT, Rear Compartment Lid

31-34	558-68-78,				
35-36	1017-57-1217-67,				
37-38	1067-87		4059062	1	2.45
40	1017-27-67-1217-1517-27		4102349	1	3.25
40-48	PASS. (exc. STA. WAG.)	(centerlocking type)	4129651	1	4.30
49	PASS. (exc. STA. WAG.)		4560685	1	4.25
50	PASS. (exc. STA. WAG.)		4579015	1	4.25
51-52	PASS. (exc. STA. WAG.)		4576315	1	5.25
55-57	PASS. (exc. STA. WAG., SDL.)	w/cam and linkage	4671281	1	5.10
51-57	PASS., CORV. (exc. STA. WAG., SDL.)	ASSEMBLY, cylinder (w/2 keys)	4648732	1	2.30
53-55	CORV.	ASSEMBLY, rear compartment	4154383	1	8.55
53-54	PASS. (exc. STA. WAG., SDL.),				
56	CORV.	ASSEMBLY, rear compartment	4671282	1	4.15
53-57	CORV.	ASSEMBLY, fldg. top compt. (w/push button)	4154387	1	4.95
51-57	PASS. (exc. STA. WAG., SDL.)	GASKET (7/8 I.D.)	4587931	1	.10
56-57	CORV.	SCREW, rear compt. lid (1/4—20 x 5/8)	4577250	3	.10
56-57	CORV.	NUT, rear compt. lid (#14—10)	3725232	2	.15

LOCK, End Gate

46-47	STA. WAG.	upper end gate, inside (2 wide x 3 3/8 long, w/curved thin handle 3/16 thick)	3847250	1	7.45
48-54	STA. WAG. (exc. 1262F)	upper end gate, inside (1 27/32 wide x 3 long, w/handle 1/2 thick)	4564064	1	10.05
49-54	STA. WAG. (exc. 1061)	right, with handle lower end gate	4605814	1	10.90
49-54	STA. WAG. (exc. 1061)	left, with handle lower end gate	4605815	1	10.90
53-54	1262F	upper inside	4611198	1	7.80
55-57	STA. WAG.	right	4650676	1	4.25
55-57	STA. WAG.	left	4650677	1	4.25
55-57	STA. WAG. (exc. 1064)	control	4650829	1	(10.500)
54	1262F	CAP, lift gate lock nut (3/4 hex. head)	4151403	1	.70
55-57	1064	CONTROL, tail gate lock remote	4158154	1	2.15
55-57	STA. WAG.	SCREW, remote control lock	160035	A.R.	(8.913)
55-57	STA. WAG.	CLIP, remote connecting link rod	4637217	2	(10.565)
55	STA. WAG.	CLIP, remote control lock	4158616	2	.25

12.246 HANDLE (LESS CYLINDER)—ORNAMENT—EMBLEM, Rear Compartment

35-36	1011-19-1211-19,				
37-40	1011-17-19-1211-17-19-1511-19	(over-all length 3 23/32)	4102368	1	3.55
40	1011-17-19-27-67-1211-17-19-1511-17-19	(over-all length 4 19/64 center lock type)	4102357	1	3.55
41	PASS.		4118492	1	3.55
42-48	PASS. (exc. 1007, STA. WAG.)		4125644	1	5.65
42-48	1007		4125645	1	5.65

47-57	STA. WAG. (exc. 1064)	(less cylinder and escutcheon)	4156733	1	3.95
49	PASS. (exc. STA. WAG.)		4167893	1	4.05
50	PASS. (exc. FLTLN., STA. WAG.)		4578807	1	5.05
50	FLEETLINE		4579256	1	5.05
51	STYLELINE w/P.G.	(emblem) "POWER GLIDE"	3695666	1	5.35
51	1007-08 w/P.G.	(emblem) "POWER GLIDE"	3699037	1	4.25
51	FLEETLINE (exc. P.G.)	(emblem)	3695664	1	4.10
51	STYLELINE (exc. P.G.)	(emblem)	3695335	1	4.80
52	1007 w/P.G.	(emblem) "POWER GLIDE"	3699723	1	5.20
52	STYLELINE w/P.G.	(emblem) "POWER GLIDE"	3699721	1	6.60
52	1007 (exc. P.G.)	(emblem)	3699708	1	4.70
52	STYLELINE (exc. P.G.)	(emblem)	3699617	1	6.20
53	PASS. w/P.G.	(emblem) "POWER GLIDE"	3702732	1	6.60
53	PASS. (exc. P.G.)	(emblem)	3702729	1	6.60
54	PASS. (exc. STA. WAG., SDL.)	(emblem)	3705031	1	5.35
55	PASS. (exc. 1064)	(emblem)	3709914	1	5.35
55-57	1064	lower end gate	4671778	1	3.80
56	PASS. 8 cyl. (exc. 1064)	(emblem only)	3722231	1	2.55
56	PASS. 6 cyl. (exc. 1064),				
57	PASS. 8 cyl. (exc. B-A)	(emblem and handle)	3722450	1	5.05
57	SDL.	(less cylinder and escutcheon)	4236580	1	6.75
56	PASS. 8 cyl. (exc. 1064)	ORNAMENT ("V" shape used as handle)	3722234	1	2.55
57	PASS. 8 cyl. (exc. BEL AIR)	ORNAMENT ("V")	3733178	1	3.10
57	BEL AIR 8 cyl. (exc. 1064)	ORNAMENT ("V"—gold)	3735241	1	3.55
57	BEL AIR 6 cyl. (exc. 1064)	EMBLEM (gold)	3736103	1	5.35

ATTACHING PARTS, Rear Compartment Emblem

49-52	STA. WAG.	BOLT (¼—20 x ½—oval sl. head)	134417*	A.R.	(8.909)
50	PASS. (exc. P.G., STA. WAG.)	RETAINER, deck lid handle mldg.	3693355	2	.15
49-55	PASS. (exc. STA. WAG., SDL.)	WASHER, emblem seal,			
55	STA. WAG., SDL.	body rr. emblem (rubber—5/32 I.D. x ¾ O.D.)	3662988	4	(2.704)
54	PASS. (exc. STA. WAG., SDL.),	WASHER, rear fender emblem,			
55	PASS. 8 Cyl.	trunk dr. hdle. (3/16 I.D. x ½ O.D. x ¼ thick)	3707115	A.R.	.05
41	1069,				
42-48	PASS. (exc. 1061, 481007)	SPEED NUT (3/32 rod plain)	177941	6	(8.921)
49	PASS. (exc. STA. WAG.)	SPEED NUT (3/16 rod plain)	3695282	A.R.	(8.040)
52-54	STA. WAG.	CLIP, rear name plate,			
55	STA. WAG., SDL. (exc. 1065)	body rr. emblem (5/16 x 5/16 x ¼ high),			
56-57	CORVETTE	parking brake alarm lamp bezel	3697750	3	.05
56	STA. WAG., SDL. 8 Cyl. (exc. 1064)	CLIP, body rear emblem (9/32 dia.)	3726533	3	.05
56-57	STA. WAG., SDL. 6 Cyl. (exc. 1064)	CLIP, body rear emblem,			
56-57	STA. WAG., SDL. 8 Cyl. (exc. 1064)	body "V" ornament (19/32 dia.)	3726703	A.R.	.05
55	PASS. (exc. STA. WAG., SDL.)	NUT, body, rear emblem (spring 3/16)	3712372	A.R.	(8.056)
56-57	PASS. (exc. STA. WAG., SDL.)	NUT, w/sealer (hex. No. 10—24)	3729982	A.R.	.05

*NOTE: It may be necessary to remove 1/16 from end to prevent bottoming in emblem.

12.247 HANDLE (W/CYLINDER and KEYS)—RETAINER—FERRULE, Rear Compartment Lid Lock

42-48	PASS. (exc. 1007, STA. WAG., SDL.)		4148246	1	8.50
42-48	1007		4148247	1	8.50
46-47	STA. WAG.	upper end gate (w/cyl. and keys) (L type)	609908	1	5.60
49	PASS. (exc. STA. WAG.)	(T type w/cyl. and keys)	4563164	1	7.05
53-55	CORV.	RETAINER, cylinder, rear compt.	3706693	1	.55
53-57	CORV.	FERRULE, fldg. top compt. (1 I.D. x 1½ O.D.)	4154732	1	.60

PARTS, Rear Compartment Lock Handle

29-39	PASS., ROADSTER,				
38-40	PASS.	FERRULE, w/grommet (¾ I.D. x 1 1/16 O.D. x ¾			
49	PASS. (exc. STA. WAG.)	long)	4125630	1	(10.537)
34-50	PASS. (exc. STA. WAG.),				
57	SDL.	SPRING, tension	4043224	1	(10.551)
34-50	PASS. (exc. STA. WAG.),				
57	SDL.	PIN	4045949	1	(10.551)
38-41	PASS.	GROMMET, ferrule	4082057	1	(10.538)

50	PASS. (exc. FLTLN., STA. WAG.)	HOUSING, w/cylinder and keys (5 9/16 long)	4571890*	1	6.25
50	FLEETLINE	HOUSING, w/cylinder and keys (5 3/8 long)	4579373*	1	6.25
50	PASS. (exc. FLTLN., STA. WAG.)	HOUSING, less internal parts (5 9/16 long)	4170868	1	2.65
50	FLEETLINE	HOUSING, less internal parts (5 3/8 long)	4173545	1	2.65
50	PASS. (exc. STA. WAG.)	GASKET UNIT (1 upper and 1 lower gasket)	3695023	1	.24
56-57	CORV	RETAINER, lock cylinder	3724482	1	.55
56	CORV	SPACER, lid lock	3728731	1	.55

*NOTE: Part Nos. 4571890 and 4579373 include cylinder and 2 keys coded to no specified key number.

SPRING—GASKET, End Gate Lock Handle

55-57	STA. WAG. (exc. 1064)	SPRING, end gate handle—locking type,			
55-57	SDL	back door lock handle	4260035	1	.15
57	SDL. (2nd type)	SPRING, back door handle return	4236576	1	.25
57	SDL. (2nd type)	SPRING, back door handle escutcheon retainer	4236573	1	.15
55-57	STA. WAG. (exc. 1064)	GASKET, end gate outside handle	4650704	1	.10
57	SDL. (2nd type)	GASKET, back door outside handle	4713814	1	.10

12.248 CYLINDER, Rear Compartment Lock

35-41	PASS.	(less keys and tumblers)	601263	1	(10.550)
42-48	PASS. (exc. STA. WAG.)	(less keys and tumblers)	607162	1	1.20
49	PASS. (exc. STA. WAG.)	(less tumblers and keys)	3692523	1	1.05
50	PASS. (exc. STA. WAG.)	(less tumblers and keys)	513612	1	1.20
47-57	STA. WAG., SDL.	lift gate (with 2 keys coded to no specified key number)	3692500	1	1.20
51-57	PASS. (exc. STA. WAG., SDL.)	(less tumbler and keys)	3697944	1	1.55
55-57	1064	assembly, lift gate (uncoded)	3724003	1	.55

12.249 CYLINDER PARTS, Rear Compartment Lid Lock

35-37	PASS. (exc. CPES, CONV.),				
38-48	PASS. (exc. STA. WAG.)	CASE, cylinder	607071	1	.30
51-54	PASS. (exc. STA. WAG., SDL.)	CASE, cylinder	7003013	1	.30
55-57	PASS. (exc. STA. WAG., SDL.)	CASE, cylinder	7006850	1	.30
49-50	PASS. (exc. STA. WAG.)	CASE and SPRING, cylinder	3692522	1	.45
51-54	PASS. (exc. STA. WAG., SDL.),				
55	PASS. (exc. 1062F-63F-1263F-71),				
57	PASS.	CAP, cylinder case	7003014	1	.25
35-56	PASS.	SPRING SET, (contains 144 springs)	601260	A.R.	(10.553)
34-50	PASS. (exc. STA. WAG.)	SPRING, cylinder tension	4043224	1	(10.551)
51-54	PASS. (exc. STA. WAG., SDL.),				
55	PASS. (exc. 1062F-63F-1263F-71),				
56-57	PASS. (exc. STA. WAG., SDL.)	SPRING, cylinder coil	7001087	1	.20
35-56	PASS.	TUMBLER SET, copper (contains 72 tumblers)	601256	A.R.	(10.553)
35-56	PASS.	TUMBLER SET, nickel (contains 72 tumblers)	601257	A.R.	(10.553)
35-56	PASS.	TUMBLER SET, black (contains 72 tumblers)	601258	A.R.	(10.553)
35-56	PASS., CORV	TUMBLER SET, yellow (contains 72 tumblers)	601259	A.R.	(10.553)
35-56	PASS.	RETAINER SET, (contains 12 retainers)	601261	A.R.	(10.553)
46-48	PASS. (exc. STA. WAG., SDL.)	RETAINER, horseshoe type	4146973	1	.10
51-57	PASS. (exc. STA. WAG., SDL.)	RETAINER, lock cylinder	4602513	1	.17
51-57	PASS. (exc. STA. WAG., SDL.)	REPAIR KIT, lid lock	3698046*	1	.60
53-55	CORV	ESCUTCHEON, cylinder	4154534	1	1.10
56-57	CORV	ESCUTCHEON, cylinder	3724481	1	1.10

*NOTE: 3698046 includes cylinder shutter, cover, cover springs and case cap.

CYLINDER PARTS, Tail Gate Lock

55-57	1064	CAP, push button	4670320	1	.45
55-57	1064	HOUSING, push button	4158165	1	2.50
55-57	1064	SLEEVE, lock cylinder	4670319	1	.30
55-57	1064	SPRING, push button	4158163	1	.10
55-57	1064	WASHER, push button detent	4158164	1	.10

12.250 SPRING—ESCUTCHEON—RING—WASHER, Rear Compartment Lock

34-50	PASS. (exc. STA. WAG.)	tension	4043224	1	(10.551)
47-54	STA. WAG.,				
55-57	STA. WAG., SDL. (exc. 1064),				
57	SUB. w/END GATE	ESCUTCHEON, upper end gate handle	4171921	1	.85
57	SDL. (2nd type)	PLATE, bk. dr. locking handle escutcheon	4236577	1	1.95
47-54	STA. WAG.,				
55-57	STA. WAG., SDL. (exc. 1064),				
57	SUB. w/END GATE	RING, upper end gate handle	4150660	1	.30
57	SDL. (2nd type)	WASHER, back door handle escutcheon	4236574	1	.25
47-57	STA. WAG.,				
57	SUB. w/END GATE	UNIT, upper end gate locking handle repair	3692798*	1	.65

*NOTE: 3692798 consists of: 1 bushing (threaded), 1 wave washer, 1 pin, 1 spring and 1 escutcheon washer.

12.251 KEY, Rear Compartment Lock Handle

35-48	PASS. (exc. STA. WAG.)	KEY BLANK (round head)	7002238	A.R.	(2.187)
49-57	PASS., CORV.	KEY BLANK (octagon head)	3694624	A.R.	(2.187)

12.252 SHAFT, Rear Compartment Lock Handle

35-36	1011-19-1207A-11-19,				
37-39	1011-17-19-27-1211-17-19,				
40	PASS. (exc. 1217P-71-1517P-69-71)	(1 13/16 long)	602553	1	.40
41	PASS.	(2 1/2 long)	605322	1	.40
42-48	PASS. (exc. 1007-61)	(2 15/16 long)	607073	1	.45
42-48	1007	(3 1/16 long)	607072	1	.45
49	PASS. (exc. STA. WAG.)	(3 15/64 long)	3692541	1	.40
50	PASS. (exc. FLTLN., STA. WAG.)	(3 19/32 long)	513580	1	.40
50	FLEETLINE	(3 25/64 long)	3694652	1	.40
51-54	PASS. (exc STA. WAG., SDL.),				
55	PASS. (exc. 1062DF-64),				
56-57	PASS. (exc. STA. WAG., SDL.)	(3 7/8 long)	7003048	1	.30

SHAFT—RETAINER, Tail Gate Lock Cylinder

55-57	1064		4670321	1	.35
55-57	1064	RETAINER, shaft	4670322	1	.10

12.254 PAWL, Rear Compartment Lock Handle

34-48	PASS. (exc. STA. WAG.)		4023959	1	.15
49-50	PASS. (exc. STA. WAG.)		4167906	1	.15
47-57	STA. WAG., SDL. (exc. 1064)	end gate handle	4171920	1	.15

12.262 MOULDING, Rear Compartment Trim Panel

57	PASS.		987582	1	11.60

12.269 WEATHERSTRIP, Rear Compartment Lid

37-39	1011-19-1211-19	(3/4 x 13/16 x 141 long)	4091472	1	3.50
40-48	PASS. (exc. 1007-61)	(7/8 x 15/16 x 175 long, with lip)	4131754	1	6.45
42-48	1007	upper and sides (1 3/16 x 1 3/8 x 180 long, w/double lip)	4125998	1	8.20
42-47	1007	lower (36 long)	4132274	1	2.30
48	PASS. (exc. 1061)	lower	4162616	1	1.65
49-52	FLEETLINE	gutter (60 11/16 long)	4605092	1	5.10
49-52	CPES, CONV., BEL AIR	gutter (67 1/2 long)	4605095	1	5.00
49-52	1011-69-1211-69	gutter (68 1/4 long)	4605081	1	5.00
49-52	PASS.	on lid (109 long) (blue daub of paint)	4590474	1	4.05
53-54	1011-69-1211-69-69W	gutter (69 1/2 dev. length)	4601338	1	4.85
53-54	CPES., CONV.	gutter (red daub of ink)	4603360	1	4.85
53-54	PASS.	lid (119 O. L.) (silver daub of ink)	4615298	1	4.05
53-57	CORV.	lid, rear compt. (143 long)	3706539	1	3.25
55-56	PASS. (exc. STA. WAG., SDL.)	lid (173 O.L.)	4661220	1	5.15
57	PASS.	rear compartment lid	4671940	1	6.20

49-53	STA. WAG.	lower side (60 ft. roll, cut to size)	3692045	A.R.	(10.694)
49-54	STA. WAG. (exc. 1061)	upper end gate-top (4566373 molded on corner)	4566486	1	2.45
49	1061	upper end gate-bottom (4566816 molded on corner)	4566969	1	1.55
49-54	STA. WAG. (exc. 1061)	upper end gate-bottom (4566372 molded on corner)	4566485	1	1.90
49-54	STA. WAG.	lower end gate-bottom (molded 4572565)	4572565	1	2.45
49	1061	upper end gate-top inside	4171777	1	1.55
49-54	STA. WAG.	opening—on body (126 long half-round)	4172355	1	1.65
52-54	STA. WAG.	right, lower end gate corner (2 5/32 long)	4614914	1	.25
52-54	STA. WAG.	left, lower end gate corner (2 5/32 long)	4614915	1	.25
55-57	STA. WAG. (exc. 1064)	lift gate (74 w/molded ends) (snap on type)	4655226	1	8.35
55-57	STA. WAG. (exc. 1064)	tail gate (122 3/4 O.L.) (snap on type)	4655227	1	14.95
55-57	STA. WAG. (exc. 1064)	tail gate opening inner (on body pillar) (17)	4244587	2	.80
55	1062F-63F-1263F	lift or tail gate (comb. 515, 524) (green—105 dev. lgth.)	4653154	1	5.30
55	1062F-63F-1263F	lift or tail gate (comb. 502, 516) (brown—105 dev. lgth.)	4653155	1	5.30
55	1062F-63F	lift or tail gate (comb. 514) (blue—105 dev. lgth.)	4653153	1	5.30
55	1062DF	upper and lower end gate opening	4653156	1	5.30
55-57	1064	lift gate on body upper and sides (18 3/8 high x 43 3/4 wide)	4687749	1	5.35
55-57	1064	right, lift gate lower corner (5 5/8 long)	4662654	1	3.10
55-57	1064	left, lift gate lower corner (5 5/8 long)	4662655	1	3.10
55-56	1064	lift gate, upr. gate side (1/2 round x 43 lg.)	4671318	2	.80
55-57	1064	tail gate upper and sides (snap on type)	4662659	1	17.80
56-57	1062F-62FC-63F-1263F	lift and tail gate (comb. 562, 570, 653, 661)	4673969	1	5.30
56	1062-63F	lift and tail gate (comb. 572, 587)	4673973	1	5.30
56	STA. WAG. (exc. 1064)	lift and tail gate (comb. 588, 609, 610, 616,			
57	1062DF-1263F	630, 652, 684, 689, 690, 716)	4674556	1	5.30
56	1062DF	lift and tail gate (comb. 586, 629)	4674555	1	5.30
56	1062DF,				
57	1062-63F	lift and tail gate (comb. 619)	4684522	1	5.30
57	1062-63F (exc. 62DF)	end gate (comb. 660)	4697286	1	5.30
57	1062DF	end gate (comb. 685)	4697376	1	5.30
57	1062DF	end gate (comb. 686)	4697384	1	5.30
57	1062DF	end gate (comb. 687)	4697371	1	5.30
52-54	STA. WAG.	RETAINER, right—lower end gate corner w/strip (1 11/16 long w/2 holes)	4614916	1	.15
52-54	STA. WAG.	RETAINER, left—lower end gate corner w/strip (1 11/16 long w/2 holes)	4614917	1	.15
53-54	STA. WAG.	RETAINER, lwr. end gate lwr. w/strip (51 lg.)	4625796	1	2.15
55-57	1064	RETAINER, body opening, upper w/strip	4674988	2	.40
55	STA. WAG. (exc. 1064)	FASTENER, lift and tail gate w/strip	4653672	A.R.	(10.695)
55	1064	SCREW, lift and tail gate w/strip (#6-32)	4666209	4	(10.056)
55	1064	SCREW, mldg. to back opening side facing (8-32 x 1/2) flathead	442610	4	(8.977)
55	1064	WASHER, mldg. to back opg. side fac. #6 c'sunk	453279	2	(8.930)
56-57	STA. WAG.	CLIP, bottom seal strip	4685752	1	(10.695)

12.271 RETAINER, Rear Compartment Lid Gutter W/Strip

48	PASS. (exc. STA. WAG.)	(1 1/8 wide x 35 long)	4162577	1	.58

12.428 RAIL, Rear Quarter Belt—Outer

53-54	STA. WAG.	right	4602610	1	6.15
53-54	STA. WAG.	left	4602611	1	6.15
55-57	1062	right	4640751	1	4.40
55-57	1062	left	4640752	1	4.40
55-57	1063F	right	4647258	1	5.55
55-57	1063F	left	4647259	1	5.55
55-57	1064	right, front	4662938	1	5.90
55-57	1064	left, front	4662939	1	5.90

55-57	1064	right, rear	4654363	1	2.50
55-57	1064	left, rear	4654364	1	2.50
55-57	1263F-71	right	4640690	1	4.40
55-57	1263F-71	left	4640691	1	4.40

12.491 PILLAR—FILLER—SEAL—PLATE, Center Body

41-48	1019-69-1219	right (lower outer section)	4550580	1	3.15
41-48	1019-69-1219	left (lower outer section)	4550581	1	3.15
49-51	1008-1208	right	4578489	1	25.20
49-51	1008-1208	left	4578490	1	25.20
49-52	1069-1269	right	4578497	1	27.70
49-52	1069-1269	left	4578498	1	27.70
49-52	1062	right	4578491	1	25.20
49-52	1062	left	4578492	1	25.20
53-54	1069-1269	right	4643455	1	27.70
53-54	1069-1269	left	4643456	1	27.70
53-54	STA. WAG.	right	4601552	1	27.70
53-54	STA. WAG.	left	4601553	1	27.70
55-56	4-DR.	right	4667542	1	28.85
55-56	4-DR.	left	4667543	1	28.85
56	SPT. SED.	right, center	4690695	1	30.80
56	SPT. SED.	left, center	4690696	1	30.80
57	4 DR. (exc. SPT. SED.)	right	4709914	1	31.75
57	4 DR. (exc. SPT. SED.)	left	4709915	1	31.75
57	SPT. SED.	right	4709665	1	35.85
57	SPT. SED.	left	4709666	1	35.85
53-54	4-DR.	FILLER, right ctr. pillar outer panel lower	4601510	1	.65
53-54	4-DR.	FILLER, left ctr. pillar outer panel lower	4601511	1	.65
55-57	4-DR. (exc. SPT. SED.)	FILLER, right ctr. pillar outer panel lower	4667526	1	.65
55-57	4-DR. (exc. SPT. SED.)	FILLER, left ctr. pillar outer panel lower	4667527	1	.65
56-57	SPT. SED.	FILLER, right, pillar outer panel lower	4664672	1	.65
56-57	SPT. SED.	FILLER, left, pillar outer panel lower	4664673	1	.65
56-57	CORVETTE	SEAL, left body lock pillar	3732711	1	1.25
56-57	CORVETTE	SEAL, right body lock pillar	3732712	1	1.25
49-52	PASS. (exc. 4-DR.)	PLATE, right anchor—front door,			
49-52	4-DR.	rear door	4593946	1	(10.571)
49-52	PASS. (exc. 4-DR.)	PLATE, left anchor—front door,			
49-52	4-DR.	rear door	4593947	1	(10.571)

12.492 PANEL—STRIP— Center Pillar

49-52	1062	inner trim—lower (T-shape 26¾ long)	4566337	2	3.65
53-54	1062F-1262F	right, upper trim	4615511	1	1.30
53-54	1062F-1262F	left, upper trim	4615512	1	1.30
53	1062	right, upper trim—w/transfer	4620546	1	7.55
53	1062	left, upper trim—w/transfer	4620547	1	7.55
53-54	STA. WAG.	right, lower trim	4618011	1	1.60
53-54	STA. WAG.	left, lower trim	4618012	1	1.60
53-54	SDL.	right, body lock pillar inner	4606288	1	4.75
53-54	SDL.	left, body lock pillar inner	4606289	1	4.75
55-57	1062	right and left, upper trim	4649593	2	1.75
55-57	1062	right, lower trim	4649595	1	2.65
55-57	1062	left, lower trim	4649596	1	2.65
50-52	4 DR. (exc. STA. WAG.)	STRIP, right—protector (metal 27¼ long)	4560075	1	2.20
50-52	4 DR. (exc. STA. WAG.)	STRIP, left—protector (metal 27¼ long)	4560076	1	2.20
50-52	STA. WAG.	STRIP, right—protector (metal 27⅝ long)	4563097	1	2.20
50-52	STA. WAG.	STRIP, left—protector (metal 27⅝ long)	4563098	1	2.20
53-54	1069-1269-69W	STRIP, right—protector	4595553	1	2.20
53-54	1069-1269-69W	STRIP, left—protector	4595554	1	2.20
53-54	STA. WAG.	STRIP, right—protector	4598089	1	2.20
53-54	STA. WAG.	STRIP, left—protector	4598090	1	2.20
55-56	4-DR. (exc. SPT. SED.)	STRIP, right—protector	4667528	1	3.75
55-56	4-DR. (exc. SPT. SED.)	STRIP, left—protector	4667529	1	3.75
56	SPT. SED.	STRIP, right, protector (21¼ long)	4670352	1	2.95
56	SPT. SED.	STRIP, left, protector (21¼ long)	4670353	1	2.95
57	4 DR. (exc. SPT. SED.)	STRIP, right	4711651	1	3.75
57	4 DR. (exc. SPT. SED.)	STRIP, left	4711652	1	3.75
57	SPT. SED.	STRIP, right	4711653	1	2.95
57	SPT. SED.	STRIP, left	4711654	1	2.95

12.496 PANEL, Rear Body Lock Pillar Inner

53	1062	right, trim upr. (T-shape 15 1/16 lg.) (grained)	4620542	1	3.65
53	1062	left, trim upr. (T-shape 15 1/16 lg.) (grained)	4620543	1	3.65
53-54	1062D-62F-1262F	right, trim upr. (T-shape 15 1/16 lg.) (painted)	4615755	1	1.50
53-54	1062D-62F-1262F	left, trim upr. (T-shape 15 1/16 lg.) (painted)	4615756	1	1.50

PANEL ASSY., Body Side Trim

53-55	CORV	right	4638005	1	14.50
53-55	CORV	left	4638006	1	14.50

12.541 COVER—PLATE, Inspection

36-54	PASS	brake main cylinder (3 5/16 dia. w/w/strip)	592865	1	.40
53-57	CORV	transmission (3 x 8 5/8)	3706856	1	.55
55-57	PASS	PLATE, transmission inspection cover	4647199	1	.50

12.559 SCREW, Toe and Floor Board

40-48	PASS	(No. 14—10 x 3/4 truss head)	3652879	14	.05

12.565 PLATE, Floor and Toe Pan

41-48	PASS. (exc. CONV.)		3658087	1	2.10
49-52	PASS	(13 wide x 17 1/2 long)	3688985	1	2.35
53	PASS	(15 1/4 wide x 19 long)	3702322	1	2.35

REINFORCEMENT, Underbody Toe Panel

53-57	CORV	right	3706506	1	7.95
53-57	CORV	left	3706505	1	7.95

12.579 BOARD—FERRULE—MOULDING—STUD—WASHER—CLIP—RETAINER, Spare Tire Cover

49-52	STA. WAG., SDL.		4564621	1	7.65
53-54	STA. WAG.		4645851	1	7.65
53-54	SDL.		4633150	1	7.65
53-55	CORV	(plywood)	3706333	1	4.50
55	STA. WAG., SDL.,				
56	STA. WAG., SDL. (exc. 1062DF-62FC)	(20 7/16 x 34 w/clips)	4650393	1	10.75
56-57	1062FC-62DF		4682006	1	16.45
56-57	CORV		3723708	1	4.50
57	STA. WAG., SDL. (exc. 1062FC)		4702187	1	15.70
54-57	STA. WAG.	FERRULE	4603917	1	.35
49-52	STA. WAG.	MOULDING (34 3/4 O.L.)	4563662	1	(11.370)
55-56	1062DF-64	MOULDING, front,			
55-56	STA. WAG., SDL.,				
57	1062DF	rear (34 O.L.)	4682444	1	1.55
55	1062DF-64,				
56	1064,				
57	1062DF-64	MOULDING, side (20 1/4 O.L.)	4651635	2	1.55
55	1062DF-64,				
56	1064,				
57	1062DF-64	MOULDING, opening front (35 3/8 O.L.)	4650116	1	1.55
55	1062DF-64,				
56	1064,				
57	1062DF-64	MOULDING, right opening side (20 1/2 O.L.)	4650155	1	1.55
55	1062DF-64,				
56	1064,				
57	1062DF-64	MOULDING, left opening side (20 1/2 O.L.)	4650156	1	1.55
56-57	1062DF	MOULDING, opening and side (1/4 x 18 9/16)	4684571	4	1.55
50-54	STA. WAG., SDL.,				
56-57	1062DF-62FC	STUD	4576354	2	.30
50-54	STA. WAG., SDL.,				
56-57	1062DF-62FC	WASHER	4576353	2	.40
55-57	STA. WAG., SDL.	CLIP, cover board	4650842	2	.15
53-57	CORV	RETAINER, bolt	3706317	1	.30

12.584 BOARD—MOULDING, Compartment Division

54	1211WB	front compartment floor (36 11/16 x 60 1/2)	4644636	1	17.55
54	1211WB	rear compartment division	4644488	1	11.00
55-57	1211B	front compartment floor (30 5/16 x 63 1/2)	4649704	1	19.55
55-57	1211B	rear compartment	4243279	1	14.85
55-57	1211B	MOULDING, rr. compt. division board finish	4677203	1	1.55

12.650 BRACE—REINFORCEMENT, Dash to Chassis Frame

53-54	PASS.	right	4596251	1	3.75
53-54	PASS.	left	4596252	1	3.75
55-56	PASS.	right (w/reinforcement)	4664316	1	5.90
55-56	PASS.	left (w/reinforcement)	4647289	1	5.90
57	PASS.	right	4689794	1	8.90
57	PASS.	left	4689795	1	8.90
50-52	PASS.	REINFORCEMENT, right	4560375	1	1.75
50-52	PASS.	REINFORCEMENT, left	4595884	1	1.75
53-54	PASS.	REINFORCEMENT, right—to brace	4599494	1	1.75
53-54	PASS.	REINFORCEMENT, left—to brace	4614479	1	1.75

12.657 BRACE—BRACKET SUPPORT, Instrument Panel to Dash

51-52	PASS.	inner (5/16 dia. x 16 1/4 long)	3695651	1	.35
51-52	PASS.	outer (5/16 dia. x 15 1/4 long)	3695653	1	.35
53-54	PASS.	inner (5/16 dia. x 17 3/16 long)	3696953	1	.35
53-54	PASS.	outer (5/16 dia. x 16 long)	3696955	1	.35
54	PASS. (w/P.G.)	lower inner (3/8 O.D. x 14 15/16 long)	3710980	1	.35
54	PASS. (w/P.G.)	lower outer (3/8 O.D. x 14 11/16 long)	3710981	1	.35
55-56	PASS.		3725308	1	2.95
57	PASS.		3741196	1	3.50
57	PASS.	BRACKET, brace	3741198	1	.35
55-56	PASS.	SUPPORT, to vent. air duct inner (10 1/4 dev. lgth)	3713887	1	.35
55-56	PASS.	SUPPORT, to vent. air duct outer (8 3/16 dev. lgth.)	3713889	1	.35
57	PASS.	SUPPORT, brace (11 9/16 dev. lgth.)	3735651	1	.65

12.659 BRACE—REINFORCEMENT—SHIM, Hinge Pillar to Floor

53-54	CONV., SPT. CPE.	right	4596637	1	1.85
53-54	CONV., SPT. CPE.	left	4596638	1	1.85
55	PASS.,				
56	CONV.	right	4640226	1	2.05
55	PASS.,				
56	CONV.	left	4640227	1	2.05
57	CONV.	right, front	4689129	1	2.65
57	CONV.	left, front	4689801	1	2.65
55-56	PASS.	REINFORCEMENT, right to duct panel	4650439	1	1.95
55-56	PASS.	REINFORCEMENT, left to duct panel	4650440	1	1.95
55-56	PASS.	REINFORCEMENT, right to rocker	4640168	1	1.70
55-56	PASS.	REINFORCEMENT, left to rocker	4640169	1	1.70
57	PASS.	REINFORCEMENT, right front upper hinge	4687121	1	.75
57	PASS.	REINFORCEMENT, left front upper hinge	4698642	1	1.00
57	PASS.	REINFORCEMENT, right front to rocker	4687123	1	1.70
57	PASS.	REINFORCEMENT, left front to rocker	4687124	1	1.70
56-57	CORV.	SHIM (plastic laminate)	3725341	2	.55

12.684 BRACE, Lock Pillar

53-54	1011-27-1211-27-27B	right, to sill	4595567	1	2.80
53-54	1011-27-1211-27-27B	left, to sill	4595568	1	2.80
53-54	CONV., SPT. CPE.	right, to front floor	4599506	1	1.85
53-54	CONV., SPT. CPE.	left, to front floor	4599507	1	1.85
53-54	CONV., SPT. CPE.	right, to center floor	4603010	1	4.40
53-54	CONV., SPT. CPE.	left, to center floor	4611443	1	4.40
55-57	CONV.	right, to floor, upper	4648269	1	7.80
55-57	CONV.	left, to floor, upper	4648270	1	7.80
55-57	SPT. CPE.	right, to floor	4648267	1	7.80
55-57	SPT. CPE.	left, to floor	4648268	1	7.80

12.751 NUT, Fender Anchor

31-48	PASS. (exc. STA. WAG.)		4034101	A.R.	.06

12.768 BRACE ASSEMBLY, Rear Seat Back Compartment Panel

53-54	1011-69-1211-69-69W	right	4648492	1	1.60
53-54	1011-69-1211-69-69W	left	4648493	1	1.60
53-54	SPT. CPE.	right	4648434	1	1.80
53-54	SPT. CPE.	left	4648435	1	1.80
53-54	SPT. CPE.	right, hinge to wheelhouse	4603746	1	2.20
53-54	SPT. CPE.	left, hinge to wheelhouse	4603747	1	2.20
55-57	1011-19-1211-19	right, to wheelhouse	4640533	1	1.60
55-57	1011-19-1211-19	left, to wheelhouse	4640534	1	1.60
55-57	CONV.	right, compartment to floor pan	4649360	1	10.90
55-57	CONV.	left, compartment to floor pan	4649361	1	10.90
55-57	SPT. CPE.	right, rear shelf panel to wheelhouse	4640736	1	1.95
55-57	SPT. CPE.	left, rear shelf panel to wheelhouse	4640737	1	1.95

12.800 KIT—COMPONENTS, Sheet Metal Plastic Repair (Repair of sheet metal and plastic panels)

ALL	ALL	KIT, reinforced plastic repair	987341*	A.R.	No List
ALL	ALL	CLOTH, woven fiberous glass (3½ sq. yds.)	987342	A.R.	No List
ALL	ALL	FILLER, powdered (½ lb.—silica type)	987345	A.R.	No List
ALL	ALL	HARDENER, liquid (1 lb.)	987344	A.R.	No List
ALL	ALL	RESIN, liquid plastic (2 lb.)	987343	A.R.	No List
ALL	ALL	KERODEX, skin protective coating (1 lb. container—for dry work)	987447	A.R.	No List
ALL	ALL	KERODEX, skin protective coating (1 lb. container—for wet work)	987448	A.R.	No List
ALL	ALL	SOLDER, plastic	987511	1	No List

*NOTE: Also contains 6-8 oz. paper cups, 6 wooden teaspoons, 1 metal teaspoon and instructions for use.

12.802 PANEL—COVER—MAT—FASTENER, Dash Instr. Cluster Inspection Hole

53-55	CORV.	(plastic laminate)	3706560	1	49.50
56-57	CORV.	(plastic laminate)	3726281	1	49.50
49-53	PASS.,				
54	PASS. (exc. P.B.)	COVER, voltage regulator mounting	3694370	1	.55
54	PASS. (w/P.G. and P.B.)	COVER, voltage regulator mounting	3710897	1	1.75
49-53	PASS.,				
54	PASS. (exc. P.B.)	MAT, jute felt	3694371	1	.38
54	PASS. (w/P.G. and P.B.)	MAT, jute felt	3710983	1	.38
46-55	PASS.	FASTENER	3692752	8	(15.282)
57	PASS.	FASTENER, dash panel mat	3730562	10	(15.282)

12.803 COWL ASSY—PANEL ASSY.

51-52	1011-27-69-1211-27-27B-69-71	with instrument panel	4613220	1	108.40
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	with instrument panel	4638105	1	111.70
53-54	CONV.	with instrument panel	4638113	1	117.60
53-54	SPT. CPE.	with instrument panel	4638112	1	111.70
53-54	STA. WAG.	with instrument panel	4638109	1	117.60
55-56	PASS.		4667027*	1	123.75
55-56	PASS.	PANEL ASSY., cowl upper	4667012	1	26.60
57	PASS.	PANEL ASSY., cowl	4695744	1	89.50

*NOTE: Does not include W/S Inner and Outer Side Frames, W/S Inner Upper Frame, Front Body Hinge Pillar or Instrument Panel.

12.804 PANEL—COLLAR—GUTTER—OUTLET—GRILLE, Cowl Side

42-48	PASS. (exc. STA. WAG.)	right (lower section)	4550588	1	2.20
42-48	PASS. (exc. STA. WAG.)	left (lower section)	4550589	1	2.20
49-52	PASS.	right	4562034	1	6.70
49-52	PASS.	left	4562035	1	6.70

53-54	PASS.	right, lower	4628339	1	6.70
53-54	PASS.	left, lower	4628340	1	6.70
53-54	PASS.	right, inner	4595288	1	4.10
53-54	PASS.	left, inner	4595289	1	4.10
53-55	CORV.	top (plastic laminate)	3708553	1	125.00
55-56	PASS.	right, lower	4639892	1	6.45
55-56	PASS.	left, lower	4639893	1	6.45
55-56	PASS.	right, cowl vent duct side w/hinge mtg. brkt.	4647311	1	7.55
55-56	PASS.	left, cowl vent duct side w/hinge mtg. brkt.	4647312	1	7.55
56-57	CORV.	top (plastic laminate)	3738773	1	78.50
57	PASS.	right	4690335	1	12.90
57	PASS.	left	4690336	1	12.90
57	PASS.	shroud, upper	4695696	1	22.75
55	PASS.	COLLAR, right, cowl air outlet side (4⅞ x 5 11/16 I.D.)	4653599	1	2.80
55	PASS.	COLLAR, left, cowl air outlet side (4⅞ x 8⅛ I.D.)	4653600	1	2.80
56	PASS.	COLLAR, right air outlet	4685691	1	2.80
56	PASS.	COLLAR, left air outlet	4685692	1	2.80
55-56	PASS.	GUTTER, right, cowl side duct panel	4662329	1	1.95
55-56	PASS.	GUTTER, left, cowl side duct panel	4663840	1	.85
55-57	PASS.	GUTTER, right, cowl side drain (3 holes)	4651483	1	.35
55-57	PASS.	GUTTER, left, cowl side drain (3 holes)	4651484	1	.35
55-56	PASS.	OUTLET, right, cowl duct air side (4 9/16 x 5⅝ I.D.)	4652509	1	2.80

12.805 REINFORCEMENT, Cowl Panel

50-52	PASS.	right, w/anchor plate at check link	4566366	1	1.25
50-52	PASS.	left, w/anchor plate at check link	4566367	1	1.25
53-54	PASS.	right, at upper hinge	4619977	1	1.10
53-54	PASS.	left, at upper hinge	4619978	1	1.10
55-56	PASS.	OUTLET, left cowl duct air side (4 9/16 x 8 I.D.)	4652510	1	2.80
55-56	PASS.	GRILLE, right, air ventilator outlet (7 3/16 x 7 3/16).	3713414	1	1.15
55-56	PASS.	GRILLE, left, air ventilator outlet (7 3/16 x 9 15/16).	3713413	1	1.25

12.806 PLATE, Front Fender and Hood Support

57	PASS.	right	4691856	1	1.35
57	PASS.	left	4691857	1	1.35

12.807 FRAME, Windshield Upper

49-52	PASS. (exc. CONV., B-A)	inner	4578125	1	4.85
50-52	BEL AIR	outer	4577408	1	7.90
51-52	BEL AIR	inner	4593462	1	5.50
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	inner	4602465	1	5.15
53-54	CONV.	inner and outer	4600846	1	5.55
53-54	SPT. CPE.	inner	4600849	1	5.75
53-54	STA. WAG.	inner	4615799	1	5.15
55-57	PASS. (exc. SPT. MDLS.)	inner upper	4686538	1	15.40
55-57	CONV.	upper	4648607	1	15.60
55-57	SPT. MDLS.	inner upper	4648606	1	15.10

12.808 RAIL, Windshield Side

49-52	1011-27-69-1211-27-27B-69-71	right	4587379	1	12.15
49-52	1011-27-69-1211-27-27B-69-71	left	4591684	1	12.15
50-52	BEL AIR	right	4579529	1	5.15
50-52	DEL AIR	left	4579530	1	5.15
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	right	4595028	1	4.65
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	left	4595029	1	4.65
53-54	CONV.	right	4598719	1	6.15
53-54	CONV.	left	4598720	1	6.15
53-54	SPT. CPE.	right	4598717	1	4.85
53-54	SPT. CPE.	left	4598718	1	4.85
53-54	STA. WAG.	right	4600149	1	4.85
53-54	STA. WAG.	left	4600150	1	4.85

50-52	BEL AIR	right, inner	4594328	1	2.05
50-52	BEL AIR	left, inner	4594329	1	2.05
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	right, inner	4594174	1	2.50
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	left, inner	4594175	1	2.50
53-54	CONV., SPT. CPE.	right, inner	4597311	1	2.35
53-54	CONV., SPT. CPE.	left, inner	4597312	1	2.35
53-54	STA. WAG.	right, inner	4600063	1	2.90
53-54	STA. WAG.	left, inner	4600064	1	2.90
55-57	PASS. (exc. SPT. MDLS.)	right, inner	4639958	1	4.20
55-57	PASS. (exc. SPT. MDLS.)	left, inner	4639959	1	4.20
55-57	PASS. (exc. SPT. MDLS.)	right, outer	4676529	1	3.65
55-57	PASS. (exc. SPT. MDLS.)	left, outer	4676530	1	3.65
55-57	CONV.	right, inner	4652503	1	6.65
55-57	CONV.	left, inner	4652504	1	6.65
55-57	CONV.	right, outer	4640094	1	3.20
55-57	CONV.	left, outer	4640095	1	3.20
55-57	SPT. MDLS. (exc. CONV.)	right, inner	4640172	1	4.40
55-57	SPT. MDLS. (exc. CONV.)	left, inner	4640173	1	4.40
55-57	SPT. MDLS. (exc. CONV.)	right, outer	4640163	1	2.95
55-57	SPT. MDLS. (exc. CONV.)	left, outer	4640164	1	2.95
55-57	PASS.	REINFORCEMENT, right, lower corner	4647116	1	.60
55-57	PASS.	REINFORCEMENT, left, lower corner	4647117	1	.60

12.810 PANEL—EXTENSION—BRACKET—NUT—MOULDING—RETAINER—ESCUTCHEON, Turret Top Roof Outer

49-52	FLEETLINE	w/deadener felt and drip mldg.	3692556*	1	70.00
49-52	1069-1269	w/deadener felt and drip mldg.	3692557*	1	70.00
49-52	1011-1211	w/deadener felt and drip mldg.	4564767*	1	70.00
49-52	CPES.	w/deadener felt and drip mldg.	4565080*	1	70.00
50-52	BEL AIR	w/deadener felt, front drip mldg. and side roof rail	4611080*	1	117.60
53	1011,				
54	1011-1211	w/deadener felt and drip mldg.	4598620*	1	70.00
53	1211	w/deadener felt and drip mldg.	4598130	1	70.00
53	1027-1227-27B	w/deadener felt and drip mldg.	4598490*	1	70.00
53-54	1069-1269W	w/deadener felt and drip mldg.	4627789*	1	70.00
53	1269	w/deadener felt and drip mldg.	4627787	1	70.00
53-54	SPT. CPE.	w/deadener felt and drip mldg.	4615515*	1	70.00
53-54	SPT. CPE.	right, rear extension lower inner filler	4603753	1	.90
53-54	SPT. CPE.	left, rear extension lower inner filler	4603754	1	.90
53-54	SPT. CPE.	right, extension (roof to qtr. outer pnl.)	4595959	1	2.75
53-54	SPT. CPE.	left, extension (roof to qtr. outer pnl.)	4595960	1	2.75
49-52	1062		4565113	1	90.15
49-52	SDL.		4565168	1	128.80
53-54	STA. WAG.		4599442	1	90.15
53-54	SDL.		4600225	1	128.80
55-57	PASS. (exc. SPT. MDLS., STA. WAG., SDL.)	(less drip mouldings)	4653436	1	64.40
55-57	SPT. CPE.	(less drip mouldings)	4686467	1	64.40
55-57	STA. WAG., SDL. (exc. 1064)	(less drip mouldings)	4653437	1	82.30
55-57	1064	(less drip mouldings)	4663841	1	84.55
56-57	SPT. SED.	(less drip mouldings)	4671920	1	64.40
56-57	CORV.	w/hardware, glass and beige hdlg.	3736316	1	275.00
56-57	CORV.	w/hardware, glass and red hdlg.	3739860	1	275.00
56-57	SPT. SED.	EXTENSION, right	4669978	1	1.50
56-57	SPT. SED.	EXTENSION, left	4669979	1	1.50
56-57	CORV. (w/HARDTOP)	BRACKET, mounting rear	3732377	1	.60
56	CORV. (w/HARDTOP)	NUT, roof panel sleeve	3727928	3	.90
57	CORV. (w/HARDTOP)	MOULDING, left	3739309	1	3.25
57	CORV. (w/HARDTOP)	MOULDING, right	3739310	1	3.25
57	CORV. (w/HARDTOP)	RETAINER	3739308	1	1.35
57	CORV. (w/HARDTOP)	ESCUTCHEON	3739311	1	.40

*NOTE: Series 1000 (exc. STA. WAG.) have an extra insulation, part No. 4585771 Group 12.812, that is not included with roof panel.

PANEL, Top—Inner

54	1211-69W	roof pnl. at back window (2 3/32 x 2 3/32)	4641050	2	.25

12.812 INSULATION, Turret Top Roof

49-53 54-55	Ser. 1000 (exc. STA. WAG.), 1011-19-69	fibre glass (33 x 46)	4585771	A.R.	3.95

12.840 PILLAR—PANEL, Front Body Hinge

49-52	PASS.	right	4560776	1	5.05
49-52	PASS.	left	4560777	1	5.05
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	right	4644830	1	5.90
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG.)	left	4644831	1	5.90
53-54	CONV., SPT. CPE.	right	4644771	1	5.90
53-54	CONV., SPT. CPE.	left	4644772	1	5.90
53-54	STA. WAG.	right	4644832	1	5.90
53-54	STA. WAG.	left	4644833	1	5.90
55-56	PASS. (exc. SPT. MDLS.)	PANEL, right	4676534	1	28.55
55-56	PASS. (exc. SPT. MDLS.)	PANEL, left	4676535	1	28.55
55-56	CONV.	PANEL, right	4649251	1	29.70
55-56	CONV.	PANEL, left	4649252	1	29.70
55-56	SPT. CPE., SPT. SED.	PANEL, right	4649249	1	28.55
55-56	SPT. CPE., SPT. SED.	PANEL, left	4649250	1	28.55
55-56	1064	PANEL, right	4661875	1	36.40
55-56	1064	PANEL, left	4661876	1	36.40
57	PASS. (exc. SPT. MDLS.)	PANEL, right	4692919	1	33.30
57	PASS. (exc. SPT. MDLS.)	PANEL, left	4692920	1	33.30
57	SPT. CPE., SPT. SED.	PANEL, right	4692923	1	36.40
57	SPT. CPE., SPT. SED.	PANEL, left	4692924	1	36.40
57	1064	PANEL, right	4692925	1	36.40
57	1064	PANEL, left	4692926	1	36.40
57	CONV.	PANEL, right	4692983	1	35.30
57	CONV.	PANEL, left	4692984	1	35.30

PILLAR—EXTENSION—SEAL—WEATHERSTRIP—REINFORCEMENT—SUPPORT—RETAINER—GUTTER, Corvette Front Body Hinge

53-55	CORV.	right (plastic laminate)	3706986	1	18.75
53-55	CORV.	left (plastic laminate)	3706985	1	18.75
56-57	CORV.	right, assy.	3740022	1	27.50
56-57	CORV.	left, assy.	3740021	1	27.50
56-57	CORV.	right (plastic laminate)	3725586	1	15.00
56-57	CORV.	left (plastic laminate)	3725585	1	15.00
53-55	CORV.	EXTENSION, right, pillar (plastic laminate)	3706766	1	2.35
53-55	CORV.	EXTENSION, left, pillar (plastic laminate)	3706765	1	2.35
56-57	CORV.	EXTENSION, right (plastic laminate)	3725730	1	1.95
56-57	CORV.	EXTENSION, left (plastic laminate)	3725729	1	1.95
53-55	CORV.	SEAL, right, pillar to door	3706966	1	1.65
53-55	CORV.	SEAL, left, pillar to door	3706965	1	1.65
53-55	CORV.	SEAL, right, pillar to door upper	3715494	1	.25
53-55	CORV.	SEAL, left, pillar to door upper	3715493	1	.25
53-55	CORV.	WEATHERSTRIP, windshield side frame to door moulding	3706964	2	.25
53-55	CORV.	REINFORCEMENT, right (plastic laminate)	3706906	1	1.95
53-55	CORV.	REINFORCEMENT, left (plastic laminate)	3706905	1	1.95
56-57	CORV.	REINFORCEMENT, right (plastic laminate)	3725728	1	8.50
56-57	CORV.	REINFORCEMENT, left (plastic laminate)	3725727	1	8.50
56-57	CORV.	REINFORCEMENT, right, to extension (plastic laminate)	3726904	1	1.15
56-57	CORV.	REINFORCEMENT, left, to extension (plastic laminate)	3726903	1	1.15
56-57	CORV.	SUPPORT ASSY., right, hinge pillar (steel)	3725726	1	.85
56-57	CORV.	SUPPORT ASSY., left, hinge pillar (steel)	3725725	1	.85
56-57	CORV.	RETAINER, right, rnfct. anchor plate	3728348	4	.15
56-57	CORV.	RETAINER, left, rnfct. anchor plate	3728347	4	.15
56-57	CORV.	GUTTER, right, drain	3727614	1	.30
56-57	CORV.	GUTTER, left, drain	3727613	1	.30

12.895 PANEL, Front Door Outer


49-52	SDL	right	4562779	1	24.45
49-52	SDL	left	4562780	1	24.45
49-52	1069-1269	right	4562781	1	24.45
49-52	1069-1269	left	4562782	1	24.45
49-52	1011-1211	right	4562829	1	25.20
49-52	1011-1211	left	4562830	1	25.20
49-52	CPES	right	4562835	1	25.20
49-52	CPES	left	4562836	1	25.20
49-52	1007-1207	right	4562847	1	25.20
49-52	1007-1207	left	4562848	1	25.20
49-51	1008-1208	right	4562869	1	24.45
49-51	1008-1208	left	4562870	1	24.45
49-52	CONV., BEL AIR	right	4564876	1	27.45
49-52	CONV., BEL AIR	left	4564877	1	27.45
49-52	1062	right	4581242	1	19.30
49-52	1062	left	4581243	1	19.30
53-54	1011-27-1211-27-27B	right	4596743	1	25.20
53-54	1011-27-1211-27-27B	left	4596744	1	25.20
53-54	1069-1269-69W	right	4596749	1	24.45
53-54	1069-1269-69W	left	4596750	1	24.45
53-54	CONV., SPT. CPE	right	4191754	1	27.45
53-54	CONV., SPT. CPE	left	4191755	1	27.45
53-54	STA. WAG	right	4601514	1	22.10
53-54	STA. WAG	left	4601515	1	22.10
53-54	SDL	right	4600968	1	24.45
53-54	SDL	left	4600969	1	24.45
55-57	2-DR. (exc. 1037-37D-64-67D)	right	4255982	1	28.55
55-57	2-DR. (exc. 1037-37D-64-67D)	left	4255983	1	28.55
55-57	4-DR. (exc. SPT. SED.)	right	4694024	1	27.95
55-57	4-DR. (exc. SPT. SED.)	left	4694025	1	27.95
55-57	CONV., SPT. CPE	right	4255992	1	22.95
55-57	CONV., SPT. CPE	left	4255993	1	22.95
55-57	1064	right	4241951	1	28.55
55-57	1064	left	4241952	1	28.55
56	SPT. SED	right	4244813	1	20.70
56	SPT. SED	left	4244814	1	20.70
56-57	SPT. SED	right	4259441	1	21.75
56-57	SPT. SED	left	4259442	1	21.75

12.913 PANEL, Rear Door Outer


49-51	1008-1208	right	4174402	1	26.70
49-51	1008-1208	left	4174403	1	26.70
49-52	1069-1269	right	4174219	1	26.70
49-52	1069-1269	left	4174220	1	26.70
49-52	1062	right	4175383	1	26.70
49-52	1062	left	4175384	1	26.70
53-54	1069-1269-69W	right	4191752	1	26.70
53-54	1069-1269-69W	left	4191753	1	26.70
53-54	STA. WAG	right	4191756	1	26.70
53-54	STA. WAG	left	4191757	1	26.70
55	4-DR. SEDAN,				
57	4-DR. SEDAN	right	4645377	1	26.70
55	4-DR. SEDAN,				
57	4-DR. SEDAN	left	4645378	1	26.70
55	1019-1219,				
57	1019-1219	right (coated w/pale metal wrap)	4269174	1	26.70
55	1019-1219,				
57	1019-1219	left (coated w/pale metal wrap)	4269175	1	26.70
55	1062,				
57	1062	right	4210507	1	26.60
55	1062,				
57	1062	left	4210508	1	26.60

56	4-DR. SEDAN	right	4665308	1	26.70
56	4-DR. SEDAN	left	4665309	1	26.70
56	SPT. SED.	right	4255883	1	22.10
56	SPT. SED.	left	4255884	1	22.10
56	1062	right	4244827	1	26.60
56	1062	left	4244828	1	26.60
57	SPT. SED.	right	4259453	1	22.10
57	SPT. SED.	left	4259454	1	22.10


12.934 PANEL—EXTENSION—FILLER—COVER—REINFORCEMENT—PLATE, Door Rocker



4655288




4645933



4639932

41	PASS.	left, outer	4148054*	1	4.50
	*NOTE: Part No. 4148054 must be cut and reworked for correct alignment.				
41-48	PASS.	right, inner	4132450	1	4.50
41-48	PASS.	left, inner	4132451	1	4.50
42-48	PASS.	right, outer	4148902*	1	5.90
42-48	PASS.	left, outer	4148903*	1	5.90
	*NOTE: When using 4148902-3 on 1942 models it is necessary to cut to size.				
49-52	PASS.	right, outer	4169448	1	15.60
49-52	PASS.	left, outer	4169449	1	15.60
49-52	PASS.	right, inner	4580153	1	5.90
49-52	PASS.	left, inner	4580154	1	5.90
53-54	PASS.	right, outer	4633252	1	15.60
53-54	PASS.	left, outer	4633253	1	15.60
53-54	PASS.	right, inner	4594484	1	5.90
53-54	PASS.	left, inner	4594485	1	5.90
55-57	PASS.	right, inner	4644423	1	4.75
55-57	PASS.	left, inner	4644424	1	4.75
55	2-DR.	right, outer	4649871	1	10.65
55	2-DR.	left, outer	4649872	1	10.65
55	4-DR.	right, outer	4674231	1	15.60
55	4-DR.	left, outer	4674232	1	15.60
56	2-DR.	right, outer	4666667	1	10.65
56	2-DR.	left, outer	4666668	1	10.65
56	4-DR. (exc. SPT. SED.)	right, outer	4665810	1	14.45
56	4-DR. (exc. SPT. SED.)	left, outer	4665811	1	14.45
56	SPT. SED.	right, outer	4665812	1	15.95
56	SPT. SED.	left, outer	4665813	1	15.95
57	4 DR. (exc. SPT. SED.)	right	4691959	1	14.45
57	4 DR. (exc. SPT. SED.)	left	4691960	1	14.45
57	2 DR. (exc. CONV.)	right	4691985	1	12.05
57	2 DR. (exc. CONV.)	left	4691986	1	12.05
57	SPT. SED.	right	4691957	1	15.95
57	SPT. SED.	left	4691958	1	15.95
57	CONV.	right	4691989	1	12.05
57	CONV.	left	4691990	1	12.05
53-54	PASS.	EXTENSION, right, outer rocker panel at front	4595559	1	1.00
53-54	PASS.	EXTENSION, left, outer rocker panel at front	4595560	1	1.00
55	PASS.	EXTENSION, right, outer rocker panel	4655288	1	1.30
55	PASS.	EXTENSION, left, outer rocker panel	4655289	1	1.30
56	PASS.	EXTENSION, right outer rocker panel	4665816	1	1.30
56	PASS.	EXTENSION, left outer rocker panel	4665817	1	1.30
57	PASS. (exc. CONV.)	EXTENSION, right	4691976	1	1.90



PASSENGER REAR END—EXPLODED

57	PASS. (exc. CONV.)	EXTENSION, left	4691977	1	1.90
57	CONV.	EXTENSION, right	4691978	1	1.90
57	CONV.	EXTENSION, left	4691979	1	1.90
53-54	2-DR.	FILLER, right, outer rocker panel rear	4595714	1	.75
53-54	2-DR.	FILLER, left, outer rocker panel rear	4595715	1	.75
53-54	4-DR.	FILLER, right, outer rocker panel rear	4595716	1	.75
53-54	4-DR.	FILLER, left, outer rocker panel rear	4595717	1	.75
56-57	CONV., SPT. CPE.	FILLER, right rocker panel to pillar brace	4643135	1	.35
56-57	CONV., SPT. CPE.	FILLER, left rocker panel to pillar brace	4643136	1	.35
54	CONV., SPT. CPE.,				
55-57	PASS.	COVER, rocker inner panel dust (1⅜ x 1⅞)	4615576	2	.15
55-57	4-DR. (exc. SPT. SED.)	REINFORCEMENT, qtr. pnl. at ctr. pillar (4 x 7⅛ w/1 x 1⅞ hole)	4639932	2	.40
56-57	SPT. SED.	REINFORCEMENT, rocker outer pnl. inner at ctr. (w/hole 1⅞ dia.)	4664676	2	.95
55	2-DR.	PLATE, rocker panel baffle	4645933	2	.40
56-57	2-DR.	PLATE, rocker panel baffle	4662118	2	.40

PANEL—REINFORCEMENT—BONDING STRIP, Corvette Underbody Rocker (plastic laminate)

53-55	CORV.	right	3709732	1	30.00
53-55	CORV.	left	3709731	1	30.00
53-55	CORV.	right, section repair	3708558	1	140.00
53-55	CORV.	left, section repair	3708557	1	140.00
56-57	CORV.	right, rear section repair	3738762	1	15.00
56-57	CORV.	left, rear section repair	3738761	1	15.00
56-57	CORV.	right, underbody to underbody rocker panel filler	3726640	1	2.95
56-57	CORV.	left, underbody to underbody rocker panel filler	3726639	1	2.95
53-57	CORV.	REINFORCEMENT, right	3706508	1	6.75
53-57	CORV.	REINFORCEMENT, left	3706507	1	6.75
56-57	CORV.	BONDING STRIP, right, top to rocker panel	3726622	1	4.10
56-57	CORV.	BONDING STRIP, left, top to rocker panel	3726621	1	4.10

12.940 PANEL ASSEMBLY, Rear Quarter Side Outer

41-48	CPES	right, less lwr. corner pnl. w/tail lamp opg.	4148080	1	52.90
41-48	CPES	left, less lwr. corner pnl. w/tail lamp opg.	4148081	1	52.90
41-48	1011-1211	right, less lwr. corner pnl. w/tail lamp opg.	4148082	1	59.10
41-48	1011-1211	left, less lwr. corner pnl. w/tail lamp opg.	4148083	1	59.10
42-48	1007	right, less lwr. corner pnl. w/tail lamp opg.	4148088	1	62.60
42-48	1007	left, less lwr. corner pnl. w/tail lamp opg.	4148089	1	62.60
49-50	1008-1208	right	4581033	1	52.35
49-50	1008-1208	left	4581034	1	52.35
49-50	1007-1207	right	4581073	1	73.10
49-50	1007-1207	left	4581074	1	73.10
49-50	1069-1269	right	4581053	1	55.45
49-50	1069-1269	left	4581054	1	55.45
49-50	1011-1211	right	4581017	1	73.10
49-50	1011-1211	left	4581018	1	73.10
49-50	1027-1227-27B	right	4565074	1	73.10
49-50	1027-1227-27B	left	4584723	1	73.10
49-52	1062	right	4613847	1	69.45
49-52	1062	left	4613848	1	69.45
49-52	SDL.	right	4565164	1	56.30
49-52	SDL.	left	4565165	1	56.30
49	CONV.	right	4566982	1	78.10
49	CONV.	left	4566983	1	78.10
50	CONV.	right	4584203	1	78.10
50	CONV.	left	4584204	1	78.10
50	BEL AIR	right	4582252	1	72.50
50	BEL AIR	left	4582253	1	72.50
51-52	1007-1207	right	4611493	1	83.45
51-52	1007-1207	left	4611494	1	83.45
51-52	1011-1211	right	4611930	1	83.45
51-52	1011-1211	left	4611931	1	83.45

51	1008-1208	right	4588138	1	63.65
51	1008-1208	left	4588139	1	63.65
51-52	1069-1269	right	4611932	1	63.65
51-52	1069-1269	left	4611933	1	63.65
51-52	CPES	right	4611678	1	76.70
51-52	CPES	left	4611679	1	76.70
51-52	CONV	right	4190946	1	85.55
51-52	CONV	left	4190947	1	85.55
51-52	BEL AIR	right	4190948	1	83.70
51-52	BEL AIR	left	4190949	1	83.70
53-54	1011-1211	right	4191845	1	85.95
53-54	1011-1211	left	4191846	1	85.95
53	1027-1227-27B	right	4196466	1	79.25
53	1027-1227-27B	left	4196467	1	79.25
53-54	1069-1269-69W	right	4191863	1	62.95
53-54	1069-1269-69W	left	4191864	1	62.95
53-54	CONV	right	4197306	1	90.00
53-54	CONV	left	4197307	1	90.00
53-54	SPT. CPE	right	4197300	1	85.70
53-54	SPT. CPE	left	4197301	1	85.70
53-54	1062-62D	right	4210885	1	72.35
53-54	1062-62D	left	4641401	1	72.35
53-54	1062F-1262F	right	4641979	1	72.35
53-54	1062F-1262F	left	4641980	1	72.35
53-54	SDL	right	4647410	1	61.05
53-54	SDL	left	4647411	1	61.05
53-55	CORV	right (plastic laminate)	3708556	1	115.00
53-55	CORV	left (plastic laminate)	3708555	1	115.00
56-57	CORV	right (plastic laminate)	3738772	1	65.00
56-57	CORV	left (plastic laminate)	3738771	1	65.00
55	1011-1211	right, w/inner panel	4652045*	1	126.00
55	1011-1211	left, w/inner panel	4652046*	1	126.00
55	4-DR. SEDAN	right, w/inner panel	4651563	1	109.50
55	4-DR. SEDAN	left, w/inner panel	4651564	1	109.50
55	CONV	right, w/inner panel	4651162	1	137.20
55	CONV	left, w/inner panel	4651163	1	137.20
55	1037	right, w/inner panel	4678081	1	120.40
55	1037-37D	left, w/inner panel	4678082	1	120.40
55	1037D	right, w/inner panel	4651438	1	120.40
55	1062	right, w/inner panel	4652200	1	115.65
55	1062	left, w/inner panel	4652201	1	115.65
55	1063F	right, w/inner panel	4652243	1	149.80
55	1063F	left, w/inner panel	4652244	1	149.80
55	1263F	right, w/inner panel	4652241	1	149.80
55	1263F	left, w/inner panel	4652242	1	149.80
55	SDL	right, w/inner panel	4652265	1	163.25
55	SDL	left, w/inner panel	4652266	1	163.25
56	2-DR. SEDAN	right, w/inner panel	4244835	1	131.90
56	2-DR SEDAN	left, w/nner panel	4244836	1	131.90
56	4-DR SEDAN	right, w/inner panel	4244817	1	103.90
56	4-DR SEDAN	left, w/inner panel	4244818	1	103.90
56	CONV	right, w/inner panel	4673377	1	149.80
56	CONV	left, w/inner panel	4673378	1	149.80
56	SPT. CPE	right, w/inner panel	4255867	1	123.50
56	SPT. CPE	left, w/inner panel	4255868	1	123.50
56	SPT. SED	right, w/inner panel	4255869	1	98.50
56	SPT. SED	left, w/inner panel	4255870	1	98.50
56	1062F	right w/inner panel	4673272	1	126.50
56	1062F	left, w/inner panel	4673273	1	126.50
56	1062FC-62DF	right, w/inner panel	4255887	1	126.50
56	1062FC-62DF	left, w/inner panel	4255888	1	126.50
56	1063F	right, w/inner panel	4673431	1	149.80
56	1063F	left, w/inner panel	4673432	1	149.80
56	1263F	right, w/inner panel	4673429	1	149.80
56	1263F	left, w/inner panel	4673430	1	149.80
56	SDL	right, w/inner panel	4676556	1	163.25
56	SDL	left, w/inner panel	4676557	1	163.25

***NOTE: Filler Panels 4644703-4 and 4647243-4 required when installing on Model 1211B.**

NOTE: 1957 Quarter Panel Assemblies are not available. Component parts must be ordered.

PANEL—FILLER, Rear Quarter Side Outer (Outer panel only)

49-52	1062	right—upper	4560532	1	26.60
49-52	1062	left—upper	4560533	1	26.60
49-52	1061-62	right—lower	4560534	1	16.50
49-52	1061-62	left—lower	4560535	1	16.50
49-50	1069-1269	right	4571218	1	26.05
49-50	1069-1269	left	4571219	1	26.05
49-50	1007-1207	right	4585703	1	49.85
49-50	1007-1207	left	4585704	1	49.85
49-50	1008-1208	right	4571717	1	24.45
49-50	1008-1208	left	4571718	1	24.45
49-50	CPES	right	4585715	1	54.60
49-50	CPES	left	4585716	1	54.60
49-50	1011-1211	right	4585728	1	49.85
49-50	1011-1211	left	4585729	1	49.85
49	CONV	right	4559871	1	42.30
49	CONV	left	4559872	1	42.30
49-52	SDL	right	4560540	1	33.05
49-52	SDL	left	4560541	1	33.05
50	CONV	right	4584348	1	44.50
50	CONV	left	4584349	1	44.50
50	BEL AIR	right	4582258	1	38.65
50	BEL AIR	left	4582259	1	38.65
51-52	1007-1207	right	4588102	1	54.60
51-52	1007-1207	left	4588103	1	54.60
51-52	1011-1211	right	4588168	1	54.60
51-52	1011-1211	left	4588169	1	54.60
51	1008-1208	right	4585441	1	26.70
51	1008-1208	left	4585442	1	26.70
51-52	1069-1269	right	4586788	1	28.55
51-52	1069-1269	left	4586789	1	28.55
51-52	CPES	right	4588081	1	55.45
51-52	CPES	left	4588082	1	55.45
51-52	CONV	right	4593060	1	48.45
51-52	CONV	left	4593061	1	48.45
51-52	BEL AIR	right	4593074	1	44.50
51-52	BEL AIR	left	4593075	1	44.50
53-54	1011-1211	right	4191843	1	55.45
53-54	1011-1211	left	4191844	1	55.45
53	1027-1227-27B	right	4196464	1	58.50
53	1027-1227-27B	left	4196465	1	58.50
53-54	1069-1269-69W	right	4191861	1	29.40
53-54	1069-1269-69W	left	4191862	1	29.40
53-54	CONV	right	4197308	1	50.70
53-54	CONV	left	4197309	1	50.70
53-54	SPT. CPE	right	4197302	1	47.30
53-54	SPT. CPE	left	4197303	1	47.30
53-54	1062F-1262F	right—upper	4612853	1	26.60
53-54	1062F-1262F	left—upper	4612854	1	26.60
53-54	1062-62D	right—upper	4612841	1	26.60
53-54	1062-62D	left—upper	4612842	1	26.60
53-54	STA. WAG.	right—lower	4612847	1	18.50
53-54	STA. WAG.	left—lower	4612848	1	18.50
53-54	SDL	right	4600223	1	38.65
53-54	SDL	left	4600224	1	38.65
55	1011-1211	right, less extension	4652061	1	56.85
55	1011-1211	left, less extension	4652062	1	56.85
55	4-DR. SEDAN	right, less extension	4651575	1	44.50
55	4-DR. SEDAN	left, less extension	4651576	1	44.50
55	CONV	right, less extension	4651654	1	46.75
55	CONV	left, less extension	4651655	1	46.75
55	1037-37D	right, less extension	4678077	1	44.50
55	1037-37D	left, less extension	4678078	1	44.50
55	1062	right, less extension	4652208	1	42.40
55	1062	left, less extension	4652209	1	42.40
55	1063F	right, less extension	4652251	1	59.10
55	1063F	left, less extension	4652252	1	59.10

55	1263F-71	right, less extension	4652249	1	59.10
55	1263F-71	left, less extension	4652250	1	59.10
55	1064	right, less extension	4654341	1	59.10
55	1064	left, less extension	4654342	1	59.10
55-57	SDL	right, insert, less extension	4640520	1	12.60
55-57	SDL	left, insert, less extension	4640521	1	12.60
56	2-DR. SEDAN	right, less extension	4244837	1	64.70
56	2-DR. SEDAN	left, less extension	4244838	1	64.70
56	4-DR. SEDAN	right, less extension	4244819	1	44.50
56	4-DR. SEDAN	left, less extension	4244820	1	44.50
56	CONV.	right, less extension	4673381	1	46.75
56	CONV.	left, less extension	4673382	1	46.75
56	SPT. CPE.	right, less extension	4255871	1	53.50
56	SPT. CPE.	left, less extension	4255872	1	53.50
56	SPT. SED.	right, less extension	4255873	1	31.90
56	SPT. SED.	left, less extension	4255874	1	31.90
56	1062	right, less extension	4255885	1	51.25
56	1062	left, less extension	4255886	1	51.25
56	1063	right, less extension	4673439	1	59.10
56	1063	left, less extension	4673440	1	59.10
56	1263-71	right, less extension	4687015	1	59.10
56	1263-71	left, less extension	4687016	1	59.10
56	1064	right, less extension	4661374	1	59.10
56	1064	left, less extension	4661375	1	59.10
57	SPT. SED.	right	4678083	1	37.75
57	SPT. SED.	left	4678084	1	37.75
57	1064	right	4678113	1	63.75
57	1064	left	4678114	1	63.75
57	SPT. CPE.	right, (less extension)	4693698	1	57.75
57	SPT. CPE.	left, (less extension)	4693699	1	57.75
57	CONV.	right, (less extension)	4694743	1	52.75
57	CONV.	left, (less extension)	4694744	1	52.75
57	1062	right, (less extension)	4695489	1	54.75
57	1062	left, (less extension)	4695490	1	54.75
57	1063F	right, (less extension)	4697717	1	63.75
57	1063F	left, (less extension)	4697718	1	63.75
57	1263F-71	right, (less extension)	4698639	1	63.75
57	1263F-71	left, (less extension)	4698640	1	63.75
57	1011-1211	right, (less extension)	4699985	1	69.75
57	1011-1211	left, (less extension)	4699986	1	69.75
57	1019-1219	right, less extension	4699989	1	47.75
57	1019-1219	left, (less extension)	4699990	1	47.75
54	1211WB	FILLER, right—lower corner front	4644336	1	.40
54	1211WB	FILLER, left—lower corner front	4644337	1	.40
54	1211WB	FILLER, right—lower corner rear	4644339	1	.75
54	1211WB	FILLER, left—lower corner rear	4644340	1	.75
54	1211WB	FILLER, right—upper corner front	4644341	1	.40
54	1211WB	FILLER, left—upper corner front	4644342	1	.40
56-57	CORV.	FILLER, left, rr. fender panel (plastic laminate)	3725603	1	6.50
56-57	CORV.	FILLER, right rr. fender panel (plastic laminate)	3725604	1	6.50

PANEL, Rear Fender Replacement Section

49-50	2-DR.	right	3695626	1	14.50
49-50	2-DR.	left	3695625	1	14.50
49-50	4-DR.	right	3695628	1	13.15
49-50	4-DR.	left	3695627	1	13.15
51-52	2-DR.	right	3696968	1	16.30
51-52	2-DR.	left	3696967	1	16.30
51-52	4-DR.	right	3696970	1	15.75
51-52	4-DR.	left	3696969	1	15.75
53-54	2-DR. (exc. SDL.)	right	3703176	1	18.50
53-54	2-DR. (exc. SDL.)	left	3703175	1	18.50
53-54	1069-1269-69W	right	3703178	1	17.10
53-54	1069-1269-69W	left	3703177	1	17.10

12.941 PANEL—EXTENSION—REINFORCEMENT—GROMMET—PLUG—BRACE, Rear Quarter Side Inner

49-52	1011-1211	right	4593903*	1	17.00
49-52	1011-1211	left	4593904*	1	17.00

49	1007-1207	right	4562603	1	17.65
49	1007-1207	left	4562604	1	17.65
49-52	CONV.	right	4564153	1	6.35
49-52	CONV.	left	4564154	1	6.35
50-52	BEL AIR	right	4615582	1	17.65
50-52	BEL AIR	left	4615583	1	17.65
50-52	1069-1269	right	4580901	1	1.65
50-52	1069-1269	left	4580902	1	1.65
50-52	1007-1207	right	4593901*	1	17.00
50-52	1007-1207	left	4593902*	1	17.00

*NOTE: When using the above parts on 1950 models use old drain tube.

53-54	1011-1211-11W	right	4644553	1	19.55
53-54	1011-1211-11W	left	4644554	1	19.55
53	1027	right	4598526	1	15.20
53	1027	left	4598527	1	15.20
53-54	1069-1269-69W	right	4605847	1	4.10
53-54	1069-1269-69W	left	4605848	1	4.10
53-54	CONV.	right	4603083	1	6.35
53-54	CONV.	left	4603084	1	6.35
53-54	SPT. CPE.	right—front	4603081	1	11.10
53-54	SPT. CPE.	left—front	4603082	1	11.10
53-54	SPT. CPE.	right—rear	4603298	1	1.85
53-54	SPT. CPE.	left—rear	4603299	1	1.85
53-54	SDL.	right—inside corner	4602591	1	9.45
53-54	SDL.	left—inside corner	4602592	1	9.45
54	1211WB	right	4644558	1	17.65
54	1211WB	left	4644559	1	17.65
55	1011-1211 (exc. 1211B)	right, w/wheelhouse	4649906	1	44.25
55	1011-1211 (exc. 1211B)	left, w/wheelhouse	4649907	1	44.25
55	4-DR. SEDAN	right, w/wheelhouse	4649914	1	38.90
55	4-DR. SEDAN	left, w/wheelhouse	4649915	1	38.90
55	1211B	right, w/wheelhouse	4649908	1	44.25
55	1211B	left, w/wheelhouse	4649909	1	44.25
55	CONV.	right, w/wheelhouse	4649910	1	64.70
55	CONV.	left, w/wheelhouse	4649911	1	64.70
55	SPT. CPE.	right, w/wheelhouse	4649946	1	49.00
55	SPT. CPE.	left, w/wheelhouse	4649947	1	49.00
55	1062	right, w/wheelhouse	4649952	1	36.70
55	1062	left, w/wheelhouse	4649953	1	36.70
55	1063F	right, w/wheelhouse	4651241	1	55.15
55	1063F	left, w/wheelhouse	4651242	1	55.15
55	1064	right, w/wheelhouse	4662850	1	55.15
55-56	1064	left, w/wheelhouse	4671299	1	55.15
55	1263F	right, w/wheelhouse	4650585	1	55.15
55	1263F	left, w/wheelhouse	4650586	1	55.15
55	SDL.	right, w/wheelhouse	4649956	1	50.10
55	SDL.	left, w/wheelhouse	4649957	1	50.10
56	1011-1211 (exc. 1211B)	right, w/wheelhouse	4671243	1	44.25
56	1011-1211 (exc. 1211B)	left, w/wheelhouse	4671244	1	44.25
56	1211B	right, w/wheelhouse	4671245	1	44.25
56	1211B	left, w/wheelhouse	4671246	1	44.25
56	4-DR. SEDAN	right, w/wheelhouse	4671235	1	38.90
56	4-DR. SEDAN	left, w/wheelhouse	4671236	1	38.90
56	CONV.	right, w/wheelhouse	4671247	1	64.70
56	CONV.	left, w/wheelhouse	4671248	1	64.70
56	SPT. CPE.	right, w/wheelhouse	4671237	1	49.00
56	SPT. CPE.	left, w/wheelhouse	4671238	1	49.00
56	SPT. SED.	right, w/wheelhouse	4672012	1	49.00
56	SPT. SED.	left, w/wheelhouse	4672013	1	49.00
56	1062F	right, w/wheelhouse	4671290	1	36.70
56	1062F	left, w/wheelhouse	4671291	1	36.70
56	1062FC-62DF	right, w/wheelhouse	4677153	1	36.70
56	1062FC-62DF	left, w/wheelhouse	4677154	1	36.70
56	1063F	right, w/wheelhouse	4671292	1	55.15
56	1063F	left, w/wheelhouse	4671293	1	55.15
56	1263F	right, w/wheelhouse	4671294	1	55.15
56	1263F	left, w/wheelhouse	4671295	1	55.15

56	1064	right, w/wheelhouse	4671298	1	55.15
56	SDL.	right, w/wheelhouse	4671296	1	50.10
56	SDL.	left, w/wheelhouse	4671297	1	50.10
57	SPT. SED.	right	4693067	1	53.75
57	SPT. SED.	left	4693068	1	53.75
57	SPT. CPE.	right	4693069	1	62.50
57	SPT. CPE.	left	4693070	1	62.50
57	CONV.	right	4693075	1	75.75
57	CONV.	left	4693076	1	75.75
57	SDL.	right	4686771	1	37.40
57	SDL.	left	4686772	1	37.40
57	1011-1211 (exc. 1211B)	right	4693063	1	59.50
57	1011-1211 (exc. 1211B)	left	4693064	1	59.50
57	1211B	right	4693065	1	59.50
57	1211B	left	4693066	1	59.50
57	1019-1219	right	4693061	1	41.75
57	1019-1219	left	4693062	1	41.75
57	1062FC	right	4686477	1	41.75
57	1062FC	left	4686478	1	41.75
57	1062F-62DF	right	4686475	1	41.75
57	1062F-62DF	left	4686476	1	41.75
57	1063F	right	4686767	1	59.50
57	1063F	left	4686768	1	59.50
57	1064	right	4686473	1	59.50
56	1064	left	4686474	1	59.50
57	1263F	right	4686769	1	59.50
57	1263F	left	4686770	1	59.50
50-52	BEL AIR	EXTENSION, right inner panel upper	4578914	1	3.60
50-52	BEL AIR	EXTENSION, left inner panel upper	4578915	1	3.60
55-57	1011-63F-1211-63F-71	REINFORCEMENT, right body lock pillar	4646919	1	3.65
55-57	1011-63F-1211-63F-71	REINFORCEMENT, left body lock pillar	4646920	1	3.65
55-57	CONV., SPT. CPE.	REINFORCEMENT, right body lock pillar inner	4647468	1	6.45
55-57	CONV., SPT. CPE.	REINFORCEMENT, left body lock pillar inner	4647469	1	6.45
55-57	1064	REINFORCEMENT, right, inner to roof ext. pnl.	4666757	1	.75
55-57	1064	REINFORCEMENT, left, inner to roof ext. pnl.	4666758	1	.75
56-57	CORV.	REINFORCEMENT, right, rr. fender (plastic laminate)	3726712	1	2.65
56-57	CORV.	REINFORCEMENT, left, rr. fender (plastic lam.)	3726711	1	2.65
55-57	STA. WAG.	GROMMET, tail gate support	4673383	2	.15
57	STA. WAG.	GROMMET, tail gate support	4716888	2	.18
55-56	PASS. (exc. STA. WAG., SDL.)	PLUG, quarter side inner and whlhse. pnl.	4648037	6	.15
57	SPT. SED.	BRACE, right ctr. pillar to floor, lower	4690671	1	3.90
57	SPT. SED.	BRACE, left, ctr. pillar to floor, lower	4690672	1	3.90

12.942 PANEL, Rear Quarter Corner—Lower Rear

41-48	1011-19-1211-19	right (w/tail lamp opening)	4146802	1	1.57
41-48	1011-19-1211-19	left (w/tail lamp opening)	4146803	1	1.57

HOUSING—PLATE, Tail and Stop Lamp


53-55	CORV.	right, w/fins (plastic laminate)	3706832	1	7.75
53-55	CORV.	left, w/fins (plastic laminate)	3706831	1	7.75
56-57	CORV.	PLATE, tail lamp mtg. (plastic laminate)	3725583	2	7.95

12.944 PANEL, Rear Quarter Outer, Sections

41-48	PASS. (exc. 1019-61-69-1219-71)	right (lower front)	4550592	1	4.55
41-48	PASS. (exc. 1019-61-69-1219-71)	left (lower front)	4550593	1	4.55
41-48	1011-19-69-1211-19	right (fender attaching)	4550601	1	10.35
41-48	1011-19-69-1211-19	left (fender attaching)	4550602	1	10.35

PANEL, Rear Body Lock Pillar

41-48	1019-69-1219	right, lower	4550681	1	3.95
41-48	1019-69-1219	left, lower	4550682	1	3.95
49-52	1069-1269	right	4587856	1	10.65



4640500




4649279




4647155




4645962




4640749




4644964




4647527




4644703



4650411




4650822




4670139




4647272



4644960



4653604



4647243

SMALL SHEET METAL PARTS

49-52	1069-1269	left	4587857	1	10.65
49-52	1062	right, inner (metal—27½ O.L. x 2 3/16 wide at ctr.)	4562651	1	2.45
49-52	1062	left, inner (metal—27½ O.L. x 2 3/16 wide at ctr.)	4562652	1	2.45
53-54	1069-1269-69W	right—outer	4627569	1	10.65
53-54	1069-1269-69W	left—outer	4627570	1	10.65
53-54	STA. WAG.	right—outer	4627563	1	10.65
53-54	STA. WAG.	left—outer	4627564	1	10.65
53-54	STA. WAG.	right, inner	4600553	1	2.45
53-54	STA. WAG.	left, inner	4600554	1	2.45
55-57	1011-63F-1211-63F-71	right, inner at window	4644917	1	2.40
55-57	1011-63F-1211-63F-71	left, inner at window	4687249	1	2.65
55	4-DR. SEDAN	right, outer	4647018	1	10.65
55-57	1019-62-1219	right, inner,			
55-57	1062	right, inner lower	4666674	1	3.20
55-57	1019-62-1219	left, inner,			
55-57	1062	left, inner lower	4666675	1	3.20
55-57	1062	right, inner—upper (14¾ long w/⅝ hole)	4640595	1	3.30
55-57	1062	left, inner—upper (14¾ long w/⅝ hole)	4640596	1	3.30
55-57	1064	right, outer	4661873	1	10.65
55-57	1064	left, outer	4661874	1	10.65
56-57	4-DR. SEDAN (exc. SPT. SED.)	right, outer	4672131	1	10.65
55-57	4-DR. SEDAN (exc. SPT. SED.)	left, outer	4672132	1	10.65
56-57	SPT. SED.	right, outer	4690360	1	8.80
56-57	SPT. SED.	left, outer	4690361	1	8.80
56-57	SPT. SED.	right, inner	4670928	1	7.00
56-57	SPT. SED.	left, inner	4670929	1	7.00
53-54	BEL AIR	RETAINER, rear	4613280	4	.15
55-57	1011-63F-1211-63F	EXTENSION, right, reinforcement	4650411	1	.75
55-57	1011-63F-1211-63F	EXTENSION, left, reinforcement	4650412	1	.75
55-57	CONV.	FILLER, right, upper corner	4640749	1	.35
55-57	CONV.	FILLER, left, upper corner	4640750	1	.35
55-57	1064	REINFORCEMENT, right	4662730	1	6.35
55-57	1064	REINFORCEMENT, left	4662731	1	6.35
55-57	1064	REINFORCEMENT, right, lock pillar at belt	4671700	1	1.25
55-57	1064	REINFORCEMENT, left, lock pillar at belt	4671701	1	1.25

PANEL—PLATE, Wheelhouse

41-48	PASS. (exc. STA. WAG.)	right	4550667	1	9.15
41-48	PASS. (exc. STA. WAG.)	left	4550668	1	9.15
49-50	1008-69-1208-69	right	4559482	1	14.00
49-50	1008-69-1208-69	left	4559483	1	14.00
49-50	2-DR. (exc. SDL.)	right	4559484	1	14.00
49-50	2-DR. (exc. SDL.)	left	4559485	1	14.00
49-52	STA. WAG.	right	4614715	1	14.00
49-52	STA. WAG.	left	4614716	1	14.00
51-52	2-DR. (exc. SDL.)	right	4614707	1	14.00
51-52	2-DR. (exc. SDL.)	left	4614708	1	14.00
51-52	1008-69-1208-69	right	4614711	1	14.00
51-52	1008-69-1208-69	left	4614712	1	14.00
53-54	1011-1211	right	4636857	1	17.10
53-54	1011-1211	left	4636858	1	17.10
53-54	1069-1269-69W	right	4636859	1	18.20
53-54	1069-1269-69W	left	4636860	1	18.20
53-54	CONV.	right	4636863	1	17.10
53-54	CONV.	left	4636864	1	17.10
53-54	SPT. CPE.	right	4636861	1	17.10
53-54	SPT. CPE.	left	4636862	1	17.10
53-54	STA. WAG.	right	4641275	1	17.85
53-54	STA. WAG.	left	4641276	1	17.85
53-54	1062F-1262F	right—cover	4604281	1	10.00
53-54	1062F-1262F	left—cover	4604282	1	10.00
53-54	SDL.	right—cover	4637329	1	17.65
53-54	SDL.	left—cover	4637330	1	17 65
53-54	CONV.	PLATE, right, rear compt. at wheelhouse	4617986	1	4.20
53-54	CONV.	PLATE, left, rear compt. at wheelhouse	4617987	1	4.20

55	PASS. (exc. 4-DR., CONV., SPT. CPE.)	PLATE, right, wheelhouse to quarter baffle front	4649583	1	4.20
55	PASS. (exc. 4-DR., CONV., SPT. CPE.)	PLATE, left, wheelhouse to quarter baffle front	4649584	1	4.20
55-56	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	PLATE, right, wheelhouse to quarter baffle center	4649589	1	4.20
55	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	PLATE, left, wheelhouse to quarter baffle center	4649590	1	4.20
55-57	1011-1211	PLATE, right, wheelhouse to quarter baffle upper	4649900	1	2.20
55-57	1011-1211	PLATE, left, wheelhouse to quarter baffle upper	4649901	1	2.20
55-57	4-DR. (exc. SPT. SED.)	PLATE, right, wheelhouse to quarter baffle front	4670139	1	3.20
55-57	4-DR. (exc. SPT. SED.)	PLATE, left, wheelhouse to quarter baffle front	4670140	1	3.20
55	CONV.	PLATE, right, wheelhouse to quarter baffle front	4649889	1	7.30
55	CONV.	PLATE, left, wheelhouse to quarter baffle front	4649890	1	7.30
55-57	CONV.	PLATE, right, wheelhouse to quarter baffle upper	4649904	1	2.50
55-57	CONV.	PLATE, left, wheelhouse to quarter baffle upper	4649905	1	2.50
55-56	CONV.	PLATE, right, wheelhouse to qtr. baffle center	4662027	1	3.65
55-56	CONV.	PLATE, left, wheelhouse to qtr. baffle center	4662028	1	3.65
55	SPT. CPE.	PLATE, right, wheelhouse to quarter baffle front	4649887	1	8.40
55	SPT. CPE.	PLATE, left, wheelhouse to quarter baffle front	4649888	1	8.40
55-56	SPT. CPE.	PLATE, right, wheelhouse to quarter baffle upper	4653604	1	2.20
55-56	SPT. CPE.	PLATE, left, wheelhouse to quarter baffle upper	4653605	1	2.20
55-56	SPT. CPE.	PLATE, right, wheelhouse to qtr. baffle center	4649895	1	3.10
55-56	SPT. CPE.	PLATE, left, wheelhouse to qtr. baffle center	4649896	1	3.10
55	STA. WAG., SDL.	PLATE, right, wheelhouse to quarter baffle center	4650822	1	4.75
55	STA. WAG., SDL.	PLATE, left, wheelhouse to quarter baffle center	4650824	1	4.85
55	PASS. (exc. STA. WAG., SDL.)	PLATE, right, wheelhouse to quarter baffle rear	4647079	1	.55
55	STA. WAG., SDL.	PLATE, right, wheelhouse to quarter baffle rear	4645991	1	.75
55	PASS.	PLATE, left, wheelhouse to quarter baffle rear	4645992	1	.75
55-57	1063F-1263F-71	PLATE, right, wheelhouse to quarter baffle upper	4649902	1	2.50
55-57	1063F-1263F-71	PLATE, left, wheelhouse to quarter baffle upper	4649903	1	2.50
55-57	1064	PLATE, right, wheelhouse to quarter baffle upper	4664286	1	1.25
55-57	1064	PLATE, left, wheelhouse to quarter baffle upper	4664287	1	1.25
56-57	2-DR.	PLATE, right, wheelhouse to quarter baffle front	4667040	1	7.30
56-57	2-DR.	PLATE, left, wheelhouse to quarter baffle front	4667041	1	7.30
56-57	CONV.	PLATE, right, wheelhouse to quarter baffle front	4671611	1	8.40
56-57	CONV.	PLATE, left, wheelhouse to quarter baffle front	4671612	1	8.40
56-57	SPT. CPE.	PLATE, right, wheelhouse to quarter baffle front	4666741	1	8.40
56-57	SPT. CPE.	PLATE, left, wheelhouse to quarter baffle front	4666742	1	8.40
56	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	PLATE, left, wheelhouse to quarter baffle center	4667524	1	4.20
56	CONV.	PLATE, left, wheelhouse to quarter baffle center	4671615	1	3.10
56	SPT. CPE.	PLATE, left, wheelhouse to quarter baffle center	4671614	1	3.10
56	STA. WAG., SDL.	PLATE, right, wheelhouse to quarter baffle center	4671241	1	4.75
56	STA. WAG., SDL.	PLATE, left, wheelhouse to quarter baffle center	4671242	1	4.75
56-57	SPT. SED.	PLATE, wheelhouse to quarter baffle center upper	4670512	2	1.85
56	PASS. (exc. STA. WAG., SDL.)	PLATE, right, wheelhouse to quarter baffle rear	4665941	1	.55
56	PASS. (exc. STA. WAG., SDL.)	PLATE, left, wheelhouse to quarter baffle rear	4665942	1	.55
56-57	STA. WAG.	PLATE, right, wheelhouse to quarter baffle rear	4665939	1	1.25
56-57	STA. WAG.	PLATE, left, wheelhouse to quarter baffle rear	4665940	1	1.25
57	PASS. (exc. STA. WAG., CONV. SPT. CPE., SDL.)	PLATE, left center	4687246	1	4.20
57	PASS. (exc. STA. WAG., CONV. SPT. CPE., SDL.)	PLATE, right center	4687245	1	4.20
57	PASS. (exc. STA. WAG., SDL.)	PLATE, left rear	4690380	1	.95
57	PASS. (exc. STA. WAG., SDL.)	PLATE, right rear	4690379	1	.95
57	STA. WAG., SDL.	PLATE, left center	4686472	1	5.55
57	STA. WAG., SDL.	PLATE, right center	4686471	1	5.55
57	CONV.	PLATE, left center	4687260	1	3.90
57	CONV.	PLATE, right center	4687258	1	3.90
57	SPT. CPE.	PLATE, left center	4687259	1	3.90
57	SPT. CPE.	PLATE, right center	4687257	1	3.90
57	SPT. CPE.	PLATE, left upper	4687555	1	2.20
57	SPT. CPE.	PLATE, right upper	4687554	1	2.20
57	STA. WAG., SDL.	PLATE, left rear	4712375	1	1.25
57	STA. WAG., SDL.	PLATE, right, tail lamp seal hole cover	4716293	1	.65
55	2-DR.	EXTENSION, right, wheelhouse to qtr. baffle frt.	4647155	1	.10
55	2-DR.	EXTENSION, left, wheelhouse to qtr. baffle frt.	4647156	1	.10

56-57	2-DR.	EXTENSION, right wheelhouse to qtr. baffle frt.	4666696	1	.10
56-57	2-DR.	EXTENSION, left wheelhouse to qtr. baffle front	4666697	1	.10
49-50	PASS.	DEFLECTOR, right, gravel — behind wheel-			
51-52	STA. WAG., SDL.	house	4562723	1	1.05
49-50	PASS.	DEFLECTOR, left, gravel — behind wheel-			
51-52	STA. WAG., SDL.	house	4562724	1	1.05
51-52	PASS. (exc. STA. WAG., SDL.)	DEFLECTOR, right, gravel—behind wheelhouse	4588247	1	1.05
51-52	PASS. (exc. STA. WAG., SDL.)	DEFLECTOR, left, gravel—behind wheelhouse	4588248	1	1.05
49-50	PASS. (exc. 1061),				
51-52	STA. WAG., SDL.	COVER, wheelhouse access hole	4571663	2	2.15
51-52	PASS. (exc. STA. WAG., SDL.)	COVER, wheelhouse access hole	4591011	2	2.15
53-54	STA. WAG.	COVER, right (tail lamp access hole)	4605850	1	1.60
53-54	STA. WAG.	COVER, left (tail lamp access hole)	4605851	1	1.60
56	STA. WAG.	COVER, left (tail lamp access hole)	4687098	1	.30
56-57	STA. WAG.	COVER, rt. qtr. wheelhouse access at reel	4650436	1	1.40
56-57	STA. WAG.	COVER, lt. qtr. wheelhouse access at reel	4650437	1	1.40
57	PASS. (exc. STA. WAG., SDL.	COVER, right tail lamp sealing plate	4689690	1	.55
57	STA. WAG.	COVER, left, qtr. panel hole at cable	4687480	1	.40
57	STA. WAG.	COVER, right, qtr. panel hole at cable	4687479	1	.40
57	STA. WAG., SDL.	SUPPORT, left qtr. panel to ctr. baffle plate	4702855	1	.80
57	STA. WAG., SDL.	SUPPORT, right qtr. panel to ctr. baffle plate	4702854	1	.80
57	PASS.	SUPPORT, right rear bumper to body seal	4711705	1	.10
57	PASS.	SUPPORT, left rear bumper to body seal	4711706	1	.10
56	1062DF	RETAINER, wheelhouse panel trim stick	4678152	2	1.05

PANEL, Outer Extension

49-52	SDL.	right	4584498	1	6.65
49-52	SDL.	left	4584499	1	6.65
51-52	1011-69-1211-69	right (at side of trunk opening)	4586857	1	9.25
51-52	1011-69-1211-69	left (at side of trunk opening)	4586858	1	9.25
51-52	FLEETLINE	right (at side of trunk opening)	4586853	1	9.25
51-52	FLEETLINE	left (at side of trunk opening)	4586854	1	9.25
51-52	CPES., CONV., B-A	right (at side of trunk opening)	4586855	1	9.25
51-52	CPES., CONV., B-A	left (at side of trunk opening)	4586856	1	9.25
53-54	1011-69-1211-69-69W	right	4611976	1	10.00
53-54	1011-69-1211-69-69W	left	4611977	1	10.00
53-54	CPES., CONV.	right	4611988	1	10.00
53-54	CPES., CONV.	left	4611989	1	10.00
53-54	STA. WAG.	right	4613862	1	3.20
53-54	STA. WAG.	left	4613863	1	3.20
53-54	SDL.	left	4613287	1	7.00
55	PASS. (exc. STA. WAG., SDL.)	right (w/tail lamp opening)	4640266	1	8.80
55	PASS. (exc. STA. WAG., SDL.)	left (w/tail lamp opening)	4640267	1	8.80
55	STA. WAG., SDL. (exc. 1064)	right (w/tail lamp opening)	4640507	1	9.25
55	STA. WAG., SDL. (exc. 1064)	left (w/tail lamp opening)	4640508	1	9.25
55	1064	right, outer extension front	4660128	1	3.20
55	1064	left, outer extension front	4660129	1	3.20
55	1064	right, quarter extension rear	4654343	1	14.00
55	1064	left, quarter extension rear	4654344	1	14.00
55-57	1064	right, side inner to roof extension	4664290	1	6.00
55-57	1064	left, side inner to roof extension	4664291	1	6.00
55-57	1064	right, side quarter to roof extension	4654385	1	5.20
55-57	1064	left, side quarter to roof extension	4654386	1	5.20
56	PASS. (exc. STA. WAG., SDL.)	right, side outer	4661314	1	8.80
56	PASS. (exc. STA. WAG., SDL.)	left, side outer	4661315	1	8.80
56	STA. WAG., SDL. (exc. 1064)	right, side outer	4661324	1	9.25
56	STA. WAG., SDL. (exc. 1064)	left, side outer	4661325	1	9.25
56	1064	right, front	4661376	1	3.20
56	1064	left, front	4661377	1	3.20
56	1064	right, rear	4661378	1	14.00
56	1064	left, rear	4661379	1	14.00
57	PASS. (exc. STA. WAG., SDL.)	right	4678518	1	10.35
57	PASS. (exc. STA. WAG., SDL.)	left	4678519	1	10.35
57	STA. WAG., SDL. (exc. 1064)	right	4679987	1	12.05
57	STA. WAG., SDL. (exc. 1064)	left	4679988	1	12.05
57	1064	right, front	4679989	1	3.65


57	1064	left, front	4679990	1	3.65
57	1064	right, rear	4679991	1	16.50
57	1064	left, rear	4679992	1	16.50
55-57	1011-1211 (exc. 1211B)	FILLER, right, rr. quarter window corner rear	4640500	1	.25
55-57	1011-1211 (exc. 1211B)	FILLER, left, rr. quarter window corner rear	4640501	1	.25
55-57	1011-63F-1211 (exc. 1211B)	FILLER, right, quarter window lower corner front	4645962	1	.25
55-57	1011-63F-1211 (exc. 1211B)	FILLER, left, quarter window lower corner front	4645963	1	.25
55-57	1211B	FILLER, right, quarter window lower corner front	4644703	1	.55
55-57	1211B	FILLER, left, quarter window lower corner front	4644704	1	.55
55-57	1211B	FILLER, right, rr. quarter window corner rear	4647243	1	2.50
55-57	1211B	FILLER, left, rr. quarter window corner rear	4647244	1	2.50
55-57	4-DR. SEDAN	FILLER, right—qtr. side outer to inner pnl. (curved at end)	4644960	1	1.40
55-57	4-DR. SEDAN	FILLER, left—qtr. side outer to inner pnl. (curved at end)	4644961	1	1.40
55-57	1011-1211	EXTENSION, right, qtr. outer pnl. upr. at window	4648660	1	1.40
55-57	1011-1211	EXTENSION, left, qtr. outer pnl. upr. at window	4648661	1	1.40
55-57	STA. WAG., SDL. (exc. 1064)	EXTENSION, right, qtr. pnl. upper at rr. of window	4647272	1	.85
55-57	STA. WAG., SDL. (exc. 1064)	EXTENSION, left, qtr. pnl. upper at rr. of window	4647273	1	.85
55-56	1011-1211 (exc. 1211B)	EXTENSION, right, rr. qtr. window belt flange	4647449	1	1.40
55-56	1011-1211 (exc. 1211B)	EXTENSION, left, rr. qtr. window belt flange	4647450	1	1.40
55-57	1063F	EXTENSION, right, rr. qtr. window belt flange	4650026	1	2.65
55-57	1063F	EXTENSION, left, rr. qtr. window belt flange	4650027	1	2.65
55	PASS.	DEFLECTOR, right, qtr. outer panel gravel	4647527	1	.30
55	PASS.	DEFLECTOR, left, qtr. outer panel gravel	4647528	1	.30
55	PASS.	REINFORCEMENT, right qtr. outer pnl. at bumper	4644964	1	.40
55	PASS.	REINFORCEMENT, left qtr. outer pnl. at bumper	4644965	1	.40
56	PASS.	REINFORCEMENT, right tail lamp opening	4667055	1	.75
56	PASS.	REINFORCEMENT, left tail lamp opening	4667056	1	2.75
56	PASS.	REINFORCEMENT, lwr. qtr. pnl. at tail lamp	4687476	2	.25
56	PASS. (exc. STA. WAG., SDL.)	REINFORCEMENT, upr. qtr. pnl. at tail lamp	4687208	2	.15
56	STA. WAG., SDL.	REINFORCEMENT, upr. qtr. pnl. at tail lamp	4687477	2	.25
56	PASS.	REINFORCEMENT, right outer pnl. at rear bumper	4687546	1	.40
56	PASS.	REINFORCEMENT, left outer pnl. at rear bumper	4687547	1	.40
55	PASS.	SUPPORT, tail lamp	4661736	2	.25
56	STA. WAG., SDL.	SUPPORT, right, qtr. whlhse. ctr. baffle plate	4697023	1	.80
56	STA. WAG., SDL.	SUPPORT, left, qtr. whlhse. ctr. baffle plate	4697024	1	.80

COVER, Gas Tank Filler Neck

50-52	PASS. (exc. STA. WAG., SDL.)	(inside quarter panel) (5½ dia.)	4587881	1	3.90
53-54	PASS. (exc. STA. WAG., SDL.)		4596397	1	2.75
53-54	STA. WAG.		4612859	1	2.70
53-54	SDL.		4599544	1	2.25
56-57	CORV.	gas tank comp. (plastic laminate)	3715473	1	16.50

PARTS, Gas Tank Filler Neck Compartment

49-50	PASS. (exc. STA. WAG., SDL.)	DOOR	4583006	1	3.35
51-52	PASS. (exc. STA. WAG., SDL.)	DOOR	4587976	1	3.30
53-54	PASS. (exc. STA. WAG., SDL.)	DOOR	4597951	1	2.95
53-55	CORV.	DOOR, w/hinge (steel)	4154412	1	5.65
55	PASS. (exc. STA. WAG. SDL)	DOOR (w/hinge and spring)	4647431	1	2.80
55	STA. WAG., SDL.	DOOR (w/hinge and spring)	4650821	1	2.80
56-57	CORV.	DOOR, w/hinge	3729926	1	5.65
57	PASS.	DOOR	3732837	1	3.55
49	PASS. (exc. STA. WAG., SDL.)	SPRING	4561926	1	.25
50-54 53-56	PASS. (exc. STA. WAG., SDL.), CORV.,				
55	PASS.	SPRING	4583003	1	.25
57	PASS.	SPRING, hinge upper	3736030	1	.25
57	PASS.	SPRING, hinge lower	3736031	1	.25
49	PASS. (exc. STA. WAG., SDL.)	BUMPER	4569867	2	.15
50-54 53-56	PASS. (exc. STA. WAG., SDL.), CORV.,				
55-57	PASS.	BUMPER	4581256	2	.10
57	PASS.	BUMPER	3734884	2	.10
49-50	PASS. (exc. STA. WAG., SDL.)	POCKET	4585293	1	3.10



1957 PASSENGER GAS RECEIVER DOOR

51-52	PASS. (exc. STA. WAG., SDL.)	POCKET	4587827	1	3.10
53-54	PASS. (exc. STA. WAG., SDL.)	POCKET	4611997	1	3.30
49	PASS. (exc. STA. WAG., SDL.)	PLATE, pocket adapter	4185373*	1	.55
55	PASS.	SUPPORT, filler door hinge	4646072	1	.55
55-56	PASS. (exc. SPT. SED., STA. WAG., SDL.)	SUPPORT, filler neck	4649279	1	.15
55	STA. WAG., SDL.,				
56-57	STA. WAG., SDL. (exc. 1062DF-62FC)	SUPPORT, left filler neck (3 x 6¼)	4652109	1	.35
55	PASS.	CLIP, w/bolt, door male hinge (7/16 x 7/8)	4651154	2	.10
53-55	CORV.	HOUSING (plastic laminate)	3706515	1	4.95
56-57	CORV.	HOUSING (plastic laminate)	3728166	1	4.95
57	PASS.	HOUSING	3732828	1	1.40
53-56	CORV.	COVER (plastic laminate)	3706558	1	16.50
53-56	CORV.	SCREW, door to hinge (10—16 x ½)	273451	2	.05
53-57	CORV.	NIPPLE, neck housing drain hose	3710143	1	1.25
57	PASS.	RETAINER, upper bumper	3736572	1	.05
57	PASS.	RETAINER, lower bumper	3736574	1	.05

*NOTE: 4585293 must be used in conjunction with 4185373.

BAFFLE, Corvette Rear Fender (plastic laminate)

53-57	CORV.	right	3706640	1	2.95
53-57	CORV.	left	3706639	1	2.95

12.945 GUTTER, Folding Top Rear Quarter

50-53	CONV.	right, lower (plastic)	4598267	1	1.73
50-53	CONV.	left, lower (plastic)	4598268	1	1.73

12.946 STICK—SCREW, Trim

37-53	PASS. (exc. SDL.)	(⅛ x 7/16 x 46⅝)	4599449	A.R.	.15
39-53	PASS.	(5/32 x ⅞ x 50½)	4591077	A.R.	.20
55-57	CONV.	rear belt rail front	4650145	2	.75
55-57	CONV.	rear belt rail rear	4684589	1	3.85
56-57	CONV.	SCREW, tapping (½ long)	4684590	6	.05

12.952 BOW—SCREW, Roof

49-52	1062	No. 1	4569187	1	6.85
49-52	1062	No. 2	4569190	1	7.75
49-52	1062	Nos. 3, 4	4569185	1	7.15
49-52	1062	No. 5	4569189	1	6.85
49-52	1062	No. 6	4569188	1	6.85
49-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	w/dome lamp support	4583375†	1	4.20
50-52	BEL AIR	No. 1 (chrome) (48 long)	4577681	1	11.00
50-52	BEL AIR	No. 2 (chrome) (49 long)	4577682	1	11.00
50-52	BEL AIR	No. 3 (chrome) (51¾ long)	4578018	1	11.00
53-54	PASS. (exc. CONV., SDL.)	less dome lamp support	4595022†	1	2.10
53-54	1037D	No. 1 (stmpd. 7 on both ends)	4600627	1	10.75
53-54	1037D	No. 2 (stmpd. 6 on both ends)	4600806	1	10.75
53-54	1037D	No. 3	4600730	1	10.75
53-54	STA. WAG.	at. center pillar	4601568†	1	2.10
53-54	SDL.	No. 3 (stmpd. 6 on both ends)	4603375	1	2.20
53-54	SDL.	No. 4 (stmpd. 7 on both ends)	4603376	1	2.20
55-57	PASS. (exc. 1037D-39D-64-67D)		4640440	1	2.60
55	SPT. CPE.	No. 1	4684575	1	10.75
55	SPT. CPE.	No. 2	4684576	1	10.75
55	SPT. CPE.	No. 3	4684577	1	10.75
55-57	1064		4654346	1	2.60
55-57	1064	No. 1 (chrome)	4658472	1	11.00
55-57	1064	No. 2 (chrome)	4662037	1	11.00
55-57	1064	No. 3 (chrome)	4662041	1	11.00
55-57	1064	No. 4 (chrome)	4662042	1	11.00
55-57	1064	No. 5 (chrome)	4662043	1	11.00
55-57	1064	No. 6 (chrome)	4662044	1	11.00
55-57	1064	No. 7 (chrome)	4662045	1	11.00

†NOTE: Supports roof panel at center.

56-57	SPT. CPE.	less lamp support	4662975	1	4.40
56-57	SPT. SED.	less lamp support	4664666	1	2.60
55-57	1064	SCREW, w/washer (No. 8—15 x 1)	4662826	28	.05

12.953 SUPPORT, Dome Lamp

55	PASS. (exc. 1037D-64-67D),				
56-57	PASS. (exc. 1064-67D)		4640638	1	.85
55-57	1064	roof rail lamp	4662072	2	.40

12.954 CLIP—THIMBLE, Headlining Wire

49	Ser. 1200 (exc. SDL.)	wire to roof rail	4575931	8	.15
49	Ser. 1000 (exc. CONV.),				
50-52	1007-8-11-27-69,				
53-54	PASS. (exc. CONV., STA. WAG., SDL.)	wire to roof rail	4586144	8	.15
50-52	1207-8-11-27-27B-69,				
51-52	1007-8-11-27-69	wire to roof rail	4586145	8	.15
49-51	PASS. (exc. CONV., 1061),				
52	PASS. (exc. CONV., B-A),				
53-54	PASS. (exc. CONV.)	THIMBLE, wire to roof rail	4575944	8	.10

12.955 WIRE, Headlining Listing Support

49-52	FLEETLINE	No. 1,			
49-52	1011-1211	No. 2	4613724	1	.55
49-52	1011-69-1211-69	No. 1	4613731	1	.55
49-52	1069-1269	No. 2	4613732	1	.55
49-52	1069-1269	No. 3	4613733	1	.55
49-52	1011-1211	No. 3	4613725	1	.55
49-52	1069-1269	No. 4	4613734	1	.55
49-52	1011-1211	No. 4	4613726	1	.55
49-52	1069-1269	No. 5	4613735	1	.55
49-52	1011-1211	No. 5	4613727	1	.55
49-52	1069-1269	No. 6	4613736	1	.55
49-52	1011-1211	No. 6	4613728	1	.55
49-52	1069-1269	No. 7	4613737	1	.55
49-52	1011-1211	No. 7	4613729	1	.55
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	No. 1	4606642	1	.55
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL.)	No. 2	4606643	1	.55
53-54	1011-1211	No. 3	4606645	1	.55
53-54	1011-1211	No. 4	4606646	1	.55
53-54	1011-69-1211-69W	No. 6	4606650	1	.55
53-54	1011-69-1211-69W	No. 7	4606652	1	.55
53-54	1069-1269-69W	No. 3	4606644	1	.55
53-54	1069-1269-69W	No. 4	4606647	1	.55
53-54	1011-69-1211-69-69W	No. 5	4606648	1	.55
53	1211-69	No. 6	4606649	1	.55
53	1211-69	No. 7	4606651	1	.55
53	1027-1227-27B	No. 6	4606693	1	.55
53-54	SPT. CPE.	No. 1	4616822	1	.55
53-54	SPT. CPE.	No. 4	4616825	1	.55
53-54	SPT. CPE.	No. 5	4616826	1	.55
53-54	STA. WAG.	No. 1	4616795	1	.55
53-54	STA. WAG.	No. 2	4616797	1	.55
53-54	STA. WAG.	No. 4	4616800	1	.55
55-56	PASS. (exc. 1037D-39D-64-67D)	No. 1	4649004	1	.55
55-57	PASS. (exc. 1037D-39D-64-67D	No. 2	4649005	1	.55
55-57	1011-1211	No. 3	4648970	1	.55
55-57	1011-1211	No. 4	4648971	1	.55
55-57	1011-1211	No. 5	4648972	1	.55
55-57	1011-1211	No. 6	4648973	1	.55
55-57	4-DR. SEDAN (exc. SPT. SED.)	No. 3	4649006	1	.55


55-57	4-DR. SEDAN (exc. SPT. SED.)	No. 4	4649007	1	.55
55-57	4-DR. SEDAN (exc. SPT. SED.)	No. 5	4649008	1	.55
55-57	4-DR. SEDAN (exc. SPT. SED.)	No. 6	4649009	1	.55
55-57	SPT. CPE.	No. 1	4652870	1	.55
55	1037,				
56-57	SPT. CPE.	No. 2	4663993	1	.55
55	1037,				
56-57	SPT. CPE.	No. 3	4663994	1	.55
55	1037,				
56-57	SPT. CPE.	No. 4	4663995	1	.55
55-56	1037D	No. 2,			
55-57	1037	No. 5	4652871	1	.55
55-56	1037D	No. 3,			
55-57	1037	No. 6	4652872	1	.55
55-57	STA. WAG., SDL. (exc. 1064)	No. 3	4653814	1	.55
55-57	STA. WAG., SDL. (exc. 1064)	No. 4	4653815	1	.55
55-57	STA. WAG., SDL. (exc. 1064)	No. 5	4653816	1	.55
55-57	STA. WAG., SDL. (exc. 1064)	No. 6	4653817	1	.55
55-57	STA. WAG., SDL. (exc. 1064)	No. 7	4653818	1	.55
55-57	STA. WAG. (exc. 1064)	No. 8	4671118	1	.55
56	SPT. SED.	No. 1	4672762	1	.55
56-57	SPT. SED.	No. 2	4672763	1	.55
56	SPT. SED.	No. 2,			
56-57	1039	No. 5	4672766	1	.55
56-57	SPT. SED.	No. 3	4672764	1	.55
56	SPT. SED.	No. 3,			
56-57	1039	No. 6	4672767	1	.55
56-57	SPT. SED.	No. 4	4672765	1	.55
57	PASS. (exc. SPT. MDLS.)	No. 1	4703474	1	.55
57	SPT. SED.	No. 1	4703475	1	.55
49-52	PASS. (exc. CONV., B-A)	SCREW (No. 8—15 x ½)	111633	8	(8.977)

12.956 RAIL—BRACE—REINFORCEMENT, Side Roof—Outer

50-52	BEL AIR	right	4611077	1	11.55
50-52	BEL AIR	left	4611078	1	11.55
50-52	1011-1211	right	4581863	1	6.90
50-52	1011-1211	left	4581864	1	6.90
50-52	1069-1269	right	4581879	1	5.45
50-52	1069-1269	left	4581880	1	5.45
53-54	1011-1211	right	4595660	1	6.90
53-54	1011-1211	left	4595661	1	6.90
53-54	1069-1269-69W	right	4633889	1	5.45
53-54	1069-1269-69W	left	4633890	1	5.45
53-54	SPT. CPE.	right	4599902	1	5.05
53-54	SPT. CPE.	left	4599903	1	5.05
53-54	1062-62D	right	4602000	1	7.00
53-54	1062-62D	left	4602001	1	7.00
53-54	1062F-1262F	right	4602002	1	7.00
53-54	1062F-1262F	left	4602003	1	7.00
53-54	SDL.	right, front	4601539	1	2.60
53-54	SDL.	left, front	4601540	1	2.60
55-57	1011-1211	right (w/drip mldg.)	4676544	1	10.90
55-57	1011-1211	left (w/drip mldg.)	4676545	1	10.90
55-57	1011-1211	right, rear lower	4644782	1	2.80
55-57	1011-1211	left, rear lower	4644783	1	2.80
55-57	4-DR. SEDAN (exc. SPT. SED.)	right (w/drip mldg.)	4676546	1	10.10
55-57	4-DR. SEDAN (exc. SPT. SED.)	left (w/drip mldg.)	4676547	1	10.10
55-57	4-DR. SEDAN (exc. SPT. SED.)	right, rear lower	4644784	1	1.70
55-57	4-DR. SEDAN (exc. SPT. SED.)	left, rear lower	4644785	1	1.70
55-57	SPT. CPE.	right	4663070	1	13.45
55-57	SPT. CPE.	left	4663071	1	13.45
55-57	1062	right	4676548	1	15.30
55-57	1062	left	4676549	1	15.30
55-57	1063F-1263F-71	right	4676550	1	15.30
55-57	1063F-1263F-71	left	4676551	1	15.30
55-57	1064	right	4662751	1	30.80

55-57	1064	left	4662752	1	30.80
56-57	SPT. SED.	right	4672129	1	12.05
56-57	SPT. SED.	left	4672130	1	12.05
53-54	SPT. CPE.	BRACE, right, roof rail to wheelhouse, outer	4601056	1	3.60
53-54	SPT. CPE.	BRACE, left, roof rail to wheelhouse, outer	4601057	1	3.60
55-57	SPT. CPE.	REINFORCEMENT, right, roof rail to qtr. panel	4647268	1	1.40
55-57	SPT. CPE.	REINFORCEMENT, left, roof rail to qtr. panel	4647269	1	1.40

12.957 RAIL—BRACE—RETAINER—EXTENSION—SUPPORT, Side Roof—Inner



4647223

50-52	BEL AIR	right	4579944	1	3.90
50-52	BEL AIR	left	4579945	1	3.90
50-52	1069-1269	right	4581895	1	3.35
50-52	1069-1269	left	4581896	1	3.35
53-54	1011-27-1211-27-27B	right	4594769	1	2.00
53-54	1011-27-1211-27-27B	left	4594770	1	2.00
53-54	1069-1269-69W	right	4627802	1	3.35
53-54	1069-1269-69W	left	4627803	1	3.35
53-54	SPT. CPE	right	4599906	1	2.80
53-54	SPT. CPE.	left	4599907	1	2.80
53-54	STA. WAG.	right, front	4627793	1	3.35
53-54	STA. WAG.	left, front	4627794	1	3.35
53-54	1062F-1262F	right, rear	4616249	1	4.05
53-54	1062F-1262F	left, rear	4616250	1	4.05
55-56	1011-1211	right	4646019	1	6.70
55-56	1011-1211	left	4646020	1	6.70
55-56	1019-1219	right	4646910	1	7.85
55-56	1019-1219	left	4644989	1	7.85
55-57	SPT. CPE.	right	4649879	1	5.90
55-57	SPT. CPE.	left	4649880	1	5.90
55-56	1062	right	4649885	1	8.10
55-56	1062	left	4649886	1	8.10
55-56	1063F-1263F-71	right	4654202	1	11.75
55-56	1063F-1263F-71	left	4654203	1	11.75
55-57	1064	right	4661871	1	16.25
55-57	1064	left	4661872	1	16.25
56	SPT. SED.	right	4670883	1	7.30
56	SPT. SED.	left	4670884	1	7.30
57	1063F-1263F-71	right	4702084	1	16.85
57	1063F-1263F-71	left	4702085	1	16.85
57	1011-1211	right	4702088	1	8.80
57	1011-1211	left	4702089	1	8.80
57	1019-1219	right	4702092	1	8.80
57	1019-1219	left	4702093	1	8.80
57	SPT. SED.	right	4702094	1	8.10
57	SPT. SED.	left	4702095	1	8.10
57	1062	right	4704088	1	16.25
57	1062	left	4704089	1	16.25
53-54	SPT. CPE.	BRACE, right—roof rail to wheelhouse	4632958	1	3.75
53-54	SPT. CPE.	BRACE, left—roof rail to wheelhouse	4632959	1	3.75
53-54	1062-62D	RETAINER, right—side roof rail trimstick	4617511	1	2.05
53-54	1062-62D	RETAINER, left—side roof rail trimstick	4617512	1	2.05
55-57	SPT. CPE., SPT. SED.	EXTENSION, right, side roof rail inner front	4647223	1	.40
55-57	SPT. CPE., SPT. SED.	EXTENSION, left, side roof rail inner front	4647224	1	.40
55-57	SPT. CPE.	EXTENSION, right, roof outer rail to wheelhouse	4654204	1	3.65

55-57	SPT. CPE.	EXTENSION, left, roof outer rail to wheelhouse	4654205	1	3.65
56-57	SPT. SED.	EXTENSION, right, side roof rail to wheelhouse	4669755	1	3.20
56-57	SPT. SED.	EXTENSION, left, side roof rail to wheelhouse.	4669756	1	3.20
55-57	STA. WAG. (exc. 1064)	SUPPORT, right, roof rail rear corner trim	4654310	1	.55
55-57	STA. WAG. (exc. 1064)	SUPPORT, left, roof rail rear corner trim	4654311	1	.55

12.958 PANEL—BRACE, Rear Seat Back Compartment Shelf (less trim)


53-54	1011-69-1211-69		4602210	1	9.15
53-54	SPT. CPE.		4600717	1	8.50
55-57	1011-19-1211-19		4651578*	1	19.90
55-57	SPT. CPE.		4651443*	1	25.20
56-57	SPT. SED.	BRACE, right, to wheelhouse	4666492	1	1.60
56-57	SPT. SED.	BRACE, left, to wheelhouse	4666493	1	1.60

*NOTE: Includes deck front panel.

12.964 PANEL—REINFORCEMENT—GUTTER—SUPPORT, Back Window Inner

49-52	1011-69-1211-69	upper	4577755	1	3.35
53-54	1011-69	upper	4597054	1	4.30
53	1027-1211-27-27B-69	upper	4595982	1	2.10
53	1027-1211-27-27B-69	right—side	4596434	1	1.85
53	1027-1211-27-27B-69	left—side	4596435	1	1.85
53-54	SPT. CPE.	upper	4632962	1	9.15
55-57	1011-19-1211-19		4671775	1	9.80
55	SPT. CPE.		4647999	1	16.50
56-57	SPT. SED.		4672054	1	16.50
56-57	SPT. CPE.		4685411	1	16.50
56-57	SPT. SED.	REINFORCEMENT, to inner panel	4670526	1	5.90
56-57	SPT. SED.	REINFORCEMENT, right, inner panel to rail	4685561	1	3.20
56-57	SPT. SED.	REINFORCEMENT, left, inner panel to rail	4685562	1	3.20
55-57	1011-19-1211-19	GUTTER, right, lower corner (w/9/16 hole)	4645938	1	.75
55-57	1011-19-1211-19	GUTTER, left, lower corner (w/9/16 hole)	4645939	1	.75
55-57	SPT. CPE.	GUTTER, right, lower corner	4646004	1	2.20
55-57	SPT. CPE.	GUTTER, left, lower corner	4646005	1	2.20
56-57	SPT. SED.	GUTTER, right, lower corner (18 dev. length)	4664841	1	.75
56-57	SPT. SED.	GUTTER, left, lower corner (18 dev. length)	4664842	1	.75
55-57	SPT. CPE.	SUPPORT, right, pnl. reinforcement to rail	4648321	1	.40
55-57	SPT. CPE.	SUPPORT, left, pnl. reinforcement to rail	4648322	1	.40

12.966 PANEL—REINFORCEMENT, Body Back Lower




4644891

(1941-48 Body Back Lower Panel is part of Rear Compartment End Pan, See Group 12.986)

40	1011-19-1211-19-1511-19		4103105	1	5.90
49-50	FLEETLINE		4584482	1	15.60
49-50	1011-69-1211-69		4584477	1	15.60
49-50	CPES., CONV., B-A		4584491	1	15.60
49-52	1062		4584486	1	12.05
49-52	SDL.		4584488	1	5.90
51-52	FLEETLINE		4588359	1	12.05
51-52	STYLELINE (exc. STA. WAG., SDL.)		4588360	1	15.60
53-54	PASS. (exc. STA. WAG., SDL.)		4629827	1	7.85
53-54	STA. WAG.		4602363	1	9.25
53-54	SDL.		4602364	1	6.25

55-57	PASS. (exc. STA. WAG., SDL.)		4666681	1	6.45
55-57	STA. WAG.		4646961	1	6.55
55-57	SDL.		4640509	1	6.55
55-57	STA. WAG., SDL.	REINFORCEMENT	4644891	2	.50

12.968 FACING—PANEL—RAIL, Back Body Opening



4651179

49-54	STA. WAG. (exc. 1061)	right side	4624840	1	7.90
49-54	STA. WAG. (exc. 1061)	left side	4624841	1	7.90
49-54	SDL.	(above back door)	4562390	1	2.75
49-54	SDL.	(lock pillar side)	4602453	1	8.80
49-54	SDL.	(hinge pillar side)	4603131	1	9.45
53-54	STA. WAG.	upper	4600821	1	7.80
55-57	STA. WAG. (exc. 1064)	right, side	4650802	1	11.75
55-57	STA. WAG. (exc. 1064)	left, side	4650803	1	11.75
55-57	STA. WAG. (exc. 1064)	upper	4651173	1	15.50
55-57	SDL.	right, side	4650804	1	11.75
55-57	SDL.	left, side	4650805	1	11.75
55-57	SDL.	upper	4651202	1	15.10
55-57	1064	right, side	4682469	1	25.20
55-57	1064	left, side	4682470	1	25.20
53-54	STA. WAG.	PANEL, upper	4626449	1	5.30
53-54	STA. WAG.	PANEL, right—inner side	4624846	1	3.30
53-54	STA. WAG.	PANEL, left—inner side	4624847	1	3.30
55-57	STA. WAG. (exc. 1064)	PANEL, right, inner—upper (w/hinge anchor nut)	4651179	1	2.65
55-57	STA. WAG. (exc. 1064)	PANEL, left, inner—upper (w/hinge anchor nut)	4651180	1	2.65
55-57	STA. WAG. (exc. 1064)	PANEL, right—inner side	4655654	1	5.30
55-57	STA. WAG. (exc. 1064)	PANEL, left—inner side	4655655	1	5.30
55-57	STA. WAG. (exc. 1064)	PANEL, inner—upper center (w/hinge nut)	4651178	1	4.30
55-57	SDL.	PANEL, inner—upper (w/hinge anchor plate)	4651203	1	7.55
55-57	SDL.	PANEL, right—inner side (w/hole for rubber plug)	4655651	1	6.15
55-57	SDL.	PANEL, left—inner side (w/hole for rubber plug)	4655652	1	6.15
55-56	1064	RAIL, back body opening outer roof	4662325	1	12.25
55-57	1064	RAIL, back body opening inner roof	4677160	1	31.20

12.971 PANEL—REINFORCEMENT, Deck Front

53-54	1011-69-1211W-11WB-69W		4591736	1	6.30
53-54	CONV.		4593646	1	6.15
55-57	CONV.		4640456	1	8.80
56-57	SPT. SED.	front and shelf	4670190	1	22.35
53-54	1011-69-1211-69-69W	REINFORCEMENT, panel	4605498	1	4.35
55-57	CONV.	REINFORCEMENT, right panel	4646168	1	8.40
55-57	CONV.	REINFORCEMENT, left panel	4646169	1	8.40

NOTE: 1955 Deck Front Panel is part of Panel in Group 12.958.

12.980 PAN—EXTENSION—PLATE, Floor (less rear compartment floor pan)

53-54	1011-27-1211-27-27B		4643429	1	81.50
53-54	1069-1269-69W		4643428	1	81.50
54	CONV., SPT. CPE.		4643423	1	81.50
54	STA. WAG., SDL.	spare tire	4632969	1	27.15

55-57	1011-19-1211-19	(less quarter rocker panel)	4650556	1	95.75
55	STA. WAG., SDL.				
56-57	STA. WAG., SDL. (exc. 1062DF-62FC)	spare tire (less quarter rocker panel)	4694883	1	32.80
56	1062FC-62DF	spare tire	4677104	1	33.30
57	1062FC-62DF		4702234	1	38.65
53-54	1011-27-1211-27-27B-71	EXTENSION, right—front of wheelhouse	4599656	1	1.60
53-54	1011-27-1211-27-27B-71	EXTENSION, left—front of wheelhouse	4599657	1	1.60
53-54	4-DR.	EXTENSION, right—front of wheelhouse	4594986	1	.60
53-54	4-DR.	EXTENSION, left—front of wheelhouse	4594987	1	.60
53-57	CORV.	PLATE, spring shackle underbody	3706996	2	1.75

12.981 PAN—COVER—EXTENSION—PLUG, Rear Compartment Floor

49-52	PASS. (exc. STA. WAG., SDL.)		4589464	1	36.45
53-54	PASS. (exc. STA. WAG., SDL.)		4600012	1	36.45
53-54	SDL.		4627043	1	45.90
55-56	PASS. (exc. CONV., STA. WAG., SDL.)	(w/spare tire pocket)	4646476	1	44.50
55-56	CONV.	(w/spare tire pocket)	4658713	1	42.30
55	STA. WAG. (exc. 1064),				
56	1062F-63F-1263F,				
57	1062F-62DF-63F-1263	(w/spare tire pan)	4696365	1	106.40
55-56	1064		4686533	1	110.80
55-56	SDL.	(w/spare tire pan)	4686534	1	96.19
56	1062FC-62DF		4677116	1	118.65
57	PASS. (exc. STA. WAG., CONV., SDL.)		4699698	1	48.70
57	CONV.		4699697	1	52.35
57	1062FC		4697446	1	126.50
57	SDL.		4702205	1	106.40
49-50	STA. WAG., SDL.,				
55-56	STA. WAG., SDL.	COVER, rear shock absorber hole,			
49-50	STA. WAG., SDL.	floor panel gas meter,			
51-54	STA. WAG., SDL.	gas meter tank unit hole,			
57	1062FC	flr. pnl. rr. shock absorber hole	3725536	2	.30
49-50	PASS. (exc. STA. WAG., SDL.)	EXTENSION, right	4575794	1	2.60
49-50	PASS. (exc. STA. WAG., SDL.)	EXTENSION, left	4582083	1	4.40
51-52	PASS. (exc. STA. WAG., SDL.)	EXTENSION, right	4588929	1	4.40
51-52	PASS. (exc. STA. WAG., SDL.)	EXTENSION, left	4588930	1	4.40
53-54	PASS. (exc. STA. WAG., SDL.)	EXTENSION, right—front	4594784	1	1.60
53-54	PASS. (exc. STA. WAG., SDL.)	EXTENSION, left—front	4594785	1	1.60
53-54	PASS. (exc. STA. WAG., SDL.)	EXTENSION, right—rear	4606173	1	4.40
53-54	PASS. (exc. STA. WAG., SDL.)	EXTENSION, left—rear	4606174	1	4.40
53-54	STA. WAG., SDL.	EXTENSION, right—front	4626580	1	4.40
53-54	STA. WAG., SDL.	EXTENSION, left—front	4626581	1	4.40
53-54	SDL.	EXTENSION, right—rear	4628578	1	1.00
53-54	SDL.	EXTENSION, left—rear	4628579	1	1.00
41-54	PASS.	PLUG, rubber (13/16)	4124441	A.R.	.15

PANEL—SILL—BONDING STRIP, Corvette Underbody Compartment Floor (plastic laminate)

53-55	CORV.	rear	3706509	1	43.50
53-55	CORV.	rear lower repair	3708550	1	125.00
56-57	CORV.		3727021	1	250.00
56-57	CORV.	rear	3723702	1	43.50
56-57	CORV.	rear lower repair (center and sides)	3740352	1	95.00
56-57	CORV.	rear lower center repair	3740300	1	48.50
56-57	CORV.	left, rear lower side repair	3740353	1	25.00
56-57	CORV.	right, rear lower side repair	3740354	1	25.00
56-57	CORV.	left, side sill repair	3740355	1	26.50
56-57	CORV.	right, side sill repair	3740356	1	26.50
53-57	CORV.	SILL, cross	3706503	A.R.	3.25
56-57	CORV.	BONDING STRIP, left, rr. panel to underbody panel	3726347	1	1.45
56-57	CORV.	BONDING STRIP, right, rr. panel to underbody panel	3726348	1	1.45
56	CORV.	BONDING STRIP, left body rr. pnl. to underbody pnl. outer	3726625	1	2.65
56	CORV.	BONDING STRIP, right body rr. pnl. to underbody pnl. outer	3726626	1	2.65

12.986 PAN—BAR, Rear Compartment End

41-48	1011-19-27-67-69-1211-19-27,				
46-48	STA. WAG.	(w/cross bar)	4162706	1	8.40
42-48	1007	(w/cross bar)	4162709	1	9.15
53-54	PASS. (exc. STA. WAG., SDL.)	BAR, rear cross	4597485	1	7.80
53-54	STA. WAG.	BAR, rear cross	4602431	1	13.40
53-54	SDL.	BAR, rear cross	4602405	1	14.00
55-57	PASS. (exc. STA. WAG., SDL.)	BAR, rear cross	4645022	1	5.05
55	STA. WAG. (exc. 1064),				
56	1062FC-62DF	BAR, rear cross	4677106	1	16.50
55-57	1064,				
57	STA. WAG. (exc. 1064)	BAR, rear cross	4668219	1	13.40
55-57	SDL.	BAR, rear cross	4646949	1	10.90

PANEL—FILLER—SUPPORT—BONDING STRIP, Body Rear End (plastic laminate)

53-55	CORV.	repair (between deck lid and lower panel)	3708549	1	22.50
53-55	CORV.	assy. (includes rear fenders)	3709727	1	195.00
56-57	CORV.	repair	3738774	1	14.50
56-57	CORV.	repair (between deck lid and folding top lid)	3740376	1	15.50
54-55	CORV.	FILLER, right	3711217	1	.95
54-55	CORV.	FILLER, left	3711218	1	.95
56-57	CORV.	SUPPORT, rear panel	3733681	1	.30
56-57	CORV.	BONDING STRIP, rr. panel to underbody panel rr.	3726627	1	6.75

12.987 WEATHERSTRIP, Rear Compartment Pan

49-52	PASS.	17⅞ long	4564228	2	.45

12.989 PANEL, Folding Top Compartment

53-54	CONV.	rear	4605570	1	11.75
53-54	CONV.	right—side trim	4634591	1	10.35
53-54	CONV.	left—side trim	4634592	1	10.35
53-54	CONV.	bottom	4632926	1	5.55
55	CONV.	right—side trim—upper	4647295	1	3.75
55	CONV.	left—side trim—upper	4651144	1	4.75
55-56	CONV.	right—side trim—lower	4651145	1	10.90
55-56	CONV.	left—side trim—lower	4651146	1	10.90
55-57	CONV.	rear center	4647544	1	9.90
56-57	CONV.	right, side trim upper	4671368	1	5.45
56-57	CONV.	left, side trim upper	4671369	1	5.45
57	CONV.	right, side lower	4694763	1	12.25
57	CONV.	left, side lower	4694764	1	12.25

12.996 BRACE—REINFORCEMENT, Rear Compartment Lid

51-52	1011-69-1211-69	right, gutter to whlhse.	4589666	1	.45
51-52	1011-69-1211-69	left, gutter to whlhse.	4589667	1	.45
53-54	PASS. (exc. STA. WAG., SDL.)	right, gutter to whlhse.	4627218	1	.55
53-54	PASS. (exc. STA. WAG., SDL.)	left, gutter to whlhse	4627219	1	.55
49-52	PASS. (exc. STA. WAG.)	REINFORCEMENT (⅝ x 72 long—universal)	4578354	A.R.	.90

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	13.090 HARNESS, Body Wiring				
51-52	1008-11-69		4587322	1	5.50
54	1011-69		4632812	1	5.95
54	1211-69W		4632317	1	5.45
54	CONV.		4632532	1	13.75
54	SPT. CPE.		4632809	1	7.95
54	1062D-62F		4633306	1	7.95
54	1262F		4632956	1	7.95
54	SDL.		4632953	1	5.45
55	1037		4656964	1	9.75
55-56	1064		4674301	1	14.75
55-56	1011-1211		4674293	1	9.50
55-56	CONV.		4674295	1	13.75
55	1063F-1263F-71,				
56	1062F		4674297	1	12.50
56	1211		4674294	1	9.50
55-56	1019		4674290	1	10.00
56	1219		4674292	1	9.50
56	SPT. CPE.		4682242	1	10.00
56	SPT. SED.		4673649	1	10.00
56	1063F		4674299	1	12.50
56	1062FC		4683737	1	12.50
56	1062DF		4674298	1	13.50
56	1263F-71		4674300	1	11.50
57	1011		4702130	1	10.00
57	1211		4702128	1	9.85
57	1019 (exc. 19D)		4698559	1	9.85
57	1019D		4701348	1	10.35
57	1219		4701358	1	9.85
57	CONV.		4699748	1	14.75
57	SPT. CPE.		4698772	1	10.35
57	1039		4702129	1	10.85
57	1039D		4702950	1	10.85
57	1064		4702200	1	13.25
57	1062F		4702074	1	10.85
57	1062FC		4702204	1	10.85
57	1062DF		4709954	1	10.85
57	1063F		4702209	1	10.85
57	1263F-71		4702056	1	11.50
56-57	CORVETTE		2964745	1	9.95
	HARNESS—GROMMET, Electrical Equipment Wiring				
54	Series 1000	window and seat adjuster	4644682	1	14.75
55	PASS.	horizontal seat adjuster	4657899	1	2.55
55	1011	window and seat adjuster	4657900	1	23.75
55	1019-62	window and seat adjuster	4656442	1	23.75
55	CONV.	window and seat adjuster	4658453	1	23.75
55	SPT. CPE.	window and seat adjuster	4658436	1	23.75
55	1064	window and seat adjuster	4660978	1	11.50
55-56	1063F	window and seat adjuster	4657984	1	23.75
55-56	Ser. 1000	power window jumper	4712588	1	1.30
56	1011	window and seat adjuster	4674282	1	23.75
56	1019-62F-62FC	window and seat adjuster	4674655	1	23.75
56	CONV.	window and seat adjuster	4672994	1	23.75
56	SPT. CPE.	window and seat adjuster	4673115	1	23.75
56	SPT. SED.	window and seat adjuster	4676223	1	25.50
56	1063	window and seat adjuster	4676567	1	25.50
56	1064	window and seat adjuster	4674285	1	11.50
56	Series 1000	seat adjuster feed wire	4683932	1	2.25
57	Ser. 1000	seat adjuster feed wire	4710016	1	2.95
57	Ser. 1000	horizontal seat adjuster	4710014	1	2.95
57	1011	window and seat adjuster	4705359	1	29.95

57	CONV.	window and seat adjuster	4703813	1	27.75
57	CONV.	seat feed wire jumper	4716723	1	.55
57	SPT. CPE.	dr. and qtr. window and seat	4708274	1	28.85
57	SPT. SED.	window and seat adjuster	4705377	1	29.95
57	1064	window and seat adjuster	4708275	1	15.35
57	1063F	window and seat adjuster	4705358	1	28.50
57	4-DOORS (exc. 1219)	window and seat adjuster	4704019	1	27.75
53-55	CORVETTE (6 cyl.)	6 volt	2960145	1	9.95
55	CORVETTE	12 volt	3716573	1	9.95
56-57	CORVETTE	window regulator wiring	2964746	1	6.95
56	PASS. (exc. STA. WAG., SDL.)	GROMMET (at left tail lamp)	2962631	1	.40
56	STA. WAG., SDL.	GROMMET (at left tail lamp)	2962688	1	.65

13.337 TRIM—COVER—STUD, Folding Top Header

53	CORVETTE	inside (black)	4202262	1	1.50
54-55	CORVETTE	inside (tan)	4648529	1	1.50
55	CORVETTE	inside (dark green)	3728917	1	1.50
55	CORVETTE	inside (white)	3728918	1	1.50
56-57	CORVETTE	COVER, left, end strap (red)	3729017	1	2.80
56-57	CORVETTE	COVER, right, end strap (red)	3729018	1	2.80
56-57	CORVETTE	COVER, left, end strap (light beige)	3729021	1	2.80
56-57	CORVETTE	COVER, right, end strap (light beige)	3729022	1	2.80
56	CORVETTE	STUD	455379	1	.10

13.342 CLIP, Top Binding End

31-57	CONV., CORVETTE		4561686	4	.25

13.346 TOP ASSEMBLY, Folding

53-54	CONV.	tan	4209593	1	330.00
55	CONV.	white	4215060	1	330.00
55	CONV.	tan	4215061	1	330.00
55	CONV.	green	4215062	1	330.00
55	CONV.	blue	4215063	1	330.00
55	CONV.	gray	4243633	1	330.00
56	CONV.	blue	4246802	1	330.00
56-57	CONV.	beige	4246803	1	330.00
56-57	CONV.	ivory	4246801	1	330.00
56-57	CONV.	black	4246804	1	330.00
57	CONV.	green	4261495	1	330.00
57	CONV.	blue	4267988	1	330.00
53	CORVETTE	black (complete)	4648526	1	330.00
54-55	CORVETTE	tan (complete)	4650056	1	330.00
55	CORVETTE	white (complete)	3723095	1	330.00
55	CORVETTE	green (complete)	3723096	1	330.00
56	CORVETTE	black (complete) w/blk. lining	3724439	1	330.00
56	CORVETTE	white (complete) w/blk. lining	3724440	1	330.00
56	CORVETTE	beige (complete) w/beige lining	3724441	1	330.00
57	CORVETTE	black (complete) w/blk. lining	3739370	1	330.00
57	CORVETTE	white (complete) w/blk. lining	3739373	1	330.00
57	CORVETTE	beige (complete) w/blk. lining	3739374	1	330.00

13.347 TRIM ASSEMBLY, Folding Top Cover

NOTE: When ordering trim assy., the color of the top or cover assy. must be specified.

42-47	CONV.	black, w/black binding (less back curtain)	4141436	1	77.65
50	CONV.	black (w/back curtain)	4174852	1	100.11
51-52	CONV.	black (less back curtain and glass)	4183200	1	77.65
53-54	CONV.	black (less back curtain and glass)	4199918	1	77.65
53	CONV.	green (less back curtain and glass)	4199919	1	77.65
54	CONV.	green, w/green binding (less back curtain)	4208754	1	77.65
55	CONV.	white, w/white binding (less back curtain)	4215044	1	86.25
55	CONV.	tan, w/tan binding (less back curtain)	4215045	1	86.25
55	CONV.	green, w/green binding (less back curtain)	4215046	1	86.25
55	CONV.	blue, w/blue binding (less back curtain)	4215047	1	86.25

55	CONV.	gray, w/gray binding (less back curtain).	4243642	1	86.25
56	CONV.	blue, w/blue binding (less back curtain).	4246808	1	86.25
56-57	CONV.	beige, w/beige binding (less back curtain)	4246809	1	86.25
56-57	CONV.	ivory, w/ivory binding (less back curtain)	4246807	1	86.25
56-57	CONV.	black, w/black binding (less back curtain)	4248811	1	86.25
57	CONV.	green (less bk. window curtain w/glass)..	4261504	1	86.25
57	CONV.	blue (less bk. window curtain w/glass)...	4267987	1	86.25
53	CORVETTE	black (w/back curtain)	4200383	1	109.25
54-55	CORVETTE	tan (w/back curtain)	4648532	1	109.25
55	CORVETTE	dark green (w/back curtain)	3727735	1	109.25
55	CORVETTE	white (w/back curtain)	3728922	1	109.25
56-57	CORVETTE	black (w/back window)	3729215	1	109.25
56-57	CORVETTE	white (w/back window)	3729216	1	109.25
56-57	CORVETTE	beige (w/back window)	3729217	1	109.25

13.349 TRIM ASSEMBLY, Folding Top Side Roof Rail Cover Inside

50-54	CONV.	right, black	4197181	1	5.32
50-54	CONV.	left, black	4197182	1	5.32
52-54	CONV.	right, green	4208748	1	5.50
52-54	CONV.	left, green	4208749	1	5.50
52-54	CONV.	right, blue	4208750	1	5.50
52-54	CONV.	left, blue	4208751	1	5.50
55	CONV.	right, tan	4215054	1	7.65
55	CONV.	left, tan	4215055	1	7.65
55	CONV.	right, green	4215056	1	7.65
55	CONV.	left, green	4215057	1	7.65
55	CONV.	right, blue	4215058	1	7.65
55	CONV.	left, blue	4215059	1	7.65
55	CONV.	right, gray	4243639	1	7.65
55	CONV.	left, gray	4243640	1	7.65
55-57	CONV.	right, black	4215052	1	7.65
55-57	CONV.	left, black	4215053	1	7.65
56	CONV.	right, blue	4246820	1	8.75
56	CONV.	left, blue	4246821	1	8.75
56-57	CONV.	right, tan beige	4246822	1	8.75
56-57	CONV.	left, tan beige	4246823	1	8.75
57	CONV.	right, green	4261501	1	9.75
57	CONV.	left, green	4261502	1	9.75
57	CONV.	right, blue	4267984	1	9.75
57	CONV.	left, blue	4267985	1	9.75

PAD—COVER, Back Stay

55	CONV.	right, tan	4241650	1	2.25
55	CONV.	left, tan	4241651	1	2.25
55	CONV.	right, green	4241652	1	2.25
55	CONV.	left, green	4241653	1	2.25
55	CONV.	right, blue	4241654	1	2.25
55	CONV.	left, blue	4241655	1	2.25
55	CONV.	right, gray	4243637	1	2.25
55	CONV.	left, gray	4243638	1	2.25
55-57	CONV.	right, black	4241648	1	2.25
55-57	CONV.	left, black	4241649	1	2.25
56	CONV.	right, blue	4246828	1	2.25
56	CONV.	left, blue	4246829	1	2.25
56-57	CONV.	right, tan	4248821	1	2.25
56-57	CONV.	left, tan	4248822	1	2.25
57	CONV.	right, green	4261499	1	3.25
57	CONV.	left, green	4261500	1	3.25
57	CONV.	right, blue	4267982	1	3.25
57	CONV.	left, blue	4267983	1	3.25
53	CORVETTE	right, black	4202263	1	9.50
53	CORVETTE	left, black	4202264	1	9.50
54-55	CORVETTE	right, tan	4648530	1	9.50
54-55	CORVETTE	left, tan	4648531	1	9.50
55	CORVETTE	left, dark green	3727733	1	9.50
55	CORVETTE	right, dark green	3727734	1	9.50
55	CORVETTE	left, white	3728923	1	9.50

55	CORVETTE	right, white	3728924	1	9.50
56-57	CORVETTE	COVER, left, black	3729279	1	9.50
56-57	CORVETTE	COVER, right, black	3729280	1	9.50
56-57	CORVETTE	COVER, left, beige	3729281	1	9.50
56-57	CORVETTE	COVER, right, beige	3729282	1	9.50
56-57	CORVETTE	COVER, left, white	3730129	1	9.50
56-57	CORVETTE	COVER, right, white	3730130	1	9.50

13.352 RETAINER—SPRING—STRIP—WEATHERSTRIP—BUSHING, Folding Top Cover (on side belt rail)

50-52	CONV.	right (w/flat spring) (17⅞ O.L.)	4606460	1	2.85
50-52	CONV.	left (w/flat spring) (17⅞ O.L.)	4606461	1	2.85
53	CONV. (1st type)	right, rr. qtr. trim	4622553	1	2.85
53	CONV. (1st type)	left, rr. qtr. trim	4622554	1	2.85
53-54	CONV. (2nd type)	right, rr. qtr. trim	4634720	1	.50
53-54	CONV. (2nd type)	left, rr. qtr. trim	4634721	1	.50
50-52	CONV.	SPRING, rear qtr. retainer	4150753	2	.20
50-52	CONV.	STRIP, finish—outer panel right (chrome) (5 c'sunk holes 17 O.L.)	4586790	1	2.75
50-52	CONV.	STRIP, finish—outer panel left (chrome) (5 c'sunk holes 17 O.L.)	4586791	1	2.75
53-54	CONV.	WEATHERSTRIP, right—compartment side panel	4602985	1	1.00
53-54	CONV.	WEATHERSTRIP, left—compartment side panel	4602986	1	1.00
55-57	CONV.	WEATHERSTRIP, right, compartment side panel	4650300	1	1.25
55-57	CONV.	WEATHERSTRIP, left, compartment side panel	4650301	1	1.25
53-54	CONV.	BUSHING, rr. qtr. trim retainer	4613556	4	.05

13.353 SCREW, Top Cover Retainer

50-52	CONV.	(¼—20 x 9/16 cross recess hd. w/shoulder)	4579251	2	.10

13.365 LINK ASSY.—PLATE—SCREW, Fldg. Top Frame Riveted

53	CORVETTE	right, tan	3706901	1	45.00
53	CORVETTE	left, tan	3706902	1	45.00
54-55	CORVETTE	right, tan (2nd type)	4658743	1	45.00
54-55	CORVETTE	left, tan (2nd type)	4658744	1	45.00
56-57	CORVETTE	right, side roof control	3716228	1	1.65
56-57	CORVETTE	left, side roof control	3716227	1	1.65
56-57	CORVETTE	right, side center rail	3716310	1	.65
56-57	CORVETTE	left, side center rail	3716309	1	.65
56	CORVETTE	lower lift	3716270	2	.85
56-57	CORVETTE	upper lift	3716271	2	.85
57	CORVETTE	lower lift	3736196	2	.95
56-57	CORVETTE	PLATE, right (rr. contl.)	3716256	1	1.75
56-57	CORVETTE	PLATE, left (rr. contl.)	3716255	1	1.75
56-57	CORVETTE	SCREW, special shoulder	3716280	A.R.	.10

13.371 WELT, Front Roof Rail Inner

55	CONV.	tan	4241641	1	.45
55	CONV.	green	4241642	1	.45
55	CONV.	blue	4241643	1	.45
55	CONV.	gray	4243636	1	.45
55-57	CONV.	black	4241640	1	.45
56	CONV.	blue	4246834	1	.45
56-57	CONV.	tan	4246835	1	.45
57	CONV.	green	4261498	1	.45
57	CONV.	blue	4267981	1	.45

13.384 FASTENER—STUD—SOCKET—RETAINER—PLATE, Folding Top and Dust Boot

40-41	CONV.	on front of side belt rail,			
49	CONV.	on side roof rail	4571165	A.R.	.15
55-57	CONV., CORVETTE	button, dust boot	4565454	24	.10
56-57	CONV.	on belt rail	4231676	18	.15
56-57	CORVETTE	linkage cover	3729121	2	.20
40-54	CONV.	STUD, folding top dust boot inner quarter	454674	A.R.	.15
40-41	CONV.,				
53-54	CONV.	STUD, folding top dust boot belt moulding	455448	A.R.	.10
52	CONV.,				
53-55	CORVETTE,				
54	CONV.	STUD (used as dust boot fastener)	454676	4	.12
55	CONV.	STUD, on belt rail, chrome	4231676	8	.15
55-57	CONV.	STUD, curtain fastener (8-32 x 3/8)	455520	6	.20
53-54	CORVETTE	STUD (6—32 x 1/4)	272869	2	.20
55	CONV.	SOCKET, dust boot fastener (9/16 diam.)	105195	A.R.	.10
53-54	CORVETTE	SOCKET, w/spring	272870	2	.15
55-57	CONV.	RETAINER (42 1/16 long)	4658414	1	2.05
53-54	CORVETTE	PLATE	125737	2	.05

13.389 CURTAIN, Back (with glass)

52	CONV.	grey	4183198	1	56.85
53	CONV.	blue	4197287	1	56.95
53-54	CONV.	tan	4198525	1	56.95
53-54	CONV.	black	4197168	1	56.95
53-54	CONV.	green	4208752	1	56.95
54	CONV.	blue	4208753	1	56.95
55	CONV.	white	4215048	1	56.95
55	CONV.	tan	4215049	1	56.95
55	CONV.	green	4215050	1	56.95
55	CONV.	blue	4215051	1	56.95
55	CONV.	gray	4243641	1	56.95
56	CONV.	blue	4246813	1	56.95
56-57	CONV.	ivory	4246812	1	56.95
56-57	CONV.	beige	4246814	1	56.95
56-57	CONV.	black	4248814	1	56.95
57	CONV.	green	4261503	1	56.95
57	CONV.	blue	4267986	1	56.95

NOTE: Please specify color when ordering.

13.392 ZIPPER, Back Curtain

49-50	CONV.	tan	4569473	1	10.06
49-50	CONV.	black	4569474	1	10.06
51	CONV.	tan (upper and sides)	4597400	1	10.95
51-52	CONV.	black (upper and sides)	4597401	1	10.95
51-52	CONV.	black (lower)	4597404	1	3.75
53-54	CONV.	black	4623964	1	9.50
53-54	CONV.	tan	4623966	1	9.50
53-54	CONV.	green	4623967	1	9.50
53-54	CONV.	blue	4642051	1	9.50
55	CONV.	green	4657114	1	9.50
55	CONV.	blue	4657115	1	9.50
55	CONV.	gray	4657100	1	9.50
55-57	CONV.	black	4657084	1	9.50
55-57	CONV.	beige	4657113	1	9.50
56-57	CONV.	blue	4677920	1	9.50
57	CONV.	green	4698403	1	9.50

13.393 FRAME—MOULDING—ESCUTCHEON, Back Curtain Glass

41-50	CONV.	outer	4567262	1	5.47
56-57	CORVETTE	(plastic top)	3726315	1	34.85
56-57	CORVETTE	lower (plastic top) (stainless steel)	3726316	1	16.45
56-57	CORVETTE	MOULDING (plastic top) right	3731642	1	1.95
56-57	CORVETTE	MOULDING (plastic top) left	3731641	1	1.95
56-57	CORVETTE	ESCUTCHEON (plastic top)	3731643	1	.90

13.426 STRAP—BUTTON—SOCKET, Top Hold-Down

40-54	CONV.	(29 long)	4615854	1	1.45
55-57	CONV.	(21½ long)	4631033	1	1.40
53-55	CORVETTE		3710906	2	1.45
56-57	CORVETTE	BUTTON, fastener (type A)	141994	2	.10
56-57	CORVETTE	SOCKET, fastener (type A)	141998	2	.10

13.429 LOOP, Top Hold-Down, Footman


37-57	CONV.		4667402	2	.85
53-55	CORVETTE	(stl. chrome finish)	3706990	2	.85

13.450 BOOT, Top Dust


49	CONV.	black	4171159	1	39.60
50-52	CONV.	black	4174860	1	39.60
53-54	CONV.	white (comb. 265, 268, 269, 368)	4197585	1	39.70
53-54	CONV.	beige (comb. 264, 328, 374)	4208747	1	39.70
53-54	CONV.	blue (comb. 267, 327, 367)	4208746	1	39.70
54	CONV.	white (comb. 325, 329, 337)	4208744	1	39.70
54	CONV.	green (comb. 326)	4208745	1	39.70
55	CONV.	beige (comb. 525, 528)	4215008	1	39.70
55	CONV.	green (comb. 526)	4215009	1	39.70
55	CONV	blue (comb. 527)	4215010	1	39.70
55	CONV.	gray (comb. 533)	4215013	1	39.70
55-56	CONV.	ivory (comb. 537, 551, 602, 603, 605)	4246840	1	44.30
56	CONV.	yellow (comb. 604)	4246842	1	44.30
56	CONV.	green (comb. 606)	4246844	1	44.30
56	CONV.	blue (comb. 607)	4246845	1	44.30
56	CONV.	tan (comb. 621)	4246846	1	44.30
56	CONV.	(comb. 631)	4259419	1	44.30
57	CONV.	(comb. 677, 680)	4261505	1	44.30
57	CONV.	(comb. 678)	4261506	1	44.30
57	CONV.	(comb. 679)	4261507	1	44.30
57	CONV.	(comb. 681)	4261509	1	44.30
57	CONV.	(comb. 682)	4261510	1	44.30
57	CONV.	(comb. 683)	4261511	1	44.30


BAG ASSY., Door Window Storage


42-57	CONV.	boot retainer	4174861	1	3.40
53-55	CORVETTE	red (comb. 295)	4202266	1	13 50
54-55	CORVETTE	dark beige (comb. 341)	4648535	1	13.50


13.353 SCREW
13.352 RETAINER
13.352 SPRING
14.300 NUT
14.300 BUSHING
14.300 BOLT
14.300 WASHER
14.340 BOW
14.350 WASHER
14.350 SLAT IRON
14.350 SCREW
14.280 LINK—UPPER
14.300 WASHER
14.300 BUSHING
14.300 BOLT
14.280 LINK—LOWER
14.475 LIFT
14.250 BOLT
14.250 WASHER
14.250 BUSHING
14.250 WASHER
14.250 NUT
14.225 BOLT
14.215 BOW
14.225 WASHER
14.225 BUSHING
14.225 WASHER
14.225 NUT
14.155 BOLT
14.155 WASHER
14.155 BUSHING
14.155 WASHER
14.155 NUT
14.270 BUMPER
14.240 BOW (1949-52)
14.170 R.R. RAIL (1953-54)
14.260 RETAINER
14.260 W/STRIP
14.200 BUMPER
14.180 WASHER
14.180 BOLT
14.320 BOLT
14.320 WASHER
14.320 BUSHING
14.320 BOLT
14.320 WASHER
14.330 BUMPER
14.320 WASHER
14.310 HINGE
14.130 BOW
14.155 BOLT
14.155 BUSHING
14.140 LINK ASSY.
14.155 WASHER
14.130 BOLT
14.155 SET SCREW
14.120 SCREW
14.155 SET SCREW
14.190 RETAINER
14.190 W/STRIP
14.170 R.R. RAIL (1949-52) CTR. RAIL (1953-54)
14.080 HANDLE
14.080 SET SCREW
14.080 BOLT
14.080 SUPPORT
14.080 SCREW
14.060 W/STRIP
14.155 NUT
14.155 WASHER
14.155 BUSHING
14.155 BOLT
14.050 RAIL
14.110 BOLT
14.110 L. WASHER
N. S.
14.070 FILLER
14.110 BOLT
13.384 FASTENER
14.100 RAIL
14.090 PLATE
14.090 SCREW
14.120 W/STRIP
14.120 RETAINER
NOTE:
WINDSHIELD SIDE PILLAR WEATHERSTRIP AND RETAINER NOT ILLUSTRATED—LISTED IN GROUP 14.115
MOTOR AND PUMP ASSEMBLY
14.482 SEAL
14.482 GROMMET
14.482 NUT
14.486 RESERVOIR
N.S.S.–TUBES (PART OF 14.481 PUMP)
N.S.S.–SPRING (PART OF 14.481 PUMP)
14.481 MOTOR
14.482 HEAD ASSY.
14.486 SEAL
14.481 PUMP UNIT
14.482 SCREW (ALSO PART OF 14.481 PUMP)
14.482 GROMMET

1955-57 CONVERTIBLE POWER TOP FRAME




14.340
BOW ASSY. (R.R.)
14.130
BOW (FRT.)
14.080
BOLT
14.060
W/STRIP
14.070
PAD
14.070
TRIMSTICK
14.050
HEADER
14.080
SUPPORT
14.340
BOW ASSY.
(TOP COMP.)
14.080
LATCH ASSY.
14.080
LATCH ASSY.
14.060
SEAL
13.365
LINK ASSY.



STATION WAGON FOLDING SEAT

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
		14.050 RAIL—HEADER—PAD—MOULDING, Folding Top Front Roof			
49-52	CONV.	(w/inner panel and lock)	4590772	1	38.95
53-54	CONV.	(w/inner panel and lock)	4602575	1	37.90
55-57	CONV.	(w/inner panel, less lock)	4649447	1	37.90
53-55	CORVETTE	HEADER, aluminum	3706894	1	55.80
56	CORVETTE	HEADER, frt.	3716399	1	55.80
56-57	CORVETTE	HEADER, roof panel (aluminum)	3725613	1	55.80
57	CORVETTE	HEADER, frt.	3735545	1	48.50
54-55	CORVETTE	PAD, scuff	3711250	2	.20
56-57	CORVETTE	MOULDING, w/shield header	3716331	1	5.95
		14.060 WEATHERSTRIP—RETAINER—SEAL—CLIP, Folding Top Front Roof Rail			
49-52	CONV.	right, with bumper (molded 4563765)	4563765	1	1.85
49-52	CONV.	left, with bumper (molded 4563766)	4563766	1	1.85
49-52	CONV.	on w/shield header (molded 4566232)	4566232	1	3.00
53-54	CONV.	center	4191680	1	2.05
55-57	CONV.	front	4650077	1	1.35
55-57	CONV.	center, rear	4211195	1	1.80
53-55	CORVETTE	rear	3706853	1	1.35
53-55	CORVETTE	front	3706615	1	1.25
56	CORVETTE	roof rail hdr., left	3726395	1	4.95
56	CORVETTE	roof rail hdr., right	3726396	1	4.95
56-57	CORVETTE	roof panel hdr.	3723700	1	1.40
56-57	CORVETTE	side, front rail and header	3736171	1	11.75
57	CORVETTE	roof rail hdr., left (rubber)	3739397	1	6.35
57	CORVETTE	roof rail hdr., right (rubber)	3739398	1	6.35
53-54	CONV.	RETAINER, right weatherstrip (17⅛ O.L.)	4615204	1	1.20
53-54	CONV.	RETAINER, left weatherstrip (17⅛ O.L.)	4615205	1	1.20
55-57	CONV.	RETAINER, right	4657514	1	1.25
55-57	CONV.	RETAINER, left	4657515	1	1.25
56	CORVETTE	RETAINER, hdr. w/strip, right	3716393	1	1.55
56	CORVETTE	RETAINER, hdr. w/strip, left	3716394	1	1.55
57	CORVETTE	RETAINER, hdr. w/strip, left	3736173	1	1.95
57	CORVETTE	RETAINER, hdr. w/strip, right	3736174	1	1.95
53-55	CORVETTE	SEAL, end, left	3706851	1	.80
53-55	CORVETTE	SEAL, end, right	3706852	1	.80
56-57	CORVETTE	CLIP, roof panel hdr. w/strip	3726386	1	.05
		14.070 FILLER—TRIMSTICK—PAD, Folding Top Front Roof Rail			
49-54	CONV.	black (55 long)	4595112	1	1.20
53-57	CORVETTE	w/shield upr. frame (48 long)	3706821	1	.25
53-55	CORVETTE	TRIMSTICK, frt. & rr. (58 1/16 O.L.)	3706610	1	4.95
53-55	CORVETTE	PAD, trim (rubber)	3706341	1	1.95
		14.080 COVER—HANDLE—LOCK—SUPPORT—SCREW—BOLT, Folding Top Front Roof Rail			
55-57	CONV.	access hole	4649358	2	.30
49-54	CONV.	HANDLE, control lock	4562304	1	3.70
55-57	CONV.	HANDLE, right	4664249	1	3.00
55-57	CONV.	HANDLE, left	4664250	1	3.00
55-57	CONV.	LOCK, right	4648632	1	2.75
55-57	CONV.	LOCK, left	4648633	1	2.75
49 54	CONV.	SUPPORT, control lock handle	4563861	1	4.10
49-54	CONV.	SCREW, set—control handle (10—32 thd. 5/32 long—¼ dia. hd—7/16 O.L.)	4133654	1	.35
49-54	CONV.	BOLT, control lock handle (¼—20 thd. 5/16 long—1⅛ O.L.—fill. hd. shoulder)	4561892	1	.55
49-54	CONV.	BOLT, handle support (¼—20 x ⅞ oval cross recess-chrome)	451262	4	.10

LATCH ASSY.—LOCK PARTS, Folding Top

53-55	CORVETTE	header	4154404	2	18.50
53-55	CORVETTE	compt. bow, R.H.	4154402	1	5.30
53-55	CORVETTE	compt. bow, L.H.	4154403	1	5.30
53-55	CORVETTE	SUPPORT, fldg. top linkage and header latch (aluminum bronze) L.H.	4649723	1	14.00
53-55	CORVETTE	SUPPORT, fldg. top linkage and header latch (aluminum bronze) R.H.	4649722	1	14.00
54-55	CORVETTE	PLATE, compt. bow catch striker	3715402	2	.25
53-55	CORVETTE	BOLT, header link to header (stainless steel)	3706620	2	.60
53-55	CORVETTE	WASHER, catch striker (3/4 I.D. x 13/16 O.D.)	3706772	1	.05
53-55	CORVETTE	NUT, catch striker (3/4—24 hex.)	3706773	2	.15
56-57	CORVETTE	BRACKET, roof panel mtg. side, left	3728421	1	9.40
56-57	CORVETTE	BRACKET, roof panel mtg. side, right	3728422	1	9.40
56-57	CORVETTE	BRACKET, roof panel mtg., rear	3740214	1	5.40
56-57	CORVETTE	CATCH, assy., rr. bow lock	3716338	2	1.65
56-57	CORVETTE	LOCK ASSY., roof panel header, left (plastic)	3729719	1	5.50
56-57	CORVETTE	LOCK ASSY., roof panel header, right (plastic)	3729720	1	5.50
56-57	CORVETTE	LOCK ASSY., rear bow	3716337	2	7.85
56-57	CORVETTE	LOCK ASSY., top header, left	3716389	1	2.95
56-57	CORVETTE	LOCK ASSY., top header, right	3716390	1	2.95
56-57	CORVETTE	PLATE, header lock, left	3716391	1	.40
56-57	CORVETTE	PLATE, header lock, right	3716392	1	.40
56-57	CORVETTE	SCREW	445504	1	.05

14.090 PLATE—SPACER—STRIKER—STUD—BOLT, Folding Top Guide

49-52	CONV.	center	4563592	1	1.00
49-52	CONV.	side	4563597	2	1.00
53-54	CONV.	center (stud guide hole 13/16 wide)	4602564	1	.90
53-54	CONV.	side (stud guide hole 15/16 wide)	4602563	2	.90
56-57	CORVETTE	rr. bow catch adjuster	3716339	2	1.00
55-57	CONV.	SPACER, front roof rail lock handle striker	4664882	A.R.	.85
55-57	CONV.	STRIKER, top front lock	4664268	2	1.80
55-57	CONV.	STRIKER, emergency use (catch 1/8 higher at center)	4664434	A.R.	1.80
53-55	CORVETTE	STRIKER, bow lock	4154541	2	2.80
49-52	CONV.	STUD, center (3/4 dia. x 1 15/16)	4578822	1	1.50
50-52	CONV.	STUD, side	4578821	2	1.10
49-52	CONV.	STUD, side (3/4 dia. x 1 5/8 lg.) (emer. use)	4563697	2	1.10
53-54	CONV.	STUD, center (3/4 dia. x 1 19/32 lg.)	4603455	1	1.50
53-54	CONV.	STUD, side	4590979	2	1.05
55-57	CONV.	STUD, guide	4649521	2	1.10
49-54	CONV.	BOLT, plate attaching (1/4—20 x 5/8 oval cross recess—chrome) (w/lock washer)	450586	6	.05
50-54	CONV.	BOLT, stud anchor plate (7/16—20 x 13/16 O.L.—3/4 dia. hd.)	4564260	3	.10

14.100 RAIL, Folding Top Side Roof—Front

49-52	CONV.	right (with male hinge)	4590756	1	8.90
49-52	CONV.	left (with male hinge)	4590757	1	8.90
53-54	CONV.	right (with male hinge)	4644380	1	8.90
53-54	CONV.	left (with male hinge)	4644381	1	8.90
55-57	CONV.	right (with male hinge)	4659902	1	8.90
55-57	CONV.	left (with male hinge)	4659903	1	8.90

14.110 BOLT—WASHER—BUSHING—BUMPER, Folding Top Side Roof Rail—Front

49-52	CONV.	hinge, front to rear rail (5/16—24 thd.—3/8 body—1 3/8 O.L. fill. head)	4567413	2	.40
49-52	CONV.	to front roof rail	181591	4	(8.900)
53-55	CONV. (1st type)	center to rear rail (3/8—24 x 1 1/4 w/ shoulder)	4614582	2	.50
55-57	CONV. (2nd type)	center to rear rail chrome (hex. w/shoulder, 1 1/16 brg.)	4670050	2	.45
49-52	CONV.	WASHER, lock (use w/181591)	120638	4	(8.931)

53-57	CONV.	BUSHING, front to center rail (½ lg. x 1½ O.D.)	4614583	2	.20
53-57	CONV.	BUMPER, front and center ($1\frac{1}{16}$ x 1½ w/metal insert)	4615046	4	.15

14.115 WEATHERSTRIP—RETAINER, Windshield Side Rail

40	CONV.	right	4132247	1	(14.190)
40	CONV.	left	4132248	1	(14.190)
41-48	CONV.	right (⅞ x $16\frac{3}{8}$ long)	4115230	1	1.30
41-48	CONV.	left (⅞ x $16\frac{3}{8}$ long)	4115231	1	1.30
49-52	CONV	left (molded 4589965)	4589965	1	1.65
49-52	CONV.	right (molded 4589964)	4589964	1	1.65
49-52	CONV.	RETAINER, right (on W/S side rail)	4601082	1	1.20
49-52	CONV.	RETAINER, left (on W/S side rail)	4601083	1	1.20

14.120 WEATHERSTRIP — RETAINER—STRIP — SCREW, Folding Top Side Roof Rail—Front

40-41	CONV.	right	4132247	1	(14.190)
40-41	CONV.	left	4132248	1	(14.190)
42-48	CONV.	right	4132245	1	1.55
42-48	CONV.	left	4132246	1	1.55
49-52	CONV.	right (⅞ x $22\frac{1}{16}$ long)	4583685	1	3.50
49-52	CONV.	left (⅞ x $22\frac{1}{16}$ long)	4583686	1	3.50
53-54	CONV.	right	4615003	1	4.60
53-54	CONV.	left	4615004	1	4.60
55-57	CONV.	right	4650418	1	8.50
55-57	CONV.	left	4650419	1	8.50
49-52	CONV.	RETAINER, right	4564657	1	3.55
49-52	CONV.	RETAINER, left	4564658	1	3.55
53-54	CONV.	RETAINER, right	4614992	1	3.55
53-54	CONV.	RETAINER, left	4614993	1	3.55
53-54	CONV.	STRIP, front sealing ($2\frac{3}{4}$ x $3\frac{3}{4}$)	4627278	2	.15
49-54	CONV.	SCREW, retainer attaching	131963	2	(8.907)

14.130 BOW—BOLT, Folding Top Auxiliary

49-52	CONV.		4590736	1	6.35
53-54	CONV.	front	4596782	1	6.35
55-57	CONV.	front	4659917	1	8.10
53-55	CORVETTE	front link	3706623	1	15.95
49-54	CONV.	BOLT, slat iron to bow	134417	6	(8.909)

14.140 LINK ASSEMBLY—BUSHING—PIN—RING, Folding Top Side Roof Rail Control

53-54	CONV.	right	4644378	1	10.90
53-54	CONV.	left	4644379	1	10.90
55-57	CONV.	right	4659895	1	14.00
55-57	CONV.	left	4659896	1	14.00
56-57	CORVETTE	BUSHING, link clevis pin	3716292	2	.40
56	CORVETTE	PIN, lift link clevis (⅜)	3716286	2	.30
57	CORVETTE	PIN, lift link clevis	3736179	2	.30
56-57	CORVETTE	RING, link clevis pin	3716288	A.R.	.05

14.155 BOLT—BUSHING—NUT—WASHER, Folding Top Side Roof Rail Control Link

42-52	CONV.	link to No. 1 side bow (⅜—24 x $1\frac{1}{16}$ oval hex. head—chrome)	4133652	2	.25
49-57	CONV.	link to side roof rail (5/16—24 x $\frac{25}{32}$ oval			
56-57	CORVETTE	slotted head—chrome)	4577427	8	.25
53-57	CONV.	front link, front to center rail (⅜—24 x $1\frac{3}{16}$) (chrome)	4559036	4	.30
53-57	CONV.	rear link (⅜—24 x 15/16) (chrome)	4614581	4	.30

40-48	CONV.	BUSHING, front link to side roof rail (5/16 I.D. x			
56-57	CORVETTE	7/16 O.D.—13/16 dia. hd.—9/32 long shoulder)	4112677	4	.15
40-54	CONV.	BUSHING, control link and intermediate link (3/8 I.D. x 1/2 O.D.—15/16 dia. hd.—11/32 long shoulder)	4613553	4	.15
40-57	CONV.	BUSHING, control link to side roof rail (5/16 I.D. x 7/16 O.D.—13/16 dia. hd—11/32 long shoulder)	4613552	2	.10
49-54	CONV.	BUSHING, link to side roof rail (5/16 I.D. x 7/16 O.D.—13/16 dia. hd—19/64 long shoulder)	4613550	4	.10
49-52	CONV.	NUT (5/16—24)	124920	4	(8.916)
49-52	CONV.	WASHER, link, to rail (wave spring type 15/32 I.D. x 11/16 O.D.)	3696038	4	(10.824)
49-52	CONV.	WASHER, link to rail (internal lock)	138538	6	(8.932)
	Not required in this group. See Group 14.215		4574152	2	.05

14.170 RAIL, Folding Top Side Roof—Center

53-54	CONV.	right, w/link and adj. plate	4644382	1	20.45
53-54	CONV.	left, w/link and adj. plate	4644383	1	20.45
55-57	CONV.	right, w/link and adj. plate	4659891	1	22.95
55-57	CONV.	left, w/link and adj. plate	4659892	1	22.95

RAIL, Folding Top Side Roof—Rear

49	CONV.	right, w/rear control link and plate	4567958	1	20.45
49	CONV.	left, w/rear control link and plate	4567959	1	20.45
50-52	CONV.	right, w/rear control link and plate	4590754	1	15.95
50-52	CONV.	left, w/rear control link and plate	4590755	1	15.95
53-54	CONV.	right, w/control link support	4644391	1	19.60
53-54	CONV.	left, w/control link support	4644392	1	19.60
55-57	CONV.	right, w/control link support	4659900	1	19.60
55-57	CONV.	left, w/control link support	4659901	1	19.60

14.180 BOLT—BUSHING—WASHER, Folding Top Side Roof Rail—Rear

49-52	CONV.	to No. 1 side bow (3/8—24 x 1 5/8 hex. head w/1/2 dia. shoulder 41/64 long)	4565212	2	.55
53-54	CONV.	front to center rail (3/8—24 x 1 3/16) (chrome)	4559036	A.R.	(14.155)
55	CONV.	side roof rear rail to hinge (3/8—24 x 1 11/32 oval hex. head)	4574154	2	(14.320)
55-57	CONV.	center to rr. rail chrome (hex. w/shoulder, 1 1/16 long)	4670050	2	(14.110)
53-54	CONV.	BUSHING, rear bow to rear rail	4613550	2	(14.155)
53-57	CONV.	BUSHING, rear rail to hinge	4613555	2	(14.225)
49-52	CONV.	WASHER, to No. 1 side bow (spring type)	413329	2	(8.928)

14.190 WEATHERSTRIP—RETAINER—SCREW, Folding Top Side Roof Rail—Center

42-48	CONV.	right (7/8 x 22 1/8 long)	4132247	1	2.70
42-48	CONV.	left (7/8 x 22 1/8 long)	4132248	1	2.70
49-52	CONV.	right (7/8 x 18 11/16 long)	4583687	1	4.50
49-52	CONV.	left (7/8 x 18 11/16 long)	4583688	1	4.50
53-54	CONV.	right (molded 4614800)	4614800	1	4.50
53-54	CONV.	left (molded 4614801)	4614801	1	4.50
55-57	CONV.	right (moulded 4647370)	4647370	1	4.60
55-57	CONV.	left (moulded 4647371)	4647371	1	4.60
49-52	CONV.	RETAINER, right	4564598	1	4.40
49-52	CONV.	RETAINER, left	4564599	1	4.40
53-54	CONV.	RETAINER, right	4614994	1	4.15
53-54	CONV.	RETAINER, left	4614995	1	4.15
49-53	CONV.	SCREW, retainer attaching	131963	1	(8.907)

14.200 BUMPER, Folding Top Roof Rail Auxiliary Link

49-52	CONV.	(use w/grey or black top),			
51-52	CONV.	(use w/tan, green or blue top)	4604967	4	.30

14.215 BOW—WASHER, Folding Top No. 1—Center

51-52	CONV.	.....	4590751	1	8.95
53-54	CONV.	center	4614592	1	8.95
55-57	CONV.	center	4659911	1	11.50
53-57	CONV., CORVETTE	WASHER, center bow to rear rail (¾ O.D.)	4574152	2	(14.155)

14.225 BOLT—NUT—BUSHING—WASHER, Folding Top No. 1 Bow

49-57	CONV.	side to ctr. bow and aux. bow link to center			
56-57	CORVETTE	and rear bow to rear rail	4577427	2	(14.155)
49-52	CONV.	NUT (5/16—24)	124920	2	(8.916)
40-57	CONV.	BUSHING, center bow to rear rail	4613552	2	(14.155)
49-54	CONV.	BUSHING, center to side bow	4613550	2	(14.155)
49-52	CONV.	WASHER, center to side bow (spring type),			
53	CONV.	center bow to rear rail	3696038	2	(10.824)
49-52	CONV.	WASHER, center to side bow (internal lock)	138538	2	(8.932)

14.240 BOW, Folding Top No. 1—Side

50-52	CONV.	right, with male hinge	4590764	1	16.60
50-52	CONV.	left, with male hinge	4590765	1	16.60

NOTE: For 1953-54 Bow, see Group 14.170 Rail, Rear.

14.250 BOLT—BUSHING—WASHER—NUT, Folding Top No. 1 Side Bow

42-48	CONV.	side bow to side roof rail (3/8—24 x 1 19/32)	4550529	2	.45
49-55	CONV.	side bow to rear bow	4577427	2	(14.155)
42-48	CONV.	BUSHING, to upper aux. link	4613557	4	(11.053)
49-54	CONV.	BUSHING, side bow to rear bow	4613550	2	(14.155)
49-52	CONV.	WASHER, side bow to rear bow (spring type)	3696038	2	(10.824)
49-52	CONV.	WASHER, side bow to rear bow (internal lock)	138538	2	(8.932)
49-52	CONV.	NUT (5/16—24)	124920	2	(8.916)

14.260 WEATHERSTRIP—RETAINER, Folding Top Side Roof Rail—Rear

40-41	CONV.	right	4132247	1	(14.190)
40-41	CONV.	left	4132248	1	(14.190)
42-48	CONV.	right	4162301	1	1.65
42-48	CONV.	left	4162302	1	1.65
49-52	CONV.	right (7/8 x 13¾ long)	4583691	1	3.40
49-52	CONV.	left (7/8 x 13¾ long)	4583692	1	3.40
53-54	CONV.	right	4614905	1	2.40
53-54	CONV.	left	4614906	1	2.40
55-57	CONV.	right	4648177	1	3.40
55-57	CONV.	left	4648178	1	3.40
49-52	CONV.	RETAINER, right	4579366	1	3.00
49-52	CONV.	RETAINER, left	4579367	1	3.00
53-54	CONV.	RETAINER, right	4614802	1	1.65
53-54	CONV.	RETAINER, left	4614803	1	1.65

14.270 BUMPER, Folding Top Bow

50-52	CONV.	right	4579174	1	.23
50-52	CONV.	left	4579175	1	.23

14.280 LINK, Folding Top No. 1 Bow

49-52	CONV.	right and left, lower	4590743	2	2.52

14.300 BOLT—BUSHING—WASHER—NUT, No. 1 Bow Link

49-52	CONV.	link to lift (3/8—24 x 1½ oval hex hd. chrome)	4577432	2	.15
49-52	CONV.	link to No. 1 bow (3/8—24 x 1 29/32 oval hex. head—chrome)	4577435	2	.25
49-57	CONV.	BUSHING, link to No. 1 bow (3/8 I.D. x ½ O.D.			
56-57	CORVETTE	—13/16 dia. hd.—7/32 long shoulder)	4613551	4	.10

46-57	CONV.	WASHER, link to lift spacer, hinge to No. 1 bow			
56-57	CORVETTE	(½ I.D. x ⅞ O.D.)	4574151	2	.05
49-52	CONV.	WASHER, link to No. 1 bow (spring type)	413329	2	(8.928)
49-52	CONV.	WASHER, link to No. 1 bow (internal lock)	138542	2	(8.932)
49-52	CONV.	NUT (⅜—24 self locking—chrome) (use with 4577432—bolt)	4575049	2	.20

14.310 HINGE—SUPPORT—BRACKET, Folding Top

53-54	CONV.	right, female	4597152	1	4.75
53-54	CONV.	left, female	4597153	1	4.75
55-57	CONV.	male	4615008	2	2.80
53-54	CONV.	SUPPORT, right, female	4598471	1	4.20
53-54	CONV.	SUPPORT, left, female	4598472	1	4.20
55-57	CONV.	SUPPORT, right, male	4628628	1	5.90
55-57	CONV.	SUPPORT, left, male	4628629	1	5.90
56-57	CORVETTE	SUPPORT, rr. contl. link., left	3716323	1	.65
56-57	CORVETTE	SUPPORT, rr. contl. link., right	3716324	1	.65
53-55	CORVETTE	BRACKET, hinge, left	3706823	1	1.25
53-55	CORVETTE	BRACKET, hinge, right	3706824	1	1.25
56-57	CORVETTE	BRACKET, hinge support, left	3716353	1	1.25
56-57	CORVETTE	BRACKET, hinge support, right	3716354	1	1.25

14.320 BOLT—BUSHING—WASHER—NUT, Folding Top Hinge

42-52	CONV.	hinge to lower link (⅜—24 x $1^{11}/_{32}$ oval			
55-57	CONV.	hex. head)	4574154	2	.20
49	CONV.	hinge to No. 1 bow (⅜—24 x 2½)	181650	2	(8.900)
49-52	CONV.	hinge to bow (⅜—24 x 1½ oval hex hd. chrome)	4577432	2	(14.300)
50-52	CONV.	hinge to No. 1 bow (⅜—24 x $1^{29}/_{32}$ oval hex. hd. chrome)	4577435	2	(14.300)
53-54	CONV	rear rail to hinge (⅜—24 x 1⅞ oval hex hd. chrome)	4598804	2	.25
53-57	CONV.	rear rail to lift (⅜—24 x $1^{7}/_{32}$ oval hex hd. chrome)	4577433	2	1.05
42-48	CONV.	BUSHING, hinge to aux. bushing	4613557	2	(11.053)
49-57	CONV.,				
56-57	CORVETTE	BUSHING, hinge to link	4613551	2	(14.300)
53-57	CONV.	BUSHING, rear rail to hinge (½ x ¾ O.L. w/$^{15}/_{16}$ dia. hd.)	4613555	2	.10
49-52	CONV.	WASHER, hinge to link (wave spring type)	413329	2	(8.928)
49-52	CONV.	WASHER, hinge to link (internal lock)	138542	2	(8.932)
56	CORVETTE	NUT, anchor (use w/support bracket)	3716360	2	.30

14.340 BOW and PARTS, Folding Top—Rear

49-52	CONV.		4601337	1	9.60
53-54	CONV.		4630378	1	12.80
55-56	CONV.		4659899	1	16.75
57	CONV.	less slat iron	4710610	1	16.75
53-55	CORVETTE	rear	3706619	1	8.75
53-55	CORVETTE	top compartment	3706621	1	12.75
56-57	CORVETTE	No. 1	3716253	1	8.75
56-57	CORVETTE	No. 2	3716257	1	8.75
56-57	CORVETTE	No. 3	3716258	1	8.75
56-57	CORVETTE	BOW ASSY., rear	3716269	1	9.95
56-57	CORVETTE	BOW ASSY., compartment cover	3716303	1	12.75
53	CORVETTE	WEATHERSTRIP, w/trim	4202265	1	4.95
54-55	CORVETTE	WEATHERSTRIP, w/trim	4648533	1	4.95
56-57	CORVETTE	WEATHERSTRIP ASSY., side ctr. rail, left	3716299	1	9.45
56-57	CORVETTE	WEATHERSTRIP ASSY., side ctr. rail, right	3716300	1	9.45
56-57	CORVETTE	WEATHERSTRIP ASSY., side rail rr. bottom, left	3716407	1	2.50
56-57	CORVETTE	WEATHERSTRIP ASSY., side rail rr. bottom, right	3716408	1	2.50
56-57	CORVETTE	WEATHERSTRIP ASSY., side rear rail, left	3716297	1	8.80
56-57	CORVETTE	WEATHERSTRIP ASSY., side rear rail, right	3716298	1	8.80
56-57	CORVETTE	WEATHERSTRIP ASSY., rear bow (beige)	3729457	1	3.95

53	CORVETTE	STAY (black)	4200499	2	1.95
54-55	CORVETTE	STAY (tan)	4648528	2	1.95
55	CORVETTE	STAY (white)	3728919	2	1.95
55	CORVETTE	STAY (dark green)	3728920	2	1.95
56-57	CORVETTE	BRACE ASSY., side front rail corner, left	3731385	1	1.75
56-57	CORVETTE	BRACE ASSY., side front rail corner, right	3731386	1	1.75
56-57	CORVETTE	BUSHING (nylon) (used w/side rr. rail ext.)	3716293	2	.95
56-57	CORVETTE	LINK, rear control—left	3716247	1	2.80
56-57	CORVETTE	LINK, rear control—right	3716248	1	2.80
56-57	CORVETTE	LINK, side front rail	3716222	2	.90
56-57	CORVETTE	NUT, low crown locking 5/16—24	3716424	2	.35
56-57	CORVETTE	PIN, clevis 5/16 (atch. No. 2-3—Rear Bow)	3716285	A.R.	.35
56-57	CORVETTE	PIN clevis 5/16 (atch. No. 1 Bow)	3716287	2	.35
56-57	CORVETTE	RING, snap	3716289	A.R.	.05
56-57	CORVETTE	STRAP, bow retaining (black) (assy.)	3729030	2	.95
56-57	CORVETTE	STRAP, bow retaining (white) (assy.)	3729031	2	.95
56-57	CORVETTE	STRAP, bow retaining (beige) (assy.)	3729032	2	.95
56-57	CORVETTE	STRAP, assy., stay (black)	3729074	2	.95
56-57	CORVETTE	STRAP, stay (beige)	3729075	2	.95
56-57	CORVETTE	SUPPORT, rear control link, left	3716235	1	3.95
56-57	CORVETTE	SUPPORT, rear control link, right	3716236	1	3.95
56-57	CORVETTE	SUPPORT, rear bow	3716245	1	.90
56-57	CORVETTE	SUPPORT, rear, bow	3716246	1	.90
56	CORVETTE	TOP RAIL ASSY., includes link and bow	3716316	1	168.50
57	CORVETTE	TOP RAIL ASSY., includes link and bow	3736225	1	168.50
56-57	CORVETTE	WASHER, spring	3716294	A.R.	.06

14.350 IRON—WASHER—BUMPER, Folding Top Rear Bow Slat

50-52	CONV.	right and left	4590746	2	2.70
53-54	CONV.	right and left	4630377	2	2.70
49-52	CONV.	WASHER, slat iron to bow (internal lock)	120423	6	(8.932)
53-55	CORVETTE	BUMPER, rubber	3706617	1	.20

14.360 BUMPER, Folding Top Rear Bow

49-52	CONV.	(in top compartment)	4565772	2	.23
53-54	CONV.	rear bow slat iron	3681070	2	(10.587)

14.465 VALVE, Folding Top Control

46-50	CONV.	operating	4149731	1	9.20
56	CORVETTE	assy., operating	4615888	2	19.85
57	CORVETTE	assy., operating	3739300	2	22.95

14.467 KNOB, Folding Top Control Valve

46-50	CONV.		4582147	1	1.80

14.471 ROD, Folding Top Control

49-50	CONV.	(1/4 O.D. x 14 27/32 dev. length)	4563130	1	.72

14.472 HOSE—CLIP, Folding Top Motor to Operating Valve

46-48	CONV.	(1/2 O.D. x 8 long, w/90° fittings)	4162333	2	2.45
49-50	CONV.	pressure (6 1/4 long)	4565379	1	1.95
49-50	CONV.	return (8 3/4 long)	4558822	1	2.30
51-52	CONV.	pump to cyl. (w/tee) (148 long)	4596798	2	8.85
53-54	CONV.	(w/tee)	4626469	2	8.85
55	CONV. (1st type)	pump to cyl. (tee w/curved tube) (110 3/4 long)	4650551	2	11.35
55	CONV. (2nd type)	hydraulic motor and pump—adapter (7 3/4 long)	4665449	2	2.40
55-56	CONV. (2nd type)	pump to cyl. (w/1/4—20 tee) (110 3/4 long)	4664979	2	8.35
57	CONV.	hyd. pump to bottom of lift	4709672	1	9.25
57	CONV.	hyd. pump to top of lift	4709671	1	10.50

56-57	CORVETTE	hydraulic lift assy	3716265	2	8.35
56-57	CORVETTE	comp. lid hyd. lift assy	3716261	2	2.65
56-57	CORVETTE	pump to fldg. top operating upr. to lwr. valve	3716262	1	4.80
56-57	CORVETTE	pump to fldg. top operating lower valve	3716263	1	2.35
56-57	CORVETTE	top operating upr. to lwr. valve assy.	3716264	1	1.45
56-57	CORVETTE	CLIP, fldg. top compt. lid hyd. lift assy	4599926	6	.10

14.473 ELBOW—CONNECTOR, Folding Top

46-50	CONV.	(90°—1/2—20 internal thd. 1 end, 1/8 pipe			
53-57	CONV. (1st type)	thd.—1 end) use w/4650415	4550703	2	.35
49-50	CONV.	(90°—1/2—20 internal thd. both ends)	4551055	2	.65
47-48	CONV.	CONNECTOR (5/16 x 1/2—20 x 1/8)	137406	A.R.	(8.963)
56-57	CORVETTE	CONNECTOR, inverted flared tube	4594204	2	.30

14.475 LIFT ASSY—LEVER—SPRING, Folding Top

NOTE: Use Delco No. 11 Brake Fluid for Hydraulic Lift. See Group 4.683.

46-48	CONV.	hydraulic cylinder	4149728	2	19.25
49-50	CONV.	hydraulic cylinder	4567324	2	19.25
51-52	CONV.	hydraulic cylinder	4600036	2	19.25
53-54	CONV.	hydraulic cylinder (21 7/8 O.L. fully compressed)	4615148	2	19.25
55-56	CONV.	hydraulic	4665022	1	19.25
57	CONV.	right, hydraulic	4710536	1	24.95
57	CONV.	left, hydraulic	4710537	1	24.95
56-57	CORVETTE	compt. lid hyd.	3734948	1	17.85
56-57	CORVETTE	hydraulic	3716273	2	17.85
57	CORVETTE	LEVER, assy. compt. lid switch	3736213	1	.35
56	CORVETTE	SPRING, fldg. top comp. lid switch	3716332	1	.35

14.478 YOKE, Folding Top Vacuum Cylinder Shaft

49-52	CONV.		4567174	2	1.17

14.481 MOTOR—PUMP, Folding Top

NOTE: See service Breakdown Chart in Supplementary Data Section for component parts of Hydraulic Motor and Pump Assemblies.

46-49	CONV.	(stamped 4564581)	4170976	1	32.25
49-50	CONV.	(stamped 4564583 or 4564932)	1108572	1	37.50
51-52	CONV.	w/pump	4594191	1	47.50
51-54	CONV.	w/end plate	4632640	1	37.50
53-54	CONV.	w/pump	4603742	1	47.50
55	CONV.	w/pump (fitting on side pump)	4664980†**	1	56.85
55	CONV. (1st type)	mtr. only (gear type pump)	4632641**	1	42.25
55-56	CONV.	assembly	4688307	1	47.25
56	CONV.	w/pump	4683708	1	59.95
57	CONV.	w/pump	4711912	1	59.95
57	CONV.	assembly	4714988	1	47.25
56	CORVETTE	assembly, w/pump	3716254	1	48.50
56	CORVETTE	assembly, w/end plate	3729684	1	32.75
46-49	CONV.	PUMP (use w/motor 4165785 or 4170976)	4162272	1	27.50
49-50	CONV.	PUMP (use w/motor 1108572)	5453599	1	25.20
51-52	CONV.	PUMP UNIT, hydraulic	3701147*	1	11.75
53-54	CONV.	PUMP UNIT, hydraulic	4632631*	1	15.85
55	CONV. (1st type)	PUMP UNIT, hydraulic (less reservoir)	4632632*	1	19.75

*NOTE: Pump Unit consists of all necessary parts to assemble a complete Pump Assy., with the exception of the Reservoir.

CAUTION: Remove fibre protector plate before assembling to motor. Care must be taken to prevent loss or damage to springs and gears.

†NOTE: Necessary to use two part 4665449, motor and pump adapter hoses, for 2nd type pump.

**NOTE: 1st Type—Prior to Body No. 2589
2nd Type—After Body No. 2589

14.482 PARTS, Folding Top Motor and Pump

NOTE: See service Breakdown Chart in Supplementary Data Section for component parts of Hydraulic Motor and Pump Assemblies.

46-57	CONV.,				
57	CORVETTE	PIN, lift support clevis	4550594	A.R.	.08
51-53	CONV.,				
54-55	CONV. (1st type)	PIN, drive gear (3/32 x 13/32 long)	3698097	1	.12
56	CORVETTE	PIN, clevis (3/8 x 19/32)	3716396	1	.40
57	CORVETTE	PIN, clevis (3/8 x 1 23/64)	3736218	1	.15
46-57	CONV.,				
57	CORVETTE	SPACER, lift support clevis pin (3/8 x 15/64)	4149726	4	.06
49-50	CONV.	BRUSH, hydraulic motor (at field)	1906918	1	.33
51-54	CONV.	HEAD ASSY., hydraulic motor (commutator end)	3698768	1	5.18
55	CONV. (1st type)	HEAD ASSY., hydraulic motor (commutator end)	4632642	1	13.25
51-54	CONV.	PLATE, hydraulic motor end	3702970	1	2.75
49-50	CONV.	GASKET, pump valve (use w/5453540 pump)	043234	1	(4.651)
46-49	CONV.	SEAL, pump bottom	4162280	1	.25
51-52	CONV.,	SEAL, reservoir pipe "O" ring (rubber) (7/16			
54-55	CONV. (1st type),	I.D.)	3698110	2	.30
51-57	CONV.,				
56	CORVETTE	SEAL, mtr. shaft "O" ring (rbr.) (5/16 I.D.)	3698098	1	.35
53-54	CONV.	SEAL, reservoir pipe	4632635	2	.45
56	CORVETTE	SEAL, reservoir pipe "O" ring	3729692	1	.25
46-49	CONV.	VALVE, hydraulic pump	4162275	1	1.50
49-50	CONV.	VALVE, hydraulic pump	5453526	1	.23
49-50	CONV.	WASHER, hydraulic pump valve	5453525	1	.17
49-52	CONV.	WASHER, cylinder seal (steel)	4168841	4	.06
46-49	CONV.	SPRING, high pressure valve (use w/high press. pump, ident. by copper plated valve plug on pump)	4162283	1	1.05
49-50	CONV.	SPRING, hydraulic pump valve	5453524	1	.29
55	CONV.	SPRING, hydraulic relief valve	4666765	2	.20
55-57	CONV. (2nd type)	PLATE ASSY., hydraulic pump cover	4666389	1	2.50
56	CORVETTE	PLATE ASSY., pump cover	3729695	1	1.95
49-50	CONV.	ROTOR ASSY., inner and outer	5453544	1	3.05
55-57	CONV.	ROTOR, inner	4688308	1	1.05
55-57	CONV.	ROTOR, outer	4688309	1	1.05
56	CORVETTE	ROTOR, pump inner	3729694	1	.75
56	CORVETTE	ROTOR, pump outer	3729693	1	.90
51-53	CONV.,				
54-55	CONV. (1st type)	GROMMET, motor wires through housing (13/32)	3698771	3	.35
51-57	CONV.,				
56	CORVETTE	GROMMET, mounting bracket	3698109	4	.20
55-57	CONV. (2nd type)	BALL, rotor drive	4666388	1	.20
55-57	CONV. (2nd type)	BALL, hyd. pump, steel	4666390	4	.30
55-56	CONV. (2nd type)	SUPPORT, pump motor mtg.	4666387	1	1.45
55-57	CONV. (1st type)	SUPPORT, pump motor mtg.	4653617	1	1.60
56	CORVETTE	SUPPORT, fldg. top cover hyd. lift upr.	3716395	1	2.20
57	CORVETTE	SUPPORT, fldg. top cover hyd. lift upr.	3736197	1	2.20
56	CORVETTE	BOLT, w/washer and "O" ring assy.	3729689	1	1.10
56	CORVETTE	PLUG, w/"O" ring	3729688	1	.35
51-52	CONV.,				
55	CONV. (1st type)	NUT, retaining (attaches to tubes) (7/16—24)	3698101	2	.17
53-54	CONV.	NUT, retaining (attaches to tubes)	4632639	2	.30
56	CORVETTE	NUT, anchor rr. contl. link adj. plate support	3716362	1	.60
56-57	CORVETTE	NUT, anchor, cover hyd. lift lwr. support	3716361	1	.15
57	CORVETTE	NUT, anchor, cover hyd. lift lwr. support	3716358	1	.25
56	CORVETTE	END PLATE, w/bushing, pump assy.	3729685	1	14.85

14.483 SWITCH ASSEMBLY and PARTS, Folding Top

46-50	CONV.	(solenoid type)	001463	1	4.45
51-52	CONV.	(solenoid type w/knob)	4594599	1	3.80
53-54	CONV.		4619381	1	3.80
55-57	CONV.		4650796	1	4.70
56	CONV.	(control)	4678145	1	6.05
57	CONV.	control	4697213	1	6.05
56	CORVETTE	compt. lid	3716333	1	1.75

56-57	CORVETTE	compt. lid safety	3733682	1	1.75
56-57	CORVETTE	rr. compt. lid safety	3723243	1	1.35
56-57	CORVETTE	control	3729617	1	3.95
56	CORVETTE	rr. contl. link	3716363	1	1.75
57	CORVETTE	fldg. top and fldg. compt. lid	2965043	A.R.	3.50
57	CORVETTE	w/wiring harness	2967137	1	2.50
57	CORVETTE	w/wiring harness	2967138	1	1.50
56	CORVETTE	BRACKET ASSY., rr. compt. lid safety switch	3724114	1	.30
56-57	CORVETTE	BRACKET ASSY., safety switch	3736216	1	.30
57	CORVETTE	BRACKET ASSY., compt. lid switch	3736281	1	.35
57	CORVETTE	BRACKET ASSY., rr. compt. lid safety switch	3736203	1	.30
57	CORVETTE	COVER, fldg. top, compt. lid switch, upper	3736283	1	.70
57	CORVETTE	COVER, fldg. top, compt. lid switch, lower	3736198	1	.45
57	CORVETTE	LEVER, fldg. top, compt. lid switch, oper	3736233	1	.25
57	CORVETTE	LINK, fldg. top, compt. lid switch	3736199	1	.60
56	CORVETTE	NUT, anchor, compt. lid switch support	3724914	1	.25
56	CORVETTE	NUT, compt. lid, rr. contl. link switch assy	3716423	A.R.	.30
56	CORVETTE	PLATE ASSY., rr. contl. link switch support	3724196	1	.13
56	CORVETTE	RETAINER, rr. contl. link switch rod	3726380	1	.05
57	CORVETTE	RETAINER, compt. lid switch	3736207	4	.25
56	CORVETTE	ROD, rr. contl. link switch	3716367	1	.20
56	CORVETTE	SHIELD, top switch	3716426	1	.20
51-54	CONV.	SUPPORT, control switch	4594254	1	.50
55-56	CONV				
56-57	CORVETTE	SUPPORT, control switch	4650792	1	.60
56	CORVETTE	SUPPORT, compt. lid switch	3716325	1	.15
56	CORVETTE	SUPPORT, rr. control link switch	3716365	1	.25
56-57	CORVETTE	SUPPORT, safety switch bracket	3730581	1	.60
57	CORVETTE	SUPPORT, compt. lid switch	3736201	1	.95
56-57	CORVETTE	STUD, header guide	3716351	2	.75

SWITCH ASSY.—RELAY—GRID, Automatic Folding Top (12 volt)

55-56	CONV.	SWITCH ASSY., raising	3717414	1	3.85
55-56	CONV.	SWITCH ASSY., raising safety	3714569	1	1.95
55-56	CONV.	RELAY (1 21/32 x 2 3/4)	3717558	1	7.65
55-56	CONV.	GRID (2 x 3 5/16)	3717415	1	3.60

14.484 SUPPORT, Folding Top Operating Hydraulic Lift

55-57	CONV. (1st type)	right	4648621	1	5.35
55-57	CONV. (1st type)	left	4648622	1	5.35
56-57	CORVETTE	assy. to underbody	3716274	2	1.85
56-57	CORVETTE	lower	3716295	1	2.45

14.486 RESERVOIR AND PARTS, Folding Top Hydraulic Motor and Pump

NOTE: Use Delco No. 11 Brake Fluid for Hydraulic Lift. See Group 4.683.

46-50	CONV.		5453509	1	2.90
51-52	CONV.	w/mounting bracket	3698104	1	2.95
53-54	CONV.	w/mounting bracket	4632636	1	3.40
55	CONV. (1st type)	w/mounting bracket	4653616	1	6.25
55-57	CONV. (2nd type)	w/mounting bracket	4666391	1	2.75
56	CORVETTE	w/mounting bracket	3729687	1	2.45
46-50	CONV.	MOUNTING	4149788	3	1.25
56	CORVETTE	MOUNTING	3729686	1	.40
46-50	CONV.	WIRE BAIL	4161897	2	.62
46-50	CONV.	GASKET	4161896	1	.37
51-53	CONV.	SEAL, motor endplate to reservoir "O" ring			
54-55	CONV. (1st type)	(rubber) (3 1/8 I.D.)	3698099	1	.45
55-57	CONV. (2nd type)	SEAL, "O" ring—reservoir	4666395	2	.45
56	CORVETTE	PLATE, reservoir tube end	3729691	1	.70
55-57	CONV. (2nd type)	PLATE, reservoir end	4666396	1	.70
55-57	CONV. (2nd type)	PLUG, reservoir filler	4666393	1	.50
55-57	CONV. (2nd type)	BOLT, reservoir	4666394	1	.70
56-57	CORVETTE	CLIP, hydraulic hose	3716304	1	.20
56-57	CORVETTE	SUPPORT ASSY., hyd. pump & selector valve	3716305	1	3.55

14.490 BREAKER ASSEMBLY, Folding Top Circuit

46-49	CONV.		4149734	1	2.50
	Not required in this group. See group 10.777		4603696		2.50

14.494 HARNESS, Folding Top Hydraulic Control—Wiring

49-50	CONV.		4561990	1	1.60
56	CORVETTE	assy.	2966654	1	11.50
57	CORVETTE	assy.	2967136	1	13.85

14.630 PAD, Cowl Trim (Universal)

29-48	PASS.	right and left (tan)	609526*	1	1.45
39-48	PASS.	right and left (reddish brown)	609637*	1	1.45

*Price per set.

PAD—FASTENER, Cowl Trim

49-52	PASS. (exc. STA. WAG.),				
50-51	SDL.	right and left, universal type	3710608	1	1.45
53-54	PASS.	right and left, universal type	3709796	1	1.45
55	1011-19-37 (exc. 11A-11D-19D)	right (comb. 505)	4655884	1	.85
55	1011-19-37 (exc. 11A-11D-19D)	left (comb. 505)	4655885	1	.85
55	1011A-1211-19 (exc. 1011-11B)	right (comb. 500, 508, 547),			
56	CONV.	right (comb. 602, 604, 631)	4655874	1	.85
55	1011A-1211-19 (exc. 1011-11B)	left (comb. 500, 508, 547),			
56	CONV.	left (comb. 602, 604, 631)	4655875	1	.85
55	1011A-37D	right (comb. 507, 520)	4655888	1	.85
55	1011A-37D	left (comb. 507, 520)	4655889	1	.85
55	1011-19-37-62F-63F-67D-1263F (exc. 1011A)	right (comb. 504, 510, 515, 524, 526)	4655880	1	.85
55	1011-19-37-62F-63F-67D-1263F (exc. 1011A)	left (comb. 504, 510, 515, 524, 526)	4655881	1	.85
55	1011D-19D-37D-67D	right (comb. 531, 532, 533, 549, 550, 551)	4658972	1	.85
55	1011D-19D-37D-67D	left (comb. 531, 532, 533, 549, 550, 551)	4658973	1	.85
55	1011-11D-19-37-67D (exc. 1011A)	right (comb. 503, 509, 527)	4655872	1	.85
55	1011-11D-19-37-67D (exc. 1011A)	left (comb. 503, 509, 527)	4655873	1	.85
55	1011A-37D-62-63F	right (comb. 506, 514, 518, 519)	4655886	1	.85
55	1011A-37D-62-63F	left (comb. 506, 514, 518, 519)	4655887	1	.85
55	BEL AIR (exc. STA. WAG.)	right (comb. 513, 522, 537)	4655876	1	.85
55	BEL AIR (exc. STA. WAG.)	left (comb. 513, 522, 537)	4655877	1	.85
55-56	1037D-67D	right (comb. 521, 525, 605)	4655890	1	.85
55-56	1037D-67D	left (comb. 521, 525, 605)	4655891	1	.85
55	1011D-19D-62F-63F-67D-1263F-71	right (comb. 501, 502, 511, 516, 528)	4655878	1	.85
55	1011D-19D-62F-63F-67D-1263F-71	left (comb. 501, 502, 511, 516, 528)	4655879	1	.85
55	1062DF	right (comb. 517)	4658102	1	.85
55	1062DF	left (comb. 517)	4658103	1	.85
55	1064	right (comb. 541, 542, 543, 544)	4243374	1	2.50
55	1064	left (comb. 541, 542, 543, 544)	4243375	1	2.50
55	1064	right (comb. 545, 552)	4243376	1	2.50
55	1064	left (comb. 545, 552)	4243377	1	2.50
55	1064	right (comb. 546)	4243378	1	2.50
55	1064	left (comb. 546)	4243379	1	2.50
56	PASS. (exc. CONV.)	right (comb. 560, 564, 567, 573, 578, 579, 585, 588, 595, 609, 610, 611, 615, 616, 626, 627, 630, 632)	4679090	1	.85
56	PASS. (exc. CONV.)	left (comb. 560, 564, 567, 573, 578, 579, 585, 588, 595, 609, 610, 611, 615, 616, 626, 627, 630, 632)	4679091	1	.85
56	PASS. (exc. 62DF-67D-1211-19-71)	right (comb. 562, 565, 568, 570, 574, 580, 590)	4679114	1	.85
56	PASS. (exc. 62DF-67D-1211-19-71)	left (comb. 562, 565, 568, 570, 574, 580, 590)	4679115	1	.85
56	1011-19-37-37D-39-39D (exc. 11A)	right (comb. 566, 575, 581, 591)	4679116	1	.85
56	1011-19-37-37D-39-39D (exc. 11A)	left (comb. 566, 575, 581, 591)	4679117	1	.85

56	1011A-11D-19D-37D-39D-62F-63F-64	right (comb. 569, 572, 577, 584, 587, 594)	4679118	1	.85
56	1011A-11D-19D-37D-39D-62F-63F-64	left (comb. 569, 572, 577, 584, 587, 594)	4679119	1	.85
56	BEL AIR (exc. 1062DF-67D)	right (comb. 617-20)	4683936	1	.85
56	BEL AIR (exc. 1062DF-67D)	left (comb. 617-20)	4683937	1	.85
56	1037D-39D-62DF-64	right (comb. 583, 586, 593, 628, 629, 633)	4679108	1	.85
56	1037D-39D-62DF-64	left (comb. 583, 586, 593, 628, 629, 633)	4679109	1	.85
56	CONV.	right (comb. 603)	4673874	1	.85
56	CONV.	left (comb. 603)	4673875	1	.85
56	CONV.	right (comb. 607)	4673872	1	.85
56	CONV.	left (comb. 607)	4673873	1	.85
56	CONV.	right (comb. 621)	4683002	1	.85
56	CONV.	left (comb. 621)	4683003	1	.85
57	Ser. 1000	right (comb. 654, 657, 660)	4699540	1	.85
57	Ser. 1000	left (comb. 654, 657, 660)	4699541	1	.85
57	Ser. 1000, 1263F	right (comb. 653, 655, 658, 661)	4699542	1	.85
57	Ser. 1000, 1263F	left (comb. 653, 655, 658, 661)	4699543	1	.85
57	1011-19-37-39	right (comb. 656)	4700494	1	.85
57	1011-19-37-39	left (comb. 656)	4700495	1	.85
57	1011A-11D-19D-37D-39D-62-64	right (comb. 659-662-667-674-688-695)	4699552	1	.85
57	1011A-11D-19D-37D-39D-62-64	left (comb. 659-662-667-674-688-695)	4695553	1	.85
57	BEL AIR, 1200 (exc. CONV.)	right (comb. 650, 651, 652, 663, 668, 669, 670, 675, 676, 684, 689, 690, 691, 696, 697, 715, 716, 717)	4699544	1	.85
57	BEL AIR, 1200 (exc. CONV.)	left (comb. 650, 651, 652, 663, 668, 669, 670, 675, 676, 684, 689, 690, 691, 696, 697, 715, 716, 717)	4699545	1	.85
57	BEL AIR (exc. CONV.)	right (comb. 664, 671, 685, 692)	4699546	1	.85
57	BEL AIR (exc. CONV.)	left (comb. 664, 671, 685, 692)	4699547	1	.85
57	BEL AIR (exc. CONV.)	right (comb. 665, 672, 686, 693)	4699548	1	.85
57	BEL AIR (exc. CONV.)	left (comb. 665, 672, 686, 693)	4699549	1	.85
57	BEL AIR (exc. CONV.)	right (comb. 666, 673, 687, 694)	4699550	1	.85
57	BEL AIR (exc. CONV.)	left (comb. 666, 673, 687, 694)	4699551	1	.85
57	CONV.	right (comb. 677, 682, 683)	4699558	1	.85
57	CONV.	left (comb. 677, 682, 683)	4699559	1	.85
57	CONV.	right (comb. 678)	4700528	1	.85
57	CONV.	left (comb. 678)	4700529	1	.85
57	CONV.	right (comb. 679)	4699560	1	.85
57	CONV.	left (comb. 679)	4699561	1	.85
57	CONV.	right (comb. 680)	4699562	1	.85
57	CONV.	left (comb. 680)	4699563	1	.85
57	CONV.	right (comb. 681)	4699564	1	.85
57	CONV.	left (comb. 681)	4699565	1	.85
53-54	PASS.	FASTENER, cowl trim pad	4620724	2	.08

Trim, Cowl Panel w/windlace

53-55	CORVETTE	left (comb. 295) (red)	4199997	1	8.65
53-55	CORVETTE	right (comb. 295) (red)	4199996	1	8.65
54-55	CORVETTE	left (comb. 341) (dark beige)	4648975	1	8.65
54-55	CORVETTE	right (comb. 341) (dark beige)	4648974	1	8.65
55	CORVETTE	left (light beige)	3723071	1	8.65
55	CORVETTE	right (light beige)	3723072	1	8.65
55	CORVETTE	left (yellow)	3723069	1	8.65
56-57	CORVETTE	left (red)	3728235	1	14.50
56-57	CORVETTE	right (red)	3728236	1	14.50
56-57	CORVETTE	left (light beige)	3728249	1	14.50
56-57	CORVETTE	right (light beige)	3728250	1	14.50

14.631 MOULDING, Cowl Trim Pad

55	1064	right, kick (stainless steel)	4662372	1	.95
55	1064	left, kick (stainless steel)	4662373	1	.95
55	1064	trim finishing (7⅜ dev. length)	4662369	2	.75

14.640 HEADLINING ASSEMBLY

42-48	1007	(comb. 132, 153)	4163887	1	22.90
41-47	1011-19-1211-19	(comb. 115-6-7, 129, 130-1, 142),			
48	1011-19	(comb. 151, 152)	4163224	1	21.75

48	1211-19	(comb. 150)	4163365	1	21.75
41-47	CPES	(comb. 115-6-7-8-9, 129, 130-1),			
48	1027	(comb. 151-2)	4163512	1	19.10
49	1007-1207	(comb. 156, 157, 158)	4173469	1	23.35
49	1008-1208	(comb. 156, 157, 158)	4173471	1	23.35
49	1011-1211	(comb. 156, 157, 158)	4170646	1	23.35
49	1069-1269	(comb. 156, 157)	4170690	1	23.35
49	1027-1227-27B	(comb. 156, 157, 158)	4170883	1	19.55
49-52	1062	(comb. 166, 202, 218)	4171738	1	41.65
49-52	SDL	(comb. 163, 216)	4171582	1	28.85
50	1069-1269	(comb. 170, 171)	4174015	1	23.35
50	1007-1207	(comb. 170, 171)	4174163	1	23.35
50	1011-1211	(comb. 170, 171)	4174194	1	23.35
50	1027-1227-27B	(comb. 170, 171)	4174203	1	19.55
50	1008-1208	(comb. 170, 171)	4174232	1	23.35
50-51	BEL AIR	(comb. 185, 186, 187, 189)	4175264	1	23.35
51	1007-1207	(comb. 200, 201)	4178842	1	23.35
51	1011-1211	(comb. 200, 201)	4178898	1	23.35
51	1008-1208	(comb. 200, 201)	4178530	1	23.35
51	1069-1269	(comb. 200, 201)	4178948	1	23.35
51	1027-1227-27B	(comb. 200, 201)	4178578	1	19.55
52	1007	(comb. 211)	4189101	1	23.35
52	1007	(comb. 212)	4189127	1	23.35
52	1007	(comb. 213)	4189155	1	23.35
52	1011-1211	(comb. 210, 211)	4184635	1	23.35
52	1011	(comb. 212)	4189768	1	23.35
52	1011	(comb. 213)	4189196	1	23.35
52	1027-1227-27B	(comb. 210, 211)	4189204	1	19.55
52	1027	(comb. 212)	4189212	1	19.55
52	1027	(comb. 213)	4189221	1	19.55
52	1069-1269	(comb. 210, 211)	4189236	1	23.35
52	1069	(comb. 212)	4189769	1	23.35
52	1069	(comb. 213)	4189283	1	23.35
52	BEL AIR	(comb. 234)	4189441	1	23.35
52	BEL AIR	(comb. 237)	4189342	1	23.35
52	BEL AIR	(comb. 240)	4190317	1	23.35
53-54	1011W-11WD	(comb. 241, 245, 291, 354, 358)	4191908	1	23.35
53-54	1011W-11WD	(comb. 242, 246, 353, 359)	4191591	1	23.35
53	1211	(comb. 249)	4192446	1	23.35
53-54	1069WD	(comb. 245, 291, 358)	4192368	1	23.35
53-54	1069WD	(comb. 246, 359)	4191560	1	23.35
53-54	1069WD	(comb. 248, 361)	4192371	1	23.35
53-54	1069W	(comb. 241, 354)	4192276	1	23.35
53-54	1069W	(comb. 242, 355)	4192277	1	23.35
53	1269	(comb. 249)	4192498	1	23.35
53	1027	(comb. 244)	4192131	1	19.55
53	1227-27B	(comb. 249)	4196972	1	19.55
53	1037D	(comb. 254)	4192176	1	28.75
53-54	1037D	(comb. 258, 259, 365, 366)	4192177	1	28.75
53-54	1037D	(comb. 256, 363)	4192178	1	28.75
53-54	1037D	(comb. 257, 364)	4192179	1	28.75
53	1037	(comb. 242)	4198169	1	28.75
53	1037	(comb. 243)	4198170	1	28.75
53	1037	(comb. 244)	4198171	1	28.75
53-54	1062-62F	(comb. 278, 280, 356, 357)	4193243	1	43.80
53	1262F	(comb. 277)	4193273	1	41.65
53-54	SDL	(comb. 276, 351)	4193285	1	28.70
53-54	1011W-11WD	(comb. 243, 247, 292, 306, 311, 352, 360)	4200534	1	23.35
53-54	1011W-11WD	(comb. 244, 248, 307, 353, 361)	4200535	1	23.35
54	1011W-11WD-1211	(comb. 300, 304, 309)	4200532	1	23.35
54	1011W-11WD	(comb. 305, 310)	4200533	1	23.35
54	1011WD	(comb. 330)	4200787	1	23.35
54	1011WD	(comb. 331)	4208535	1	23.35
54	1011WA	(comb. 332, 333, 334)	4209137	1	28.75
54	1069W-1269W	(comb. 300, 304)	4200540	1	23.35
54	1069W-1269W (TAXICAB)	(comb. 301, 312)	4211241	1	40.15

54	1069W	(comb. 305)	4200541	1	23.35
53-54	1069W	(comb. 243, 306, 352)	4200542	1	23.35
53-54	1069W	(comb. 244, 307, 353)	4200543	1	23.35
53-54	1069WD	(comb. 247, 292, 311, 360)	4200790	1	23.35
54	1069WD	(comb. 309)	4200788	1	23.35
54	1069WD	(comb. 310)	4200789	1	23.35
54	1069WD	(comb. 330)	4200791	1	23.35
54	1069WD	(comb. 331)	4208567	1	23.35
54	SPT. CPE	(comb. 314)	4200992	1	28.75
54	SPT. CPE	(comb. 315)	4200993	1	28.75
54	SPT. CPE	(comb. 316, 317, 319)	4200994	1	28.75
54	SPT. CPE	(comb. 318)	4202147	1	28.75
54	1062D-62F	(comb. 323, 324)	4201166	1	43.80
54	1262F	(comb. 322)	4201243	1	41.65
54	1262F	(comb. 371)	4211869	1	41.65
54	SDL	(comb. 303)	4201144	1	28.70
55	1011 (exc. 11A)	(comb. 503, 509)	4214207	1	23.35
55	1011 (exc. 11A)	(comb. 504, 510)	4214208	1	23.35
55	1011 (exc. 11A-11D)	(comb. 505)	4214209	1	23.35
55	1011A	(comb. 506, 507)	4214114	1	28.75
55	1011A	(comb. 508)	4214116	1	28.75
55-56	1011D	(comb. 511, 617)	3727717	1	23.35
55	1011D	(comb. 513)	4214370	1	23.35
55	1011D	(comb. 531)	4214369	1	23.35
55	1011D-1211	(comb. 500, 547, 549)	4215163	1	23.35
55	1019	(comb. 503, 509)	4214210	1	23.35
55	1019	(comb. 504, 510)	4214211	1	23.35
55	1019 (exc. 19D)	(comb. 505)	4214212	1	23.35
55	1019 (TAXICAB)	(comb. 553)	3722292	1	40.15
55-56	1019D	(comb. 511, 617)	3727723	1	23.35
55	1019D	(comb. 513)	4214375	1	23.35
55	1019D	(comb. 531)	4214374	1	23.35
55	1019-1219 (TAXICAB)	(comb. 529, 530)	3722294	1	40.15
55	1019D-1219	(comb. 500, 549)	4215164	1	23.35
55	1037	(comb. 503)	4215479	1	19.55
55	1037	(comb. 504)	4215478	1	19.55
55	1037	(comb. 505)	4255727	1	19.55
55	1037D	(comb. 519, 520, 521, 522)	4214631	1	28.75
55	1037D	(comb. 532)	4214635	1	28.75
55	1037D	(comb. 550)	4243079	1	28.75
55	1062F-62DF	(comb. 514, 516, 517, 518)	4214776	1	43.80
55	1062F	(comb. 515)	4214777	1	43.80
55	1063F	(comb. 514, 516)	4214778	1	43.80
55	1063F-1263F	(comb. 515, 524)	4215208	1	43.80
55	1064	(comb. 541, 542, 543, 544)	4243317	1	41.25
55	1064	(comb. 545, 552)	4243318	1	41.25
55	1064	(comb. 546)	4243319	1	41.25
55	1263F	(comb. 502)	4215207	1	43.80
55	SDL	(comb. 501)	4215243	1	31.30
56	1011 (1st type)	(comb. 564) (w/fillers)	3727705	1	23.35
56	1011 (exc. 11A)	(comb. 565, 574) (w/fillers)	3727706	1	23.35
56	1011 (exc. 11A)	(comb. 566, 575) (w/fillers)	3727707	1	23.35
56	1011 (exc. 11A) (2nd type)	(comb. 564, 573)	3716277	1	23.35
56	1011A	(comb. 567, 568, 569) (w/fillers)	3727711	1	40.15
56	1011D (1st type)	(comb. 573, 578) (w/fillers)	3727714	1	23.35
56	1011D (2nd type)	(comb. 578)	3737180	1	23.35
56	1011D	(comb. 577) (w/fillers)	3727718	1	23.35
56	1011D	(comb. 626)	3737576	1	23.35
56	1211	(comb. 560) (w/fillers)	3727726	1	23.35
56	1019 (1st type)	(comb. 564, 573, 578, 624) (w/fillers)	3727708	1	23.35
56	1019D (2nd type)	(comb. 578)	3737181	1	23.35
56	1019D	(comb. 574) (w/fillers)	3727721	1	23.35
56	1019D	(comb. 577) (w/fillers)	3727724	1	23.35
56	1019D	(comb. 626)	3737577	1	23.35
56	1019 (2nd type) (TAXICAB)	(comb. 564, 573, 624)	3716278	1	23.35
56	1019 (exc. 19D)	(comb. 565) (w/fillers)	3727709	1	23.35

NOTE: Part numbers listed for 1955 models include fillers over quarter windows.

56	1019	(comb. 566, 575) (w/fillers)	3727710	1	23.35
56	1019-1219 (TAXICAB) (exc. 1019D)	(comb. 623, 625)	3733155	1	40.15
56	1219 (TAXICAB)	(comb. 560) (w/fillers)	3727727	1	23.35
56	1037 (1st type)	(comb. 564)	4245813	1	29.90
56	1037 (2nd type)	(comb. 564) (w/listing)	4259572	1	29.90
56	1037	(comb. 565)	4268151	1	29.90
56	1037	(comb. 566)	4245815	1	29.90
56	1037D	(comb. 579)	4256335	1	31.90
56	1037D	(comb. 580)	4256336	1	31.90
56	1037D	(comb. 581)	4256362	1	31.90
56	1037D	(comb. 583)	4256364	1	31.90
56	1037D	(comb. 584)	4256365	1	31.90
56	1037D	(comb. 585)	4256366	1	31.90
56	1037D	(comb. 618, 628) w/listings	4256363	1	31.90
56	1037D	(comb. 627) (w/listings)	4259273	1	31.90
56	1039 (1st type)	(comb. 564)	4245858	1	31.90
56	1039 (2nd type)	(comb. 564)	4259573	1	31.90
56	1039	(comb. 565)	4268152	1	31.90
56	1039	(comb. 566)	4245860	1	31.90
56	1039D	(comb. 579)	4256367	1	31.90
56	1039D	(comb. 580)	4256368	1	31.90
56	1039D	(comb. 581)	4256369	1	31.90
56	1039D	(comb. 583, 618, 628) (w/listings)	4256370	1	31.90
56	1039D	(comb. 584)	4256372	1	31.90
56	1039D	(comb. 585)	4256373	1	31.90
56	1039D	(comb. 627) (w/listings)	4259274	1	31.90
56	1062F-62FC	(comb. 570)	4246194	1	31.90
56	1062F-62FC	(comb. 572)	4246196	1	31.90
56	1062	(comb. 609, 610)	4246197	1	31.90
56	1062DF	(comb. 586)	4246400	1	31.90
56	1062DF	(comb. 587)	4246401	1	31.90
56	1062DF	(comb. 588)	4246402	1	31.90
56	1062DF	(comb. 619, 629)	4246403	1	31.90
56	1062DF	(comb. 630) (w/listings)	4259371	1	31.90
56	SDL	(comb. 615)	4247048	1	33.65
56	1063F	(comb. 570)	4246322	1	31.90
56	1063F	(comb. 572)	4246324	1	31.90
56	1063F	(comb. 609)	4246325	1	31.90
56	1064	(comb. 590) (w/o listings)	4246548	1	41.25
56	1064	(comb. 591) (w/o listings)	4246549	1	41.25
56	1064	(comb. 593) (w/o listings)	4246551	1	41.25
56	1064	(comb. 594) (w/o listings)	4246552	1	41.25
56	1064	(comb. 595) (w/o listings)	4246553	1	41.25
56	1064	(comb. 611) (w/o listings)	4246554	1	41.25
56	1064	(comb. 620, 633) (w/o listings)	4246550	1	41.25
56	1064	(comb. 632)	4259408	1	41.25
56	1263F (1st type)	(comb. 562, 616)	4247002	1	32.80
56	1263F (2nd type)	(comb. 562, 616)	4267890	1	32.80
56-57	CORVETTE	red (plastic top)	3730600	1	33.95
56-57	CORVETTE	light beige (plastic top)	3730601	1	33.95
57	1011 (exc. 11A-11D)	(comb. 650, 654)	3741647	1	23.35
57	1011 (exc. 11A-11D)	(comb. 655)	3741649	1	23.35
57	1011 (exc. 11A-11D)	(comb. 656)	3741650	1	23.35
57	1011A	(comb. 657)	3740142	1	23.35
57	1011A	(comb. 658)	3740143	1	23.35
57	1011A	(comb. 659)	3740144	1	23.35
57	1011D	(comb. 663, 669)	3740145	1	23.35
57	1011D	(comb. 664)	3740146	1	23.35
57	1011D	(comb. 665)	3740147	1	23.35
57	1011D	(comb. 666)	3740148	1	23.35
57	1011D	(comb. 667)	3740149	1	23.35
57	1011D	(comb. 668)	3740150	1	23.35
57	1019 (exx. 19D)	(comb. 655)	3741651	1	23.35
57	1019 (exc. 19D)	(comb. 656)	3741652	1	23.35
57	1019D	(comb. 663, 669)	3740151	1	23.35
57	1019D	(comb. 664)	3740152	1	23.35
57	1019D	(comb. 665)	3740153	1	23.35

57	1019D	(comb. 666)	3740154	1	23.35
57	1019D	(comb. 667)	3740155	1	23.35
57	1019D	(comb. 668)	3740156	1	23.35
57	1019-1219 (exc. 19D)	(comb. 650, 654)	3741648	1	23.35
57	1037	(comb. 654) (w/listing)	4260634	1	29.90
57	1037	(comb. 655) (w/listing)	4260635	1	29.90
57	1037	(comb. 656) (w/listing)	4260636	1	29.90
57	1037D	(comb. 670) (w/listing)	4260747	1	31.90
57	1037D	(comb. 671) (w/listing)	4260748	1	31.90
57	1037D	(comb. 672) (w/listing)	4260749	1	31.90
57	1037D	(comb. 673) (w/listing)	4260750	1	31.90
57	1037D	(comb. 674) (w/listing)	4260751	1	31.90
57	1037D	(comb. 675) (w/listing)	4260752	1	31.90
57	1037D	(comb. 676) (w/listing)	4260753	1	31.90
57	1039	(comb. 654) (w/listing)	4260637	1	29.90
57	1039	(comb. 655) (w/listing)	4260638	1	29.90
57	1039	(comb. 656) (w/listing)	4260639	1	29.90
57	1039D	(comb. 670) (w/listing)	4260754	1	31.90
57	1039D	(comb. 671) (w/listing)	4260755	1	31.90
57	1039D	(comb. 672) (w/listing)	4260756	1	31.90
57	1039D	(comb. 673) (w/listing)	4260757	1	31.90
57	1039D	(comb. 674) (w/listing)	4260758	1	31.90
57	1039D	(comb. 675) (w/listing)	4260759	1	31.90
57	1039D	(comb. 676) (w/listing)	4260760	1	31.90
57	1064	(comb. 691)	4261359	1	41.25
57	1064	(comb. 692)	4261360	1	41.25
57	1064	(comb. 693)	4261361	1	41.25
57	1064	(comb. 694)	4261362	1	41.25
57	1064	(comb. 695)	4261363	1	41.25
57	1064	(comb. 696)	4261364	1	41.25
57	1064	(comb. 697)	4261365	1	41.25
57	1062	(comb. 661) (w/listing)	4260454	1	31.90
57	1062	(comb. 662) (w/listing)	4260455	1	31.90
57	1062F-62FC	(comb. 660) (w/listing)	4260453	1	31.90
57	1062DF	(comb. 684) (w/listings)	4261003	1	31.90
57	1962DF	(comb. 686) (w/listings)	4261005	1	31.90
57	1062DF	(comb. 687) (w/listings)	4261006	1	31.90
57	1962DF	(comb. 689) (w/listings)	4261008	1	31.90
57	1062DF	(comb. 690)	4261009	1	31.90
57	1063F-1263F	(comb. 652, 653, 660) (w/listings)	4261199	1	41.25
57	1063F	(comb. 661) (w/listing)	4261200	1	41.25
57	1063F	(comb. 662) (w/listing)	4261201	1	41.25

14.650 BINDING—LACE, Headlining Finish

53-54	1062-62F	(comb. 278, 280, 356, 367)	4198116	2	1.10
54	1262F	(comb. 322)	4201244	1	1.40
54	1262F	(comb. 371)	4211870	1	1.40
50-51	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	LACE, headlining w/wire (comb. 170, 171, 200, 201) (86 long)	4598998*	2	2.00

*NOTE: To be used on jobs not having headlining retainer.

14.651 RETAINER, Headlining Trim (On Side Roof Rail)

49-52	1069-1269	right—center	4562904	1	.80
49-52	1069-1269	left—center	4562905	1	.80
49-51	1008-1208	right—center	4563270	1	.85
49-51	1008-1208	left—center	4563271	1	.85
53-54	1011-27-1211-27-27B	right	4598668	1	1.05
53-54	1011-27-1211-27-27B	left	4598669	1	1.05
53-54	1069-1269-69W	right—front	4597815	1	.80
53-54	1069-1269-69W	left—front	4597816	1	.80
53-54	1069-1269-69W	right—center	4597817	1	.80
53-54	1069-1269-69W	left—center	4597818	1	.80
53-54	1069-1269-69W	right—rear	4597819*	1	.80
53-54	1069-1269-69W	left—rear	4597820*	1	.80
55-57	1011-1211	right	4647538	1	1.05

*NOTE: When using on 1069WD cut off as required using old piece as guide.

55-57	1011-1211	left	4647539	1	1.05
55-57	1019-1219	right—rear	4647536	1	.85
55-57	1019-1219	left—rear	4647537	1	.85
55-57	1019-62-63F-1219-63F	right—front	4647534	1	.85
55-57	1019-62-63F-1219-63F	left—front	4647535	1	.85
55-57	1062	right—center	4649705	1	.85
55-57	1062	left—center	4649706	1	.85
55-57	1062-63F-1263F	right—rear	4649707	1	.40
55-57	1062-63F-1263F	left—rear	4649708	1	.40

MOULDING—COVER—ESCUTCHEON, Roof Inner

49-52	1062	right side—front	4569217	1	7.70
49-52	1062	left side—front	4569218	1	7.70
49-52	1062	left side—rear	4569220	1	7.70
50-52	BEL AIR	right side—lower	4578582	1	3.65
50-52	BEL AIR	left side—lower	4578583	1	3.65
50-52	BEL AIR	right, lwr. (above back window) (less escn.)	4587926	1	4.00
50-52	BEL AIR	left—lower (above back window)	4587927	1	4.00
50-52	BEL AIR	right—lower (w/s header)	4578910	1	2.55
50-52	BEL AIR	left—lower (w/s header)	4578911	1	2.55
50-52	BEL AIR	right front—rear quarter (connects roof rail and back window mldgs.) (w/escn.)	4593332	1	1.30
50-52	BEL AIR	left front—rear quarter (connects roof rail and back window mldgs.) (w/escn.)	4593333	1	1.30
50-52	BEL AIR	right—upper (w/s header)	4584802	1	5.95
50-52	BEL AIR	left—upper (w/s header)	4584803	1	5.95
50-52	BEL AIR	right side—upper	4584804	1	11.75
50-52	BEL AIR	left side—upper	4584805	1	11.75
50-52	BEL AIR	right—upper (above back window)	4584806	1	12.20
50-52	BEL AIR	left—upper (above back window)	4584807	1	12.20
53-54	CONV	w/s header (48 7/16 dev. length)	4602545	1	4.45
53-54	1037D	right side—front	4600858	1	5.10
53-54	1037D	left side—front	4600859	1	5.10
53-54	1037D	right side—rear (1 7/16 x 6 3/16)	4600860	1	2.00
53-54	1037D	left side—rear (1 7/16 x 6 3/16)	4600861	1	2.00
55-57	CONV	right, windshield header	4648248	1	9.90
55-57	CONV	left, windshield header	4648249	1	9.90
55-57	1037D	right, side roof rail	4649298	1	5.95
55-57	1037D	left, side roof rail	4649299	1	5.95
55-57	1064	right, side roof rail	4658520	1	8.85
55-57	1064	left, side roof rail	4658521	1	8.85
56-57	1039D	right, front	4670035	1	7.65
56-57	1039D	left, front	4670036	1	7.65
56-57	1039D	right, rear	4671730	1	7.20
56-57	1039D	left, rear	4671731	1	7.20
56-57	CORVETTE	left, steel, plastic top	3726393	1	5.75
56-57	CORVETTE	right, steel, plastic top	3726394	1	5.75
49-52	1062	COVER, right, rear (plastic) (41 1/2 O.L.)	4608024*	1	19.15
49-52	1062	COVER, left, rear (plastic) (41 1/2 O.L.)	4608025*	1	19.15
50-52	BEL AIR	ESCUTCHEON, moulding	4587975	1	.45
53-54	1037D	ESCUTCHEON, moulding side rail	4600538	2	.95
55-57	CONV	ESCUTCHEON, header moulding	4648684	1	1.05

*NOTE: The above parts have built-in moulding.

14.652 CLIP, Side Roof Rail Inner Moulding

50-52	BEL AIR	w/s header mldg. (10 used), rear quarter mldg. (8 used)	4578823	A.R.	.10

14.655 PAD—UNIT—CLIP—RETAINER, Instrument Panel

56	PASS	(black)	4258904	1	19.50
56	PASS	(green)	4258908	1	19.50
56	PASS	(blue)	4258907	1	19.50
56	PASS	(red)	4258905	1	19.50
56	PASS	(copper)	4258909	1	19.50
56	PASS	(turquoise)	4258906	1	19.50

57	PASS.	UNIT, (black)	3743954	1	23.50
57	PASS.	UNIT, (green)	3743955	1	23.50
57	PASS.	UNIT, (blue)	3743956	1	23.50
57	PASS.	UNIT, (copper)	3743958	1	23.50
57	PASS.	UNIT, (turquoise)	3743957	1	23.50
57	PASS.	UNIT, (red)	3743959	1	23.50
57	PASS.	CLIP, cover, lower retaining	4699219	10	.03
57	PASS.	RETAINER, right, cover side	4703185	1	.25
57	PASS.	RETAINER, left, cover side	4703186	1	.25

14.660 WINDLACE—WEATHERCORD, Over Door and Quarter (Wire on)

55	1037	(comb. 503)	4255728	2	1.90
55	1037	(comb. 504)	4255729	2	1.90
55	1037	(comb. 505)	4255730	2	1.90
56	1037-39	(comb. 564) (76 long)	4255892	2	3.05
56	1037-39	(comb. 565) (76 long)	4255893	2	3.05
56	1037-39	(comb. 566) (76 long)	4255894	2	3.05
57	1037	(comb. 654)	4260640	1	1.90
57	1037	(comb. 655)	4260641	1	1.90
57	1037	(comb. 656)	4260642	1	1.90
57	1039	(comb. 654)	4261597	1	3.50
57	1039	(comb. 655)	4261598	1	3.50
57	1039	(comb. 656)	4261946	1	1.90
55	1037	WEATHERCORD, (comb. 503)	4255724	2	1.90
55	1037	WEATHERCORD, (comb. 504)	4255725	2	1.90
55	1037	WEATHERCORD, (comb. 505)	4255726	2	1.90

14.665 WINDLACE ASSEMBLY, Body Hinge Pillar

49-52	SDL.	right (comb. 163, 216)	4186298	1	5.70
49-52	SDL.	left (comb. 163, 216)	4186299	1	5.70
52-54	1007-11-27-69	right (comb. 212, 242, 246)	4191902	1	4.45
52-54	1007-11-27-69	left (comb. 212, 242, 246)	4191903	1	4.45
52-53	1011-27-69	right (comb. 213, 243, 247, 292, 352) dr. opg.	4191904	1	4.45
52-53	1011-27-69	left (comb. 213, 243, 247, 292, 352) dr. opg.	4191905	1	4.45
50-53	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	right (comb. 170, 171, 200, 201, 210, 211,			
53-54	4 DOOR	241, 245, 249, 291) dr. opg.	4191900	1	4.45
53-54	4 DOOR	left (comb. 170, 171, 200, 201, 210, 211, 241, 245, 249, 291) dr. opg.	4191901	1	4.45
53-54	1062 (exc. 1062D)	right (comb. 278, 356) ft. and rr. dr. opg.	4211829	1	9.70
53-54	1062 (exc. 1062D)	left (comb. 278, 356) frt. and rr. dr. opg.	4211830	1	9.70
53-54	SDL.	right (comb. 276, 351) front door opening	4193283	1	5.30
53-54	SDL.	left (comb. 276, 351) front door opening.	4193284	1	5.30
54	1011W-11WD-69	right (comb. 304, 309) frt. and rr. dr. opg.	4200500	1	4.45
54	1011W-11WD-69	left (comb. 304, 309) frt. and rr. dr. opg.	4200501	1	4.45
54	1011W-11WD-69	right (comb. 305, 310) frt. and rr. dr. opg.	4200502	1	4.45
54	1011W-11WD-69	left (comb. 305, 310) frt. and rr. dr. opg.	4200503	1	4.45
54	1011W-11WD-69	right (comb. 306, 311) frt. and rr. dr. opg.	4200504	1	4.45
54	1011W-11WD-69	left (comb. 306, 311) frt. and rr. dr. opg.	4200505	1	4.45
54	1011WD-69WD	right (comb. 330) frt. and rr. dr. opg.	4200758	1	4.45
54	1011WD-69WD	left (comb. 330) frt. and rr. dr. opg.	4200759	1	4.45
54	1011WD-69WD	right (comb. 331) frt. and rr. dr. opg.	4208533	1	4.45
54	1011WD-69WD	left (comb. 331) frt. and rr. dr. opg.	4208534	1	4.45
54	1011WA	right (comb. 332) door opening	4209131	1	4.45
54	1011WA	left (comb. 332) door opening	4209132	1	4.45
54	1011WA	right (comb. 333) door opening	4209133	1	4.45
54	1011WA	left (comb. 333) door opening	4209134	1	4.45
54	1011WA	right (comb. 334) door opening	4209135	1	4.45
54	1011WA	left (comb. 334) door opening	4209136	1	4.45
54	1069W-1269W (TAXI CAB)	right (comb. 301, 312) frt. and rr. dr. opg.	4211242	1	8.90
54	1069W-1269W (TAXI CAB)	left (comb. 301, 312) frt. and rr. dr. opg.	4211243	1	8.90
54	CONV., SPT. CPE.	right (comb. 315, 326) hinge pillar	4200974	1	2.60
54	CONV., SPT. CPE.	left (comb. 315, 326) hinge pillar	4200975	1	2.60
54	1062D-62F	right (comb. 324) frt. and rr. door opg.	4201162	1	9.70

54	1062D-62F	left (comb. 324) frt. and rr. door opg.	4201163	1	9.70
54	1062F	right (comb. 357) frt. and rr. door opg.	4211827	1	9.70
54	1062F	left (comb. 357) frt. and rr. door opg.	4211828	1	9.70
54	1262F	right (comb. 371) frt. and rr. door opg.	4211866	1	9.70
54	1262F	left (comb. 371) frt. and rr. door opg.	4211867	1	9.70
55	1011-19 (exc. 11A)	right (comb. 503, 509) door opening	4214189	1	5.70
55	1011-19 (exc. 11A)	left (comb. 503, 509) door opening	4214190	1	5.70
55	1011-19 (exc. 11A)	right (comb. 504, 510) door opening	4214191	1	5.70
55	1011-19 (exc. 11A)	left (comb. 504, 510) door opening	4214192	1	5.70
55	1011-19 (exc. 11A-11D-19D)	right (comb. 505) door opening	4214193	1	5.70
55	1011-19 (exc. 11A-11D-19D)	left (comb. 505) door opening	4214194	1	5.70
55	1011A	right (comb. 506) door opening	4214108	1	5.70
55	1011A	left (comb. 506) door opening	4214109	1	5.70
55	1011A	right (comb. 507) door opening	4214110	1	5.70
55	1011A	left (comb. 507) door opening	4214111	1	5.70
55	1011A	right (comb. 508) door opening	4214112	1	5.70
55	1011A	left (comb. 508) door opening	4214113	1	5.70
55	1011D-19D	right (comb. 549) door opening	4243213	1	5.70
55	1011D-19D	left (comb. 549) door opening	4243214	1	5.70
55	1011D-19D	right (comb. 511) door opening	4214340	1	5.70
55	1011D-19D	left (comb. 511) door opening	4214341	1	5.70
55	1011D-19D	right (comb. 513) door opening	4214344	1	5.70
55	1011D-19D	left (comb. 513) door opening	4214345	1	5.70
55	1011D-19D	right (comb. 531) door opening	4214342	1	5.70
55	1011D-19D	left (comb. 531) door opening	4214343	1	5.70
55	1211-19	right (comb. 500, 547) door opening	4215155	1	5.70
55	1211-19	left (comb. 500, 547) door opening	4215156	1	5.70
55	CONV.	right (comb. 526) hinge pillar	4214944	1	3.40
55	CONV.	left (comb. 526) hinge pillar	4214945	1	3.40
55	CONV.	right (comb. 527) hinge pillar	4214946	1	3.40
55	CONV.	left (comb. 527) hinge pillar	4214947	1	3.40
55	CONV.	right (comb. 528) hinge pillar	4214948	1	3.40
55	CONV.	left (comb. 528) hinge pillar	4214949	1	3.40
55	CONV.	right (comb. 532-3-51-2) hinge pillar	4214619	1	3.40
55	CONV.	left (comb. 532-3-51-2) hinge pillar	4214620	1	3.40
55	1037	right (comb. 503) hinge pillar	4255712	1	2.60
55	1037	left (comb. 503) hinge pillar	4255713	1	2.60
55	1037	right (comb. 504) hinge pillar	4255714	1	2.60
55	1037	left (comb. 504) hinge pillar	4255715	1	2.60
55	1037	right (comb. 505) hinge pillar	4255716	1	2.60
55	1037	left (comb. 505) hinge pillar	4255717	1	2.60
55	1037D	right (comb. 519) hinge pillar	4243021	1	3.40
55	1037D	left (comb. 519) hinge pillar	4243022	1	3.40
55	1037D	right (comb. 520) hinge pillar	4243023	1	3.40
55	1037D	left (comb. 520) hinge pillar	4243024	1	3.40
55	1037D	right (comb. 550) hinge pillar	4243168	1	3.40
55	1037D	left (comb. 550) hinge pillar	4243169	1	3.40
55	1037D-67D	right (comb. 521, 525) hinge pillar	4214615	1	3.40
55	1037D-67D	left (comb. 521, 525) hinge pillar	4214616	1	3.40
55	1037D-67D	right (comb. 522, 537) hinge pillar	4214617	1	3.40
55	1037D-67D	left (comb. 522, 537) hinge pillar	4214618	1	3.40
55	1019-1219 (exc. 1019D) (TAXICAB)	right (comb. 529, 530) frt. and rr. dr. opening	4257026	1	5.70
55	1019-1219 (exc. 1019D) (TAXICAB)	left (comb. 529, 530) frt. and rr. dr. opening	4257027	1	5.70
55	1019 (exc. 1019D) (TAXICAB)	right (comb. 553) frt. and rr. dr. opening	4257028	1	5.70
55	1019 (exc. 1019D) (TAXICAB)	left (comb. 553) frt. and rr. dr. opening.	4257029	1	5.70
55	1062DF	right (comb. 517) frt. and rr. door opening	4214890	1	11.35
55	1062DF	left (comb. 517) frt. and rr. door opening.	4214891	1	11.35
55	1062DF	right (comb. 518) frt. and rr. door opening	4214892	1	11.35
55	1062DF	left (comb. 518) frt. and rr. door opening.	4214893	1	11.35
55	1062F-63F	right (comb. 514) door opening	4214767	1	7.20
55	1062F-63F	left (comb. 514) door opening	4214768	1	7.20
55	1062F-63F	right (comb. 515) door opening	4214769	1	7.20
55	1062F-63F	left (comb. 515) door opening	4214770	1	7.20
55	1062F-63F	right (comb. 516) door opening	4214771	1	7.20
55	1062F-63F	left (comb. 516) door opening	4214772	1	7.20
55	1064	right (comb. 541) front hinge pillar	4243299	1	3.40
55	1064	left (comb. 541) front hinge pillar	4243300	1	3.40

55	1064	right (comb. 542) front hinge pillar	4243301	1	3.40
55	1064	left (comb. 542) front hinge pillar	4243302	1	3.40
55	1064	right (comb. 543) front hinge pillar	4243303	1	3.40
55	1064	left (comb. 543) front hinge pillar	4243304	1	3.40
55	1064	right (comb. 544) front hinge pillar	4243305	1	3.40
55	1064	left (comb. 544) front hinge pillar	4243306	1	3.40
55	1064	right (comb. 545) front hinge pillar	4243307	1	3.40
55	1064	left (comb. 545) front hinge pillar	4243308	1	3.40
55	1064	right (comb. 546) front hinge pillar	4243309	1	3.40
55	1064	left (comb. 546) front hinge pillar	4243310	1	3.40
55	1263F	right (comb. 502) door opening	4215201	1	7.20
55	1263F	left (comb. 502) door opening	4215202	1	7.20
55	1263F	right (comb. 524) door opening	4215203	1	7.20
55	1263F	left (comb. 524) door opening	4215204	1	7.20
55	SDL	right (comb. 501) door opening	4215241	1	7.20
55	SDL	left (comb. 501) door opening	4215242	1	7.20
56	1011-19-1219 (TAXICAB) (1st type)	right (comb. 564, 567, 573, 578, 624) door opening	4245300	1	6.05
56	1011-19-1219 (TAXICAB) (1st type)	left (comb. 564, 567, 573, 578, 624) door opening	4245301	1	6.05
56	1011-19	right (comb. 565, 568, 574) door opening	4245302	1	6.05
56	1011-19	left (comb. 565, 568, 574) door opening	4245303	1	6.05
56	1011D (2nd type)	right (comb. 626), door opening	4259329	1	6.05
56	1011D (2nd type)	left (comb. 626), door opening	4259330	1	6.05
56	1011A-11D-19D	right (comb. 569-577) door opening	4245533	1	6.05
56	1011A-11D-19D	left (comb. 569, 577) door opening	4245534	1	6.05
56	1011D-19D	right (comb. 617) door opening	4245531	1	6.05
56	1011D-19D	left (comb. 617) door opening	4245532	1	6.05
56	1011-19 (exc. 11A)	right (comb. 566, 575) door opening	4245304	1	6.05
56	1011-19 (exc. 11A)	left (comb. 566, 575) door opening	4245305	1	6.05
56	1019 (TAXICAB) (exc. 1019D)	right (comb. 625) door opening	4258744	1	13.50
56	1019 (TAXICAB) (exc. 1019D)	left (comb. 625) door opening	4258745	1	13.50
56	1219 (TAXICAB)	right (comb. 623) door opening	4258742	1	13.50
56	1219 (TAXICAB)	left (comb. 623) door opening	4258743	1	13.50
56	1037	(comb. 564) over door and quarter	4245807	2	2.60
56	1037	(comb. 565) over door and quarter	4245809	2	2.60
56	1037	(comb. 566) over door and quarter	4245811	2	2.60
56	1037-39	right (comb. 564) front hinge pillar	4245795	1	3.40
56	1037-39	left (comb. 564) front hinge pillar	4245796	1	3.40
56	1037-39	right (comb 565) front hinge pillar	4245797	1	3.40
56	1037-39	left (comb. 565) front hinge pillar	4245798	1	3.40
56	1037-39	right (comb. 566) front hinge pillar	4245799	1	3.40
56	1037-39	left (comb. 566) front hinge pillar	4245800	1	3.40
56	1039	right (comb. 564) door opening	4245852	1	3.40
56	1039	left (comb. 564) door opening	4245853	1	3.40
56	1039	right (comb. 565) door opening	4245854	1	3.40
56	1039	left (comb. 565) door opening	4245855	1	3.40
56	1039	right (comb. 566) door opening	4245856	1	3.40
56	1039	left (comb. 566) door opening	4245857	1	3.40
56	1037D-39D-64-67D	right (comb. 579, 595, 602, 604, 611, 627, 631, 632) front hinge pillar	4246530	1	3.40
56	1037D-39D-64-67D	left (comb. 579, 595, 602, 604, 611, 627, 631, 632) front hinge pillar	4246531	1	3.40
56	1037D-39D-64-67D	right (comb. 580, 590, 606) front hinge pillar	4246520	1	3.40
56	1037D-39D-64-67D	left (comb. 580, 590, 606) front hinge pillar	4246521	1	3.40
56	1037D-39D-64-67D	right (comb. 581, 591, 607) front hinge pillar	4246522	1	3.40
56	1037D-39D-64-67D	left (comb. 581, 591, 607) front hinge pillar	4246523	1	3.40
56	1037D-39D-64-67D	right (comb. 583, 593, 605, 628, 633) front hinge pillar	4246526	1	3.40
56	1037D-39D-64-67D	left (comb. 583, 593, 605, 628, 633), front hinge pillar	4246527	1	3.40
56	1037D-39D-64-67D	right (comb. 584, 594, 603) front hinge pillar	4246528	1	3.40
56	1037D-39D-64-67D	left (comb. 584, 594, 603) front hinge pillar	4246529	1	3.40
56	1037D-39D-64-67D	right (618, 620, 621) front hinge pillar	4245891	1	3.40
56	1037D-39D-64-67D	left (618, 620, 621) front hinge pillar	4245892	1	3.40
56	1062F-62FC-63F-1263F	right (comb. 562, 570) door opening	4246314	1	7.20

56	1062F-62FC-63F-1263F	left (comb. 562, 570) door opening	4246315	1	7.20
56	1062-63F	right (comb. 572, 587) door opening	4246318	1	7.20
56	1062-63F	left (comb. 572, 587) door opening	4246319	1	7.20
56	1062-63F-1263F	right (comb. 588, 609, 610, 616, 630) dr. opening	4246320	1	7.20
56	1062-63F-1263F	left (comb. 588, 609, 610, 616, 630) door opening	4246321	1	7.20
56	1062DF	right (comb. 586, 629) door opening	4246390	1	11.35
56	1062DF	left (comb. 586, 629) door opening	4246391	1	11.35
56	1062DF	right (comb. 619) door opening	4246396	1	11.35
56	1062DF	left (comb. 619) door opening	4246397	1	11.35
56	SDL. (1st design)	right (comb. 615) door opening	4247046	1	7.20
56	SDL. (1st design)	left (comb. 615) door opening	4247047	1	7.20
56	SDL. (2nd design)	right (comb. 615) door opening	4258570	1	7.20
56	SDL. (2nd design)	left (comb. 615) door opening	4258571	1	7.20
57	1011 (exc. 11A-11D)	right (comb. 656) door opening	4260074	1	6.05
57	1011 (exc. 11A-11D)	left (comb. 656) door opening	4260075	1	6.05
57	1011A	right (comb. 657) door opening	4260211	1	6.05
57	1011A	left (comb. 657) door opening	4260212	1	6.05
57	1011A	right (comb. 658) door opening	4260213	1	6.05
57	1011A	left (comb. 658) door opening	4260214	1	6.05
57	1011A	right (comb. 659) door opening	4260215	1	6.05
57	1011A	left (comb. 659) door opening	4260216	1	6.05
57	1011D	right (comb. 664) door opening	4260297	1	6.05
57	1011D	left (comb. 664) door opening	4260298	1	6.05
57	1011D	right (comb. 665) door opening	4260299	1	6.05
57	1011D	left (comb. 665) door opening	4260300	1	6.05
57	1011D	right (comb. 666) door opening	4260301	1	6.05
57	1011D	left (comb. 666) door opening	4260302	1	6.05
57	1011D-63F	right (comb. 662, 667) door opening	4260303	1	6.05
57	1011D-63F	left (comb. 662, 667) door opening	4260304	1	6.05
57	1011-63F (exc. 11A-11D)	right (comb. 654, 660) door opening	4260070	1	6.05
57	1011-63F (exc. 11A-11D)	left (comb. 654, 660) door opening	4260071	1	6.05
57	1011-63F-1263F (exc. 11A-11D)	right (comb. 653, 655, 661) door opening	4260072	1	6.05
57	1011-63F-1263F (exc. 11A-11D)	left (comb. 653, 655, 661) door opening	4260073	1	6.05
57	1011D-62DF-1211-63F-71	right (comb. 650, 651, 652, 663, 668, 669) door opening	4260295	1	6.05
57	1011D-62DF-1211-63F-71	left (comb. 650, 651, 652, 663, 668, 669) door opening	4260296	1	6.05
57	1019-1219 (exc. 19D)	right (comb. 650, 654) door opening	4260076	1	13.50
57	1019-1219 (exc. 19D)	left (comb. 650, 654) door opening	4260077	1	13.50
57	1019 (exc. 19D)	right (comb. 655) door opening	4260078	1	13.50
57	1019 (exc. 19D)	left (comb. 655) door opening	4260079	1	13.50
57	1019 (exc. 19D)	right (comb. 656) door opening	4260080	1	13.50
57	1019 (exc. 19D)	left (comb. 656) door opening	4260081	1	13.50
57	1019D	right (comb. 663, 669) door opening	4260307	1	13.50
57	1019D	left (comb. 663, 669) door opening	4260308	1	13.50
57	1019D	right (comb. 664) door opening	4260309	1	13.50
57	1019D	left (comb. 664) door opening	4260310	1	13.50
57	1019D	right (comb. 665) door opening	4260311	1	13.50
57	1019D	left (comb. 665) door opening	4260312	1	13.50
57	1019D	right (comb. 666) door opening	4260313	1	13.50
57	1019D	left (comb. 666) door opening	4260314	1	13.50
57	1019D	right (comb. 667) door opening	4260315	1	13.50
57	1019D	left (comb. 667) door opening	4260316	1	13.50
57	1019D	right (comb. 668) door opening	4260317	1	13.50
57	1019D	left (comb. 668) door opening	4260318	1	13.50
57	CONV.	right (comb. 667, 682, 683)	4271330	1	3.40
57	CONV.	left (comb. 667, 682, 683)	4271331	1	3.40
57	CONV.	right (comb. 678)	4271332	1	3.40
57	CONV.	left (comb. 678)	4271333	1	3.40
57	CONV.	right (comb. 679)	4271334	1	3.40
57	CONV.	left (comb. 679)	4271335	1	3.40
57	1037	(comb. 654)	4260625	1	1.90
57	1037	(comb. 655)	4260626	1	1.90
57	1037	(comb. 656)	4260627	1	1.90
57	1037-39	right (comb. 654) front hinge pillar	4260607	1	3.40
57	1037-39	left (comb. 654) front hinge pillar	4260608	1	3.40

57	1037-39	right (comb. 655) front hinge pillar	4260609	1	3.40
57	1037-39	left (comb. 655) front hinge pillar	4260610	1	3.40
57	1037-39	right (comb. 656) front hinge pillar	4260611	1	3.40
57	1037-39	left (comb. 656) front hinge pillar	4260612	1	3.40
57	1037D-39D-64	right (comb. 670, 675, 676, 691, 696, 697) front hinge pillar	4260703	1	3.40
57	1037D-39D-64	left (comb. 670, 675, 676, 691, 696, 697) front hinge pillar	4260704	1	3.40
57	1037D-39D-64	right (comb. 671, 692) body hinge pillar	4260705	1	3.40
57	1037D-39D-64	left (comb. 671, 692) body hinge pillar	4260706	1	3.40
57	1037D-39D-64	right (comb. 672, 693) body hinge pillar	4260707	1	3.40
57	1037D-39D-64	left (comb. 672, 693) body hinge pillar	4260708	1	3.40
57	1037D-39D-64-67D	right (comb. 673, 680, 694) body hinge pillar	4260709	1	3.40
57	1037D-39D-64-67D	left (comb. 673, 680, 694) body hinge pillar	4260710	1	3.40
57	1037D-39D-64-67D	right (comb. 674, 681, 695) body hinge pillar	4260711	1	3.40
57	1037D-39D-64-67D	left (comb. 674, 681, 695) body hinge pillar	4260712	1	3.40
57	1039	right (comb. 654) door opening	4260619	1	3.40
57	1039	left (comb. 654) door opening	4260620	1	3.40
57	1039	right (comb. 655) door opening	4260621	1	3.40
57	1039	left (comb. 655) door opening	4260622	1	3.40
57	1039	right (comb. 656) door opening	4260623	1	3.40
57	1039	left (comb. 656) door opening	4260624	1	3.40
57	1062	right (comb. 662) door opening	4261197	1	13.50
57	1062	left (comb. 662) door opening	4261198	1	13.50
57	1062F-62FC	right (comb. 660) door opening	4261193	1	13.50
57	1062F-62FC	left (comb. 660) door opening	4261194	1	13.50
57	1062F-62FC	right (comb. 661) door opening	4261195	1	13.50
57	1062F-62FC	left (comb. 661) door opening	4261196	1	13.50
57	1062DF	right (comb. 684, 689, 690) door opening	4260993	1	13.50
57	1062DF	left (comb. 684, 689, 690) door opening	4260994	1	13.50
57	1062DF	right (comb. 685) door opening	4260995	1	13.50
57	1062DF	left (comb. 685) door opening	4260996	1	13.50
57	1062DF	right (comb. 686) door opening	4260997	1	13.50
57	1062DF	left (comb. 686) door opening	4260998	1	13.50
57	1062DF	right (comb. 687) door opening	4260999	1	13.50
57	1062DF	left (comb. 687) door opening	4261000	1	13.50

14.668 RETAINER—SCREW, Front Body Pillar Trim

49-52	PASS.	right—lower	4611855	1	1.55
53-54	PASS.	right, lower (on hinge pillar) (29½ long)	4644972	1	2.05
53-54	PASS.	left, lower (on hinge pillar) (29½ long)	4644973	1	2.05
53-54	1011-27-69-1211-27-27B-69-69W-71	right, upper (13¼ long)	4601084	1	.35
53-54	1011-27-69-1211-27-27B-69-69W-71	left, upper (13¼ long)	4601085	1	.35
55	PASS.	left (31½ developed length)	4667064	1	1.85
55-56	PASS.	right	4684557	1	2.05
55-56	PASS.	left	4684558	1	2.05
57	Ser. 1000	right (on hinge)	4709886	1	2.05
57	Ser. 1000	left (on hinge)	4709887	1	2.05
48	PASS. (exc. STA. WAG.)	SCREW, retainer to pillar	120221	A.R.	(8.906)

14.680 LACE, Door Window Garnish Moulding

48	1007-19-27-69	right and left (comb. 152, 153)	4163173	A.R.	(15.527)

14.683 TAB—CLIP, Front Door Trim Binding Strip Replacement

36-52	PASS. (exc. STA. WAG.),				
53-57	PASS.	(1 long w/one nail emergency tab)	4081772	A.R.	.10
49-52	CONV., BEL AIR,				
53	CONV., SPT. CPE.	CLIP (15/32 wide x 21/32 deep)	4576034	A.R.	.10

14.685 PAD ASSEMBLY AND PARTS, Front Door Lower Trim (less arm rest)

49	1208-1269	right (comb. 156)	4170706	1	22.15

49	1208-69	left (comb. 156)	4170707	1	22.15
49	1007-11-27	right (comb. 157)	4170655	1	25.75
49	1007-11-27	left (comb. 157)	4170656	1	25.75
49	1011-27	right (comb. 158)	4170657	1	25.75
49	1011-27	left (comb. 158)	4170658	1	25.75
49	1207-11-27-27B	right (comb. 156)	4170668	1	21.85
49	1207-11-27-27B	left (comb. 156)	4170669	1	21.85
49	1069	right (comb. 158)	4170694	1	23.15
49	1008-69	left (comb. 158)	4170695	1	23.15
49	CONV.	right (comb. 160)	4171169	1	36.30
49	CONV.	left (comb. 160)	4171170	1	36.30
49	CONV.	right (comb. 162)	4171173	1	36.30
49	CONV.	left (comb. 162)	4171174	1	36.30
50-51	SDL	right (comb. 163)	4173943	1	15.30
50-51	SDL.	left (comb. 163)	4173944	1	15.30
50	1007-11-27	right (comb. 171)	4174168	1	25.90
50	1007-11-27	left (comb. 171)	4174169	1	25.90
50	1008-69	right (comb. 171)	4174233	1	23.55
50	1008-69	left (comb. 171)	4174234	1	23.55
50	1207-11-27-27B	right (comb. 170)	4174265	1	21.90
50	1207-11-27-27B	left (comb. 170)	4174266	1	21.90
50	1208-69	right (comb. 170)	4174302	1	22.15
50	1208-69	left (comb. 170)	4174303	1	22.15
50	CONV., BEL AIR	right (comb. 175, 185)	4175267	1	36.30
50	CONV., BEL AIR	left (comb. 175, 185)	4175268	1	36.30
50	CONV., BEL AIR	right (comb. 177, 187)	4175269	1	36.30
50	CONV., BEL AIR	left (comb. 177, 187)	4175270	1	36.30
50	CONV., BEL AIR	right (comb. 176, 186)	4175271	1	36.30
50-52	STA. WAG.	right (wood)	4580932	1	39.15
50-52	STA. WAG.	left (wood)	4580933	1	39.15
51	1007-11-27	right (comb. 201)	4178509	1	25.90
51	1007-11-27	left (comb. 201)	4178510	1	25.90
51	1008-69	right (comb. 201)	4178534	1	23.25
51	1008-69	left (comb. 201)	4178535	1	23.25
51	1207-11-27-27B	right (comb. 200)	4178629	1	21.90
51	1207-11-27-27B	left (comb. 200)	4178630	1	21.90
51	1208-69	right (comb. 200)	4178650	1	22.15
51	1208-69	left (comb. 200)	4178651	1	22.15
51	CONV.	right (comb. 205)	4179974	1	32.70
51	CONV.	left (comb. 205)	4179975	1	32.70
51	BEL AIR.	right (comb. 185)	4181055	1	31.55
51	BEL AIR	left (comb. 185)	4181056	1	31.55
51	BEL AIR	right (comb. 186)	4181015	1	31.55
51	BEL AIR	left (comb. 186)	4181016	1	31.55
51	BEL AIR	right (comb. 189)	4179995	1	31.55
51	BEL AIR	left (comb. 189)	4179996	1	31.55
52	1007-11-27	right (comb. 211)	4189106	1	25.90
52	1007-11-27	left (comb. 211)	4189107	1	25.90
52	1007-11-27	right (comb. 212)	4189133	1	25.90
52	1007-11-27	left (comb. 212)	4189134	1	25.90
52	1007-11-27	right (comb. 213)	4189161	1	25.90
52	1007-11-27	left (comb. 213)	4189162	1	25.90
52	1211-27-27B	right (comb. 210)	4186490	1	21.90
52	1211-27-27B	left (comb. 210)	4186491	1	21.90
52	1069	right (comb. 211)	4189237	1	23.25
52	1069	left (comb. 211)	4189238	1	23.25
52	1069	right (comb. 212)	4189260	1	23.25
52	1069	left (comb. 212)	4189261	1	23.25
52	1069	right (comb. 213)	4189284	1	23.25
52	1069	left (comb. 213)	4189285	1	23.25
52	CONV., BEL AIR	right (comb. 226, 236)	4189572	1	36.30
52	CONV., BEL AIR	left (comb. 226, 236)	4189573	1	36.30
52	BEL AIR	right (comb. 240)	4190323	1	36.30
52	BEL AIR	left (comb. 240)	4190324	1	36.30
53	1011W-27	right (comb. 241)	4191932	1	23.25
53	1011W-27	left (comb. 241)	4191933	1	23.25

53	1011W-27	right (comb. 242)	4191934	1	23.25
53	1011W-27	left (comb. 242)	4191935	1	23.25
53	1011W-27	right (comb. 243)	4191936	1	23.25
53	1011W-27	left (comb. 243)	4191937	1	23.25
53	1011W-27	right (comb. 244)	4191938	1	23.25
53	1011W-27	left (comb. 244)	4191939	1	23.25
53	1011WD	right (comb. 245, 291)	4192040	1	25.75
53	1011WD	left (comb. 245, 291)	4192041	1	25.75
53	1011WD	right (comb. 246)	4192042	1	25.75
53	1011WD	left (comb. 246)	4192043	1	25.75
53	1011WD	right (comb. 247, 292)	4192044	1	25.75
53	1011WD	left (comb. 247, 292)	4192045	1	25.75
53	1211-27-27B	right (comb. 249)	4192450	1	21.90
53	1211-27-27B	left (comb. 249)	4192451	1	21.90
53	1069W	right (comb. 241)	4192288	1	23.25
53	1069W	left (comb. 241)	4192289	1	23.25
53	1069W	right (comb. 242)	4192290	1	23.25
53	1069W	left (comb. 242)	4192291	1	23.25
53	1069W	right (comb. 243)	4192292	1	23.25
53	1069W	left (comb. 243)	4192293	1	23.25
53	1069W	right (comb. 244)	4192294	1	23.25
53	1069W	left (comb. 244)	4192295	1	23.25
53	1069WD	right (comb. 245, 291)	4192380	1	25.75
53	1069WD	left (comb. 245, 291)	4192381	1	25.75
53	1069WD	right (comb. 246)	4192382	1	25.75
53	1069WD	left (comb. 246)	4192383	1	25.75
53	1069WD	right (comb. 247, 292)	4192384	1	25.75
53	1069WD	left (comb. 247, 292)	4192385	1	25.75
53	1069WD	right (comb. 248)	4192386	1	25.75
53	1069WD	left (comb. 248)	4192387	1	25.75
53	1269	right (comb. 249)	4192500	1	22.15
53	1269	left (comb. 249)	4192501	1	22.15
53	1037D-67D	right (comb. 256, 266)	4193390	1	36.30
53	1037D-67D	left (comb. 256, 266)	4193391	1	36.30
53	1037D-67D	right (comb. 257, 267)	4193392	1	36.30
53	1037D-67D	left (comb. 257, 267)	4193393	1	36.30
53	1037D-67D	right (comb. 258, 268)	4193207	1	36.30
53	1037D-67D	left (comb. 258, 268)	4193208	1	36.30
53	1037	left (comb. 244)	4198209	1	25.75
53	1062-62F	right (comb. 280)	4197542	1	29.80
53	1062-62F	left (comb. 280)	4197543	1	29.80
54	1011W	right (comb. 304)	4200576	1	26.75
54	1011W	left (comb. 304)	4200577	1	26.75
54	1011W	right (comb. 305)	4200578	1	26.75
54	1011W	left (comb. 305)	4200579	1	26.75
54	1011W	right (comb. 306)	4200580	1	26.75
54	1011W	left (comb. 306)	4200581	1	26.75
54	1011W	right (comb. 307)	4200582	1	26.75
54	1011W	left (comb. 307)	4200583	1	26.75
54	1011W	right (comb. 352)	4211331	1	26.75
54	1011W	left (comb. 352)	4211332	1	26.75
54	1011W	right (comb. 353)	4211333	1	26.75
54	1011W	left (comb. 353)	4211334	1	26.75
54	1011W	right (comb. 354)	4211335	1	26.75
54	1011W	right (comb. 355)	4211337	1	26.75
54	1011W	left (comb. 355)	4211338	1	26.75
54	1011WA	right (comb. 332)	4209149	1	34.25
54	1011WA	left (comb. 332)	4209150	1	34.25
54	1011WA	right (comb. 333)	4209151	1	3.425
54	1011WA	left (comb. 333)	4209152	1	34.25
54	1011WA	right (comb. 334)	4209153	1	34.25
54	1011WA	left (comb. 334)	4209154	1	34.25
54	1011WD	right (comb. 309)	4200820	1	29.60
54	1011WD	left (comb. 309)	4200821	1	29.60
54	1011WD	right (comb. 310)	4200822	1	29.60
54	1011WD	left (comb. 310)	4200823	1	29.60
54	1011WD	right (comb. 311)	4200824	1	29.60

54	1011WD	left (comb. 311)	4200825	1	29.60
54	1011WD (1st type)	right (comb. 330)	4200826*	1	29.60
54	1011WD (1st type)	left (comb. 330)	4200827*	1	29.60
54	1011WD (2nd type)	right (comb. 330)	4211995*	1	29.60
54	1011WD (2nd type)	left (comb. 330)	4211996*	1	29.60
54	1011WD (1st type)	right (comb. 331)	4208541*	1	29.60
54	1011WD (1st type)	left (comb. 331)	4208542*	1	29.60
54	1011WD (2nd type)	right (comb. 331)	4211997*	1	29.60
54	1011WD (2nd type)	left (comb. 331)	4211998*	1	29.60
54	1011WD	left (comb. 358)	4211496	1	29.60
54	1011WD	right (comb. 359)	4211497	1	29.60
54	1011WD	left (comb. 359)	4211498	1	29.60
54	1011WD	right (comb. 360)	4211499	1	29.60
54	1011WD	left (comb. 360)	4211500	1	29.60
54	1011WD	right (comb. 361)	4211501	1	29.60
54	1011WD	left (comb. 361)	4211502	1	29.60
54	1211	right (comb. 300)	4201102	1	25.20
54	1211	left (comb. 300)	4201103	1	25.20
54	1211W	right (comb. 350)	4211273	1	25.20
54	1211W	left (comb. 350)	4211274	1	25.20
54	1069W	right (comb. 304)	4200584	1	26.75
54	1069W	left (comb. 304)	4200585	1	26.75
54	1069W	right (comb. 305)	4200586	1	26.75
54	1069W	left (comb. 305)	4200587	1	26.75
54	1069W	right (comb. 306)	4200588	1	26.75
54	1069W	left (comb. 306)	4200589	1	26.75
54	1069W	right (comb. 307)	4200590	1	26.75
54	1069W	left (comb. 307)	4200591	1	26.75
54	1069W	right (comb. 352)	4211339	1	26.75
54	1069W	left (comb. 352)	4211340	1	26.75
54	1069W	right (comb. 353)	4211341	1	26.75
54	1069W	left (comb. 353)	4211342	1	26.75
54	1069W	right (comb. 354)	4211343	1	26.75
54	1069W	left (comb. 354)	4211344	1	26.75
54	1069W	right (comb. 355)	4211345	1	26.75
54	1069W	left (comb. 355)	4211346	1	26.75
54	1069WD	right (comb. 309)	4200828	1	36.95
54	1069WD	left (comb. 309)	4200829	1	36.95
54	1069WD	right (comb. 310)	4200830	1	36.95
54	1069WD	left (comb. 310)	4200831	1	36.95
54	1069WD	right (comb. 311)	4200832	1	36.95
54	1069WD	left (comb. 311)	4200833	1	36.95
54	1069WD (1st type)	right (comb. 330)	4200834*	1	36.95
54	1069WD (1st type)	left (comb. 330)	4200835*	1	36.95
54	1069WD (2nd type)	right (comb. 330)	4212003*	1	36.95
54	1069WD (2nd type)	left (comb. 330)	4212004*	1	36.95
54	1069WD (1st type)	right (comb. 331)	4208570*	1	36.95
54	1069WD (1st type)	left (comb. 331)	4208571*	1	36.95
54	1069WD (2nd type)	right (comb. 331)	4212005*	1	36.95
54	1069WD (2nd type)	left (comb. 331)	4212006*	1	36.95
54	1069WD	right (comb. 358)	4211503	1	36.95
54	1069WD	left (comb. 358)	4211504	1	36.95
54	1069WD	right (comb. 359)	4211505	1	36.95
54	1069WD	left (comb. 359)	4211506	1	36.95
54	1069WD	right (comb. 360)	4211507	1	36.95
54	1069WD	left (comb. 360)	4211508	1	36.95
54	1069WD	right (comb. 361)	4211509	1	36.95
54	1069WD	left (comb. 361)	4211510	1	36.95
54	1269W	right (comb. 300)	4201104	1	22.15
54	1269W	left (comb. 300)	4201105	1	22.15
54	1269W (TAXICAB)	right (comb. 301)	4211244	1	22.15
54	1269W (TAXICAB)	left (comb. 301)	4211245	1	22.15
54	1269W	right (comb. 350)	4211275	1	22.15
54	1269W	left (comb. 350)	4211276	1	22.15
54	CONV., SPT. CPE.	right (comb. 315, 326)	4201018	1	36.95
54	CONV., SPT. CPE.	left (comb. 315, 326)	4201019	1	36.95
54	CONV., SPT. CPE.	right (comb. 316, 325)	4201020	1	36.95
54	CONV., SPT. CPE.	left (comb. 316, 325)	4201021	1	36.95

54	CONV., SPT. CPE.	right (comb. 317, 337)	4201022	1	36.95
54	CONV., SPT. CPE.	left (comb. 317, 337)	4201023	1	36.95
54	CONV., SPT. CPE.	right (comb. 318, 328)	4202153	1	36.95
54	CONV., SPT. CPE.	left (comb. 318, 328)	4202154	1	36.95
54	CONV., SPT. CPE.	right (comb. 362, 374)	4211653	1	36.95
54	CONV., SPT. CPE.	left (comb. 362, 374)	4211654	1	36.95
54	CONV., SPT. CPE.	right (comb. 363, 376)	4211651	1	36.95
54	CONV., SPT. CPE.	left (comb. 363, 376)	4211652	1	36.95
54	CONV., SPT. CPE.	right (comb. 364, 367)	4211649	1	36.95
54	CONV., SPT. CPE.	left (comb. 364, 367)	4211650	1	36.95
54	CONV., SPT. CPE.	right (comb. 366, 368)	4211655	1	36.95
54	CONV., SPT. CPE.	left (comb. 366, 368)	4211656	1	36.95
54	SPT. CPE.	right (comb. 365)	4211657	1	36.95
54	SPT. CPE.	left (comb. 365)	4211658	1	36.95
54	1062F	right (comb. 356)	4211837	1	34.25
54	1062F	left (comb. 356)	4211838	1	34.25
54	1062F	right (comb. 357)	4211835	1	34.25
54	1062F	left (comb. 357)	4211836	1	34.25
54	1062F	right (comb. 371)	4211873	1	24.60
54	1062F	left (comb. 371)	4211874	1	24.60
54	SDL	right (comb. 351)	4211889	1	15.30
54	SDL	left (comb. 351)	4211890	1	15.30
55	1011 (exc. 11A-11D)	right (comb. 503)	4214231	1	34.20
55	1011 (exc. 11A-11D)	left (comb. 503)	4214232	1	34.20
55	1011 (exc. 11A-11D)	right (comb. 504)	4214233	1	34.20
55	1011 (exc. 11A-11D)	left (comb. 504)	4214234	1	34.20
55	1011 (exc. 11A-11D)	right (comb. 505)	4214235	1	34.20
55	1011 (exc. 11A-11D)	left (comb. 505)	4214236	1	34.20
55	1011A	right (comb. 506)	4214129	1	36.95
55	1011A	left (comb. 506)	4214130	1	36.95
55	1011A	right (comb. 507)	4214131	1	36.95
55	1011A	left (comb. 507)	4214132	1	36.95
55	1011A	right(comb. 508)	4214133	1	36.95
55	1011A	left (comb. 508)	4214134	1	36.95
55	1011D	right (comb. 509)	4214416	1	36.25
55	1011D	left (comb. 509)	4214417	1	36.25
55	1011D	right (comb. 510)	4214418	1	36.25
55	1011D	left (comb. 510)	4214419	1	36.25
55	1011D	right (comb. 511)	4214420	1	36.25
55	1011D	left (comb. 511)	4214421	1	36.25
55	1011D	right (comb. 513)	4214424	1	36.25
55	1011D	left (comb. 513)	4214425	1	36.25
55	1011D	right (comb. 531)	4214422	1	36.25
55	1011D	left –comb. 531)	4214423	1	36.25
55	1011D	right (comb. 549)	4243223	1	36.25
55	1011D	left (comb. 549)	4243224	1	36.25
55	1211	right (comb. 500, 547) (less mouldings)	4215170	1	27.55
55	1211	left (comb. 500, 547) (less mouldings)	4215171	1	27.55
55	1019 (exc. 19D)	right (comb. 503)	4214237	1	29.60
55	1019 (exc. 19D)	left (comb. 503)	4214238	1	29.60
55	1019 (exc. 19D)	right (comb. 504—553 taxi)	4214239	1	29.60
55	1019 (exc. 19D)	left (comb. 504—553 taxi)	4214240	1	29.60
55	1019 (exc. 19D)	right (comb. 505)	4214241	1	29.60
55	1019 (exc. 19D)	left (comb. 505)	4214242	1	29.60
55	1019D	right (comb. 509)	4214426	1	34.20
55	1019D	left (comb. 509)	4214427	1	34.20
55	1019D	right (comb. 510)	4214428	1	34.20
55	1019D	left (comb. 510)	4214429	1	34.20
55	1019D	right (comb. 511)	4214430	1	34.20
55	1019D	left (comb. 511)	4214431	1	34.20
55	1019D	right (comb. 513)	4214433	1	34.20
55	1019D	left (comb. 513)	4214435	1	34.20
55	1019D	right (comb. 531)	4214432	1	34.20
55	1019D	left (comb. 531)	4214433	1	34.20
55	1019D	right (comb. 549)	4243225	1	34.20
55	1019D	left (comb. 549)	4243226	1	34.20
55	1219	right (comb. 500) (less mouldings)	4215172	1	24.45
55	1219	left (comb. 500) (less mouldings)	4215173	1	24.45
55	CONV	right (comb. 525)	4215014	1	36.95

55	CONV	left (comb. 525)	4215015	1	36.95
55	CONV	right (comb. 526)	4215016	1	36.95
55	CONV	left (comb. 526)	4215017	1	36.95
55	CONV	right (comb. 527)	4215018	1	36.95
55	CONV	left (comb. 527)	4215019	1	36.95
55	CONV	right (comb. 528)	4215020	1	36.95
55	CONV	left (comb. 528)	4215021	1	36.95
55	CONV	right (comb. 533)	4215024	1	36.95
55	CONV	left (comb. 533)	4215025	1	36.95
55	CONV	right (comb. 537)	4215022	1	36.95
55	CONV	left (comb. 537)	4215023	1	36.95
55	CONV	right (comb. 551)	4243198	1	36.95
55	CONV	left (comb. 551)	4243199	1	36.95
55	1037	right (comb. 503)	4255743	1	34.20
55	1037	left (comb. 503)	4255744	1	34.20
55	1037	right (comb. 504)	4255745	1	34.20
55	1037	left (comb. 504)	4255746	1	34.20
55	1037	right (comb. 505)	4255747	1	34.20
55	1037	left (comb. 505)	4255748	1	34.20
55	1037D	right (comb. 519)	4214661	1	36.95
55	1037D	left (comb. 519)	4214662	1	36.95
55	1037D	right (comb. 520)	4214663	1	36.95
55	1037D	left (comb. 520)	4214664	1	36.95
55	1037D	right (comb. 521)	4214665	1	36.95
55	1037D	left (comb. 521)	4214666	1	36.95
55	1037D	right (comb. 522)	4214667	1	36.95
55	1037D	left (comb. 522)	4214688	1	36.95
55	1037D	right (comb. 532)	4214669	1	36.95
55	1037D	left (comb. 532)	4214670	1	36.95
55	1037D	right (comb. 550)	4243176	1	36.95
55	1037D	left (comb. 550)	4243177	1	36.95
55	1062F	right (comb. 514)	4214797	1	29.60
55	1062F	left (comb. 514)	4214798	1	29.60
55	1062F	right (comb. 515)	4214799	1	29.60
55	1062F	left (comb. 515)	4214800	1	29.60
55	1062F	right (comb. 516)	4214801	1	29.60
55	1062F	left (comb. 516)	4214802	1	29.60
55	1062DF	right (comb. 517)	4214906	1	34.20
55	1062DF	left (comb. 517)	4214907	1	34.20
55	1062DF	right (comb. 518)	4214908	1	34.20
55	1062DF	left (comb. 518)	4214909	1	34.20
55	1063F	right (comb. 514)	4214803	1	34.20
55	1063F	left (comb. 514)	4214804	1	34.20
55	1063F	right (comb. 515)	4214805	1	34.20
55	1063F	left (comb. 515)	4214806	1	34.20
55	1063F	right (comb. 516)	4214807	1	34.20
55	1063F	left (comb. 516)	4214808	1	34.20
55	1064	right (comb. 541) (less moulding)	4243360	1	36.95
55	1064	left (comb. 541) (less moulding)	4243361	1	36.95
55	1064	right (comb. 542) (less moulding)	4243362	1	36.95
55	1064	left (comb. 542) (less moulding)	4243363	1	36.95
55	1064	right (comb. 543) (less moulding)	4243364	1	36.95
55	1064	left (comb. 543) (less moulding)	4243365	1	36.95
55	1064	right (comb. 544) (less moulding)	4243368	1	36.95
55	1064	left (comb. 544) (less moulding)	4243369	1	36.95
55	1064	right (comb. 545) (less moulding)	4243370	1	36.95
55	1064	left (comb. 545) (less moulding)	4243371	1	36.95
55	1064	right (comb. 546) (less moulding)	4243372	1	36.95
55	1064	left (comb. 546) (less moulding)	4243373	1	36.95
55	1064	right (comb. 552) (less moulding)	4243366	1	36.95
55	1064	left (comb. 552) (less moulding)	4243367	1	36.95
55	1263F	right (comb. 502) (less mouldings)	4215215	1	24.45
55	1263F	left (comb. 502) (less mouldings)	4215216	1	24.45
55	1263F	right (comb. 524) (less mouldings)	4215217	1	24.45
55	1263F	left (comb. 524) (less mouldings)	4215218	1	24.45
55	SDL	right (comb. 501) (less mouldings)	4215244	1	27.55
55	SDL	left (comb. 501) (less mouldings)	4215245	1	27.55
56	1011 (exc. 11A-11D) (1st type)	right (comb. 564) (w/moulding) (white)	4245348	1	34.20

56	1011 (exc. 11A-11D) (1st type)	left (comb. 564) (w/moulding) (white)	4245349	1	34.20
56	1011 (exc. 11A-11D) (2nd type)	right (comb. 564) (w/moulding) (black)	4259196	1	34.20
56	1011 (exc. 11A-11D) (2nd type)	left (comb. 564) (w/moulding) (black)	4259197	1	34.20
56	1011 (exc. 11A-11D) (1st type)	right (comb. 565) (w/moulding) (white)	4245350	1	34.20
56	1011 (exc. 11A-11D) (1st type)	left (comb. 565) (w/moulding) (white)	4245351	1	34.20
56	1011 (exc. 11A-11D) (2nd type)	right (comb. 565) (w/mouldings) (green)	4259198	1	34.20
56	1011 (exc. 11A-11D) (2nd type)	left (comb. 565) (w/mouldings) (green)	4259199	1	34.20
56	1011 (exc. 11A-11D) (1st type)	right (comb. 566) (w/moulding) (white)	4245352	1	34.20
56	1011 (exc. 11A-11D) (1st type)	left (comb. 566) (w/moulding) (white)	4245353	1	34.20
56	1011 (exc. 11A-11D) (2nd type)	right (comb. 566) (w/mouldings) (blue)	4259200	1	34.20
56	1011 (exc. 11A-11D) (2nd type)	left (comb. 566) (w/mouldings) (blue)	4259201	1	34.20
56	1011A	right (comb. 567) (w/moulding)	4245468	1	36.95
56	1011A	left (comb. 567) (w/moulding)	4245469	1	36.95
56	1011A	right (comb. 568) (w/moulding)	4245470	1	36.95
56	1011A	left (comb. 568) (w/moulding)	4245471	1	36.95
56	1011A	right (comb. 569) (w/moulding)	4245472	1	36.95
56	1011A	left (comb. 569) (w/moulding)	4245473	1	36.95
56	1011D (1st type)	right (comb. 573) (w/arm rest) (ivory)	4245621	1	36.25
56	1011D (1st type)	left (comb. 573) (w/arm rest) (ivory)	4245622	1	36.25
56	1011D (2nd type)	right (comb. 573) (w/arm rest) (black)	4259162	1	36.25
56	1011D (2nd type)	left (comb. 573) (w/arm rest) (black)	4259163	1	36.25
56	1011D	right (comb. 574) (w/arm rest)	4245623	1	36.25
56	1011D	left (comb. 574) (w/arm rest)	4245624	1	36.25
56	1011D	right (comb. 575) (w/arm rest)	4245625	1	36.25
56	1011D	left (comb. 575) (w/arm rest)	4245626	1	36.25
56	1011D	right (comb. 577) (w/arm rest)	4245629	1	36.25
56	1011D	left (comb. 577) (w/arm rest)	4245630	1	36.25
56	1011D	right (comb. 578) (w/arm rest)	4245631	1	36.25
56	1011D	left (comb. 578) (w/arm rest)	4245632	1	36.25
56	1011D	right (comb. 617) (w/arm rest)	4245627	1	36.25
56	1011D	left (comb. 617) (w/arm rest)	4245628	1	36.25
56	1011D	right (comb. 626) (w/arm rest)	4259343	1	36.25
56	1011D	left (comb. 626) (w/arm rest)	4259344	1	36.25
56	1211	right (comb. 560)	4246969	1	27.55
56	1211	left (comb. 560)	4246970	1	27.55
56	1019 (exc. 19D) (1st type)	right (comb. 564) (w/moulding) (white)	4245354	1	29.60
56	1019 (exc. 19D) (1st type)	left (comb. 564) (w/moulding) (white)	4245355	1	29.60
56	1019 (exc. 19D) (2nd type)	right (comb. 564) (w/mouldings) (black)	4259202	1	29.60
56	1019 (exc. 19D) (2nd type)	left (comb. 564) (w/mouldings) (black)	4259203	1	29.60
56	1019 (exc. 19D) (1st type)	right (comb. 565) (w/moulding) (white)	4245356	1	29.60
56	1019 (exc. 19D) (1st type)	left (comb. 565) (w/moulding) (white)	4245357	1	29.60
56	1019 (exc. 19D) (2nd type)	right (comb. 565) (w/mouldings) (green)	4259204	1	29.60
56	1019 (exc. 19D) (2nd type)	left (comb. 565) (w/mouldings) (green)	4259205	1	29.60
56	1019 (exc. 19D) (1st type)	right (comb. 566) (w/moulding) (white)	4245358	1	29.60
56	1019 (exc. 19D) (1st type)	left (comb. 566) (w/moulding) (white)	4245359	1	29.60
56	1019 (exc. 19D) (2nd type)	right (comb. 566) (w/mouldings) (blue)	4259206	1	29.60
56	1019 (exc. 19D) (2nd type)	left (comb. 566) (w/mouldings) (blue)	4259207	1	29.60
56	1019 (TAXICAB) (exc. 1019D)	right (comb. 624) (w/moulding)	4258750	1	29.60
56	1019 (TAXICAB) (exc. 1019D)	left (comb. 624) (w/moulding)	4258751	1	29.60
56	1019 (TAXICAB) (exc. 1019D)	right (comb. 625) (w/moulding)	4258748	1	29.60
56	1019 (TAXICAB) (exc. 1019D)	left (comb. 625) (w/moulding)	4258749	1	29.60
56	1019D-62DF (1st type)	right (comb. 573, 610) (w/arm rest) (ivory)	4245633	1	34.20
56	1019D-62DF (1st type)	left (comb. 573, 610) (w/arm rest) (ivory)	4245634	1	34.20
56	1019D	right (comb. 574) (w/arm rest)	4245635	1	34.20
56	1019D	left (comb. 574) (w/arm rest)	4245636	1	34.20
56	1019D	right (comb. 575) (w/arm rest)	4245637	1	34.20
56	1019D	left (comb. 575) (w/arm rest)	4245638	1	34.20
56	1019D-62DF	right (comb. 577, 587) (w/arm rest)	4245641	1	34.20
56	1019D-62DF	left (comb. 577, 587) (w/arm rest)	4245642	1	34.20
56	1019D-62DF	right (comb. 578, 588) (w/arm rest)	4245643	1	34.20
56	1019D-62DF	left (comb. 578, 588) (w/arm rest)	4245644	1	34.20
56	1019D-62DF	right (comb. 617, 619) (w/arm rest)	4245639	1	34.20
56	1019D-62DF	left (comb. 617, 619) (w/arm rest)	4245640	1	34.20
56	1019D-62DF (2nd type)	right (comb. 573, 610) (w/arm rest) (black)	4259166	1	34.20
56	1019D-62DF (2nd type)	left (comb. 573, 610) (w/arm rest) (black)	4259167	1	34.20
56	1019D-62DF	right (comb. 626, 630) (w/arm rest)	4259345	1	34.20
56	1019D-62DF	left (comb. 626, 630) (w/arm rest)	4259346	1	34.20
56	1219 (TAXICAB)	right (comb. 560)	4246971	1	24.45

56	1219 (TAXICAB)	left (comb. 560)	4246972	1	24.45
56	1219 (TAXICAB)	right (comb. 623) (w/moulding)	4258746	1	24.45
56	1219 (TAXICAB)	left (comb. 623) (w/moulding)	4258747	1	24.45
56	CONV.	right (comb. 603) (w/arm rest)	4246788	1	36.95
56	CONV.	left (comb. 603) (w/arm rest)	4246789	1	36.95
56	CONV.	right (comb. 605) (w/arm rest)	4246792	1	36.95
56	CONV.	left (comb. 605) (w/arm rest)	4246793	1	36.95
56	CONV. (1st type)	right (comb. 602) (w/arm rest) (ivory)	4245969	1	36.95
56	CONV. (1st type)	left (comb. 602) (w/arm rest) (ivory)	4245970	1	36.95
56	CONV. (2nd type)	right (comb. 602) (w/arm rest) (black)	4259184	1	36.95
56	CONV. (2nd type)	left (comb. 602) (w/arm rest) (black)	4259185	1	36.95
56	CONV.	right (comb. 604) (w/arm rest)	4245981	1	36.95
56	CONV.	left (comb. 604) (w/arm rest)	4245982	1	36.95
56	CONV.	right (comb. 606) (w/arm rest)	4245971	1	36.95
56	CONV.	left (comb. 606) (w/arm rest)	4245972	1	36.95
56	CONV.	right (comb. 607) (w/arm rest)	4245973	1	36.95
56	CONV.	left (comb. 607) (w/arm rest)	4245974	1	36.95
56	CONV.	right (comb. 621) (w/arm rest)	4245975	1	36.95
56	CONV.	left (comb. 621) (w/arm rest)	4245976	1	36.95
56	CONV.	right (comb. 631) (w/arm rest)	4259461	1	36.95
56	CONV.	left (comb. 631) (w/arm rest)	4259462	1	36.95
56	1037 (1st type)	right (comb. 564) (white)	4245828	1	34.20
56	1037 (1st type)	left (comb. 564) (white)	4245829	1	34.20
56	1037 (2nd type)	right (comb. 564) (black)	4259226	1	34.20
56	1037 (2nd type)	left (comb. 564) (black)	4259227	1	34.20
56	1037 (1st type)	right (comb. 565) (white)	4245830	1	34.20
56	1037 (1st type)	left (comb. 565) (white)	4245831	1	34.20
56	1037 (2nd type)	right (comb. 565) (green)	4259228	1	34.20
56	1037 (2nd type)	left (comb. 565) (green)	4259229	1	34.20
56	1037 (1st type)	right (comb. 566) (white)	4245832	1	34.20
56	1037 (1st type)	left (comb. 566) (white)	4245833	1	34.20
56	1037 (2nd type)	right (comb. 566) (blue)	4259230	1	34.20
56	1037 (2nd type)	left (comb. 566) (blue)	4259231	1	34.20
56	1037D (1st type)	right (comb. 579) (w/arm rest) (ivory)	4258439	1	36.95
56	1037D (1st type)	left (comb. 579) (w/arm rest) (ivory)	4258440	1	36.95
56	1037D (2nd type)	right (comb. 579) (w/arm rest) (black)	4259170	1	36.95
56	1037D (2nd type)	left (comb. 579) (w/arm rest) (black)	4259171	1	36.95
56	1037D	right (comb. 580) (w/arm rest)	4258441	1	36.95
56	1037D	left (comb. 580) (w/arm rest)	4258442	1	36.95
56	1037D	right (comb. 581) (w/arm rest)	4258443	1	36.95
56	1037D	left (comb. 581) (w/arm rest)	4258444	1	36.95
56	1037D	right (comb. 583) (w/arm rest)	4245977	1	36.95
56	1037D	left (comb. 583) (w/arm rest)	4245978	1	36.95
56	1037D	right (comb. 584) (w/arm rest)	4245979	1	36.95
56	1037D	left (comb. 584) (w/arm rest)	4245980	1	36.95
56	1037D	right (comb. 585) (w/arm rest)	4258447	1	36.95
56	1037D	left (comb. 585) (w/arm rest)	4258448	1	36.95
56	1037D	right (comb. 618) (w/arm rest)	4258445	1	36.95
56	1037D	left (comb. 618) (w/arm rest)	4258446	1	36.95
56	1037D	right (comb. 627) (w/arm rest)	4259281	1	36.95
56	1037D	left (comb. 627) (w/arm rest)	4259282	1	36.95
56	1037D	right (comb. 628) (w/arm rest)	4259283	1	36.95
56	1037D	left (comb. 628) (w/arm rest)	4259284	1	36.95
56	1039 (1st type)	right (comb. 564) (white)	4245861	1	34.20
56	1039 (1st type)	left (comb. 564) (white)	4245862	1	34.20
56	1039 (2nd type)	right (comb. 564) (black)	4259232	1	34.20
56	1039 (2nd type)	left (comb. 564) (black)	4259233	1	34.20
56	1039 (1st type)	right (comb. 565) (white)	4245863	1	34.20
56	1039 (1st type)	left (comb. 565) (white)	4245864	1	34.20
56	1039 (2nd type)	right (comb. 565) (green)	4259234	1	34.20
56	1039 (2nd type)	left (comb. 565) (green)	4259235	1	34.20
56	1039 (1st type)	right (comb. 566) (white)	4245865	1	34.20
56	1039 (1st type)	left (comb. 566) (white)	4245866	1	34.20
56	1039 (2nd type)	right (comb. 566) (blue)	4259236	1	34.20
56	1039 (2nd type)	left (comb. 566) (blue)	4259237	1	34.20
56	1039D (1st type)	right (comb. 579) (w/arm rest)	4245983	1	36.95
56	1039D (1st type)	left (comb. 579) (w/arm rest)	4245984	1	36.95
56	1039D (2nd type)	right (comb. 579) (black)	4259174	1	36.95

56	1039D (2nd type)	left (comb. 579) (black)	4259175	1	36.95
56	1039D	right (comb. 580) (w/arm rest)	4245985	1	36.95
56	1039D	left (comb. 580) (w/arm rest)	4245986	1	36.95
56	1039D	right (comb. 581) (w/arm rest)	4245987	1	36.95
56	1039D	left (comb. 581) (w/arm rest)	4245988	1	36.95
56	1039D	right (comb. 583) (w/arm rest)	4245991	1	36.95
56	1039D	left (comb. 583) (w/arm rest)	4245992	1	36.95
56	1039D	right (comb. 584) (w/arm rest)	4245993	1	36.95
56	1039D	left (comb. 584) (w/arm rest)	4245994	1	36.95
56	1039D	right (comb. 585) (w/arm rest)	4245995	1	36.95
56	1039D	left (comb. 585) (w/arm rest)	4245996	1	36.95
56	1039D	right (comb. 618) (w/arm rest)	4245989	1	36.95
56	1039D	left (comb. 618) (w/arm rest)	4245990	1	36.95
56	1039D	right (comb. 627) (w/arm rest)	4259285	1	36.95
56	1039D	left (comb. 627) (w/arm rest)	4259286	1	36.95
56	1039D	right (comb. 628) (w/arm rest)	4259287	1	36.95
56	1039D	left (comb. 628) (w/arm rest)	4259288	1	36.95
56	1063F (1st type)	right (comb. 570) (w/mouldings) (white)	4246342	1	34.20
56	1063F (1st type)	left (comb. 570) (w/mouldings) (white)	4246343	1	34.20
56	1063F (2nd type)	right (comb. 570) (w/mouldings) (green)	4259256	1	34.20
56	1063F (2nd type)	left (comb. 570) (w/mouldings) (green)	4259257	1	34.20
56	1063F (1st type)	right (comb. 572) (w/mouldings) (white)	4246346	1	34.20
56	1063F (1st type)	left (comb. 572) (w/mouldings) (white)	4246347	1	34.20
56	1063F (2nd type)	right (comb. 572) (w/mouldings) (turquoise)	4259258	1	34.20
56	1063F (2nd type)	left (comb. 572) (w/mouldings) (turquoise)	4259259	1	34.20
56	1063F (1st type)	right (comb. 609) (w/mouldings) (white)	4246348	1	34.20
56	1063F (1st type)	left (comb. 609) (w/mouldings) (white)	4246349	1	34.20
56	1063F (2nd type)	right (comb. 609) (w/mouldings) (black)	4259260	1	34.20
56	1063F (2nd type)	left (comb. 609) (w/mouldings) (black)	4259261	1	34.20
56	1263F	right (comb. 562)	4247012	1	24.45
56	1263F	left (comb. 562)	4247013	1	24.45
56	1263F-71	right (comb. 615-616)	4247014	1	24.45
56	1263F-71	left (comb. 615-616)	4247015	1	24.45
56	1062F-62FC (1st type)	right (comb. 570) (w/mouldings) (white)	4246214	1	29.60
56	1062F-62FC (1st type)	left (comb. 570) (w/mouldings) (white)	4246215	1	29.60
56	1062F-62FC (2nd type)	right (comb. 570) (w/mouldings) (green)	4259244	1	29.60
56	1062F-62FC (2nd type)	left (comb. 570) (w/mouldings) (green)	4259245	1	29.60
56	1062F-62FC (1st type)	right (comb. 572) (w/mouldings) (white)	4246218	1	29.60
56	1062F-62FC (1st type)	left (comb. 572) (w/mouldings) (white)	4246219	1	29.60
56	1062F-62FC (2nd type)	right (comb. 572) (w/mouldings) (turquoise)	4259246	1	29.60
56	1062F-62FC (2nd type)	left (comb. 572) (w/mouldings) (turquoise)	4259247	1	29.60
56	1062F-62FC (1st type)	right (comb. 609) (w/mouldings) (white)	4246220	1	29.60
56	1062F-62FC (1st type)	left (comb. 609) (w/mouldings) (white)	4246221	1	29.60
56	1062F-62FC (2nd type)	right (comb. 609) (w/mouldings) (black)	4259248	1	29.60
56	1062F-62FC (2nd type)	left (comb. 609) (w/mouldings) (black)	4259249	1	29.60
56	1064	right (comb. 590) (w/arm rest)	4246597	1	36.95
56	1064	left (comb. 590) (w/arm rest)	4246598	1	36.95
56	1064	right (comb. 591) (w/arm rest)	4246599	1	36.95
56	1064	left (comb. 591) (w/arm rest)	4246600	1	36.95
56	1064	right (comb. 593) (w/arm rest)	4246603	1	36.95
56	1064	right (comb. 594) (w/arm rest)	4246605	1	36.95
56	1064	left (comb. 594) (w/arm rest)	4246606	1	36.95
56	1064	right (comb. 595) (w/arm rest)	4246607	1	36.95
56	1064	left (comb. 595) (w/arm rest)	4246608	1	36.95
56	1064 (1st type)	right (comb. 611) (w/arm rest) (ivory)	4246609	1	36.95
56	1064 (1st type)	left (comb. 611) (w/arm rest) (ivory)	4246610	1	36.95
56	1064 (2nd type)	right (comb. 611) (w/arm rest) (black)	4259180	1	36.95
56	1064 (2nd type)	left (comb. 611) (w/arm rest) (black)	4259181	1	36.95
56	1064	right (comb. 620) (w/arm rest)	4246601	1	36.95
56	1064	left (comb. 620) (w/arm rest)	4246602	1	36.95
56	1064	right (comb. 632) (w/arm rest)	4259415	1	36.95
56	1064	left (comb. 632) (w/arm rest)	4259416	1	36.95
56	1064	right (comb. 633) (w/arm rest)	4259417	1	36.95
56	1064	left (comb. 593, 633) (w/arm rest)	4259418	1	36.95
56	1062DF	right (comb. 586) (w/arm rest)	4246425	1	34.20
56	1062DF	left (comb. 586) (w/arm rest)	4246426	1	34.20
56	1062DF	right (comb. 629) (w/arm rest)	4259378	1	34.20
56	1062DF	left (comb. 629) (w/arm rest)	4259379	1	34.20

57	1011 (exc. 11A-11D)	right (comb. 654) (w/mouldings)	4260118	1	34.20
57	1011 (exc. 11A-11D)	left (comb. 654) (w/mouldings)	4260119	1	34.20
57	1011 (exc. 11A-11D)	right (comb. 655) (w/mouldings)	4260120	1	34.20
57	1011 (exc. 11A-11D)	left (comb. 655) (w/mouldings)	4260121	1	34.20
57	1011 (exc. 11A-11D)	right (comb. 656) (w/mouldings)	4260122	1	34.20
57	1011 (exc. 11A-11D)	left (comb. 656) (w/mouldings)	4260123	1	34.20
57	1011A	right (comb. 657) (w/mouldings)	4260238	1	36.95
57	1011A	left (comb. 657) (w/mouldings)	4260239	1	36.95
57	1011A	right (comb. 658) (w/mouldings)	4260240	1	36.95
57	1011A	left (comb. 658) (w/mouldings)	4260241	1	36.95
57	1011A	right (comb. 659) (w/mouldings)	4260242	1	36.95
57	1011A	left (comb. 659) (w/mouldings)	4260243	1	36.95
57	1011D	right (comb. 663) (w/mouldings)	4260397	1	36.95
57	1011D	left (comb. 663) (w/mouldings)	4260398	1	36.95
57	1011D	right (comb. 664) (w/mouldings)	4260399	1	36.95
57	1011D	left (comb. 664) (w/mouldings)	4260400	1	36.95
57	1011D	right (comb. 665) (w/mouldings)	4260401	1	36.95
57	1011D	left (comb. 665) (w/mouldings)	4260402	1	36.95
57	1011D	right (comb. 666) (w/mouldings)	4260403	1	36.95
57	1011D	left (comb. 666) (w/mouldings)	4260404	1	36.95
57	1011D	right (comb. 667) (w/mouldings)	4260405	1	36.95
57	1011D	left (comb. 667) (w/mouldings)	4260406	1	36.95
57	1011D	right (comb. 668) (w/mouldings)	4260407	1	36.95
57	1011D	left (comb. 668) (w/mouldings)	4260408	1	36.95
57	1011D	right (comb. 669) (w/mouldings)	4260409	1	36.95
57	1011D	left (comb. 669) (w/mouldings)	4260410	1	36.95
57	1211	right (comb. 650)	4261607	1	27.55
57	1211	left (comb. 650)	4261608	1	27.55
57	1019 (exc. 19D)	right (comb. 654) (w/mouldings)	4260124	1	29.60
57	1019 (exc. 19D)	left (comb. 654) (w/mouldings)	4260125	1	29.60
57	1019 (exc. 19D)	right (comb. 655) (w/mouldings)	4260126	1	29.60
57	1019 (exc. 19D)	left (comb. 655) (w/mouldings)	4260127	1	29.60
57	1019 (exc. 19D)	right (comb. 656) (w/mouldings)	4260128	1	29.60
57	1019 (exc. 19D)	left (comb. 656) (w/mouldings)	4260129	1	29.60
57	1019D-62DF	right (comb. 663, 684) (w/mouldings)	4260411	1	34.20
57	1019D-62DF	left (comb. 663, 684) (w/mouldings)	4260412	1	34.20
57	1019D-62DF	right (comb. 664, 685) (w/mouldings)	4260413	1	34.20
57	1019D-62DF	left (comb. 664, 685) (w/mouldings)	4260414	1	34.20
57	1019D-62DF	right (comb. 665, 686) (w/mouldings)	4260415	1	34.20
57	1019D-62DF	left (comb. 665, 686) (w/mouldings)	4260416	1	34.20
57	1019D-62DF	right (comb. 666, 687) (w/mouldings)	4260417	1	34.20
57	1019D-62DF	left (comb. 666, 687) (w/mouldings)	4260418	1	34.20
57	1019D-62DF	right (comb. 667, 688) (w/mouldings)	4260419	1	34.20
57	1019D-62DF	left (comb. 667, 688) (w/mouldings)	4260420	1	34.20
57	1019D-62DF	right (comb. 668, 689) (w/mouldings)	4260421	1	34.20
57	1019D-62DF	left (comb. 668, 689) (w/mouldings)	4260422	1	34.20
57	1019D-62DF	right (comb. 669, 690) (w/mouldings)	4260423	1	34.20
57	1019D-62DF	left (comb. 669, 690) (w/mouldings)	4260424	1	34.20
57	1219	right (comb. 650)	4261609	1	24.45
57	1219	left (comb. 650)	4261610	1	24.45
57	CONV.	right (comb. 677) (w/moulding)	4261481	1	36.95
57	CONV.	left (comb. 677) (w/moulding)	4261482	1	36.95
57	CONV.	right (comb. 678) (w/moulding)	4261483	1	36.95
57	CONV.	left (comb. 678) (w/moulding)	4261484	1	36.95
57	CONV.	right (comb. 679) (w/moulding)	4261485	1	36.95
57	CONV.	left (comb. 679) (w/moulding)	4261486	1	36.95
57	CONV.	right (comb. 680) (w/moulding)	4261487	1	36.95
57	CONV.	left (comb. 680) (w/moulding)	4261488	1	36.95
57	CONV.	right (comb. 681) (w/moulding)	4261489	1	36.95
57	CONV.	left (comb. 681) (w/moulding)	4261490	1	36.95
57	CONV.	right (comb. 682) (w/moulding)	4261491	1	36.95
57	CONV.	left (comb. 682) (w/moulding)	4261492	1	36.95
57	CONV.	right (comb. 683) (w/moulding)	4261493	1	36.95
57	CONV.	left (comb. 683) (w/moulding)	4261494	1	36.95
57	1037	right (comb. 654) (w/moulding)	4260655	1	34.20
57	1037	left (comb. 654) (w/moulding)	4260656	1	34.20
57	1037	right (comb. 655) (w/moulding)	4260657	1	34.20
57	1037	left (comb. 655) (w/moulding)	4260658	1	34.20

57	1037	right (comb. 656) (w/moulding)	4260659	1	34.20
57	1037	left (comb. 656) (w/moulding)	4260660	1	34.20
57	1037D	right (comb. 670) (w/moulding)	4260803	1	36.95
57	1037D	left (comb. 670) (w/moulding)	4260804	1	36.95
57	1037D	right (comb. 671) (w/moulding)	4260805	1	36.95
57	1037D	left (comb. 671) (w/moulding)	4260806	1	36.95
57	1037D	right (comb. 672) (w/moulding)	4260807	1	36.95
57	1037D	left (comb. 672) (w/moulding)	4260808	1	36.95
57	1037D	right (comb. 673) (w/moulding)	4260809	1	36.95
57	1037D	left (comb. 673) (w/moulding)	4260810	1	36.95
57	1037D	right (comb. 674) (w/moulding)	4260811	1	36.95
57	1037D	left (comb. 674) (w/moulding)	4260812	1	36.95
57	1037D	right (comb. 675) (w/moulding)	4260813	1	36.95
57	1037D	left (comb. 675) (w/moulding)	4260814	1	36.95
57	1037D	right (comb. 676) (w/moulding)	4260815	1	36.95
57	1037D	left (comb. 676) (w/moulding)	4260816	1	36.95
57	1039	right (comb. 654) (w/moulding)	4260661	1	34.20
57	1039	left (comb. 654) (w/moulding)	4260662	1	34.20
57	1039	right (comb. 655) (w/moulding)	4260663	1	34.20
57	1039	left (comb. 655) (w/moulding)	4260664	1	34.20
57	1039	right (comb. 656) (w/moulding)	4260665	1	34.20
57	1039	left (comb. 656) (w/moulding)	4260666	1	34.20
57	1039D	right (comb. 670) (w/moulding)	4260817	1	36.95
57	1039D	left (comb. 670) (w/moulding)	4260818	1	36.95
57	1039D	right (comb. 671) (w/moulding)	4260819	1	36.95
57	1039D	left (comb. 671) (w/moulding)	4260820	1	36.95
57	1039D	right (comb. 672) (w/moulding)	4260821	1	36.95
57	1039D	left (comb. 672) (w/moulding)	4260822	1	36.95
57	1039D	right (comb. 673) (w/moulding)	4260823	1	36.95
57	1039D	left (comb. 673) (w/moulding)	4260824	1	36.95
57	1039D	right (comb. 674) (w/moulding)	4260825	1	36.95
57	1039D	left (comb. 674) (w/moulding)	4260826	1	36.95
57	1039D	right (comb. 675) (w/moulding)	4260827	1	36.95
57	1039D	left (comb. 675) (w/moulding)	4260828	1	36.95
57	1039D	right (comb. 676) (w/moulding)	4260829	1	36.95
57	1039D	left (comb. 676) (w/moulding)	4260830	1	36.95
57	1062F-62FC	right (comb. 660) (w/moulding)	4261232	1	29.60
57	1062F-62FC	left (comb. 660) (w/moulding)	4261233	1	29.60
57	1062F-62FC	right (comb. 661) (w/moulding)	4261234	1	29.60
57	1062F-62FC	left (comb. 661) (w/moulding)	4261235	1	29.60
57	1062F-62FC	right (comb. 662) (w/moulding)	4261236	1	29.60
57	1062F-62FC	left (comb. 662) (w/moulding)	4261237	1	29.60
57	1063F	right (comb. 660) (w/moulding)	4261226	1	34.20
57	1063F	left (comb. 660) (w/moulding)	4261227	1	34.20
57	1063F	right (comb. 661) (w/moulding)	4261228	1	34.20
57	1063F	left (comb. 661) (w/moulding)	4261229	1	34.20
57	1063F	right (comb. 662) (w/moulding)	4261230	1	34.20
57	1063F	left (comb. 662) (w/moulding)	4261231	1	34.20
57	1064	right (comb. 691) (w/moulding)	4261404	1	36.95
57	1064	left (comb. 691) (w/moulding)	4261405	1	36.95
57	1064	right (comb. 692) (w/moulding)	4261406	1	36.95
57	1064	left (comb. 692) (w/moulding)	4261407	1	36.95
57	1064	right (comb. 693) (w/moulding)	4261408	1	36.95
57	1064	left (comb. 693) (w/moulding)	4261409	1	36.95
57	1064	right (comb. 694) (w/moulding)	4261410	1	36.95
57	1064	left (comb. 694) (w/moulding)	4261411	1	36.95
57	1064	right (comb. 695) (w/moulding)	4261412	1	36.95
57	1064	left (comb. 695) (w/moulding)	4261413	1	36.95
57	1064	right (comb. 696) (w/moulding)	4261414	1	36.95
57	1064	left (comb. 696) (w/moulding)	4261415	1	36.95
57	1064	right (comb. 697) (w/moulding)	4261416	1	36.95
57	1064	left (comb. 697) (w/moulding)	4261417	1	36.95
57	1263F	right (comb. 653)	4261651	1	27.55
57	1263F	left (comb. 653)	4261652	1	27.55
57	1263F-71	right (comb. 651, 652)	4261649	1	27.55
57	1263F-71	left (comb. 651, 652)	4261650	1	27.55
54	CORVETTE	PAD, side rail L.H. (rubber)	4649784	1	2.50
54	CORVETTE	PAD, side rail R.H. (rubber)	4649783	1	2.50

56-57	CORVETTE	PAD, trim rail, L.H. (rubber)	3725151	1	2.50
56-57	CORVETTE	PAD, trim rail, R.H. (rubber)	3725152	1	2.50
36-52	PASS. (exc. STA. WAG.),				
53-57	PASS.	TAB, trim	4081772	A.R.	(14.683)
53-55	CORVETTE	TRIM ASSY., upper L.H. (comb. 295)	4199999	1	16.95
53-55	CORVETTE	TRIM ASSY., upper R.H. (comb. 295)	4199998	1	16.95
53-55	CORVETTE	TRIM ASSY., lower L.H. (comb. 295)	4200374	1	5.70
53-55	CORVETTE	TRIM ASSY., lower R.H. (comb. 295)	4200373	1	5.70
53-55	CORVETTE	TRIM ASSY., package comp. door (comb. 295)	4200371	2	10.05
53-55	CORVETTE	TRIM ASSY., trim rail L.H.	4202261	1	4.90
53-55	CORVETTE	TRIM ASSY., trim rail R.H.	4202260	1	4.90
53-55	CORVETTE	TRIM ASSY., inner trim panel—top and side L.H.	4200498	1	11.45
53-55	CORVETTE	TRIM ASSY., inner trim panel—top and side R.H.	4200497	1	11.45
54-55	CORVETTE	TRIM ASSY., upper L.H. (comb. 341)	4648977	1	9.35
54-55	CORVETTE	TRIM ASSY., upper R.H. (comb. 341)	4648976	1	9.35
54	CORVETTE	TRIM ASSY., lower L.H.	4648513	1	4.95
54	CORVETTE	TRIM ASSY., lower R.H.	4648512	1	4.95
54	CORVETTE	TRIM ASSY., package comp. door	4648969	2	8.75
54	CORVETTE	TRIM ASSY., trim rail L.H.	4648520	1	4.25
54	CORVETTE	TRIM ASSY., trim rail R.H.	4648519	1	4.25
54	CORVETTE	TRIM ASSY., inner trim panel—top and side L.H.	4648511	1	9.95
54	CORVETTE	TRIM ASSY., inner trim panel—top and side R.H.	4648510	1	9.95
55	CORVETTE	TRIM ASSY., lower, L.H. (comb. 556) (yellow)	3728933	1	4.95
55	CORVETTE	TRIM ASSY., lower, R.H. (comb. 556) (yellow)	3728934	1	4.95
55	CORVETTE	TRIM ASSY., lower, L.H. (comb. 555) (light beige)	3728935	1	4.95
55	CORVETTE	TRIM ASSY., lower, R.H. (comb. 555) (light beige)	3728936	1	4.95
55	CORVETTE	TRIM ASSY., pkg. compt. dr. (comb. 556) (yellow) L.H.	3728909	1	8.75
55	CORVETTE	TRIM ASSY., pkg. compt. dr. (comb. 555) (light beige) R.H.	3728910	1	8.75
55	CORVETTE	TRIM ASSY., trim rail (comb. 555) (red) L.H.	3728911	1	4.25
55	CORVETTE	TRIM ASSY., trim rail (comb. 555) (red) R.H.	3728912	1	4.25
55	CORVETTE	TRIM ASSY., trim rail (comb. 556) (green) R.H.	3728914	1	4.25
55	CORVETTE	TRIM ASSY., trim panel, inner (comb. 556) (yellow) L.H.	3728929	1	9.95
55	CORVETTE	TRIM ASSY., trim panel, inner (comb. 556) (yellow) R.H.	3728930	1	9.95
55	CORVETTE	TRIM ASSY., trim panel, inner (comb. 555) (light beige) L.H.	3728931	1	9.95
55	CORVETTE	TRIM ASSY., trim panel, inner (comb. 555) (light beige) R.H.	3728932	1	9.95
55	CORVETTE	TRIM ASSY., upper, L.H. (yellow)	3723087	1	14.75
55	CORVETTE	TRIM ASSY., upper, R.H. (yellow)	3723088	1	14.75
55	CORVETTE	TRIM ASSY., upper, L.H. (light beige)	3723089	1	14.75
55	CORVETTE	TRIM ASSY., upper, R.H. (light beige)	3723090	1	14.75
56-57	CORVETTE	TRIM ASSY., lower, L.H. (light beige)	3737211	1	6.95
56-57	CORVETTE	TRIM ASSY., lower, R.H. (light beige)	3737212	1	6.95
56-57	CORVETTE	TRIM ASSY., lower, L.H. (red)	3737213	1	6.95
56-57	CORVETTE	TRIM ASSY., lower, R.H. (red)	3737214	1	6.95
56-57	CORVETTE	TRIM ASSY., upper trim, L.H. (lt. beige)	3728011	1	14.75
56-57	CORVETTE	TRIM ASSY., upper trim, R.H. (lt. beige)	3728012	1	14.75
56-57	CORVETTE	TRIM ASSY., upper trim, L.H. (red)	3727983	1	14.75
56-57	CORVETTE	TRIM ASSY., upper trim, R.H. (red)	3727984	1	14.75
56-57	CORVETTE	TRIM ASSY., rail pad, L.H. (red)	3728465	1	4.25
56-57	CORVETTE	TRIM ASSY., rail pad, R.H. (red)	3728466	1	4.25
56-57	CORVETTE	TRIM ASSY., rail pad, L.H. (lt. beige)	3728481	1	4.25
56-57	CORVETTE	TRIM ASSY., rail pad, R.H. (lt. beige)	3728482	1	4.25
53-57	CORVETTE	EYELET, door panel lower	4592059	14	.05
56-57	CORVETTE	BUMPER, seat separator compartment door	3725720	1	.05
56-57	CORVETTE	FOUNDATION assy., trim, L.H.	3727993	1	1.65
56-57	CORVETTE	FOUNDATION assy., trim, R.H.	3727994	1	1.65
56	2 DOOR (exc. SPT. CPE., CONV.)	RETAINER, door trim pad	4692916	1	.10

57	2 DOOR (exc. SPT. CPE., CONV.)	RETAINER, door trim pad	4691517	4	.10
54	CORVETTE	RETAINER, panel pad L.H.	4649786	1	3.95
54	CORVETTE	RETAINER, panel pad R.H.	4649785	1	3.95
56-57	CORVETTE	RETAINER, trim rail	3716368	1	.10
56-57	CORVETTE	RETAINER ASSY., trim rail pad, L.H.	3716319	1	6.25
56-57	CORVETTE	RETAINER ASSY., trim rail pad, R.H.	3716320	1	6.25
53-55	CORVETTE	PANEL, side inner, trim lower L.H. (plastic laminate	3706348	1	39.75
53-55	CORVETTE	PANEL, side inner, trim lower R.H. (plastic laminate)	3706347	1	39.75
56-57	CORVETTE	PANEL ASSY., seat separator compt. dr.	3728728	1	1.45
56-57	CORVETTE	STRIKER, seat separator compt. dr. lock	3728939	1	.20

NOTE: When replacing front door lower trim pad assy. on 1954-55 models with electric window, it will be necessary to use 1—4611192 Reinforcement on right door or 1—4644666 Reinforcement on left door. (See Group 10.777).

*NOTE: Trim combinations 330-331, 1st type, designates cloth and leather. Trim combinations 330-331, 2nd type, designates two tone leather.

14.686 REST ASSEMBLY—SCREW—UNIT, Door Arm, Trimmed

40-48	CONV.	(comb. 96, 123, 136, 145, 148),			
41	1069	(comb. 126),			
48	1007-69	(comb. 153)	4163897	2	4.75
48	1011-19-27	(comb. 151, 152)	4163242	2	4.35
49	Ser. 1000 (exc. CONV., STA. WAG.)	right, frt. and rear doors (less metal cover) (comb. 157, 158)	4171627	A.R.	4.35
49	Ser. 1000 (exc. CONV., STA. WAG.)	left, frt. and rear doors (less metal cover) (comb. 157, 158)	4171628	A.R.	4.35
50	1007-08-11-27-69	front and rear, right and left (comb. 171)	4173921	A.R.	4.75
50	STA. WAG.	front, right and left (comb. 166)	4174002	2	4.75
50	CONV., BEL AIR,				
51	BEL AIR	(comb. 175, 185, 195)	4181057	2	7.20
51	1007-08-11-27-69	front and rear, right and left (comb. 201)	4178511	A.R.	5.25
52	1007-11-27-69	right, front and rear (comb. 211)	4189865	A.R.	4.50
52	1007-11-27-69	left, front and rear (comb. 211)	4189866	A.R.	4.50
52	1007-11-27-69	right, front and rear (comb. 212)	4189867	A.R.	4.50
52	1007-11-27-69	left, front and rear (comb. 212)	4189868	A.R.	4.50
52	1007-11-27-69	right, front and rear (comb. 213)	4189869	A.R.	4.50
52	1007-11-27-69	left, front and rear (comb. 213)	4189870	A.R.	4.50
52	CONV., BEL AIR	right (comb. 227, 237)	4189594	1	4.50
52	CONV., BEL AIR	left (comb. 227, 237)	4189595	1	4.50
53-54	1011-27-37-69	right (comb. 241, 245, 291, 354)	4197251	1	4.50
53-54	1011-27-37-69	left (comb. 241, 245, 291, 354)	4197252	1	4.50
53-54	1011W-27-37-69W	right (comb. 242, 355)	4191942	1	4.50
53-54	1011W-27-37-69W	left (comb. 242, 355)	4191943	1	4.50
53	1011W-27-37-67D-69W-1262F,				
54	1011W-69W	right (comb. 243, 266, 352)	4191944	1	4.50
53	1011W-27-37-67D-69W-1262F,				
54	1011W-69W	left (comb. 243, 266, 352)	4191945	1	4.50
53-54	1011W-27-37-69W	right (comb. 244, 353)	4191946	1	4.50
53-54	1011W-27-37-69W	left (comb. 244, 353)	4191947	1	4.50
53	1011WD-69WD	right (comb. 246)	4197253	1	4.50
53	1011WD-69WD	left (comb. 246)	4197254	1	4.50
53	1011WD-69WD	right (comb. 247, 292)	4197255	1	4.50
53	1011WD-69WD	left (comb. 247, 292)	4197256	1	4.50
53	1011WD-69WD	right (comb. 248)	4197257	1	4.50
53	1011WD-69WD	left (comb. 248)	4197258	1	4.50
53	1067D	right (comb. 265)	4193400	1	4.50
53	1067D	left (comb. 265)	4193401	1	4.50
53	1037D-67D	right (comb. 254, 264)	4193398	1	4.50
53	1037D-67D	left (comb. 254, 264)	4193399	1	4.50
53	1037D	right (comb. 256)	4198795	1	4.50
53	1037D	left (comb. 256)	4198796	1	4.50
53	1037D-67D	right (comb. 257, 267)	4193404	1	4.50
53	1037D-67D	left (comb. 257, 267)	4193405	1	4.50
53	1037D-67D	right (comb. 258, 268)	4193406	1	4.50
53	1037D-67D	left (comb. 258, 268)	4193407	1	4.50

53	1037D-67D	right (comb. 259, 269),			
54	1011WA	(comb. 334)	4190549	1	4.50
53	1037D-67D	left (comb. 259, 269),			
54	1011WA	(comb. 334)	4190550	1	4.50
53	1062-62F,				
54	1062F	right (comb. 278, 280, 356)	4193245	1	4.50
53	1062-62F,				
54	1062F	left (comb. 278, 280, 356)	4193246	1	4.50
54	Ser. 1200 (exc. SDL.)	right (comb. 300)	4206903	1	4.50
54	Ser. 1200 (exc. SDL.)	left (comb. 300)	4206904	1	4.50
54	1011W-69W	right (comb. 304)	4200592	1	4.50
54	1011W-69W	left (comb. 304)	4200593	1	4.50
54	1011W-69W	right (comb. 305)	4200594	1	4.50
54	1011W-69W	left (comb. 305)	4200595	1	4.50
54	1011W-69W	right (comb. 306)	4200596	1	4.50
54	1011W-69W	left (comb. 306)	4200597	1	4.50
54	1011W-69W	right (comb. 307)	4200598	1	4.50
54	1011W-69W	left (comb. 307)	4200599	1	4.50
54	1011WA	right (comb. 332)	4209155	1	4.50
54	1011WA	left (comb. 332)	4209156	1	4.50
54	1011WA	right (comb. 333)	4209157	1	4.50
54	1011WA	left (comb. 333)	4209158	1	4.50
54	1011WD	right (comb. 309)	4200836	1	9.80
54	1011WD	left (comb. 309)	4200837	1	9.80
54	1011WD	right (comb. 310)	4200838	1	9.80
54	1011WD	left (comb. 310)	4200839	1	9.80
54	1011WD	right (comb. 311)	4200840	1	9.80
54	1011WD	left (comb. 311)	4200841	1	9.80
54	1011WD	right (comb. 331)	4208543	1	9.80
54	1011WD	left (comb. 331)	4208544	1	9.80
54	1011WD-37D-67D	right (comb. 318, 328, 330)	4200842	1	9.80
54	1011WD-37D-67D	left (comb. 318, 328, 330)	4200843	1	9.80
54	1011WD	right (comb. 359)	4211513	1	9.80
54	1011WD	left (comb. 359)	4211514	1	9.80
54	1011WD	right (comb. 360)	4211515	1	9.80
54	1011WD	left (comb. 360)	4211516	1	9.80
54	1011WD	right (comb. 361)	4211517	1	9.80
54	1011WD	left (comb. 361)	4211518	1	9.80
54	1069WD	right (comb. 309)	4200844	1	9.80
54	1069WD	left (comb. 309)	4200845	1	9.80
54	1069WD	right (comb. 310)	4200846	1	9.80
54	1069WD	left (comb. 310)	4200847	1	9.80
54	1069WD	right (comb. 311)	4200848	1	9.80
54	1069WD	left (comb. 311)	4200849	1	9.80
54	1069WD	right (comb. 330)	4200850	1	9.80
54	1069WD	left (comb. 330)	4200851	1	9.80
54	1069WD	right (comb. 331)	4208572	1	9.80
54	1069WD	left (comb. 331)	4208573	1	9.80
54	1069WD	right (comb. 358)	4211519	1	9.80
54	1069WD	left (comb. 358)	4211520	1	9.80
54	1069WD	right (comb. 359)	4211521	1	9.80
54	1069WD	left (comb. 359)	4211522	1	9.80
54	1069WD	right (comb. 360)	4211523	1	9.80
54	1069WD	left (comb. 360)	4211524	1	9.80
54	1069WD	right (comb. 361)	4211525	1	9.80
54	1069WD	left (comb. 361)	4211526	1	9.80
54	CONV., SPT. CPE.	right (comb. 315, 326)	4201026	1	9.80
54	CONV., SPT. CPE.	left (comb. 315, 326)	4201027	1	9.80
54	CONV., SPT. CPE.	right (comb. 319, 329)	4202183	1	9.80
54	CONV., SPT. CPE.	left (comb. 319, 329)	4202184	1	9.80
54	CONV., SPT. CPE.	right (comb. 362, 374)	4211663	1	9.80
54	CONV., SPT. CPE.	left (comb. 362, 374)	4211664	1	9.80
54	CONV., SPT. CPE.	right (comb. 363, 376)	4211661	1	9.80
54	CONV., SPT. CPE.	left (comb. 363, 376)	4211662	1	9.80
54	CONV., SPT. CPE.	right (comb. 364, 367)	4211659	1	9.80
54	CONV., SPT. CPE.	left (comb. 364, 367)	4211660	1	9.80
54	CONV., SPT. CPE.	right (comb. 366, 368)	4211665	1	9.80
54	CONV., SPT. CPE.	left (comb. 366, 368)	4211666	1	9.80

54	1062D-62F	right (comb. 323, 357)	4201180	1	4.50
54	1062D-62F	left (comb. 323, 357)	4201181	1	4.50
54	1062D-62F	right (comb. 324)	4201182	1	4.50
54	1062D-62F	left (comb. 324)	4201183	1	4.50
55	1011-19-37 (exc. 11A-11D-19D)	right (comb. 504—553, taxi)	4214245	1	4.50
55	1011-19-37 (exc. 11A-11D-19D)	left (comb. 504—553, taxi)	4214246	1	4.50
55	1011-19-37-62F-63F (exc. 11A-11D-19D)	right (comb. 503, 514)	4214243	1	4.50
55	1011-19-37-62F-63F (exc. 11A-11D-19D)	left (comb. 503, 514)	4214244	1	4.50
55	1011-18-37-62F-63F (exc. 11A-11D-19D)	right (comb. 505, 516)	4214247	1	4.50
55	1011-19-37-62F-63F (exc. 11A-11D-19D)	left (comb. 505, 516)	4214248	1	4.50
55	1011A	right (comb. 506)	4214135	1	4.50
55	1011A	left (comb. 506)	4214136	1	4.50
55	1011A	right (comb. 507)	4214137	1	4.50
55	1011A	left (comb. 507)	4214138	1	4.50
55	1011A	right (comb. 508)	4214139	1	4.50
55	1011A	left (comb. 508)	4214140	1	4.50
55	1011D	right (comb. 509)	4214436	1	11.35
55	1011D	left (comb. 509)	4214437	1	11.35
55	1011D	right (comb. 510)	4214438	1	11.35
55	1011D	left (comb. 510)	4214439	1	11.35
55	1011D	right (comb. 511)	4214440	1	11.35
55	1011D	left (comb. 511)	4214441	1	11.35
55	1011D	right (comb. 513)	4214444	1	11.35
55	1011D	left (comb. 513)	4214445	1	11.35
55	1011D	right (comb. 531, 549)	4214442	1	11.35
55	1011D	left (comb. 531, 549)	4214443	1	11.35
55	1019D	right (comb. 509)	4214446	1	11.35
55	1019D	left (comb. 509)	4214447	1	11.35
55	1019D	right (comb. 510)	4214448	1	11.35
55	1019D	left (comb. 510)	4214449	1	11.35
55	1019D	right (comb. 511)	4214450	1	11.35
55	1019D	left (comb. 511)	4214451	1	11.35
55	1019D	right (comb. 513)	4214454	1	11.35
55	1019D	left (comb. 513)	4214455	1	11.35
55	1019D	right (comb. 531, 549)	4214452	1	11.35
55	1019D	left (comb. 531, 549)	4214453	1	11.35
55	1019-1219 (TAXI) (exc. 1019D)	right (comb. 529, 530)	4202062	1	4.55
55	1019-1219 (TAXI) (exc. 1019D)	left (comb. 529, 530)	4202063	1	4.55
55	CONV.	right (comb. 525)	4215026	1	11.35
55	CONV.	left (comb. 525)	4215027	1	11.35
55	CONV.	right (comb. 526)	4215028	1	11.35
55	CONV.	left (comb. 526)	4215029	1	11.35
55	CONV.	right (comb. 527)	4215030	1	11.35
55	CONV.	left (comb. 527)	4215031	1	11.35
55	CONV.	right (comb. 528)	4215032	1	11.35
55	CONV.	left (comb. 528)	4215033	1	11.35
55	CONV.	right (comb. 537)	4215034	1	11.35
55	CONV.	left (comb. 537)	4215035	1	11.35
55	CONV.	right (comb. 551)	4243200	1	11.35
55	CONV.	left (comb. 551)	4243201	1	11.35
55	1037D	right (comb. 519, 520, 521, 522)	4214671	1	11.35
55	1037D	left (comb. 519, 520, 521, 522)	4214672	1	11.35
55	1037D-67D	right (comb. 532, 533, 550)	4214679	1	11.35
55	1037D-67D	left (comb. 532, 533, 550)	4214680	1	11.35
55	1062DF	right (comb. 517, 518)	4214910	1	11.35
55	1062DF	left (comb. 517, 518)	4214911	1	11.35
56	1011A-62F-62FC-63F	right (comb. 569, 572)	4245478	1	4.50
56	1011A-62F-62FC-63F	left (comb. 569, 572)	4245479	1	4.50
56	1011-19-37-39 (exc. 11A-11D-19D)	right (comb. 566) frt. & rear	4245364	1	4.50
56	1011-19-37-39 (exc. 11A-11D-19D)	left (comb. 566) frt. & rear	4245365	1	4.50
56	1263F,				
56	Ser. 1000 (exc. BEL AIR)	right (comb. 565, 568, 570) frt. & rear	4245159	1	4.50
56	1263F,				
56	Ser. 1000 (exc. BEL AIR)	left (comb. 565, 568, 570) frt. & rear	4245160	1	4.50
56	Ser. 1000, 1219 (exc. BEL AIR)	right (comb. 560, 564, 567, 609, 624)	4245155	1	4.50
56	Ser. 1000, 1219 (exc. BEL AIR)	left (comb. 560, 564, 567, 609, 624)	4245156	1	4.50
57	Ser. 1000 (exc. B.A.)	(comb. 654, 657, 660) (w/moulding)	4260130	A.R.	4.50
57	Ser. 1000, 1263F (exc. B.A.)	(comb. 655, 658, 661)	4260246	A.R.	4.50

57	1011-19-37-39 (exc. 11A-11D-19D)	(comb. 656) (w/moulding) frt. and rr.	4260134	4	4.50
57	CLUB CPE., STA. WAG.	(comb. 659, 662) (w/mldg.)	4260248	2	4.50
57	BEL AIR	(comb. 663, 670, 677, 682, 683, 684, 691) frt. and rr.	4260439	4	7.50
57	BEL AIR	(comb. 664, 671, 678, 685, 692) frt. & rr.	4260441	4	7.50
57	BEL AIR	(comb. 665, 672, 679, 686, 693) frt. & rr.	4260443	4	7.50
57	BEL AIR	(comb. 666, 673, 680, 687, 694) frt. & rr.	4260445	4	7.50
57	BEL AIR (exc. 1067D)	(comb. 667, 674, 688, 695) frt. & rr.	4260447	4	7.50
57	BEL AIR (exc. 1067D)	(comb. 668, 675, 689, 696) frt. & rr.	4260449	4	7.50
57	BEL AIR (exc. 1067D)	(comb. 669, 676, 690, 697) frt. & rr.	4260451	4	7.50
57	1067D	(comb. 681)	4268717	2	7.50
57	Ser. 1200	right or left (black imitation leather)	987649	1	9.90
57	1263F	right or left (green imitation leather)	987651	1	9.90
35-48	PASS. (exc. STA. WAG.)	SCREW, arm rest to support (No. 14 x 2¼ sheet metal)	179037	4	(8.977)
49-53	PASS.	SCREW, arm rest to door (No. 14—10 x 2 1/16)	447124	A.R.	.08
56	Series 1200	UNIT, black leather w/black plastic base (R. and L.)	987334	1	9.50
56	1263F	UNIT, green leather w/green plastic base (R. and L.)	987335	1	9.50

14.688 MOULDING—COVER—CUP, Door Arm Rest

42-48	Ser. 1000,				
50-51	Ser. 1000		4125523	2	.38
49	Ser. 1000	COVER, right	4568607	A.R.	1.80
49	Ser. 1000	COVER, left	4568608	A.R.	1.80
54-56	BEL AIR (exc. 1064)	CUP, finishing—front and rear doors	4636027	A.R.	.85

14.690 RETAINER—PLATE, Door Arm Rest Trim

39-48	PASS.,				
50-51	Ser. 1000		4586318	A.R.	.35
54-56	BEL AIR (exc. 1062D-64)	PLATE, hanger (front and rr. drs.)	4635211	4	.65
55-56	1011D-19D-39-39D-64DF	PLATE, hanger (front and rr. drs.)	4692008	2	.65
57	BEL AIR	PLATE, hanger (front and rr. drs.)	4700794	4	1.25
56-57	CORVETTE	PLATE, anchor	3716343	1	.08

14.691 MOULDING—NUT—ESCUTCHEON—PLATE, Front Door Trim Finish

41	1011-27-27B,				
42-48	1011-27-27B-1211-27-27B-27P	lower	4131877	2	1.58
42-48	1019-1219	lower	4131876	2	1.27
49-50	CONV., BEL AIR,				
55	1011D-37D-67D.				
56	1064-67D	lower (7/16 x 42½ long)	4558701	2	1.75
49	1208-69,				
49-50	1008-69.				
55	1019D-62DF	lower	4566163	2	1.25
49-50	CONV., BEL AIR	right, upper	4566341	1	2.18
49-50	CONV., BEL AIR	left, upper	4566342	1	2.18
49-52	1061-62	lower	4567731	2	1.55
50	1008-69	right, center	4593042	1	1.48
50	1008-69	left, center	4593043	1	1.48
50	1008-69	right, upper	4593036	1	1.03
50	1008-69	left, upper	4593037	1	1.03
50	1007-11-27	right and left, lower	4581678	2	1.27
50	1007-11-27	right, upper	4593038	1	1.20
50	1007-11-27	left, upper	4593039	1	1.20
50	1007-11-27	right, center	4593040	1	1.48
50	1007-11-27	left, center	4593041	1	1.48
51-52	1007-11-27	right	4590420	1	2.40
51-52	1007-11-27	left	4590421	1	2.40
51-52	1008-69	right	4590418	1	2.15
51-52	1008-69	left	4590419	1	2.15
51-52	CONV., BEL AIR	right	4590549	1	2.00
51-52	CONV., BEL AIR	left	4590550	1	2.00
53	BEL AIR,				
54	1011W-11WA-62D-62F-69W	right—upper (21 9/16 dev. length)	4615659	1	1.40

53	BEL AIR,				
54	1011W-11WA-62D-62F-69W	left—upper (21 9/16 dev. length)	4615660	1	1.40
53	1011WD-37D-67D,				
54	1011W-11WA	right—center (40 1/2 dev. length)	4615663	1	1.60
53	1011WD-37D-67D,				
54	1011W-11WA	left—center (40 1/2 dev. length)	4615664	1	1.60
53	1011WD-37D-67D	lower (42 7/8 O.L.)	4615686	2	1.25
53	1011W-27-37-67-69W	right—front (14 1/4 O.L.)	4615674	1	1.85
53	1011W-27-37-67-69W	left—front (14 1/4 O.L.)	4615675	1	1.85
53	1011W-27-37-67	right—rear (37 3/4 dev. length)	4615657	1	1.80
53	1011W-27-37-67	left—rear (37 3/4 dev. length)	4615658	1	1.80
53	1069WD,				
54	1062D-62F-69W	right—center (33 7/16 dev. length)	4615661	1	1.40
53	1069WD,				
54	1062D-62F-69W	left—center (33 7/16 dev. length)	4615662	1	1.40
53	1069WD	lower (35 7/16 O.L.)	4615687	2	1.25
53	1062-62F	left—upper and center (29 5/8 dev. length)	4618493	1	1.30
53-54	1062-62D-62F	lower and center (35 7/16 O.L.)	4623081	2	1.25
53-54	1062-62D-62F	lower	4623084	2	1.25
53-54	1062-62D-62F	door kick (35 7/16 O.L.)	4623055	2	2.75
53-54	SDL.	left, door opening finish	4641040	1	2.75
49	2 DR. (exc. CONV., SDL.),				
54	1011WA	lower, center	4566160	2	1.45
54	1011WA	lower	4642539	2	1.40
54	1011WA	door kick (42 11/16 x 7)	4644415	2	5.60
54	1011WD-37D-67D	rear, upper right and lower left	4632328	2	1.55
54	1011WD-37D-67D	rear, upper left and lower right	4632329	2	1.55
54	1011WD-37D-67D-69WD	front, lower (12 9/16 O.L.)	4632312	2	.85
54	1011WD-37D-67D-69WD	front, upper (13 5/32 O.L.)	4632590	2	.85
54	1069WD	rear, upper right and lower left (21 1/8 dev. length)	4632330	2	1.40
54	1069WD	rear, upper left and lower right (21 1/8 dev. length)	4632331	2	1.40
53-54	SDL	right, door opening finish	4641039	1	2.75
55	1011-63F (exc. 11A-11D)	right	4649826	1	1.65
55	1011-63F (exc. 11A-11D)	left	4649827	1	1.65
55	1011A	right	4649828	1	1.65
55	1011A	left	4649829	1	1.65
55	1011D-37D-67D	right—upper	4649824	1	1.30
55	1011D-37D-67D	left—upper	4649825	1	1.30
55	1011D-19D-62DF	front (12 1/2 long)	4649816	2	.75
55	1019-62F (exc. 19D)	right	4649830	1	1.55
55	1019-62F (exc. 19D)	left	4649831	1	1.55
55	1037	right	4679086	1	1.65
55	1037	left	4679087	1	1.65
55	1037D-67D	(12 1/2 long)	4649815	2	.75
55	1019D-62DF	right—upper	4649822	1	1.40
55	1019D-62DF	left—upper	4649823	1	1.40
55	1064	door kick	4662368	2	4.80
55	1064	right, upper front	4662376	1	1.40
55	1064	left, upper front	4662377	1	1.40
55	1064	right, upper rear	4662378	1	1.55
55	1064	left, upper rear	4662379	1	1.55
55	1064	lower	4662393	2	1.70
55	1064	center	4662394	2	1.70
55-56	SDL	right, upper	4657865	1	2.15
55-56	SDL	left, upper	4657866	1	2.15
56	1011-63F (exc. 11A-11D)	right	4669670	1	1.40
56	1011-63F (exc. 11A-11D)	left	4669671	1	1.40
56	1011D-37D	lower	4688107	1	1.40
56	1011D-64	upper	4669680	2	1.40
56	1011A	right	4671144	1	1.15
56	1011A	left	4671145	1	1.15
56	1019-62F-62FC (exc. 19D)	right	4669666	1	1.40
56	1019-62F-62FC (exc. 19D)	left	4669667	1	1.40
56	1019D-62DF	upper	4669681	2	1.15
56	1019D-62DF	lower	4653087	2	1.05
56	1037	right	4677884	1	1.40

56	1037	left	4677885	1	1.40
56	1037D-67D	right	4669678	1	1.40
56	1037D-67D	left	4669679	1	1.40
56	1039	right	4677204	1	1.15
56	1039	left	4677205	1	1.15
56	1039D	upper	4671081	2	1.15
56	1039D	lower	4590381	2	1.25
57	Ser. 1000 (exc. 11A-37, B.A.)		4690927	1	.45
57	1011-63F (exc. 11A-11D)	right, lower	4690930	1	1.40
57	1011-63F (exc. 11A-11D)	left, lower	4690931	1	1.40
57	1011A	right	4690932	1	1.40
57	1011A	left	4690933	1	1.40
57	1011D	right	4690948	1	2.10
57	1011D	left	4690949	1	2.10
57	1019D-62DF	right	4690936	1	1.80
57	1019D-62DF	left	4690937	1	1.80
57	1019-62FC-62DF (exc. 19D)	right	4690928	1	1.05
57	1019-62FC-62DF (exc. 19D)	left	4690929	1	1.05
57	1037	upper	4690969	2	.40
57	1037	right, lower	4690984	1	1.40
57	1037	left, lower	4690985	1	1.40
57	1037D-67D	right, lower rear	4690960	1	.75
57	1037D-67D	left, lower rear	4690961	1	.75
57	1037D-67D	upper	4690952	1	1.60
57	1037D-39D-64-67D	right, lower front	4690950	1	1.40
57	1037D-39D-64-67D	left, lower front	4690951	1	1.40
57	1039	right, lower	4690970	1	1.05
57	1039	left, lower	4690971	1	1.05
57	1039D	upper	4690954	1	1.60
57	1039D	right, lower	4690962	1	.75
57	1039D	left, lower	4690963	1	.75
57	1064	upper	4690956	1	1.80
57	1064	right, lower rear	4690958	1	.75
57	1064	left, lower rear	4690959	1	.75
57	SDL	right, upper	4711234	1	2.45
57	SDL	left, upper	4711235	1	2.45
53-55	CORVETTE	left, side dr. inside trim	3710089	1	6.25
53-55	CORVETTE	right, side dr. inside trim	3710090	1	6.25
53-55	CORVETTE	left, rail assy. (plastic)	3706545	1	24.75
53-55	CORVETTE	right, rail assy. (plastic)	3706546	1	24.75
56-57	CORVETTE	left, side dr. inner panel	3729207	1	.85
56-57	CORVETTE	right, side dr. inner panel	3729208	1	.85
56-57	CORVETTE	left, side dr. inner panel trim	3727621	1	2.95
56-57	CORVETTE	right, side dr. inner panel trim	3727622	1	2.95
56-57	CORVETTE	side dr. inner panel trim plate, lower	3727618	1	1.40
56-57	CORVETTE	left, side dr. inner panel trim plate, upper	3727619	1	1.40
56-57	CORVETTE	right, side dr. inner panel trim plate, upper	3727620	1	1.40
54-57	BEL AIR (exc. STA. WAG.),				
55-56	PASS.	NUT, rear moulding (1/2 x 15/16)	4631803	A.R.	.05
53	1062-62F	ESCUTCHEON, moulding (V-shape, 1 11/16 across			
54	1011WD-37D-67D-69WD	end)	4618108	4	.70
53	BEL AIR	ESCUTCHEON, moulding (V-shape, 1 3/8 across			
54	1011W-11WA-62D-62F-69W	end)	4615648	2	.55
55	BEL AIR (exc. 1064)	ESCUTCHEON, moulding (V-Shape)	4649727	2	.55
57	Ser. 1000 (exc. 11A, BEL AIR)	ESCUTCHEON, moulding	4690944	1	.30
57	1037D-39D-64-67D	ESCUTCHEON, moulding	4690947	1	.35
56-57	CORVETTE	PLATE, side dr. inner panel trim, left	3727623	1	5.50
56-57	CORVETTE	PLATE, side dr. inner panel trim, right	3727624	1	5.50

14.730 TRIM ASSEMBLY AND PARTS, Body Center Pillar (With Metal Inner Panel)

50	1069-1269	left (comb. 170, 171)	4174257	1	2.88
51	1069-1269	right (comb. 200, 201)	4178604	1	3.17
51	1069-1269	left (comb. 200, 201)	4178605	1	3.17
53	1069W	right (comb. 241)	4192268	1	3.65
53	1069W	left (comb. 241)	4192269	1	3.65
54	1069W	right (comb. 304)	4200516	1	3.65
54	1069W	left (comb. 304)	4200517	1	3.65

54	1069W	right (comb. 305)	4200518	1	3.65
54	1069W	left (comb. 305)	4200519	1	3.65
54	1069W	right (comb. 306)	4200520	1	3.65
54	1069W	left (comb. 306)	4200521	1	3.65
54	1069W	right (comb. 307)	4200522	1	3.65
54	1069W	left (comb. 307)	4200523	1	3.65
54	1069W	right (comb. 352)	4211307	1	3.65
54	1069W	left (comb. 352)	4211308	1	3.65
54	1069W	right (comb. 353)	4211309	1	3.65
54	1069W	left (comb. 353)	4211310	1	3.65
54	1069W	right (comb. 354)	4211311	1	3.65
54	1069W	left (comb. 354)	4211312	1	3.65
54	1069W	right (comb. 355)	4211313	1	3.65
54	1069W	left (comb. 355)	4211314	1	3.65
54	1069WD	right (comb. 309)	4200768	1	3.95
54	1069WD	left (comb. 309)	4200769	1	3.95
54	1069WD	right (comb. 310)	4200770	1	3.95
54	1069WD	left (comb. 310)	4200771	1	3.95
54	1069WD	right (comb. 311)	4200772	1	3.95
54	1069WD	left (comb. 311)	4200773	1	3.95
54	1069WD (1st type)	right (comb. 330)	4200774*	1	3.95
54	1069WD (1st type)	left (comb. 330)	4200775*	1	3.95
54	1069WD (2nd type)	right (comb. 330)	4212011*	1	3.95
54	1069WD (2nd type)	left (comb. 330)	4212012*	1	3.95
54	1069WD (1st type)	right (comb. 331)	4208563*	1	3.95
54	1069WD (1st type)	left (comb. 331)	4208564*	1	3.95
54	1069WD (2nd type)	right (comb. 331)	4212013*	1	3.95
54	1069WD (2nd type)	left (comb. 331)	4212014*	1	3.95
54	1069WD	right (comb. 358)	4211463	1	3.95
54	1069WD	left (comb. 358)	4211464	1	3.95
54	1069WD	right (comb. 359)	4211465	1	3.95
54	1069WD	left (comb. 359)	4211466	1	3.95
54	1069WD	right (comb. 360)	4211467	1	3.95
54	1069WD	right (comb. 361)	4211469	1	3.95
54	1069WD	left (comb. 361)	4211470	1	3.95
54	1269W	right (comb. 300)	4201088	1	3.50
54	1269W	left (comb. 300)	4201089	1	3.50
54	1269W	right (comb. 350)	4211266	1	3.50
54	1269W	left (comb. 350)	4211267	1	3.50
55	1019 (exc. 19D)	right (comb. 503)	4214201	1	4.20
55	1019 (exc. 19D)	left (comb. 503)	4214202	1	4.20
55	1019 (exc. 19D)	right (comb. 504)	4214203	1	4.20
55	1019 (exc. 19D)	left (comb. 504)	4214204	1	4.20
55	1019 (exc. 19D)	right (comb. 505)	4214205	1	4.20
55	1019 (exc. 19D)	left (comb. 505)	4214206	1	4.20
55	1019D	right (comb. 509)	4214356	1	5.00
55	1019D	left (comb. 509)	4214357	1	5.00
55	1019D	right (comb. 510)	4214358	1	5.00
55	1019D	left (comb. 510)	4214359	1	5.00
55	1019D	right (comb. 511)	4214360	1	5.00
55	1019D	left (comb. 511)	4214361	1	5.00
55	1019D	right (comb. 513)	4214364	1	5.00
55	1019D	left (comb. 513)	4214365	1	5.00
55	1019D	right (comb. 531)	4214362	1	5.00
55	1019D	left (comb. 531)	4214363	1	5.00
55	1019D	right (comb. 549)	4243217	1	5.00
55	1019D	left (comb. 549)	4243218	1	5.00
55	1219	right (comb. 500)	4215159	1	5.00
55	1219	left (comb. 500)	4215160	1	5.00
56	1019 (1st type)	right (comb. 564, 573, 578, 626) (less fastener)	4245312	1	3.15
56	1019 (1st type)	left (comb. 564, 573, 578, 626) (less fastener)	4245313	1	3.15
56	1019 (2nd type)	right (comb. 564, 573) (less fasteners)	4259558	1	3.15
56	1019 (2nd type)	left (comb. 564, 573) (less fasteners)	4259559	1	3.15

*NOTE: Trim combinations 330-331, 1st type, designates headlining and cloth. Trim combinations 330-331, 2nd type, designates two tone headlining and imitation leather.

56	1019	right (comb. 565, 574)	4247093	1	3.15
56	1019	left (comb.565, 574)	4247094	1	3.15
56	1019	right (comb. 566, 575)	4245316	1	3.15
56	1019	left (comb. 566, 575)	4245317	1	3.15
56	1019D	right (comb. 577)	4245557	1	3.15
56	1019D	left (comb. 577)	4245558	1	3.15
56	1019D (2nd type)	right (comb. 578) (less fastener)	4259565	1	3.15
56	1019D (2nd type)	left (comb. 578) (less fastener)	4259566	1	3.15
56	1019D	right (comb. 617)	4245555	1	3.15
56	1019D	left (comb. 617)	4245556	1	3.15
56	1019D (2nd type)	right (comb. 626) (less fastener)	4259333	1	3.15
56	1019D (2nd type)	left (comb. 626) (less fastener)	4259334	1	3.15
56	1219 (TAXICAB)	right (comb. 560)	4246956	1	3.15
56	1219 (TAXICAB)	left (comb. 560)	4246957	1	3.15
57	1019-1219 (exc. 19D)	right (comb. 650, 654) (less fasteners)	4260082	1	3.15
57	1019-1219 (exc. 19D)	left (comb. 650, 654) (less fasteners)	4260083	1	3.15
57	1019 (exc. 19D)	right (comb. 655) (less fasteners)	4260084	1	3.15
57	1019 (exc. 19D)	left (comb. 655) (less fasteners)	4260085	1	3.15
57	1019 (exc. 19D)	right (comb. 656) (less fasteners)	4260086	1	3.15
57	1019 (exc. 19D)	left (comb. 656) (less fasteners)	4260087	1	3.15
57	1019D	right (comb. 663, 669) (less fasteners)	4260319	1	3.15
57	1019D	left (comb. 663, 669) (less fasteners)	4260320	1	3.15
57	1019D	right (comb. 664) (less fasteners)	4260321	1	3.15
57	1019D	left (comb. 664) (less fasteners)	4260322	1	3.15
57	1019D	right (comb. 665) (less fasteners)	4260323	1	3.15
57	1019D	left (comb. 665) (less fasteners)	4260324	1	3.15
57	1019D	right (comb. 666) (less fasteners)	4260325	1	3.15
57	1019D	left (comb. 666) (less fasteners)	4260326	1	3.15
57	1019D	right (comb. 667) (less fasteners)	4260327	1	3.15
57	1019D	left (comb. 667) (less fasteners)	4260328	1	3.15
57	1019D	right (comb. 668) (less fasteners)	4260329	1	3.15
57	1019D	left (comb. 668) (less fasteners)	4260330	1	3.15
57	1039	right (comb. 654) (less fasteners)	4260628	1	10.20
57	1039	left (comb. 654) (less fasteners)	4260629	1	10.20
57	1039D	right (comb. 670)	4260723	1	10.20
57	1039D	left (comb. 670)	4260724	1	10.20
57	1039D	right (comb. 673)	4260729	1	10.20
57	1039D	left (comb. 673)	4260730	1	10.20
57	1039D	right (comb. 674)	4260731	1	10.20
57	1039D	left (comb. 674)	4260732	1	10.20
57	1039D	right (comb. 675)	4260733	1	10.20
57	1039D	left (comb. 675)	4260734	1	10.20
57	1039D	right (comb. 676)	4260735	1	10.20
57	1039D	left (comb. 676)	4260736	1	10.20
57	SPT. SED.	right (comb. 655, 671)	4260630	1	10.20
57	SPT. SED.	left (comb. 655, 671)	4260631	1	10.20
57	SPT. SED.	right (comb. 656, 672)	4260632	1	10.20
57	SPT. SED.	left (comb. 656, 672)	4260633	1	10.20
53-55	CORVETTE	left (comb. 295) (body side trim panel)	4200296	1	2.85
53-55	CORVETTE	right (comb. 295) (body side trim panel)	4200495	1	2.85
53-55	CORVETTE	left (comb. 341) (body side trim panel)	4648505	1	2.85
53-55	CORVETTE	right (comb. 341) (body side trim panel)	4648504	1	2.85
55	CORVETTE	left (comb. 555)	3728905	1	2.85
55	CORVETTE	right (comb. 555)	3728906	1	2.85
55	CORVETTE	left (comb. 556)	3728907	1	2.85
55	CORVETTE	right (comb. 556)	3728908	1	2.85
50-54	1008-69-1208-69-69W	FASTENER, trim stud	4558951	16	.05
55 57	1019-1219, 1019-1219	FASTENER, center pillar trim stud	4649733	14	.05
56	SPT. SED.	CAP, right (black)	4682480	1	1.60
56	SPT. SED.	CAP, left (black)	4682481	1	1.60
56-57	1039	CLIP, pinchweld, moulding	4673603	4	.05
56	1039D	COVER, right (red plastic)	4673516	1	9.50
56	1039D	COVER, left (red plastic)	4673517	1	9.50
56	1039D	COVER, right (turquoise plastic)	4673522	1	9.50
56	1039D	COVER, left (turquoise plastic)	4673523	1	9.50
56	1039D	COVER, right (copper plastic)	4683644	1	9.50
56	1039D	COVER, left (copper plastic)	4683645	1	9.50

56	SPT. SED.	COVER, right (black plastic)	4673512	1	9.50
56	SPT. SED.	COVER, left (black plastic)	4673513	1	9.50
56	SPT. SED.	COVER, right (green plastic)	4673514	1	9.50
56	SPT. SED.	COVER, left (green plastic)	4673515	1	9.50
56	SPT. SED.	COVER, right (blue plastic)	4673518	1	9.50
56	SPT. SED.	COVER, left (blue plastic)	4673519	1	9.50
56	SPT. SED.	MOULDING, finishing, 24½", right, front	4683283	1	2.30
56	SPT. SED.	MOULDING, finishing, 24½", left, front	4683284	1	2.30
56	SPT. SED.	MOULDING, finishing, 24⅛", right, rear	4687219	1	2.30
56	SPT. SED.	MOULDING, finishing, 24⅛", left, rear	4687220	1	2.30
57	SPT. SED.	MOULDING, finishing, right, front	4687142	1	2.30
57	SPT. SED.	MOULDING, finishing, left, front	4687143	1	2.30
57	SPT. SED.	MOULDING, finishing, right, front	4687221	1	2.30
57	SPT. SED.	MOULDING, finishing, left, front	4687222	1	2.30

14.735 WEATHERCORD ASSEMBLY—WINDLACE ASSY., Body Lock Pillar

49-52	SDL.	right (comb. 163, 216)	4186298	A.R.	(14.665)
49-52	SDL.	left (comb. 163, 216)	4186299	A.R.	(14.665)
50-53	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	right (comb. 170, 171, 200, 201, 210, 211, 241, 245, 249)	4191900	A.R.	(14.665)
50-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	left (comb. 170, 171, 200, 201, 210, 211, 241, 245, 291) dr. opg.	4191901	A.R.	(14.665)
53	1011-27-1211-27-27B-1069WD-1269	right (comb. 212, 242, 247)	4191902	A.R.	(14.665)
52-53	1007-11-27-69	right (comb. 213)	4189153	A.R.	(14.665)
52	1007-11-27-69	left (comb. 213)	4189154	A.R.	(14.665)
54	CONV., SPT. CPE.	right (comb. 314, 327)	4200980	1	2.25
54	CONV., SPT. CPE.	left (comb. 314, 327)	4200981	1	2.25
54	CONV., SPT. CPE.	right (comb. 319, 329)	4202172	1	2.25
54	CONV., SPT. CPE.	left (comb. 319, 329)	4202173	1	2.25
55	CONV.	right (comb. 526)	4214956	1	3.40
55	CONV.	left (comb. 526)	4214957	1	3.40
55	CONV.	right (comb. 527)	4214958	1	3.40
55	CONV.	left (comb. 527)	4214959	1	3.40
55	CONV.	right (comb. 528)	4214960	1	3.40
55	CONV.	left (comb. 528)	4214961	1	3.40
55	CONV.	right (comb. 533)	4214964	1	3.40
55	CONV.	left (comb. 533)	4214965	1	3.40
55	CONV.	right (comb. 551)	4243190	1	3.40
55	CONV.	left (comb. 551)	4243191	1	3.40
55	1037	right (comb. 503)	4255718	1	3.40
55	1037	left (comb. 503)	4255719	1	3.40
55	1037	right (comb. 504)	4255720	1	3.40
55	1037	left (comb. 504)	4255721	1	3.40
55	1037	right (comb. 505)	4255722	1	3.40
55	1037	left (comb. 505)	4255723	1	3.40
55	1037D	right (comb. 519)	4214621	1	3.40
55	1037D	left (comb. 519)	4214622	1	3.40
55	1037D	right (comb. 520)	4214623	1	3.40
55	1037D	left (comb. 520)	4214624	1	3.40
55	1037D	right (comb. 532)	4214629	1	3.40
55	1037D	left (comb. 532)	4214630	1	3.40
55	1037D	right (comb. 550)	4243170	1	3.40
55	1037D	left (comb. 550)	4243171	1	3.40
55	1037D-67D	right (comb. 521, 525)	4214625	1	3.40
55	1037D-67D	left (comb, 521, 525)	4214626	1	3.40
55	1037D-67D	right (comb. 522, 537)	4214627	1	3.40
55	1037D-67D	left (comb. 522, 537)	4214628	1	3.40
55	1064	(comb. 541, 542, 543, 544)	4243311	2	1.15
55	1064	(comb. 545, 552)	4243312	2	1.15
55	1064	(comb. 546)	4243313	2	1.15
56	1037 (1st type)	right (comb. 564)	4245801	1	3.75
56	1037 (1st type)	left (comb. 564)	4245802	1	3.75
56	1037 (2nd type)	right (comb. 564)	4259214	1	3.75
56	1037 (2nd type)	left (comb. 564)	4259215	1	3.75
56	1037 (1st type)	right (comb. 565)	4245803	1	3.75
56	1037 (1st type)	left (comb. 565)	4245804	1	3.75
56	1037 (2nd type)	right (comb. 565)	4259216	1	3.75

56	1037 (2nd type)	left (comb. 565)	4259217	1	3.75
56	1037 (1st type)	right (comb. 566)	4245805	1	3.75
56	1037 (1st type)	left (comb. 566)	4245806	1	3.75
56	1037 (2nd type)	right (comb. 566)	4259218	1	3.75
56	1037 (2nd type)	left (comb. 566)	4259219	1	3.75
56	1037D	right (comb. 579),			
56	CONV. (1st type)	(comb. 602)	4245899	1	3.75
56	CONV. (2nd type)	(comb. 602)	4259188	1	3.75
56	1037D	left (comb. 579),			
56	CONV. (1st type)	(comb. 602)	4245900	1	3.75
56	CONV. (2nd type)	left (comb. 602)	4259189	1	3.75
56	1037D-67D	right (comb. 580, 606)	4245901	1	3.75
56	1037D-67D	left (comb. 580, 606)	4245902	1	3.75
56	1037D-67D	right (comb. 581, 607)	4245903	1	3.75
56	1037D-67D	left (comb. 581, 607)	4245904	1	3.75
56	1037D-67D	right (comb. 583, 605, 608)	4245907	1	3.75
56	1037D-67D	left (comb. 583, 605, 608)	4245908	1	3.75
56	1037D-67D	right (comb. 584, 603)	4245909	1	3.75
56	1037D-67D	left (comb. 584, 603)	4245910	1	3.75
56	1037D-67D	right (comb. 585, 604)	4245911	1	3.75
56	1037D-67D	left (comb. 585, 604)	4245912	1	3.75
56	1037D-67D	right (comb. 618, 621)	4245905	1	3.75
56	1037D-67D	left (comb. 618, 621)	4245906	1	3.75
56	1037D-67D	right (comb. 627, 631)	4259269	1	3.75
56	1037D-67D	left (comb. 627, 631)	4259270	1	3.75
56	1064	(comb. 590)	4246534	2	1.15
56	1064	(comb. 591)	4246535	2	1.15
56	1064	(comb. 593, 633)	4246537	2	1.15
56	1064	(comb. 594)	4246538	2	1.15
56	1064	(comb. 595, 611, 632)	4246539	2	1.15
56	1064	(comb. 620)	4246536	2	1.15
57	CONV.	WINDLACE ASSY., right (comb. 677, 682, 683)	4271336	1	3.75
57	CONV.	WINDLACE ASSY., left (comb. 677, 682, 683)	4271337	1	3.75
57	CONV.	WINDLACE ASSY., right (comb. 678)	4271338	1	3.75
57	CONV.	WINDLACE ASSY., left (comb. 678)	4271339	1	3.75
57	CONV.	WINDLACE ASSY., right (comb. 679)	4271340	1	3.75
57	CONV.	WINDLACE ASSY., left (comb. 679)	4271341	1	3.75
57	CONV.	WINDLACE ASSY., right (comb. 680)	4271342	1	3.75
57	CONV.	WINDLACE ASSY., left (comb. 680)	4271343	1	3.75
57	1037	WINDLACE ASSY., right (comb. 654)	4260613	1	3.75
57	1037	WINDLACE ASSY., left (comb. 654)	4260614	1	3.75
57	1037	WINDLACE ASSY., right (comb. 655)	4260615	1	3.75
57	1037	WINDLACE ASSY., left (comb. 655)	4260616	1	3.75
57	1037	WINDLACE ASSY., right (comb. 656)	4260617	1	3.75
57	1037	WINDLACE ASSY., left (comb. 656)	4260618	1	3.75
57	1037D	WINDLACE ASSY., right (comb. 670)	4260713	1	3.75
57	1037D	WINDLACE ASSY., left (comb. 670)	4260714	1	3.75
57	1037D	WINDLACE ASSY., right (comb. 671)	4260715	1	3.75
57	1037D	WINDLACE ASSY., left (comb. 671)	4260716	1	3.75
57	1037D	WINDLACE ASSY., right (comb. 672)	4260717	1	3.75
57	1037D	WINDLACE ASSY., left (comb. 672)	4260718	1	3.75
57	1037D	WINDLACE ASSY., right (comb. 673)	4260719	1	3.75
57	1037D	WINDLACE ASSY., left (comb. 673)	4260720	1	3.75
57	1037D-67D	WINDLACE ASSY., right (comb. 674, 681)	4260721	1	3.75
57	1037D-67D	WINDLACE ASSY., left (comb. 674, 681)	4260722	1	3.75
57	1037D	WINDLACE ASSY., right (comb. 675)	4267907	1	3.75
57	1037D	WINDLACE ASSY., left (comb. 675)	4267908	1	3.75
57	1037D	WINDLACE ASSY., right (comb. 676)	4267909	1	3.75
57	1037D	WINDLACE ASSY., left (comb. 676)	4267910	1	3.75
57	1064	WINDLACE ASSY. (comb. 691, 696, 697)	4261349	1	1.15
57	1064	WINDLACE ASSY. (comb. 692)	4261350	1	1.15
57	1064	WINDLACE ASSY. (comb. 693)	4261351	1	1.15
57	1064	WINDLACE ASSY. (comb. 694)	4261352	1	1.15
57	1064	WINDLACE ASSY. (comb. 695)	4261353	1	1.15

14.760 PAD ASSEMBLY—TAB, Rear Door Lower Trim

49-52	1062	right (wood)	4563038	1	17.90
49-52	1062	left (wood)	4563039	1	17.90

50	1008-69	right (comb. 171)	4174258	1	17.90
50	1008-69	left (comb. 171)	4174259	1	17.90
51	1008	right (comb. 201)	4178536	1	17.90
51	1008	left (comb. 201)	4178537	1	17.90
51	1069	right (comb. 201)	4178609	1	17.90
51	1069	left (comb. 201)	4178610	1	17.90
52	1069	right (comb. 211)	4189239	1	17.90
52	1069	left (comb. 211)	4189240	1	17.90
52	1069	right (comb. 213)	4189286	1	17.90
52	1069	left (comb. 213)	4189287	1	17.90
53	1069W	right (comb. 242)	4192298	1	17.90
53	1069W	left (comb. 242)	4192299	1	17.90
53	1069W	right (comb. 243)	4192300	1	17.90
53	1069W	left (comb. 243)	4192301	1	17.90
53	1069W	right (comb. 244)	4192302	1	17.90
53	1069W	left (comb. 244)	4192303	1	17.90
53	1069WD	right (comb. 245, 291)	4192388	1	19.80
53	1069WD	left (comb. 245, 291)	4192389	1	19.80
53	1069WD	right (comb. 246)	4192390	1	19.80
53	1069WD	left (comb. 246)	4192391	1	19.80
53	1069WD	right (comb. 247, 292)	4192392	1	19.80
53	1069WD	left (comb. 247, 292)	4192393	1	19.80
53	1269	right (comb. 249)	4192502	1	15.25
53	1269	left (comb. 249)	4192503	1	15.25
54	1069W	right (comb. 304)	4200600	1	18.10
54	1069W	left (comb. 304)	4200601	1	18.10
54	1069W	right (comb. 305)	4200602	1	18.10
54	1069W	left (comb. 305)	4200603	1	18.10
54	1069W	right (comb. 306)	4200604	1	18.10
54	1069W	left (comb. 306)	4200605	1	18.10
54	1069W	right (comb. 307)	4200606	1	18.10
54	1069W	left (comb. 307)	4200607	1	18.10
54	1069W (TAXICAB)	left (comb. 312)	4211251	1	16.70
54	1069W	right (comb. 352)	4211347	1	18.10
54	1069W	left (comb. 352)	4211348	1	18.10
54	1069W	right (comb. 353)	4211349	1	18.10
54	1069W	left (comb. 353)	4211350	1	18.10
54	1069W	right (comb. 354)	4211351	1	18.10
54	1069W	left (comb. 354)	4211352	1	18.10
54	1069W	right (comb. 355)	4211353	1	18.10
54	1069W	left (comb. 355)	4211354	1	18.10
54	1069WD	right (comb. 309)	4200852	1	19.80
54	1069WD	left (comb. 309)	4200853	1	19.80
54	1069WD	right (comb. 310)	4200854	1	19.80
54	1069WD	left (comb. 310)	4200855	1	19.80
54	1069WD	right (comb. 311)	4200856	1	19.80
54	1069WD	left (comb. 311)	4200857	1	19.80
54	1069WD (1st type)	right (comb. 330)	4200858*	1	19.80
54	1069WD (1st type)	left (comb. 330)	4200859*	1	19.80
54	1069WD (2nd type)	right (comb. 330)	4212007*	1	19.80
54	1069WD (2nd type)	left (comb. 330)	4212008*	1	19.80
54	1069WD (1st type)	right (comb. 331)	4208574*	1	19.80
54	1069WD (1st type)	left (comb. 331)	4208575*	1	19.80
54	1069WD (2nd type)	right (comb. 331)	4212009*	1	19.80
54	1069WD (2nd type)	left (comb. 331)	4212010*	1	19.80
54	1069WD	right (comb. 358)	4211527	1	19.80
54	1069WD	left (comb. 358)	4211528	1	19.80
54	1069WD	right (comb. 359)	4211529	1	19.80
54	1069WD	left (comb. 359)	4211530	1	19.80
54	1069WD	right (comb. 360)	4211531	1	19.80
54	1069WD	left (comb. 360)	4211532	1	19.80
54	1269W	right (comb. 300)	4201106	1	15.30
54	1269W	left (comb. 300)	4201107	1	15.30
54	1269W (TAXICAB)	right (comb. 301)	4211248	1	15.30
54	1269W (TAXICAB)	left (comb. 301)	4211249	1	15.30
54	1269W	right (comb. 350)	4211277	1	15.30

*NOTE: Trim combinations 330-331, 1st type, designates cloth and leather. Trim combinations 330-331, 2nd type, designates two tone leather.

54	1269W	left (comb. 350)	4211278	1	15.30
54	1062F	right (comb. 356)	4211841	1	19.80
54	1062F	left (comb. 356)	4211842	1	19.80
54	1062F	right (comb. 357)	4211839	1	19.80
54	1062F	left (comb. 357)	4211840	1	19.80
54	1062D-62F	right (comb. 323)	4201184	1	19.80
54	1062D-62F	left (comb. 323)	4201185	1	19.80
54	1062D-62F	right (comb. 324)	4201186	1	19.80
54	1062D-62F	left (comb. 324)	4201187	1	19.80
54	1262F	right (comb. 322)	4201250	1	15.65
54	1262F	left (comb. 322)	4201251	1	15.65
54	1262F	right (comb. 371)	4211875	1	15.65
54	1262F	left (comb. 371)	4211876	1	15.65
55	1019 (exc. 19D)	right (comb. 503)	4214249	1	19.85
55	1019 (exc. 19D)	left (comb. 503)	4214250	1	19.85
55	1019 (exc. 19D)	right (comb. 504) (553-Taxi)	4214251	1	19.85
55	1019 (exc. 19D)	left (comb. 504) (553-Taxi)	4214252	1	19.85
55	1019 (exc. 19D)	right (comb. 505)	4214253	1	19.85
55	1019 (exc. 19D)	left (comb. 505)	4214254	1	19.85
55	1019D	right (comb. 509)	4214456	1	21.55
55	1019D	left (comb. 509)	4214457	1	21.55
55	1019D	right (comb. 510)	4214458	1	21.55
55	1019D	left (comb. 510)	4214459	1	21.55
55	1019D	right (comb. 511)	4214460	1	21.55
55	1019D	left (comb. 511)	4214461	1	21.55
55	1019D	right (comb. 513)	4214464	1	21.55
55	1019D	left (comb. 513)	4214465	1	21.55
55	1019D	right (comb. 531)	4214462	1	21.55
55	1019D	left (comb. 531)	4214463	1	21.55
55	1019D	right (comb. 549)	4243227	1	21.55
55	1019D	left (comb. 549)	4243228	1	21.55
55	1219	right (comb. 500) (less mouldings)	4215174	1	17.55
55	1219	left (comb. 500) (less mouldings)	4215175	1	17.55
55	1062DF	right (comb. 517)	4214914	1	23.60
55	1062DF	left (comb. 517)	4214915	1	23.60
55	1062DF	right (comb. 518)	4214916	1	23.60
55	1062DF	left (comb. 518)	4214917	1	23.60
55	1062F	right (comb. 514)	4214815	1	21.80
55	1062F	left (comb. 514)	4214816	1	21.80
55	1062F	right (comb. 515)	4214817	1	21.80
55	1062F	left (comb. 515)	4214818	1	21.80
55	1062F	right (comb. 516)	4214819	1	21.80
55	1062F	left (comb. 516)	4214820	1	21.80
56	1019 (exc. 19D) (1st type)	right (comb. 564) (w/mouldings) (white)	4245366	1	19.85
56	1019 (exc. 19D) (1st type)	left (comb. 564) (w/mouldings) (white)	4245367	1	19.85
56	1019 (exc. 19D) (2nd type)	right (comb. 564) (w/mouldings) (black)	4259208	1	19.85
56	1019 (exc. 19D) (2nd type)	left (comb. 564) (w/mouldings) (black)	4259209	1	19.85
56	1019 (exc. 19D) (1st type)	right (comb. 565) (w/mouldings) (white)	4245368	1	19.85
56	1019 (exc. 19D) (1st type)	left (comb. 565) (w/mouldings) (white)	4245369	1	19.85
56	1019 (exc. 19D) (2nd type)	right (comb. 565) (w/mouldings) (green)	4259210	1	19.85
56	1019 (exc. 19D) (2nd type)	left (comb. 565) (w/mouldings) (green)	4259211	1	19.85
56	1019 (exc. 19D) (1st type)	right (comb. 566) (w/mouldings) (white)	4245370	1	19.85
56	1019 (exc. 19D) (1st type)	left (comb. 566) (w/mouldings) (white)	4245371	1	19.85
56	1019 (exc. 19D) (2nd type)	right (comb. 566) (w/mouldings) (blue)	4259212	1	19.85
56	1019 (exc. 19D) (2nd type)	left (comb. 566) (w/mouldings) (blue)	4259213	1	19.85
56	1019 (TAXICAB) (exc. 1019D)	right (comb. 624)	4258756	1	19.85
56	1019 (TAXICAB) (exc. 1019D)	left (comb. 624)	4258757	1	19.85
56	1019 (TAXICAB) (exc. 1019D)	right (comb. 625)	4258754	1	19.85
56	1019 (TAXICAB) (exc. 1019D)	left (comb. 625)	4258755	1	19.85
56	1019D (1st type)	right (comb. 573) (w/arm rest) (ivory)	4245645	1	26.05
56	1019D (1st type)	left (comb. 573) (w/arm rest) (ivory)	4245646	1	26.05
56	1019D (2nd type)	right (comb. 573) (w/mouldings) (black)	4259168	1	26.05
56	1019D (2nd type)	left (comb. 573) (w/mouldings) (black)	4259169	1	26.05
56	1019D	right (comb. 574) (w/arm rest)	4245647	1	26.05
56	1019D	left (comb. 574) (w/arm rest)	4245648	1	26.05
56	1019D	right (comb. 575) (w/arm rest)	4245649	1	26.05
56	1019D	left (comb. 575) (w/arm rest)	4245650	1	26.05
56	1019D	right (comb. 577) (w/arm rest)	4245653	1	26.05

56	1019D	left (comb. 577) (w/arm rest)	4245654	1	26.05
56	1019D	right (comb. 578) (w/arm rest)	4245655	1	26.05
56	1019D	left (comb. 578) (w/arm rest)	4245656	1	26.05
56	1019D	right (comb. 617) (w/arm rest)	4245651	1	26.05
56	1019D	left (comb. 617) (w/arm rest)	4245652	1	26.05
56	1019D	right (comb. 626) (w/arm rest)	4259347	1	26.05
56	1019D	left (comb. 626) (w/arm rest)	4259348	1	26.05
56	1219 (TAXICAB)	right (comb. 560)	4246973	1	17.55
56	1219 (TAXICAB)	left (comb. 560)	4246974	1	17.55
56	1219 (TAXICAB)	right (comb. 623)	4258752	1	17.55
56	1219 (TAXICAB)	left (comb. 623)	4258753	1	17.55
56	1039 (1st type)	right (comb. 564) (white)	4245867	1	19.85
56	1039 (1st type)	left (comb. 564) (white)	4245868	1	19.85
56	1039 (2nd type)	right (comb. 564) (black)	4259238	1	19.85
56	1039 (2nd type)	left (comb. 564) (black)	4259239	1	19.85
56	1039 (1st type)	right (comb. 565) (white)	4245869	1	19.85
56	1039 (1st type)	left (comb. 565) (white)	4245870	1	19.85
56	1039 (2nd type)	right (comb. 565) (green)	4259240	1	19.85
56	1039 (2nd type)	left (comb. 565) (green)	4259241	1	19.85
56	1039 (1st type)	right (comb. 566) (white)	4245871	1	19.85
56	1039 (1st type)	left (comb. 566) (white)	4245872	1	19.85
56	1039 (2nd type)	right (comb. 566) (blue)	4259242	1	19.85
56	1039 (2nd type)	left (comb. 566) (blue)	4259243	1	19.85
56	1039D (1st type)	right (comb. 579) (w/arm rest) (ivory)	4245997	1	26.05
56	1039D (1st type)	left (comb. 579) (w/arm rest) (ivory)	4245998	1	26.05
56	1039D (2nd type)	right (comb. 579) (w/arm rest) (black)	4259176	1	26.05
56	1039D (2nd type)	left (comb. 579) (w/arm rest) (black)	4259177	1	26.05
56	1039D	right (comb. 580) (w/arm rest)	4245999	1	26.05
56	1039D	left (comb. 580) (w/arm rest)	4246000	1	26.05
56	1039D	right (comb. 581) (w/arm rest)	4246001	1	26.05
56	1039D	left (comb. 581) (w/arm rest)	4246002	1	26.05
56	1039D	right (comb. 583) (w/arm rest)	4246005	1	26.05
56	1039D	left (comb. 583) (w/arm rest)	4246006	1	26.05
56	1039D	right (comb. 584) (w/arm rest)	4246007	1	26.05
56	1039D	left (comb. 584) (w/arm rest)	4246008	1	26.05
56	1039D	right (comb. 585) (w/arm rest)	4246009	1	26.05
56	1039D	left (comb. 585) (w/arm rest)	4246010	1	26.05
56	1039D	right (comb. 618) (w/arm rest)	4246003	1	26.05
56	1039D	left (comb. 618) (w/arm rest)	4246004	1	26.05
56	1039D	right (comb. 627) (w/arm rest)	4259289	1	26.05
56	1039D	left (comb. 627) (w/arm rest)	4259290	1	26.05
56	1039D	right (comb. 628) (w/arm rest)	4259291	1	26.05
56	1039D	left (comb. 628) (w/arm rest)	4259292	1	26.05
56	1062DF	right (comb. 586) (w/mouldings)	4246435	1	26.05
56	1062DF	left (comb. 586) (w/mouldings)	4246436	1	26.05
56	1062DF	right (comb. 587) (w/mouldings)	4246437	1	26.05
56	1062DF	left (comb. 587) (w/mouldings)	4246438	1	26.05
56	1062DF	right (comb. 588) (w/mouldings)	4246439	1	26.05
56	1062DF	left (comb. 588) (w/mouldings)	4246440	1	26.05
56	1062DF (1st type)	right (comb. 610) (w/mouldings) (ivory)	4246443	1	26.05
56	1062DF (1st type)	left (comb. 610) (w/mouldings) (ivory)	4246444	1	26.05
56	1062DF (2nd type)	right (comb. 610) (w/mouldings) (black)	4259178	1	26.05
56	1062DF (2nd type)	left (comb. 610) (w/mouldings) (black)	4259179	1	26.05
56	1062DF	right (comb. 619) (w/mouldings)	4246441	1	26.05
56	1062DF	left (comb. 619) (w/mouldings)	4246442	1	26.05
56	1062DF	right (comb. 629) (w/mouldings)	4259382	1	26.05
56	1062DF	left (comb. 629) (w/mouldings)	4259383	1	26.05
56	1062DF	right (comb. 630) (w/mouldings)	4259384	1	26.05
56	1062DF	left (comb. 630) (w/mouldings)	4259385	1	26.05
56	1062F-62FC (1st type)	right (comb. 570) (w/mouldings) (white)	4246230	1	19.85
56	1062F-62FC (1st type)	left (comb. 570) (w/mouldings) (white)	4246231	1	19.85
56	1062F-62FC (2nd type)	right (comb. 570) (w/mouldings) (green)	4259250	1	19.85
56	1062F-62FC (2nd type)	left (comb. 570) (w/mouldings) (green)	4259251	1	19.85
56	1062F-62FC (1st type)	right (comb. 572) (w/mouldings) (white)	4246234	1	19.85
56	1062F-62FC (1st type)	left (comb. 572) (w/mouldings) (white)	4246235	1	19.85
56	1062F-62FC (2nd type)	right (comb. 572) (w/mouldings) (turq.)	4259252	1	19.85
56	1062F-62FC (2nd type)	left (comb. 572) (w/mouldings) (turq.)	4259253	1	19.85

56	1062F-62FC (1st type)	right (comb. 609) (w/mouldings) (white)	4246236	1	19.85
56	1062F-62FC (1st type)	left (comb. 609) (w/mouldings) (white)	4246237	1	19.85
56	1062F-62FC (2nd type)	right (comb. 609) (w/mouldings) (black)	4259254	1	19.85
56	1062F-62FC (2nd type)	left (comb. 609) (w/mouldings) (black)	4259255	1	19.85
57	1019 (exc. 19D)	right (comb. 654) (w/moulding)	4260136	1	19.85
57	1019 (exc. 19D)	left (comb. 654) (w/moulding	4260137	1	19.85
57	1019 (exc. 19D)	right (comb. 655) (w/moulding)	4260138	1	19.85
57	1019 (exc. 19D)	left (comb. 655) (w/moulding)	4260139	1	19.85
57	1019 (exc. 19D)	right (comb. 656) (w/moulding)	4260140	1	19.85
57	1019 (exc. 19D)	left (comb. 656) (w/moulding)	4260141	1	19.85
57	1019D	right (comb. 663) (w/moulding)	4260425	1	24.75
57	1019D	left (comb. 663) (w/moulding)	4260427	1	24.75
57	1019D	right (comb. 664) (w/moulding)	4260427	1	24.75
57	1019D	left (comb. 664) (w/moulding)	4260428	1	24.75
57	1019D	right (comb. 665) (w/moulding)	4260429	1	24.75
57	1019D	left (comb. 665) (w/moulding)	4260430	1	24.75
57	1019D	right (comb. 666) (w/moulding)	4260431	1	24.75
57	1019D	left (comb. 666) (w/moulding)	4260432	1	24.75
57	1019D	right (comb. 667) (w/moulding)	4260433	1	24.75
57	1019D	left (comb. 667) (w/moulding)	4260434	1	24.75
57	1019D	right (comb. 668) (w/moulding)	4260435	1	24.75
57	1019D	left (comb. 668) (w/moulding)	4260436	1	24.75
57	1019D	right (comb. 669) (w/moulding)	4260437	1	24.75
57	1019D	left (comb. 669) (w/moulding)	4260438	1	24.75
57	1219	right (comb. 650)	4261611	1	17.55
57	1219	left (comb. 650)	4261612	1	17.55
57	1039	right (comb. 654) (w/moulding)	4260667	1	19.85
57	1039	left (comb. 654) (w/moulding)	4260668	1	19.85
57	1039	right (comb. 655) (w/moulding)	4260669	1	19.85
57	1039	left (comb. 655) (w/moulding)	4260670	1	19.85
57	1039	right (comb. 656) (w/moulding)	4260671	1	19.85
57	1039	left (comb. 656) (w/moulding)	4260672	1	19.85
57	1039D	right (comb. 670) (w/moulding)	4260831	1	24.75
57	1039D	left (comb. 670) (w/moulding)	4260832	1	24.75
57	1039D	right (comb. 671) (w/moulding)	4260833	1	24.75
57	1039D	left (comb. 671) (w/moulding)	4260834	1	24.75
57	1039D	right (comb. 672) (w/moulding)	4260835	1	24.75
57	1039D	left (comb. 672) (w/moulding)	4260836	1	24.75
57	1039D	right (comb. 673) (w/moulding)	4260837	1	24.75
57	1039D	left (comb. 673) (w/moulding)	4260838	1	24.75
57	1039D	right (comb. 674) (w/moulding)	4260839	1	24.75
57	1039D	left (comb. 674) (w/moulding)	4260840	1	24.75
57	1039D	right (comb. 675) (w/moulding)	4260841	1	24.75
57	1039D	left (comb. 675) (w/moulding)	4260842	1	24.75
57	1039D	right (comb. 676) (w/moulding)	4260843	1	24.75
57	1039D	left (comb. 676) (w/moulding)	4260844	1	24.75
57	1062F-62FC	right (comb. 660) (w/moulding)	4261244	1	19.85
57	1062F-62FC	left (comb. 660) (w/moulding)	4261245	1	19.85
57	1062F-62FC	right (comb. 661)	4261246	1	19.85
57	1062F-62FC	left (comb. 661)	4261247	1	19.85
57	1062F-62FC	right (comb. 662) (w/moulding)	4261248	1	19.85
57	1062F-62FC	left (comb. 662) (w/moulding)	4261249	1	19.85
57	1062DF	right (comb. 684) (w/moulding)	4261054	1	24.75
57	1062DF	left (comb. 684) (w/moulding)	4261055	1	24.75
57	1062DF	right (comb. 685) (w/moulding)	4261056	1	24.75
57	1062DF	left (comb. 685) (w/moulding)	4261057	1	24.75
57	1062DF	right (comb. 686) (w/moulding)	4261058	1	24.75
57	1062DF	left (comb. 686) (w/moulding)	4261059	1	24.75
57	1062DF	right (comb. 687) (w/moulding)	4261060	1	24.75
57	1062DF	left (comb. 687) (w/moulding)	4261061	1	24.75
57	1062DF	right (comb. 688) (w/moulding)	4261062	1	24.75
57	1062DF	left (comb. 688) (w/moulding)	4261063	1	24.75
57	1062DF	right (comb. 689) (w/moulding)	4261064	1	24.75
57	1062DF	left (comb. 689) (w/moulding)	4261065	1	24.75
57	1062DF	right (comb. 690) (w/moulding)	4261066	1	24.75
57	1062DF	left (comb. 690) (w/moulding)	4261067	1	24.75
36-52	PASS. (exc. STA. WAG.),				
53-57	PASS.	TAB, trim	4081772	A.R.	(14.683)

14.762 REST ASSEMBLY, Rear Door Arm—Trimmed

54	1069WD	right (comb. 309)	4200860	1	8.90
54	1069WD	left (comb. 309)	4200861	1	8.90
54	1069WD	right (comb. 310)	4200862	1	8.90
54	1069WD	left (comb. 310)	4200863	1	8.90
54	1069WD	right (comb. 311)	4200864	1	8.90
54	1069WD	left (comb. 311)	4200865	1	8.90
54	1069WD	right (comb. 330)	4200866	1	8.90
54	1069WD	left (comb. 330)	4200867	1	8.90
54	1069WD	right (comb. 331)	4208576	1	8.90
54	1069WD	left (comb. 331)	4208577	1	8.90
54	1069WD	right (comb. 358)	4211535	1	8.90
54	1069WD	left (comb. 358)	4211536	1	8.90
54	1069WD	right (comb. 359)	4211537	1	8.90
54	1069WD	left (comb. 359)	4211538	1	8.90
54	1069WD	right (comb. 360)	4211539	1	8.90
54	1069WD	left (comb. 360)	4211540	1	8.90
54	1069WD	right (comb. 361)	4211541	1	8.90
54	1069WD	left (comb. 361)	4211542	1	8.90
55	1019D	right (comb. 509)	4214466	1	11.35
55	1019D	left (comb. 509)	4214467	1	11.35
55	1019D	right (comb. 510)	4214468	1	11.35
55	1019D	left (comb. 510)	4214469	1	11.35
55	1019D	right (comb. 511)	4214470	1	11.35
55	1019D	left (comb. 511)	4214471	1	11.35
55	1019D	right (comb. 513)	4214474	1	11.35
55	1019D	left (comb. 513)	4214475	1	11.35
55	1019D	right (comb. 531, 549)	4214472	1	11.35
55	1019D	left (comb. 531, 549)	4214473	1	11.35

14.764 MOULDING, Rear Door Trim Finish

49	1008-69	upper	4567329	2	1.25
49	1008-69-1208-69,				
50-52	1008-69	lower	4567600	2	1.05
49-52	1062	lower	4567734	2	1.45
53	1069WD	lower (24 9/16 O.L.)	4558996	2	1.05
53-54	1069WD	upper (18 5/8 O.L.)	4590503	2	1.05
53	1069W,				
54	1011WD-69WD	(29 3/16 O.L.)	4615685	2	1.05
53-54	1062-62D-62F	lower and center (24 9/16 O.L.)	4558723	2	1.25
53	1062-62F	right, upper and center (25 3/4 dev. length)	4618494	1	1.30
53	1062-62F	left, upper and center (25 3/4 dev. length)	4618495	1	1.30
53-54	1062-62D-62F	lower (22 3/8 O.L.)	4623085	2	1.05
53-54	1062-62D-62F	right, door kick (24 9/16 O.L.)	4623088	1	1.95
53-54	1062-62D-62F	left, door kick (24 9/16 O.L.)	4623089	1	1.95
54	1069WD	lower	4632586	2	1.05
54	1062D-62F	upper	4635611	2	1.40
55	1019-62F-62DF,				
56	1062DF	upper (26 1/8 long)	4559494	2	1.05
55	1019D-62DF	lower (23 3/16 long)	4650886	2	1.00
56	1019-62F-62FC (exc. 19D)	right	4669668	1	.95
56	1019-62F-62FC (exc. 19D)	left	4669669	1	.95
56	1062DF	lower	4567931	2	1.05
56	1039	right	4677206	1	1.05
56	1039	left	4677207	1	1.05
56	1039D	upper	4669398	2	.95
56	1039D	lower	4653088	2	.75
56	1019D	upper	4688109	1	1.05
57	1019D-62DF	right	4690938	1	1.20
57	1019D-62DF	left	4690939	1	1.20
57	1019-62F-62FC (exc. 19D)		4690945	1	.95
57	1039		4712047	1	1.05
57	1039D	lower	4690964	1	1.30
57	1039D	right (center)	4690980	1	1.40
57	1039D	left (center)	4690981	1	1.40
	Not required in this group. See group 15.101		4569383	2	1.85
	Not required in this group. See group 15.101		4566227	2	1.10
	Not required in this group. See group 15.101		4559248	2	.95

14.790 WEATHERCORD ASSEMBLY, Rear Body Pillar at Wheelhouse

56	1039D	right (comb. 579)	4245913	1	2.00
56	1039D	left (comb. 579)	4245914	1	2.00
56	1039D	right (comb. 580)	4245915	1	2.00
56	1039D	left (comb. 580)	4245916	1	2.00
56	1039D	right (comb. 581)	4245917	1	2.00
56	1039D	left (comb. 581)	4245918	1	2.00
56	1039D	right (comb. 583, 628)	4245921	1	2.00
56	1039D	left (comb. 583, 628)	4245922	1	2.00
56	1039D	right (comb. 584)	4245923	1	2.00
56	1039D	left (comb. 584)	4245924	1	2.00
56	1039D	right (comb. 585)	4245925	1	2.00
56	1039D	left (comb. 585)	4245926	1	2.00
56	1039D	right (comb. 618)	4245919	1	2.00
56	1039D	left (comb. 618)	4245920	1	2.00
56	1039D	right (comb. 627)	4259271	1	2.00
56	1039D	left (comb. 627)	4259272	1	2.00
57	1039D	right (comb. 670)	4260737	1	2.00
57	1039D	left (comb. 670)	4260738	1	2.00
57	1039D	right (comb. 671)	4260739	1	2.00
57	1039D	left (comb. 671)	4260740	1	2.00
57	1039D	right (comb. 672)	4260741	1	2.00
57	1039D	left (comb. 672)	4260742	1	2.00
57	1039D	right (comb. 673)	4260743	1	2.00
57	1039D	left (comb. 673)	4260744	1	2.00
57	1039D	right (comb. 674)	4260745	1	2.00
57	1039D	left (comb. 674)	4260746	1	2.00
57	1039D	right (comb. 675)	4267911	1	2.00
57	1039D	left (comb. 675)	4267912	1	2.00
57	1039D	right (comb. 676)	4267913	1	2.00
57	1039D	left (comb. 676)	4267914	1	2.00

14.799 CUSHION, Front Seat Back

53	1011W-27-37	left (comb. 243)	4191965	1	44.85
53	1211-27	left (comb. 249)	4192456	1	42.00
53	1069W	(comb. 241)	4192316	1	63.70
53	1069WD	(comb. 246)	4192409	1	88.45
54	1011W	right (comb. 305)	4200638	1	45.95
54	1011W	left (comb. 305)	4200639	1	45.95
54	1011W	left (comb. 352)	4211392	1	45.95
54	1011WD	left (comb. 360)	4211582	1	51.10
54	1211	right (comb. 300)	4201115	1	45.95
54	1211	left (comb. 300)	4201116	1	45.95
54	1211W	right (comb. 350)	4211286	1	45.95
54	1211W	left (comb. 350)	4211287	1	45.95
54	1069W	(comb. 304)	4200652	1	73.25
54	1069W	(comb. 305)	4200653	1	73.25
54	1069W	(comb. 352)	4211407	1	73.25
54	1069W	(comb. 355)	4211410	1	73.25
54	1069WD	(comb. 309)	4200900	1	88.45
54	1069WD	(comb. 310)	4200901	1	88.45
54	1069WD	(comb. 311)	4200902	1	88.45
54	1069WD	(comb. 330)	4200903	1	88.45
54	1269W	(comb. 350)	4211290	1	72.05
54	SPT. CPE	right (comb. 315)	4201046	1	53.50
54	SPT. CPE	left (comb. 315)	4201047	1	53.50
54	1062F	(comb. 356)	4211853	1	77.65
54	1062F	(comb. 357)	4211852	1	77.65
54	1262F	(comb. 371)	4211881	1	74.75
55	1011-37 (exc. 11A-11D)	right (comb. 503)	4214276	1	60.65
55	1011-37 (exc. 11A-11D)	left (comb. 503)	4214277	1	60.65
55	1011-37 (exc. 11A-11D)	right (comb. 504)	4214278	1	60.65
55	1011-37 (exc. 11A-11D)	left (comb. 504)	4214279	1	60.65
55	1011-37 (exc. 11A-11D)	right (comb. 505)	4214280	1	60.65
55	1011-37 (exc. 11A-11D)	left (comb. 505)	4214281	1	60.65
55	1011A	right (comb. 506)	4214153	1	77.90

55	1011A	left (comb. 506)	4214154	1	77.90
55	1011A	right (comb. 507)	4214155	1	77.90
55	1011A	left (comb. 507)	4214156	1	77.90
55	1011A	right (comb. 508)	4214157	1	77.90
55	1011A	left (comb. 508)	4214158	1	77.90
55	1011D	right (comb. 509)	4214511	1	66.40
55	1011D	left (comb. 509)	4214512	1	66.40
55	1011D	right (comb. 510)	4214513	1	66.40
55	1011D	left (comb. 510)	4214514	1	66.40
55	1011D	right (comb. 511)	4214515	1	66.40
55	1011D	left (comb. 511)	4214516	1	66.40
55	1011D	right (comb. 513)	4214519	1	66.40
55	1011D	left (comb. 513)	4214520	1	66.40
55	1011D	right (comb. 531)	4214517	1	66.40
55	1011D	left (comb. 531)	4214518	1	66.40
55	1011D	right (comb. 549)	4243233	1	66.40
55	1011D	left (comb. 549)	4243234	1	66.40
55	1211 (exc. 11B)	right (comb. 500)	4215181	1	57.45
55	1211 (exc. 11B)	left (comb. 500)	4215182	1	57.45
55	1211B	right (comb. 500)	4219915	1	65.00
55	1211B	left (comb. 500)	4219916	1	65.00
55	1019 (exc. 19D)	(comb. 503)	4214282	1	85.95
55	1019 (exc. 19D)	(comb. 504)	4214283	1	85.95
55	1019 (exc. 19D)	(comb. 505)	4214284	1	85.95
55	1019D	(comb. 509)	4214521	1	99.75
55	1019D	(comb. 510)	4214522	1	99.75
55	1019D	(comb. 511)	4214523	1	99.75
55	1019D	(comb. 513)	4214525	1	99.75
55	1019D	(comb. 531)	4214524	1	99.75
55	1019D	(comb. 549)	4243237	1	99.75
55	1219	(comb. 500)	4215183	1	80.20
55	CONV	right (comb. 525)	4215083	1	77.65
55	CONV	left (comb. 525)	4215084	1	77.65
55	CONV	right (comb. 526)	4215085	1	77.65
55	CONV	left (comb. 526)	4215086	1	77.65
55	CONV	right (comb. 527)	4215087	1	77.65
55	CONV	left (comb. 527)	4215088	1	77.65
55	CONV	right (comb. 528)	4215089	1	77.65
55	CONV	left (comb. 528)	4215090	1	77.65
55	CONV	right (comb. 533)	4215093	1	77.65
55	CONV	left (comb. 533)	4215094	1	77.65
55	CONV	right (comb. 537)	4215091	1	77.65
55	CONV	left (comb. 537)	4215092	1	77.65
55	CONV	right (comb. 551)	4243205	1	77.65
55	CONV	left (comb. 551)	4243206	1	77.65
55	1037D	right (comb. 519)	4214701	1	68.70
55	1037D	left (comb. 519)	4214702	1	68.70
55	1037D	right (comb. 520)	4214703	1	68.70
55	1037D	left (comb. 520)	4214704	1	68.70
55	1037D	right (comb. 521)	4214705	1	68.70
55	1037D	left (comb, 521)	4214706	1	68.70
55	1037D	right (comb. 522)	4214707	1	68.70
55	1037D	left (comb. 522)	4214708	1	68.70
55	1037D	right (comb. 532)	4214709	1	68.70
55	1037D	left (comb, 532)	4214710	1	68.70
55	1037D	right (comb. 550)	4243180	1	68.70
55	1037D	left (comb. 550)	4243181	1	68.70
55	1063F	right (comb. 514)	4214845	1	72.05
55	1063F	left (comb. 514)	4214846	1	72.05
55	1063F	right (comb. 515)	4214847	1	72.05
55	1063F	left (comb. 515)	4214848	1	72.05
55	1064	right (comb. 541)	4243398	1	83.40
55	1064	left (comb. 541)	4243399	1	83.40
55	1064	right (comb. 542)	4243400	1	83.40
55	1064	left (comb. 542)	4243401	1	83.40
55	1064	right (comb. 543)	4243402	1	83.40
55	1064	left (comb. 543)	4243403	1	83.40
55	1064	right (comb. 544)	4243406	1	83.40

55	1064	left (comb. 544)	4243407	1	83.40
55	1064	right (comb. 545)	4243408	1	83.40
55	1064	left (comb. 545)	4243409	1	83.40
55	1064	right (comb. 546)	4243410	1	83.40
55	1064	left (comb. 546)	4243411	1	83.40
55	1064	right (comb. 552)	4243404	1	83.40
55	1064	left (comb. 552)	4243405	1	83.40
55	1263F	right (comb. 502)	4215225	1	65.00
55	1263F	left (comb. 502)	4215226	1	65.00
55	1263F	right (comb. 524)	4212808	1	65.00
55	1263F	left (comb. 524)	4212809	1	65.00
55	1062F	(comb. 514)	4214842	1	99.75
55	1062F	(comb. 515)	4214843	1	99.75
55	1062F	(comb. 516)	4214844	1	99.75
55	1062DF	(comb. 517)	4214926	1	99.75
55	1062DF	(comb. 518)	4214927	1	99.75
56	1011-37 (exc. 11A-11D)	right (comb. 564)	4245387	1	63.85
56	1011-37 (exc. 11A-11D)	left (comb. 564)	4245388	1	63.85
56	1011-37 (exc. 11A-11D)	right (comb. 565)	4245389	1	63.85
56	1011-37 (exc. 11A-11D)	left (comb. 565)	4245390	1	63.85
56	1011-37 (exc. 11A-11D)	right (comb. 566)	4245391	1	63.85
56	1011-37 (exc. 11A-11D)	left (comb. 566)	4245392	1	63.85
56	1011A	right (comb. 567)	4245489	1	77.90
56	1011A	left (comb. 567)	4245490	1	77.90
56	1011A	right (comb. 568)	4245491	1	77.90
56	1011A	left (comb. 568)	4245492	1	77.90
56	1011A	right (comb. 569)	4245493	1	77.90
56	1011A	left (comb. 569)	4245494	1	77.90
56	1011D	right (comb. 573)	4245687	1	68.70
56	1011D	left (comb. 573)	4245688	1	68.70
56	1011D	right (comb. 574)	4245689	1	68.70
56	1011D	left (comb. 574)	4245690	1	68.70
56	1011D	right (comb. 575)	4245691	1	68.70
56	1011D	left (comb. 575)	4245692	1	68.70
56	1011D	right (comb. 577)	4245695	1	68.70
56	1011D	left (comb. 577)	4245696	1	68.70
56	1011D	right (comb. 578)	4245697	1	68.70
56	1011D	left (comb. 578)	4245698	1	68.70
56	1011D	right (comb. 617)	4245693	1	68.70
56	1011D	left (comb. 617)	4245694	1	68.70
56	1011D	right (comb. 626)	4259352	1	68.70
56	1011D	left (comb. 626)	4259353	1	68.70
56	1211 (exc. 11B)	right (comb. 560)	4246980	1	60.65
56	1211 (exc. 11B)	left (comb. 560)	4246981	1	60.65
56	1211B	right (comb. 560)	4255877	1	65.00
56	1211B	left (comb. 560)	4255878	1	65.00
56	1019-39 (exc. 19D)	(comb. 564)	4245393	1	85.95
56	1019-39 (exc. 19D)	(comb. 565)	4245394	1	85.95
56	1019-39 (exc. 19D)	(comb. 566)	4245395	1	85.95
56	1019D	(comb. 573)	4245699	1	99.75
56	1019D	(comb. 574)	4245700	1	99.75
56	1019D	(comb. 575)	4245701	1	99.75
56	1019D	(comb. 577)	4245703	1	99.75
56	1019D	(comb. 578)	4245704	1	99.75
56	1019D	(comb. 617)	4245702	1	99.75
56	1019D	(comb. 626)	4259358	1	99.75
56	1219, TAXICAB	(comb. 560)	4246982	1	83.40
56	CONV	right (comb. 602)	4246868	1	77.90
56	CONV	left (comb. 602)	4246869	1	77.90
56	CONV	right (comb. 603)	4246870	1	77.90
56	CONV	left (comb. 603)	4246871	1	77.90
56	CONV	right (comb. 604)	4246872	1	77.90
56	CONV	left (comb. 604)	4246873	1	77.90
56	CONV	right (comb. 605)	4246874	1	77.90
56	CONV	left (comb. 605)	4246875	1	77.90
56	CONV	right (comb. 606)	4246876	1	77.90
56	CONV	left (comb. 606)	4246877	1	77.90
56	CONV	right (comb. 607)	4246878	1	77.90

56	CONV.	left (comb. 607)	4246879	1	77.90
56	CONV.	right (comb. 621)	4246880	1	77.90
56	CONV.	left (comb. 621)	4246881	1	77.90
56	CONV.	right (comb. 631)	4259465	1	77.90
56	CONV.	left (comb. 631)	4259466	1	77.90
56	1037D	right (comb. 579)	4246046	1	68.70
56	1037D	left (comb. 579)	4246047	1	68.70
56	1037D	right (comb. 580)	4246048	1	68.70
56	1037D	left (comb. 580)	4246049	1	68.70
56	1037D	right (comb. 581)	4246050	1	68.70
56	1037D	left (comb. 581)	4246051	1	68.70
56	1037D	right (comb. 583)	4246054	1	68.70
56	1037D	left (comb. 583)	4246055	1	68.70
56	1037D	right (comb. 584)	4246056	1	68.70
56	1037D	left (comb. 584)	4246057	1	68.70
56	1037D	right (comb. 585)	4246058	1	68.70
56	1037D	left (comb. 585)	4246059	1	68.70
56	1037D	right (comb. 618)	4246052	1	68.70
56	1037D	left (comb. 618)	4246053	1	68.70
56	1037D	right (comb. 627)	4259296	1	68.70
56	1037D	left (comb. 627)	4259297	1	68.70
56	1037D	right (comb. 628)	4259298	1	68.70
56	1037D	left (comb. 628)	4259299	1	68.70
56	1039D	(comb. 579)	4246060	1	106.40
56	1039D	(comb. 580)	4246061	1	106.40
56	1039D	(comb. 581)	4246062	1	106.40
56	1039D	(comb. 583)	4246064	1	106.40
56	1039D	(comb. 584)	4246065	1	106.40
56	1039D	(comb. 585)	4246066	1	106.40
56	1039D	(comb. 618)	4246063	1	106.40
56	1039D	(comb. 627)	4259306	1	106.40
56	1039D	(comb. 628)	4259307	1	106.40
56	1063F	right (comb. 570)	4246358	1	72.05
56	1063F	left (comb. 570)	4246359	1	72.05
56	1063F	right (comb. 572)	4246362	1	72.05
56	1063F	left (comb. 572)	4246363	1	72.05
56	1063F	right (comb. 609)	4246364	1	72.05
56	1063F	left (comb. 609)	4246365	1	72.05
56	1064	right (comb. 590)	4246632	1	72.05
56	1064	left (comb. 590)	4246633	1	72.05
56	1064	right (comb. 591)	4246634	1	72.05
56	1064	left (comb. 591)	4246635	1	72.05
56	1064	right (comb. 593)	4246638	1	72.05
56	1064	left (comb. 593)	4246639	1	72.05
56	1064	right (comb. 594)	4246640	1	72.05
56	1064	left (comb. 594)	4246641	1	72.05
56	1064	right (comb. 595)	4246642	1	72.05
56	1064	left (comb. 595)	4246643	1	72.05
56	1064	right (comb. 611)	4246644	1	72.05
56	1064	left (comb. 611)	4246645	1	72.05
56	1064	right (comb. 620)	4246636	1	72.05
56	1064	left (comb. 620)	4246637	1	71.90
56	1064	right (comb. 632)	4259422	1	71.90
56	1064	left (comb. 632)	4259423	1	71.90
56	1064	right (comb. 633)	4259424	1	71.90
56	1064	left (comb. 633)	4259425	1	71.90
56	1263F	right (comb. 562)	4247022	1	65.00
56	1263F	left (comb. 562)	4247023	1	65.00
56	1263F	right (comb. 616)	4247024	1	65.00
56	1263F	left (comb. 616)	4247025	1	65.00
56	1062DF	(comb. 587)	4246461	1	103.20
56	1062DF	(comb. 588)	4246462	1	103.20
56	1062DF	(comb. 610)	4246464	1	103.20
56	1062DF	(comb. 619)	4246463	1	103.20
56	1062DF	(comb. 629)	4259389	1	103.20
56	1062DF	(comb. 630)	4259390	1	103.20
56	1062F-62FC	(comb. 570)	4246250	1	103.20
56	1062F-62FC	(comb. 572)	4246252	1	103.20

56	1062F-62FC	(comb. 609)	4246253	1	103.20
57	1011-37 (exc. 11A-11D)	right (comb. 654)	4260157	1	73.10
57	1011-37 (exc. 11A-11D)	left (comb. 654)	4260158	1	73.10
57	1011-37 (exc. 11A-11D)	right (comb. 655)	4260159	1	73.10
57	1011-37 (exc. 11A-11D)	left (comb. 655)	4260160	1	73.10
57	1011-37 (exc. 11A-11D)	right (comb. 656)	4260161	1	73.10
57	1011-37 (exc. 11A-11D)	left (comb. 656)	4260162	1	73.10
57	1011A	right (comb. 657)	4260259	1	85.65
57	1011A	left (comb. 657)	4260260	1	85.65
57	1011A	right (comb. 658)	4260261	1	85.65
57	1011A	left (comb. 658)	4260262	1	85.65
57	1011A	right (comb. 659)	4260263	1	85.65
57	1011A	left (comb. 659)	4260264	1	85.65
57	1011D	right (comb. 663)	4260493	1	77.90
57	1011D	left (comb. 663)	4260494	1	77.90
57	1011D	right (comb. 664)	4260495	1	77.90
57	1011D	left (comb. 664)	4260496	1	77.90
57	1011D	right (comb. 665)	4260497	1	77.90
57	1011D	left (comb. 665)	4260498	1	77.90
57	1011D	right (comb. 666)	4260499	1	77.90
57	1011D	left (comb. 666)	4260500	1	77.90
57	1011D	right (comb. 667)	4260501	1	77.90
57	1011D	left (comb. 667)	4260502	1	77.90
57	1011D	right (comb. 668)	4260503	1	77.90
57	1011D	left (comb. 668)	4260504	1	77.90
57	1011D	right (comb. 669)	4260505	1	77.90
57	1011D	left (comb. 669)	4260506	1	77.90
57	1211	right (comb. 650)	4261618	1	68.25
57	1211	left (comb. 650)	4261619	1	68.25
57	1019-39 (exc. 19D)	(comb. 654)	4260163	1	97.70
57	1019-39 (exc. 19D)	(comb. 655)	4260164	1	97.70
57	1019-39 (exc. 19D)	(comb. 656)	4260165	1	97.70
57	1019D	(comb. 663)	4260507	1	110.95
57	1019D	(comb. 664)	4260508	1	110.95
57	1019D	(comb. 665)	4260509	1	110.95
57	1019D	(comb. 666)	4260510	1	110.95
57	1019D	(comb. 667)	4260511	1	110.95
57	1019D	(comb. 668)	4260512	1	110.95
57	1019D	(comb. 669)	4260513	1	110.95
57	1219	(comb. 650)	4261620	1	94.95
57	CONV.	right (comb. 677)	4261531	1	85.65
57	CONV.	left (comb. 677)	4261532	1	85.65
57	CONV.	right (comb. 678)	4261533	1	85.65
57	CONV.	left (comb. 678)	4261534	1	85.65
57	CONV.	right (comb. 679)	4261535	1	85.65
57	CONV.	left (comb. 679)	4261536	1	85.65
57	CONV.	right (comb. 680)	4261537	1	85.65
57	CONV.	left (comb. 680)	4261538	1	85.65
57	CONV.	right (comb. 681)	4261539	1	85.65
57	CONV.	left (comb. 681)	4261540	1	85.65
57	CONV.	right (comb. 682)	4261541	1	85.65
57	CONV.	left (comb. 682)	4261542	1	85.65
57	CONV.	right (comb. 683)	4261543	1	85.65
57	CONV.	left (comb. 683)	4261544	1	85.65
57	1037D	right (comb. 670)	4260894	1	79.70
57	1037D	left (comb. 670)	4260895	1	79.70
57	1037D	right (comb. 671)	4260896	1	79.70
57	1037D	left (comb. 671)	4260897	1	79.70
57	1037D	right (comb. 672)	4260898	1	79.70
57	1037D	left (comb. 672)	4260899	1	79.70
57	1037D	right (comb. 673)	4260900	1	79.70
57	1037D	left (comb. 673)	4260901	1	79.70
57	1037D	right (comb. 674)	4260902	1	79.70
57	1037D	left (comb. 674)	4260903	1	79.70
57	1037D	right (comb. 675)	4260904	1	79.70
57	1037D	left (comb. 675)	4260905	1	79.70
57	1037D	right (comb. 676)	4260906	1	79.70

57	1037D	left (comb. 676)	4260907	1	79.70
57	1039D	(comb. 670)	4260908	1	79.70
57	1039D	(comb. 671)	4260909	1	118.90
57	1039D	(comb. 672)	4260910	1	118.90
57	1039D	(comb. 673)	4260911	1	118.90
57	1039D	(comb. 674)	4260912	1	118.90
57	1039D	(comb. 675)	4260913	1	118.90
57	1039D	(comb. 676)	4260914	1	118.90
57	1063F	right (comb. 660)	4261265	1	79.70
57	1063F	left (comb. 660)	4261266	1	79.70
57	1063F	right (comb. 661)	4261267	1	79.70
57	1063F	left (comb. 661)	4261268	1	79.70
57	1063F	right (comb. 662)	4261269	1	79.70
57	1063F	left (comb. 662)	4261270	1	79.70
57	1062F-62FC	(comb. 660)	4261271	1	108.45
57	1062F-62FC	(comb. 661)	4261272	1	108.45
57	1062F-62FC	(comb. 662)	4261273	1	108.45
57	1062DF	(comb. 684)	4261089	1	110.95
57	1062DF	(comb. 685)	4261090	1	110.95
57	1062DF	(comb. 686)	4261091	1	110.95
57	1062DF	(comb. 687)	4261092	1	110.95
57	1062DF	(comb. 688)	4261093	1	110.95
57	1062DF	(comb. 689)	4261094	1	110.95
57	1062DF	(comb. 690)	4261095	1	110.95
57	1064	right (comb. 691)	4267931	1	79.70
57	1064	left (comb. 691)	4267932	1	79.70
57	1064	right (comb. 692)	4267933	1	79.70
57	1064	left (comb. 692)	4267934	1	79.70
57	1064	right (comb. 693)	4267935	1	79.70
57	1064	left (comb. 693)	4267936	1	79.70
57	1064	right (comb. 694)	4267937	1	79.70
57	1064	left (comb. 694)	4267938	1	79.70
57	1064	right (comb. 695)	4267939	1	79.70
57	1064	left (comb. 695)	4267940	1	79.70
57	1064	right (comb. 696)	4267941	1	79.70
57	1064	left (comb. 696)	4267942	1	79.70
57	1064	right (comb. 697)	4267943	1	79.70
57	1064	left (comb. 697)	4267944	1	79.70
57	1263F-71	right (comb. 651, 652)	4261658	1	73.50
57	1263F-71	left (comb. 651, 652)	4261659	1	73.50
57	1263F	right (comb. 653)	4261660	1	73.50
57	1263F	left (comb. 653)	4261661	1	73.50

14.800 TRIM ASSEMBLY, Front of Front Seat Back

51	1007-11-27	right (comb. 201)	4178517	1	14.43
51	1007-11-27	left (comb. 201)	4178518	1	14.43
51-52	STA. WAG	(comb. 202, 218)	4181074	1	16.17
52	BEL AIR	right (comb. 240)	4190332	1	25.97
52	BEL AIR	left (comb. 240)	4190333	1	25.97

TRIM ASSEMBLY, Front Seat Back and Back of Back

53	1011W-27-37	right (comb. 242)	4191970	1	19.65
53	1011W-27-37	left (comb. 242)	4191971	1	19.65
53	1011W-27-37	right (comb. 243)	4191972	1	19.65
53	1011W-27-37	left (comb. 243)	4191973	1	19.65
53	1011W-27-37	right (comb. 244)	4191974	1	19.65
53	1011W-27-37	left (comb. 244)	4191975	1	19.65
53	1011WD	right (comb. 247)	4192080	1	29.50
53	1011WD	left (comb. 247)	4192081	1	29.50
53	1211-27	right (comb. 249)	4192457	1	16.45
53	1211-27	left (comb. 249)	4192458	1	16.45
53	1069W	(comb. 242)	4192321	1	33.50
53	1069W	(comb. 244)	4192323	1	33.50
53	1069WD	(comb. 245)	4192412	1	47.55
53	1069WD	(comb. 246)	4192413	1	47.55

53	1069WD	(comb. 247)	4192414	1	47.55
53	1269	(comb. 249)	4192508	1	28.70
53	1037D	right (comb. 254)	4192232	1	28.10
53	1037D	left (comb. 254)	4192233	1	28.10
53	1037D	right (comb. 256)	4192236	1	28.10
53	1037D	left (comb. 256)	4192237	1	28.10
53	1037D	right (comb. 258)	4193225	1	28.10
53	1037D	left (comb. 258)	4193226	1	28.10
53	1062-62F	(comb. 280)	4197554	1	30.75
53	1262F	(comb. 277)	4193278	1	23.30
54	1011W	right (comb. 304)	4200656	1	19.65
54	1011W	left (comb. 304)	4200657	1	19.65
54	1011W	right (comb. 305)	4200658	1	19.65
54	1011W	left (comb. 305)	4200659	1	19.65
54	1011W	right (comb. 306)	4200660	1	19.65
54	1011W	left (comb. 306)	4200661	1	19.65
54	1011W	right (comb. 307)	4200662	1	19.65
54	1011W	left (comb. 307)	4200663	1	19.65
54	1011W	right (comb. 352)	4211399	1	19.65
54	1011W	left (comb. 352)	4211400	1	19.65
54	1011W	right (comb. 353)	4211401	1	19.65
54	1011W	left (comb. 353)	4211402	1	19.65
54	1011W	right (comb. 354)	4211403	1	19.65
54	1011W	left (comb. 354)	4211404	1	19.65
54	1011W	right (comb. 355)	4211405	1	19.65
54	1011W	left (comb. 355)	4211406	1	19.65
54	1011WA	right (comb. 332)	4209177	1	27.30
54	1011WA	left (comb. 332)	4209178	1	27.30
54	1011WA	right (comb. 333)	4209179	1	27.30
54	1011WA	left (comb. 333)	4209180	1	27.30
54	1011WA	right (comb. 334)	4209181	1	27.30
54	1011WA	left (comb. 334)	4209182	1	27.30
54	1011WD	right (comb. 309)	4200904	1	29.50
54	1011WD	left (comb. 309)	4200905	1	29.50
54	1011WD	right (comb. 310)	4200906	1	29.50
54	1011WD	left (comb. 310)	4200907	1	29.50
54	1011WD	right (comb. 311)	4200908	1	29.50
54	1011WD	left (comb. 311)	4200909	1	29.50
54	1011WD	right (comb. 330)	4200910	1	29.50
54	1011WD	left (comb. 330)	4200911	1	29.50
54	1011WD	right (comb. 331)	4208551	1	29.50
54	1011WD	left (comb. 331)	4208552	1	29.50
54	1011WD	right (comb. 358)	4211585	1	29.50
54	1011WD	left (comb. 358)	4211586	1	29.50
54	1011WD	right (comb. 359)	4211587	1	29.50
54	1011WD	left (comb. 359)	4211588	1	29.50
54	1011WD	right (comb. 360)	4211589	1	29.50
54	1011WD	left (comb. 360)	4211590	1	29.50
54	1011WD	right (comb. 361)	4211591	1	29.50
54	1011WD	left (comb. 361)	4211592	1	29.50
54	1211	right (comb. 300)	4201120	1	16.45
54	1211	left (comb. 300)	4201121	1	16.45
54	1069W	(comb. 304)	4200664	1	33.50
54	1069W	(comb. 305)	4200665	1	33.50
54	1069W	(comb. 306)	4200666	1	33.50
54	1069W	(comb. 307)	4200667	1	33.50
54	1069W	(comb. 352)	4211411	1	33.50
54	1069W	(comb. 353)	4211412	1	33.50
54	1069W	(comb. 354)	4211413	1	33.50
54	1069W	(comb. 355)	4211414	1	33.50
54	1069WD	(comb. 309)	4200912	1	40.75
54	1069WD	(comb. 310)	4200913	1	40.75
54	1069WD	(comb. 311)	4200914	1	40.75
54	1069WD	(comb. 330)	4200915	1	40.75
54	1069WD	(comb. 331)	4208582	1	40.75
54	1069WD	(comb. 358)	4211597	1	40.75
54	1069WD	(comb. 359)	4211598	1	40.75
54	1069WD	(comb. 360)	4211599	1	40.75

54	1069WD	(comb. 361)	4211600	1	40.75
54	1269W	(comb. 300)	4201124	1	28.70
54	1269W	(comb. 350)	4211291	1	28.70
54	CONV.	right (comb. 325)	4201362	1	33.50
54	CONV.	left (comb. 325)	4201363	1	33.50
54	CONV.	right (comb. 326)	4201364	1	33.50
54	CONV.	left (comb. 326)	4201365	1	33.50
54	CONV.	right (comb. 327)	4201366	1	33.50
54	CONV.	left (comb. 327)	4201367	1	33.50
54	CONV.	right (comb. 328)	4202222	1	33.50
54	CONV.	left (comb. 328)	4202223	1	33.50
54	CONV.	right (comb. 329)	4202253	1	33.50
54	CONV.	left (comb. 329)	4202254	1	33.50
54	CONV.	right (comb. 337)	4201360	1	33.50
54	CONV.	left (comb. 337)	4201361	1	33.50
54	CONV.	right (comb. 367)	4211802	1	33.50
54	CONV.	left (comb. 367)	4211803	1	33.50
54	CONV.	right (comb. 368)	4211808	1	33.50
54	CONV.	left (comb. 368)	4211809	1	33.50
54	CONV.	right (comb. 376)	4211804	1	33.50
54	CONV.	left (comb. 376)	4211805	1	33.50
54	SPT. CPE.	right (comb. 314)	4201052	1	28.10
54	SPT. CPE.	left (comb. 314)	4201053	1	28.10
54	SPT. CPE.	right (comb. 315)	4201054	1	28.10
54	SPT. CPE.	left (comb. 315)	4201055	1	28.10
54	SPT. CPE.	right (comb. 316)	4201056	1	28.10
54	SPT. CPE.	left (comb. 316)	4201057	1	28.10
54	SPT. CPE.	right (comb. 317)	4201058	1	28.10
54	SPT. CPE.	left (comb. 317)	4201059	1	28.10
54	SPT. CPE.	right (comb. 318)	4202162	1	28.10
54	SPT. CPE.	left (comb. 318)	4202163	1	28.10
54	SPT. CPE.	right (comb. 319)	4202190	1	28.10
54	SPT. CPE.	left (comb. 319)	4202191	1	28.10
54	SPT. CPE.	right (comb. 362)	4211712	1	28.10
54	SPT. CPE.	left (comb. 362)	4211713	1	28.10
54	SPT. CPE.	right (comb. 363)	4211710	1	28.10
54	SPT. CPE.	right (comb. 364)	4211708	1	28.10
54	SPT. CPE.	left (comb. 364)	4211709	1	28.10
54	SPT. CPE.	right (comb. 365)	4211716	1	28.10
54	SPT. CPE.	left (comb. 365)	4211717	1	28.10
54	SPT. CPE.	right (comb. 366)	4211714	1	28.10
54	SPT. CPE.	left (comb. 366)	4211715	1	28.10
54	1062F	(comb. 356)	4211855	1	30.75
54	1062F	(comb. 357)	4211854	1	30.75
54	1062D-62F	(comb. 324)	4201201	1	30.75
54	1262F	(comb. 322)	4201256	1	23.30
54	1262F	(comb. 371)	4211882	1	23.30
55	1011-37 (exc. 11A-11D)	right (comb. 503)	4214285	1	22.45
55	1011-37 (exc. 11A-11D)	left (comb. 503)	4214286	1	22.45
55	1011-37 (exc. 11A-11D)	right (comb. 504)	4214287	1	22.45
55	1011-37 (exc. 11A-11D)	left (comb. 504)	4214288	1	22.45
55	1011-37 (exc. 11A-11D)	right (comb. 505)	4214289	1	22.45
55	1011-37 (exc. 11A-11D)	left (comb. 505)	4214290	1	22.45
55	1011A	right (comb. 506)	4214159	1	32.50
55	1011A	left (comb. 506)	4214160	1	32.50
55	1011A	right (comb. 507)	4214161	1	32.50
55	1011A	left (comb. 507)	4214162	1	32.50
55	1011A	right (comb. 508)	4214163	1	32.50
55	1011A	left (comb. 508)	4214164	1	32.50
55	1011D	right (comb. 509)	4214526	1	32.50
55	1011D	left (comb. 509)	4214527	1	32.50
55	1011D	right (comb. 510)	4214528	1	32.50
55	1011D	left (comb. 510)	4214529	1	32.50
55	1011D	right (comb. 511)	4214530	1	32.50
55	1011D	left (comb. 511)	4214531	1	32.50
55	1011D	right (comb. 513)	4214534	1	32.50
55	1011D	left (comb. 513)	4214535	1	32.50
55	1011D	right (comb. 531)	4214532	1	32.50

55	1011D	left (comb. 531)	4214533	1	32.50
55	1011D	right (comb. 549)	4243235	1	32.50
55	1011D	left (comb. 549)	4243236	1	32.50
55	1211 (exc. 11B)	right (comb. 500, 547)	4215184	1	21.30
55	1211 (exc. 11B)	left (comb. 500, 547)	4215185	1	21.30
55	1211B	right (comb. 500)	4219917	1	21.80
55	1211B	left (comb. 500)	4219918	1	21.80
55	1019 (exc. 19D)	(comb. 503)	4214291	1	36.75
55	1019 (exc. 19D)	(comb. 504)	4214292	1	36.75
55	1019 (exc. 19D)	(comb. 505)	4214293	1	36.75
55	1019 (TAXICAB) (exc. 19D)	(comb. 553)	4243791	1	32.15
55	1019-1219 (TAXICAB) (exc. 1019D)	(comb. 529, 530)	4243792	1	32.15
55	1019D	(comb. 509)	4214536	1	44.80
55	1019D	(comb. 510)	4214537	1	44.80
55	1019D	(comb. 511)	4214538	1	44.80
55	1019D	(comb. 513)	4214540	1	44.80
55	1019D	(comb. 531)	4214539	1	44.80
55	1019D	(comb. 549)	4243238	1	44.80
55	1219	(comb. 500)	4215186	1	32.80
55	CONV	right (comb. 525)	4215095	1	36.75
55	CONV	left (comb. 525)	4215096	1	36.75
55	CONV	right (comb. 526)	4215097	1	36.75
55	CONV	left (comb. 526)	4215098	1	36.75
55	CONV	right (comb. 527)	4215099	1	36.75
55	CONV	left (comb. 527)	4215100	1	36.75
55	CONV	right (comb. 528)	4215101	1	36.75
55	CONV	left (comb. 528)	4215102	1	36.75
55	CONV	right (comb. 533)	4215105	1	36.75
55	CONV	left (comb. 533)	4215106	1	36.75
55	CONV	right (comb. 537)	4215103	1	36.75
55	CONV	left (comb. 537)	4215104	1	36.75
55	CONV	right (comb. 551)	4243207	1	36.75
55	CONV	left (comb. 551)	4243208	1	36.75
55	1037D	right (comb. 519)	4214711	1	30.75
55	1037D	left (comb. 519)	4214712	1	30.75
55	1037D	right (comb. 520)	4214713	1	30.75
55	1037D	left (comb, 520)	4214714	1	30.75
55	1037D	right (comb. 521)	4214715	1	30.75
55	1037D	left (comb. 521)	4214716	1	30.75
55	1037D	right (comb. 522)	4214717	1	30.75
55	1037D	left (comb. 522)	4214718	1	30.75
55	1037D	right (comb. 532)	4214719	1	30.75
55	1037D	left (comb. 532)	4214720	1	30.75
55	1037D	right (comb. 550)	4243182	1	30.75
55	1037D	left (comb. 550)	4243183	1	30.75
55	1063F	right (comb. 514)	4214854	1	25.60
55	1063F	left (comb. 514)	4214855	1	25.60
55	1063F	right (comb. 515)	4214856	1	25.60
55	1063F	left (comb. 515)	4214857	1	25.60
55	1063F	right (comb. 516)	4214858	1	25.60
55	1063F	left (comb. 516)	4214859	1	25.60
55	1064	right (comb. 541)	4243412	1	39.70
55	1064	left (comb. 541)	4243413	1	39.70
55	1064	right (comb. 542)	4243414	1	39.70
55	1064	left (comb. 542)	4243415	1	39.70
55	1064	right (comb. 543)	4243416	1	39.70
55	1064	left (comb. 543)	4243417	1	39.70
55	1064	right (comb. 544)	4243420	1	39.70
55	1064	left (comb. 544)	4243421	1	39.70
55	1064	right (comb. 545)	4243422	1	39.70
55	1064	left (comb. 545)	4243423	1	39.70
55	1064	right (comb. 546)	4243424	1	39.70
55	1064	left (comb. 546)	4243425	1	39.70
55	1064	right (comb. 552)	4243418	1	39.70
55	1064	left (comb. 552)	4243419	1	39.70
55	1263F	right (comb. 502)	4215227	1	18.10
55	1263F	left (comb. 502)	4215228	1	18.10
55	1263F	right (comb. 524)	4216872	1	16.70

55	1263F	left (comb. 524)	4216873	1	16.70
55	1062F	(comb. 514)	4214851	1	36.75
55	1062F	(comb. 515)	4214852	1	36.75
55	1062F	(comb. 516)	4214853	1	36.75
55	1062DF	(comb. 517)	4214928	1	36.75
55	1062DF	(comb. 518)	4214929	1	36.75
56	1011-37 (exc. 11A-11D)	right (comb. 564)	4245396	1	22.45
56	1011-37 (exc. 11A-11D)	left (comb. 564)	4245397	1	22.45
56	1011-37 (exc. 11A-11D)	(comb. 565)	4245398	1	22.45
56	1011-37 (exc. 11A-11D)	(comb. 565)	4245399	1	22.45
56	1011-37 (exc. 11A-11D)	right (comb. 566)	4245400	1	22.45
56	1011-37 (exc. 11A-11D)	left (comb. 566)	4245401	1	22.45
56	1011A	right (comb. 567)	4245495	1	32.50
56	1011A	left (comb. 567)	4245496	1	32.50
56	1011A	right (comb. 568)	4245497	1	32.50
56	1011A	left (comb. 568)	4245498	1	32.50
56	1011A	right (comb. 569)	4245499	1	32.50
56	1011A	left (comb. 569)	4245500	1	32.50
56	1011D	right (comb. 573)	4245705	1	32.50
56	1011D	left (comb. 573)	4245706	1	32.50
56	1011D	right (comb. 574)	4245707	1	32.50
56	1011D	left (comb. 574)	4245708	1	32.50
56	1011D	right (comb. 575)	4245709	1	32.50
56	1011D	left (comb. 575)	4245710	1	32.50
56	1011D	right (comb. 577)	4245713	1	32.50
56	1011D	left (comb. 577)	4245714	1	32.50
56	1011D	right (comb. 578)	4245715	1	32.50
56	1011D	left (comb. 578)	4245716	1	32.50
56	1011D	right (comb. 617)	4245711	1	32.50
56	1011D	left (comb. 617)	4245712	1	32.50
56	1011D	right (comb. 626)	4259354	1	32.50
56	1011D	left (comb. 626)	4259355	1	32.50
56	1211 (exc. 11B)	right (comb. 560)	4246983	1	21.30
56	1211 (exc. 11B)	left (comb. 560)	4246984	1	21.30
56	1211B	right (comb. 560)	4255879	1	21.80
56	1211B	left (comb. 560)	4255880	1	21.80
56	1019-39 (exc. 19D)	(comb. 564)	4245402	1	36.75
56	1019-39 (exc. 19D)	(comb. 565)	4245403	1	36.75
56	1019-39 (exc. 19D)	(comb. 566)	4245404	1	36.75
56	1019 (TAXICAB) (exc. 1019D)	(comb. 624)	4258735	1	32.80
56	1019 (TAXICAB) (exc. 1019D)	(comb. 625)	4258734	1	32.80
56	1019D	(comb. 573)	4245717	1	44.80
56	1019D	(comb. 574)	4245718	1	44.80
56	1019D	(comb. 575)	4245719	1	44.80
56	1019D	(comb. 577)	4245721	1	44.80
56	1019D	(comb. 578)	4245722	1	44.80
56	1019D	(comb. 617)	4245720	1	44.80
56	1019D	(comb. 626)	4259359	1	44.80
56	1219, TAXICAB	(comb. 560)	4246985	1	32.80
56	1219 (TAXICAB)	(comb. 623)	4258733	1	32.80
56	CONV	right (comb. 602)	4246882	1	36.75
56	CONV	left (comb. 602)	4246883	1	36.75
56	CONV	right (comb. 603)	4246884	1	36.75
56	CONV	left (comb. 603)	4246885	1	36.75
56	CONV	right (comb. 604)	4246886	1	36.75
56	CONV	left (comb. 604)	4246887	1	36.75
56	CONV	right (comb. 605)	4246888	1	36.75
56	CONV	left (comb. 605)	4246889	1	36.75
56	CONV	right (comb. 606)	4246890	1	36.75
56	CONV	left (comb. 606)	4246891	1	36.75
56	CONV	right (comb. 607)	4246892	1	36.75
56	CONV	left (comb. 607)	4246893	1	36.75
56	CONV	right (comb. 621)	4246894	1	36.75
56	CONV	left (comb. 621)	4246895	1	36.75
56	CONV	right (comb. 631)	4259380	1	36.75
56	CONV	left (comb. 631)	4259381	1	36.75
56	1037D	right (comb. 579)	4257607	1	35.95
56	1037D	left (comb. 579)	4257608	1	35.95

56	1037D	right (comb. 580)	4257609	1	35.95
56	1037D	left (comb. 580)	4257610	1	35.95
56	1037D	right (comb. 581)	4257611	1	35.95
56	1037D	left (comb. 581)	4257612	1	35.95
56	1037D	right (comb. 584)	4257615	1	35.95
56	1037D	left (comb. 584)	4257616	1	35.95
56	1037D	right (comb. 585)	4257617	1	35.95
56	1037D	left (comb. 585)	4257618	1	35.95
56	1037D	right (comb. 618)	4257619	1	35.95
56	1037D	left (comb. 618)	4257620	1	35.95
56	1037D	right (comb. 627)	4259300	1	35.95
56	1037D	left (comb. 583, 627)	4259301	1	35.95
56	1037D	right (comb. 583, 628)	4259302	1	35.95
56	1037D	left (comb. 628)	4259303	1	35.95
56	1064	right (comb. 590)	4246646	1	35.95
56	1064	left (comb. 590)	4246647	1	35.95
56	1064	right (comb. 591)	4246648	1	35.95
56	1064	left (comb. 591)	4246649	1	35.95
56	1064	right (comb. 593)	4246652	1	35.95
56	1064	left (comb. 593)	4246653	1	35.95
56	1064	right (comb. 594)	4246654	1	35.95
56	1064	left (comb. 594)	4246655	1	35.95
56	1064	right (comb. 595)	4246656	1	35.95
56	1064	left (comb. 595)	4246657	1	35.95
56	1064	right (comb. 611)	4246658	1	35.95
56	1064	left (comb. 611)	4246659	1	35.95
56	1064	right (comb. 620)	4246073	1	35.95
56	1064	left (comb. 620)	4246074	1	35.95
56	1064	right (comb. 632)	4259426	1	35.95
56	1064	left (comb. 632)	4259427	1	35.95
56	1064	right (comb. 633)	4259428	1	35.95
56	1064	left (comb. 633)	4259429	1	35.95
56	1039D	(comb. 579)	4246081	1	44.80
56	1039D	(comb. 580)	4246082	1	44.80
56	1039D	(comb. 581)	4246083	1	44.80
56	1039D	(comb. 583)	4246085	1	44.80
56	1039D	(comb. 584)	4246086	1	44.80
56	1039D	(comb. 585)	4246087	1	44.80
56	1039D	(comb. 618)	4246084	1	44.80
56	1039D	(comb. 627)	4259308	1	44.80
56	1039D	(comb. 628)	4259309	1	44.80
56	1063F	right (comb. 570)	4246366	1	25.60
56	1063F	left (comb. 570)	4246367	1	25.60
56	1063F	right (comb. 572)	4246370	1	25.60
56	1063F	left (comb. 572)	4246371	1	25.60
56	1063F	right (comb. 609)	4246372	1	25.60
56	1063F	left (comb. 609)	4246373	1	25.60
56	1263F	right (comb. 562)	4247026	1	18.10
56	1263F	left (comb. 562)	4247027	1	18.10
56	1263F	right (comb. 616)	4247028	1	18.10
56	1263F	left (comb. 616)	4247029	1	18.10
56	1062DF	(comb. 586)	4246465	1	36.75
56	1062DF	(comb. 587)	4246466	1	36.75
56	1062DF	(comb. 588)	4246467	1	36.75
56	1062DF	(comb. 610)	4246469	1	36.75
56	1062DF	(comb. 619)	4246468	1	36.75
56	1062DF	(comb. 629)	4259391	1	36.75
56	1062DF	(comb. 630)	4259392	1	36.75
56	1062F-62FC	(comb. 570)	4246254	1	36.75
56	1062F-62FC	(comb. 572)	4246256	1	36.75
56	1062F-62FC	(comb. 609)	4246257	1	36.75
57	1011-37 (exc. 11A-11D)	right (comb. 654)	4260166	1	26.45
57	1011-37 (exc. 11A-11D)	left (comb. 654)	4260167	1	26.45
57	1011-37 (exc. 11A-11D)	right (comb. 655)	4260168	1	26.45
57	1011-37 (exc. 11A-11D)	left (comb. 655)	4260169	1	26.45
57	1011-37 (exc. 11A-11D)	right (comb. 656)	4260170	1	26.45
57	1011-37 (exc. 11A-11D)	left (comb. 656)	4260171	1	26.45
57	1011A	right (comb. 657)	4260265	1	39.45

57	1011A	left (comb. 657)	4260266	1	39.45
57	1011A	right (comb. 658)	4260267	1	39.45
57	1011A	left (comb. 658)	4260268	1	39.45
57	1011A	right (comb. 659)	4260269	1	39.45
57	1011A	left (comb. 659)	4260270	1	39.45
57	1011D	right (comb. 663)	4260514	1	37.25
57	1011D	left (comb. 663)	4260515	1	37.25
57	1011D	right (comb. 664)	4260516	1	37.25
57	1011D	left (comb. 664)	4260517	1	37.25
57	1011D	right (comb. 665)	4260518	1	37.25
57	1011D	left (comb. 665)	4260519	1	37.25
57	1011D	right (comb. 666)	4260520	1	37.25
57	1011D	left (comb. 666)	4260521	1	37.25
57	1011D	right (comb. 667)	4260522	1	37.25
57	1011D	left (comb. 667)	4260523	1	37.25
57	1011D	right (comb. 668)	4260524	1	37.25
57	1011D	left (comb. 668)	4260525	1	37.25
57	1011D	right (comb. 669)	4260526	1	37.25
57	1011D	left (comb. 669)	4260527	1	37.25
57	1211	right (comb. 650)	4261621	1	24.35
57	1211	left (comb. 650)	4261622	1	24.35
57	1019-39 (exc. 19D)	(comb. 654)	4260172	1	41.30
57	1019-39 (exc. 19D)	(comb. 655)	4260173	1	41.30
57	1019-39 (exc. 19D)	(comb. 656)	4260174	1	41.30
57	1919D-62DF	(comb. 663, 684)	4260528	1	48.90
57	1019D-62DF	(comb. 664, 685)	4260529	1	48.90
57	1019D-62DF	(comb. 665, 686)	4260530	1	48.90
57	1019D-62DF	(comb. 666, 687)	4260531	1	48.90
57	1019D-62DF	(comb. 667, 688)	4260532	1	48.90
57	1019D-62DF	(comb. 668, 689)	4260533	1	48.90
57	1019D-62DF	(comb. 669, 690)	4260534	1	48.90
57	1219	(comb. 650)	4261623	1	37.05
57	CONV.	right (comb. 677)	4261545	1	39.45
57	CONV.	left (comb. 677)	4261546	1	39.45
57	CONV.	right (comb. 678)	4261547	1	39.45
57	CONV.	left (comb. 678)	4261548	1	39.45
57	CONV.	right (comb. 679)	4261549	1	39.45
57	CONV.	left (comb. 679)	4261550	1	39.45
57	CONV.	right (comb. 680)	4261551	1	39.45
57	CONV.	left (comb. 680)	4261552	1	39.45
57	CONV.	right (comb. 681)	4261553	1	39.45
57	CONV.	left (comb. 681)	4261554	1	39.45
57	CONV.	right (comb. 682)	4261555	1	39.45
57	CONV.	left (comb. 682)	4261556	1	39.45
57	CONV.	right (comb. 683)	4261557	1	39.45
57	CONV.	left (comb. 683)	4261558	1	39.45
57	1037D-64	right (comb. 670, 691)	4260915	1	39.45
57	1037D-64	left (comb. 670, 691)	4260916	1	39.45
57	1037D-64	right (comb. 671, 692)	4260917	1	39.45
57	1037D-64	left (comb. 671, 692)	4260918	1	39.45
57	1037D-64	right (comb. 672, 693)	4260919	1	39.45
57	1037D-64	left (comb. 672, 693)	4260920	1	39.35
57	1037D-64	right (comb. 673, 694)	4260921	1	39.45
57	1037D-64	left (comb. 673, 694)	4260922	1	39.45
57	1037D-64	right (comb. 674, 695)	4260923	1	39.45
57	1037D-64	left (comb. 674, 695)	4260924	1	39.45
57	1037D-64	right (comb. 675, 696)	4260925	1	39.45
57	1037D-64	left (comb. 675, 696)	4260926	1	39.45
57	1037D-64	right (comb. 676, 697)	4260927	1	39.45
57	1037D-64	left (comb. 676, 697)	4260928	1	39.45
57	1039D	(comb. 670)	4260929	1	51.80
57	1039D	(comb. 671)	4260930	1	51.80
57	1039D	(comb. 672)	4260931	1	51.80
57	1039D	(comb. 673)	4260932	1	51.80
57	1039D	(comb. 674)	4260933	1	51.80
57	1039D	(comb. 675)	4260934	1	51.80
57	1039D	(comb. 676)	4260935	1	51.80

57	1063F	right (comb. 660)	4261274	1	29.05
57	1063F	left (comb. 660)	4261275	1	29.05
57	1063F	right (comb. 661)	4261276	1	29.05
57	1063F	left (comb. 661)	4261277	1	29.05
57	1063F	right (comb. 662)	4261278	1	29.05
57	1063F	left (comb. 662)	4261279	1	29.05
57	1062F-62FC	(comb. 660)	4261280	1	39.55
57	1062F-62FC	(comb. 661)	4261281	1	39.55
57	1062F-62FC	(comb. 662)	4261282	1	39.55
57	1263F-71	right (comb. 651, 652)	4261662	1	24.70
57	1263F-71	left (comb. 651, 652)	4261663	1	24.70
57	1263F	right (comb. 653)	4261664	1	24.70
57	1263F	left (comb. 653)	4261665	1	24.70

14.804 BUTTON ASSEMBLY, Seat Back

56	BEL AIR	rear (comb. ALL)	4258479	A.R.	.30
56	CONV.	rear, (comb. 602-07, 621, 631, 670-76, 691-97)	4255911	A.R.	.30
57	1037D-39D-64	front and rear	4255911	A.R.	.30
57	CONV.	front and rear (comb. 677-680)	4260936	A.R.	.30
57	CONV.	front and rear (comb. 678)	4267990	A.R.	.30
57	CONV.	front and rear (comb. 679)	4267991	A.R.	.30
57	CONV.	front and rear (comb. 681)	4267992	A.R.	.30
57	CONV.	front and rear (comb. 682)	4267993	A.R.	.30
57	CONV.	front and rear (comb. 683)	4267994	A.R.	.30

14.810 TRIM ASSEMBLY, Back of Front Seat Back

NOTE: For back of back trim not listed below, refer to Group 15.500 yardage.

49-51	CONV., BEL AIR	left (comb. 162, 176, 186, 196, 206)	4174931	1	7.50
51	1008-69-1208-69	(comb. 200, 201)	4178541	1	13.85
52	1069	(comb. 212)	4189269	1	13.85

PANEL, Front Seat Back Outer

53	1037D-67D	left, white (plastic)	4620650	1	5.20
53	1037D-67D	left, light blue (plastic)	4620652	1	5.20
53	1037D-67D	right, light green (plastic)	4620653	1	5.20
53	1037D-67D	left, light green (plastic)	4620654	1	5.20
53	1037D-67D	left, tan (plastic)	4620656	1	5.20
53	1067	right (metal)	4605073	1	(11.358)
53	1067	left (metal)	4605074	1	(11.358)

NOTE: For numbers not listed, use metal panel listed in this group. Order sufficient amount of imitation leather of the desired color for both right and left sides.

TRIM ASSY.—SCREW, Front Seat Back Side Outer Panel

55	1011-37 (exc. 11A-11D)	right (comb, 503)	4214294	1	2.60
55	1011-37 (exc. 11A-11D)	left (comb. 503)	4214295	1	2.60
55	1011-37 (exc. 11A-11D)	right (comb. 504)	4214296	1	2.60
55	1011-37 (exc. 11A-11D)	left (comb. 504)	4214297	1	2.60
55	1011-37 (exc. 11A-11D)	right (comb. 505)	4214298	1	2.60
55	1011-37 (exc. 11A-11D)	left (comb. 505)	4214299	1	2.60
55	1011A-67D-1211	right (comb. 500, 508, 547)	4214169	1	2.60
55	1011A-67D-1211	left (comb. 500, 508, 547)	4214170	1	2.60
55	1011A-11D-37D-67D	right (comb. 506, 509, 519, 527)	4214165	1	2.60
55	1011A-11D-37D-67D	left (comb. 506, 509, 519, 527)	4214166	1	2.60
55	2 DRS. (exc. 1011-37-1211-71)	right (comb. 507, 510, 515, 520, 524, 526)	4214167	1	2.60
55	2 DRS. (exc. 1011-37-1211-71)	left (comb. 507, 510, 515, 520, 524, 526).	4214168	1	2.60
55	1011D-63F-64-67D	right (comb. 511, 514, 516, 525, 528, 541, 542, 543, 544)	4214545	1	2.60
55	1011D-63F-64-67D	left (comb. 511, 514, 516, 525, 528, 541, 542, 543, 544)	4214546	1	2.60
55	1011D-37D-64-67D	right (comb. 513, 537, 545, 549, 550, 551, 552)	4214549	1	2.60
55	1011D-37D-64-67D	left (comb. 513, 537, 545, 549, 550, 551, 552)	4214550	1	2.60

55	1011D-37D-64-67D	right (comb. 531, 532, 533, 546)	4214547	1	2.60
55	1011D-37D-64-67D	left (comb. 531, 532, 533, 546)	4214548	1	2.60
55	1037D	right (comb. 521)	4214725	1	2.60
55	1037D	left (comb. 521)	4214726	1	2.60
55	1037D	right (comb. 522)	4214727	1	2.60
55	1037D	left (comb. 522)	4214728	1	2.60
55	1263F	right (comb. 502)	4215229	1	2.60
55	1263F	left (comb. 502)	4215230	1	2.60
56	1011-37-63F (exc. 11A-11D)	right (comb. 564, 565, 566, 570, 572, 609)	4245409	1	2.60
56	1011-37-63F (exc. 11A-11D)	left (comb. 564, 565, 566, 570, 572, 609)	4245410	1	2.60
56	1011A-37D-64-67D	right (comb. 567-69, 579, 602-3, 605)	4246672	1	2.60
56	1011A-37D-64-67D	left (comb. 567-69, 579, 602-3, 605)	4246673	1	2.60
56	1011D-1263F	right (comb. 573, 578, 616, 626)	4245723	1	2.60
56	1011D-1263F	left (comb. 573, 578, 616, 626)	4245724	1	2.60
56	1011D-1263F	right (comb. 562, 574)	4245725	1	2.60
56	1011D-1263F	left (comb. 562, 574)	4245726	1	2.60
56	1011D	right (comb. 575)	4245727	1	2.60
56	1011D	left (comb. 575)	4245728	1	2.60
56	1011D	right (comb. 577)	4245731	1	2.60
56	1011D	left (comb. 577)	4245732	1	2.60
56	1011D	right (comb. 617)	4245729	1	2.60
56	1011D	left (comb. 617)	4245730	1	2.60
56	1211	right (comb. 560)	4246986	1	2.60
56	1211	left (comb. 560)	4246987	1	2.60
56	1037D-64	right (comb. 583, 593)	4246666	1	2.60
56	1037D-64	left (comb. 583, 593)	4246667	1	2.60
56	1037D-64	right (comb. 584, 594)	4246668	1	2.60
56	1037D-64	left (comb. 584, 594)	4246669	1	2.60
56	1037D-64-67D	right (comb. 580, 590, 606)	4246660	1	2.60
56	1037D-64-67D	left (comb. 580, 590, 606)	4246661	1	2.60
56	1037D-64-67D	right (comb. 581, 591, 607)	4246662	1	2.60
56	1037D-64-67D	left (comb. 581, 591, 607)	4246663	1	2.60
56	1037D-64-67D	right (comb. 585, 595, 604)	4246670	1	2.60
56	1037D-64-67D	left (comb. 585, 595, 604)	4246671	1	2.60
56	1037D-64-67D	right (comb. 618, 621, 628, 633)	4246094	1	2.60
56	1037D-64-67D	left (comb. 618, 621, 628, 633)	4246095	1	2.60
56	1037D-64-67D	right (comb. 627, 631, 632)	4259310	1	2.60
56	1037D-64-67D	left (comb. 627, 631, 632)	4259311	1	2.60
57	1011-37-67D (exc. 11A-11D)	right (comb. 656, 679)	4260179	1	2.60
57	1011-37-67D (exc. 11A-11D)	left (comb. 656, 679)	4260180	1	2.60
57	1011-37-67D (exc. 11D)	right (comb. 654, 657, 660)	4260175	1	2.60
57	1011-37-63F (exc. 11D)	left (comb. 654, 657, 660)	4260176	1	2.60
57	1011-37-63F-67D-1263F (exc. 11D)	right (comb. 653, 655, 658, 661, 678)	4260177	1	2.60
57	1011-37-63F-67D-1263F (exc. 11D)	left (comb. 653, 655, 658, 661, 678)	4260178	1	2.60
57	1011A-11D-37D-63F-64-67D	right (comb. 659, 662, 667, 674, 681, 695)	4260275	1	2.60
57	1011A-11D-37D-63F-64-67D	left (comb. 659, 662, 667, 674, 681, 695)	4260276	1	2.60
57	1011D-37D-64	right (comb. 664, 671, 692)	4260537	1	2.60
57	1011D-37D-64	left (comb. 664, 671, 692)	4260538	1	2.60
57	1011D-37D-64	right (comb. 665, 672, 693)	4260539	1	2.60
57	1011D-37D-64	left (comb. 665, 672, 693)	4260540	1	2.60
57	1011D-37D-64	right (comb. 666, 673, 694)	4260541	1	2.60
57	1011D-37D-64	left (comb. 666, 673, 694)	4260542	1	2.60
57	1011D-37D-64-1211-63F-71	right (comb. 650, 651, 652, 663, 668, 669, 670, 675, 676, 691, 696, 697)	4260535	1	2.60
57	1011D-37D-64-1211-63F-71	left (comb. 650, 651, 652, 663, 668, 669, 670, 675, 676, 691, 696, 697)	4260536	1	2.60
57	CONV.	(comb. 677, 682, 683)	4269269	2	2.60
57	CONV.	(comb. 680)	4269270	2	2.60
53	CONV., SPT. CPE.	SCREW (No. 8—15 x 5/8)	145417	4	(8.977)
53	CONV., SPT. CPE.	SCREW, w/washer (No. 8—15 x 9/16)	4632299	4	.08

14.818 MOULDING—CLIP—NUT, Front Seat Side Trim

53	Ser. 1000 (exc. BEL AIR),				
54	Ser. 1000	right or left (chrome)	4630565	1	2.20
53	BEL AIR	right	4604011	1	3.65
53	BEL AIR	left	4604012	1	3.95
53-54	Ser. 1200 (exc. SDL.),	right or left	4639597	2	1.00
55-56	Ser. 1000	(3/8 wide)	4650630	2	1.40

56	1062FC-62DF	protector	4682502	2	.75
53-55	CORVETTE	left, seat separator	4154393	1	2.95
53-55	CORVETTE	right, seat separator	4154392	1	2.95
56-57	CORVETTE	left, seat separator, lower	3725597	1	.90
56-57	CORVETTE	right, seat separator, lower	3725598	1	.90
56-57	CORVETTE	left, seat separator, upper	3725601	1	1.40
56-57	CORVETTE	right, seat separator, upper	3725602	1	1.40
56-57	CORVETTE	left, seat separator compartment door	3725609	1	2.30
56-57	CORVETTE	right, seat separator compartment door	3725610	1	2.30
53-55	CORVETTE	CLIP, moulding	4603676	8	(12.118)
56-57	CORVETTE	CLIP seat separator comp. dr. mldg.	3728727	1	.05
53	PASS. (exc. B-A, SDL.),				
54	PASS. (exc. 1262F-71),				
55	PASS.	NUT, finish mldg. ($\frac{1}{2}$ x $\frac{15}{16}$)	4631803	A.R.	(14.691)

MOULDING ESCUTCHEON, Folding Seat Back

53-54	1062F-1262F	right, trim finishing (22½ long)	4624082	1	2.85
53-54	1062F-1262F	left, trim finishing (22½ long)	4624083	1	2.85
53-54	1062F	trim finish, upper and lower seat back, and rear seat bottom (48$\frac{15}{16}$ O.L.) (chrome)	4617875	3	3.10
53-54	1062F	front, bottom seat trim finish (chrome)	4617881	1	6.60
53-54	1062F	right, rear corner (chrome)	4617882	1	1.05
53-54	1062F	left, rear corner (chrome)	4617883	1	1.05
53-54	1262F	upper and lower seat back and bottom rear trim finish mldg. (48$\frac{15}{16}$ O.L.)	4641626	3	1.85
53-54	1262F	bottom trim finishing front (painted)	4641664	1	4.45
53-54	1262F	right, bottom rear corner	4641660	1	.90
53-54	1262F	left, bottom rear corner	4641661	1	.90
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	trim finish, upr., lwr., and seat bottom front	4662816	3	3.10
55	STA. WAG. (exc. 1062DF)	trim finish, upr., lwr., and seat bottom front	4662815	4	1.80
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	bottom side trim finish	4662825	2	1.05
55	STA. WAG. (exc. 1062DF)	bottom side trim finish	4662824	2	.60
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	right, bottom side rear	4662840	1	2.85
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	left, bottom side rear	4662841	1	2.85
55	STA. WAG. (exc. 1062DF)	right, bottom side rear	4662844	1	1.85
55	STA. WAG. (exc. 1062DF)	left, bottom side rear	4662845	1	1.85
55	1062DF	right, side lower	4662764	1	2.45
55	1062DF	left, side lower	4662765	1	2.45
55	STA. WAG. (exc. 1062DF)	right, side lower	4662768	1	1.40
55	STA. WAG. (exc. 1062DF)	left, side lower	4662769	1	1.40
55	1062DF	right, side upper	4662756	1	.95
55	1062DF	left, side upper	4662757	1	.95
55	STA. WAG. (exc. 1062DF)	right, side upper	4662760	1	.60
55	STA. WAG. (exc. 1062DF)	left, side upper	4662761	1	.60
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	bottom rear trim finish	4662835	1	5.95
55	STA. WAG. (exc. 1062DF)	bottom rear trim finish	4662837	1	2.65
56-57	1062F-63F-64-1263F				
57	1062DF	right, side upper	4682435	1	.95
56-57	1062F-63F-64-1263F				
57	1062DF	left, side upper	4682436	1	.95
56-57	1062F-63F-64-1263F				
57	1062DF	right, side lower	4682439	1	2.45
56-57	1062F-63F-64-1263F				
57	1062DF	left, side lower	4682440	1	2.45
56	1062FC-62DF	rear seat back, front board front	4687685	1	5.55
56-57	1062FC-62DF	right, side lower	4680692	1	2.45
56-57	1062FC-62DF	left, side lower	4680693	1	2.45
56-57	1062FC-62DF	right, side inner	4680498	1	2.00

56-57	1062FC-62DF	left, side inner	4680499	1	2.00
56-57	1062FC-62DF	right, bottom	4680494	1	3.35
56-57	1062FC-62DF	left, bottom	4680495	1	3.35
56-57	1062FC-62DF	bottom inner front	4680664	2	1.25
56-57	1062FC-62DF	bottom outer front	4680662	2	1.25
56-57	1062FC-62DF	bottom rear—right	4680666	1	1.40
56-57	1062FC-62DF	bottom rear—left	4680668	1	2.45
56-57	1062FC-62DF	left, bottom trim front	4680690	1	5.35
56-57	1062FC-62DF	left, upper trim	4680707	1	8.75
56-57	1062FC-62DF	right, center bottom trim front (17¼)	4680688	1	3.65
56-57	1062FC-62DF	side outer upper	4680670	2	1.25
56-57	1062FC-62DF	right, center seat lower trim	4687482	1	1.40
56-57	1062FC-62DF	left, center seat lower trim	4687484	1	2.45
56-57	1062FC-62DF	rear seat back, front board side	4681979	1	1.40
56-57	1062FC-62DF	rear seat back, rear board side	4681981	1	1.65
56-57	1062FC-62DF	right, upper (⅝ x 18)	4680705	1	7.85
57	1062FC	rear seat back, front board front (chrome)	4691170	1	5.55
57	1062FC	front seat back protector	4696465	2	.75
57	BEL AIR	front seat side trim	4698110	2	1.45
53-54	1062F-1262F,				
55	1263F	ESCUTCHEON, seat back moulding (painted).	4657970	4	.55
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	ESCUTCHEON, right lower	4662880	1	1.25
55	1062DF-64,				
56-57	1062F-63F-64-1263F,				
57	1062DF	ESCUTCHEON, left lower	4662881	1	1.25
55	STA. WAG. (exc. 1062DF)	ESCUTCHEON, right, lower	4662884	1	.70
55	STA. WAG. (exc. 1062DF)	ESCUTCHEON, left, lower	4662885	1	.70
55	1062DF-64,				
56	1062-63F-64-1263F	ESCUTCHEON, back moulding upper, stainless			
57	1062-63F-64	steel	4617873	4	1.70
56-57	1062FC-62DF	ESCUTCHEON, right center trim	4680702	1	1.25
56-57	1062FC-62DF	ESCUTCHEON, left center trim	4680703	1	1.25
56-57	1062FC-62DF	ESCUTCHEON, back board lift hole	4685693	2	2.20
56-57	1062FC-62DF	ESCUTCHEON, rr. seat back moulding	4681959	1	1.25

14.860 TRIM ASSEMBLY, Front Seat Side Panel Lower

53	1011W-27-37	right (comb. 241)	4191992	1	2.25
53	1011W-27-37	left (comb. 241)	4191993	1	2.25
53	1011W-27-37	right (comb. 242)	4191994	1	2.25
53	1011W-27-37	left (comb. 242)	4191995	1	2.25
53	1011W-27-37	right (comb. 243)	4191996	1	2.25
53	1011W-27-37	left (comb. 243)	4191997	1	2.25
53	1011W-27-37	right (comb. 244)	4191998	1	2.25
53	1011W-27-37	left (comb. 244)	4191999	1	2.25
53	1211-27-27B	right (comb. 249)	4192463	1	2.15
53	1211-27-27B	left (comb. 249)	4192464	1	2.15
54	1011W	right (comb. 304)	4200676	1	2.25
54	1011W	left (comb. 304)	4200677	1	2.25
54	1011W	right (comb. 305)	4200678	1	2.25
54	1011W	left (comb. 305)	4200679	1	2.25
54	1011W	right (comb. 306)	4200680	1	2.25
54	1011W	left (comb. 306)	4200681	1	2.25
54	1011W	right (comb. 307)	4200682	1	2.25
54	1011W	left (comb. 307)	4200683	1	2.25
54	1011W	left (comb. 352)	4211424	1	1.95
54	1011W	right (comb. 354)	4211427	1	2.25
54	1011W	left (comb. 354)	4211428	1	2.25
54	1011W	right (comb. 355)	4211429	1	2.25
54	1011W	left (comb. 355)	4211430	1	2.25
54	1011WD	right (comb. 360)	4211613	1	2.60
54	1011WD	left (comb. 360)	4211614	1	2.60
54	1011WD-37D-67D	right (comb. 318, 328, 330)	4200930	1	2.60
54	1011WD-37D-67D	left (comb. 318, 328, 330)	4200931	1	2.60
54	1011WA-11WD	right (comb. 331, 332, 333, 334)	4208555	1	2.60
54	1011WA-11WD	left (comb. 331, 332, 333, 334)	4208556	1	2.60
54	1211	right (comb. 300)	4201129	1	2.25

54	1211	left (comb. 300)	4201130	1	2.25
54	1211W	right (comb. 350)	4211294	1	2.25
54	CONV., SPT. CPE.	right (comb. 314, 327)	4209610	1	2.60
54	CONV., SPT. CPE.	left (comb. 314, 327)	4209611	1	2.60
54	CONV., SPT. CPE.	right (comb. 315, 326)	4209612	1	2.60
54	CONV., SPT. CPE.	left (comb. 315, 326)	4209613	1	2.60
54	CONV., SPT. CPE.	right (comb. 316, 317, 319, 325, 329, 337)	4209614	1	2.60
54	CONV., SPT. CPE.	left (comb. 316, 317, 319, 325, 329, 337)	4209615	1	2.60
54	CONV., SPT. CPE	right (comb. 362, 374)	4211722	1	2.60
54	CONV., SPT. CPE.	left (comb. 362, 374)	4211723	1	2.60
54	CONV., SPT. CPE.	right (comb. 365, 366, 368)	4211724	1	2.60
54	CONV., SPT. CPE.	left (comb. 365, 366, 368)	4211725	1	2.60

NOTE: 1955 2-Dr. Trim Assy. not serviced separately. Refer to yardage illustration group 15.500

NOTE: On all 1956 2 Dr. and 4 Dr. models, it is necessary to order Metal Panel, Gp. 11.358 and trim with yardage.

TRIM ASSY., Front Seat Side and Back Side Panel

53	1069W	right (comb. 241)	4192328	1	3.40
53	1069W	left (comb. 241)	4192329	1	3.40
53	1069WD	right (comb. 245, 291)	4192420	1	3.75
53	1069WD	left (comb. 245, 291)	4192421	1	3.75
53	1069WD	right (comb. 247, 292)	4192424	1	3.75
53	1069WD	left (comb. 247, 292)	4192425	1	3.75
54	1069W	right (comb. 305)	4200686	1	3.40
54	1069W	left (comb. 305)	4200687	1	3.40
54	1069W	right (comb. 306)	4200688	1	3.40
54	1069W	left (comb. 306)	4200689	1	3.40
54	1069W	right (comb. 352)	4211431	1	3.40
54	1069W	left (comb. 352)	4211432	1	3.40
54	1069W	right (comb. 353)	4211433	1	3.40
54	1069W	left (comb. 353)	4211434	1	3.40
54	1069W	right (comb. 355)	4211437	1	3.40
54	1069W	left (comb. 355)	4211438	1	3.40
54	1069WD	right (comb. 310)	4200934	1	4.20
54	1069WD	left (comb. 310)	4200935	1	4.20
54	1069WD	right (comb. 311)	4200936	1	4.20
54	1069WD	left (comb. 311)	4200937	1	4.20
54	1069WD	right (comb. 330)	4200938	1	4.20
54	1069WD	left (comb. 330)	4200939	1	4.20
54	1069WD	right (comb. 359)	4211619	1	4.20
54	1069WD	left (comb. 359)	4211620	1	4.20
54	1069WD	right (comb. 360)	4211621	1	4.20
54	1069WD	left (comb. 360)	4211622	1	4.20
54	1269W	right (comb. 300)	4201131	1	4.20
54	1269W	left (comb. 300)	4201132	1	4.20
54	1269W	right (comb. 350)	4211296	1	4.20
54	1269W	left (comb. 350)	4211297	1	4.20
54	1062F	right (comb. 356)	4211856	1	3.40
54	1062F	left (comb. 356)	4211857	1	3.40
54	1262F	right (comb. 371)	4211883	1	3.40
54	1262F	left (comb. 371)	4211884	1	3.40
55	1019 (exc. 19D)	right (comb. 503)	4214300	1	4.20
55	1019 (exc. 19D)	left (comb. 503)	4214301	1	4.20
55	1019 (exc. 19D)	right (comb. 504)	4214302	1	4.20
55	1019 (exc. 19D)	left (comb. 504)	4214303	1	4.20
55	1019 (exc. 19D)	right (comb. 505)	4214304	1	4.20
55	1019 (exc. 19D)	left (comb. 505)	4214305	1	4.20
55	1019D-62D	right (comb. 509)	4214551	1	4.20
55	1019D-62D	left (comb. 509)	4214552	1	4.20
55	1019D-62F	right (comb. 510, 515)	4214553	1	4.20
55	1019D-62F	left (comb. 510, 515)	4214554	1	4.20
55	1019D	right (comb. 511)	4214555	1	4.20
55	1019D	left (comb. 511)	4214556	1	4.20
55	1019D	right (comb. 513, 549)	4214559	1	4.20
55	1019D	left (comb. 513, 549)	4214560	1	4.20
55	1019D	right (comb. 531)	4214557	1	4.20

55	1019D	left (comb. 531)	4214558	1	4.20
55	1219	right (comb. 500)	4215189	1	4.20
55	1219	left (comb. 500)	4215190	1	4.20
55	1062	right (comb. 514, 516, 517)	4214860	1	3.75
55	1062	left (comb. 514, 516, 517)	4214861	1	3.75
56	1019-39-62F-62FC (exc. 19D)	right (comb. 564, 565, 566, 570, 572, 609)	4246258	1	4.20
56	1019-39-62F-62FC (exc. 19D)	left (comb. 564, 565, 566, 570, 572, 609)	4246259	1	4.20
56	1019D	right (comb. 573, 578, 626)	4245747	1	4.20
56	1019D	left (comb. 573, 578, 626)	4245748	1	4.20
56	1019D	right (comb. 574)	4245749	1	4.20
56	1019D	left (comb. 574)	4245750	1	4.20
56	1019D	right (comb. 575)	4245751	1	4.20
56	1019D	left (comb. 575)	4245752	1	4.20
56	1019D	right (comb. 577)	4245755	1	4.20
56	1019D	left (comb. 577)	4245756	1	4.20
56	1019D	right (comb. 617)	4245753	1	4.20
56	1019D	left (comb. 617)	4245754	1	4.20
56	1219 (TAXICAB)	right (comb. 560)	4246990	1	4.20
56	1219 (TAXICAB)	left (comb. 560)	4246991	1	4.20
56	1039D-62DF	right (comb. 579-610) (lwr. and back side)	4246478	1	4.20
56	1039D-62DF	left (comb. 579-610) (lwr. and back side)	4246479	1	4.20
56	1039D	right (comb. 580) (lwr. and back side)	4246104	1	4.20
56	1039D	left (comb. 580) (lwr. and back side)	4246105	1	4.20
56	1039D	right (comb. 581) (lwr. and back side)	4246106	1	4.20
56	1039D	left (comb. 581) (lwr. and back side)	4246107	1	4.20
56	1039D-62DF	right (comb. 583, 586) (lwr. & back side)	4246470	1	4.20
56	1039D-62DF	left (comb. 583, 586) (lwr. & back side)	4246471	1	4.20
56	1039D-62DF	right (comb. 584, 587) (lwr. & back side)	4246472	1	4.20
56	1039D-62DF	left (comb. 584, 587) (lwr. & back side)	4246473	1	4.20
56	1039D-62DF	right (comb. 585, 588) (lwr. & back side)	4246474	1	4.20
56	1039D-62DF	left (comb. 585, 588) (lwr. & back side)	4246475	1	4.20
56	1039D-62DF	right (comb. 618, 619, 628, 629) (lwr. & back side)	4246476	1	4.20
56	1039D-62DF	left (comb. 618, 619, 628, 629) (lwr. & back side)	4246477	1	4.20
56	1039-62DF	right (comb. 627, 630)	4259393	1	4.20
56	1039-62DF	left (comb. 627-630)	4259394	1	4.20
56	1037D-64-67D	right (comb. 627, 631, 632)	4259312	1	2.60
56	1037D-64-67D	left (comb. 627, 631, 632)	4259313	1	2.60
57	1011-63F-67D-1263F (exc. 11D)	right (comb. 653, 655, 658, 661, 678) (lower panel)	4260189	1	2.60
57	1011-63F-67D-1263F (exc. 11D)	left (comb. 653, 655, 658, 661, 678) (lower panel)	4260190	1	2.60
57	1011-37-63 (exc. 11D)	right (comb. 654, 657, 660) (lower panel)	4260187	1	2.60
57	1011-37-63 (exc. 11D)	left (comb. 654, 657, 660) (lower panel)	4260188	1	2.60
57	1011A-11D-37D-63F-64-67D	right (comb. 659, 662, 667, 674, 681, 695) (lower panel)	4260281	1	2.60
57	1011A-11D-37D-63F-64-67D	left (comb. 659, 662, 667, 674, 681, 695) (lower panel)	4260282	1	2.60
57	1019-39 (exc. 19D)	right (comb. 656)	4260185	1	2.60
57	1019-39 (exc. 19D)	left (comb. 656)	4260186	1	2.60
57	1019-39-62F-62FC (exc. 19D)	right (comb. 654, 660)	4260181	1	2.60
57	1019-39-62F-62FC (exc. 19D)	left (comb. 654, 660)	4260182	1	2.60
57	1019-39-62F-62FC (exc. 19D)	right (comb. 655, 661)	4260183	1	2.60
57	1019-39-62F-62FC (exc. 19D)	left (comb. 655, 661)	4260184	1	2.60
57	1019D-39D-62DF-1219	right (comb. 650, 663, 668, 669, 670, 675, 676, 684, 689, 690)	4260545	1	4.20
57	1019D-39D-62DF-1219	left (comb. 650, 663, 668, 669, 670, 675, 676, 684, 689, 690)	4260546	1	4.20
57	1019D-39D-62DF	right (comb. 662, 667, 674, 688)	4260553	1	4.20
57	1019D-39D-62DF	left (comb. 662, 667, 674, 688)	4260554	1	4.20
57	1019D-39D-62DF	right (comb. 664, 671, 685)	4260547	1	4.20
57	1019D-39D-62DF	left (comb. 664, 671, 685)	4260548	1	4.20
57	1019D-39D-62DF	right (comb. 665, 672, 686)	4260549	1	4.20
57	1019D-39D-62DF	left (comb. 665, 672, 686)	4260550	1	4.20

57	1019D-39D-62DF	right (comb. 666, 673, 687)	4260551	1	4.20
57	1019D-39D-62DF	left (comb. 666, 673, 687)	4260552	1	4.20

NOTE: On all 1956 2 Dr. and 4 Dr. models, it is necessary to order Metal Panel, Gp. 11.358 and trim with yardage.

PANEL—PLATE, Front Seat Side Lower (less mouldings)

53	1037D-67	right (metal)	4630592	1	(11.362)
53-54	1037D-67 2-DR. (exc. SDL.)	left (metal) lower	4642519	1	(11.362)
56-57	CORVETTE	PLATE, filler panel trim	3727549	2	1.50

NOTE: For numbers not listed, use metal panel listed in this group. Order sufficient amount of imitation leather of the desired color for both right and left side.

14.875 BELT—HARNESS—ADAPTER—REINFORCEMENT, Seat

56	PASS., CORVETTE	unit	987480	1	10.95
57	PASS., CORVETTE	unit	987690	1	10.95
56-57	PASS. (exc. SDL.)	HARNESS, unit shoulder	987491	1	9.50
56-57	CORVETTE	ADAPTER, seat belt unit	987492	1	3.95
56-57	CORVETTE	REINFORCEMENT, left floor panel inner	3731131	1	.40
56-57	CORVETTE	REINFORCEMENT, right floor panel inner	3731132	1	.40

14.878 CUSHION, Front Seat—Trimmed

52	1069	(comb. 211)	4189242	1	85.55
52	1269	(comb. 210)	4186546	1	72.40
53	1211-27-27B	(comb. 249)	4192453	1	76.25
53	1069W	(comb. 241)	4192308	1	85.55
53	1069W	(comb. 244)	4192311	1	85.55
53	1069WD	(comb. 246)	4192401	1	93.75
53	1269	(comb. 249)	4192505	1	72.40
53	1062-62F	(comb. 280)	4197551	1	87.50
54	1011W	(comb. 305) (man. or elect. seat)	4209449	1	97.75
54	1011W	(comb. 306) (man. or elect. seat)	4209450	1	97.75
54	1011W	(comb. 352) (man. or elect. seat)	4211367	1	97.75
54	1011WD	(comb. 309) (man. or elect. seat)	4209452	1	113.85
54	1011WD	(comb. 358) (man. or elect. seat)	4211553	1	113.85
54	1011WD	(comb. 359) (man. or elect. seat)	4211554	1	113.85
54	1211	(comb. 300) (manual seat)	4201111	1	76.25
54	1211W	(comb. 350) (manual seat)	4211281	1	76.25
54	1069W	(comb. 305) (man. or elect. seat)	4209461	1	92.00
54	1069W	(comb. 355) (man. or elect. seat)	4211386	1	92.00
54	1069WD	(comb. 309) (man. or elect. seat)	4209464	1	103.50
54	1069WD	(comb. 311) (man. or elect. seat)	4209466	1	103.50
54	1069WD	(comb. 330) (man. or elect. seat)	4209467	1	103.50
54	1069WD	(comb. 331) (man. or elect. seat)	4209468	1	103.50
54	1269W	(comb. 300) (manual seat)	4201112	1	72.40
54	SPT. CPE	(comb. 315) (man. or elect. seat)	4209476	1	113.85
54	SPT. CPE	(comb. 317) (man. or elect. seat)	4209478	1	113.85
54	1062D-62F	(comb. 323) (man. or elect. seat)	4209481	1	97.75
54	1062F	(comb. 356) (man. or elect. seat)	4211849	1	97.75
54	1062F	(comb. 357) (man. or elect. seat)	4211848	1	97.75
54	1262F	(comb. 371) (manual seat)	4211879	1	87.35
55	1011-37 (exc. 11A-11D)	(comb. 503)	4214258	1	103.50
55	1011-37 (exc. 11A-11D)	(comb. 504)	4214259	1	103.50
55	1011-37 (exc. 11A-11D)	(comb. 505)	4214260	1	103.50
55	1011A	(comb. 506)	4214144	1	120.75
55	1011A	(comb. 507)	4214145	1	120.75
55	1011A	(comb. 508)	4214146	1	120.75
55	1011D	(comb. 509)	4214481	1	113.85
55	1011D	(comb. 510)	4214482	1	113.85
55	1011D	(comb. 511)	4214483	1	113.85
55	1011D	(comb. 513)	4214485	1	113.85
55	1011D	(comb. 531)	4214484	1	113.85
55	1011D	(comb. 549)	4243229	1	113.85
55	1019 (exc. 19D)	(comb. 503)	4214264	1	97.75
55	1019 (exc. 19D)	(comb. 504)	4214265	1	97.75
55	1019 (exc. 19D)	(comb. 505)	4214266	1	97.75

55	1019D	(comb. 509)	4214486	1	103.50
55	1019D	(comb. 510)	4214487	1	103.50
55	1019D	(comb. 511)	4214488	1	103.50
55	1019D	(comb. 513)	4214490	1	103.50
55	1019D	(comb. 531)	4214489	1	103.50
55	1019D	(comb. 549)	4243231	1	103.50
55	1211-11B	(comb. 500, 547)	4215177	1	97.75
55	1219	(comb. 500)	4215178	1	83.65
55	CONV	(comb. 525)	4215065	1	126.50
55	CONV	(comb. 526)	4215066	1	126.50
55	CONV	(comb. 527)	4215067	1	126.50
55	CONV	(comb. 528)	4215068	1	126.50
55	CONV	(comb. 533)	4215070	1	126.50
55	CONV	(comb. 537)	4215069	1	126.50
55	CONV	(comb. 551)	4243203	1	126.50
55	1037D	(comb. 519)	4214686	1	113.85
55	1037D	(comb. 520)	4214687	1	113.85
55	1037D	(comb. 521)	4214688	1	113.85
55	1037D	(comb. 522)	4214689	1	113.85
55	1037D	(comb. 532)	4214690	1	113.85
55	1037D	(comb. 550)	4243178	1	113.85
55	1063F	(comb. 514)	4214827	1	109.25
55	1063F	(comb. 515)	4214828	1	109.25
55	1063F	(comb. 516)	4214829	1	109.25
55	1064	(comb. 541)	4243383	1	138.00
55	1064	(comb. 542)	4243384	1	138.00
55	1064	(comb. 543)	4243385	1	138.00
55	1064	(comb. 544)	4243387	1	138.00
55	1064	(comb. 545)	4243388	1	138.00
55	1064	(comb. 546)	4243389	1	138.00
55	1064	(comb. 552)	4243386	1	138.00
55	1263F	(comb. 502)	4215221	1	97.75
55	1263F	(comb. 524)	4215222	1	97.75
55	1062F	(comb. 514)	4214824	1	103.50
55	1062F	(comb. 515)	4214825	1	103.50
55	1062F	(comb. 516)	4214826	1	103.50
55	1062DF	(comb. 517)	4214920	1	109.25
55	1062DF	(comb. 518)	4214921	1	109.25
56	1011-37 (exc. 11A-11D)	(comb. 564)	4245375	1	106.40
56	1011-37 (exc. 11A-11D)	(comb. 565)	4245376	1	106.40
56	1011-37 (exc. 11A-11D)	(comb. 566)	4245377	1	106.40
56	1011A	(comb. 567)	4245483	1	120.75
56	1011A	(comb. 568)	4245484	1	120.75
56	1011A	(comb. 569)	4245485	1	120.75
56	1011D	(comb. 573)	4245663	1	113.85
56	1011D	(comb. 574)	4245664	1	113.85
56	1011D	(comb. 575)	4245665	1	113.85
56	1011D	(comb. 577)	4245667	1	113.85
56	1011D	(comb. 578)	4245668	1	113.85
56	1011D	(comb. 617)	4245666	1	113.85
56	1011D	(comb. 626)	4259350	1	113.85
56	1211	(comb. 560)	4246976	1	100.65
56	1019-39 (exc. 19D)	(comb. 564)	4245378	1	97.75
56	1019-39 (exc. 19D)	(comb. 565)	4245379	1	97.75
56	1019-39 (exc. 19D)	(comb. 566)	4245380	1	97.75
56	1019D	(comb. 573)	4245669	1	103.50
56	1019D	(comb. 574)	4245670	1	103.50
56	1019D	(comb. 575)	4245671	1	103.50
56	1019D	(comb. 577)	4245673	1	103.50
56	1019D	(comb. 578)	4245674	1	103.50
56	1019D	(comb. 617)	4245672	1	103.50
56	1019D	(comb. 626)	4259356	1	103.50
56	1219	(comb. 560)	4246977	1	83.65
56	CONV	(comb. 602)	4246854	1	126.50
56	CONV	(comb. 603)	4246855	1	126.50
56	CONV	(comb. 604)	4246856	1	126.50
56	CONV	(comb. 605)	4246857	1	126.50
56	CONV	(comb. 606)	4246858	1	126.50

56	CONV.	(comb. 607)	4246859	1	126.50
56	CONV.	(comb. 621)	4246860	1	126.50
56	CONV.	(comb. 631)	4259463	1	126.50
56	1037D	(comb. 579)	4257593	1	124.80
56	1037D	(comb. 580)	4257594	1	124.80
56	1037D	(comb. 581)	4257595	1	124.80
56	1037D	(comb. 583, 628)	4257596	1	124.80
56	1037D	(comb. 584)	4257597	1	124.80
56	1037D	(comb. 585)	4257598	1	124.80
56	1037D	(comb. 618)	4257599	1	124.80
56	1037D	(comb. 627)	4259294	1	124.80
56	1064	(comb. 590)	4246618	1	124.80
56	1064	(comb. 591)	4246619	1	124.80
56	1064	(comb. 593, 633)	4246621	1	124.80
56	1064	(comb. 594)	4246622	1	124.80
56	1064	(comb. 595)	4246623	1	124.80
56	1064	(comb. 611)	4246624	1	124.80
56	1064	(comb. 620)	4246021	1	124.80
56	1064	(comb. 632)	4259420	1	124.80
56	1039D	(comb. 579)	4246025	1	118.40
56	1039D	(comb. 580)	4246026	1	118.40
56	1039D	(comb. 581)	4246027	1	118.40
56	1039D	(comb. 583, 628)	4246029	1	118.40
56	1039D	(comb. 584)	4246030	1	118.40
56	1039D	(comb. 585)	4246031	1	118.40
56	1039D	(comb. 618)	4246028	1	118.40
56	1039D	(comb. 627)	4259304	1	118.40
56	1063F	(comb. 570)	4246350	1	112.15
56	1063F	(comb. 572)	4246352	1	112.15
56	1063F	(comb. 609)	4246353	1	112.15
56	1263F	(comb. 562)	4247018	1	100.65
56	1263F	(comb. 616)	4247019	1	100.65
56	1062DF	(comb. 586, 629)	4246450	1	112.15
56	1062DF	(comb. 587)	4246451	1	112.15
56	1062DF	(comb. 588)	4246452	1	112.15
56	1062DF	(comb. 610)	4246454	1	112.15
56	1062DF	(comb. 619)	4246453	1	112.15
56	1062DF	(comb. 630)	4259387	1	112.15
56	1062F-62FC	(comb. 570)	4246242	1	103.50
56	1062F-62FC	(comb. 572)	4246244	1	103.50
56	1062F-62FC	(comb. 609)	4246245	1	103.50
57	1011-37 (exc. 11A-11D)	(comb. 654)	4260145	1	118.90
57	1011-37 (exc. 11A-11D)	(comb. 655)	4260146	1	118.90
57	1011-37 (exc. 11A-11D)	(comb. 656)	4260147	1	118.90
57	1011A	(comb. 657)	4260253	1	131.50
57	1011A	(comb. 658)	4260254	1	131.50
57	1011A	(comb. 659)	4260255	1	131.50
57	1011D	(comb. 663)	4260465	1	124.85
57	1011D	(comb. 664)	4260466	1	124.85
57	1011D	(comb. 665)	4260467	1	124.85
57	1011D	(comb. 666)	4260468	1	124.85
57	1011D	(comb. 667)	4260469	1	124.85
57	1011D	(comb. 668)	4260470	1	124.85
57	1011D	(comb. 669)	4260471	1	124.85
57	1211	(comb. 650)	4261614	1	108.15
57	1019-39 (exc. 19D)	(comb. 654)	4260148	1	108.15
57	1019-39 (exc. 19D)	(comb. 655)	4260149	1	108.15
57	1019-39 (exc. 19D)	(comb. 656)	4260150	1	108.15
57	1019D-62DF	(comb. 663, 684)	4260472	1	113.25
57	1019D-62DF	(comb. 664, 685)	4260473	1	113.25
57	1919D-62DF	(comb. 665, 686)	4260474	1	113.25
57	1919D-62DF	(comb. 666, 687)	4260475	1	113.25
57	1019D-62DF	(comb. 667, 688)	4260476	1	113.25
57	1019D-62DF	(comb. 668, 689)	4260477	1	113.25
57	1019D-62DF	(comb. 669, 690)	4260478	1	113.25
57	1219	(comb. 650)	4261615	1	95.90
57	CONV.	(comb. 677)	4261517	1	131.50
57	CONV.	(comb. 678)	4261518	1	131.50

57	CONV.	(comb. 679)	4261519	1	131.50
57	CONV.	(comb. 680)	4261520	1	131.50
57	CONV.	(comb. 681)	4261521	1	131.50
57	CONV.	(comb. 682)	4261522	1	131.50
57	CONV.	(comb. 683)	4261523	1	131.50
57	1037D-64	(comb. 670, 691)	4260866	1	131.50
57	1037D-64	(comb. 671, 692)	4260867	1	131.50
57	1037D-64	(comb. 672, 693)	4260868	1	131.50
57	1037D-64	(comb. 673, 694)	4260869	1	131.50
57	1037D-64	(comb. 674, 695)	4260870	1	131.50
57	1037D-64	(comb. 675, 696)	4260871	1	131.50
57	1037D-64	(comb. 676, 697)	4260872	1	131.50
57	1039D	(comb. 670)	4260873	1	118.90
57	1039D	(comb. 671)	4260874	1	118.90
57	1039D	(comb. 672)	4260875	1	118.90
57	1039D	(comb. 673)	4260876	1	118.90
57	1039D	(comb. 674)	4260877	1	118.90
57	1039D	(comb. 675)	4260878	1	118.90
57	1039D	(comb. 676)	4260879	1	118.90
57	1062F-62FC	(comb. 660)	4261256	1	108.15
57	1062F-62FC	(comb. 661)	4261257	1	108.15
57	1062F-62FC	(comb. 662)	4261258	1	108.15
57	1063F	(comb. 660)	4261253	1	118.90
57	1063F	(comb. 661)	4261254	1	118.90
57	1063F	(comb. 662)	4261255	1	118.90
57	1263F-71	(comb. 651, 652)	4261654	1	108.15
57	1263F	(comb. 653)	4261655	1	108.15

14.880 TRIM ASSEMBLY, Front Seat Cushion Cover

49	1208-69	(comb. 156)	4170613	1	21.25
49-50	STA. WAG.	(comb. 166)	4171441	1	17.90
50	1008-69	(comb. 171)	4174240	1	25.90
51	1007-11-27	(comb. 201)	4178514	1	31.20
51	1008-69	(comb. 201)	4178546	1	27.20
51-52	STA. WAG.	(comb. 202, 218)	4181080	1	17.90
52	1069	(comb. 211)	4189243	1	25.90
52	1069	(comb. 213)	4189290	1	25.90
52	1211-27	(comb. 210)	4186494	1	25.90
52	1269	(comb. 210)	4186547	1	21.25
53	1011W-27-37	(comb. 241)	4191956	1	33.05
53	1011W-27-37	(comb. 242)	4191957	1	33.05
53	1011W-27-37	(comb. 243)	4191958	1	33.05
53	1011WD	(comb. 246)	4192065	1	43.40
53	1011WD	(comb. 248)	4192067	1	43.40
53	1211-27-27B	(comb. 249)	4192454	1	28.20
53	1069W	(comb. 241)	4192312	1	29.35
53	1069WD	(comb. 245)	4192404	1	35.10
53	1069WD	(comb. 246)	4192405	1	35.10
53	1069WD	(comb. 247)	4192406	1	35.10
53	1069WD	(comb. 248)	4192407	1	35.10
53	1269	(comb. 249)	4192506	1	23.00
53	1067D	(comb. 265)	4193423	1	60.65
53	1037D	(comb. 254)	4192220	1	53.75
53	1037D	(comb. 256)	4192222	1	53.75
53	1037D	(comb. 257)	4192223	1	53.75
53	1037D	(comb. 258)	4193219	1	53.75
53	1062-62F	(comb. 278)	4193249	1	22.70
53	1062-62F	(comb. 280)	4197552	1	22.70
53	1262F	(comb. 277)	4193276	1	19.25
54	1011W	(comb. 304)	4200628	1	33.05
54	1011W	(comb. 305)	4200629	1	33.05
54	1011W	(comb. 306)	4200630	1	33.05
54	1011W	(comb. 307)	4200631	1	33.05
54	**1011W**	**(comb. 352)**	**4211371**	**1**	33.05
54	**1011W**	**(comb. 353)**	**4211372**	**1**	33.05
54	**1011W**	**(comb. 354)**	**4211373**	**1**	33.05
54	**1011W**	**(comb. 355)**	**4211374**	**1**	33.05
54	1011WA	(comb. 332)	4209168	1	47.75

54	1011WA	(comb. 333)	4209169	1	47.75
54	1011WA	(comb. 334)	4209170	1	47.75
54	1011WD	(comb. 309)	4200884	1	43.40
54	1011WD	(comb. 310)	4200885	1	43.40
54	1011WD	(comb. 311)	4200886	1	43.40
54	1011WD	(comb. 330)	4200887	1	43.40
54	1011WD	(comb. 331)	4208548	1	43.40
54	1011WD	(comb. 358)	4211557	1	43.40
54	1011WD	(comb. 359)	4211558	1	43.40
54	1011WD	(comb. 360)	4211559	1	43.40
54	1011WD	(comb. 361)	4211560	1	43.40
54	1211	(comb. 300)	4201113	1	28.20
54	1069W	(comb. 304)	4200632	1	29.35
54	1069W	(comb. 305)	4200633	1	29.35
54	1069W	(comb. 306)	4200634	1	29.35
54	1069W	(comb. 307)	4200635	1	29.35
54	1069W	(comb. 352)	4211387	1	29.35
54	1069W	(comb. 353)	4211388	1	29.35
54	1069W	(comb. 354)	4211389	1	29.35
54	1069W	(comb. 355)	4211390	1	29.35
54	1069W-1269W (TAXI CAB)	(comb. 301, 312)	4211253	1	29.35
54	1069WD	(comb. 309)	4200888	1	35.10
54	1069WD	(comb. 310)	4200889	1	35.10
54	1069WD	(comb. 311)	4200890	1	35.10
54	1069WD	(comb. 330)	4200891	1	35.10
54	1069WD	(comb. 331)	4208580	1	35.10
54	1069WD	(comb. 358)	4211573	1	35.10
54	1069WD	(comb. 359)	4211574	1	35.10
54	1069WD	(comb. 360)	4211575	1	35.10
54	1069WD	(comb. 361)	4211576	1	35.10
54	1269W	(comb. 300)	4201114	1	23.00
54	1269W	(comb. 350)	4211285	1	23.00
54	CONV.	(comb. 325)	4201349	1	60.65
54	CONV.	(comb. 326)	4201350	1	60.65
54	CONV.	(comb. 327)	4201351	1	60.65
54	CONV.	(comb. 328)	4202219	1	60.65
54	CONV.	(comb. 329)	4202250	1	60.65
54	CONV.	(comb. 337)	4201348	1	60.65
54	CONV.	(comb. 367)	4211790	1	60.65
54	CONV.	(comb. 368)	4211793	1	60.65
54	CONV.	(comb. 376)	4211791	1	60.65
54	SPT. CPE.	(comb. 314)	4201040	1	53.75
54	SPT. CPE.	(comb. 315)	4201041	1	53.75
54	SPT. CPE.	(comb. 316)	4201042	1	53.75
54	SPT. CPE.	(comb. 317)	4201043	1	53.75
54	SPT. CPE.	(comb. 318)	4202159	1	53.75
54	SPT. CPE.	(comb. 319)	4202187	1	53.75
54	SPT. CPE.	(comb. 362)	4211695	1	53.75
54	SPT. CPE.	(comb. 363)	4211694	1	53.75
54	SPT. CPE.	(comb. 364)	4211693	1	53.75
54	SPT. CPE.	(comb, 365)	4211697	1	53.75
54	SPT. CPE.	(comb. 366)	4211696	1	53.75
54	1062D-62F	(comb. 323)	4201196	1	24.75
54	1062D-62F	(comb. 324)	4201197	1	24.75
54	1062F	(comb. 356)	4211851	1	24.75
54	1062F	(comb. 357)	4211850	1	24.75
54	1262F	(comb. 322)	4201254	1	19.55
54	1262F	(comb. 371)	4211880	1	19.55
55	1011-37 (exc. 11A-11D)	(comb. 503)	4214270	1	36.25
55	1011-37 (exc. 11A-11D)	(comb. 504)	4214271	1	36.25
55	1011-37 (exc. 11A-11D)	(comb. 505)	4214272	1	36.25
55	1011A	(comb. 506)	4214150	1	56.30
55	1011A	(comb. 507)	4214151	1	56.30
55	1011A	(comb. 508)	4214152	1	56.30
55	1011D	(comb. 509)	4214501	1	47.75
55	1011D	(comb. 510)	4214502	1	47.75
55	1011D	(comb. 511)	4214503	1	47.75
55	1011D	(comb. 513)	4214505	1	47.75

55	1011D	(comb. 531)	4214504	1	47.75
55	1011D	(comb. 549)	4243230	1	47.75
55	1211-11B	(comb. 500, 547)	4215179	1	32.15
55	1019 (exc. 19D)	(comb. 503)	4214273	1	32.15
55	1019 (exc. 19D)	(comb. 504)	4214274	1	32.15
55	1019 (exc. 19D)	(comb. 505)	4214275	1	32.15
55	1019 (TAXI CAB) (exc. 19D)	(comb. 553)	4243789	1	26.75
55	1019-1219 (TAXI CAB) (exc. 1019D)	(comb. 529, 530)	4243790	1	26.75
55	1019D	(comb. 509)	4214506	1	41.10
55	1019D	(comb. 510)	4214507	1	41.10
55	1019D	(comb. 511)	4214508	1	41.10
55	1019D	(comb. 513)	4214510	1	41.10
55	1019D	(comb. 531)	4214509	1	41.10
55	1019D	(comb. 549)	4243232	1	41.10
55	1219	(comb. 500)	4215180	1	26.75
55	CONV.	(comb. 525)	4215077	1	66.40
55	CONV.	(comb. 526)	4215078	1	66.40
55	CONV.	(comb. 527)	4215079	1	66.40
55	CONV.	(comb. 528)	4215080	1	66.40
55	CONV.	(comb. 533)	4215082	1	66.40
55	CONV.	(comb. 537)	4215081	1	66.40
55	CONV.	(comb. 551)	4243204	1	66.40
55	1037D	(comb. 519)	4214696	1	54.35
55	1037D	(comb. 520)	4214697	1	54.35
55	1037D	(comb. 521)	4214698	1	54.35
55	1037D	(comb. 522)	4214699	1	54.35
55	1037D	(comb. 532)	4214700	1	54.35
55	1037D	(comb. 550)	4243179	1	54.35
55	1063F	(comb. 514)	4214839	1	36.25
55	1063F	(comb. 515)	4214840	1	36.25
55	1063F	(comb. 516)	4214841	1	36.25
55	1064	(comb. 541)	4243390	1	61.55
55	1064	(comb. 542)	4243391	1	61.55
55	1064	(comb. 543)	4243392	1	61.55
55	1064	(comb. 544)	4243394	1	61.55
55	1064	(comb. 545)	4243395	1	61.55
55	1064	(comb. 546)	4243396	1	61.55
55	1064	(comb. 552)	4243393	1	61.55
55	1263F	(comb. 502)	4215223	1	36.25
55	1263F	(comb. 524)	4215224	1	36.25
55	1062F	(comb. 514)	4214836	1	31.00
55	1062F	(comb. 515)	4214837	1	31.00
55	1062F	(comb. 516)	4214838	1	31.00
55	1062DF	(comb. 517)	4214924	1	38.55
55	1062DF	(comb. 518)	4214925	1	38.55
56	1011-37 (exc. 11A-11D)	(comb. 564)	4245381	1	36.25
56	1011-37 (exc. 11A-11D)	(comb. 565)	4245382	1	36.25
56	1011-37 (exc. 11A-11D)	(comb. 566)	4245383	1	36.25
56	1011A	(comb. 567)	4245486	1	56.30
56	1011A	(comb. 568)	4245487	1	56.30
56	1011A	(comb. 569)	4245488	1	56.30
56	1011D	(comb. 573)	4245675	1	47.75
56	1011D	(comb. 574)	4245676	1	47.75
56	1011D	(comb. 575)	4245677	1	47.75
56	1011D	(comb. 577)	4245679	1	47.75
56	1011D	(comb. 578)	4245680	1	47.75
56	1011D	(comb. 617)	4245678	1	47.75
56	1011D	(comb. 626)	4259351	1	47.75
56	1211	(comb. 560)	4246978	1	32.15
56	1019-39 (exc. 19D)	(comb. 564)	4245384	1	32.15
56	1019-39 (exc. 19D)	(comb. 565)	4245385	1	32.15
56	1019-39 (exc. 19D)	(comb. 566)	4245386	1	32.15
56	1019 (TAXICAB) (exc. 1019D)	(comb. 624)	4258732	1	26.75
56	1019 (TAXICAB) (exc. 1019D)	(comb. 625)	4258731	1	26.75
56	1019D	(comb. 573)	4245681	1	41.10
56	1019D	(comb. 574)	4245682	1	41.10
56	1019D	(comb. 575)	4245683	1	41.10
56	1019D	(comb. 577)	4245685	1	41.10
56	1019D	(comb. 578)	4245686	1	41.10

56	1019D	(comb. 617)	4245684	1	41.10
56	1019D	(comb. 626)	4259357	1	32.15
56	1219 (TAXICAB)	(comb. 560)	4246979	1	26.75
56	1219 (TAXICAB)	(comb. 623)	4258730	1	26.75
56	CONV	(comb. 602)	4246861	1	61.55
56	CONV	(comb. 603)	4246862	1	61.55
56	CONV	(comb. 604)	4246863	1	61.55
56	CONV	(comb. 605)	4246864	1	61.55
56	CONV	(comb. 606)	4246865	1	61.55
56	CONV	(comb. 607)	4246866	1	61.55
56	CONV	(comb. 621)	4246867	1	61.55
56	CONV	(comb. 631)	4259464	1	61.55
56	1064	(comb. 590)	4246625	1	54.35
56	1064	(comb. 591)	4246626	1	54.35
56	1064	(comb. 593, 633)	4246628	1	54.35
56	1064	(comb. 594)	4246629	1	54.35
56	1064	(comb. 595)	4246630	1	54.35
56	1064	(comb. 611)	4246631	1	54.35
56	1064	(comb. 620)	4246035	1	54.35
56	1064	(comb. 632)	4259421	1	54.35
56	1037D	(comb. 579)	4257600	1	54.35
56	1037D	(comb. 580)	4257601	1	54.35
56	1037D	(comb. 581)	4257602	1	54.35
56	1037D	(comb. 583, 628)	4257603	1	54.35
56	1037D	(comb. 584)	4257604	1	54.35
56	1037D	(comb. 585)	4257605	1	54.35
56	1037D	(comb. 618)	4257606	1	54.35
56	1037D	(comb. 627)	4259295	1	49.35
56	1039D	(comb. 579)	4246039	1	49.35
56	1039D	(comb. 580)	4246040	1	49.35
56	1039D	(comb. 581)	4246041	1	49.35
56	1039D	(comb. 583, 628)	4246043	1	49.35
56	1039D	(comb. 584)	4246044	1	49.35
56	1039D	(comb. 585)	4246045	1	49.35
56	1039D	(comb. 618)	4246042	1	49.35
56	1039D	(comb. 627)	4259305	1	49.35
56	1063F	(comb. 570)	4246354	1	36.25
56	1063F	(comb. 572)	4246356	1	36.25
56	1063F	(comb. 609)	4246357	1	36.25
56	1263F (1st type)	(comb. 562) (used w/seat back right angle arm)	4247020	1	36.25
56	1263F (1st type)	(comb. 616) (used w/seat back right angle arm)	4247021	1	36.25
56	1062DF	(comb. 586, 629)	4246455	1	38.55
56	1062DF	(comb. 587)	4246456	1	38.55
56	1062DF	(comb. 588)	4246457	1	38.55
56	1062DF	(comb. 610)	4246459	1	38.55
56	1062DF	(comb. 619)	4246458	1	38.55
56	1062DF	(comb. 630)	4259388	1	38.55
56	1062F-62FC	(comb. 570)	4246246	1	31.00
56	1062F-62FC	(comb. 572)	4246248	1	31.00
56	1062F-62FC	(comb. 609)	4246249	1	31.00
57	1011-37 (exc. 11A-11D) (1st type)	(comb. 654)	4260151	1	40.25
57	1011-37 (exc. 11A-11D) (2nd type)	(comb. 654)	4271784*	1	40.25
57	1011-37 (exc. 11A-11D) (1st type)	(comb. 655)	4260152	1	40.25
57	1011-37 (exc. 11A-11D) (2nd type)	(comb. 655)	4271785*	1	40.25
57	1011-37 (exc. 11A-11D) (1st type)	(comb. 656)	4260153	1	40.25
57	1011-37 (exc. 11A-11D) (2nd type)	(comb. 656)	4271786*	1	40.25
57	1011A (1st type)	(comb. 657)	4260256	1	62.80
57	1011A (2nd type)	(comb. 657)	4271787*	1	62.80
57	1011A (1st type)	(comb. 658)	4260257	1	62.80
57	1011A (2nd type)	(comb. 658)	4271788*	1	62.80
57	1011A (1st type)	(comb. 659)	4260258	1	62.80
57	1011A (2nd type)	(comb. 659)	4271789*	1	62.80
57	1011A (1st type)	(comb. 663)	4260479	1	51.20
57	1011A (2nd type)	(comb. 663)	4271790*	1	51.20
57	1011A (1st type)	(comb. 664)	4260480	1	51.20
57	1011A (2nd type)	(comb. 664)	4271791*	1	51.20

57	1011A (1st type)	(comb. 665)	4260481	1	51.20
57	1011A (2nd type)	(comb. 665)	4271792*	1	51.20
57	1011A (1st type)	(comb. 666)	4260482	1	51.20
57	1011A (2nd type)	(comb. 666)	4271793*	1	51.20
57	1011A (1st type)	(comb. 667)	4260483	1	51.20
57	1011A (2nd type)	(comb. 667)	4271794*	1	51.20
57	1011A (1st type)	(comb. 668)	4260484	1	51.20
57	1011A (2nd type)	(comb. 668)	4271795*	1	51.20
57	1011A (1st type)	(comb. 669)	4260485	1	51.20
57	1011A (2nd type)	(comb. 669)	4271796*	1	51.20
57	1211 (1st type)	(comb. 650)	4261616	1	35.45
57	1211 (2nd type)	(comb. 650)	4271804*	1	35.45
57	1019-39 (exc. 19D)	(comb. 654)	4260154	1	35.45
57	1019-39 (exc. 19D)	(comb. 655)	4260155	1	35.45
57	1019-39 (exc. 19D)	(comb. 656)	4260156	1	35.45
57	1019D-62DF	(comb. 663, 684)	4260486	1	46.30
57	1019D-62DF	(comb. 664, 685)	4260487	1	46.30
57	1019D-62DF	(comb. 665, 686)	4260488	1	46.30
57	1019D-62DF	(comb. 666, 687)	4260489	1	46.30
57	1019D-62DF	(comb. 667, 688)	4260490	1	46.30
57	1019D-62DF	(comb. 668, 689)	4260491	1	46.30
57	1019D-62DF	(comb. 669, 690)	4260492	1	46.30
57	1219	(comb. 650)	4261617	1	31.25
57	CONV. (1st type)	(comb. 677)	4261524	1	62.80
57	CONV. (2nd type)	(comb. 677)	4271810*	1	62.80
57	CONV. (1st type)	(comb. 678)	4261525	1	62.80
57	CONV. (2nd type)	(comb. 678)	4271811*	1	62.80
57	CONV. (1st type)	(comb. 679)	4261526	1	62.80
57	CONV. (2nd type)	(comb. 679)	4271812*	1	62.80
57	CONV. (1st type)	(comb. 680)	4261527	1	62.80
57	CONV. (2nd type)	(comb. 680)	4271813*	1	62.80
57	CONV. (1st type)	(comb. 681)	4261528	1	62.80
57	CONV. (2nd type)	(comb. 681)	4271814*	1	62.80
57	CONV. (1st type)	(comb. 682)	4261529	1	62.80
57	CONV. (2nd type)	(comb. 682)	4271815*	1	62.80
57	CONV (1st type)	(comb. 683)	4261530	1	62.80
57	CONV. (2nd type)	(comb. 683)	4271816*	1	62.80
57	1037D-64 (1st type)	(comb. 670, 691)	4260880	1	62.80
57	1037D-64 (2nd type)	(comb. 670, 691)	4271797*	1	62.80
57	1037D-64 (1st type)	(comb. 671, 692)	4260881	1	62.80
57	1037D-64 (2nd type)	(comb. 671, 692)	4271798*	1	62.80
57	1037D-64 (1st type)	(comb. 672, 693)	4260882	1	62.80
57	1037D-64 (2nd type)	(comb. 672, 693)	4271799*	1	62.80
57	1037D-64 (1st type)	(comb. 673, 694)	4260883	1	62.80
57	1037D-64(2nd type)	(comb. 673, 694)	4271800*	1	62.80
57	1037D-64 (1st type)	(comb. 674, 695)	4260884	1	62.80
57	1037D-64 (2nd type)	(comb. 674, 695)	4271801*	1	62.80
57	1037D-64 (1st type)	(comb. 675, 696)	4260885	1	62.80
57	1037D-64 (2nd type)	(comb. 675, 696)	4271802*	1	62.80
57	1037D-64 (1st type)	(comb. 676, 697)	4260886	1	62.80
57	1037D-64 (2nd type)	(comb. 676, 697)	4271803*	1	62.80
57	1039D	(comb. 670)	4260887	1	48.60
57	1039D	(comb. 671)	4260888	1	48.60
57	1039D	(comb. 672)	4260889	1	48.60
57	1039D	(comb. 673)	4260890	1	48.60
57	1039D	(comb. 674)	4260891	1	48.60
57	1039D	(comb. 675)	4260892	1	48.60
57	1039D	(comb. 676)	4260893	1	48.60
57	1062F-62FC	(comb. 660)	4261262	1	34.00
57	1062F-62FC	(comb. 661)	4261263	1	34.00
57	1062F-62FC	(comb. 662)	4261264	1	34.00
57	1063F (1st type)	(comb. 660)	4261259	1	42.70
57	1063F (2nd type)	(comb. 660)	4271807*	1	42.70
57	1063F (1st type)	(comb. 661)	4261260	1	42.70
57	1063F (2nd type)	(comb. 661)	4271808*	1	42.70
57	1063F (1st type)	(comb. 662)	4261261	1	42.70
57	1063F (2nd type)	(comb. 662)	4271809*	1	42.70
57	1263F-71 (1st type)	(comb. 651, 652)	4261656	1	40.25
57	1263F (2nd type)	(comb. 652)	4271805*	1	40.25

57	1263F (1st type)	(comb. 653)	4261657	1	40.25
57	1263F (2nd type)	(comb. 653)	4271806*	1	40.25

*NOTE: 2nd type used where bumpers are not on cushion frame. (Rolled section seat construction).

14.890 PAD, Front Seat Cushion (rubber)

49-52	2-DOORS		4567652	1	23.50
49-52	4-DOORS		4567458	1	23.50
53-54	Ser. 1000 (2 doors)		4638389	1	23.50
53	1069W,				
54	1069		4638388	1	23.50
53	1062-62F-69WD,				
54	1062D-62F		4638415	1	23.50
55	1064		4660386	1	23.50
55	Ser. 1000 (exc. SPT. SED.-62FC-64),				
56	Ser. 1000		4651923	1	23.50
57	Ser. 1000		4696130	1	23.50
53-55	CORVETTE	driver's cushion	4638143	1	10.75
53-55	CORVETTE	passenger cushion	4638144	1	10.75
53-55	CORVETTE	driver seat back	4638141	1	10.75
53-55	CORVETTE	passenger seat back	4638142	1	10.75
56-57	CORVETTE	left, assy	3728305	1	12.75
56-57	CORVETTE	right, assy	3728306	1	12.75
56-57	CORVETTE	left, assy. (back cushion)	3728307	1	12.75
56-57	CORVETTE	right, assy. (back cushion)	3728308	1	12.75

14.896 SEAT ASSEMBLY, Driver Adjustable

55	SDL	(comb. 501)	4215247	1	108.50
56	SDL	(comb. 615)	4247052	1	108.50
57	SDL	(comb. 651)	4261684	1	108.50

14.900 TRIM ASSEMBLY, Driver Seat Back of Back

55	SDL	(comb. 501) back cover	4215248	1	13.50
55	SDL	(comb. 501) back of back	4215249	1	7.20
55	SDL	(comb. 501) back of back bottom	4215250	1	1.75
56	SDL	(comb. 501) back cover	4247054	1	13.50
56	SDL	(comb. 501) back of back	4247055	1	7.20
56	SDL	(comb. 501) back of back bottom	4247056	1	1.75
57	SDL	(comb. 651) back of back (also passenger)	4261688	1	7.20
57	SDL	(comb. 651) back cover (also passenger)	4261687	1	13.50

14.928 CUSHION ASSEMBLY, Driver's Seat

55	SDL	(comb. 501)	4215251	1	34.20
56	SDL	(comb. 615)	4247057	1	34.20
57	SDL	(comb. 651)	4261690	1	29.75
53	CORVETTE (1st type)	(red) (back assy.)	4200376	1	57.75
53-55	CORVETTE	(red)	4652898	1	60.50
54-55	CORVETTE	(dark beige)	4648540	1	60.50
54-55	CORVETTE (1st Type)	(beige) (back assy.)	4648538	1	57.75
54-55	CORVETTE (2nd Type)	(comb. 295) (red)	4650057	1	57.75
54-55	CORVETTE (2nd Type)	(comb. 341) (beige)	4650058	1	57.75
55	CORVETTE	(yellow) (back assy.)	3723091	1	57.75
55	CORVETTE	(light beige) (back assy.)	3723092	1	57.75
55	CORVETTE	(yellow)	3723093	1	60.50
55	CORVETTE	(light beige)	3723094	1	60.50
56-57	CORVETTE	light beige, left (assy.)	3729491	1	60.50
56-57	CORVETTE	light beige, right (assy.)	3729492	1	60.50
56-57	CORVETTE	red, left (assy.)	3729487	1	60.50
56-57	CORVETTE	red, right (assy.)	3729488	1	60.50
56-57	CORVETTE	beige, left (back cushion assy.)	3740275	1	57.75
56-57	CORVETTE	beige, right (back cushion assy.)	3740276	1	57.75
56-57	CORVETTE	red, left (back cushion assy.)	3740271	1	57.75
56-57	CORVETTE	red, right (back cushion assy.)	3740272	1	57.75

14.930 TRIM ASSEMBLY, Drivers Seat Cushion Cover

55	SDL	(comb. 501) (pass. and driver's seat)	4215252	1	9.80
56	SDL	(comb. 615)	4247058	1	9.80
57	SDL	(comb. 651)	4261691	1	8.50
53-54	CORVETTE	cushion (comb. 295) (red)	4652876	1	24.75
53-55	CORVETTE	back (comb. 295) (red)	4200378	1	24.75
54	CORVETTE	cushion (comb. 341) (light beige)	4648541	1	24.75
54-55	CORVETTE	back (comb. 341) (light beige)	4648539	1	24.75
55	CORVETTE	cushion (comb. 341) (dark beige)	4652877	1	24.75
55	CORVETTE	cushion (comb. 555) (light beige)	3728916	1	24.75
55	CORVETTE	cushion (comb. 556) (yellow)	3728915	1	24.75
55	CORVETTE	back (comb. 556) (yellow)	3728705	1	24.75
55	CORVETTE	back (comb. 555) (light beige)	3728921	1	24.75
56-57	CORVETTE	light beige, left	3729497	1	26.85
56-57	CORVETTE	light beige, right	3729498	1	26.85
56-57	CORVETTE	red, left	3729493	1	26.85
56-57	CORVETTE	red, right	3729494	1	26.85
56-57	CORVETTE	light beige, left (back cushion)	3729535	1	26.85
56-57	CORVETTE	light beige, right (back cushion)	3729536	1	26.85
56-57	CORVETTE	red, left (back cushion)	3729531	1	26.85
56-57	CORVETTE	red, right (back cushion)	3729532	1	26.85

14.948 SEAT ASSEMBLY—UNIT, Passenger Tilting

53-54	SDL	(comb. 276, 351)	4193301	1	92.50
55	SDL	(comb. 501) (installation unit)	4654393	1	No List
56	SDL	UNIT, (auxiliary) (complete)	3731571	1	No List
57	SDL	UNIT, (auxiliary) (complete)	3744174		No List

14.968 CUSHION ASSEMBLY, Passenger Seat (Trim)

55	SDL	(comb. 501)	4215258	1	57.20
56	SDL	(comb. 615)	4247063	1	57.20
57	SDL	(comb. 651)	4261697	1	49.75
53-55	CORVETTE	(comb. 295) (red)	4652900	1	60.50
53-55	CORVETTE	(comb. 341) (beige)	4648544	1	60.50
55	CORVETTE	(yellow)	3723099	1	60.50
55	CORVETTE	(light beige)	3723100	1	60.50

BACK ASSEMBLY—RETAINER, Driver and Passenger Seat (Trim)

55	SDL	(comb. 501)	4215254	1	68.50
56	SDL	(comb. 615)	4247053	1	68.50
57	SDL	(comb. 651)	4261685	1	68.50
53-54	CORVETTE	(comb. 295) (red)	4200380	1	57.75
54-55	CORVETTE	(comb. 341) (beige)	4648542	1	57.75
54-55	CORVETTE	(comb. 295) (red) (2nd type)	4650059	1	57.75
54-55	CORVETTE	(comb. 341) (beige) (2nd type)	4650060	1	57.75
55	CORVETTE	(yellow)	3723097	1	57.75
55	CORVETTE	(light beige)	3723098	1	57.75
53-55	CORVETTE	RETAINER, frt. cushion (2.9 O.L.)	4635995	2	.25
53-55	CORVETTE	RETAINER, rear-cushion (1.9 O.L.)	4636811	2	.20
53-55	CORVETTE	RETAINER, back spring (upr.)	4636107	2	.25
56-57	CORVETTE	RETAINER, back spring (lwr.)	4617467	1	.25

14.970 TRIM ASSEMBLY, (Passenger)—Seat Cushion Cover

53-55	CORVETTE	back (comb. 295) (red)	4200381	1	24.75
53-55	CORVETTE	cushion (comb. 295) (red)	4652902	1	24.75
54-55	CORVETTE	back (comb. 341) (dark beige)	4648543	1	24.75
54-55	CORVETTE	cushion (comb. 341) (dark beige)	4648545	1	24.75
55	CORVETTE	back (comb. 555) (light beige)	3728925	1	24.75
55	CORVETTE	back (comb. 556) (yellow)	3728926	1	24.75
55	CORVETTE	cushion (comb. 555) (light beige)	3728928	1	24.75
55	CORVETTE	cushion (comb. 556) (yellow)	3728927	1	24.75
55	CORVETTE	cushion (comb. 341) (beige)	4652903	1	24.75

54	1062F	(comb. 324)	4201223	1	114.45
54	1062F	(comb. 356)	4211863	1	114.45
54	1062F	(comb. 357)	4211862	1	114.45
54	1262F	(comb. 371)	4211887	1	102.95
55	1263	(comb. 502)	4215237	1	114.45
55	1263	(comb. 524)	4215238	1	114.45
55	1064	(comb. 541)	4243440	1	176.80
55	1064	(comb. 542)	4243441	1	176.80
55	1064	(comb. 543)	4243442	1	176.80
55	1064	(comb. 544)	4243444	1	176.80
55	1064	(comb. 545)	4243445	1	176.80
55	1064	(comb. 546)	4243446	1	176.80
55	1064	(comb. 552)	4243443	1	176.80
55	1062F-63F	(comb. 514)	4214884	1	120.75
55	1062F-63F	(comb. 515)	4214885	1	120.75
55	1062DF	(comb. 517)	4214938	1	126.50
55	1062DF	(comb. 518)	4214939	1	126.50
56	1263F	(comb. 562)	4247042	1	114.45
56	1263F	(comb. 616)	4247043	1	114.45
56	1064	(comb. 590)	4246702	1	176.80
56	1064	(comb. 591)	4246703	1	176.80
56	1064	(comb. 593, 633)	4246705	1	176.80
56	1064	(comb. 594)	4246706	1	176.80
56	1064	(comb. 595)	4246707	1	176.80
56	1064	(comb. 611)	4246708	1	176.80
56	1064	(comb. 620)	4246704	1	176.80
56	1064	(comb. 632)	4259436	1	176.80
56	1062F-63F	(comb. 570)	4246274	1	120.75
56	1062F-63F	(comb. 572)	4246276	1	120.75
56	1062F-63F	(comb. 609)	4246277	1	120.75
56	1062FC	right (comb. 570)	4258624	1	62.95
56	1062FC	left (comb. 570)	4258610	1	83.80
56	1062FC	right (comb. 572)	4258625	1	62.95
56	1062FC	left (comb. 572)	4258611	1	83.80
56	1062FC	right (comb. 609)	4258626	1	62.95
56	1062FC	left (comb. 609)	4258612	1	83.80
56	1062DF	right (comb. 586, 629)	4258627	1	78.80
56	1062DF	left (comb. 586, 629)	4258613	1	103.20
56	1062DF	right (comb. 587)	4258628	1	78.80
56	1062DF	left (comb. 587)	4258614	1	103.20
56	1062DF	right (comb. 588)	4258629	1	78.80
56	1062DF	left (comb. 588)	4256963	1	103.20
56	1062DF	right (comb. 610)	4246494	1	78.80
56	1062DF	left (comb. 610)	4256964	1	103.20
56	1062DF	right (comb. 619)	4246493	1	78.80
56	1062DF	left (comb. 619)	4256965	1	103.20
56	1062DF	right (comb. 630)	4259399	1	78.80
56	1062DF	left (comb. 630)	4259395	1	103.20
57	1064	(comb. 691)	4261418	1	183.45
57	1064	(comb. 692)	4261419	1	183.45
57	1064	(comb. 693)	4261420	1	183.45
57	1064	(comb. 694)	4261421	1	183.45
57	1064	(comb. 695)	4261422	1	183.45
57	1064	(comb. 696)	4261423	1	183.45
57	1064	(comb. 697)	4261424	1	183.45
57	1062F-63F	(comb. 660)	4261307	1	127.10
57	1062F-63F	(comb. 661)	4261308	1	127.10
57	1062F-63F	(comb. 662)	4261309	1	127.10
57	1062FC	(comb. 660) (left)	4261313	1	88.00
57	1062FC	(comb. 661) (left)	4261314	1	88.00
57	1062FC	(comb. 662) (left)	4261315	1	88.00
57	1062FC	(comb. 660) (right)	4261325	1	66.70
57	1062FC	(comb. 661) (right)	4261326	1	66.70
57	1062FC	(comb. 662) (right)	4261327	1	66.70
57	1062DF	(comb. 684)	4267968	1	169.75

57	1062DF	(comb. 685)	4267969	1	169.75
57	1062DF	(comb. 686)	4267970	1	169.75
57	1062DF	(comb. 687)	4267971	1	169.75
57	1062DF	(comb. 688)	4267972	1	169.75
57	1062DF	(comb. 689)	4267973	1	169.75
57	1062DF	(comb. 690)	4267974	1	169.75
57	1263F	(comb. 652)	4267966	1	123.65
57	1263F	(comb. 653)	4267967	1	123.65

BACK, Center Seat—Trimmed

54	1062F	(comb. 357)	4211858	1	129.40
55	1064	(comb. 541)	4243426	1	163.90
55	1064	(comb. 542)	4243427	1	163.90
55	1064	(comb. 543)	4243428	1	163.90
55	1064	(comb. 544)	4243430	1	163.90
55	1064	(comb. 545)	4243431	1	163.90
55	1064	(comb. 546)	4243432	1	163.90
55	1263F	(comb. 502)	4215233	1	114.45
55	1263F	(comb. 524)	4215234	1	114.45
55	1062F-63F	(comb. 514)	4214878	1	136.30
55	1062F-63F	(comb. 515)	4214879	1	136.30
55	1062F-63F	(comb. 516)	4214880	1	136.30
55	1062DF	(comb. 517)	4214934	1	139.75
55	1062DF	(comb. 518)	4214935	1	139.75
56	1263F	(comb. 562)	4247038	1	114.45
56	1263F	(comb. 616)	4247039	1	114.45
56	1064	(comb. 590)	4246688	1	163.90
56	1064	(comb. 591)	4246689	1	163.90
56	1064	(comb. 593, 633)	4246691	1	163.90
56	1064	(comb. 594)	4246692	1	163.90
56	1064	(comb. 595)	4246693	1	163.90
56	1064	(comb. 611)	4246694	1	163.90
56	1064	(comb. 620)	4246690	1	163.90
56	1064	(comb. 632)	4259434	1	163.90
56	1062F-63F	(comb. 570)	4246266	1	136.30
56	1062F-63F	(comb. 572)	4246268	1	136.30
56	1062F-63F	(comb. 609)	4246269	1	136.30
56	1062FC	right (comb. 570)	4246282	1	60.40
56	1062FC	left (comb. 570)	4256927	1	80.20
56	1062FC	right (comb. 572)	4246284	1	60.40
56	1062FC	left (comb. 572)	4256928	1	80.20
56	1062FC	right (comb. 609)	4246285	1	60.40
56	1062FC	left (comb. 609)	4256929	1	80.20
56	1062DF	right (comb. 586, 629)	4246480	1	68.70
56	1062DF	left (comb. 586, 629)	4256951	1	94.90
56	1062DF	right (comb. 587)	4246481	1	68.70
56	1062DF	left (comb. 587)	4256952	1	94.90
56	1062DF	right (comb. 588)	4246482	1	68.70
56	1062DF	left (comb. 588)	4256953	1	94.90
56	1062DF	right (comb. 610)	4246484	1	68.70
56	1062DF	left (comb. 610)	4256954	1	94.90
56	1062DF	right (comb. 619)	4246483	1	68.70
56	1062DF	left (comb. 619)	4256955	1	94.90
56	1062DF	right (comb. 630)	4259401	1	68.70
56	1062DF	left (comb. 630)	4259397	1	94.90
57	1064	(comb. 691)	4261432	1	168.75
57	1064	(comb. 692)	4261434	1	168.75
57	1064	(comb. 693)	4261433	1	168.75
57	1064	(comb. 694)	4261435	1	168.75
57	1064	(comb. 695)	4261436	1	168.75
57	1064	(comb. 696)	4261437	1	168.75
57	1064	(comb. 697)	4261438	1	168.75
57	1062F-63F	(comb. 660)	4261301	1	143.45
57	1062F-63F	(comb. 661)	4261302	1	143.45
57	1062F-63F	(comb. 662)	4261303	1	143.45
57	1062FC	(comb. 660) left	4261319	1	84.25
57	1062FC	(comb. 661) left	4261320	1	84.25
57	1062FC	(comb. 662) left	4261321	1	84.25

57	1062FC	(comb 660) right	4261331	1	63.55
57	1062FC	(comb. 661) right	4261332	1	63.55
57	1062FC	(comb. 662) right	4261333	1	63.55
57	1062DF	(comb. 684)	4268174	1	158.50
57	1062DF	(comb. 685)	4268175	1	158.50
57	1062DF	(comb. 686)	4268176	1	158.50
57	1062DF	(comb. 687)	4268177	1	158.50
57	1062DF	(comb. 688)	4268178	1	158.50
57	1062DF	(comb. 689)	4268179	1	158.50
57	1062DF	(comb. 690)	4268180	1	158.50
57	1263F	(comb. 652)	4261674	1	123.65
57	1263F	(comb. 653)	4261675	1	123.65

14.976 TRIM ASSEMBLY, Center Seat Cushion

53	1062	(comb. 278)	4193261	1	17.30
53	1062F	(comb. 280)	4198529	1	22.15
53	1262F	(comb. 277)	4197149	1	16.60
54	1062D	(comb. 323)	4201216	1	19.60
54	1062F	(comb. 323)	4201224	1	24.30
54	1062F	(comb. 324)	4201225	1	24.30
54	1062F	(comb. 356)	4211865	1	24.30
54	1062F	(comb. 357)	4211864	1	24.30
54	1262F	(comb. 322)	4201262	1	19.60
54	1262F	(comb. 371)	4211888	1	19.60
55	1064	(comb. 541)	4243447	1	45.45
55	1064	(comb. 542)	4243448	1	45.45
55	1064	(comb. 543)	4243449	1	45.45
55	1064	(comb. 544)	4243451	1	45.45
55	1064	(comb. 545)	4243452	1	45.45
55	1064	(comb. 546)	4243453	1	45.45
55	1064	(comb. 552)	4243450	1	45.45
55	1263F	(comb. 502)	4215239	1	19.60
55	1263F	(comb. 524)	4215240	1	19.60
55	1062F-63F	(comb. 514)	4214887	1	24.30
55	1062F-63F	(comb. 515)	4214888	1	24.30
55	1062F-63F	(comb. 516)	4214889	1	24.30
55	1062DF	(comb. 517)	4214940	1	28.45
55	1062DF	(comb. 518)	4214941	1	28.45
56	1263F	(comb. 562)	4247044	1	19.55
56	1263F	(comb. 616)	4247045	1	19.55
56	1064	(comb. 590)	4246709	1	31.65
56	1064	(comb. 591)	4246710	1	31.65
56	1064	(comb. 593, 633)	4246712	1	31.65
56	1064	(comb. 594)	4246713	1	31.65
56	1064	(comb. 595)	4246714	1	31.65
56	1064	(comb. 611)	4246715	1	31.65
56	1064	(comb. 620)	4246711	1	31.65
56	1064	(comb. 632)	4259437	1	31.65
56	1062FC	right (comb. 570)	4258638	1	8.90
56	1062FC	left (comb. 570)	4258641	1	15.80
56	1062FC	right (comb. 572)	4258639	1	8.90
56	1062FC	left (comb. 572)	4258642	1	15.80
56	1062FC	right (comb. 609)	4258640	1	8.90
56	1062FC	left (comb. 609)	4258643	1	15.80
56	1062DF	right (comb. 586)	4258650	1	10.65
56	1062DF (2nd type)	left (comb. 586-629)	4258655	1	17.55
56	1062DF	right (comb. 587)	4258651	1	10.65
56	1062DF	left (comb. 587)	4258656	1	17.55
56	1062DF	right (comb. 588)	4258652	1	10.65
56	1062DF	left (comb. 588)	4258657	1	17.55
56	1062DF	right (comb. 610)	4258653	1	10.65
56	1062DF	left (comb. 610)	4258658	1	17.55
56	1062DF	right (comb. 619)	4258654	1	10.65
56	1062DF	left (comb. 619)	4258659	1	17.55
56	1062DF	right (comb. 630)	4259400	1	10.65
56	1062DF	left (comb. 630)	4259396	1	17.55

56	1062F-63F	(comb. 570)	4246278	1	24.30
56	1062F-63F	(comb. 572)	4246280	1	24.30
56	1062F-63F	(comb. 609)	4246281	1	24.30
57	1064	(comb. 691)	4261425	1	36.25
57	1064	(comb. 692)	4261426	1	36.25
57	1064	(comb. 693)	4261427	1	36.25
57	1064	(comb. 694)	4261428	1	36.25
57	1064	(comb. 695)	4261429	1	36.25
57	1064	(comb. 696)	4261430	1	36.25
57	1064	(comb. 697)	4261431	1	36.25
57	1062F-63F	(comb. 660)	4261310	1	28.20
57	1062F-63F	(comb. 661)	4261311	1	28.20
57	1062F-63F	(comb. 662)	4261312	1	28.20
57	1062FC	(comb. 660) (left)	4261316	1	17.85
57	1062FC	(comb. 661) (left)	4261317	1	17.85
57	1062FC	(comb. 662) (left)	4261318	1	17.85
57	1062FC	(comb. 660) (right)	4261328	1	10.65
57	1062FC	(comb. 661) (right)	4261329	1	10.65
57	1062FC	(comb. 662) (right)	4261330	1	10.65
57	1062DF	(comb. 684)	4267975	1	31.50
57	1062DF	(comb. 685)	4267976	1	31.50
57	1062DF	(comb. 686)	4267977	1	31.50
57	1062DF	(comb. 687)	4267978	1	31.50
57	1062DF	(comb. 688)	4267979	1	31.50
57	1062DF	(comb. 689)	4268172	1	31.50
57	1062DF	(comb. 690)	4268173	1	31.50
57	1263F	(comb. 652)	4261676	1	24.75
57	1263F	(comb. 653)	4261677	1	24.75

TRIM ASSEMBLY, Center Seat Back

53	1062	and back of back (comb. 278)	4193259	1	23.60
53	1062F	(comb. 280)	4198527	1	19.50
53	1262F	(comb. 277)	4197148	1	16.60
54	1062D	and back of back (comb. 323)	4201212	1	23.60
54	1062F	(comb. 356)	4211861	1	21.45
54	1062F	(comb. 357)	4211860	1	21.45
54	1262F	(comb. 322)	4201260	1	18.35
54	1262F	(comb. 371)	4211886	1	18.35
55	1064	(comb. 541)	4243433	1	42.00
55	1064	(comb. 542)	4243434	1	42.00
55	1064	(comb. 543)	4243435	1	42.00
55	1064	(comb. 544)	4243437	1	42.00
55	1064	(comb. 545)	4243438	1	42.00
55	1064	(comb. 546)	4243439	1	42.00
55	1064	(comb. 552)	4243436	1	42.00
55	1263F	(comb. 502)	4215235	1	22.15
55	1263F	(comb. 524)	4215236	1	22.15
55	1062F-63F	(comb. 514)	4214881	1	28.45
55	1062F-63F	(comb. 515)	4214882	1	28.45
55	1062F-63F	(comb. 516)	4214883	1	28.45
55	1062DF	(comb. 517)	4214936	1	31.00
55	1062DF	(comb. 518)	4214937	1	31.00
56	1263F	(comb. 562)	4247040	1	18.35
56	1263F	(comb. 616)	4247041	1	18.35
56	1064	(comb. 590)	4246695	1	30.50
56	1064	(comb. 591)	4246696	1	30.50
56	1064	(comb. 593, 633)	4246698	1	30.50
56	1064	(comb. 594)	4246699	1	30.50
56	1064	(comb. 595)	4246700	1	30.50
56	1064	(comb. 611)	4246701	1	30.50
56	1064	(comb. 620)	4246697	1	30.50
56	1064	(comb. 632)	4259435	1	30.50
56	1062FC	right (comb. 570)	4246286	1	8.90
56	1062FC	left (comb. 570)	4256930	1	15.80
56	1062FC	right (comb. 572)	4246288	1	8.90
56	1062FC	left (comb. 572)	4256931	1	15.80
56	1062FC	right (comb. 609)	4246289	1	8.90

56	1062FC	left (comb. 609)	4256932	1	15.80
56	1062DF	right (comb. 586, 629)	4246485	1	10.65
56	1062DF	left (comb. 586, 629)	4256956	1	17.55
56	1062DF	right (comb. 587)	4246486	1	10.65
56	1062DF	left (comb. 587)	4256957	1	17.55
56	1062DF	right (comb. 588)	4246487	1	10.65
56	1062DF	left (comb. 588)	4256958	1	17.55
56	1062DF	right (comb. 610)	4246489	1	10.65
56	1062DF	left (comb. 610)	4256959	1	17.55
56	1062DF	right (comb. 619)	4246488	1	10.65
56	1062DF	left (comb. 619)	4256960	1	17.55
56	1062DF	right (comb. 630)	4259402	1	10.65
56	1062DF	left (comb. 630)	4259398	1	17.55
56	1062F-63F	(comb. 570)	4246270	1	23.40
56	1062F-63F	(comb. 572)	4246272	1	23.40
56	1062F-63F	(comb. 609)	4246273	1	23.40
57	1064	(comb. 691)	4261439	1	34.20
57	1064	(comb. 692)	4261440	1	34.20
57	1064	(comb. 693)	4261441	1	34.20
57	1064	(comb. 694)	4261442	1	34.20
57	1064	(comb. 695)	4261443	1	34.20
57	1064	(comb. 696)	4261444	1	34.20
57	1064	(comb. 697)	4261445	1	34.20
57	1062F-63F	(comb. 660)	4261304	1	27.30
57	1062F-63F	(comb. 661)	4261305	1	27.30
57	1062F-63F	(comb. 662)	4261306	1	27.30
57	1062FC	(comb. 660) (left)	4261322	1	17.85
57	1062FC	(comb. 661) (left)	4261323	1	17.85
57	1062FC	(comb. 662) (left)	4261324	1	17.85
57	1062FC	(comb. 660) (right)	4261334	1	10.65
57	1062FC	(comb. 661) (right)	4261335	1	10.65
57	1062FC	(comb. 662) (right)	4261336	1	10.65
57	1062DF	(comb. 684)	4268181	1	32.75
57	1062DF	(comb. 685)	4268182	1	32.75
57	1062DF	(comb. 686)	4268183	1	32.75
57	1062DF	(comb. 687)	4268184	1	32.75
57	1062DF	(comb. 688)	4268185	1	32.75
57	1062DF	(comb. 689)	4268186	1	32.75
57	1062DF	(comb. 690)	4268187	1	32.75
57	1263F	(comb. 652)	4267964	1	23.00
57	1263F	(comb. 653)	4267965	1	23.00

TRIM ASSY., Center Seat Side Panel

54	1062D	right (comb. 323)	4201208	1	1.90
54	1062D	left (comb. 323)	4201209	1	1.90

14.998 BACK, Rear Seat Detachable—Trimmed, w/Spring

53	1011W-69W	(comb. 242)	4192345	1	69.10
53	1011W-69W	(comb. 243)	4192346	1	69.10
53	1211-69	(comb. 249)	4192514	1	63.85
54	1011WA	(comb. 333)	4209190	1	86.20
54	1011W-69W	(comb. 304)	4200716	1	68.95
54	1011W-69W	(comb. 305)	4200717	1	68.95
54	1011W-69W	(comb. 306)	4200718	1	68.95
54	1011W-69W	(comb. 352)	4211455	1	68.95
54	1011WD-69WD	(comb. 309)	4200956	1	80.20
54	1011WD-69WD	(comb. 310)	4200957	1	80.20
54	1011WD-69WD	(comb. 311)	4200958	1	80.20
54	1011WD-69WD	(comb. 330)	4200959	1	80.20
54	1011WD-69WD	(comb. 331)	4208559	1	80.20
54	1011WD-69WD	(comb. 358)	4211641	1	80.20
54	1011WD-69WD	(comb. 359)	4211642	1	80.20
54	1011WD-69WD	(comb. 360)	4211643	1	80.20
54	1211W	(comb. 300)	4201137	1	63.85
54	1269W	(comb. 300)	4201138	1	63.85
54	SPT. CPE.	(comb. 365)	4211740	1	68.95

55	1011-19 (exc. 11A-11D-19D)	(comb. 503)	4214324	1	80.45
55	1011-19 (exc. 11A-11D-19D)	(comb. 504)	4214325	1	80.45
55	1011-19 (exc. 11A-11D-19D)	(comb. 505)	4214326	1	80.45
55	1011A	(comb. 506)	4214183	1	101.15
55	1011A	(comb. 507)	4214184	1	101.15
55	1011A	(comb. 508)	4214185	1	101.15
55	1011D-19D	(comb. 509)	4214591	1	91.95
55	1011D-19D	(comb. 510)	4214592	1	91.95
55	1011D-19D	(comb. 511)	4214593	1	91.95
55	1011D-19D	(comb. 513)	4214595	1	91.95
55	1011D-19D	(comb. 531)	4214594	1	91.95
55	1011D-19D	(comb. 549)	4243243	1	91.95
55	1211-19 (exc. 11B)	(comb. 500)	4215197	1	75.35
55	CONV.	(comb. 525)	4215143	1	87.35
55	CONV.	(comb. 526)	4215144	1	87.35
55	CONV.	(comb. 527)	4215145	1	87.35
55	CONV.	(comb. 528)	4215146	1	87.35
55	CONV.	(comb. 533)	4215148	1	87.35
55	CONV.	(comb. 537)	4215147	1	87.35
55	CONV.	(comb. 551)	4243211	1	87.35
55	1037	(comb. 503)	4255755	1	75.35
55	1037	(comb. 504)	4255756	1	75.35
55	1037	(comb. 505)	4255757	1	75.35
55	1037D	(comb. 519)	4214751	1	80.45
55	1037D	(comb. 520)	4214752	1	80.45
55	1037D	(comb. 521)	4214753	1	80.45
55	1037D	(comb. 522)	4214754	1	80.45
55	1037D	(comb. 532)	4214755	1	80.45
55	1037D	(comb. 550)	4243186	1	80.45
56	1011-19 (exc. 11A-11D-19D)	(comb. 564)	4245435	1	80.45
56	1011-19 (exc. 11A-11D-19D)	(comb. 565)	4245436	1	80.45
56	1011-19 (exc. 11A-11D-19D)	(comb. 566)	4245437	1	80.45
56	1011A	(comb. 567)	4245519	1	101.15
56	1011A	(comb. 568)	4245520	1	101.15
56	1011A	(comb. 569)	4245521	1	101.15
56	1011D-19D	(comb. 573)	4245783	1	91.95
56	1011D-19D	(comb. 574)	4245784	1	91.95
56	1011D-19D	(comb. 575)	4245785	1	91.95
56	1011D-19D	(comb. 577)	4245787	1	91.95
56	1011D-19D	(comb. 578)	4245788	1	91.95
56	1011D-19D	(comb. 617)	4245786	1	91.95
56	1011D-19D	(comb. 626)	4259364	1	91.95
56	1211-19 (TAXICAB)	(comb. 560)	4246996	1	75.35
56	CONV.	(comb. 602)	4246938	1	87.35
56	CONV.	(comb. 603)	4246939	1	87.35
56	CONV.	(comb. 604)	4246940	1	87.35
56	CONV.	(comb. 605)	4246941	1	87.35
56	CONV.	(comb. 606)	4246942	1	87.35
56	CONV.	(comb. 607)	4246943	1	87.35
56	CONV.	(comb. 621)	4246944	1	87.35
56	CONV.	(comb. 631)	4259469	1	87.35
56	1037	(comb. 564)	4245840	1	80.45
56	1037	(comb. 565)	4245841	1	80.45
56	1037	(comb. 566)	4245842	1	80.45
56	1037D	(comb. 579)	4246158	1	87.35
56	1037D	(comb. 580)	4246159	1	87.35
56	1037D	(comb. 581)	4246160	1	87.35
56	1037D	(comb. 583, 628)	4246162	1	87.35
56	1037D	(comb. 584)	4246163	1	87.35
56	1037D	(comb. 585)	4246164	1	87.35
56	1037D	(comb. 618)	4246161	1	87.35
56	1037D	(comb. 627)	4259320	1	87.35
56	1039	(comb. 564)	4245879	1	80.45
56	1039	(comb. 565)	4245880	1	80.45
56	1039	(comb. 566)	4245881	1	80.45
56	1039D	(comb. 579)	4246165	1	87.35
56	1039D	(comb. 580)	4246166	1	87.35
56	1039D	(comb. 581)	4246167	1	87.35

56	1039D	(comb. 583, 628)	4246169	1	87.35
56	1039D	(comb. 584)	4246170	1	87.35
56	1039D	(comb. 585)	4246171	1	87.35
56	1039D	(comb. 618)	4246168	1	87.35
56	1039D	(comb. 627)	4259322	1	87.35
56	1062FC	(comb. 570)	4256939	1	60.40
56	1062FC	(comb. 572)	4256940	1	60.40
56	1062FC	(comb. 609)	4256941	1	60.40
56	1062DF	(comb. 586, 629)	4256971	1	68.70
56	1062DF	(comb. 587)	4256972	1	68.70
56	1062DF	(comb. 588)	4256973	1	68.70
56	1062DF	(comb. 610)	4256974	1	68.70
56	1062DF	(comb. 619)	4256975	1	68.70
56	1062DF	(comb. 630)	4259405	1	68.70
57	1011-19 (exc. 11A-11D-19D)	(comb. 654)	4260205	1	93.00
57	1011-19 (exc. 11A-11D-19D)	(comb. 655)	4260206	1	93.00
57	1011-19 (exc. 11A-11D-19D)	(comb. 656)	4260207	1	93.00
57	1011A	(comb. 657)	4260289	1	104.15
57	1011A	(comb. 658)	4260290	1	104.15
57	1011A	(comb. 659)	4260291	1	104.15
57	1011D-19D	(comb. 663)	4260593	1	101.50
57	1011D-19D	(comb. 664)	4260594	1	101.50
57	1011D-19D	(comb. 665)	4260595	1	101.50
57	1011D-19D	(comb. 666)	4260596	1	101.50
57	1011D-19D	(comb. 667)	4260597	1	101.50
57	1011D-19D	(comb. 668)	4260598	1	101.50
57	1011D-19D	(comb. 669)	4260599	1	101.50
57	1211-19	(comb. 650)	4261634	1	85.25
57	CONV	(comb. 677)	4261573	1	104.15
57	CONV	(comb. 678)	4261574	1	104.15
57	CONV	(comb. 679)	4261575	1	104.15
57	CONV	(comb. 680)	4261576	1	104.15
57	CONV	(comb. 681)	4261577	1	104.15
57	CONV	(comb. 682)	4261578	1	104.15
57	CONV	(comb. 683)	4261579	1	104.15
57	1037	(comb. 654)	4260691	1	93.00
57	1037	(comb. 655)	4260692	1	93.00
57	1037	(comb. 656)	4260693	1	93.00
57	1037D	(comb. 670)	4260965	1	104.15
57	1037D	(comb. 671)	4260966	1	104.15
57	1037D	(comb. 672)	4260967	1	104.15
57	1037D	(comb. 673)	4260968	1	104.15
57	1037D	(comb. 674)	4260969	1	104.15
57	1037D	(comb. 675)	4260970	1	104.15
57	1037D	(comb. 676)	4260971	1	104.15
57	1039	(comb. 654)	4260694	1	93.00
57	1039	(comb. 655)	4260695	1	93.00
57	1039	(comb. 656)	4260696	1	93.00
57	1039D	(comb. 670)	4260972	1	101.50
57	1039D	(comb. 671)	4260973	1	101.50
57	1039D	(comb. 672)	4260974	1	101.50
57	1039D	(comb. 673)	4260975	1	101.50
57	1039D	(comb. 674)	4260976	1	101.50
57	1039D	(comb. 675)	4260977	1	101.50
57	1039D	(comb. 676)	4260978	1	101.50
57	1062FC	(comb. 660)	4261343	1	65.65
57	1062FC	(comb. 661)	4261344	1	65.65
57	1062FC	(comb. 662)	4261345	1	65.65

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	15.000 TRIM ASSEMBLY, Rear Seat Detachable Back Cover				
51	BEL AIR	(comb. 186)	4181026	1	39.50
52	BEL AIR	(comb. 240) (coil type spring)	4190342	1	37.15
53	1011W-69W	(comb. 241)	4192348	1	29.10
53	1011W-69W	(comb. 242)	4192349	1	29.10
53	1011W-69W	(comb. 243)	4192350	1	29.10
53	1011W-69W	(comb. 244)	4192351	1	29.10
53	1011WD-69WD	(comb. 245)	4192440	1	39.75
53	1011WD-69WD	(comb. 246)	4192441	1	39.75
53	1011WD-69WD	(comb. 247)	4192442	1	39.75
53	1211-69	(comb. 249)	4192515	1	23.90
53	1067D	(comb. 265) (zigzag type spring)	4199646	1	41.10
53	1067D	(comb. 267) (zigzag type spring)	4199648	1	41.10
53	1037	(comb. 243)	4198468	1	26.30
53	1037D	(comb. 254)	4192252	1	34.75
53	1037D	(comb. 256)	4192254	1	34.75
53	1037D	(comb. 257)	4192255	1	34.75
53	1037D	(comb. 258)	4193235	1	34.75
53	1037D	(comb. 259)	4193236	1	34.75
54	1011WA	(comb. 332)	4209192	1	45.30
54	1011WA	(comb. 333)	4209193	1	45.30
54	1011WA	(comb. 334)	4209194	1	45.30
54	1011W-69W	(comb. 304)	4200728	1	29.10
54	1011W-69W	(comb. 305)	4200729	1	29.10
54	1011W-69W	(comb. 306)	4200730	1	29.10
54	1011W-69W	(comb. 307)	4200731	1	29.10
54	1011W-69W	(comb. 352)	4211459	1	29.10
54	1011W-69W	(comb. 354)	4211461	1	29.10
54	1011W-69W	(comb. 355)	4211462	1	29.10
54	1011WD-69WD	(comb. 309)	4200960	1	39.75
54	1011WD-69WD	(comb. 310)	4200961	1	39.75
54	1011WD-69WD	(comb. 311)	4200962	1	39.75
54	1011WD-69WD	(comb. 330)	4200963	1	39.75
54	1011WD-69WD	(comb. 331)	4208560	1	39.75
54	1011WD-69WD	(comb. 358)	4211645	1	39.75
54	1011WD-69WD	(comb. 359)	4211646	1	39.75
54	1011WD-69WD	(comb. 360)	4211647	1	39.75
54	1011WD-69WD	(comb. 361)	4211648	1	39.75
54	1211W	(comb. 300)	4201139	1	25.75
54	1211W	(comb. 350)	4211304	1	25.75
54	1069W-1269W (TAXICAB)	(comb. 301, 312)	4211255	1	26.40
54	1269W	(comb. 300)	4201140	1	25.75
54	1269W	(comb. 350)	4211305	1	25.75
54	CONV	(comb. 325)	4201381	1	41.10
54	CONV	(comb. 326)	4201382	1	41.10
54	CONV	(comb. 327)	4201383	1	41.10
54	CONV	(comb. 328)	4202227	1	41.10
54	CONV	(comb. 337)	4201380	1	41.10
54	CONV	(comb. 367)	4211822	1	41.10
54	CONV	(comb. 368)	4211825	1	41.10
54	CONV	(comb. 376)	4211823	1	41.10
54	SPT. CPE.	(comb. 314)	4201072	1	34.20
54	SPT. CPE.	(comb. 315)	4201073	1	34.20
54	SPT. CPE.	(comb. 316)	4201074	1	34.20
54	SPT. CPE.	(comb. 317)	4201075	1	34.20
54	SPT. CPE.	(comb. 318)	4202167	1	34.20
54	SPT. CPE.	(comb. 319)	4202195	1	34.20
54	SPT. CPE.	(comb. 362)	4211743	1	34.20
54	SPT. CPE.	(comb. 363)	4211742	1	34.20
54	SPT. CPE.	(comb. 365)	4211745	1	34.20
54	SPT. CPE.	(comb. 366)	4211744	1	34.20
54	1062D	(comb. 324)	4201233	1	33.35

55	1011-19 (exc. 11A-11D-19D)	(comb. 503)	4214330	1	31.90
55	1011-19 (exc. 11A-11D-19D)	(comb. 504)	4214331	1	31.90
55	1011-19 (exc. 11A-11D-19D)	(comb. 505)	4214332	1	31.90
55	1011A	(comb. 506)	4214186	1	50.30
55	1011A	(comb. 507)	4214187	1	50.30
55	1011A	(comb. 508)	4214188	1	50.30
55	1011D-19D	(comb. 509)	4214601	1	43.65
55	1011D-19D	(comb. 510)	4214602	1	43.65
55	1011D-19D	(comb. 511)	4214603	1	43.65
55	1011D-19D	(comb. 513)	4214605	1	43.65
55	1011D-19D	(comb. 531)	4214604	1	43.65
55	1011D-19D	(comb. 549)	4243244	1	43.65
55	1019 (TAXICAB) (exc. 19D)	(comb. 553)	4243795	1	28.45
55	1019-1219 (TAXICAB) (exc. 1019D)	(comb. 529, 530)	4243796	1	28.45
55	1211-19 (exc. 11B)	(comb. 500, 547)	4215199	1	28.45
55	CONV.	(comb. 525)	4215149	1	46.85
55	CONV.	(comb. 526)	4215150	1	46.85
55	CONV.	(comb. 527)	4215151	1	46.85
55	CONV.	(comb. 528)	4215152	1	46.85
55	CONV.	(comb. 533)	4215154	1	46.85
55	CONV.	(comb. 537)	4215153	1	46.85
55	CONV.	(comb. 551)	4243212	1	46.85
55	1037	(comb. 503)	4255758	1	28.45
55	1037	(comb. 504)	4255759	1	28.45
55	1037	(comb. 505)	4255760	1	28.45
55	1037D	(comb. 519)	4214756	1	37.65
55	1037D	(comb. 520)	4214757	1	37.65
55	1037D	(comb. 521)	4214758	1	37.65
55	1037D	(comb. 522)	4214759	1	37.65
55	1037D	(comb. 532)	4214760	1	37.65
55	1037D	(comb. 550)	4243187	1	37.65
56	1011-19 (exc. 11A-11D-19D)	(comb. 564)	4245438	1	31.90
56	1011-19 (exc. 11A-11D-19D)	(comb. 565)	4245439	1	31.90
56	1011-19 (exc. 11A-11D-19D)	(comb. 566)	4245440	1	31.90
56	1011A	(comb. 567)	4245522	1	50.30
56	1011A	(comb. 568)	4245523	1	50.30
56	1011A	(comb. 569)	4245524	1	50.30
56	1011D-19D	(comb. 573)	4245789	1	43.65
56	1011D-19D	(comb. 574)	4245790	1	43.65
56	1011D-19D	(comb. 575)	4245791	1	43.65
56	1011D-19D	(comb. 577)	4245793	1	43.65
56	1011D-19D	(comb. 578)	4245794	1	43.65
56	1011D-19D	(comb. 617)	4245792	1	43.65
56	1011D-19D	(comb. 626)	4259365	1	43.65
56	1019 (TAXICAB) (exc. 1019D)	(comb. 624)	4258741	1	28.45
56	1019 (TAXICAB) (exc. 1019D)	(comb. 625)	4258740	1	28.45
56	1211-19 (TAXICAB) (exc. 11B)	(comb. 560)	4246997	1	28.45
56	1219 (TAXICAB)	(comb. 623)	4258739	1	28.45
56	CONV.	(comb. 602)	4246945	1	46.85
56	CONV.	(comb. 603)	4246946	1	46.85
56	CONV.	(comb. 604)	4246947	1	46.85
56	CONV.	(comb. 605)	4246948	1	46.85
56	CONV.	(comb. 606)	4246949	1	46.85
56	CONV.	(comb. 607)	4246950	1	46.85
56	CONV.	(comb. 621)	4246951	1	46.85
56	CONV.	(comb. 631)	4259470	1	46.85
56	1037	(comb. 564)	4245843	1	30.20
56	1037	(comb. 565)	4245844	1	30.20
56	1037	(comb. 566)	4245845	1	30.20
56	1037D	(comb. 579)	4246172	1	37.65
56	1037D	(comb. 580)	4246173	1	37.65
56	1037D	(comb. 581)	4246174	1	37.65
56	1037D	(comb. 583, 628)	4246176	1	37.65
56	1037D	(comb. 584)	4246177	1	37.65
56	1037D	(comb. 585)	4246178	1	37.65
56	1037D	(comb. 618)	4246175	1	37.65
56	1037D	(comb. 627)	4259321	1	37.65
56	1039	(comb. 564)	4245882	1	35.10

56	1039	(comb. 565)	4245883	1	35.10
56	1039	(comb. 566)	4245884	1	35.10
56	1039D	(comb. 579)	4246179	1	41.35
56	1039D	(comb. 580)	4246180	1	41.35
56	1039D	(comb. 581)	4246181	1	41.35
56	1039D	(comb. 583, 628)	4246183	1	41.35
56	1039D	(comb. 584)	4246184	1	41.35
56	1039D	(comb. 585)	4246185	1	41.35
56	1039D	(comb. 618)	4246182	1	41.35
56	1039D	(comb. 627)	4259323	1	41.35
56	1062FC	(comb. 570)	4246310	1	23.60
56	1062FC	(comb. 572)	4246312	1	23.60
56	1062FC	(comb. 609)	4246313	1	23.60
56	1062DF	(comb. 586)	4246515	1	28.45
56	1062DF	(comb. 587)	4246516	1	28.45
56	1062DF	(comb. 588)	4246517	1	28.45
56	1062DF	(comb. 610)	4246519	1	28.45
56	1062DF	(comb. 619)	4246518	1	28.45
56	1062DF	(comb. 630)	4259406	1	28.45
57	1011-19-39 (exc. 1011A-11D-19D-39D)	(comb. 654)	4260208	1	36.40
57	1011-19-39 (exc. 1011A-11D-19D-39D)	(comb. 655)	4260209	1	36.40
57	1011-19-39 (exc. 1011A-11D-19D-39D)	(comb. 656)	4260210	1	36.40
57	1211-19	(comb. 650)	4261635	1	31.50
57	1011A	(comb. 657)	4260292	1	51.85
57	1011A	(comb. 658)	4260293	1	51.85
57	1011A	(comb. 659)	4260294	1	51.85
57	1011D-19D	(comb. 663)	4260600	1	45.20
57	1011D-19D	(comb. 664)	4260601	1	45.20
57	1011D-19D	(comb. 665)	4260602	1	45.20
57	1011D-19D	(comb. 666)	4260603	1	45.20
57	1011D-19D	(comb. 667)	4260604	1	45.20
57	1011D-19D	(comb. 668)	4260605	1	45.20
57	1011D-19D	(comb. 669)	4260606	1	45.20
57	CONV	(comb. 677)	4261580	1	51.85
57	CONV	(comb. 678)	4261581	1	51.85
57	CONV	(comb. 679)	4261582	1	51.85
57	CONV	(comb. 680)	4261583	1	51.85
57	CONV	(comb. 681)	4261584	1	51.85
57	CONV	(comb. 682)	4261585	1	51.85
57	CONV	(comb. 683)	4261586	1	51.85
57	1037	(comb. 654)	4260697	1	36.40
57	1037	(comb. 655)	4260698	1	36.40
57	1037	(comb. 656)	4260699	1	36.40
57	1037D	(comb. 670)	4260979	1	51.85
57	1037D	(comb. 671)	4260980	1	51.85
57	1037D	(comb. 672)	4260981	1	51.85
57	1037D	(comb. 673)	4260982	1	51.85
57	1037D	(comb. 674)	4260983	1	51.85
57	1037D	(comb. 675)	4260984	1	51.85
57	1037D	(comb. 676)	4260985	1	51.85
57	1039D	(comb. 670)	4260986	1	45.20
57	1039D	(comb. 671)	4260987	1	45.20
57	1039D	(comb. 672)	4260988	1	45.20
57	1039D	(comb. 673)	4260989	1	45.20
57	1039D	(comb. 674)	4260990	1	45.20
57	1039D	(comb. 675)	4260991	1	45.20
57	1039D	(comb. 676)	4260992	1	45.20
57	1062FC	(comb. 660)	4261346	1	27.05
57	1062FC	(comb. 661)	4261347	1	27.05
57	1062FC	(comb. 662)	4261348	1	27.05

15.024 TRIM ASSEMBLY, Rear Seat Back Compartment Shelf

49-52	FLEETLINE	(comb. 156, 157, 158, 170, 171, 200, 201, 211)	4169316	1	3.15
49-52	1011-69-1211-69	(comb. 156, 157, 158, 170, 171, 200, 201, 210, 211)	4169406	1	3.15
52	1011-69	(comb. 212)	4189191	1	3.15
52	1011-69	(comb. 213)	4189746	1	3.15

53-54	1011-69 (exc. 1011WA)	(comb. 241, 245, 291, 354, 358)	4191912	1	3.15
53-54	1011-69 (exc. 1011WA)	(comb. 242, 246, 355, 359)	4192021	1	3.15
53-54	1011W-69W	(comb. 243, 352)	4191914	1	3.15
53-54	1011W-69W	(comb. 244, 353)	4191915	1	3.15
53-54	1011WD-69WD	(comb. 247, 292, 360)	4192022	1	3.15
53	1211-69	(comb. 249)	4192449	1	2.90
53	1037D	(comb. 256)	4192174	1	3.45
54	1011W-11WD-69	(comb. 304, 309)	4200568	1	3.15
54	1011W-11WD-69	(comb. 305, 310)	4200569	1	3.15
54	1011W-11WD-69	(comb. 306, 311)	4200570	1	3.15
54	1011W-69W	(comb. 307)	4200571	1	3.15
54	1011WD-69WD	(comb. 330)	4200819	1	3.15
54	1011WD-69WD	(comb. 331)	4208540	1	2.90
54	1011WA	(comb. 332)	4209146	1	2.90
54	1011WA	(comb. 333)	4209147	1	2.90
54	1011WA	(comb. 334)	4209148	1	2.90
54	1211-69W	(comb. 300)	4201100	1	2.90
54	1211W-69W	(comb. 350)	4211272	1	2.90
54	SPT. CPE.	(comb. 314)	4200988	1	3.45
54	SPT. CPE.	(comb. 315)	4200989	1	3.45
54	SPT. CPE.	(comb. 316)	4200990	1	3.45
54	SPT. CPE.	(comb. 317)	4200991	1	3.45
54	SPT. CPE.	(comb. 318)	4202146	1	3.45
54	SPT. CPE.	(comb. 362)	4213905	1	3.45
54	SPT. CPE.	(comb. 363)	4213904	1	3.45
54	SPT. CPE.	(comb. 364)	4213903	1	3.45
54	SPT. CPE.	(comb. 365)	4213907	1	3.45
54	SPT. CPE.	(comb. 366)	4213906	1	3.45
55	1011A	(comb. 506)	4656174	1	2.30
55	1011A	(comb. 507)	4656175	1	2.30
55	1011-19 (exc. 11A-11D-19D)	(comb. 505)	4656173	1	2.30
55	1011D-19D	(comb. 511)	4659044	1	2.30
55	1011D-19D	(comb. 513)	4656170	1	2.30
55	1011D-19D	(comb. 531, 549)	4658965	1	2.30
55	1011A-1211-19 (exc. 1211B)	(comb. 500, 508)			
56	1011A	(comb. 567)			
57	1011D-19D-1211-19 (exc. 1211B)	(comb. 650, 663, 668, 669, 715)	4656169	1	2.30
55	1011-11D-19 (exc. 11A)	(comb. 503, 509)	4653066	1	2.30
55	1011-11D-19 (exc. 11A)	(comb. 504, 510)	4656171	1	2.30
55	1211B	(comb. 500, 547)	4241744	1	2.30
55	1037	(comb. 504)	4679080	1	2.30
55	1037	(comb. 505)	4679081	1	2.30
55	1037D	(comb. 519)	4656183	1	2.30
55	1037D	(comb. 520)	4656184	1	2.30
55-56	1037D	(comb. 521, 583, 628)	4656185	1	2.30
55	1037D	(comb. 522)	4653065	1	2.30
55	1037D	(comb. 532, 550)	4658995	1	2.30
56	1011-19 (exc. 11A-11D-19D)	(comb. 564, 565, 566)	4673897	1	2.30
56	1011A	(comb. 569)	4673878	1	2.30
56	1011A	(comb. 568)			
57	1011-11A-19 (exc. 1011D-19D)	(comb. 655, 658)	4673877	1	2.30
56	1011D-19D	(comb. 573)	4673863	1	2.30
56	1011D-19D	(comb. 574)	4673864	1	2.30
56	1011D-19D	(comb. 575)	4673865	1	2.30
56	1011D-19D	(comb. 577)	4673867	1	2.30
56	1011D-19D	(comb. 578)	4673868	1	2.30
56	1011D-19D	(comb. 617)	4683935	1	2.30
56	1011D-19D	(comb. 626)	4690108	1	2.30
56	1211 (exc. 11B)	(comb. 560)	4246968	1	2.30
56	1037	(comb. 564, 565, 566)	4680562	1	2.30
56	1037D	(comb. 579)	4673895	1	2.30
56	1037D	(comb. 580)	4673891	1	2.30
56	1037D	(comb. 581)	4673892	1	2.30
56	1037D	(comb. 584)	4673894	1	2.30
56	1037D	(comb. 585)	4674579	1	2.30
56	1037D	(comb. 618)	4684480	1	2.30
56	1037D	(comb. 627)	4690065	1	2.30

56	1039	(comb. 564, 565, 566)	4680563	1	2.30
56	1039D	(comb. 579)	4674171	1	2.30
56	1039D	(comb. 580)	4674167	1	2.30
56	1039D	(comb. 581)	4674168	1	2.30
56	1039D	(comb. 583, 628)	4674166	1	2.30
56	1039D	(comb. 584)	4674170	1	2.30
56	1039D	(comb. 585)	4674580	1	2.30
56-57	1039D	(comb. 618, 674)	4684479	1	2.30
56	1039	(comb. 627)	4690105	1	2.30
57	1011-19 (exc. 11A-11D-19D)	(comb. 656)	4698522	1	2.30
57	1011-11A-19 (exc. 11D-19D)	(comb. 654, 657)	4698521	1	2.30
57	1011A-11D-19D	(comb. 659, 657)	4698520	1	2.30
57	1011D-19D	(comb. 664)	4698517	1	2.30
57	1011D-19D	(comb. 665)	4698518	1	2.30
57	1011D-19D	(comb. 666)	4698519	1	2.30
57	1211B	(comb. 650)	4261606	1	2.30
57	1037	(comb. 654)	4698506	1	2.30
57	1037	(comb. 655)	4676367	1	2.30
57	1037	(comb. 656)	4698507	1	2.30
57	1037D	(comb. 670-675-676)	4656186	1	2.30
57	1037D	(comb. 671)	4698502	1	2.30
57	1037D	(comb. 672)	4698503	1	2.30
57	1037D	(comb. 673)	4698504	1	2.30
57	1037D	(comb. 674)	4698505	1	2.30
57	1039	(comb. 654)	4698528	1	2.30
57	1039	(comb. 655)	4676369	1	2.30
57	1039	(comb. 656)	4698529	1	2.30
57	1039D	(comb. 670-675-676)	4674173	1	2.30
57	1039D	(comb. 671)	4698525	1	2.30
57	1039D	(comb. 672)	4698526	1	2.30
57	1039D	(comb. 673)	4698527	1	2.30

15.033 CUSHION, Rear Seat, Trimmed

NOTE: For Station Wagon Center Seat Cushion see Group 14.974.

51-52	STA. WAG.	(comb. 202, 218)	4181091	1	52.00
53	1011W	(comb. 242)	4192001	1	87.50
53	1011W	(comb. 243)	4192002	1	87.50
53	1027	(comb. 242)	4192149	1	87.50
54	1011W	(comb. 306)	4200694	1	87.45
54	1011WA	(comb. 334)	4209185	1	95.70
54	1011WD	(comb. 309)	4200940	1	91.45
54	1011WD	(comb. 310)	4200941	1	91.45
54	1011WD	(comb. 311)	4200942	1	91.45
54	1011WD	(comb. 330)	4200943	1	91.45
54	1011WD	(comb. 361)	4211628	1	91.45
54	1211W	(comb. 300)	4201133	1	71.60
54	1069W	(comb. 305)	4200701	1	87.45
54	1069W	(comb. 354)	4211445	1	87.45
54	1069W	(comb. 355)	4211446	1	87.45
54	1069WD	(comb. 310)	4200945	1	95.70
54	1069WD	(comb. 311)	4200946	1	95.70
54	1069WD	(comb. 330)	4200947	1	95.70
54	1069WD	(comb. 331)	4208585	1	95.70
54	1069WD	(comb. 361)	4211632	1	95.70
54	1269W	(comb. 300)	4201134	1	71.60
54	CONV.	(comb. 325)	4201369	1	91.45
54	CONV.	(comb. 329)	4202255	1	91.45
55	1011 (exc. 11A-11D)	(comb. 503)	4214312	1	90.85
55	1011 (exc. 11A-11D)	(comb. 504)	4214313	1	90.85
55	1011 (exc. 11A-11D)	(comb. 505)	4214314	1	90.85
55	1011A	(comb. 506)	4214177	1	102.35
55	1011A	(comb. 507)	4214178	1	102.35
55	1011A	(comb. 508)	4214179	1	102.35
55	1011D	(comb. 509)	4214571	1	97.75
55	1011D	(comb. 510)	4214572	1	97.75
55	1011D	(comb. 511)	4214573	1	97.75
55	1011D	(comb. 513)	4214575	1	97.75

55	1011D	(comb. 531)	4214574	1	97.75
55	1011D	(comb. 549)	4243239	1	97.75
55	1211 (exc. 11B)	(comb. 500)	4215193	1	75.90
55	1019 (exc. 19D)	(comb. 503)	4214315	1	90.85
55	1019 (exc. 19D)	(comb. 504)	4214316	1	90.85
55	1019 (exc. 19D)	(comb. 505)	4214317	1	90.85
55	1019D	(comb. 509)	4214576	1	102.35
55	1019D	(comb. 510)	4214577	1	102.35
55	1019D	(comb. 511)	4214578	1	102.35
55	1019D	(comb. 513)	4214580	1	102.35
55	1019D	(comb. 531)	4214579	1	102.35
55	1019D	(comb. 549)	4243241	1	102.35
55	1219	(comb. 500)	4215194	1	75.90
55	CONV.	(comb. 525)	4215131	1	102.35
55	CONV.	(comb. 526)	4215132	1	102.35
55	CONV.	(comb. 527)	4215133	1	102.35
55	CONV.	(comb. 528)	4215134	1	102.35
55	CONV.	(comb. 533)	4215136	1	102.35
55	CONV.	(comb. 537)	4215135	1	102.35
55	CONV.	(comb. 551)	4243209	1	102.35
55	1037	(comb. 503)	4255749	1	75.90
55	1037	(comb. 504)	4255750	1	75.90
55	1037	(comb. 505)	4255751	1	75.90
55	1037D	(comb. 519)	4214741	1	93.75
55	1037D	(comb. 520)	4214742	1	93.75
55	1037D	(comb. 521)	4214743	1	93.75
55	1037D	(comb. 522)	4214744	1	93.75
55	1037D	(comb. 532)	4214745	1	93.75
55	1037D	(comb. 550)	4243184	1	93.75
56	1011 (exc. 11A-11D)	(comb. 564)	4245423	1	90.85
56	1011 (exc. 11A-11D)	(comb. 565)	4245424	1	90.85
56	1011 (exc. 11A-11D)	(comb. 566)	4245425	1	90.85
56	1011A	(comb. 567)	4245513	1	102.35
56	1011A	(comb. 568)	4245514	1	102.35
56	1011A	(comb. 569)	4245515	1	102.35
56	1011D	(comb. 573)	4245759	1	101.20
56	1011D	(comb. 574)	4245760	1	101.20
56	1011D	(comb. 575)	4245761	1	101.20
56	1011D	(comb. 577)	4245763	1	101.20
56	1011D	(comb. 578)	4245764	1	101.20
56	1011D	(comb. 617)	4245762	1	101.20
56	1011D	(comb. 626)	4259360	1	101.20
56	1211 (exc. 11B)	(comb. 560)	4246992	1	75.90
56	1019 (exc. 19D)	(comb. 564)	4245426	1	90.85
56	1019 (exc. 19D)	(comb. 565)	4245427	1	90.85
56	1019 (exc. 19D)	(comb. 566)	4245428	1	90.85
56	1019D	(comb. 573)	4245765	1	102.35
56	1019D	(comb. 574)	4245766	1	102.35
56	1019D	(comb. 575)	4245767	1	102.35
56	1019D	(comb. 577)	4245769	1	102.35
56	1019D	(comb. 578)	4245770	1	102.35
56	1019D	(comb. 617)	4245768	1	102.35
56	1019D	(comb. 626)	4259362	1	102.35
56	1219	(comb. 560)	4246994	1	75.90
56	CONV.	(comb. 602)	4246924	1	106.40
56	CONV.	(comb. 603)	4246925	1	106.40
56	CONV.	(comb. 604)	4246926	1	106.40
56	CONV.	(comb. 605)	4246927	1	106.40
56	CONV.	(comb. 606)	4246928	1	106.40
56	CONV.	(comb. 607)	4246929	1	106.40
56	CONV.	(comb. 621)	4246930	1	106.40
56	CONV.	(comb. 631)	4259467	1	106.40
56	1037	(comb. 564)	4245834	1	85.70
56	1037	(comb. 565)	4245835	1	85.70
56	1037	(comb. 566)	4245836	1	85.70
56	1037D	(comb. 579)	4246130	1	100.65
56	1037D	(comb. 580)	4246131	1	100.65
56	1037D	(comb. 581)	4246132	1	100.65

56	1037D	(comb. 583, 628)	4246134	1	100.65
56	1037D	(comb. 584)	4246135	1	100.65
56	1037D	(comb. 585)	4246136	1	100.65
56	1037D	(comb. 618)	4246133	1	100.65
56	1037D	(comb. 627)	4259316	1	100.65
56	1039	(comb. 564)	4245873	1	88.00
56	1039	(comb. 565)	4245874	1	88.00
56	1039	(comb. 566)	4245875	1	88.00
56	1039D	(comb. 579)	4246137	1	102.95
56	1039D	(comb. 580)	4246138	1	102.95
56	1039D	(comb. 581)	4246139	1	102.95
56	1039D	(comb. 583, 628)	4246141	1	102.95
56	1039D	(comb. 584)	4246142	1	102.95
56	1039D	(comb. 585)	4246143	1	102.95
56	1039D	(comb. 618)	4246140	1	102.95
56	1039D	(comb. 627)	4259318	1	102.95
56	1062FC	(comb. 570)	4258726	1	56.65
56	1062FC	(comb. 572)	4258764	1	56.65
56	1062FC	(comb. 609)	4258765	1	56.65
56	1062DF	(comb. 586, 629)	4258766	1	63.20
56	1062DF	(comb. 587)	4258767	1	63.20
56	1062DF	(comb. 588)	4258768	1	63.20
56	1062DF	(comb. 610)	4258769	1	63.20
56	1062DF	(comb. 619)	4258770	1	63.20
56	1062DF	(comb. 630)	4259403	1	63.20
57	1011 (exc. 11A-11D)	(comb. 654)	4260193	1	99.95
57	1011 (exc. 11A-11D)	(comb. 655)	4260194	1	99.95
57	1011 (exc. 11A-11D)	(comb. 656)	4260195	1	99.95
57	1011A	(comb. 657)	4260283	1	111.65
57	1011A	(comb. 658)	4260284	1	111.65
57	1011A	(comb. 659)	4260285	1	111.65
57	1011D	(comb. 663)	4260565	1	109.30
57	1011D	(comb. 664)	4260566	1	109.30
57	1011D	(comb. 665)	4260567	1	109.30
57	1011D	(comb. 666)	4260568	1	109.30
57	1011D	(comb. 667)	4260569	1	109.30
57	1011D	(comb. 668)	4260570	1	109.30
57	1011D	(comb. 669)	4260571	1	109.30
57	1211 (exc. 11B)	(comb. 650)	4261630	1	86.90
57	1019 (exc. 19D)	(comb. 654)	4260196	1	99.95
57	1019 (exc. 19D)	(comb. 655)	4260197	1	99.95
57	1019 (exc. 19D)	(comb. 656)	4260198	1	99.95
57	1019D	(comb. 663)	4260572	1	109.30
57	1019D	(comb. 664)	4260573	1	109.30
57	1019D	(comb. 665)	4260574	1	109.30
57	1019D	(comb. 666)	4260575	1	109.30
57	1019D	(comb. 667)	4260576	1	109.30
57	1019D	(comb. 668)	4260577	1	109.30
57	1019D	(comb. 669)	4260578	1	109.30
57	1219	(comb. 650)	4261631	1	86.90
57	CONV	(comb. 677)	4261559	1	111.65
57	CONV	(comb. 678)	4261560	1	111.65
57	CONV	(comb. 679)	4261561	1	111.65
57	CONV	(comb. 680)	4261562	1	111.65
57	CONV	(comb. 681)	4261563	1	111.65
57	CONV	(comb. 682)	4261564	1	111.65
57	CONV	(comb. 683)	4261565	1	111.65
57	1037	(comb. 654)	4260679	1	99.95
57	1037	(comb. 655)	4260680	1	99.95
57	1037	(comb. 656)	4260681	1	99.95
57	1037D	(comb. 670)	4260937	1	111.65
57	1037D	(comb. 671)	4260938	1	111.65
57	1037D	(comb. 672)	4260939	1	111.65
57	1037D	(comb. 673)	4260940	1	111.65
57	1037D	(comb. 674)	4260941	1	111.65
57	1037D	(comb. 675)	4260942	1	111.65
57	1037D	(comb. 676)	4260943	1	111.65
57	1039	(comb. 654)	4260682	1	99.95

57	1039	(comb. 655)	4260683	1	99.95
57	1039	(comb. 656)	4260684	1	99.95
57	1039D	(comb. 670)	4260944	1	108.95
57	1039D	(comb. 671)	4260945	1	108.95
57	1039D	(comb. 672)	4260946	1	108.95
57	1039D	(comb. 673)	4260947	1	108.95
57	1039D	(comb. 674)	4260948	1	108.95
57	1039D	(comb. 675)	4260949	1	108.95
57	1039D	(comb. 676)	4260950	1	108.95
57	1062FC	(comb. 660)	4261337	1	62.40
57	1062FC	(comb. 661)	4261338	1	62.40
57	1062FC	(comb. 662)	4261339	1	62.40

15.035 TRIM ASSEMBLY, Rear Seat Cushion Cover

NOTE: For Station Wagon Center Seat Trim Parts see Group 14.976.

51	1269	(comb. 200)	4178741	1	25.90
51	BEL AIR	(comb. 185)	4181068	1	41.80
51-52	STA. WAG.	(comb. 202, 218)	4181092	1	16.60
52	BEL AIR	(comb. 240) (coil type spring)	4190340	1	41.80
53	1011W	(comb. 241)	4192004	1	26.80
53	1011W	(comb. 242)	4192005	1	26.80
53	1011W	(comb. 243)	4192006	1	26.80
53	1011W	(comb. 244)	4192007	1	26.80
53	1011WD	(comb. 246)	4192113	1	35.10
53	1011WD	(comb. 247)	4192114	1	35.10
53	1211	(comb. 249)	4192466	1	23.00
53	1027	(comb. 242)	4192153	1	26.80
53	1227	(comb. 249)	4192475	1	23.00
53	1069W	(comb. 242)	4192341	1	28.70
53	1069W	(comb. 243)	4192342	1	28.70
53	1069W	(comb. 244)	4192343	1	28.70
53	1069WD	(comb. 245)	4192432	1	39.05
53	1069WD	(comb. 246)	4192433	1	39.05
53	1069WD	(comb. 248)	4192435	1	39.05
53	1269	(comb. 249)	4192513	1	23.00
53	1037D	(comb. 254)	4192244	1	31.65
53	1037D	(comb. 256)	4192246	1	31.65
53	1037D	(comb. 257)	4192247	1	31.65
53	1037D	(comb. 258)	4193231	1	31.65
53	1062	(comb. 280)	4197568	1	22.45
54	1011W	(comb. 304)	4200704	1	28.90
54	1011W	(comb. 305)	4200705	1	28.90
54	1011W	(comb. 306)	4200706	1	28.90
54	1011W	(comb. 307)	4200707	1	28.90
54	1011W	(comb. 352)	4211447	1	28.90
54	1011W	(comb. 354)	4211449	1	28.90
54	1011W	(comb. 355)	4211450	1	28.90
54	1011WA	(comb. 332)	4209186	1	45.45
54	1011WA	(comb. 333)	4209187	1	45.45
54	1011WA	(comb. 334)	4209188	1	45.45
54	1011WD	(comb. 309)	4200948	1	37.90
54	1011WD	(comb. 310)	4200949	1	37.90
54	1011WD	(comb. 311)	4200950	1	37.90
54	1011WD	(comb. 330)	4200951	1	37.90
54	1011WD	(comb. 331)	4208558	1	37.90
54	1011WD	(comb. 358)	4211633	1	37.90
54	1011WD	(comb. 359)	4211634	1	37.90
54	1011WD	(comb. 361)	4211636	1	37.90
54	1211W	(comb. 300)	4201135	1	26.45
54	1211W	(comb. 350)	4211300	1	26.45
54	1069W	(comb. 304)	4200712	1	31.00
54	1069W	(comb. 305)	4200713	1	31.00
54	1069W	(comb. 306)	4200714	1	31.00
54	1069W	(comb. 307)	4200715	1	31.00
54	1069W	(comb. 352)	4211451	1	31.00
54	1069W	(comb. 353)	4211452	1	31.00

54	1069W-1269W (TAXICAB)	(comb. 301, 312)	4211254	1	22.95
54	1069WD	(comb. 309)	4200952	1	34.15
54	1069WD	(comb. 310)	4200953	1	34.15
54	1069WD	(comb. 311)	4200954	1	34.15
54	1069WD	(comb. 330)	4200955	1	34.15
54	1069WD	(comb. 331)	4208586	1	34.15
54	1069WD	(comb. 358)	4211637	1	34.15
54	1069WD	(comb. 359)	4211638	1	34.15
54	1069WD	(comb. 360)	4211639	1	34.15
54	1069WD	(comb. 361)	4211640	1	34.15
54	1269W	(comb. 300)	4201136	1	26.45
54	1269W	(comb. 350)	4211301	1	26.45
54	CONV.	(comb. 325)	4201373	1	44.30
54	CONV.	(comb. 326)	4201374	1	44.30
54	CONV.	(comb. 327)	4201375	1	44.30
54	CONV.	(comb. 328)	4202225	1	44.30
54	CONV.	(comb. 329)	4202256	1	44.30
54	CONV.	(comb. 337)	4201372	1	44.30
54	CONV.	(comb. 367)	4211814	1	44.30
54	CONV.	(comb. 368)	4211817	1	44.30
54	CONV.	(comb. 376)	4211815	1	44.30
54	SPT. CPE.	(comb. 314)	4201064	1	34.15
54	SPT. CPE.	(comb. 315)	4201065	1	34.15
54	SPT. CPE.	(comb. 316)	4201066	1	34.15
54	SPT. CPE.	(comb. 317)	4201067	1	34.15
54	SPT. CPE.	(comb. 318)	4202165	1	34.15
54	SPT. CPE.	(comb. 319)	4202193	1	34.15
54	SPT. CPE.	(comb. 362)	4211733	1	34.15
54	SPT. CPE.	(comb. 363)	4211732	1	34.15
54	SPT. CPE.	(comb. 364)	4211731	1	34.15
54	SPT. CPE.	(comb. 365)	4211735	1	34.15
54	SPT. CPE.	(comb. 366)	4211734	1	34.15
54	1062D	(comb. 323)	4201236	1	22.45
54	1062D	(comb. 324)	4201237	1	22.45
55	1011 (exc. 11A-11D)	(comb. 503)	4214318	1	31.65
55	1011 (exc. 11A-11D)	(comb. 504)	4214319	1	31.65
55	1011 (exc. 11A-11D)	(comb. 505)	4214320	1	31.65
55	1011A	(comb. 506)	4214180	1	50.30
55	1011A	(comb. 507)	4214181	1	50.30
55	1011A	(comb. 508)	4214182	1	50.30
55	1011D	(comb. 509)	4214581	1	41.70
55	1011D	(comb. 510)	4214582	1	41.70
55	1011D	(comb. 511)	4214583	1	41.70
55	1011D	(comb. 513)	4214585	1	41.70
55	1011D	(comb. 531)	4214584	1	41.70
55	1011D	(comb. 549)	4243240	1	41.70
55	1019 (TAXICAB) (exc. 19D)	(comb. 553)	4243793	1	29.05
55	1019-1219 (TAXICAB) (exc. 1019D)	(comb. 529, 530)	4243794	1	29.05
55	1211 (exc. 11B)	(comb. 500)	4215195	1	29.05
55	1019 (exc. 19D)	(comb. 503)	4214321	1	34.20
55	1019 (exc. 19D)	(comb. 504)	4214322	1	34.20
55	1019 (exc. 19D)	(comb. 505)	4214323	1	34.20
55	1019D	(comb. 509)	4214586	1	37.65
55	1019D	(comb. 510)	4214587	1	37.65
55	1019D	(comb. 511)	4214588	1	37.65
55	1019D	(comb. 513)	4214590	1	37.65
55	1019D	(comb. 531)	4214589	1	37.65
55	1019D	(comb. 549)	4243242	1	37.65
55	1219	(comb. 500)	4215196	1	29.05
55	CONV.	(comb. 525)	4215137	1	48.90
55	CONV.	(comb. 526)	4215138	1	48.90
55	CONV.	(comb. 527)	4215139	1	48.90
55	CONV.	(comb. 528)	4215140	1	48.90
55	CONV.	(comb. 533)	4215142	1	48.90
55	CONV.	(comb. 537)	4215141	1	48.90
55	CONV.	(comb. 551)	4243210	1	48.90
55	1037	(comb. 503)	4255752	1	29.05
55	1037	(comb. 504)	4255753	1	29.05

55	1037	(comb. 505)	4255754	1	29.05
55	1037D	(comb. 519)	4214746	1	37.65
55	1037D	(comb. 520)	4214747	1	37.65
55	1037D	(comb. 521)	4214748	1	37.65
55	1037D	(comb. 522)	4214749	1	37.65
55	1037D	(comb. 532)	4214750	1	37.65
55	1037D	(comb. 550)	4243185	1	37.65
56	1011 (exc. 11A-11D)	(comb. 564)	4245429	1	31.65
56	1011 (exc. 11A-11D)	(comb. 565)	4245430	1	31.65
56	1011 (exc. 11A-11D)	(comb. 566)	4245431	1	31.65
56	1011A	(comb. 567)	4245516	1	50.30
56	1011A	(comb. 568)	4245517	1	50.30
56	1011A	(comb. 569)	4245518	1	50.30
56	1011D	(comb. 573)	4245771	1	41.70
56	1011D	(comb. 574)	4245772	1	41.70
56	1011D	(comb. 575)	4245773	1	41.70
56	1011D	(comb. 577)	4245775	1	41.70
56	1011D	(comb. 578)	4245776	1	41.70
56	1011D	(comb. 617)	4245774	1	41.70
56	1011D	(comb. 626)	4259361	1	41.70
56	1211	(comb. 560)	4246993	1	29.05
56	1019 (exc. 19D)	(comb. 564)	4245432	1	34.20
56	1019 (exc. 19D)	(comb. 565)	4245433	1	34.20
56	1019 (exc. 19D)	(comb. 566)	4245434	1	34.20
56	1019 (TAXICAB) (exc. 1019D)	(comb. 624)	4258738	1	29.05
56	1019 (TAXICAB) (exc. 1019D)	(comb. 625)	4258737	1	29.05
56	1019D	(comb. 573)	4245777	1	37.65
56	1019D	(comb. 574)	4245778	1	37.65
56	1019D	(comb. 575)	4245779	1	37.65
56	1019D	(comb. 577)	4245781	1	37.65
56	1019D	(comb. 578)	4245782	1	37.65
56	1019D	(comb. 617)	4245780	1	37.65
56	1019D	(comb. 626)	4259363	1	37.65
56	1219 (TAXICAB)	(comb. 560)	4246995	1	29.05
56	1219 (TAXICAB)	(comb. 623)	4258736	1	29.05
56	1037	(comb. 564)	4245837	1	29.05
56	1037	(comb. 565)	4245838	1	29.05
56	1037	(comb. 566)	4245839	1	29.05
56	1037D	(comb. 579)	4246144	1	37.65
56	1037D	(comb. 580)	4246145	1	37.65
56	1037D	(comb. 581)	4246146	1	37.65
56	1037D	(comb. 583, 628)	4246148	1	37.65
56	1037D	(comb. 584)	4246149	1	37.65
56	1037D	(comb. 585)	4246150	1	37.65
56	1037D	(comb. 618)	4246147	1	37.65
56	1037D	(comb. 627)	4259317	1	37.65
56	1039	(comb. 564)	4245876	1	33.65
56	1039	(comb. 565)	4245877	1	33.65
56	1039	(comb. 566)	4245878	1	33.65
56	1039D	(comb. 579)	4246151	1	41.10
56	1039D	(comb. 580)	4246152	1	41.10
56	1039D	(comb. 581)	4246153	1	41.10
56	1039D	(comb. 583, 628)	4246155	1	41.10
56	1039D	(comb. 584)	4246156	1	41.10
56	1039D	(comb. 585)	4246157	1	41.10
56	1039D	(comb. 618)	4246154	1	41.10
56	1039D	(comb. 627)	4259319	1	41.10
56	CONV	(comb. 602)	4246931	1	48.90
56	CONV	(comb. 603)	4246932	1	48.90
56	CONV	(comb. 604)	4246933	1	48.90
56	CONV	(comb. 605)	4246934	1	48.90
56	CONV	(comb. 606)	4246935	1	48.90
56	CONV	(comb. 607)	4246936	1	48.90
56	CONV	(comb. 621)	4246937	1	48.90
56	CONV	(comb. 631)	4259468	1	48.90
56	1062FC	(comb. 570)	4258782	1	23.60
56	1062FC	(comb. 572)	4258783	1	23.60
56	1062FC	(comb. 609)	4258784	1	23.60

56	1062DF	(comb. 586, 629)	4258777	1	28.45
56	1062DF	(comb. 587)	4258778	1	28.45
56	1062DF	(comb. 588)	4258779	1	28.45
56	1062DF	(comb. 610)	4258780	1	28.45
56	1062DF	(comb. 619)	4258781	1	28.45
56	1062DF	(comb. 630)	4259404	1	28.45
57	1011 (exc. 11A-11D)	(comb. 654)	4260199	1	38.95
57	1011 (exc. 11A-11D)	(comb. 655)	4260200	1	38.95
57	1011 (exc. 11A-11D)	(comb. 656)	4260201	1	38.95
57	1011A	(comb. 657)	4260286	1	54.50
57	1011A	(comb. 658)	4260287	1	54.50
57	1011A	(comb. 659)	4260288	1	54.50
57	1011D	(comb. 663)	4260579	1	46.75
57	1011D	(comb. 664)	4260580	1	46.75
57	1011D	(comb. 665)	4260581	1	46.75
57	1011D	(comb. 666)	4260582	1	46.75
57	1011D	(comb. 667)	4260583	1	46.75
57	1011D	(comb. 668)	4260584	1	46.75
57	1011D	(comb. 669)	4260585	1	46.75
57	1211 (exc. 11B)	(comb. 650)	4261632	1	32.55
57	1019 (exc. 19D)	(comb. 654)	4260202	1	38.95
57	1019 (exc. 19D)	(comb. 655)	4260203	1	38.95
57	1019 (exc. 19D)	(comb. 656)	4260204	1	38.95
57	1019D	(comb. 663)	4260586	1	46.75
57	1019D	(comb. 664)	4260587	1	46.75
57	1019D	(comb. 665)	4260588	1	46.75
57	1019D	(comb. 666)	4260589	1	46.75
57	1019D	(comb. 667)	4260590	1	46.75
57	1019D	(comb. 668)	4260591	1	46.75
57	1019D	(comb. 669)	4260592	1	46.75
57	1219	(comb. 650)	4261633	1	32.55
57	CONV	(comb. 677)	4261566	1	54.50
57	CONV	(comb. 678)	4261567	1	54.50
57	CONV	(comb. 679)	4261568	1	54.50
57	CONV	(comb. 680)	4261569	1	54.50
57	CONV	(comb. 681)	4261570	1	54.50
57	CONV	(comb. 682)	4261571	1	54.50
57	CONV	(comb. 683)	4261572	1	54.50
57	1037	(comb. 654)	4260685	1	38.95
57	1037	(comb. 655)	4260686	1	38.95
57	1037	(comb. 656)	4260687	1	38.95
57	1037D	(comb. 670)	4260951	1	54.50
57	1037D	(comb. 671)	4260952	1	54.50
57	1037D	(comb. 672)	4260953	1	54.50
57	1037D	(comb. 673)	4260954	1	54.50
57	1037D	(comb. 674)	4260955	1	54.50
57	1037D	(comb. 675)	4260956	1	54.50
57	1037D	(comb. 676)	4260957	1	54.50
57	1039	(comb. 654)	4260688	1	38.95
57	1039	(comb. 655)	4260689	1	38.95
57	1039	(comb. 656)	4260690	1	38.95
57	1039D	(comb. 670)	4260958	1	46.75
57	1039D	(comb. 671)	4260959	1	46.75
57	1039D	(comb. 672)	4260960	1	46.75
57	1039D	(comb. 673)	4260961	1	46.75
57	1039D	(comb. 674)	4260962	1	46.75
57	1039D	(comb. 675)	4260963	1	46.75
57	1039D	(comb. 676)	4260964	1	46.75
57	1062FC	(comb. 660)	4261340	1	26.05
57	1062FC	(comb. 661)	4261341	1	26.05
57	1062FC	(comb. 662)	4261342	1	26.05

15.036 PAD, Rear Seat Cushion (rubber)

49-52	1007		4591401	1	22.90
50-52	BEL AIR		4581752	1	22.90
49-54	1011WD	w/groove for bolster wire	4618127	1	22.90
53	1027		4618136	1	22.90
53-54	SPT. CPE.		4618269	1	22.90

53-54	CONV.		4621248	1	22.90
53	1069W,				
53-54	1069,				
55	1019D,				
56-57	1019D-39D		4651921	1	24.55
55-57	1011D		4651920	1	24.55
55-57	CONV.		4641186	1	24.30
55-57	1037D		4652738	1	24.30
56-57	1064DF	folding seat cushion	4671422	1	27.00

15.099 TRIM ASSEMBLY, Wheelhouse Panel

55	1064	right (comb. 541)	4243320	1	8.45
55	1064	left (comb. 541)	4243321	1	8.45
55	1064	right (comb. 542)	4243322	1	8.45
55	1064	left (comb. 542)	4243323	1	8.45
55	1064	right (comb. 543)	4243324	1	8.45
55	1064	left (comb. 543)	4243325	1	8.45
55	1064	right (comb. 544)	4243328	1	8.45
55	1064	left (comb. 544)	4243329	1	8.45
55	1064	right (comb. 545)	4243330	1	8.45
55	1064	left (comb. 545)	4243331	1	8.45
55	1064	right (comb. 546, 552)	4243326	1	8.45
55	1064	left (comb. 546, 552)	4243327	1	8.45
55	1062DF	right (comb. 517, 518)	4241685	1	8.45
55	1062DF	left (comb. 517, 518)	4241686	1	8.45
56	1062DF	left (comb. 586)	4256946	1	8.45
56	1062DF	right (comb. 587)	4256947	1	8.45
56	1062DF	left (comb. 587)	4256948	1	8.45
56	1062DF	right (comb. 588, 610, 630)	4256224	1	8.45
56	1062DF	left (comb. 588, 610, 630)	4256225	1	8.45
56	1062DF	right (comb. 619, 629)	4256949	1	8.45
56	1062DF	left (comb. 619, 629)	4256950	1	8.45
56	1064	right (comb. 590)	4246555	1	8.45
56	1064	left (comb. 590)	4246556	1	8.45
56	1064	right (comb. 591)	4246557	1	8.45
56	1064	left (comb. 591)	4246558	1	8.45
56	1064	right (comb. 593)	4246561	1	8.45
56	1064	left (comb. 593)	4246562	1	8.45
56	1064	right (comb. 594)	4246563	1	8.45
56	1064	left (comb. 594)	4246564	1	8.45
56	1064	right (comb. 595, 611, 632)	4246565	1	8.45
56	1064	left (comb. 595, 611, 632)	4246566	1	8.45
56	1064	right (comb. 620, 633)	4246559	1	8.45
56	1064	left (comb. 620, 633)	4246560	1	8.45
57	1064	right (comb. 691)	4261366	1	8.45
57	1064	left (comb. 691)	4261367	1	8.45
57	1064	right (comb. 692)	4261368	1	8.45
57	1064	left (comb. 692)	4261369	1	8.45
57	1064	right (comb. 693)	4261370	1	8.45
57	1064	left (comb. 693)	4261371	1	8.45
57	1064	right (comb. 694)	4261372	1	8.45
57	1064	left (comb. 694)	4261373	1	8.45
57	1064	right (comb. 695)	4261374	1	8.45
57	1064	left (comb. 695)	4261375	1	8.45
57	1064	right (comb. 696)	4261376	1	8.45
57	1064	left (comb. 696)	4261377	1	8.45
57	1064	right (comb. 697)	4261378	1	8.45
57	1064	left (comb. 697)	4261379	1	8.45
57	1062DF	right (comb. 684, 689, 690)	4261010	1	8.45
57	1062DF	left (comb. 684, 689, 690)	4261011	1	8.45
57	1062DF	right (comb. 685)	4261012	1	8.45
57	1062DF	left (comb. 685)	4261013	1	8.45
57	1062DF	right (comb. 686)	4261014	1	8.45
57	1062DF	left (comb. 686)	4261015	1	8.45
57	1062DF	right (comb. 687)	4261016	1	8.45
57	1062DF	left (comb. 687)	4261017	1	8.45
57	1062DF	right (comb. 688)	4261018	1	8.45
57	1062DF	left (comb. 688)	4261019	1	8.45

*Note: Trim comb. 330-331, 1st type, designates cloth and leather. Trim comb. 330-331, 2nd type, designates two tone

49	1207-11	right (comb. 156)	4170666	1	12.95
49-52	1062	right (wood)	4565041	1	16.60
49-52	1062	left (wood)	4565042	1	16.60
50-52	1227B	right (comb. 170, 200, 210)	4174292	1	3.28
50-52	1227B	left (comb. 170, 200, 210)	4174293	1	3.28
52	1011	right (comb. 213)	4189197	1	15.25
52	1011	left (comb. 213)	4189198	1	15.25
53	1011W	right (comb. 241)	4191916	1	15.25
53	1011W	left (comb. 241)	4191917	1	15.25
53	1011W	right (comb. 243)	4191920	1	15.25
53	1011W	left (comb. 243)	4191921	1	15.25
53	1011WD	right (comb. 246)	4192026	1	17.25
53	1011WD	left (comb. 246)	4192027	1	17.25
53	1011WD	left (comb. 247, 292)	4192029	1	17.25
53	1211	right (comb. 249)	4192447	1	12.95
53	1211	left (comb. 249)	4192448	1	12.95
53	1227	right (comb. 249)	4192471	1	10.60
53	1227	left (comb. 249)	4192472	1	10.60
53	1227B	right (comb. 249)	4192479	1	3.15
53	1227B	left (comb. 249)	4192480	1	3.15
53	1069WD	right (comb. 247, 292)	4191865	1	3.40
53	1069WD	left (comb. 247, 292)	4191866	1	3.40
54	1011W	right (comb. 304)	4200544	1	15.25
54	1011W	left (comb. 304)	4200545	1	15.25
54	1011W	right (comb. 305)	4200546	1	15.25
54	1011W	left (comb. 305)	4200547	1	15.25
54	1011W	right (comb. 306)	4200548	1	15.25
54	1011W	left (comb. 306)	4200549	1	15.25
54	1011W	right (comb. 307)	4200550	1	15.25
54	1011W	left (comb. 307)	4200551	1	15.25
54	1011W	right (comb. 352)	4211323	1	15.25
54	1011W	left (comb. 352)	4211324	1	15.25
54	1011W	right (comb. 353)	4211325	1	15.25
54	1011W	left (comb. 353)	4211326	1	15.25
54	1011W	right (comb. 354)	4211327	1	15.25
54	1011W	left (comb. 354)	4211328	1	15.25
54	1011W	right (comb. 355)	4211329	1	15.25
54	1011W	left (comb. 355)	4211330	1	15.25
54	1011WA	right (comb. 332)	4209138	1	17.25
54	1011WA	left (comb. 332)	4209139	1	17.25
54	1011WA	right (comb. 333)	4209140	1	17.25
54	1011WA	left (comb. 333)	4209141	1	17.25
54	1011WA	right (comb. 334)	4209142	1	17.25
54	1011WA	left (comb. 334)	4209143	1	17.25
54	1011WD	right (comb. 309)	4200792	1	17.25
54	1011WD	left (comb. 309)	4200793	1	17.25
54	1011WD	right (comb. 310)	4200794	1	17.25
54	1011WD	left (comb. 310)	4200795	1	17.25
54	1011WD	right (comb. 311)	4200796	1	17.25
54	1011WD	left (comb. 311)	4200797	1	17.25
54	1011WD (2nd type)	right (comb. 330)	4211991*	1	17.25
54	1011WD (2nd type)	left (comb. 330)	4211992*	1	17.25
54	1011WD (1st type)	right (comb. 331)	4208536*	1	17.25
54	1011WD (1st type)	left (comb. 331)	4208537*	1	17.25
54	1011WD (2nd type)	right (comb. 331)	4211993*	1	17.25
54	1011WD (2nd type)	left (comb. 331)	4211994*	1	17.25
54	1011WD	right (comb. 358)	4211471	1	17.25
54	1011WD	left (comb. 358)	4211472	1	17.25
54	1011WD	right (comb. 359)	4211473	1	17.25
54	1011WD	left (comb. 359)	4211474	1	17.25
54	1011WD	right (comb. 360)	4211475	1	17.25
54	1011WD	left (comb. 360)	4211476	1	17.25
54	1211W	right (comb. 300)	4201095	1	12.95
54	1211W	left (comb. 300)	4201096	1	12.95

54	1211W	right (comb. 350)	4211270	1	12.95
54	1211W	left (comb. 350)	4211271	1	12.95
54	1069WD	right (comb. 311)	4200804	1	4.30
54	1069WD	left (comb. 311)	4200805	1	4.30
54	1069WD (1st type)	right (comb. 330)	4200806*	1	4.30
54	1069WD (1st type)	left (comb. 330)	4200807*	1	4.30
54	1069WD (2nd type)	right (comb. 330)	4211999*	1	4.30
54	1069WD (2nd type)	left (comb. 330)	4212000*	1	4.30
54	1069WD (2nd type)	right (comb. 331)	4212001*	1	4.30
54	1069WD (2nd type)	left (comb. 331)	4212002*	1	4.30
54	1069WD	right (comb. 358)	4211479	1	4.30
54	1069WD	left (comb. 358)	4211480	1	4.30
54	1069WD	right (comb. 359)	4211481	1	4.30
54	1069WD	left (comb. 359)	4211482	1	4.30
54	1069WD	right (comb. 360)	4211483	1	4.30
54	1069WD	left (comb. 360)	4211484	1	4.30
54	CONV	right (comb. 325)	4201290	1	5.45
54	CONV	left (comb. 325)	4201291	1	5.45
54	CONV	right (comb. 337)	4201288	1	5.45
54	CONV	left (comb. 337)	4201289	1	5.45
54	CONV	right (comb. 367) (upper front)	4211754	1	5.45
54	CONV	left (comb. 367) (upper front)	4211755	1	5.45
54	CONV	right (comb. 376) (upper front)	4211756	1	5.45
54	CONV	left (comb. 376) (upper front)	4211757	1	5.45
54	CONV	right (comb. 337) (upper rear)	4201308	1	3.85
54	CONV	left (comb. 337) (upper rear)	4201309	1	3.85
54	CONV	right (comb. 367) (upper rear)	4211770	1	3.85
54	CONV	left (comb. 367) (upper rear)	4211771	1	3.85
54	CONV	right (comb. 368) (upper rear)	4211776	1	3.85
54	CONV	left (comb. 368) (upper rear)	4211777	1	3.85
54	CONV	right (comb. 376) (upper rear)	4211772	1	3.85
54	CONV	left (comb. 376) (upper rear)	4211773	1	3.85
54	SPT. CPE	right—upper (comb. 315)	4201002	1	6.60
54	SPT. CPE	left—upper (comb. 315)	4201003	1	6.60
54	SPT. CPE	right—upper (comb. 317)	4201006	1	6.60
54	SPT. CPE	left—upper (comb. 317)	4201007	1	6.60
54	SPT. CPE	right—upper (comb. 319)	4202177	1	6.60
54	SPT. CPE	left—upper (comb. 319)	4202178	1	6.60
54	SPT. CPE	right—upper (comb. 362)	4213912	1	6.60
54	SPT. CPE	left—upper (comb. 362)	4213913	1	6.60
54	SPT. CPE	right—upper (comb. 363)	4213910	1	6.60
54	SPT. CPE	left—upper (comb. 363)	4213911	1	6.60
54	SPT. CPE	right—upper (comb. 364)	4213908	1	6.60
54	SPT. CPE	left—upper (comb. 364)	4213909	1	6.60
54	SPT. CPE	right—upper (comb. 365)	4213916	1	6.60
54	SPT. CPE	left—upper (comb. 365)	4213917	1	6.60
54	SPT. CPE	right—upper (comb. 366)	4213914	1	6.60
54	SPT. CPE	left—upper (comb. 366)	4213915	1	6.60
54	1062D-62F	right (comb. 323)	4201172	1	6.05
54	1062D-62F	left (comb. 323)	4201173	1	6.05
54	1062D-62F	right (comb. 324)	4201174	1	6.05
54	1062D 62F	left (comb. 324)	4201175	1	6.05
54	1062F	right (comb. 356)	4211833	1	6.05
54	1062F	left (comb. 356)	4211834	1	6.05
54	1062F	right (comb. 357)	4211831	1	6.05
54	1062F	left (comb. 357)	4211832	1	6.05
54	1262F	right (comb. 371)	4211871	1	5.75
54	1262F	left (comb. 371)	4211872	1	5.75
55	1011 (exc. 11A-11D)	right (comb. 503)	4214219	1	13.50
55	1011 (exc. 11A-11D)	left (comb. 503)	4214220	1	13.50
55	1011 (exc. 11A-11D)	right (comb. 504)	4214221	1	13.50
55	1011 (exc. 11A-11D)	left (comb. 504)	4214222	1	13.50
55	1011 (exc. 11A-11D)	right (comb. 505)	4214223	1	13.50
55	1011 (exc. 11A-11D)	left (comb. 505)	4214224	1	13.50
55	1011A	right (comb. 506)	4214117	1	17.25
55	1011A	left (comb. 506)	4214118	1	17.25
55	1011A	right (comb. 507)	4214119	1	17.25
55	1011A	left (comb. 507)	4214120	1	17.25

55	1011A	right (comb. 508)	4214121	1	17.25
55	1011A	left (comb. 508)	4214122	1	17.25
55	1011D	right (comb. 509)	4214386	1	17.25
55	1011D	left (comb. 509)	4214387	1	17.25
55	1011D	right (comb. 510)	4214388	1	17.25
55	1011D	left (comb. 510)	4214389	1	17.25
55	1011D	right (comb. 511)	4214390	1	17.25
55	1011D	left (comb. 511)	4214391	1	17.25
55	1011D	right (comb. 513)	4214394	1	17.25
55	1011D	left (comb. 513)	4214395	1	17.25
55	1011D	right (comb. 531)	4214392	1	17.25
55	1011D	left (comb. 531)	4214393	1	17.25
55	1011D	right (comb. 549)	4243219	1	17.25
55	1011D	left (comb. 549)	4243220	1	17.25
55	1211 (exc. 11B)	right (comb. 500, 547)	4215165	1	12.95
55	1211 (exc. 11B)	left (comb. 500, 547)	4215166	1	12.95
55	1211B	right (comb. 500, 547)	4215167	1	4.05
55	1211B	left (comb. 500, 547)	4215168	1	4.05
55	1019 (exc. 19D)	right (comb. 503)	4219906	1	1.55
55	1019 (exc. 19D)	left (comb. 503)	4219907	1	1.55
55	1019 (exc. 19D)	right (comb. 504)	4219908	1	1.55
55	1019 (exc. 19D)	left (comb. 504)	4219909	1	1.55
55	1019 (exc. 19D)	right (comb. 505)	4219910	1	1.55
55	1019 (exc. 19D)	left (comb. 505)	4219911	1	1.55
55	1019D	right (comb. 509)	4214396	1	3.75
55	1019D	left (comb. 509)	4214397	1	3.75
55	1019D	right (comb. 510)	4214398	1	3.75
55	1019D	left (comb. 510)	4214399	1	3.75
55	1019D	right (comb. 511)	4214400	1	3.75
55	1019D	left (comb. 511)	4214401	1	3.75
55	1019D	right (comb. 513)	4214404	1	3.75
55	1019D	left (comb. 513)	4214405	1	3.75
55	1019D	right (comb. 531)	4214402	1	3.75
55	1019D	left (comb. 531)	4214403	1	3.75
55	1019D	right (comb. 549)	4243221	1	3.75
55	1019D	left (comb. 549)	4243222	1	3.75
55	1219	right (comb. 500)	4219913	1	1.55
55	1219	left (comb. 500)	4219914	1	1.55
55	CONV.	right (comb. 525) (upper front)	4214966	1	4.30
55	CONV.	left (comb. 525) (upper front)	4214967	1	4.30
55	CONV.	right (comb. 526) (upper front)	4214968	1	4.30
55	CONV.	left (comb. 526) (upper front)	4214969	1	4.30
55	CONV.	right (comb. 527) (upper front)	4214970	1	4.30
55	CONV.	left (comb. 527) (upper front)	4214971	1	4.30
55	CONV.	right (comb. 533) (upper front)	4214976	1	4.30
55	CONV.	left (comb. 533) (upper front)	4214977	1	4.30
55	CONV.	right (comb. 537) (upper front)	4214974	1	4.30
55	CONV.	left (comb. 537) (upper front)	4214975	1	4.30
55	CONV.	right (comb. 525) (upper rear)	4214996	1	4.55
55	CONV.	left (comb. 525) (upper rear)	4214997	1	4.55
55	CONV.	right (comb. 526) (upper rear)	4214998	1	4.55
55	CONV.	left (comb. 526) (upper rear)	4214999	1	4.55
55	CONV.	right (comb. 527) (upper rear)	4215000	1	4.55
55	CONV.	left (comb. 527) (upper rear)	4215001	1	4.55
55	CONV.	right (comb. 528) (upper rear)	4215002	1	4.55
55	CONV.	left (comb. 528) (upper rear)	4215003	1	4.55
55	CONV.	right (comb. 533) (upper rear)	4215006	1	4.55
55	CONV.	left (comb. 533) (upper rear)	4215007	1	4.55
55	CONV.	right (comb. 537) (upper rear)	4215004	1	4.55
55	CONV.	left (comb. 537) (upper rear)	4215005	1	4.55
55	CONV.	right (comb. 551) (upper rear)	4243196	1	4.55
55	CONV.	left (comb. 551) (upper rear)	4243197	1	4.55
55	1037	right (comb. 503)	4255731	1	6.75
55	1037	left (comb. 503)	4255732	1	6.75
55	1037	right (comb. 504)	4255733	1	6.75
55	1037	left (comb. 504)	4255734	1	6.75
55	1037	right (comb. 505)	4255735	1	6.75
55	1037	left (comb. 505)	4255736	1	6.75

55	1037D	right (comb. 519) (upper rear)	4214641	1	6.75
55	1037D	left (comb. 519) (upper rear)	4214642	1	6.75
55	1037D	right (comb. 520) (upper rear)	4214643	1	6.75
55	1037D	left (comb. 520) (upper rear)	4214644	1	6.75
55	1037D	right (comb. 521) (upper rear)	4214645	1	6.75
55	1037D	left (comb. 521) (upper rear)	4214646	1	6.75
55	1037D	right (comb. 522) (upper rear)	4214647	1	6.75
55	1037D	left (comb. 522) (upper rear)	4214648	1	6.75
55	1037D	right (comb. 532) (upper rear)	4214649	1	6.75
55	1037D	left (comb. 532) (upper rear)	4214650	1	6.75
55	1037D	right (comb. 550) (upper front)	4243172	1	6.75
55	1037D	left (comb. 550) (upper front)	4243173	1	6.75
55	1062F-62DF-63F	right (comb. 514, 516, 517) rear	4241673	1	2.70
55	1062F-62DF-63F	left (comb. 514, 516, 517) rear	4241674	1	2.70
55	1062F-63F-1263F	right (comb. 515, 524) rear	4241675	1	2.70
55	1062F-63F-1263F	left (comb. 515, 524) rear	4241676	1	2.70
55	1063F	right (comb. 514) front	4214791	1	15.55
55	1063F	left (comb. 514) front	4214792	1	15.55
55	1063F	right (comb. 515) front	4214793	1	15.55
55	1063F	left (comb. 515) front	4214794	1	15.55
55	1063F	right (comb. 516) front	4214795	1	15.55
55	1063F	left (comb. 516) front	4214796	1	15.55
55	1064	right (comb. 541) front	4243332	1	15.95
55	1064	left (comb. 541) front	4243333	1	15.95
55	1064	right (comb. 542) front	4243334	1	15.95
55	1064	left (comb. 542) front	4243335	1	15.95
55	1064	right (comb. 543) front	4243336	1	15.95
55	1064	left (comb. 543) front	4243337	1	15.95
55	1064	right (comb. 544) front	4243340	1	15.95
55	1064	left (comb. 544) front	4243341	1	15.95
55	1064	right (comb. 545) front	4243342	1	15.95
55	1064	left (comb. 545) front	4243343	1	15.95
55	1064	right (comb. 546) front	4243344	1	15.95
55	1064	left (comb. 546) front	4243345	1	15.95
55	1064	right (comb. 552) front	4243338	1	15.95
55	1064	left (comb. 552) front	4243339	1	15.95
55	1064	right (comb. 541) rear	4243346	1	3.75
55	1064	left (comb. 541) rear	4243347	1	3.75
55	1064	right (comb. 542) rear	4243348	1	3.75
55	1064	left (comb. 542) rear	4243349	1	3.75
55	1064	right (comb. 543) rear	4243350	1	3.75
55	1064	left (comb. 543) rear	4243351	1	3.75
55	1064	right (comb. 544) rear	4243354	1	3.75
55	1064	left (comb. 544) rear	4243355	1	3.75
55	1064	right (comb. 545) rear	4243356	1	3.75
55	1064	left (comb. 545) rear	4243357	1	3.75
55	1064	right (comb. 546) rear	4243358	1	3.75
55	1064	left (comb. 546) rear	4243359	1	3.75
55	1064	right (comb. 552) rear	4243352	1	3.75
55	1064	left (comb. 552) rear	4243353	1	3.75
55	1263F	right (comb. 502) front	4215211	1	15.55
55	1263F	left (comb. 502) front	4215212	1	15.55
55	1263F	right (comb. 502) rear	4241683	1	2.70
55	1263F	left rear (comb. 502)	4241684	1	2.70
55	1263F	right front (comb. 524)	4215213	1	15.55
55	1263F	left front (comb. 524)	4215214	1	15.55
55	1062F	right front (comb. 514)	4214785	1	4.90
55	1062F	left front (comb. 514)	4214786	1	4.90
55	1062F	right front (comb. 515)	4214787	1	4.90
55	1062F	left front (comb. 515)	4214788	1	4.90
55	1062F	right front (comb. 516)	4214789	1	4.90
55	1062F	left front (comb. 516)	4214790	1	4.90
55	1062DF	right front (comb. 517)	4214902	1	4.90
55	1062DF	left front (comb. 517)	4214903	1	4.90
55	1062DF	right front (comb. 518)	4214904	1	4.90
55	1062DF	left front (comb. 518)	4214905	1	4.90
55	1062DF	right rear (comb. 518)	4241677	1	2.70
55	1062DF	left rear (comb. 518)	4241678	1	2.70

56	1011 (exc. 11A-11D) (1st type)	right (comb. 564) (with mouldings) (white)	4245330	1	13.50
56	1011 (exc. 11A-11D) (1st type)	left (comb. 564) (with mouldings) (white)	4245331	1	13.50
56	1011 (exc. 11A-11D) (2nd type)	right (comb. 564) (with mouldings) (black)	4259190	1	13.50
56	1011 (exc. 11A-11D) (2nd type)	left (comb. 564) (with mouldings) (black)	4259191	1	13.50
56	1011 (exc. 11A-11D) (1st type)	right (comb. 565) (with mouldings) (white)	4245332	1	13.50
56	1011 (exc. 11A-11D) (1st type)	left (comb. 565) (with mouldings) (white)	4245333	1	13.50
56	1011 (exc. 11A-11D) (2nd type)	right (comb. 565) (with mouldings) (green)	4259192	1	13.50
56	1011 (exc. 11A-11D) (2nd type)	left (comb. 565) (with mouldings) (green)	4259193	1	13.50
56	1011 (exc. 11A-11D) (1st type)	right (comb. 566) (with mouldings) (white)	4245334	1	13.50
56	1011 (exc. 11A-11D (1st type)	left (comb. 566) (with mouldings) (white)	4245335	1	13.50
56	1011 (exc. 11A-11D) (2nd type)	right (comb. 566) (with mouldings) (blue)	4259194	1	13.50
56	1011 (exc. 11A-11D) (2nd type)	left (comb. 566) (with mouldings) (blue)	4259195	1	13.50
56	1011A	right (comb. 567) (with mouldings)	4245456	1	17.25
56	1011A	left (comb. 567) (with mouldings)	4245457	1	17.25
56	1011A	right (comb. 568) (with mouldings)	4245458	1	17.25
56	1011A	left (comb. 568) (with mouldings)	4245459	1	17.25
56	1011A	right (comb. 569) (with mouldings)	4245460	1	17.25
56	1011A	left (comb. 569) (with mouldings)	4245461	1	17.25
56	1011D (1st type)	right (comb. 573) (with mouldings) (ivory)	4245585	1	17.25
56	1011D (1st type)	left (comb. 573) (with mouldings) (ivory)	4245586	1	17.25
56	1011D (2nd type)	right (comb. 573) (with mouldings) (black)	4259164	1	17.25
56	1011D (2nd type)	left (comb. 573) (with mouldings) (black)	4259165	1	17.25
56	1011D	right (comb. 574) (with mouldings)	4245587	1	17.25
56	1011D	left (comb. 574) (with mouldings)	4245588	1	17.25
56	1011D	right (comb. 575) (with mouldings)	4245589	1	17.25
56	1011D	left (comb. 575) (with mouldings)	4245590	1	17.25
56	1011D	right (comb. 577) (with mouldings)	4245593	1	17.25
56	1011D	left (comb. 577) (with mouldings)	4245594	1	17.25
56	1011D	right (comb. 578) (with mouldings)	4245595	1	17.25
56	1011D	left (comb. 578) (with mouldings)	4245596	1	17.25
56	1011D	right (comb. 617) (with mouldings)	4245591	1	17.25
56	1011D	left (comb. 617) (with mouldings)	4245592	1	17.25
56	1011D	right (comb. 626) (with mouldings)	4259339	1	17.25
56	1011D	left (comb. 626) (with mouldings)	4259340	1	17.25
56	1211 (exc. 11B)	right (comb. 560)	4246962	1	12.95
56	1211 (exc. 11B)	left (comb. 560)	4246963	1	12.95
56	1211B	right (comb. 560)	4246964	1	4.05
56	1211B	left (comb. 560)	4246965	1	4.05
56	1019 (exc. 19D) (1st type)	right (comb. 564)	4245336	1	1.55
56	1019 (exc. 19D) (1st type)	left (comb. 564)	4245337	1	1.55
56	1019 (exc. 19D) (2nd type)	right (comb. 564) (gray)	4259003	1	1.55
56	1019 (exc. 19D) (2nd type)	left (comb. 564) (gray)	4259004	1	1.55
56	1019 (exc. 19D)	right (comb. 565)	4245338	1	1.55
56	1019 (exc. 19D)	left (comb. 565)	4245339	1	1.55
56	1019 (exc. 19D)	right (comb. 566)	4245340	1	1.55
56	1019 (exc. 19D)	left (comb. 566)	4245341	1	1.55
56	1019D	right (comb. 573) (with mouldings)	4245597	1	3.75
56	1019D	left (comb. 573) (with mouldings)	4245598	1	3.75
56	1019D	right (comb. 574) (with mouldings)	4245599	1	3.75
56	1019D	left (comb. 574) (with mouldings)	4245600	1	3.75
56	1019D	right (comb. 575) (with mouldings)	4245601	1	3.75
56	1019D	left (comb. 575) (with mouldings)	4245602	1	3.75
56	1019D	right (comb. 577) (with mouldings)	4245605	1	3.75
56	1019D	left (comb. 577) (with mouldings)	4245606	1	3.75
56	1019D	right (comb. 578) (with mouldings)	4245607	1	3.75
56	1019D	left (comb. 578) (with mouldings)	4245608	1	3.75
56	1019D	right (comb. 617) (with mouldings)	4245603	1	3.75
56	1019D	left (comb. 617) (with mouldings)	4245604	1	3.75
56	1019D	right (comb. 626)	4259341	1	3.75
56	1019D	left (comb. 626)	4259342	1	3.75
56	1219 (TAXICAB)	right (comb. 560)	4246966	1	1.55
56	1219 (TAXICAB)	left (comb. 560)	4246967	1	1.55
56	CONV.	right upper front (comb. 602) (with mldgs.)	4246744	1	4.90
56	CONV.	left upper front (comb. 602) (with mldgs.)	4246745	1	4.90
56	CONV.	right upper front (comb. 603) (with mldgs.)	4246746	1	4.90
56	CONV.	left upper front (comb. 603) (with mldgs.)	4246747	1	4.90
56	CONV.	right upper front (comb. 604) (with mldgs.)	4246748	1	4.90
56	CONV.	left upper front (comb. 604) (with mldgs.)	4246749	1	4.90

56	CONV.	right upper front (comb. 605) (with mldgs.)	4246750	1	4.90
56	CONV.	left upper front (comb. 605) (with mldgs.)	4246751	1	4.90
56	CONV.	right upper front (comb. 606) (with mldgs.)	4246752	1	4.90
56	CONV.	left upper front (comb. 606) (with mldgs.)	4246753	1	4.90
56	CONV.	right upper front (comb. 607) (with mldgs.)	4246754	1	4.90
56	CONV.	left upper front (comb. 607) (with mldgs.)	4246755	1	4.90
56	CONV.	right upper front (comb. 621) (with mldgs.)	4246756	1	4.90
56	CONV.	left upper front (comb. 621) (with mldgs.)	4246757	1	4.90
56	CONV.	right upper rear (comb. 602)	4246758	1	4.55
56	CONV.	left upper rear (comb. 602)	4246759	1	4.55
56	CONV.	right upper rear (comb. 603)	4246760	1	4.55
56	CONV.	left upper rear (comb. 603)	4246761	1	4.55
56	CONV.	right upper rear (comb. 604)	4246762	1	4.55
56	CONV.	left upper rear (comb. 604)	4246763	1	4.55
56	CONV.	right upper rear (comb. 605)	4246764	1	4.55
56	CONV.	left upper rear (comb. 605)	4246765	1	4.55
56	CONV.	right upper rear (comb. 606)	4246766	1	4.55
56	CONV.	left upper rear (comb. 606)	4246767	1	4.55
56	CONV.	right upper rear (comb. 607)	4246768	1	4.55
56	CONV.	left upper rear (comb. 607)	4246769	1	4.55
56	CONV.	right upper rear (comb. 621)	4246770	1	4.55
56	CONV.	left upper rear (comb. 621)	4246771	1	4.55
56	CONV.	right (comb. 631) (with mouldings)	4259430	1	4.90
56	CONV.	left (comb. 631) (with mouldings)	4259431	1	4.90
56	CONV.	right upper (comb. 631)	4259432	1	4.55
56	CONV.	left upper (comb. 631)	4259433	1	4.55
56	CONV.	right lower (comb. 631)	4259459	1	7.75
56	CONV.	left lower (comb. 631)	4259460	1	7.75
56	CONV. (2nd type)	right lower (comb. 602)	4259186	1	7.75
56	CONV. (2nd type)	left lower (comb. 602)	4259187	1	7.75
56	1037	right (comb. 564, 565, 566)	4245816	1	6.75
56	1037	left (comb. 564, 565, 566)	4245817	1	6.75
56	1037D	right (comb. 579)	4245941	1	6.75
56	1037D	left (comb. 579)	4245942	1	6.75
56	1037D	right (comb. 580)	4245943	1	6.75
56	1037D	left (comb. 580)	4245944	1	6.75
56	1037D	right (comb. 581)	4245945	1	6.75
56	1037D	left (comb. 581)	4245946	1	6.75
56	1037D	right (comb. 583, 628)	4245949	1	6.75
56	1037D	left (comb. 583, 628)	4245950	1	6.75
56	1037D	right (comb. 584)	4245951	1	6.75
56	1037D	left (comb. 584)	4245952	1	6.75
56	1037D	right (comb. 585)	4245953	1	6.75
56	1037D	left (comb. 585)	4245954	1	6.75
56	1037D	right (comb. 618)	4245947	1	6.75
56	1037D	left (comb. 618)	4245948	1	6.75
56	1037D	right upper (comb. 627)	4259275	1	6.75
56	1037D	left upper (comb. 627)	4259276	1	6.75
56	1039D	right (comb. 579)	4255896	1	2.00
56	1039D	left (comb. 579)	4255897	1	2.00
56	1039D	right (comb. 580)	4255898	1	2.00
56	1039D	left (comb. 580)	4255899	1	2.00
56	1039D	right (comb. 581)	4255900	1	2.00
56	1039D	left (comb. 581)	4255901	1	2.00
56	1039D	right (comb. 583, 628)	4255904	1	2.00
56	1039D	left (comb. 583, 628)	4255905	1	2.00
56	1039D	right (comb. 584)	4255906	1	2.00
56	1039D	left (comb. 584)	4255907	1	2.00
56	1039D	right (comb. 585)	4255908	1	2.00
56	1039D	left (comb. 585)	4255909	1	2.00
56	1039D	right (comb. 618)	4255902	1	2.00
56	1039D	left (comb. 618)	4255903	1	2.00
56	1039D	right (comb. 627)	4259277	1	2.00
56	1039D	left (comb. 627)	4259278	1	2.00
56	1063F (1st type)	right front (comb. 570) (white)	4246326	1	16.40
56	1063F (1st type)	left front (comb. 570) (white)	4246327	1	16.40
56	1063F (1st type)	right front (comb. 572) (white)	4246330	1	16.40
56	1063F (1st type)	left front (comb. 572) (white)	4246331	1	16.40

56	1063F (1st type)	right front (comb. 609) (white)	4246332	1	16.40
56	1063F (1st type)	left front (comb. 609) (white)	4246333	1	16.40
56	1063F (2nd type)	right front (comb. 570) (green)	4259262	1	16.40
56	1063F (2nd type)	left front (comb. 570) (green)	4259263	1	16.40
56	1063F (2nd type)	right front (comb. 572) (turquoise)	4259264	1	16.40
56	1063F (2nd type)	left front (comb. 572) (turquoise)	4259265	1	16.40
56	1063F (2nd type)	right front (comb. 609) (black)	4259266	1	16.40
56	1063F (2nd type)	left front (comb. 609) (black)	4259267	1	16.40
56	1263F	right front (comb. 562)	4247004	1	15.55
56	1263F	left front (comb. 562)	4247005	1	15.55
56	1263F	right front (comb. 616)	4247006	1	15.55
56	1263F	left front (comb. 616)	4247007	1	15.55
56	1263F	right rear (comb. 562, 616)	4247008	1	3.30
56	1263F	left rear (comb. 562, 616)	4247009	1	3.30
56	1064	right front (comb. 590) (less mouldings)	4246569	1	15.95
56	1064	left front (comb. 590) (less mouldings)	4246570	1	15.95
56	1064	right front (comb. 591) (less mouldings)	4246571	1	15.95
56	1064	left front (comb. 591) (less mouldings)	4246572	1	15.95
56	1064	right front (comb. 593) (less mouldings)	4246575	1	15.95
56	1064	left front (comb. 593) (less mouldings)	4246576	1	15.95
56	1064	right front (comb. 594) (less mouldings)	4246577	1	15.95
56	1064	left front (comb. 594) (less mouldings)	4246578	1	15.95
56	1064	right front (comb. 595) (less mouldings)	4246579	1	15.95
56	1064	left front (comb. 595) (less mouldings)	4246580	1	15.95
56	1064 (1st type)	right front (comb. 611) (less mouldings) (ivory)	4246581	1	15.95
56	1064 (1st type)	left front (comb. 611) (less mouldings) (ivory)	4246582	1	15.95
56	1064 (2nd type)	right front (comb. 611) (less mouldings) (black)	4259182	1	15.95
56	1064 (2nd type)	left front (comb. 611) (less mouldings) (black)	4259183	1	15.95
56	1064	right front (comb. 620) (less mouldings)	4246573	1	15.95
56	1064	left front (comb. 620) (less mouldings)	4246574	1	15.95
56	1064	right front (comb. 632) (with mouldings)	4259409	1	15.95
56	1064	left front (comb. 632) (with mouldings)	4259410	1	15.95
56	1064	right front (comb. 633) (with mouldings)	4259411	1	15.95
56	1064	left front (comb. 633) (with mouldings)	4259412	1	15.95
56	1064	right rear (comb. 590)	4246583	1	3.75
56	1064	left rear (comb. 590)	4246584	1	3.75
56	1064	right rear (comb. 591)	4246585	1	3.75
56	1064	left rear (comb. 591)	4246586	1	3.75
56	1064	right rear (comb. 593, 633)	4246589	1	3.75
56	1064	left rear (comb. 593, 633)	4246590	1	3.75
56	1064	right rear (comb. 594)	4246591	1	3.75
56	1064	left rear (comb. 594)	4246592	1	3.75
56	1064	right rear (comb. 595)	4246593	1	3.75
56	1064	left rear (comb. 595)	4246594	1	3.75
56	1064	right rear (comb. 611)	4246595	1	3.75
56	1064	left rear (comb. 611)	4246596	1	3.75
56	1064	right rear (comb. 620)	4246587	1	3.75
56	1064	left rear (comb. 620)	4246588	1	3.75
56	1064	right rear (comb. 632)	4259413	1	3.75
56	1064	left rear (comb. 632)	4259414	1	3.75
56	1062F-62FC	right front (comb. 570) (with mouldings)	4246198	1	6.35
56	1062F-62FC	left front (comb. 570) (with mouldings)	4246199	1	6.35
56	1062F-62FC	right front (comb. 572) (with mouldings)	4246202	1	6.35
56	1062F-62FC	left front (comb. 572) (with mouldings)	4246203	1	6.35
56	1062F-62FC	right front (comb. 609) (with mouldings)	4246204	1	6.35
56	1062F-62FC	left front (comb. 609) (with mouldings)	4246205	1	6.35
56	1062F-62FC-63F	right rear (comb. 570, 572, 609)	4246206	1	3.30
56	1062F-62FC-63F	left rear (comb. 570, 572, 609)	4246207	1	3.30
56	1062DF	right front (comb. 586) (with mouldings)	4246405	1	7.20
56	1062DF	left front (comb. 586) (with mouldings)	4246406	1	7.20
56	1062DF	right front (comb. 587) (with mouldings)	4246407	1	7.20
56	1062DF	left front (comb. 587) (with mouldings)	4246408	1	7.20
56	1062DF	right front (comb. 588) (with mouldings)	4246409	1	7.20
56	1062DF	left front (comb. 588) (with mouldings)	4246410	1	7.20

56	1062DF	right front (comb. 610) (with mouldings)	4246413	1	7.20
56	1062DF	left front (comb. 610) (with mouldings)	4246414	1	7.20
56	1062DF	right front (comb. 619) (with mouldings)	4246411	1	7.20
56	1062DF	left front (comb. 619) (with mouldings)	4246412	1	7.20
56	1062DF	right front (comb. 629) (with mouldings)	4259372	1	7.20
56	1062DF	left front (comb. 629) (with mouldings)	4259373	1	7.20
56	1062DF	right front (comb. 630) (with mouldings)	4259374	1	7.20
56	1062DF	left front (comb. 630) (with mouldings)	4259375	1	7.20
56	1062DF	right rear (comb. 586, 629)	4246415	1	3.30
56	1062DF	left rear (comb. 586, 629)	4246416	1	3.30
56	1062DF	right rear (comb. 587)	4246417	1	3.30
56	1062DF	left rear (comb. 587)	4246418	1	3.30
56	1062DF	right rear (comb. 588)	4246419	1	3.30
56	1062DF	left rear (comb. 588)	4246420	1	3.30
56	1062DF	right rear (comb. 610)	4246423	1	3.30
56	1062DF	left rear (comb. 610)	4246424	1	3.30
56	1062DF	right rear (comb. 619)	4246421	1	3.30
56	1062DF	left rear (comb. 619)	4246422	1	3.30
56	1062DF	right rear (comb. 630)	4259376	1	3.30
56	1062DF	left rear (comb. 630)	4259377	1	3.30
57	1011 (exc. 11A-11D)	right (comb. 654) with mldgs.)	4260100	1	13.50
57	1011 (exc. 11A-11D)	left (comb. 654) (with mldgs.)	4260101	1	13.50
57	1011 (exc. 11A-11D)	right (comb. 655) (with mldgs.)	4260102	1	13.50
57	1011 (exc. 11A-11D)	left (comb. 655) (with mldgs.)	4260103	1	13.50
57	1011 (exc. 11A-11D)	right (comb. 656) (with mldgs.)	4260104	1	13.50
57	1011 (exc. 11A-11D)	left (comb. 656) (with mldgs.)	4260105	1	13.50
57	1011A	right (comb. 657) (with mldgs.)	4260226	1	17.25
57	1011A	left (comb. 657) (with mldgs.)	4260227	1	17.25
57	1011A	right (comb. 658) (with mldgs.)	4260228	1	17.25
57	1011A	left (comb. 658) (with mldgs.)	4260229	1	17.25
57	1011A	right (comb. 659) (with mldgs.)	4260230	1	17.25
57	1011A	left (comb. 659) (with mldgs.)	4260231	1	17.25
57	1011D	right (comb. 663) (with mldgs.)	4260355	1	17.25
57	1011D	left (comb. 663) (with mldgs.)	4260356	1	17.25
57	1011D	right (comb. 664) (with mldgs.)	4260357	1	17.25
57	1011D	left (comb. 664) (with mldgs.)	4260358	1	17.25
57	1011D	right (comb. 665) (with mldgs.)	4260359	1	17.25
57	1011D	left (comb. 665) (with mldgs.)	4260360	1	17.25
57	1011D	right (comb. 666) (with mldgs.)	4260361	1	17.25
57	1011D	left (comb. 666) (with mldgs.)	4260362	1	17.25
57	1011D	right (comb. 667) (with mldgs.)	4260363	1	17.25
57	1011D	left (comb. 667) (with mldgs.)	4260364	1	17.25
57	1011D	right (comb. 668) (with mldgs.)	4260365	1	17.25
57	1011D	left (comb. 668) (with mldgs.)	4260366	1	17.25
57	1011D	right (comb. 669) (with mldgs.)	4260367	1	17.25
57	1011D	left (comb. 669) (with mldgs.)	4260368	1	17.25
57	1211 (exc. 11B)	right (comb. 650)	4261599	1	12.95
57	1211 (exc. 11B)	left (comb. 650)	4261600	1	12.95
57	1211B	right (comb. 650)	4261601	1	4.05
57	1211B	left (comb. 650)	4261602	1	4.05
57	1019 (exc. 19D)	right (comb. 655)	4260108	1	1.55
57	1019 (exc. 19D)	left (comb. 655)	4260109	1	1.55
57	1019 (exc. 19D)	right (comb. 656)	4260110	1	1.55
57	1019 (exc. 19D)	left (comb. 656)	4260111	1	1.55
57	1019-1219 (exc. 19D)	right (comb. 650, 654)	4260106	1	1.55
57	1019-1219 (exc. 19D)	left (comb. 650, 654)	4260107	1	1.55
57	1019D	right (comb. 663)	4260369	1	3.75
57	1019D	left (comb. 663)	4260370	1	3.75
57	1019D	right (comb. 664)	4260371	1	3.75
57	1019D	left (comb. 664)	4260372	1	3.75
57	1019D	right (comb. 665)	4260373	1	3.75
57	1019D	left (comb. 665)	4260374	1	3.75
57	1019D	right (comb. 666)	4260375	1	3.75
57	1019D	left (comb. 666)	4260376	1	3.75
57	1019D	right (comb. 667)	4260377	1	3.75
57	1019D	left (comb. 667)	4260378	1	3.75
57	1919D	right (comb. 668)	4260379	1	3.75
57	1919D	left (comb. 668)	4260380	1	3.75

57	1019D	right (comb. 669)	4260381	1	3.75
57	1019D	left (comb. 669)	4260382	1	3.75
57	CONV	right upperfront (comb. 677, 682, 683) (with mldgs.)	4261447	1	4.90
57	CONV	left upperfront (comb. 677, 682, 683) (with mldgs.)	4261448	1	4.90
57	CONV	right upperfront (comb. 678) (with mldgs.)	4261449	1	4.90
57	CONV	left upperfront (comb. 678) (with mldgs.)	4261450	1	4.90
57	CONV	right upperfront (comb. 679) (with mldgs.)	4261451	1	4.90
57	CONV	left upperfront (comb. 679) (with mldgs.)	4261452	1	4.90
57	CONV	rightupperfront(comb.680) (with mldgs.)	4261453	1	4.90
57	CONV	left upperfront (comb. 680) (with mldgs.)	4261454	1	4.90
57	CONV	right upperfront (comb. 681) (with mldgs.)	4261455	1	4.90
57	CONV	left upperfront (comb. 681) (with mldgs.)	4261456	1	4.90
57	CONV	right upper rear (comb. 677, 682, 683)	4261457	1	4.55
57	CONV	left upper rear (comb. 677, 682, 683)	4261458	1	4.55
57	CONV	right upper rear (comb. 678)	4261459	1	4.55
57	CONV	left upper rear (comb. 678)	4261460	1	4.55
57	CONV	right upper rear (comb. 679)	4261461	1	4.55
57	CONV	left upper rear (comb. 679)	4261462	1	4.55
57	CONV	right upper rear (comb. 680)	4261463	1	4.55
57	CONV	left upper rear (comb. 680)	4261464	1	4.55
57	CONV	right upper rear (comb. 681)	4261465	1	4.55
57	CONV	left upper rear (comb. 681)	4261466	1	4.55
57	1037	right (comb. 654)	4260643	1	6.75
57	1037	left (comb. 654)	4260644	1	6.75
57	1037	right (comb. 655)	4260645	1	6.75
57	1037	left (comb. 655)	4260646	1	6.75
57	1037	right (comb. 656)	4260647	1	6.75
57	1037	left (comb. 656)	4260648	1	6.75
57	1037D	right upper (comb. 670) (with mldg.)	4260775	1	6.75
57	1037D	left upper (comb. 670) (with mldg.)	4260776	1	6.75
57	1037D	right upper (comb. 671) (with mldg.)	4260777	1	6.75
57	1037D	left upper (comb. 671) (with mldg.)	4260778	1	6.75
57	1037D	right upper (comb. 672) (with mldg.)	4260779	1	6.75
57	1037D	left upper (comb. 672) (with mldg.)	4260780	1	6.75
57	1037D	right upper (comb. 673) (with mldg.)	4260781	1	6.75
57	1037D	left upper (comb. 673) (with mldg.)	4260782	1	6.75
57	1073D	right upper (comb. 674) (with mldg.)	4260783	1	6.75
57	1037D	left upper (comb. 674) (with mldg.)	4260784	1	6.75
57	1037D	right upper (comb. 675) (with mldg.)	4260785	1	6.75
57	1037D	left upper (comb. 675) (with mldg.)	4260786	1	6.75
57	1037D	right upper (comb. 676) (with mldg.)	4260787	1	6.75
57	1037D	left upper (comb. 676) with mldg.)	4260788	1	6.75
57	1039D	right (comb. 670)	4260761	1	2.00
57	1039D	left (comb. 670)	4260762	1	2.00
57	1039D	right (comb. 671)	4260763	1	2.00
57	1039D	left (comb. 671)	4260764	1	2.00
57	1039D	right (comb. 672)	4260765	1	2.00
57	1039D	left (comb. 672)	4260766	1	2.00
57	1039D	right (comb. 673)	4260767	1	2.00
57	1039D	left (comb. 673)	4260768	1	2.00
57	1039D	right (comb. 674)	4260769	1	2.00
57	1039D	left (comb. 674)	4260770	1	2.00
57	1039D	right (comb. 675)	4260771	1	2.00
57	1039D	left (comb. 675)	4260772	1	2.00
57	1039D	right (comb. 676)	4260773	1	2.00
57	1039D	left (comb. 676)	4260774	1	2.00
57	1063F	right front (comb. 660) (with mldgs.)	4261208	1	15.25
57	1063F	left front (comb. 660) (with mldgs.)	4261209	1	15.25
57	1063F	right front (comb. 661) (with mldgs.)	4261210	1	15.25
57	1063F	left front (comb. 661) (with mldgs.)	4261211	1	15.25
57	1063F	right front (comb. 662) (with mldg.)	4261212	1	15.25
57	1063F	left front (comb. 662)	4261213	1	15.25
57	1263F	right front (comb. 652)	4261641	1	15.55
57	1263F	left front (comb. 652)	4261642	1	15.55
57	1263F	right front (comb. 653)	4261643	1	15.55
57	1263F	left front (comb. 653)	4261644	1	15.55

57	1263F	right rear (comb. 652)	4261645	1	3.95
57	1263F	left rear (comb. 652)	4261646	1	3.95
57	1263F	right rear (comb. 653)	4261647	1	3.95
57	1263F	left rear (comb. 653)	4261648	1	3.95
57	1064	right front (comb. 691) (with mldgs.)	4261380	1	16.95
57	1064	left front (comb. 691) (with mldgs.)	4261381	1	16.95
57	1064	right front (comb. 692) (with mldgs.)	4261382	1	16.95
57	1064	left front (comb. 692) (with mldgs.)	4261383	1	16.95
57	1064	right front (comb. 693) (with mldgs.)	4261384	1	16.95
57	1064	left front (comb. 693) (with mldgs.)	4261385	1	16.95
57	1064	right front (comb. 694) (with mldgs.)	4261386	1	16.95
57	1064	left front (comb. 694) (with mldgs.)	4261387	1	16.95
57	1064	right front (comb. 695) (with mldgs.)	4261388	1	16.95
57	1064	left front (comb. 695) (with mldgs.)	4261389	1	16.95
57	1064	right front (comb. 696) (with mldgs.)	4261390	1	16.95
57	1064	left front (comb. 696) (with mldgs.)	4261391	1	16.95
57	1064	right front (comb. 697) (with mldgs.)	4261392	1	16.95
57	1064	left front (comb. 697) (with mldgs.)	4261393	1	16.95
57	1064	right rear (comb. 691, 696, 697)	4261394	1	4.45
57	1064	left rear (comb. 691, 696, 697)	4261395	1	4.45
57	1064	right rear (comb. 692)	4261396	1	4.45
57	1064	left rear (comb. 692)	4261397	1	4.45
57	1064	right rear (comb. 693)	4261398	1	4.45
57	1064	left rear (comb. 693)	4261399	1	4.45
57	1064	right rear (comb. 694)	4261400	1	4.45
57	1064	left rear (comb. 694)	4261401	1	4.45
57	1064	right rear (comb. 695)	4261402	1	4.45
57	1064	left rear (comb. 695)	4261403	1	4.45
57	1062F-62FC	right front (comb. 660)	4261202	1	4.90
57	1062F-62FC	left front (comb. 660)	4261203	1	4.90
57	1062F-62FC	right front (comb. 661)	4261204	1	4.90
57	1062F-62FC	left front (comb. 661)	4261205	1	4.90
57	1062F-62FC	right front (comb. 662)	4261206	1	4.90
57	1062F-62FC	left front (comb. 662)	4261207	1	4.90
57	1062F-62DF-63F	right rear (comb. 660)	4261220	1	3.95
57	1062F-62DF-63F	left rear (comb. 660)	4261221	1	3.95
57	1062F-62DF-63F	right rear (comb. 661)	4261222	1	3.95
57	1062F-62DF-63F	left rear (comb. 661)	4261223	1	3.95
57	1062F-62DF-63F	right rear (comb. 662)	4261224	1	3.95
57	1062F-62DF-63F	left rear (comb. 662)	4261225	1	3.95
57	1062DF	right front (comb. 684, 689, 690) (w/mldgs.)	4261020	1	7.20
57	1062DF	left front (comb. 684, 689, 690) (w/mldgs.)	4261021	1	7.20
57	1062DF	right front (comb. 685) (w/mldgs.)	4261022	1	7.20
57	1062DF	left front (comb. 685) (w/mldgs.)	4261023	1	7.20
57	1062DF	right front (comb. 686) (w/mldgs.)	4261024	1	7.20
57	1062DF	left front (comb. 686) (w/mldgs.)	4261025	1	7.20
57	1062DF	right front (comb. 687) (w/mldgs.)	4261026	1	7.20
57	1062DF	left front (comb. 687) (w/mldgs.)	4261027	1	7.20
57	1062DF	right front (comb. 688) (w/mldgs.)	4261028	1	7.20
57	1062DF	left front (comb. 688) (w/mldgs.)	4261029	1	7.20
57	1062DF	right rear (comb. 684, 689, 690)	4261030	1	3.95
57	1062DF	left rear (comb. 684, 689, 690)	4261031	1	3.95
57	1062DF	right rear (comb. 685)	4261032	1	3.95
57	1062DF	left rear (comb. 685)	4261033	1	3.95
57	1062DF	right rear (comb. 686)	4261034	1	3.95
57	1062DF	left rear (comb. 686)	4261035	1	3.95
57	1062DF	right rear (comb. 687)	4261036	1	3.95
57	1062DF	left rear (comb. 687)	4261037	1	3.95
57	1062DF	right rear (comb. 688)	4261038	1	3.95
57	1062DF	left rear (comb. 688)	4261039	1	3.95

TRIM ASSEMBLY, Quarter Lower (with arm rest)

54	SPT. CPE	right (comb. 315)	4201010	1	25.90
54	SPT. CPE	left (comb. 315)	4201011	1	25.90
54	SPT. CPE	right (comb. 362)	4213922	1	25.90
54	SPT. CPE	left (comb. 362)	4213923	1	25.90

54	SPT. CPE.	right (comb. 363)	4213920	1	25.90
54	SPT. CPE.	left (comb. 363)	4213921	1	25.90
54	SPT. CPE.	right (comb. 364)	4213918	1	25.90
54	SPT. CPE.	left (comb. 364)	4213919	1	25.90
54	SPT. CPE.	right (comb. 365)	4213926	1	25.90
54	SPT. CPE.	left (comb. 365)	4213927	1	25.90
54	SPT. CPE.	right (comb. 366)	4213924	1	25.90
54	SPT. CPE.	left (comb. 366)	4213925	1	25.90
55	CONV.	left (comb. 551) rr. upr. frt. w/mldg.	4243193	1	4.30
55	CONV.	right (comb. 525) lower, w/arm rest trim.	4214984	1	7.75
55	CONV.	left (comb. 525) lower, w/arm rest trim.	4214985	1	7.75
55	CONV.	right (comb. 527) lower, w/arm rest trim.	4214988	1	7.75
55	CONV.	left (comb. 527) lower, w/arm rest trim.	4214989	1	7.75
55	CONV.	right (comb, 528) lower, w/arm rest trim.	4214990	1	7.75
55	CONV.	left (comb. 528) lower, w/arm rest trim.	4214991	1	7.75
55	CONV.	right (comb. 533) lower, w/arm rest trim.	4214994	1	7.75
55	CONV.	left (comb. 533) lower, w/arm rest trim.	4214995	1	7.75
55	CONV.	right (comb. 537) lower, w/arm rest trim.	4214992	1	7.75
55	CONV.	left (comb. 537) lower w/arm rest trim.	4214993	1	7.75
55	CONV.	right (comb. 551) rr. lwr. w/arm rest trim.	4243194	1	7.75
55	CONV.	left (comb. 551) rr. lwr. w/arm rest trim.	4243195	1	7.75
55	1037	right (comb. 503)	4255737	1	22.70
55	1037	left (comb. 503)	4255738	1	22.70
55	1037	right (comb. 504)	4255739	1	22.70
55	1037	left (comb. 504)	4255740	1	22.70
55	1037	right (comb. 505)	4255741	1	22.70
55	1037	left (comb. 505)	4255742	1	22.70
55	1037D	right (comb. 519) (w/panel)	4214651	1	25.90
55	1037D	left (comb. 519) (w/panel)	4214652	1	25.90
55	1037D	right (comb. 520) (w/panel)	4214653	1	25.90
55	1037D	left (comb. 520) (w/panel)	4214654	1	25.90
55	1037D	right (comb. 521) (w/panel)	4214655	1	25.90
55	1037D	left (comb. 521) (w/panel)	4214656	1	25.90
55	1037D	right (comb. 522) (w/panel)	4214657	1	25.90
55	1037D	left (comb. 522) (w/panel)	4214658	1	25.90
55	1037D	right (comb. 532) (w/panel)	4214659	1	25.90
55	1037D	left (comb. 532) (w/panel)	4214660	1	25.90
55	1037D	right (comb. 550)	4243174	1	22.70
55	1037D	left (comb. 550)	4243175	1	22.70
56	CONV. (1st type)	right (comb. 602)	4246772*	1	7.75
56	CONV. (1st type)	left (comb. 602)	4246773*	1	7.75
56	CONV.	right (comb. 603)	4246774*	1	7.75
56	CONV.	left (comb. 603)	4246775*	1	7.75
56	CONV.	right (comb. 604)	4246776*	1	7.75
56	CONV.	left (comb. 604)	4246777*	1	7.75
56	CONV.	right (comb. 605)	4246778*	1	7.75
56	CONV.	left (comb. 605)	4246779*	1	7.75
56	CONV.	right (comb. 606)	4246780*	1	7.75
56	CONV.	left (comb. 606)	4246781*	1	7.75
56	CONV.	right (comb. 607)	4246782*	1	7.75
56	CONV.	left (comb. 607)	4246783*	1	7.75
56	CONV.	right (comb. 621)	4246784*	1	7.75
56	CONV.	left (comb. 621)	4246785*	1	7.75
56	1037 (1st type)	right (comb. 564) (white)	4245822	1	25.00
56	1037 (1st type)	left (comb. 564) (white)	4245823	1	25.00
56	1037 (2nd type)	right (comb. 564) (black)	4259220	1	25.00
56	1037 (2nd type)	left (comb. 564) (black)	4259221	1	25.00
56	1037 (1st type)	right (comb. 565) (white)	4245824	1	25.00
56	1037 (1st type)	left (comb. 565) (white)	4245825	1	25.00
56	1037 (2nd type)	right (comb. 565) (green)	4259222	1	25.00
56	1037 (2nd type)	left (comb. 565) (green)	4259223	1	25.00
56	1037 (1st type)	right (comb. 566) (white)	4245826	1	25.00
56	1037 (1st type)	left (comb. 566) (white)	4245827	1	25.00
56	1037 (2nd type)	right (comb. 566) (blue)	4259224	1	25.00
56	1037 (2nd type)	left (comb. 566) (blue)	4259225	1	25.00
56	1037D (1st type)	right (comb. 579) (ivory)	4245955	1	25.90

*NOTE: Top compt. side trim panel lower.

56	1037D (1st type)	left (comb. 579) (ivory)	4245956	1	25.90
56	1037D (2nd type)	right (comb. 579) (black)	4259172	1	25.90
56	1037D (2nd type)	left (comb. 579) (black)	4259173	1	25.90
56	1037D	right (comb. 580)	4245957	1	25.90
56	1037D	left (comb. 580)	4245958	1	25.90
56	1037D	right (comb. 581)	4245959	1	25.90
56	1037D	left (comb. 581)	4245960	1	25.90
56	1037D	right (comb. 583, 618, 628)	4245961	1	25.90
56	1037D	left (comb 583, 618, 628)	4245962	1	25.90
56	1037D	right (comb. 584)	4245965	1	25.90
56	1037D	left (comb. 584)	4245966	1	25.90
56	1037D	right (comb. 585)	4245967	1	25.90
56	1037D	left (comb. 585)	4245968	1	25.90
56	1037D	right (comb. 627)	4259279	1	25.90
56	1037D	left (comb. 627)	4259280	1	25.90
57	CONV	right (comb. 677)	4261467	1	7.75
57	CONV	left (comb. 677)	4261468	1	7.75
57	CONV	right (comb. 678)	4261469	1	7.75
57	CONV	left (comb. 678)	4261470	1	7.75
57	CONV	right (comb. 679)	4261471	1	7.75
57	CONV	left (comb. 679)	4261472	1	7.75
57	CONV	right (comb. 680)	4261473	1	7.75
57	CONV	left (comb. 680)	4261474	1	7.75
57	CONV	right (comb. 681)	4261475	1	7.75
57	CONV	left (comb. 681)	4261476	1	7.75
57	CONV	right (comb. 682)	4261477	1	7.75
57	CONV	left (comb. 682)	4261478	1	7.75
57	CONV	right (comb. 683)	4261479	1	7.75
57	CONV	left (comb. 683)	4261480	1	7.75
57	1037	right (comb. 654)	4260649	1	25.00
57	1037	left (comb. 654)	4260650	1	25.00
57	1037	right (comb. 655)	4260651	1	25.00
57	1037	left (comb. 655)	4260652	1	25.00
57	1037	right (comb. 656)	4260653	1	25.00
57	1037	left (comb. 656)	4260654	1	25.00
57	1037D	right (comb. 670)	4260789	1	25.90
57	1037D	left (comb. 670)	4260790	1	25.90
57	1037D	right (comb. 671)	4260791	1	25.90
56	1037D	left (comb. 671)	4260792	1	25.90
57	1037D	right (comb. 672)	4260793	1	25.90
57	1037D	left (comb. 672)	4260794	1	25.90
57	1037D	right (comb. 673)	4260795	1	25.90
57	1037D	left (comb. 673)	4260796	1	25.90
57	1037D	right (comb. 674)	4260797	1	25 90
57	1037D	left (comb. 674)	4260798	1	25.90
57	1037D	right (comb. 675)	4260799	1	25.90
57	1037D	left (comb. 675)	4260800	1	25.90
57	1037D	right (comb. 676)	4260801	1	25.90
57	1037D	left (comb. 676)	4260802	1	25.90

TRIM ASSEMBLY, Quarter Lower (w/out arm rest)

54	CONV	right (comb. 337)	4201300	1	6.75
54	CONV	left (comb. 337)	4201301	1	6.75
54	CONV	right (comb. 367)	4211762	1	6.75
54	CONV	left (comb. 367)	4211763	1	6.75
54	CONV	right (comb. 368)	4211768	1	6.75
54	CONV	left (comb. 368)	4211769	1	6.75
54	CONV	right (comb. 376)	4211764	1	6.75
54	CONV	left (comb. 376)	4211765	1	6.75

15.101 MOULDING—ESCUTCHEON—NUT, Rear Quarter Trim

49	1007,				
55-56	1011D	lower (7⅝ O.L.)	4566162	2	.60
49	1007	upper	4567330	2	.93
50	1007-11	center (24 9/16 O.L.)	4538996	2	(14.764)
53	1011W	upper (30 5/16 O.L.)	4559239	2	1.60

53-54	1011WA-11WD	upper (25 13/16 O.L.)	4577574	2	1.09
53	1067,				
54	CONV.	upper (10 5/8 O.L.)	4623056	2	.65
53	1067D	lower (7 3/4 dev. length)	4615770	2	.65
53	1037D	upper (26 11/16 dev. length)	4615689	2	.95
53	1062DF	(24 7/16 O.L.)	4651087	2	.50
54	1011WA	lower (8 7/8 O.L.)	4583719	2	.75
54	1011WA	kick (7 17/32 x 8 27/32)	4644414	2	1.85
54	1011WD	lower (24 5/16 dev. length)	4579444	2	1.20
54	1069WD	trim finish (3 27/32 long)	4603199	2	.40
54	CONV.	lower (24 5/8 dev. length)	4632574	2	.95
54	SPT. CPE.	lower (25 3/8 dev. length)	4632562	2	.95
54	SPT. CPE.	upper (26 dev. length)	4577680	2	.81
55	1011 (exc. 11A-11D)	upper (31 1/4 O.L.)	4593759	2	1.20
55	1011A-11D	(28 1/16 long)	4569383	2	(14.764)
55	1019D	(4 1/4 O.L.)	4620965	2	.70
55-56	CONV.	upper right (24 27/32 O.L.)	4649818	1	.95
55-56	CONV.	upper left (24 27/32 O.L.)	4649819	1	.95
55-56	CONV.	lower, folding top compartment side trim (9 dev. length)	4649745	2	.55
55	SPT. CPE.,				
56-57	1037D	right (43 1/2 dev. length)	4649820	1	1.35
55	SPT. CPE.,				
56-57	1037D	left (43 1/2 dev. length)	4649821	1	1.35
55-56	1037D	lower, arm rest (6 5/8 O.L.)	4649748	2	.55
55	1063F	(32 7/16 O.L.)	4566227	2	(14.764)
55	1064	right, kick (stainless steel) (5 3/4 x 23 1/16)	4662370	1	2.85
55	1064	left, kick (stainless steel) (5 3/4 x 23 1/16)	4662371	1	2.85
55	1064	lower (5/8 x 21 15/16)	4662395	1	1.25
55	1064	right, upper front (chrome) (5/8 x 27 1/8)	4662428	1	1.25
55	1064	left, upper front (chrome) (5/8 x 27 1/8)	4662429	1	1.25
55	1064	right, upper center (chrome) (5/8 x 27 27/32)	4662374	1	1.45
55	1064	left, upper center (chrome) (5/8 x 27 27/32)	4662375	1	1.45
55	1064	right, upper rear corner (chrome) (5/8 x 4 7/16)	4662408	1	1.25
55	1064	left, upper rear corner (chrome) (5/8 x 4 7/16)	4662409	1	1.25
55	1062F	(6 11/32 O.L.)	4651086	2	.50
56	1011 (exc. 11A-11D)	right	4669672	1	1.00
56	1011 (exc. 11A-11D)	left	4669673	1	1.00
56	1011A	(7/16 x 27 3/8)	4559248	2	(14.764)
56	1019D-62DF	(7/16 x 3 5/8)	4557974	2	.50
56	1037	right	4677886	1	1.00
56	1037	left	4677887	1	1.00
56	1063F	right	4669674	1	1.05
56	1063F	left	4669675	1	1.05
56	1064	upper (7/16 x 27 3/4)	4671073	2	.85
56	1064	lower	4661499	2	.75
56	1062F-62FC	(7/16 x 4 5/16)	4671072	2	.45
57	1011-63F (exc. 11A-11D)		4690946	2	1.05
57	1011A	right	4690934	1	.95
57	1011A	left	4690935	1	.95
57	1011D	right	4690938	1	(14.764)
57	1011D	left	4690939	1	(14.764)
57	CONV.	right, folding top compartment side	4690986	1	.75
57	CONV.	left, folding top compartment side	4690987	1	.75
57	CONV.	right upper	4690976	1	.95
57	CONV.	left upper	4690977	1	.95
57	1037D	right, arm rest	4690982	1	.70
57	1037D	left, arm rest	4690983	1	.70
57	1037D	right lower	4690942	1	1.35
57	1037D	left lower	4690943	1	1.35
57	1064	right upper	4690978	1	1.25
57	1064	left upper	4690979	1	1.25
57	1064	lower	4690966	1	.95
55	1064	ESCUTCHEON, upper (chrome) (5/8 wide—V shape)	4662396	2	.40
54	1011WD-37D-67D,				
55	PASS.	NUT, finish moulding (1/2 x 15/16)	4631803	A.R.	(14.691)

15.103 LINING—PANEL, Front Compartment Rear

50-52	1227B	(comb. 170, 200, 210) (embossed)	4174294	1	3.58
53-55	CORVETTE	PANEL, embossed fiber board (red)	3718726	1	2.00
54-55	CORVETTE	PANEL, embossed fiber bd. (beige) (comb. 341)	3719047	1	2.00
55	CORVETTE	PANEL, embossed fiber board (black)	3723073	1	2.00
56-57	CORVETTE	PANEL, rear compartment division (red)	3736193	1	3.50
56-57	CORVETTE	PANEL, rear compartment division (light beige)	3728996	1	3.50

15.108 REST ASSEMBLY—SCREW, Rear Quarter Arm (trimmed)

53-54	1011W-27	right (comb. 241, 354)	4191924	1	6.60
53-54	1011W-27	left (comb. 241, 354)	4191925	1	6.60
53-54	1011W-27	right (comb. 242, 355)	4191926	1	6.60
53-54	1011W-27	left (comb. 242, 355)	4191927	1	6.60
53-54	1011W-27	right (comb. 243, 352)	4191928	1	6.60
53-54	1011W-27	left (comb. 243, 352)	4191929	1	6.60
54	1011W	right (comb. 304)	4200560	1	6.60
54	1011W	left (comb. 304)	4200561	1	6.60
54	1011W	right (comb. 305)	4200562	1	6.60
54	1011W	left (comb. 305)	4200563	1	6.60
54	1011W	right (comb. 306)	4200564	1	6.60
54	1011W	left (comb. 306)	4200565	1	6.60
54	1011W	right (comb. 307)	4200566	1	6.60
54	1011W	left (comb. 307)	4200567	1	6.60
54	1011WA	right (comb. 334)	4209144	1	6.60
54	1011WA	left (comb. 334)	4209145	1	6.60
54	1011WA-11WD	right (comb. 311, 333)	4200812	1	6.60
54	1011WA-11WD	left (comb. 311, 333)	4200813	1	6.60
54	1011WD	right (comb. 309)	4200808	1	6.60
54	1011WD	left (comb. 309)	4200809	1	6.60
54	1011WD	right (comb. 331)	4208538	1	6.60
54	1011WD	left (comb. 331)	4208539	1	6.60
54	1011WD	right (comb. 358)	4211487	1	6.60
54	1011WD	left (comb. 358)	4211488	1	6.60
54	1011WD	right (comb. 359)	4211489	1	6.60
54	1011WD	left (comb. 359)	4211490	1	6.60
54	1011WD	right (comb. 360)	4211491	1	6.60
54	1011WD	left (comb. 360)	4211492	1	6.60
54	1011WD	right (comb. 361)	4211493	1	6.60
54	1011WD	left (comb. 361)	4211494	1	6.60
55	1011 (exc. 11A-11D)	right (comb. 503)	4214225	1	6.60
55	1011 (exc. 11A-11D)	left (comb. 503)	4214226	1	6.60
55	1011 (exc. 11A-11D)	right (comb. 504)	4214227	1	6.60
55	1011 (exc. 11A-11D)	left (comb. 504)	4214228	1	6.60
55	1011 (exc. 11A)	right (comb. 505, 511)	4214229	1	6.60
55	1011 (exc. 11A)	left (comb. 505, 511)	4214230	1	6.60
55	1011A	right (comb. 506)	4214123	1	6.60
55	1011A	left (comb. 506)	4214124	1	6.60
55	1011A	right (comb. 507)	4214125	1	6.60
55	1011A	left (comb. 507)	4214126	1	6.60
55	1011A	right (comb. 508)	4214127	1	6.60
55	1011A	left (comb. 508)	4214128	1	6.60
55	1011D	right (comb. 509)	4214406	1	6.60
55	1011D	left (comb. 509)	4214407	1	6.60
55	1011D	right (comb. 510)	4214408	1	6.60
55	1011D	left (comb. 510)	4214409	1	6.60
55	1011D	right (comb. 513)	4214414	1	6.60
55	1011D	left (comb. 513)	4214415	1	6.60
55	1011D	right (comb. 531, 549)	4214412	1	6.60
55	1011D	left (comb. 531, 549)	4214413	1	6.60
56	1011 (exc. 11D)	right (comb. 565, 568)	4245464	1	6.60
56	1011 (exc. 11D)	left (comb. 565, 568)	4245465	1	6.60
56	1011 (exc. 11A-11D)	right (comb. 566)	4245346	1	6.60
56	1011 (exc. 11A-11D)	left (comb. 566)	4245347	1	6.60
56	1011A	right (comb. 569)	4245466	1	6.60
56	1011A	left (comb. 569)	4245467	1	6.60
56	1011	right (comb. 564, 567, 573, 578, 626)	4245462	1	6.60
56	1011	left (comb. 564, 567, 573, 578, 626)	4245463	1	6.60

56	1011D	right (comb. 574)	4245611	1	6.60
56	1011D	left (comb. 574)	4245612	1	6.60
56	1011D	right (comb. 575)	4245613	1	6.60
56	1011D	left (comb. 575)	4245614	1	6.60
56	1011D	right (comb. 577)	4245617	1	6.60
56	1011D	left (comb. 577)	4245618	1	6.60
56	1011D	right (comb. 617)	4245615	1	6.60
56	1011D	left (comb. 617)	4245616	1	6.60
57	1011 (exc. 11D)	right (comb. 654, 657) (less tray)	4260112	1	6.60
57	1011 (exc. 11D)	left (comb. 654, 657) (less tray)	4260113	1	6.60
57	1011 (exc. 11D)	right (comb. 655, 658) (less tray)	4260114	1	6.60
57	1011 (exc. 11D)	left (comb. 655, 658) (less tray)	4260115	1	6.60
57	1011 (exc. 11A-11D)	right (comb. 656) (less tray)	4260116	1	6.60
57	1011 (exc. 11A-11D)	left (comb. 656) (less tray)	4260117	1	6.60
57	1011A	right (comb. 659) (less tray)	4260236	1	6.60
57	1011A	left (comb. 659) (less tray)	4260237	1	6.60
57	1011D	right (comb. 663) (less tray)	4260383	1	6.60
57	1011D	left (comb. 663) (less tray)	4260384	1	6.60
57	1011D	right (comb. 664) (less tray)	4260385	1	6.60
57	1011D	left (comb. 664) (less tray)	4260386	1	6.60
57	1011D	right (comb. 665) (less tray)	4260387	1	6.60
57	1011D	left (comb. 665) (less tray)	4260388	1	6.60
57	1011D	right (comb. 666) (less tray)	4260389	1	6.60
57	1011D	left (comb. 666) (less tray)	4260390	1	6.60
57	1011D	right (comb. 667) (less tray)	4260391	1	6.60
57	1011D	left (comb. 667) (less tray)	4260392	1	6.60
57	1011D	right (comb. 668) (less tray)	4260393	1	6.60
57	1011D	left (comb. 668) (less tray)	4260394	1	6.60
57	1011D	right (comb. 669) (less tray)	4260395	1	6.60
57	1011D	left (comb. 669) (less tray)	4260396	1	6.60
49-52	PASS. (exc. STA. WAG.)	SCREW, arm rest to frame (No. 14—10 x ¾)	4590966	A.R.	.05

15.222 LINING, Rear Compartment Side

42-48	1011-19	right, side	4161583	1	2.35
42-48	1011-19	left, side	4161584	1	2.35
49-50	1007-08	right	4569951	1	2.20
49-50	1007-08	left	4583927	1	2.20
49-50	1011-69	right	4569955	1	2.20
49-50	1011-69	left	4583928	1	2.20
49-50	1211-69	right	4570181	1	1.25
49-50	1211-69	left	4583930	1	1.25
49-50	1027	right	4569958	1	2.20
49-50	1027	left	4583931	1	2.20
49-50	CONV.	left	4583921	1	1.70
49-50	1227-27B	left	4583932	1	1.25
50	BEL AIR	right	4584294	1	2.20
50	BEL AIR	left	4584295	1	2.20
51-52	FLEETLINE	right (black)	4595932	1	1.45
51-52	FLEETLINE	left (black)	4595933	1	1.45
51-52	1011-69-1211-69	right (black)	4595934	1	1.40
51-52	1011-69-1211-69	left (black)	4595935	1	1.40
51-52	CPES	right (black)	4595936	1	1.40
51-52	CPES	left (black)	4595937	1	1.40
51-52	CONV.	right (black)	4600932	1	1.30
51-52	CONV.	left (black)	4600933	1	1.15
51-52	BEL AIR	right (black)	4600929	1	1.60
51-52	BEL AIR	left (black)	4600930	1	1.55
53-54	1011-69-1211-69-69W	right	4618415	1	1.40
53-54	1011-69-1211-69-69W	left	4618416	1	1.40
53	1027-1227-27B	right	4619750	1	1.40
53	1027-1227-27B	left	4619751	1	1.40
53-54	CONV.	right	4619756	1	1.45
53-54	CONV.	left	4619757	1	1.45
53-54	SPT. CPE.	right	4619753	1	1.60
53-54	SPT. CPE.	left	4619754	1	1.60
53-54	CORV.	red	4637892	1	2.00

FOUNDATION, Rear Seat Back Finish (luggage compartment front lining or seat back finish panel)

49-52	1011-69-1211-69		4570180	1	1.25
49-52	FLEETLINE		4571171	1	1.25
49-52	1027-1227		4570177	1	1.25
50-52	BEL AIR		4600928	1	1.60
53	1027-1227	front	4619749	1	1.25
53-54	1011-69-1211-11W-69-69W	front	4618413	1	1.85
53-54	CONV.	upper front	4619755	1	1.60
53-54	SPT. CPE.	front	4619752	1	1.60
55	1011-19-1211-19 (exc. 1211B),				
56-57	1011-19-39-39D-1211-19 (exc. 1211B)	front	4653758	1	1.85
55-57	1037	front	4653759	1	1.85

15.263 PANEL ASSEMBLY, Side Trim

49-52	SDL.	right (masonite)	4564403	1	13.95
49-52	SDL.	left (masonite)	4564404	1	13.95
53-54	SDL.	right—upper	4619480	1	4.60
53-54	SDL.	left—upper	4619481	1	4.60
53-54	SDL.	right—lower	4619482	1	4.60
53-54	SDL.	left—lower	4619483	1	4.60
55-57	SDL.	right	4652485	1	10.95
55-57	SDL.	left	4652486	1	10.95

15.264 MOULDING—ESCUTCHEON—Side Trim Panel

49-54	SDL.	upper and lower	4641010	4	3.00
53-54	SDL.	inside front	4641011	2	2.15
53-54	SDL.	rr. qtr. inside corner	4641013	2	2.65
55-56	SDL.	right, inside upper	4657863	1	3.80
55-56	SDL.	left, inside upper	4657864	1	3.80
55-56	SDL.	inside upper front vertical	4657862	2	1.15
55-56	SDL.	inside lower front vertical	4657861	2	1.70
55-56	SDL.	front, inside lower	4657860	2	1.55
55-56	SDL.	right, inside rear lower	4657858	1	2.25
55-56	SDL.	left, inside rear lower	4657859	1	2.25
57	SDL.	inside upper front vertical	4711149	2	1.15
57	SDL.	inside lower front vertical	4711145	2	1.70
57	SDL.	right, inside upper	4711151	1	3.80
57	SDL.	left, inside upper	4711152	1	3.80
57	SDL.	front, inside lower	4711147	2	1.55
57	SDL.	right, inside lower rear	4711142	1	2.65
57	SDL.	left, inside lower rear	4711143	1	2.65
53-54	SDL.	ESCUTCHEON, rr. qtr. inside corner	4641007	2	.30
53-56	SDL.	ESCUTCHEON, upper front (1 9/16 x 2) "T" Shape	4657852	2	.30
55-56	SDL.	ESCUTCHEON, lower front (1 9/16 x 2) "T" Shape	4657851	2	.30
55-56	SDL.	ESCUTCHEON, right, lower rear	4657853	1	1.55
55-56	SDL.	ESCUTCHEON, left, lower rear	4657854	1	1.55
55-56	SDL.	ESCUTCHEON, lower center (1 x 2)	4657855	2	.15
55-56	SDL.	ESCUTCHEON, right, upper rear	4657856	1	3.20
55-56	SDL.	ESCUTCHEON, left, upper rear	4657857	1	3.20
57	SDL.	ESCUTCHEON, lower front	4711130	2	.30
57	SDL.	ESCUTCHEON, upper front	4711132	2	.30
57	SDL.	ESCUTCHEON, lower center	4711137	2	.15
57	SDL.	ESCUTCHEON, right, lower rear	4711134	1	1.85
57	SDL.	ESCUTCHEON, left, lower rear	4711135	1	1.85
57	SDL.	ESCUTCHEON, right, upper rear	4711139	1	3.20
57	SDL.	ESCUTCHEON, left, upper rear	4711140	1	3.20

15.275 SCREW, Trim Attaching

37	PASS. (exc. SDL.)	trim pad to pan and pillar,			
37-38	PASS. (exc. SDL.)	front body pillar trim support	178891	A.R.	(8.977)
39	PASS. (exc. SDL.)	front seat bottom finishing	106665	A.R.	(8.977)

15.280 MAT, Dash Panel

51-52	PASS.	(18 21/32 x 51 7/16) (1/2 dia. hole above duct opening—both sides)	3695693	1	7.05
53-54	PASS.		3697873	1	7.05
55	PASS.		3711513*	1	7.05
56	PASS. (exc. C.A.C.)		3723407	1	7.05
57	PASS. (exc. C.A.C., Heater)	right	3734224	1	5.45
57	PASS.	left	3734225	1	1.50
57	PASS. w/C.A.C. and A.T. (8 cyl.),				
57	PASS. w/HEATER	right	3734226	1	5.90

*NOTE: May be reworked to fit units with air conditioning.

53-55	CORVETTE 6 cyl.	right	3706676	1	2.00
53-55	CORVETTE 6 cyl.	center	3706781	1	2.65
53-55	CORVETTE 6 cyl.	left	3706675	1	2.00
55-57	CORVETTE	center	3732974	1	2.65
56	CORVETTE	left	3727093	1	2.00
56	CORVETTE	right	3727608	1	2.00
56-57	CORVETTE	right	3733352	1	2.00
56-57	CORVETTE	center	3733351	1	2.65
57	CORVETTE (exc. HEATER)	right	3733350	1	2.00
57	CORVETTE w/windshield washer	left	3740219	1	2.50

15.282 FASTENER, Dash Panel Mat

53-55	PASS.,				
53-56	CORVETTE	(9/16 head diameter x 1 3/8 long)	3692752	A.R.	.05
55-56	PASS.	(5/8 head diameter x 1 7/8 long)	3715991	5	.05
57	PASS.	(7/8 head diameter x 1 3/8 long)	3730562	10	.05

15.286 MAT—UNIT—RETAINER, Front Floor (rubber)

40-48	PASS.		607877	1	7.50
42-47	CONV.	(comb. 133, 143-6)	4141748	1	15.45
42-48	CONV.	(comb. 136, 145-8)	4165450	1	15.45
49	Ser. 1000 (exc. CONV.)	(production type)	4567665	1	18.30
49-52	1269	black, heavy duty (taxi and police jobs) (production type)	4583445	1	17.25
49-54	PASS.	special replacement (black)	3699176	1	10.55
49-54	PASS.	gray (universal type)	3723327	1	12.15
53-54	1011W-27-37-67-69W	blue	4649771	1	21.35
53	1011W-27-37-69W-1262F,				
54	1011W-69W-1262F	green	4649772	1	21.35
53	1011W-27-37-69W,				
54	1011W-69W	brown	4649773	1	21.35
53	1011W-27-37-69W	gray	4632200	1	18.90
53-54	1211-27-27B-69-71	black	4649776	1	17.25
53-54	1069W-1269	black, heavy duty (taxi and police jobs)	4649778	1	17.80
53-54	1062-62D-62F	beige	4649775	1	21.35
54	1069W	gray, heavy duty (taxi and police jobs)	4650936	1	19.15
54	1011W-69W	gray	4649770	1	20.25
54	1262F	maroon	4649774	1	21.35
55	1011-19-37 (exc. 11A-11D-19D)	blue	4665466	1	26.45
55	1011-19-37 (exc. 11A-11D-19D)	brown	4665467	1	26.45
55	1011-19-37-62F-63F (exc. 11A-11D-19D)	green	4665468	1	26.45
55	1019 (TAXICAB) (exc. 19D)	blue (less felt base)	4665475	1	24.30
55	1019 (TAXICAB) (exc. 19D)	green (less felt base)	4665476	1	24.30
55	1019 (TAXICAB) (exc. 19D)	brown (less felt base)	4665477	1	24.30
55-56	Ser. 1200	black	4655735	1	16.75
55	STA. WAG. (exc. 1263F)	blue	4665465	1	26.45
55	1062F-62DF-63F	brown (2nd type)	4665469	1	26.45
55	1062DF	beige (1st type)	4665470	1	26.45
56	1011-19-37-39-62-63F (exc. 11A-11D-19D)	black	4672436	1	26.45
56	Ser. 1000 (exc. 1011A)	green	4690088	1	26.45
56	1011-19-37-39 (exc. 11A-11D-19D)	blue	4672438	1	26.45
56	1019-1219 (TAXICAB) (exc. 19D)	black	4682999	1	22.15
56	1062-63F	turquoise	4672442	1	26.45
56	1062DF	red	4672450	1	26.45

56	1062DF	copper	4685094	1	26.45
57	1011-19-37-39-62-63F (exc. 11A-11D-19D)	black	4700311	1	27.90
57	1019 (exc. 19D) TAXICAB	black	4712000	1	23.25
57	1011-19-37-39-62-63F (exc. 11A-11D-19D)	green	4700312	1	27.90
57	1011-19-37-39-62DF (exc. 11A-11D-19D)	blue	4700313	1	27.90
57	1219 (TAXICAB)	black	4712001	1	23.25
57	1062DF	turquoise	4700314	1	27.90
57	1062DF	red	4700316	1	27.90
57	1062-63F	copper	4700315	1	27.90
57	SER. 1200	black	4700319	1	16.75
57	SDL	black	4700322	1	16.75
ALL	ALL	UNIT, blue	987206	1	1.75
ALL	ALL	UNIT, red	987207	1	1.75
ALL	ALL	UNIT, green	987208	1	1.75
ALL	ALL	UNIT, black	987209	1	1.75
ALL	ALL	UNIT, blue, deluxe (R.H. and L.H.)	987354†	1	
ALL	ALL	UNIT, red, deluxe (R.H. and L.H.)	987355†	1	
56	PASS.	UNIT, copper	987477	1	1.75
56	PASS.	UNIT, turquoise	987478	1	1.75
56	PASS.	UNIT, blue, deluxe (R.H. and L.H.)	987432	1	6.95
56	PASS.	UNIT, red, deluxe (R.H. and L.H.)	987433	1	6.95
56	PASS.	UNIT, green, deluxe (R.H. and L.H.)	987434	1	6.95
56	PASS.	UNIT, black, deluxe (R.H. and L.H.)	987435	1	6.95
56	PASS.	UNIT, turquoise, deluxe (R.H. and L.H.)	987437	1	6.95
56	PASS.	UNIT, copper, deluxe (R.H. and L.H.)	987461	1	6.95
57	PASS.	UNIT, blue	987623	1	1.80
57	PASS.	UNIT, green	987624	1	1.80
57	PASS.	UNIT, black	987625	1	1.80
57	PASS.	UNIT, copper	987626	1	1.80
57	PASS.	UNIT, turquoise	987627	1	1.80
57	PASS.	UNIT, blue, deluxe	987635	1	6.95
57	PASS.	UNIT, green, deluxe	987636	1	6.95
57	PASS.	UNIT, black, deluxe	987637	1	6.95
57	PASS.	UNIT, copper, deluxe	987638	1	6.95
57	PASS.	UNIT, turquoise, deluxe	987639	1	6.95
53-55	CORVETTE	RETAINER, frt. flr. mat	3706300	1	.85

†Closeout price applies. See Dealer Parts and Accessories Price Schedule.

15.290 MAT, Door Opening Step (rubber)

41-48	1019-61-1219	left, rear, Ident. No. P-21947	4550511	1	2.35
41-48	1011-27-27B-67-1211-27-27B-27P	right, front, Ident. No. P-21956	4147880	1	3.45
41-48	1011-27-27B-67-1211-27-27B-27P	left, front, Ident. No. P-21957	4147881	1	3.45
41-48	1019-61-1219-71	right, front, Ident. No. P-21940	4550508	1	2.70
41-48	1019-61-1219	right, rear, Ident. No. P-21946	4550510	1	2.35

15.292 MAT, Rear of Front Seat (rubber)

41-48	1027B-1227B-27P	(on floor)	4133489	1	2.20
49-51	STA. WAG.	(on floor)	4606739	1	10.55
49-51	1227B	(on floor)	4569259	1	4.75
49-52	SDL	(on floor)	4611279	1	7.45
49-52	1227B	(on package platform)	4569261	1	5.60
52	STA. WAG.	(on floor)	4611782	1	14.60
52	1227B	(on floor)	4607859	1	7.50
53-54	1211WB-27B	(on floor)	4618831	1	7.50
53-54	SDL	(on floor)	4618832	1	8.05
54	1211WB	(on package platform)	4645132	1	7.45
55-56	1211B	(on floor)	4653946	1	10.75
55-56	SDL	(on floor)	4689183	1	11.35
55-57	1211B	(on package platform)	4674129	1	7.45
57	1211B	black	4700386	1	10.75
57	SCL	black	4700395	1	11.35
57	SCL	black	4712728*	1	13.75

*NOTE: Used with full width split-back seat.

15.294 MAT, Rear Compartment Floor (rubber)

41-48	1007-11-19-69-1211-19		3700154	1	5.15
48	1027-67-1227		4162080	1	5.35
49-52	PASS.		4591535	1	10.75
53-54	1011-69-1211-69-69W		4618836	1	9.65
53	COUPES,				
54	1011WA-37D		4618837	1	9.65
53-54	CONV.		4618838	1	9.00
55-57	PASS. (exc. SDL., STA. WAG.)		4652934	1	10.25
54-55	CORVETTE	red	4645541	1	11.35
54-55	CORVETTE	beige	4647685	1	11.35
55	CORVETTE	black	3723065	1	10.50
56-57	CORVETTE	red	3723710	1	10.50
56-57	CORVETTE	black	3725404	1	10.50

15.300 CARPET GROMMET, Front Floor

50-52	BEL AIR	red (comb. 185, 235)	4612435	1	44.50
50-52	BEL AIR	blue (comb. 187, 237)	4609936	1	44.50
50-52	BEL AIR	green (comb. 186, 236)	4609937	1	44.50
50-52	BEL AIR	black (comb. 189, 239)	4589226	1	44.50
52	BEL AIR	brown (comb. 234)	4609938	1	44.50
52	BEL AIR	coral (comb. 240)	4612997	1	44.50
53-54	1011WD-69WD	gray (comb. 245, 291, 309, 358)	4656366	1	44.30
53-54	1011WA-11WD-37D-69WD	blue (comb. 246, 257, 310, 314, 332, 359, 364) rubber base	4656367	1	44.30
53-54	1011WA-11WD-37D-69WD	green (comb. 247, 256, 292, 311, 315, 333, 360, 363)	4656368	1	44.30
53-54	1011WD-37D-69WD	brown (comb. 248, 254, 258)	4632220	1	44.30
53-54	1011WD-37D-69WD	brown (comb. 318, 330, 361-2)	4656369	1	44.30
53-54	1067D	tan (comb. 264, 328)	4649764	1	44.30
53-54	1067D	red (comb. 265, 325)	4656374	1	44.30
53-54	1067D	green (comb. 266, 326, 376)	4656372	1	44.30
53-54	1067D	blue (comb. 267, 327, 367)	4656371	1	44.30
53	1067D	yellow (comb. 268)	4632229	1	44.30
53	1067D	black (comb. 269)	4632228	1	44.30
53	1037D	yellow (comb. 258)	4632222	1	44.30
54	1011WA-37D	black (comb. 259, 319, 334, 365)	4656376	1	44.30
54	1011WD-37D-69WD	turquoise (comb. 317, 331) rubber base	4656375	1	44.30
54	CONV.	black (comb. 329)	4656377	1	44.30
54	CONV.	turquoise (comb. 337)	4656378	1	44.30
54	SPT. CPE.	red (comb. 316) rubber base	4656370	1	44.30
55	1011A, BEL AIR	blue (comb. 506, 509, 519, 527, 542)	4660450	1	48.90
55	1011A, BEL AIR	green (comb. 507, 510, 520, 526)	4662447	1	48.90
55	1011A	black (comb. 508)	4660452	1	48.90
55	1011D-19D-67D	brown (comb. 511, 528)	4660453	1	48.90
55	BEL AIR (exc. 1062DF)	turquoise (comb. 513, 522, 537, 545)	4660455	1	48.90
55	BEL AIR (exc. 1062DF)	dark gray (comb. 531, 532, 533, 546, 549, 550, 551, 552)	4660454	1	48.90
55	1037D-64-67D	red (comb. 521, 525, 544)	4660456	1	48.90
56	1011A-11D-19D-37D-39D-64-67D	black (comb. 567, 573, 578, 579, 585, 595, 602, 604, 611, 626, 627, 631, 632)	4672384	1	48.90
56	1011A-11D-19D-37D-39D-64-67D	med. green (comb. 568, 574, 580, 590, 606)	4672385	1	48.90
56	1011A-11D-19D-37D-39D-64-67D	med. turquoise (comb. 569, 577, 584, 590, 594)	4672386	1	48.90
56	BEL AIR (exc. 1062DF)	med. blue (comb. 575, 581, 591, 607)	4672387	1	48.90
56	1037D-39D-64-67D	red (comb. 583, 593, 605, 628, 633)	4672389	1	48.90
56	BEL AIR	copper (comb. 617, 618, 620, 621)	4682771	1	48.90
57	1011A-11D-19D-37D-39D-64	black (comb. 657, 663, 668, 669, 670, 675, 676, 691, 696, 697)	4696739	1	48.90
57	1011A-11D-19D-37D-39D-64	med. green (comb. 658, 664, 671, 692)	4696740	1	48.90
57	1011A-11D-19D-37D-39D-64	copper (comb. 569, 667, 674, 695)	4696743	1	48.90
57	1011D-19D-37D-39D-64	med. blue (comb. 665, 672, 693)	4696741	1	48.90
57	1011D-19D-37D-39D-64	med. turquoise (comb. 666, 673, 694)	4696742	1	48.90
57	CONV.	black (comb. 677, 682, 683)	4696747	1	48.90
57	CONV.	med. green (comb. 678)	4696748	1	48.90
57	CONV.	med. blue (comb. 679)	4696749	1	48.90

57	CONV.	med. turquoise (comb. 680)	4696750	1	48.90
57	CONV.	copper (comb. 681)	4696751	1	48.90
53-54	CORVETTE	left (comb. 295) (red) (1st type)	4645544	1	28.20
53-55	CORVETTE	right (comb. 295) (red)	4645545	1	24.75
53-55	CORVETTE	front, trans. hsg. (comb. 295) (red)	4645546	1	8.65
53-55	CORVETTE	rear, trans. hsg. (comb. 295) (red)	4645547	1	20.15
54	CORVETTE	left (comb. 341) (beige) (1st type)	4647687	1	28.20
54-55	CORVETTE	right (comb. 341) (beige)	4647686	1	24.75
54-55	CORVETTE 6 cyl.	left (comb. 295) (red) (2nd type)	4656241	1	28.20
54-55	CORVETTE 6 cyl.	left (comb. 341) (beige) (2nd type)	4656242	1	24.75
54-55	CORVETTE	front, trans. hg. (comb. 341) (beige)	4647756	1	8.65
54-55	CORVETTE	rear, trans. hg. (comb. 341) (beige)	4647757	1	20.15
55	CORVETTE	front, trans. hg. (green)	3723060	1	7.50
55	CORVETTE	rear, trans. hg. (green)	3723063	1	17.50
55	CORVETTE 8 cyl. (exc. P.G.)	left (red)	3725987	1	24.50
55	CORVETTE 8 cyl. (exc. P.G.)	left (beige)	3725989	1	24.50
55	CORVETTE 8 cyl. (exc. P.G.)	left (green)	3725991	1	24.50
55	CORVETTE 8 cyl. (exc. P.G.)	center (red)	3725942	1	24.50
55	CORVETTE 8 cyl. (exc. P.G.)	center (beige)	3725988	1	24.50
55	CORVETTE 8 cyl. (exc. P.G.)	center (green)	3725986	1	24.50
55	CORVETTE 8 cyl. w/P.G.	left (red)	3720205	1	24.50
55	CORVETTE 8 cyl. w/P.G.	left (beige)	3720207	1	24.50
55	CORVETTE 8 cyl. w/P.G.	left (green)	3723059	1	24.50
55	CORVETTE	right front (dark green)	3723056	1	21.50
56-57	CORVETTE	left (red)	3729141	1	24.50
56-57	CORVETTE	right (red)	3729142	1	21.50
56-57	CORVETTE	left (light beige)	3729145	1	24.50
56-57	CORVETTE	right (light beige)	3729146	1	21.50
56-57	CORVETTE	center, frt. (red)	3730011	1	7.50
56-57	CORVETTE	center, frt. (light beige)	3730013	1	7.50
56-57	CORVETTE	rear (red)	3730017	1	4.85
56-57	CORVETTE	rear (light beige)	3730019	1	4.85
56-57	CORVETTE	intermediate (red)	3730014	1	17.50
56-57	CORVETTE	intermediate (light beige)	3730016	1	17.50
53-57	CORVETTE,				
55	1011A-11D-19D-37D-67D,				
56	1011A-11D-19D-37D-39D-64,				
57	1011A-19D-37D-39D-64-67D	GROMMET, at dimmer switch (one I.D.)	4591473	1	.20

NOTE: When using above parts on conventional transmission jobs it will be necessary to cut a hole for clutch pedal.

15.306 CARPET, Rear Floor

41-47	1007-69-1211-19	(comb. 115-6-7, 126-9, 131-2),			
41-48	1011-19	(comb. 116-7, 127-8, 130-1, 151-2),			
48	1007-69	(comb. 153)	4164772	1	20.50
48	1211-19	(comb. 150)	4163392	1	16.60
49-51	1007	(comb. 157, 158, 171, 201)	4582786	1	24.15
49-51	1027	(comb. 157, 158, 171, 201)	4582789	1	23.55
49-51	1227	rubber	4582730	1	20.55
49-54	PASS. (exc. 1227)	(grey)	4656981	1	30.75
50-52	BEL AIR	(comb. 187, 237)	4618385	1	27.45
50-52	BEL AIR	(comb. 186, 236)	4618383	1	27.45
52	1011	(comb. 211)	4618158	1	25.55
52	1011	(comb. 213)	4618161	1	25.55
52	1069	(comb. 212)	4618168	1	26.20
52	1069	(comb. 213)	4618167	1	26.20
53-54	1011	green (comb. 243, 247, 292, 306, 311, 333, 353, 361)	4656979	1	29.60
53	1069	gray (comb. 241, 245, 291)	4618429	1	30.75
53-54	1069	blue (comb. 242, 246, 305, 310, 355, 359)	4656982	1	30.75
53-54	1069	green (comb. 243, 247, 292, 306, 311, 352, 360)	4656983	1	30.75
53	1069,				
54	1069W	brown (comb. 244, 248, 307)	4619205	1	30.75
53-54	1067D	brown (comb. 264, 374)	4623467	1	29.60
53-54	1067D	brown (comb. 264, 328, 374)	4656991	1	29.60
53-54	1067D	red (comb. 265, 325)	4636612	1	29.60

53-54	1067D	green (comb. 266, 326)	4636610	1	29.60
53-54	1067D	blue (comb. 267, 327, 367)	4656989	1	29.60
53-54	1067D	yellow (comb. 268, 366)	4623469	1	28.75
53-54	SPT. CPE	blue (comb. 242, 257, 314)	4656985	1	29.60
53	SPT. CPE	green (comb. 243, 256)	4621261	1	28.75
53-54	1037D	yellow (comb. 258, 366)	4621263	1	28.75
54	1011WD	tan (comb. 330) rubber base	4656993	1	29.60
54	1011WD	turquoise (comb. 331) rubber base	4656994	1	29.60
53-54	1011	blue (comb. 242, 246, 305, 310, 332, 352, 360)	4656978	1	29.60
54	1011W	brown (comb. 307)	4636596	1	29.60
54	1069	brown (comb. 353, 361)	4636600	1	30.75
54	1069	tan (comb. 330)	4656999	1	30.75
54	1069WD	turquoise (comb. 331) rubber base	4657000	1	30.75
53-54	CONV	black (comb. 329)	4656997	1	29.60
54	CONV	turquoise (comb. 337) rubber base	4656998	1	29.60
54	SPT. CPE	green (comb. 315) rubber base	4656986	1	29.60
54	SPT. CPE	turquoise (comb. 317) rubber base	4656996	1	29.60
53-54	SPT. CPE	brown (comb. 244, 254, 318)	4656987	1	29.60
55	1011A-11D	blue (comb. 506, 509)	4660464	1	32.80
55	1011A-11D	green (comb. 507, 510)	4662449	1	32.80
55	1011A	black (comb. 508)	4660466	1	32.80
55	1011D	brown (comb. 511)	4660467	1	32.80
55	1011D	turquoise (comb. 513)	4660469	1	32.80
55	1011D	gray (comb. 531, 549)	4660468	1	32.80
55	1019D	blue (comb. 509)	4660470	1	37.40
55	1019D	green (comb. 510)	4662450	1	37.40
55	1019D	brown (comb. 511)	4660472	1	37.40
55	1019D	turquoise (comb. 513)	4660474	1	37.40
55	1019D	gray (comb. 531, 549)	4660473	1	37.40
55	CONV	red (comb. 525)	4660485	1	30.50
55	CONV	green (comb. 526)	4662392	1	30.50
55	CONV	blue (comb. 527)	4660480	1	30.50
55	CONV	brown (comb. 528)	4660482	1	30.50
55	CONV	gray (comb. 533, 551)	4660483	1	30.50
55	CONV	turquoise (comb. 537)	4660484	1	30.50
55	1037D	blue (comb. 519)	4660477	1	30.50
55	1037D	green (comb. 520)	4662451	1	30.50
55	1037D	red (comb. 521)	4660476	1	30.50
55	1037D	turquoise (comb. 522)	4660475	1	30.50
55	1037D	gray (comb. 532, 550)	4660479	1	30.50
55	1064	green (comb. 541)	4663239	1	37.40
55	1064	blue (comb. 542)	4663238	1	37.40
55	1064	brown (comb. 543)	4663240	1	37.40
55	1064	red (comb. 544)	4663243	1	37.40
55	1064	turquoise (comb. 545)	4663242	1	37.40
55	1064	gray (comb. 552)	4663241	1	37.40
56	1011A-11D	black (comb. 567-573-578-626)	4672395	1	32.80
56	1011A-11D	green (comb. 568-574)	4672396	1	32.80
56	1011A-11D	turquoise (comb. 569-577)	4672397	1	32.80
56	1011D	blue (comb. 575)	4672398	1	32.80
56	1011D	copper (comb. 617)	4682859	1	32.80
56	1019D	black (comb. 573-578-626)	4672400	1	37.40
56	1019D	green (comb. 574)	4672401	1	37.40
56	1019D	blue (comb. 575)	4672402	1	37.40
56	1019D	turquoise (comb. 577)	4672404	1	37.40
56	1019D	copper (comb. 617)	4682860	1	37.40
56	CONV	black (comb. 602-604-631)	4672411	1	30.50
56	CONV	turquoise (comb. 603)	4672412	1	30.50
56	CONV	red (comb. 605)	4672413	1	30.50
56	CONV	green (comb. 606)	4672414	1	30.50
56	CONV	blue (comb. 607)	4672415	1	30.50
56	CONV	copper (comb. 621)	4682863	1	30.50
56	1037D	black (comb. 579-585-627)	4672405	1	30.50
56	1037D	green (comb. 580)	4672406	1	30.50
56	1037D	blue (comb. 581)	4672407	1	30.50
56	1037D	red (comb. 583-628)	4672409	1	30.50
56	1037D	turquoise (comb. 584)	4672410	1	30.50

56	1037D	copper (comb. 618)	4682861	1	30.50
56	1039D	black (comb. 579-585-627)	4677812	1	39.70
56	1039D	green (comb. 580)	4677813	1	39.70
56	1039D	blue (comb. 581)	4677814	1	39.70
56	1039D	red (comb. 583-628)	4677816	1	39.70
56	1039D	turquoise (comb. 584)	4677817	1	39.70
56	1039D	copper (comb. 618)	4682862	1	39.70
56	1064	green (comb. 590)	4673799	1	37.40
56	1064	blue (comb. 591)	4673800	1	37.40
56	1064	red (comb. 593-633)	4673802	1	37.40
56	1064	turquoise (comb. 594)	4673803	1	37.40
56	1064	black (comb. 595-611-632)	4673804	1	37.40
56	1064	copper (comb. 620)	4682864	1	37.40
57	1011A-11D	black (comb. 657, 663, 668, 669)	4696763	1	32.80
57	1011A-11D	med. green (comb. 658, 664)	4696764	1	32.80
57	1011A-11D	(comb. 659, 667)	4696767	1	32.80
57	1011D	med. blue (comb. 665)	4696765	1	32.80
57	1011D	med. turquoise (comb. 666)	4696766	1	32.80
57	1019D	black (comb. 663, 668, 669)	4696770	1	37.40
57	1019D	(comb. 664)	4696771	1	37.40
57	1019D	med. blue (comb. 665)	4696772	1	37.40
57	1019D	med. turquoise (comb. 666)	4696773	1	37.40
57	1019D	(comb. 667)	4696774	1	37.40
57	CONV.	black (comb. 677, 682, 683)	4696793	1	30.50
57	CONV.	(comb. 678)	4696794	1	30.50
57	CONV.	med. blue (comb. 679)	4696795	1	30.50
57	CONV.	med. turquoise (comb. 680)	4696796	1	30.50
57	CONV.	copper (comb. 681)	4696797	1	30.50
57	1037D	(comb. 670, 675, 676)	4696777	1	30.50
57	1037D	(comb. 671)	4696778	1	30.50
57	1037D	med. blue (comb. 672)	4696779	1	30.50
57	1037D	med. turquoise (comb. 673)	4696780	1	30.50
57	1037D	copper (comb. 674)	4696781	1	30.50
57	1039D	black (comb. 670, 675, 676)	4696785	1	39.70
57	1039D	med. green (comb. 671)	4696786	1	39.70
57	1039D	(comb. 672)	4696787	1	39.70
57	1039D	med. turquoise (comb. 673)	4696788	1	39.70
57	1039D	copper (comb. 674)	4696789	1	39.70
57	1064	(comb. 691, 696, 697)	4696801	1	37.40
57	1064	black (comb. 692)	4696802	1	37.40
57	1064	blue (comb. 693)	4696803	1	37.40
57	1064	turquoise (comb. 694)	4696804	1	37.40
57	1064	copper (comb. 695)	4696805	1	37.40

MAT, Rear Floor

49-52	CONV.	rubber (black)	4607858	1	12.15
50-52	STA. WAG.	linoleum, rear floor deck	4570200	1	18.91
50-52	STA. WAG.	linoleum, center seat floor	4570202	1	7.97
50-52	STA. WAG.	linoleum, rear floor deck riser	4570204	1	1.83
50-52	STA. WAG.	linoleum, spare tire board	4576746	1	5.55
49-54	PASS.	rubber, universal (gray)	3708708	1	9.65
53	1211-27,				
54	1211W	rubber	4618834	1	12.40
53-54	1269-69W	rubber	4618833	1	12.40
53-54	1062F	rubber	4624573	1	17.00
53	1062F	rubber, under rear seat	4623910	1	12.40
53	1262F	rubber	4618840	1	14.60
54	1262F	rubber (green)	4660722	1	17.00
54	1262F	rubber, under rear seat (green)	4660723	1	11.75
54	1262F	rubber, under rear seat (maroon)	4638297	1	11.75
53-54	1069W-1269	rubber, black, hvy. duty (taxi and police jobs)	4626304	1	13.50
54	1069W	rubber, gray, hvy. duty (taxi and police jobs)	4650937	1	21.35
53-54	1262F	linoleum (tail gate) (green)	4619838	1	11.85
53-54	1062F	linoleum (rear of folding seat back) (straw)	4638289	1	14.25

53-54	1262F	linoleum (rear of folding seat back) (green)	4619847	1	12.60
53-54	1262F	linoleum (bottom folding cushion) (green)	4619849	1	11.00
53-54	1262F	linoleum (rear floor deck) (green)	4620231	1	14.50
53-54	1262F	linoleum (spare tire board) (green)	4620232	1	8.25
54	1262F	rubber, maroon	4638296	1	17.00
53-54	1062-62D	linoleum (rear floor deck) (beige)	4638282	1	16.50
53-54	1062-62D	linoleum (deck riser) (beige)	4638283	1	2.80
53-54	1062-62D	linoleum (center seat front) (beige)	4638284	1	12.50
53-54	1062F	linoleum (rear floor deck) (beige)	4638287	1	15.50
53-54	1062F	linoleum (bottom folding cushion) (beige)	4638288	1	11.95
53-54	1062-62D-62F	linoleum (spare tire board) (beige)	4638285	1	8.75
53-54	1062-62D-62F	linoleum (tail gate) (beige)	4638286	1	12.65
54	1262F	linoleum (rear floor deck) (maroon)	4638291	1	15.50
54	1262F	linoleum (spare tire board) (maroon)	4638292	1	9.35
54	1262F	linoleum (tail gate) (maroon)	4638293	1	12.65
54	1262F	linoleum (rear of fldg. seat back) maroon)	4638294	1	13.65
54	1262F	linoleum (bottom folding cushion) (maroon)	4638295	1	12.25
55	1011 (exc. 11A-11D)	rubber, blue	4665484	1	24.30
55	1011 (exc. 11A-11D)	rubber, brown	4665485	1	24.30
55	1011 (exc. 11A-11D)	rubber, green	4665486	1	24.30
55-56	1211 (exc. 11B)	rubber, black	4653944	1	14.30
55	1019 (exc. 19D)	rubber, blue	4665487	1	26.45
55	1019 (exc. 19D)	rubber, brown	4665488	1	26.45
55	1019 (exc. 19D)	rubber, green	4665489	1	26.45
55	1019 (exc. 19D)	rubber, blue (taxicab jobs) (less felt base)	4665498	1	25.40
55	1019 (exc. 19D)	rubber, brown (taxicab jobs) (less felt base)	4665500	1	25.40
55	1019 (exc. 19D)	rubber, green (taxicab jobs) (less felt base)	4665499	1	25.40
55-56	1219	rubber, black	4653945	1	15.40
55-56	1019-1219 (exc. 1019D)	rubber, black (Taxi and Police jobs) (less felt base)	4665497	1	23.20
55	1037	rubber, blue	4678785	1	24.30
55	1037	rubber, green	4678786	1	24.30
55	1037	rubber, brown	4678787	1	24.30
55	1062	rubber, brown (2nd type)	4665492	1	26.45
55	1062F	rubber, green	4665493	1	26.45
55	1062DF	rubber, under rear seat (beige) (1st type)	4664820	1	12.40
55	1062F-63F	rubber, under rear seat (green)	4664812	1	12.40
55	1062-63F	rubber, under rear seat (brown) (2nd type)	4664818	1	12.40
55	1062	rubber, blue	4665491	1	26.45
55	1062-63F	rubber, blue, under rear seat	4664819	1	12.40
55	1063F	rubber, blue	4665494	1	26.45
55	1063F	rubber, brown	4665495	1	26.45
55	1063F	rubber, green	4665490	1	26.45
55	1064	linoleum (bottom of folding cushion) (green)	4660703	1	16.25
55	1064	linoleum (bottom of folding cushion) (blue)	4660704	1	16.25
55	1064	linoleum (bottom of folding cushion) (tan)	4660705	1	16.25
55	1064	linoleum (bottom of folding cushion) (red)	4660706	1	16.25
55	1064	linoleum (bottom of folding cushion) (turquoise)	4660707	1	16.25
55	1064	linoleum (bottom of folding cushion) (gray)	4660708	1	16.25
55	1064	rubber, green (under rear seat)	4656198	1	13.25
55	1064	rubber, blue (under rear seat)	4660668	1	13.25
55	1064	rubber, brown (under rear seat)	4660669	1	13.25
55	1064	rubber, red (under rear seat)	4660670	1	13.25
55	1064	rubber, turquoise (under rear seat)	4660671	1	13.25
55	1064	rubber, gray (under rear seat)	4660672	1	13.25
55	1064	linoleum (rear of fldg. seat back) (green)	4660369	1	18.25
55	1064	linoleum (rear of fldg. seat back) (blue)	4660370	1	18.25
55	1064	linoleum (rear of fldg. seat back) (tan)	4660371	1	18.25
55	1064	linoleum (rear of fldg. seat back) (red)	4660372	1	18.25
55	1064	linoleum (rear of fldg. seat back) (turquoise)	4660373	1	18.25
55	1064	linoleum (rear of fldg. seat back) (gray)	4660645	1	18.25
55	1064	linoleum (rear floor) (green)	4660652	1	22.50
55	1064	linoleum (rear floor) (blue)	4660653	1	22.50
55	1064	linoleum (rear floor) (tan)	4660654	1	22.50

55	1064	linoleum (rear floor) (red)	4660655	1	22.50
55	1064	linoleum (rear floor) (turquoise)	4660656	1	22.50
55	1064	linoleum (rear floor) (gray)	4660657	1	22.50
55	1064	linoleum (spare tire board) (green)	4660658	1	11.25
55	1064	linoleum (spare tire board) (blue)	4660659	1	11.25
55	1064	linoleum (spare tire board) (tan)	4660660	1	11.25
55	1064	linoleum (spare tire board) (red)	4660661	1	11.25
55	1064	linoleum (spare tire board) (turquoise)	4660662	1	11.25
55	1064	linoleum (spare tire board) (gray)	4660663	1	11.25
55	1064	linoleum (tailgate) (green)	4664761	1	15.35
55	1064	linoleum (tailgate) (blue)	4664762	1	15.35
55	1064	linoleum (tailgate) (tan)	4664763	1	15.35
55	1064	linoleum (tailgate) (red)	4664758	1	15.35
55	1064	linoleum (tailgate) (turquoise)	4664759	1	15.35
55	1064	linoleum (tailgate) (gray)	4664760	1	15.35
55	STA. WAG. (exc. 1064)	linoleum (rear floor) (beige)	4657073	1	19.75
55	STA. WAG. (exc. 1064)	linoleum (spare tire board) (beige)	4657074	1	9.75
55	STA. WAG. (exc. 1064)	linoleum (tail gate) (beige)	4665674	1	17.50
55	STA. WAG. (exc. 1064)	linoleum (rear of fldg. seat back)	4658960	1	19.75
55	STA. WAG. (exc. 1064)	linoleum (bottom folding cushion)	4658961	1	19.75
55-56	1263F	rubber, under rear seat (black)	4659214	1	8.35
55-56	1263F	rubber, (black)	4659215	1	15.40
55	1062DF	rubber, beige (1st type)	4665496	1	26.45
56	1011 (exc. 11A-11D)	rubber, black	4672444	1	24.30
56	1011 (exc. 11A-11D)	rubber, green	4690090	1	24.30
56	1011 (exc. 11A-11D)	rubber, blue	4672446	1	24.30
56	1019 (exc. 19D)	rubber, black	4672447	1	26.45
56	1019 (exc. 19D)	rubber, green	4690091	1	26.45
56	1019 (exc. 19D)	rubber, blue	4672449	1	26.45
56	1019 (exc. 19D)	rubber, black (taxicab)	4683000	1	26.45
56	1037	rubber, black	4677196	1	24.30
56	1037	rubber, green	4690092	1	24.30
56	1037	rubber, blue	4677198	1	24.30
56	1039	rubber, black	4677199	1	28.60
56	1039	rubber, green	4690093	1	28.60
56	1039	rubber, blue	4677201	1	28.60
56	1062F	rubber, green	4690094	1	28.60
56	1062F	rubber, turquoise	4673761	1	28.60
56	1062F	rubber, black	4680547	1	28.60
56	1062FC-62DF	rubber, black	4682829	1	28.60
56	1062FC-62DF	rubber, turquoise	4682831	1	28.60
56	1062FC	rubber, green	4690096	1	28.60
56	1062FC	rubber, under rear seat (green)	4690099	1	10.00
56	1062DF	rubber, copper	4682828	1	28.60
56	1062DF	rubber, red	4682830	1	28.60
56	1062DF	rubber, under rear seat (copper)	4682181	1	10.00
56	1062DF	rubber, under rear seat (red)	4682182	1	10.00
56	1063F	rubber, green	4690095	1	28.60
56	1063F	rubber, turquoise	4673764	1	28.60
56	1063F	rubber, black	4682763	1	28.60
56	1062F-63F	rubber, under rear seat (green)	4690097	1	10.00
56	1062F-63F	rubber, under rear seat (turquoise)	4673792	1	10.00
56	1062F-63F	rubber, under rear seat (black)	4682774	1	10.00
56	1062FC-62DF	rubber, under rear seat (black)	4682183	1	10.00
56	1062FC-62DF	rubber, under rear seat (turquoise)	4682184	1	10.00
56	1064	rubber, under rear seat (green)	4690098	1	13.25
56	1064	rubber, under rear seat (blue)	4673794	1	13.25
56	1064	rubber, under rear seat (copper)	4673795	1	13.25
56	1064	rubber, under rear seat (red)	4673796	1	13.25
56	1064	rubber, under rear seat (turquoise)	4673797	1	13.25
56	1064	rubber, under rear seat (black)	4673798	1	13.25
56	1062F-63	linoleum (rear floor) (turquoise)	4678605	1	19.75
56	1064	linoleum (rear floor) (turquoise)	4678624	1	22.50
56	1064	linoleum (rear floor) (yellow)	4679936	1	22.50
56	1064	linoleum (rear floor) (cream)	4691042	1	22.50
56-57	1062F-63F-1263F	linoleum (rear floor) (black)	4678603	1	19.75
56-57	1062F-63F-1263F	linoleum (rear floor) (green)	4678604	1	19.75

56-57	1064	linoleum (rear floor) (red)	4678620	1	22.50
56-57	1064	linoleum (rear floor) (black)	4678621	1	22.50
56-57	1064	linoleum (rear floor) (green)	4678622	1	22.50
56-57	1064	linoleum (rear floor) (blue)	4678623	1	22.50
56-57	1064	linoleum (rear floor) (copper)	4678625	1	22.50
56	STA. WAG. (exc. 1062FC-DF),				
57	1062DF-64-1263F	linoleum (spare tire board) (black)	4678627	1	9.75
56	STA. WAG. (exc. 1062FC-DF),				
57	1062DF-64-1263F	linoleum (spare tire board) (green)	4678628	1	9.75
56-57	1062F-63F-64	linoleum (spare tire board) (turquoise)	4678630	1	11.25
56-57	1062FC	linoleum (spare tire board) (green)	4684944	1	14.95
56	1062FC-62DF	linoleum (spare tire board) (black)	4684943	1	14.95
56	1062FC-62DF	linoleum (spare tire board) (turquoise)	4684945	1	14.95
56	1062DF	linoleum (spare tire board) (red)	4684946	1	14.95
56	1062DF	linoleum (spare tire board) (yellow)	4684947	1	14.95
56	1062DF,				
57	1062FC	linoleum (spare tire board) (copper)	4684948	1	14.95
56	1062DF	linoleum (spare tire board) (cream)	4691038	1	14.95
56	1064,				
57	1062DF-64	linoleum (spare tire board) (red)	4678626	1	11.25
56	1064,				
57	1062DF-64	linoleum (spare tire board) (blue)	4678629	1	11.25
56	1064,				
57	STA. WAG. (exc. 1062FC-1263F)	linoleum (spare tire board) (copper)	4678631	1	11.25
56	1064	linoleum (spare tire board) (yellow)	4679937	1	11.25
56	1064	linoleum (spare tire board) (cream)	4691043	1	9.75
56	STA. WAG. (exc. 1064),				
57	1062DF-1263F	linoleum (tailgate) (black)	4678606	1	18.25
56	STA. WAG. (exc. 1062DF-64),				
57	STA. WAG. (exc. 1064)	linoleum (tailgate) (green)	4678607	1	18.25
56	1062-63F	linoleum (tailgate) (turquoise)	4678718	1	18.25
56-57	1062DF	linoleum (tailgate) (red)	4684961	1	18.25
56	1062DF	linoleum (tailgate) (yellow)	4684962	1	18.25
56	1062DF,				
57	1062-63F	linoleum (tailgate) (copper)	4684963	1	18.25
56	1062DF	linoleum (tailgate) (cream)	4691039	1	18.25
56-57	1064	linoleum (tailgate) (red)	4678632	1	18.25
56-57	1064	linoleum (tailgate) (black)	4678633	1	18.25
56-57	1064	linoleum (tailgate) (green)	4678634	1	18.25
56-57	1064	linoleum (tailgate) (blue)	4678635	1	18.25
56	1064	linoleum (tailgate) (turquoise)	4678636	1	18.25
56-57	1064	linoleum (tailgate) (copper)	4678637	1	18.25
56	1064	linoleum (tailgate) (yellow)	4679938	1	18.25
56	1064	linoleum (tailgate) (cream)	4691044	1	18.25
56	STA. WAG. (exc. 1062FC-62DF),				
57	STA. WAG. (exc. 1062FC)	linoleum (bottom of folding cushion) (black)	4678609	1	19.75
56	STA. WAG. (exc. 1062FC-62DF),				
57	STA. WAG. (exc. 1062FC)	linoleum (bottom of folding cushion) (green)	4678610	1	19.75
56	1062F-63F-64	linoleum (bottom of folding cushion) (turquoise)	4678612	1	19.75
56	1064,				
57	1062DF-64	linoleum (bottom of folding cushion) (red)	4678608	1	19.75
56	1064,				
57	1062DF-64	linoleum (bottom of folding cushion) (blue)	4678611	1	19.75
56	1064,				
57	STA. WAG. (exc. 1062FC-1263F)	linoleum (bottom of folding cushion) (copper)	4678613	1	19.75
56	1064	linoleum (bottom of folding cushion) (yellow)	4679934	1	19.75
56	1064	linoleum (bottom of folding cushion) (cream)	4691040	1	19.75
56	STA. WAG. (exc. 1062FD-FC),				
57	STA. WAG. (exc. 1062FC)	linoleum (folding seat back board (black)	4678615	1	18.25
56	STA. WAG. (exc. 1062FD-FC),				
57	STA. WAG. (exc. 1062FC)	linoleum (folding seat back board) (green)	4678616	1	18.25
56	1062F-63F-64	linoleum (folding seat back board) (turquoise)	4678618	1	18.25
56	1062DF	left linoleum (folding seat back board) (cream)	4691033	1	15.25

56	1062DF	right linoleum (folding seat back board) (cream)	4691034	1	8.75
56 57	1064, 1062DF-64	linoleum (folding seat back board) (red)	4678614	1	18.25
56 57	1064, 1062DF-64	linoleum (folding seat back board) (blue)	4678617	1	18.25
56 57	1064, STA. WAG. (exc. 1062FC-1263F)	linoleum (folding seat back board) (copper)	4678619	1	18.25
56	1064	linoleum (folding seat back board) (yellow)	4679935	1	18.25
56	1064	linoleum (folding seat back board) (cream)	4691041	1	18.25
56	1062FC-62DF	linoleum (seat cushion bottom left) (black)	4684895	1	12.95
56	1062FC-62DF	linoleum (seat cushion bottom left) (turquoise)	4684897	1	12.95
56-57	1062FC	linoleum (seat cushion bottom left) (green)	4684896	1	12.95
56	1062DF	linoleum (seat cushion bottom left) (red)	4684898	1	12.95
56	1062DF	linoleum (seat cushion bottom left) (yellow)	4684899	1	12.95
56 57	1062DF, 1062FC	linoleum (seat cushion bottom left) (copper)	4684900	1	12.95
56	1062DF	linoleum (seat cushion bottom left) (cream)	4691031	1	12.95
56	1062FC-62DF	linoleum (seat cushion bottom right) (black)	4684903	1	6.95
56	1062FC-62DF	linoleum (seat cushion bottom right) (turquoise)	4684905	1	6.95
56-57	1062FC	linoleum (seat cushion bottom right) (green)	4684904	1	6.95
56	1062DF	linoleum (seat cushion bottom right) (red)	4684906	1	6.95
56	1062DF	linoleum (seat cushion bottom right) (yellow)	4684907	1	6.95
56 57	1062DF, 1062FC	linoleum (seat cushion bottom right) (copper)	4684908	1	6.95
56	1062DF	linoleum (seat cushion bottom right) (cream)	4691032	1	6.95
56	1062FC-62DF	linoleum (center seat back board left) (black)	4684911	1	15.25
56	1062FC-62DF	linoleum (center seat back board left) (turquoise)	4684913	1	15.25
56-57	1062FC	linoleum (center seat back board left) (green)	4684912	1	15.25
56 57	1062DF, 1062FC	linoleum (center seat back board left) (red)	4684914	1	15.25
56	1062DF	linoleum (center seat back board left) (yellow)	4684915	1	15.25
56 57	1062DF 1062FC	linoleum (center seat back board left) (copper)	4684916	1	15.25
56	1062FC-62DF	linoleum (center seat back board right) (black)	4684919	1	8.75
56	1062FC-62DF	linoleum (center seat back board right) (turquoise)	4684921	1	8.75
56-57	1062FC	linoleum (center seat back board right) (green)	4684920	1	8.75
56	1062DF	linoleum (center seat back board right) (red)	4684922	1	8.75
56	1062DF	linoleum (center seat back board right) (yellow)	4684923	1	8.75
56 57	1062DF 1062FC	linoleum (center seat back board right) (copper)	4684924	1	8.75
56	1062FC-62DF	linoleum (fldg. floor and rr. seat back bd. front) (black)	4684927	1	13.75
56	1062FC-62DF	linoleum (fldg. floor and rr. seat back bd. front) (turquoise)	4684929	1	13.75
56-57	1062FC	linoleum (fldg. floor and rr. seat back bd. front) (green)	4684928	1	13.75
56	1062DF	linoleum (fldg. floor and rr. seat back bd. front) (red)	4684930	1	13.75
56	1062DF	linoleum (fldg. floor and rr. seat back bd. front) (yellow)	4684931	1	13.75
56 57	1062DF 1062FC	linoleum (fldg. floor and rr. seat back bd. front) (copper)	4684932	1	13.75
56	1062DF	linoleum (fldg. floor and rr. seat back bd. front) (cream)	4691035	1	13.75
56	1062FC-62DF	linoleum (fldg. floor and rr. seat back bd. rear) (black)	4684935	1	14.95

56	1062FC-62DF	linoleum (fldg. floor and rr. seat back bd. rear) (turquoise)	4684937	1	14.95
56-57	1062FC	linoleum (fldg. floor and rr. seat back bd. rear) (green)	4684936	1	14.95
56	1062DF	linoleum (fldg. floor and rr. seat back bd. rear) (red)	4684938	1	14.95
56	1062DF	linoleum (fldg. floor and rr. seat back bd. rear) (yellow)	4684939	1	14.95
56	1062DF	linoleum (fldg. floor and rr. seat back bd.			
57	1062FC	rear) (copper)	4684940	1	14.95
56	1062DF	linoleum (fldg. floor and rr. seat back bd. rear) (cream)	4691036	1	14.95
56	1062FC-62DF	linoleum (rear compt. floor rr. side board) (black)	4684949	1	5.50
56	1062FC-62DF	linoleum (rear compt. floor rr. side board) (turquoise)	4684951	1	5.50
56-57	1062FC	linoleum (rear compt. floor rr. side board) (green)	4684950	1	5.50
56	1062DF	linoleum (rear compt. floor rr. side board) (red)	4684952	1	5.50
56	1062DF	linoleum (rear compt. floor rr. side board) (yellow)	4684953	1	5.50
56	1062DF	linoleum (rear compt. floor rr. side board)			
57	1062FC	(copper)	4684954	1	5.50
56	1062DF	linoleum (rear compt. floor rr. side board) (cream)	4691037	1	5.50
57	1011 (exc. 11A-11D)	rubber, black	4700336	1	25.65
57	1011 (exc. 11A-11D)	rubber, green	4700337	1	25.65
57	1011 (exc. 11A-11D)	rubber, blue	4700338	1	25.65
57	1211	rubber, black	4700383	1	15.65
57	1019 (exc. 19D)	rubber, black	4700358	1	28.60
57	1019 (exc. 19D) TAXICAB	black	4712002	1	25.75
57	1019 (exc. 19D)	rubber, green	4700359	1	28.60
57	1019 (exc. 19D)	rubber, blue	4700360	1	28.60
57	1219	rubber, black	4700389	1	16.75
57	1219 (TAXICAB)	black	4712003	1	25.75
57	1037	rubber, black	4700363	1	25.65
57	1037	rubber, green	4700364	1	25.65
57	1037	rubber, blue	4700365	1	25.65
57	1039	rubber, black	4700368	1	28.60
57	1039	rubber, green	4700369	1	28.60
57	1039	rubber, blue	4700370	1	28.60
57	1064	rubber (under fldg. seat) black	4700442	1	14.00
57	1064	rubber (under fldg. seat) blue	4700444	1	14.00
57	1064	rubber (under fldg. seat) green	4700443	1	14.00
57	1064	rubber (under fldg. seat) turquoise	4700445	1	14.00
57	1064	rubber (under fldg. seat) copper	4700446	1	14.00
57	1064	linoleum (rear compt. floor) turquoise	4697360	1	27.50
57	1064	linoleum (rear compt. floor) yellow	4697361	1	27.50
57	1064	linoleum (tailgate) yellow	4697380	1	20.50
57	1064	linoleum (tailgate) turquoise	4697379	1	20.50
57	1062F-62DF	rubber (black)	4700373	1	30.60
57	1062F-62DF	rubber (green)	4700374	1	30.60
57	1062F-62DF	rubber (copper)	4600375	1	30.60
57	1062-62DF-63F	linoleum (rear compt. floor) copper	4697357	1	22.75
57	1062F-62F	linoleum (tailgate) gray	4675340	1	20.50
57	1062F-62DF-63F	rubber (under fldg. seat) copper	4700411	1	10.00
57	1062F-62DF-63F	rubber (under fldg. seat) green	4700410	1	10.00
57	1062F-62DF-63F	rubber (under rear seat) black	4700409	1	10.00
57	1062F-63F	linoleum (rear compt, floor) gray	4697356	1	22.75
57	1062F-63F	linoleum (spare tire board) gray	4697366	1	13.95
57	1062FC	linoleum (seat cushion bottom left) (gray)	4684902	1	14.50
57	1062FC	linoleum (seat cushion bottom right) (gray)	4684910	1	7.25
57	1062FC	linoleum (center seat back board left) (gray)	4684918	1	19.75
57	1062FC	linoleum (center seat back board right) (gray)	4684926	1	9.95
57	1062FC	linoleum (fldg. flr. and rr. seat back bd. front) (gray)	4684934	1	16.85

57	1062FC	linoleum (fldg. flr. and rr. seat back bd. rear) (gray)	4684942		19.75
57	1062FC	linoleum (rear compt. flr. rr. side bd.) (gray)	4698429	1	7.80
57	1062FC	linoleum (gray) (spare tire board)	4698421	1	16.95
57	1062FC-62DF	rubber, black	4700401	1	30.60
57	1062FC-62DF	rubber, green	4700402	1	30.60
57	1062FC-62DF	rubber, copper	4700405	1	30.60
57	1062FC-62DF	rubber, black (under fldg. seat)	4700449	1	11.20
57	1062FC-62DF	rubber, green (under fldg. seat)	4700450	1	11.20
57	1062FC-62DF	rubber, blue (under fldg. seat)	4700451	1	11.20
57	1062FC-62DF	rubber, copper (under fldg. seat)	4700453	1	11.20
57	1062DF	rubber, red	4710785	1	30.60
57	1062DF	rubber, blue	4710783	1	30.60
57	1062DF	rubber, turquoise	4710784	1	30.60
57	1062DF	rubber, red (under fldg. seat)	4710788	1	10.00
57	1062DF	rubber, turquoise (under fldg. seat)	4710787	1	10.00
57	1062DF	linoleum (rear compt. flr.) (blue)	4710859	1	22.50
57	1062DF	linoleum (rear compt. flr.) (red)	4710858	1	22.50
57	1062DF	linoleum (rear compt. flr.) (turquoise)	4710860	1	22.50
57	1062DF	linoleum (rear compt. flr.) (yellow)	4710861	1	22.50
57	1062DF	linoleum (tailgate) (blue)	4697383	1	20.50
57	1062DF	linoleum (tailgate) (turquoise)	4697385	1	20.50
57	1062DF	linoleum (tailgate) (yellow)	4697386	1	20.50
57	1062DF-64	linoleum (spare tire bd.) (turquoise)	4697364	1	13.95
57	1062DF-64	linoleum (spare tire board) (yellow)	4697365	1	13.95
57	1062DF-64	linoleum (fldg. seat back bd.) (turquoise)	4697374	1	21.25
57	1062DF-64	linoleum (fldg. seat back bd.) (yellow)	4697375	1	21.25
57	1062DF-64	linoleum (bottom fldg. cushion) (turquoise)	4697369	1	19.75
57	1062DF-64	linoleum (bottom fldg. cushion) (yellow)	4697370	1	19.75
57	1063F	rubber, black	4700378	1	30.60
57	1063F	rubber, green	4700379	1	30.60
57	1063F	rubber, copper	4700380	1	30.60
57	1263F	rubber, black	4700392	1	20.90
57	1263F	rubber (under fldg. seat) black	4700414	1	9.20

15.388 HOOK—SCREW, Coat

39-48	PASS. (exc. 1019-67-69-1271),				
49-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.),				
53-54	PASS. (exc. CONV., SPT. CPE., STA. WAG., SDL),				
55	Ser. 1000 (exc. 1062DF, 67D),				
56-57	PASS., CORVETTE (exc. SDL.)		4601476	2	.30
41-48	1019-69		4115079	2	.30
39-57	PASS.	SCREW, attaching (No. 10—12 x ¾)	168593	2	(8.977)


15.390 STRAP, Assist

40-49	1007, 1027,				
53	1011-27,				
54	1011W-11WA	(comb. 132, 244, 248, 307, 353, 361)	4618849	2	2.60
40	1219,				
40-42	1019,				
41-47	1069	(comb. 87, 88, 97, 116, 117, 126, 131, 132)	4132893	2	2.60
42-43	1019	(comb. 130, 151, 152),			
48	1069	(comb. 153)	4163163	2	2.60
50	1007-11-27	(comb. 171)	4583387	2	2.60
51	1007-11-27	(comb. 201)	4592093	2	2.60
52-54	1007-11-27 (exc. 1011WA)	(comb. 212, 242, 246, 355, 359)	4612391	2	2.60
52-54	1007-11-27 (exc. 1011WA)	(comb. 213, 243, 247, 292, 352, 360)	4610980	2	2.60
52-54	1007-1011W-11WD-27	(comb. 211, 241, 245, 291, 354, 358)	4618848	2	2.60
54	1011W-11WD	(comb. 304, 309)	4634416	2	2.60
54	1011	(comb. 305, 310, 332)	4634417	2	2.60
54	1011	(comb. 306, 311, 333)	4634418	2	2.60
54	1011WA	(comb. 334)	4645183	2	2.60
54-55	1011W-11WD	(comb. 331)	4640330	2	2.60
55	1011 (exc. 11A)	(comb. 503, 509)	4653829	2	2.60
55	1011 (exc. 11A)	(comb. 504, 510)	4653826	2	2.60


1955 PASSENGER AND 1956 BEL AIR SPORT COUPE AND SPORT SEDAN YARDAGE CODE

Be sure *Model* and *Trim Comb. No.* is correct. Refer to Gp. 15.500 for *Bodycloth* or 15.506 for *Imit. Leather*. Select number by using *Alpha. Key* shown on illustration for yardage. Yardage sold in lineal measure only. Width of each part number is listed. *EXAMPLE:* Your order specifies 1 yd. of 60" material, you will receive a piece 36" x 60". Larger or smaller amounts can be ordered. Any portion of Embossed Imitation Leather is not serviced in yardage.


BE SURE MODEL AND TRIM COMB. NO. IS CORRECT. REFER TO GP. 15.500 FOR BODY CLOTH OR 15.506 FOR COATED FABRIC. SELECT NUMBER BY USING ALPHA. KEY SHOWN ON ILLUSTRATION FOR YARDAGE. YARDAGE SOLD IN LINEAL MEASURE ONLY. WIDTH OF EACH PART NUMBER IS LISTED.



1956 YARDAGE CODE (ALL MODELS EXCEPT 1037D-1039D)



1957 150 AND 210 MODELS YARDAGE CODE



1957 BEL AIR MODELS YARDAGE CODE

55	1011 (exc. 11A-11D)	(comb. 505)	4654777	2	2.60
55	1011A	(comb. 506, 507)	4654784	2	2.60
55	1011A	(comb. 508)	4654785	2	2.60
55	1011D	(comb. 511)	4641173	2	2.60
55	1011D	(comb. 513)	4655016	2	2.60
55	1011D	(comb. 531)	4658068	2	2.60
55	1011D	(comb. 549)	4665701	2	2.60
56	1011	(comb. 564, 567, 573, 578, 626),			
57	1011D	(comb. 663, 668, 669)	4673840	2	2.60
56	1011	(comb. 565, 568, 574),			
57	1011-11A	(comb. 655, 658)	4673841	2	2.60
56	1011 (exc. 11A)	(comb. 566, 575),			
57	1011 (exc. 11A-11D)	(comb. 656)	4673843	2	2.60
56	1011A-11D	(comb. 569, 577)	4673842	2	2.60
57	1011 (exc. 11D)	(comb. 654, 657)	4698479	1	2.60
57	1011A-11D	(comb. 659, 667)	4683122	1	2.60
57	1011D	(comb. 664)	4697301	1	2.60
57	1011D	(comb. 665)	4697302	1	2.60
57	1011D	(comb. 666)	4697303	1	2.60

15.394 ESCUTCHEON, Assist Strap

40-48	1007-27,				
49-56	1007-11-27,				
57	1011	w/two screw holes (chrome)	4095508	2	.55

15.490 MATERIAL, Top Covering

48-54	CONV.	black (56 wide)	4164700	A.R.	13.50 yd
53-55	CONV.	tan (56 wide)	4197610	A.R.	13.10 yd
54	CONV.,				
55	CORVETTE	green (56 wide)	4208889	A.R.	14.20 yd
52-55	CONV.	blue (56 wide)	4208896	A.R.	14.20 yd
55	CONV., CORVETTE	white (56 wide)	4241735	A.R.	16.70 yd
55	CONV.	green (56 wide)	4241734	A.R.	16.70 yd
55	CONV.	gray (56 wide)	4243628	A.R.	16.70 yd
56-57	CONV.	ivory	4245235	A.R.	16.70 yd
56-57	CONV.	black	4245236	A.R.	16.70 yd
56	CONV.	blue	4257321	A.R.	16.70 yd
56	CONV.	pink beige	4257322	A.R.	16.70 yd
56	CONV., CORVETTE,				
57	CORVETTE	tan beige	3728489	A.R.	16.70 yd
57	CONV.	blue	4269843	A.R.	16.70 yd
57	CONV.	green	4269844	A.R.	16.70 yd
53	CORVETTE	black	4164684	A.R.	14.85 yd
54-55	CORVETTE	tan (56 wide)	4177937	A.R.	16.70 yd
56-57	CORVETTE	black (cotton cloth 56 wide)	3728487	A.R.	16.70 yd
56-57	CORVETTE	white (cotton cloth 56 wide)	3728488	A.R.	16.70 yd
56-57	CORVETTE	black (bow lining 59 wide)	3729751	A.R.	3.40 yd
56-57	CORVETTE	beige (bow lining 59 wide)	3729752	A.R.	3.40 yd

15.492 FELT, Body Lining Deadener

35-39	PASS.	(35 wide x 25 yard roll)	121126	A.R.	.40 yd

15.500 UPHOLSTERY, Seat Cushion, Back Door, and Sidewall (See Yardage Code pages 1019-1022)

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.

50	CONV. BEL AIR	grey cord—cushion and back (comb 175-			
51	BEL AIR	6-7-9, 185-6-7-9)	4174009	A.R.	17.70 yd
51	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	sidewalls (comb. 200, 201, 245, 258, 291)			
53-54	1011WD-69WD	light grey (59 wide)	4191803	A.R.	12.60 yd
52	Ser. 1200 (exc. SDL.)	cushions and backs (comb. 210)	4188809	A.R.	16.35 yd
52	1007-11-27-69	sidewalls (comb. 213)	4186168	A.R.	13.10 yd
52	BEL AIR	cushions and backs (comb. 235, 239)	4186052	A.R.	17.70 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

53	1011WD-69WD	light blue ladder pattern, cushions and backs (comb. 246) (60 wide)	4191635	A.R.	18.35 yd
53	1011WD-69WD	light green, cushions and backs (comb. 247) (60 wide)	4191646	A.R.	18.35 yd
53	1011WD-69WD	light green, cushions and backs (comb. 247, 292) (58 wide)	4191648	A.R.	20.65 yd
53-54	1011WD-69WD	dark gray, sidewalls (comb. 245, 291, 358) (56 wide)	4191801	A.R.	12.60 yd
53-54	1011WD-69WD	dark blue, sidewalls (comb. 246, 359) (56 wide)	4191802	A.R.	12.60 yd
53-54	1011WD-69WD	dark green, sidewalls (comb. 247, 292, 360) (56 wide)	4191805	A.R.	12.60 yd
53-54	1011WD-69WD	dark brown, sidewalls (comb. 248, 361) (56 wide)	4191806	A.R.	12.60 yd
53-54	1011WD-69WD	light blue, sidewalls (comb. 246, 359) (59 wide)	4191804	A.R.	12 60 yd
53-54	1011WD-69WD	light green, sidewalls (comb. 247, 292, 360) (59 wide)	4191807	A.R.	12.60 yd
53-54	1037D	light tan, cushions and backs (comb. 254, 362) (56 wide)	4191837	A.R.	18.35 yd
53-54	1037D	light green, cushions and backs (comb. 256, 363) (56 wide)	4191833	A.R.	18.35 yd
53-54	1037D	light blue, cushions and backs (comb. 257, 364) (56 wide)	4191832	A.R.	18.35 yd
53-54	1037D	yellow and white, cushions and backs (comb. 258, 366) (56 wide)	4191838	A.R.	18.35 yd
53-54	1037D	black and white, cushions and backs (comb. 259, 365) (56 wide)	4191839	A.R.	18.35 yd
54	1011W-69W	light gray pattern, cushions and backs (comb. 304) (62 wide)	4209005	A.R.	18.35 yd
54	1011W-69W	light blue pattern, cushion and backs (comb. 305) (62 wide)	4209006	A.R.	18.35 yd
54	1011W-69W	light green pattern, cushion and backs (comb. 306) (62 wide)	4209013	A.R.	18.35 yd
54	1011W-69W	light tan pattern, cushion and backs (comb. 307) (62 wide)	4209014	A.R.	18.35 yd
54	1011W-69W	dark gray plain, facings and inserts (comb. 304) (56 wide)	4209007	A.R.	18.35 yd
54	1011W-69W	dark blue plain, facings and inserts (comb. 305) (56 wide)	4209008	A.R.	18.35 yd
54	1011W-69W	dark green plain, facings and inserts (comb. 306) (56 wide)	4209015	A.R.	18.35 yd
54	1011W-69W	dark brown plain, facings and inserts (comb. 307) (56 wide)	4209016	A.R.	18.35 yd
54	1011W-69W	light gray, sidewalls (comb. 304) (52 wide)	4209009	A.R.	10.95 yd
54	1011W-69W	light blue, sidewalls (comb. 305) (52 wide)	4209010	A.R.	10.95 yd
54	1011W-69W	light green, sidewalls (comb. 306) (52 wide)	4209017	A.R.	10.95 yd
54	1011W-69W	light tan, sidewalls (comb. 307) (52 wide)	4209018	A.R.	10.95 yd
54	1011WD-69WD	dark gray pattern, cushion and backs (comb. 309) (56 wide)	4208987	A.R.	20.65 yd
54	1011WD-69WD	dark blue pattern, cushion and backs (comb. 310) (56 wide)	4208988	A.R.	20.65 yd
54	1011WD-69WD	dark green pattern, cushion and backs (comb. 311) (56 wide)	4208993	A.R.	20.65 yd
54	1011WD-69WD	beige pattern, cushion and backs (comb. 330) (56 wide)	4208994	A.R.	20.65 yd
54	1011WD-69WD	turquoise pattern, cushion and backs (comb. 331) (56 wide)	4208995	A.R.	20.65 yd
54	1011WD-69WD	dark gray, sidewalls (comb. 309) (60 wide)	4208989	A.R.	12.60 yd
54-55	1011D-11WD-19D-69WD	dark blue, sidewalls (comb. 310, 509) (60 wide)	4208990	A.R.	12.60 yd
54	1011WD-69WD	dark green, sidewalls (comb. 311) (60 wide)	4208996	A.R.	12.60 yd
54	1011WD-69WD	beige, sidewalls (comb. 330) (60 wide)	4208997	A.R.	12.60 yd
54	1011WD-69WD	turquoise, sidewalls (comb. 331) (60 wide)	4208998	A.R.	12.60 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

54	1211-69W	light gray, cushion and backs (comb. 300) (62 wide)	4208977	A.R.	13.75 yd
54	SPT. CPE	dark blue pattern, cushion and backs (comb. 314) (54½ wide)	4208981	A.R.	19.50 yd
54	SPT. CPE	dark green pattern, cushion, facings and inserts (comb. 315) (54½ wide)	4208982	A.R.	19.50 yd
54	SPT. CPE	red pattern, cushion, facings and inserts (comb. 316)(54½ wide)	4208983	A.R.	19.50 yd
54	SPT. CPE	turquoise pattern, cushion, facings and inserts (comb. 317) (54½ wide)	4208984	A.R.	19.50 yd
54	SPT. CPE	beige pattern, cushion, facings and inserts (comb. 318) (54½ wide)	4208985	A.R.	19.50 yd
52 53 54	1007-11-27-69-1211-27-27B-69, 1211-27-27B-69 1211W-69W	light gray (comb. 210, 211, 350) (55¼ wide)	4183466	A.R.	4.80 yd
55	1011-19-37 (exc. 11A-11D-19D) (C1)	light blue, sidewalls (comb. 503) (51 wide)	4241536	A.R.	10.95 yd
55	1011-19-37 (exc. 11A-11D-19D) (C1)	light green, sidewalls (comb. 504) (51 wide)	4241537	A.R.	10.95 yd
55	1011-19-37 (exc. 11A-11D-19D) (C1)	light tan, sidewalls (comb. 505) (51 wide)	4241538	A.R.	10.95 yd
55	1011-19-37 (exc. 11A-11D-19D) (B1)	dark blue, seatbacks—partial, frt. seat cushions (comb. 503) (60 wide)	4241466	A.R.	10.95 yd
55	1011-19-37 (exc. 11A-11D-19D) (B2)	light blue pattern, cushions and backs—partial (comb. 503) (66 wide)	4241531	A.R.	18.35 yd
55	1011-19-37 (exc. 11A-11D-19D) (B1)	dark green, seat backs and frt. seat facings (comb. 504) (60 wide)	4241534	A.R.	10.95 yd
55	1011-19-37 (exc. 11A-11D-19D) (B2)	light green, pattern cushions and backs—partial (comb. 504) (66 wide)	4241532	A.R.	18.35 yd
55	1011-19-37 (exc. 11A-11D-19D) (B1)	dark brown, seat backs and frt. seat facings (comb. 505) (60 wide)	4241535	A.R.	10.95 yd
55	1011-19-37 (exc. 11A-11D-19D) (B2)	light tan pattern, cushions and backs—partial (comb. 505) (66 wide)	4241533	A.R.	18.35 yd
55	1011D-19D (C1)	dark green, sidewalls (comb. 510) (56 wide)	4241511	A.R.	10.95 yd
55	1011D-19D (C1)	dark tan, sidewalls (comb. 511) (56 wide)	4241512	A.R.	10.95 yd
55	1011D-19D (C1)	turquoise, sidewalls (comb. 513) (56 wide)	4241513	A.R.	10.95 yd
55	1011D-19D (C1)	dark gray, sidewalls (comb. 531, 549) (56 wide)	4241514	A.R.	10.95 yd
55	1011D-19D (B2)	dark blue pattern, cushions and backs (comb. 509) (66 wide)	4241506	A.R.	21.55 yd
55	1011D-19D (B2)	dark green pattern, cushions and backs (comb. 510) (56 wide)	4241507	A.R.	21.55 yd
55	1011D-19D (B2)	dark tan pattern, cushions and backs (comb. 511) (56 wide)	4241508	A.R.	21.55 yd
55	1011D-19D (B2)	turquoise pattern, cushions and backs (comb. 513) (66 wide)	4241509	A.R.	21.55 yd
55	1011D-19D (B2)	dark gray pattern, cushions and backs (comb. 531, 549) (66 wide)	4241510	A.R.	21.55 yd
55	1211-19 (B2)	light gray pattern, cushions and backs (comb. 500) (66 wide)	4241478	A.R.	11.20 yd
55	1037D (B2)	gray pattern, cushions and backs (comb. 532, 550) (62 wide)	4241555	A.R.	21.55 yd
55	1037D-1062DF (B2)	beige pattern, cushions and backs (comb. 517, 518, 519, 520, 521, 522) (62 wide)	4241554	A.R.	21.55 yd
56	1011-19-37-39 (exc. 11A-11D-19D)	charcoal pattern cloth (comb. 564)	4257293	A.R.	22.70 yd
56	1011-19-37-39 (exc. 11A-11D-19D)	medium green pattern cloth (comb. 565)	4257294	A.R.	22.70 yd
56	1011-19-37-39 (exc. 11A-11D-19D)	medium blue pattern cloth (comb. 566)	4257295	A.R.	22.70 yd
56	1011D-19D	charcoal pattern cloth (comb. 573, 578, 626)	4257296	A.R.	22.70 yd
56	1011D-19D	medium green pattern cloth (comb. 574)	4257297	A.R.	22.70 yd
56	1011D-19D	medium blue pattern cloth (comb. 575)	4257298	A.R.	22.70 yd
56	1011D-19D	medium turquoise pattern cloth (comb. 577)	4257300	A.R.	22.70 yd
56	1011D-19D	copper pattern cloth (comb. 617)	4257299	A.R.	22.70 yd
56	1211-19 (TAXICAB)	black pattern cloth (comb. 560)	4257308	A.R.	13.50 yd
56	1037D-39D-62DF-64	medium turquoise pattern cloth (comb. 584, 587, 594)	4257306	A.R.	22.70 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

56	1037D-39D-62DF-64	charcoal pattern cloth (comb. 585, 588, 595, 627, 630, 632)	4257307	A.R.	22.70 yd
56	1037D-39D-62DF-64	charcoal pattern cloth (comb. 579, 610, 611)	4257301	A.R.	22.70 yd
56	1037D-39D-62DF-64	red pattern cloth (comb. 583, 586, 593, 628, 629, 633)	4257305	A.R.	22.70 yd
56	1037D-39D-62DF-64	tan pattern cloth (comb. 618, 619, 620)	4257304	A.R.	22.70 yd
56	1037D-39D-64	medium green pattern cloth (comb. 580, 590)	4257302	A.R.	22.70 yd
56	1037D-39D-64	medium blue pattern cloth (comb. 581, 591)	4257303	A.R.	22.70 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)	charcoal pattern, cushions and backs—partial (comb. 654)	4269815	A.R.	19.85 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)	med. green pattern, cushions and backs—partial (comb. 655)	4269816	A.R.	19.85 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)	med. blue pattern, cushions and backs—partial (comb. 656)	4269817	A.R.	19.85 yd
57	BEL AIR (exc. CONV.)	black and silver pattern, cushions and backs—partial (comb. 663, 670, 684, 691)	4269818	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and silver pattern, sidewall (comb. 663, 670, 684, 691)	4269825	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	black and dark green pattern, cushions and backs—partial (comb. 664, 671, 685, 692)	4269819	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and dark green pattern, sidewall (comb. 664, 671, 685, 692)	4269826	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	black and dark blue pattern, cushions and backs—partial (comb. 665, 672, 686, 693)	4269820	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and dark blue pattern, sidewall (comb. 665, 672, 686, 693)	4269827	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	black and dark turquoise pattern, cushions and backs—partial (comb. 666, 673, 687, 694)	4269821	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and dark turquoise pattern, sidewall (comb. 666, 673, 687, 694)	4269828	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	black and copper pattern, cushions and backs--partial (comb. 667, 674, 688, 695)	4269822	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and copper pattern, sidewall (comb. 667, 674, 688, 695)	4269829	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	black and yellow pattern, cushions and backs—partial (comb. 668, 675, 689, 696	4269823	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and yellow pattern, sidewall (comb. 668, 675, 689, 696)	4269830	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	black and red pattern, cushions and backs —partial (comb. 669, 676, 690, 697)	4269824	A.R.	23.95 yd
57	BEL AIR (exc. CONV.)	black and red pattern, sidewall (comb. 669, 676, 690, 697)	4269831	A.R.	10.95 yd
57	1211-1019 (exc. 1019D)	black and grey, cushions and backs (comb. 650)	4269832	A.R.	14.50 yd
56	CORVETTE	light beige resin coated cloth (52 wide)	3726040	A.R.	13.35 yd
56	CORVETTE	red resin coated cloth (52 wide)	3726038	A.R.	13.35 yd

HEADLINING

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

54	1011W-11WD-69-1211-69W	light gray (comb. 300, 304, 309) (55¼ wide)	4208856	A.R.	4.85 yd
54	1011W-11WD-69	light blue (comb. 305, 310) (55¼ wide)	4208924	A.R.	4.85 yd
54	1011W-69W	light tan (comb. 307)	4209019	A.R.	4.85 yd
53	1011-27-37-69	light green (comb. 243, 247, 292, 306, 311, 355, 359) (55¼ wide)	4208925	A.R.	5.75 yd
54	1011W-11WD-69	beige (comb. 330, 511)	4208999	A.R.	4.85 yd
54-56	1011D-11WD-19D-69WD	turquoise (comb. 331)	4209000	A.R.	4.85 yd
54	1011WD-69WD				

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

55	1011-19-37 (exc. 11A).....(A)	light blue (comb. 503, 509) (55¼ wide)..	4241472	A.R.	4.85 yd
55	1011-19-37 (exc. 11A).....(A)	light green (comb. 504, 510) (55¼ wide).	4241473	A.R.	4.85 yd
55	1011-19-37 (exc. 11A-11D-19D).....(A)	light tan (comb. 505) (55¼ wide).....	4241539	A.R.	5.60 yd
55	1011D-19D.....(A)	turquoise (comb. 513) (55¼ wide).....	4241515	A.R.	4.85 yd
55	1011D-19D.....(A)	coral (comb. 531) (55¼ wide).....	4241516	A.R.	4.85 yd
56	1011D-19D (2nd type).....(A)	yellow (comb. 578).....	4259575	A.R.	4.85 yd
55	1011D-19D-1211.....(A)	light gray (comb. 500, 547, 549) (55¼ wide)	4241479	A.R.	4.85 yd
56	1011-19-37-39 (exc. 11A) (1st type).....	charcoal (comb. 564, 573, 578, 626)....	4257288	A.R.	4.85 yd
56	1011-19-37-39 (exc. 1011A) (2nd type) (A).....	gray (comb. 564, 573).....	4259574	A.R.	4.85 yd
56	1011-19-37-39 (exc. 11A).....	dark green (comb. 565, 574).....	4257171	A.R.	4.85 yd
56	1011-19-37-39 (exc. 11A).....	dark blue (comb. 566, 575).....	4257289	A.R.	4.85 yd
56	1011D-19D.....	medium turquoise (comb. 577).....	4257290	A.R.	4.85 yd
56	1011D-19D (2nd type).....(A)	cream (comb. 626).....	4259366	A.R.	4.85 yd
56	1211-19.....	beige (comb. 560).....	4257291	A.R.	4.85 yd
57	1011-19-37-39-1211-19 (exc. 1011A-11D-19D).....	light gray (comb. 650, 654).....	4269806	A.R.	4.85 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	light green (comb. 655).....	4269807	A.R.	4.85 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	light blue (comb. 656).....	4269808	A.R.	4.85 yd
57	1011D-19D.....	light gray (comb. 663, 669).....	4269809	A.R.	4.85 yd
57	1011D-19D.....	med. green (comb. 664).....	4269810	A.R.	4.85 yd
57	1011D-19D.....	med. blue (comb. 665).....	4269811	A.R.	4.85 yd
57	1011D-19D.....	med. turquoise (comb. 666).....	4269812	A.R.	4.85 yd
57	1011D-19D.....	beige (comb. 667).....	4269813	A.R.	4.85 yd
57	1011D-19D.....	yellow (comb. 668).....	4269814	A.R.	4.85 yd

15.506 IMITATION LEATHER (See Yardage Code pages 1019-1022)

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.

50-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.).....	bottoms of doors (comb. 170, 171, 200, 201, 210, 211),			
52	SDL.....	cushions and backs (comb. 216).....	4186290	A.R.	8.55 yd
51-52	STA. WAG.....	cushions and backs (comb. 202, 218)....	4180742	A.R.	9.75 yd
53	1011WD-69WD.....	drs. and qtrs., upr. and lwr. (comb. 247, 292) (50 wide).....	4199165	A.R.	7.75 yd
53	1011WD-69WD.....	drs. and qtrs., upr. and lwr. (comb. 248) (50 wide).....	4191657	A.R.	7.75 yd
53	1211-27-27B-69.....	drs. and qtr. inserts (comb. 249) (48 wide)	4191632	A.R.	7.75 yd
53	1211-27-27B-69.....	partial drs., seat wings, etc. (comb. 249) (50 wide).....	4191633	A.R.	7.75 yd
53-54	1067D.....	drs. and qtrs.—ctr. sect. (comb. 268),			
53-54	1037D.....	dr. btm. and ctr. sect. and back of back insert (comb. 258, 368).....	4197528	A.R.	4.70 yd
53-54	1067D.....	cush. and seat back inserts, cushion cover			
54	1011WA.....	—back bolsters (comb. 269, 334).....	4189887	A.R.	13.35 yd
53-55	1067D, CORVETTE.....	cushion and back insert (comb. 265, 295).	4197058	A.R.	13.35 yd
53-54	1037D.....	dr. bottoms and partial upper,			
53-54	1067D.....	doors and qtrs. upr. and lwr. (comb. 256, 266, 363, 376).....	4197523	A.R.	7.75 yd
53-54	1037D.....	dr. bottoms and partial upper,			
53-54	1067D.....	fldg. top comp., doors and qtrs. upr. and lwr. (comb. 257, 267, 364, 367).....	4197520	A.R.	7.75 yd
53-54	1037D.....	dr. bottoms—center section,			
53-54	1067D.....	doors and qtrs. upr. and lwr.,			
53-54	1062-62F.....	partial drs., rear qtrs., etc. (comb. 254, 264, 278, 356, 362, 374).....	4197526	A.R.	7.75 yd
53	1037D.....	dr. bottoms and partial upper,			
53	1067D.....	doors and qtrs. upr. and lwr.,			
54	1011WA.....	door inserts—side wings,			
54	1211-69W.....	frt. and rr. cushion facings—frt. seat finish panel upr. and lwr.,			
54	CONV., SPT. CPE.....	doors frt. section—qtr. arm rest (comb. 259, 269, 300, 319, 329, 334).....	4173633	A.R.	7.75 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

53-54	1037D	cushion and backs, bolsters and facings,			
53-54	1067D	back, bolster, top boot, etc.,			
54	1011WA	cushion and back bolsters,			
54	SPT. CPE	part. cushions and back facings,			
54	1062D-62F	cushion and back bolsters—facings (comb. 256, 266, 315, 323, 324, 326, 333, 363, 376)	4197521	A.R.	13.35 yd
53-54	1037D	cush. and backs, front and rr. bolsters and facings,			
53-54	1067D	back bolster, top boot, etc. (comb. 258, 259, 265, 268, 269, 365, 366, 368)	4191811	A.R.	13.35 yd
53-54	1037D	drs. center and partial upper,			
53-54	1067D	dr. and qtrs. center,			
54	1011WA	door inserts - side wings,			
54	1011WD-69WD	doors lower and frt. section (comb. 256, 266, 333, 363, 376)	4197522	A.R.	7.75 yd
53-54	1037D	drs. center and partial upper,			
53-54	1067D	drs. and qtrs. center,			
54	1011WA	door inserts - side wings,			
54	1011WD-69WD	doors, lwr. and frt. section (comb. 257, 267, 310, 332, 364, 367)	4197519	A.R.	7.75 yd
53	1262F	seat cush. and seat back, ctr. sect. drs. (comb. 277)	4197035	A.R.	9.95 yd
54	1011W-69W	frt. dr. insert—rr. dr. upr. and lwr. (comb. 304)	4209011	A.R.	8.90 yd
54	1011W-69W	frt. dr. insert—rr. dr. upr. and lwr. (comb. 305)	4209012	A.R.	12.35 yd
54	1011W-69W	frt. dr. insert—rr. dr. upr. and lwr. (comb. 306)	4209022	A.R.	8.90 yd
54	1011W-69W	frt. dr. insert—rr. dr. upr. and lwr. (comb. 307)	4209023	A.R.	8.90 yd
54	1011W-69W	rr. dr. ctr.—frt. dr. partial (comb. 304)	4208929	A.R.	7.75 yd
54	1011W-69W	rr. dr. ctr.—frt. dr. partial (comb. 307)	4209020	A.R.	7.75 yd
54	1011W-69W	rr. dr. ctr.—frt. dr. partial,			
54	CONV	drs. frt. section—qtr. arm rest,			
54	1011W-69W-37D-67D,	part. drs.—facings—rr. qtr. arm rest dark			
55	CONV	blue (comb. 305, 314, 327, 527)	4208900	A.R.	7.75 yd
54	1011W-69W	rr. dr. ctr.—frt. dr. partial,			
54	CONV	drs. frt. section—qtr. arm rest,			
54	SPT. CPE	part. drs.—facings—rr. qtr. arm rest (comb. 306, 315, 326)	4208901	A.R.	7.75 yd
54	SPT. CPE	beige (comb. 318),			
55	SDL (A)	(comb. 501) (54 wide)	4208976	A.R.	7.75 yd
54	1011WA-1211-69W	cushion and back facings, seat back			
55	1011A-1211-19 (B1)	bolsters (comb. 300, 304, 500, 508, 547)	4208877	A.R.	10.65 yd
54	1011WA	cushion and back facings,			
54	SPT. CPE	seat back facings (comb. 314, 332)	4208969	A.R.	10.65 yd
54	1011WA	cushion and back facings,			
54	SPT. CPE	seat back facings (comb. 315, 333)	4208970	A.R.	10.65 yd
54	1011WD-69WD	drs. lwr. and frt. (comb. 309)	4208949	A.R.	10.05 yd
54	1011WA-11WD-69WD	drs. lwr. and frt. (comb. 331, 332, 333, 334)	4209004	A.R.	7.75 yd
54	1011WD-69WD	drs. lwr. and frt.,			
54	CONV	drs. frt. section—qtr. arm rest,			
54	SPT. CPE	frt. seat side—outer panel (comb. 318, 328, 330)	4198810	A.R.	7.75 yd
54	1211-69W	drs. top and bottom (comb. 300)	4208979	A.R.	7.20 yd
54	1211-69W	drs. ctr. section—back of frt. seat (comb. 300)	4208980	A.R.	7.20 yd
54	CONV	cushions and backs partial (comb. 325)	4208904	A.R.	12.35 yd
54	CONV	cushions and backs partial (comb. 326)	4208961	A.R.	10.75 yd
54	CONV	cushions and backs partial (comb. 328)	4208908	A.R.	13.25 yd
54	CONV	cushions and backs partial (comb. 329)	4208921	A.R.	12.35 yd
54	CONV	cushions and backs partial (comb. 337)	4208906	A.R.	12.35 yd
54	CONV	cushions and backs upper and sides (comb. 328)	4208905	A.R.	13.35 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

SPECIAL NOTE: Embossed yardage on 1955 models not sold separately—in assemblies only.

54	CONV.	folding top comp. (comb. 325)	4208894	A.R.	5.20 yd
54	CONV.	folding top comp. (comb. 326)	4208903	A.R.	5.20 yd
54-55	CONV.	folding top comp. dark blue (comb. 327, 527)	4208902	A.R.	5.20 yd
54	CONV.	folding top comp. (comb. 337)	4208895	A.R.	5.20 yd
54	CONV.	partial drs.—facings—rr. qtr. arm rest,			
54	SPT. CPE.	partial drs.—qtr. arm rest (comb. 317, 337)	4208912	A.R.	7.75 yd
54	CONV.	drs. partial—qtrs. upr. and ctr.,			
54	SPT. CPE.	partial drs.—rr. qtr. arm rests top and ctr. (comb. 316, 317, 319, 325, 329, 337)	4208909	A.R.	8.35 yd
54	CONV.	cushions and backs partial,			
54	SPT. CPE.	partial cushions and backs—facings (comb. 316, 317, 319, 325, 329, 337)	4208907	A.R.	13.25 yd
54	CONV.	drs. partial—qtrs. upr. and ctr.,			
54	SPT. CPE.	partial drs.—rr. qtr. arm rests top and ctr. (comb. 315, 326)	4208923	A.R.	8.35 yd
54	CONV.	drs. partial—qtrs. upr. and ctr.,			
54	SPT. CPE.	partial drs.—rr. qtr. arm rests top and ctr. (comb. 314, 327)	4208922	A.R.	8.35 yd
54	SPT. CPE.	cushion and back facings (comb. 316, 317, 319)	4208971	A.R.	10.65 yd
54	CONV.	drs. partial—qtrs. upr. and ctr.,			
54	SPT. CPE.	partial drs.—rr. qtr. arm rests top and ctr. (comb. 318, 328)	4208910	A.R.	8.35 yd
54	CONV.	drs. frt. section—qtr. arm rests,			
54	SPT. CPE.	partial drs.—facings—rr. qtr. arm rests,			
54	SDL.	drs. ctr. section—seat ends (comb. 303, 316, 325)	4208911	A.R.	7.75 yd
54	1062D-62F	drs. upr. section (comb. 323)	4208882	A.R.	8.35 yd
54	1062D-62F	drs. upr. section (comb. 324)	4208883	A.R.	8.35 yd
54	1062D-62F	cushion and back bolster and facings			
55	CONV.	(comb. 324, 525, 528)	4208881	A.R.	13.35 yd
54	1262F	headlining, beige (comb. 322) (59 wide)	4209056	A.R.	7.75 yd
54	1262F	cushions and backs (comb. 322)	4209051	A.R.	9.80 yd
54	1262F	drs. upr., bottom side qtrs. (comb. 322)	4209053	A.R.	8.90 yd
54	1262F	seat wings upr., partial drs. beige (comb. 322)	4209054	A.R.	8.35 yd
54	1262F	cushions and backs, drs. and qtrs. dark green (comb. 371) (54 wide)	4242773	A.R.	9.80 yd
54	1262F	frt. seat back top inside facing, light green (comb. 371) (54 wide)	4242776	A.R.	9.15 yd
54	1262F	headlining, seat wings, light green (comb. 371) (59 wide)	4242778	A.R.	7.75 yd
54	SDL.	cushions and backs (comb. 303)	4209075	A.R.	13.25 yd
54	SDL.	drs. upr. and lwr. section (comb. 303)	4209076	A.R.	10.65 yd
54	SDL.	cushion and back facings (comb. 303)	4209077	A.R.	9.15 yd
55	1011A-1211-19 (E1)	front cushion rr. facing, black (comb. 500, 508, 547) (53 wide)	4241480	A.R.	9.50 yd
55	1211-19 (C1, E1)	light gray (comb. 500, 547) (53 wide)	4241481	A.R.	9.50 yd
55	1011-19-37 (exc. 11A-11D-19D) (E1)	dark blue (comb. 503) (52 wide)	4241520	A.R.	9.50 yd
55	1011-19-37 (exc. 11A-11D-19D) (E2)	light blue (comb. 503) (53 wide)	4241517	A.R.	7.75 yd
55	1011-19-37 (exc. 11A-11D-19D) (E1)	dark green (comb. 504),			
55	1062F-63F (C1)	center pillar, dark green (comb. 515) (52 wide)	4241521	A.R.	9.50 yd
55	1011-19-37 (exc. 11A-11D-19D) (E2)	light green (comb. 504) (52 wide)	4241518	A.R.	7.75 yd
55	1011-19-37 (exc. 11A-11D-19D) (E1)	dark brown (comb. 505) (52 wide)	4241522	A.R.	9.50 yd
55	1011-19-37 (exc. 11A-11D-19D) (E2)	light tan (comb. 505) (52 wide)	4241519	A.R.	7.75 yd
55	1011A (E2)	beige (comb. 506, 507) (50 wide)	4241523	A.R.	9.50 yd
55	1011A (E2)	ivory (comb. 508) (50 wide)	4241524	A.R.	9.50 yd
55	1011A-11D-19D-37D-64 (B1)	ivory (comb. 508, 513, 545, 549, 550) (50 wide)	4209911	A.R.	13.50 yd
55	1011A (E1)	front cushions, rear facing (comb. 506),			
55	1011D-19D (E1)	(comb. 509),			
55	1062F-63F (C1)	center pillar (comb. 514),			
55	1062DF (E1)	light blue (comb. 518) (53 wide)	4241500	A.R.	9.50 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

SPECIAL NOTE: Embossed yardage on 1955 models not sold separately—in assemblies only.

55	1011A (E1)	front cushions, rear facings (comb. 506),				
55	1011D-19D (E1)	(comb. 510),				
55	1062F-63F (E1)	(comb. 515),				
55	1262F (E1)	light green (comb. 524) (53 wide)	4241501	A.R.	9.50 yd
55	1011-19 (exc. 11A-11D-19D) (E3)	dark blue (comb. 503) (50 wide)	4244333	A.R.	9.50 yd
55	1011-19-37 (exc. 11A-11D-19D) (E3)	dark green (comb. 504) (50 wide)	4244334	A.R.	9.50 yd
55	1011-19-37 (exc. 11A-11D-19D) (E3)	dark brown (comb. 505) (50 wide)	4244335	A.R.	9.50 yd
55	1011D-19D (E1)	(comb. 511),				
55	1062F-63F (E1)	(comb. 514, 516),				
55	1062DF (E1)	beige (comb. 517) (53 wide)	4241743	A.R.	9.50 yd
55	1011A-11D-19D-62F-62DF-63F-64 (B1)	beige (comb. 506, 507, 511, 514, 516, 517, 541, 542, 543, 544) (50 wide)	4241498	A.R.	13.50 yd
55	1011D-19D-37D-64 (B1)	coral (comb. 531, 532, 546) (50 wide)	4241499	A.R.	13.50 yd
55	1011A-11D-19D-37D-62DF (B1, B2)	light blue (comb. 506, 509, 518, 519) (50 wide)	4241496	A.R.	13.50 yd
55	1011A-11D-19D-37D-62F-63F-1263F (B1, B2)	light green (comb. 507, 510, 515, 520, 524) (50 wide)	4241497	A.R.	13.50 yd
55	1011A-37D (A)	ivory (comb. 508, 550) (54 wide)	4241526	A.R.	7.20 yd
55	1011A-37D (A)	beige (comb. 506, 507, 519, 520, 521, 522) (54 wide)	4241525	A.R.	7.20 yd
55	CONV. (B1)	ivory (comb. 537, 551) (52 wide)	4241722	A.R.	14.65 yd
55	CONV. (B2)	turquoise (comb. 537) (52 wide)	4241718	A.R.	14.65 yd
55	CONV.	fldg. top comp., red (comb. 527) (55 wide)	4241731	A.R.	5.60 yd
55	CONV.	fldg. top comp., dark green (comb. 526) (55 wide)	4241730	A.R.	5.60 yd
55	CONV.	fldg. top comp. brown (comb. 528) (55 wide)	4241732	A.R.	5.60 yd
55	CONV.	fldg. top comp. dark gray (comp. 533, 551) (55 wide)	4241733	A.R.	5.60 yd
55	CONV.	fldg. top comp. turquoise (comb. 537) (55 wide)	4200427	A.R.	5.90 yd
55	1037D-64 (C1, E1)	light blue (comb. 519, 542) (50 wide)	4241557	A.R.	8.90 yd
55	1037D-64 (C1, E1)	light green (comb. 520, 541) (50 wide)	4241558	A.R.	8.90 yd
55	1037D (E1)	ivory (comb. 550) (50 wide)	4209912	A.R.	8.90 yd
55	1037D (E1)	coral (comb. 532) (50 wide)	4241560	A.R.	8.90 yd
55	1037D (B1)	red (comb. 521) (50 wide)	4241556	A.R.	13.50 yd
55	1037D (B1)	turquoise (comb. 522) (50 wide)	4209887	A.R.	13.50 yd
55	1037D (E3)	red (comb. 521) (50 wide)	4244339	A.R.	9.50 yd
55	1037D (E3)	turquoise (comb. 522) (50 wide)	4244340	A.R.	9.50 yd
55	1037D-64-67D (C1, E1, E2)	red (comb. 521, 525, 544) (50 wide)	4241559	A.R.	8.90 yd
55	1037D-64-67D (C1, E1, E2)	turquoise (comb. 522, 537, 545) (50 wide)	4200425	A.R.	8.05 yd
55	1037D-64-67D (C1, E2)	dark gray (comb. 532-33, 546, 552) (50 wide)	4241548	A.R.	8.90 yd
55	1011D-19D-62-63F-64-67D (E3)	beige (comb. 511, 514, 516-7, 525, 528, 541-2-3-4) (50 wide)	4243293	A.R.	9.50 yd
55	BEL AIR (exc. 1062DF) (E3)	ivory (comb. 513, 537, 545, 549, 550-1-2) (50 wide)	4243294	A.R.	9.50 yd
55	BEL AIR (exc. 1062DF) (E3)	coral (comb. 531-2-3, 546) (50 wide)	4243296	A.R.	9.50 yd
55	1011A-BEL AIR (exc. 1064) (E3)	light blue (comb. 506, 509, 518-19, 527) (50 wide)	4244336	A.R.	9.50 yd
55	1011A-11D-19D-37D-67D-62F-63F-1263F (E3)	light green (comb. 507, 510, 515, 520, 524, 526) (50 wide)	4244337	A.R.	9.50 yd
55	1011A-1211-19 (exc. 1019D) (E3)	black (comb. 500, 508, 547) (50 wide)	4244338	A.R.	9.50 yd
55	1064 (A)	beige (comb. 541, 542, 543, 544) (55 wide)	4243292	A.R.	8.90 yd
55	1064 (A)	ivory (comb. 545, 552) (55 wide)	4242375	A.R.	9.10 yd
55	1064 (A)	coral (comb. 546) (55 wide)	4243298	A.R.	8.90 yd
55	1263F (A)	beige (comb. 502) (55¼ wide)	4241771	A.R.	7.20 yd
55	1263F (B2)	light green (comb. 524) (55 wide)	4241770	A.R.	10.65 yd
55	1263F (B1)	brown (comb. 502) (50 wide)	4241773	A.R.	13.50 yd
55	1062-63F (A)	light beige (comb. 514, 516, 517, 518) (55 wide)	4241752	A.R.	7.20 yd
55	1062F-63F-1263F (A)	light green (comb. 515, 524) (55 wide)	4241753	A.R.	7.75 yd
55	1062F-63F-1263F (C1, E1)	center pillar, brown (comb. 502, 516)	4241751	A.R.	9.50 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

SPECIAL NOTE: Embossed yardage on 1955 models not sold separately—in assemblies only.

55	1011D-19D.....(E1)	ivory (comb. 513, 549) (53 wide).....	4241502	A.R.	9.50 yd
55	1011D-19D-64-67D.....(E1, E2)	coral (comb. 531, 533, 546) (53 wide) ..	4241503	A.R.	9.50 yd
55	CONV., 1064.....(E1, E2)	cowl trim pad on 1064, beige (comb. 525, 528, 541-2-3-4) (51 wide).....	4241728	A.R.	8.90 yd
55	CONV.....(B1)	dark green (comb. 526) (50 wide).....	4241724	A.R.	8.90 yd
55	CONV.....(E1)	light green (comb. 526) (51 wide).....	4241727	A.R.	8.90 yd
55	CONV.....(C1, E1)	light blue (comb. 527) (51 wide).....	4241726	A.R.	8.90 yd
55	CONV.....(E1, E2)	cowl trim pad on 1064, ivory (comb. 537, 545, 551, 552) (51 wide).....	4241729	A.R.	8.90 yd
55	CONV., 1064, SDL.....(C1, E1)	tan (comb. 501, 528, 543) (50 wide).....	4241725	A.R.	9.50 yd
55	CONV.....(B2)	red (comb. 525) (52 wide).....	4241716	A.R.	14.65 yd
55	CONV.....(B2)	dark green (comb. 526) (52 wide).....	4241715	A.R.	14.65 yd
55	CONV.....(B1)	light green (comb. 526) (52 wide).....	4241721	A.R.	14.65 yd
55	CONV.....(B2)	frt. back top facing, dark blue (comb. 527) (52 wide).....	4208957	A.R.	16.95 yd
55	CONV.....(B1)	light blue (comb. 527) (52 wide).....	4241720	A.R.	14.65 yd
55	CONV.....(B2)	brown (comb. 528) (52 wide).....	4241717	A.R.	14.65 yd
55	CONV.....(B1)	coral (comb. 533) (52 wide).....	4241723	A.R.	14.65 yd
55	CONV.....(B2)	dark gray (comb. 533, 551) (52 wide)...	4241719	A.R.	14.65 yd
55	1037D-62DF.....(C1)	beige (comb. 519, 520, 521, 522) (50 wide)	4208962	A.R.	10.05 yd
55	1263F-71.....(E3)	brown (comb. 501, 502) (50 wide).....	4244341	A.R.	9.50 yd
55	1263F-71.....(C1, E2)	straw (comb. 501, 502) (50 wide).....	4241767	A.R.	10.65 yd
55	1263F-71.....(B2)	straw (comb. 501, 502) (54 wide).....	4241769	A.R.	10.65 yd
55	1062F-63F.....(B2)	light blue (comb. 514) (56 wide).....	4241748	A.R.	10.65 yd
55	1062F-63F.....(B2)	dark green (comb. 515) (56 wide).....	4241749	A.R.	10.65 yd
55	1062F-63F.....(B2)	brown (comb. 516) (56 wide).....	4241750	A.R.	10.65 yd
55	SDL.....(B1)	brown (comb. 501) (50 wide).....	4241772	A.R.	10.65 yd

COATED FABRIC (See Yardage Code pages 1019-1022)

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.

56	1011A-37D-39D-64.....(A)	ivory (comb. 567, 568, 569, 579, 611) (55 wide).....	4258026	A.R.	7.75 yd
56	1037D-39D-64.....(A)	light green (comb. 580, 590) (55 wide)...	4258028	A.R.	7.75 yd
56	1037D-39D-64.....(A)	light blue (comb. 581, 591) (55 wide)....	4258029	A.R.	7.75 yd
56	1037D-39D-64.....(A)	beige (comb. 583, 593) (55 wide).....	4258027	A.R.	7.75 yd
56	1037D-39D-64.....(A)	light turquoise (comb. 584, 594) (55 wide)	4258030	A.R.	7.75 yd
56	1037D-39D-64.....(A)	yellow (comb. 585, 620) (55 wide).....	4258031	A.R.	7.75 yd
56	1037D-39D-64.....(A)	tan (comb. 618, 620, 628, 633), (55 wide).	4258032	A.R.	7.75 yd
56	1037D-39D-64.....(A)	(comb. 627, 632).....	4259327	A.R.	7.75 yd
56	1062F-62FC-63F.....(A)	med. green (comb. 570) (55 wide).....	4257978	A.R.	7.75 yd
56	1062F-62FC-63F.....(A)	med. turquoise (comb. 572) (55 wide)....	4257981	A.R.	7.75 yd
56	1062DF.....(A)	beige (comb. 586) (55 wide).....	4257979	A.R.	7.75 yd
56	1062DF.....(A)	light turquoise (comb. 587) (55 wide)....	4257984	A.R.	7.75 yd
56	1062DF.....(A)	ivory (comb. 588) (55 wide).....	4257980	A.R.	7.75 yd
56	1062DF.....(A)	tan (comb. 619, 629) (55 wide).....	4257991	A.R.	7.75 yd
56	1062DF.....(A)	(comb. 630) (cream).....	4259407	A.R.	7.75 yd
56	1062-63F.....(A)	ivory (comb. 609, 610) (55 wide).....	4257982	A.R.	7.75 yd
56	1263F-71 (1st type).....(A)	beige (comb. 562, 615, 616) (55 wide)...	4257985	A.R.	7.75 yd
56	1011-19-37-39-62F-62FC-63F-64-67D-1263F.....	dark green (comb. 562, 565, 568, 570, 574, 580, 590, 606) (for instrument panel covering).....	4257835	A.R.	13.80 yd
56	1011-19-37-39-64-67D (exc. 11A).....	dark blue (comb. 566, 575, 581, 591, 607) (for instrument panel covering) 50 wide.	4258912	A.R.	13.80 yd
56	BEL AIR.....	copper (comb. 617-21) (for instrument panel covering).....	4258910	A.R.	13.80 yd
56	BEL AIR.....	cream (comb. 626, 627, 630, 631, 632) drs. & qtrs., upr.....	4259325	A.R.	9.50 yd
56	BEL AIR.....	cream (comb. 626, 627, 630, 631, 632) drs. & qtrs., lwr.....	4259326	A.R.	7.75 yd
56	1011D-19D-37D-39D-62DF-64....(B1, N)	ivory (comb. 573, 579, 610, 611) (55 wide)	4257955	A.R.	10.05 yd
56	1011D-19D-37D-39D-62DF-64....(B1, N)	light turquoise (comb. 577, 584, 587, 594) (50 wide).....	4257957	A.R.	10.05 yd
56	1011D-19D-37D-39D-62DF-64....(B1, N)	yellow (comb. 578, 585, 588, 595) (50 wide)	4257952	A.R.	10.05 yd

NOTE. To Insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

56	1011D-19D-37D-39D-64.....(B1, N)	light green (comb. 574, 580, 590) (50 wide)	4257953	A.R.	10.05 yd
56	1011D-19D-37D-39D-64.....(B1, N)	light blue (comb. 575, 581, 591) (50 wide)	4257954	A.R.	10.05 yd
56	1011D-19D.....	(comb. 626) cushions & backs,			
56	1037D-39D.....	(comb. 627) cush. & backs, blstr. & facings,			
56	1062DF.....	(comb. 630) cush. & backs, inserts & fcgs.,			
56	1064.....	(comb. 632) cush. & backs, covers & fcgs.	4259324	A.R.	10.05 yd
56	1037D-39D-62DF-64.....	red (comb. 583, 586, 593, 628, 629, 633), (50 wide).....	4257951	A.R.	10.05 yd
56	1037D-39D-62DF-64.....(B1, N)	copper (comb. 618, 619, 620) (50 wide)...	4257967	A.R.	10.05 yd
56	1037D-39D-62DF-64-67D.....	red (comb. 583, 586, 593, 605, 628, 629, 633) (for instrument panel covering)...	4258911	A.R.	13.80 yd
56	1211-19-63F-71.....(N, N1)	beige (comb. 560, 562, 615, 616) (50 wide)	4257956	A.R.	9.50 yd
56	1037D-39D-62DF-64.....(N, N1)	(comb. 627, 630, 632),			
56	CONV.....(O)	(comb. 631).....	4259328	A.R.	9.50 yd
56	1011-19-37-39-62F-62FC-63F.....(N)	starfrost (comb. 564, 565, 570, 572, 609) (50 wide).....	4257950	A.R.	10.65 yd
56	1011A.....(M)	black (comb. 567) (50 wide) (for cushions and backs—partial),			
56	PASS.....	black (comb. 560, 564, 573, 578, 579, 585, 588, 595, 602, 604, 609, 610, 611, 615, 616, 626, 627, 630, 631, 632) (for instrument panel covering).....	4257825	A.R.	10.65 yd
56	1011A.....(M)	med. green (comb. 568) (50 wide).....	4257824	A.R.	10.65 yd
56	1011A.....(M)	med. turquoise (comb. 569) (50 wide) (for cushions and backs—partial),			
56	1011A-11D-37D-39D-62-63F-64-67D.....	med. turquoise (comb. 572, 577, 584, 587, 594, 603) for instrument panel covering	4257827	A.R.	10.65 yd
56	1011A-67D.....(M1)	ivory (comb. 567-568-569-602-603-605) (50 wide).....	4257830	A.R.	10.65 yd
56	1062F-62FC-63F.....(M)	med. turquoise (comb. 572) (54 wide)...	4257681	A.R.	10.65 yd
56	CONV.....(N)	ivory (comb. 602, 603, 605) (52 wide)....	4258045	A.R.	9.80 yd
56	CONV.....(N)	yellow (comb. 604) (52 wide).....	4258042	A.R.	9.80 yd
56	CONV.....(N)	light green (comb. 606) (52 wide).....	4258043	A.R.	9.80 yd
56	CONV.....(N)	light blue (comb. 607) (52 wide).....	4258044	A.R.	9.80 yd
56	CONV.....(N)	tan (comb. 621) (52 wide).....	4258054	A.R.	9.80 yd
56	1011-19-37-39-62F-62FC-63F.....(O)	starfrost (comb. 564, 565, 566, 570, 572, 305, 609) (53 wide).....	4257912	A.R.	10.65 yd
56	1011A-37D-39D-62-64-67D.....(D2, O)	ivory (comb. 567, 568, 569, 579, 602, 603, 605, 610, 611) (53 wide).....	4257922	A.R.	9.50 yd
56	1011D-19D-39D-64-67D-1263F.....(O)	med. green (comb. 562, 574, 580, 590, 606) (53 wide).....	4257913	A.R.	9.50 yd
56	1011D-19D-37D-39D-64-67D.....(O)	med. turquoise (comb. 577, 584, 594, 603) (53 wide).....	4257918	A.R.	9.50 yd
56	1011D-19D-37D-39D-64-67D.....(D2, O)	copper (comb. 617, 618, 620, 621) (53 wide).....	4257948	A.R.	9.50 yd
56	1211-19.....(O)	beige (comb. 560) (53 wide).....	4257925	A.R.	9.50 yd
56	1011-19-37-62F-62FC-63F.....(G)	starfrost (comb. 564, 565, 566, 570, 572, 609), (54 wide).....	4257777	A.R.	9.50 yd
56	1037D-39D.....(D4)	light green (comb. 580) (51 wide).....	4257769	A.R.	9.50 yd
56	1037D-39D.....(D4)	light blue (comb. 581) (51 wide).....	4257770	A.R.	9.50 yd
56	1037D-39D.....(D4)	light turquoise (comb. 584) (51 wide)....	4257771	A.R.	9.50 yd
56	1011-19-37-39.....(H)	charcoal (comb. 564) (54 wide).....	4257774	A.R.	9.50 yd
56	1011-19-37-39.....(H)	med. green (comb. 565) (54 wide).....	4257775	A.R.	9.50 yd
56	1011-19-37-39.....(H)	med. blue (comb. 566) (54 wide).....	4257776	A.R.	9.50 yd
56	1263F-71.....(H, P)	charcoal (comb. 515, 516) (54 wide)....	4257778	A.R.	8.90 yd
56	1011D-19D.....(N)	tan (comb. 617) (50 wide).....	4257968	A.R.	10.05 yd
56	CONV.....(M)	black pattern (comb. 602) (52 wide).....	4258046	A.R.	10.65 yd
56	CONV.....(M)	turquoise pattern (comb. 603) (52 wide)..	4258047	A.R.	10.65 yd
56	CONV.....(M)	black (comb. 604, 631) (52 wide).....	4258055	A.R.	10.65 yd
56	CONV.....(M)	red pattern (comb. 605) (52 wide).....	4258048	A.R.	10.65 yd
56	CONV.....(M)	med. green pattern (comb. 606) (52 wide).	4258049	A.R.	10.65 yd
56	CONV.....(M)	med. blue pattern (comb. 607) (52 wide)..	4258050	A.R.	10.65 yd
56	CONV.....(M)	copper pattern (comb. 621) (52 wide)....	4258056	A.R.	10.65 yd
56	1263F.....(M)	med. green (comb. 562) (50 wide).....	4257970	A.R.	10.65 yd
56	1263F-71.....(M)	charcoal (comb. 615, 616) (50 wide)....	4257969	A.R.	10.65 yd

NOTE: To Insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

56	BEL AIR.....(D1, G1, P)	ivory (comb. 573, 579, 602, 610, 611) (51 wide).....	4257763	A.R.	9.50 yd
56	BEL AIR.....(C1, D1, G, G1, P)	med. turquoise (comb. 577, 584, 587, 594, 603) (51 wide).....	4257761	A.R.	9.50 yd
56	BEL AIR.....(B1, G1, D4)	yellow (comb. 578, 585, 588, 595, 604) (51 wide).....	4257762	A.R.	9.50 yd
56	BEL AIR.....(D1, G1, P)	copper (comb. 617, 618, 619, 620, 621) (51 wide).....	4257768	A.R.	9.50 yd
56	BEL AIR (exc. 1062DF)..(C1, D1, G1, P)	med. green (comb. 574, 580, 590, 606) (51 wide).....	4257759	A.R.	9.50 yd
56	BEL AIR (exc. 1062DF)..(C1, D1, G1, P)	med. blue (comb. 575, 581, 591, 607) (51 wide).....	4257760	A.R.	9.50 yd
56	1037D-39D-62DF-64-67D.....(D1, G1)	red (comb. 583, 586, 593, 605, 628, 629, 633) (56 wide).....	4257765	A.R.	9.50 yd
56	1211-19.....(H)	blk. diamond & dot (comb. 560) (54 wide).	4257773	A.R.	9.50 yd
56	1263F.....(H, P)	med. green (comb. 562) (54 wide).....	4257779	A.R.	8.90 yd
56	1062F-62FC-63F.....(H)	med. green (comb. 570) (54 wide).....	4257707	A.R.	7.75 yd
56	1062F-62FC-63F.....(H)	med. turquoise (comb. 572) (54 wide)....	4257708	A.R.	7.75 yd
56	1062F-62FC-63F.....(H)	charcoal (comb. 609) (54 wide).....	4257695	A.R.	7.75 yd
56	1011D-37D-64-67D.....(D2, H)	light green (comb. 574, 580, 590, 606) (54 wide).....	4257689	A.R.	7.75 yd
56	1011D-37D-64-67D.....(D2, H)	light blue (comb. 575, 581, 591, 607) (54 wide).....	4257690	A.R.	7.75 yd
56	1011D-37D-62DF-64.....(D2, H)	med. turquoise (comb. 577, 584, 587, 594) (54 wide).....	4257697	A.R.	7.75 yd
56	1011D-37D-62DF-64-67D.....(H)	tan (comb. 617, 618, 619, 620, 621, 628, 629, 633) (54 wide).....	4257758	A.R.	7.75 yd
56	BEL AIR (exc. 1062DF).....(D2, H, O)	light green (comb. 574, 580, 590, 606) (53 wide).....	4257919	A.R.	9.50 yd
56	BEL AIR (exc. 1062DF).....(D2, H, O)	light blue (comb. 575, 581, 591, 607) (53 wide).....	4257920	A.R.	9.50 yd
56	BEL AIR (exc. 1062DF).....(O)	light blue (comb. 575, 581, 591, 607) (53 wide).....	4257921	A.R.	9.50 yd
56	BEL AIR.....(C1, P)	black (quilted vinyl) (comb. 573, 578, 579, 585, 588, 595, 602, 604, 610, 626, 627, 630, 631, 632) (51 wide).....	4257764	A.R.	9.50 yd
56	1037D-39D-62DF-64.....(C1, D4, P)	beige (quilted vinyl) (comb. 583, 586, 593) (51 wide).....	4257766	A.R.	9.50 yd
56	1037D-39D-62DF-64.....(C1)	tan (quilted vinyl) (comb. 618, 619, 620, 628, 629, 633) (51 wide).....	4257767	A.R.	9.50 yd
56	1211-19.....(N1)	beige & gold stripe (comb. 560, 562, 616) (57 wide).....	4257682	A.R.	10.65 yd
56	BEL AIR, 1263F.....(D2, O, H, P)	black (comb. 573, 578, 579, 585, 588, 595, 602, 610, 611, 616, 626, 627, 630, 631, 632) (53 wide).....	4257914	A.R.	9.50 yd
56	BEL AIR.....(D2, H, O)	light turquoise (comb. 577, 584, 587, 594) (53 wide).....	4257926	A.R.	9.50 yd
56	BEL AIR.....(D3, H, O)	tan (comb. 617, 618, 619, 620, 621, 628, 629, 633) (53 wide).....	4257949	A.R.	9.50 yd
56	1037D-39D-62DF-64.....(D2, H, O)	beige (comb. 583, 586, 593) (53 wide)...	4257916	A.R.	9.50 yd
56	1037D-62DF-64.....(D2, H)	beige (comb. 583, 586, 593) (54 wide)...	4257686	A.R.	7.75 yd
56	PASS. (exc. SDL).....(D2, D3, G, P, R)	charcoal (comb. 560, 564, 567, 573, 578, 579, 585, 588, 595, 602, 604, 609, 610, 611, 616, 626, 627, 630, 631, 632) (54 wide).....	4257684	A.R.	7.75 yd
56	1011-19-37-37D-62-64-67D-1263F (exc. 1062DF).....(D3, G, P, R)	med. green (comb. 562, 565, 568, 570, 574, 580, 590, 606) (54 wide).....	4257683	A.R.	7.75 yd
56	1011-19-37-37D-39-39D-64-67D (exc. 1011A).....(D3, G, P, R)	med. blue (comb. 566, 575, 581, 591, 607) (54 wide).....	4257691	A.R.	7.75 yd
56	1011A-11D-19D-62DF-64-67D.....(D3, G, R, H, P)	ivory (comb. 567, 568, 569, 573, 602, 603, 605, 610, 611) (54 wide).....	4257692	A.R.	7.75 yd
56	1011A-11D-19D-37D-39D-62-63F.....(D3, G, H, P, R)	med. turquoise (comb. 569, 572, 577, 584, 587, 594, 603) (54 wide).....	4257688	A.R.	7.75 yd
56	1011D-19D-62DF-64-67D.....(G, R)	yellow (comb. 578, 588, 595, 604) (54 wide).....	4257687	A.R.	7.75 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.

(See Yardage Code pages 1019-1022)

56	BEL AIR (exc. 1011D-19D)....(D3, G, R)	red (comb. 583, 586, 593, 605, 628, 629, 633) (54 wide)	4257685	A.R.	7.75 yd
56	BEL AIR.....(D3, G, R)	copper (comb. 617, 618, 619, 620, 621) (54 wide)	4257757	A.R.	7.75 yd
56	1211-19-63F-71.....(G1)	beige & gold stripe (comb. 560, 562, 615, 616) (upper and lower (46 wide)	4257976	A.R.	7.75 yd
56	1219.....(G1)	beige & gold stripe (comb. 560) (54 wide)	4257791	A.R.	9.50 yd
56	1263F.....(G1)	gold stripe (comb. 562, 612) (54 wide)	4257772	A.R.	8.90 yd
56	1263F (2nd type).....(A)	beige (comb. 562, 616)	4267889	A.R.	7.75 yd
56	1263F-71.....(P)	beige (comb. 562, 615, 616) (54 wide)	4257696	A.R.	7.75 yd
56	1037D-39D-62DF-64-67D.....(D2, H, O)	yellow ivory (comb. 585, 588, 595, 604) (53 wide)	4257917	A.R.	9.50 yd
56	1037D-39D-64-67D.....	red (comb. 583, 593, 605, 628, 633) (53 wide)	4257915	A.R.	9.50 yd
54-55	CORVETTE.....	seat cushion and seat back insert (comb. 341) (beige) (52 wide)	4209764	A.R.	13.35 yd
54-55	CORVETTE.....	folding compt. (comb. 341) (beige) (55 wide)	4209765	A.R.	4.70 yd
57	1011A-62F-62FC-1263F-71.....	(A) ivory (comb. 651, 652, 653, 660)	4269993	A.R.	7.75 yd
57	1011A-62-64.....	(A) light green (comb. 658, 661, 685, 692)	4269994	A.R.	7.75 yd
57	1011A-62-64.....	(A) beige (comb. 659, 662, 688, 695)	4269995	A.R.	7.75 yd
57	1037D-39D.....	(A) silver (comb. 670)	4269999	A.R.	7.75 yd
57	1037D-39D.....	(A) light green (comb. 671)	4270549	A.R.	7.75 yd
57	1037D-39D.....	(A) light turquoise (comb. 673)	4270551	A.R.	7.75 yd
57	1037D-39D.....	(A) beige (comb. 674)	4270552	A.R.	7.75 yd
57	1037D-39D.....	(A) yellow (comb. 675)	4270553	A.R.	7.75 yd
57	1037D-39D.....	(A) red (comb. 676)	4270554	A.R.	7.75 yd
57	1062DF-64.....	(A) silver (comb. 684-691)	4270556	A.R.	7.75 yd
57	1062DF-64.....	(A) light blue (comb. 686-693)	4270557	A.R.	7.75 yd
57	1062DF-64.....	(A) light turquoise (comb. 687-694)	4270558	A.R.	7.75 yd
57	1062DF-64.....	(A) yellow (comb. 689-696)	4270559	A.R.	7.75 yd
57	1062DF-64.....	(A) red (comb. 690-697)	4270560	A.R.	7.75 yd
57	Ser. 1000 (exc. B.A.).....	(O) charcoal (comb. 654, 657, 660)	4269970	A.R.	9.50 yd
57	Ser. 1000 (exc. B.A.).....	(G) charcoal (comb. 660, 654, 657)	4269891	A.R.	8.25 yd
57	Ser. 1000 (exc. 1011A, B.A.).....	(U) ivory (comb. 654, 660)	4269887	A.R.	10.95 yd
57	Ser. 1000 (exc. 1011A, B.A.).....	(V) ivory (comb. 654, 660)	4269894	A.R.	8.25 yd
57	Ser. 1000 (exc. 1011A, B.A.).....	(U) light green (comb. 655, 661)	4269888	A.R.	10.95 yd
57	Ser. 1000 (exc. 1011A, B.A.).....	(V) light green (comb. 655, 661)	4269895	A.R.	8.25 yd
57	Ser. 1000 (exc. 1011A-62F-62FC-63F)...	(G) (H) (R) med. blue (comb. 656, 665, 672, 679, 686)	4269893	A.R.	8.25 yd
57	Ser. 1000-1263F.....	(E) (G) (H) med. green (comb. 653, 655, 658, 661, 664, 671, 678, 685, 692)	4269892	A.R.	8.25 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	(G) charcoal (comb. 654)	4269986	A.R.	8.75 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	(G) green (comb. 655)	4269987	A.R.	8.75 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	(G) blue (comb. 656)	4269988	A.R.	8.75 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	(V) light blue (comb. 656)	4269896	A.R.	8.25 yd
57	1011-19-37-39 (exc. 1011A-11D-19D)....	(U) ligh. blue (comb. 656)	4269889	A.R.	10.95 yd
57	1011-19-37-39-67D (exc. 1011A-11D-19D)	(O) med. blue (comb. 656, 679)	4269972	A.R.	9.50 yd
57	1011-19-37-39-67D (exc. 1011A-11D-19D)	(S) light blue (comb. 656, 679)	4269851	A.R.	10.95 yd
57	1011-11A-19-37-39-62F-62FC-63F-67D (exc. 1011D-19D).....	(O) med. green (comb. 653, 655, 658, 661, 678)	4269971	A.R.	9.50 yd
57	1011-19-37-39-62F-62FC-63F-67D (exc. 1011A-11D-19D).....	(S) ivory (comb. 654, 660, 677, 680)	4269849	A.R.	10.95 yd
57	1011-19-37-39-62F-62FC-63F-67D (exc. 1011A-11D-19D).....	(S) light green (comb. 655, 661, 678)	4269850	A.R.	10.95 yd
57	1011A.....	(S) charcoal (comb. 657)	4269942	A.R.	13.50 yd
57	1011A.....	(S) green (comb. 658)	4269943	A.R.	13.50 yd
57	1011A.....	(S) copper (comb. 659)	4269944	A.R.	13.50 yd
57	1011A-67D.....	(S) ivory (comb. 657, 677, 680)	4269945	A.R.	10.95 yd
57	1011A-67D.....	(G) (H) ivory (comb. 657, 677, 680)	4269898	A.R.	8.25 yd
57	1Q11A-67D.....	(S) light green (comb. 658, 678)	4269946	A.R.	10.95 yd
57	1011A-67D.....	(G) (H) light green (comb. 658, 678)	4269899	A.R.	8.25 yd
57	1011A-67D.....	(S) beige (comb. 659, 681)	4269947	A.R.	10.95 yd
57	1011A-BEL AIR.....	(E) (G) (R) copper (comb. 659, 662, 667, 674, 681, 688, 695)	4269897	A.R.	8.25 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

57	1011A-BEL AIR	(E) (G) (H) beige (comb. 659, 667, 674, 681, 688, 695)	4269900	A.R.	8.25 yd
57	1011A-62F-62FC-63F	(V) charcoal (comb. 657, 660)	4269924	A.R.	8.85 yd
57	1011A-62F-62FC-63F	(V) green (comb. 658, 661)	4269925	A.R.	8.85 yd
57	1011A-62F-62FC-63F	(V) copper (comb. 659, 662)	4269926	A.R.	8.85 yd
57	1011A-62F-62FC-63F-BEL AIR (exc. 1062DF)	(O) copper (comb. 659, 662, 667, 674, 681, 688, 695)	4269973	A.R.	9.50 yd
57	1011D	(H) black (comb. 662-668-669)	4270568	A.R.	8.35 yd
57	1011D	(H) dark green (comb. 664)	4270569	A.R.	8.35 yd
57	1011D	(H) dark blue (comb. 665)	4270570	A.R.	8.35 yd
57	1011D	(H) dark turquoise (comb. 666)	4270571	A.R.	8.35 yd
57	1011D	(H) dark copper (comb. 667)	4270572	A.R.	8.35 yd
57	1011D-19D-62DF	(T) black (comb. 663, 668, 669, 684, 689, 690)	4270561	A.R.	13.95 yd
57	1011D-19D-62DF	(T) dark green (comb. 664, 685)	4270564	A.R.	13.95 yd
57	1011D-19D-62DF	(T) dark blue (comb. 665, 686)	4270565	A.R.	13.95 yd
57	1011D-19D-62DF	(T) dark turquoise (comb. 665, 687)	4270566	A.R.	13.95 yd
57	1011D-19D-62DF	(T) copper (comb. 677, 688)	4270567	A.R.	13.95 yd
57	1211-19-63F-71	(S) black (comb. 650, 651, 652)	4269859	A.R.	10.95 yd
57	1211-19-63F-71	(E) black (comb. 650, 651, 652)	4269911	A.R.	8.75 yd
57	Ser. 1200-1011D-19D-39D-62DF-64	(O) black (comb. 650, 651, 652, 653, 663, 668, 669, 670, 675, 676, 684, 689, 690, 691, 696, 697)	4269974	A.R.	9.50 yd
57	Ser. 1200-BEL AIR (exc. CONV.)	(E) (R) black (comb. 650, 651, 652, 663, 668, 669, 670, 675, 676, 684, 689, 690, 691, 696, 697)	4269905	A.R.	8.25 yd
57	1019D	(E) copper (comb. 667)	4269984	A.R.	8.35 yd
57	1019D-62DF	(E) black (comb. 663, 668, 669, 684, 689, 690)	4269980	A.R.	8.35 yd
57	1019D-62DF	(E) black (comb. 663, 668, 669, 684, 689, 690)	4269927	A.R.	8.85 yd
57	1019D-62DF	(E) dark green (comb. 664, 685)	4269981	A.R.	8.35 yd
57	1019D-62DF	(E) dark green (comb. 664, 685)	4269928	A.R.	8.85 yd
57	1019D-62DF	(E) dark blue (comb. 665, 686)	4269982	A.R.	8.35 yd
57	1019D-62DF	(E) dark blue (comb. 665, 686)	4269929	A.R.	8.85 yd
57	1019D-62DF	(E) dark turquoise (comb. 666, 687)	4269983	A.R.	8.35 yd
57	1019D-62DF	(E) dark turquoise (comb. 666, 687)	4269930	A.R.	8.85 yd
57	1019D-62DF	(E) copper (comb. 667, 688)	4269931	A.R.	8.85 yd
57	CONV.	(T) silver (comb. 677, 682, 683)	4269932	A.R.	8.75 yd
57	CONV.	(O) silver (comb. 677, 682, 683)	4269978	A.R.	9.50 yd
57	CONV.	(T) med. green (comb. 678)	4269864	A.R.	10.75 yd
57	CONV.	(G) med. green (comb. 678)	4269933	A.R.	8.75 yd
57	CONV.	(T) med. blue (comb. 679)	4269867	A.R.	10.75 yd
57	CONV.	(H) light blue (comb. 679)	4269910	A.R.	8.25 yd
57	CONV.	(G) med. blue (comb. 679)	4269934	A.R.	8.75 yd
57	CONV.	(T) med. turquoise (comb. 680)	4269868	A.R.	10.75 yd
57	CONV.	(O) med. turquoise (comb. 680)	4269979	A.R.	9.50 yd
57	CONV.	(G) med. turquoise (comb. 680)	4269935	A.R.	8.75 yd
57	CONV.	(T) copper (comb. 681)	4269869	A.R.	10.75 yd
57	CONV.	(G) copper (comb. 681)	4269936	A.R.	8.75 yd
57	BEL AIR	(H) silver (comb. 663, 670, 677, 682, 683, 684, 691)	4269901	A.R.	8.25 yd
57	BEL AIR	(H) (R) med. turquoise (comb. 666, 673, 680, 687, 694)	4269902	A.R.	8.25 yd
57	BEL AIR	(S) yellow (comb. 668, 675, 682, 689, 696)	4269857	A.R.	10.95 yd
57	BEL AIR	(H) yellow (comb. 668, 675, 682, 689, 696)	4269903	A.R.	8.25 yd
57	BEL AIR	(S) red (comb. 669, 676, 683, 690, 697)	4269858	A.R.	10.95 yd
57	BEL AIR	(H) red (comb. 669, 676, 682, 690, 697)	4269904	A.R.	8.25 yd
57	BEL AIR (exc. CONV.)	(S) silver (comb. 663, 670, 684, 691)	4269852	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	(S) dark green (comb. 664, 671, 685, 692)	4269906	A.R.	8.25 yd
57	BEL AIR (exc. CONV.)	(O) dark green (comb. 664, 671, 685, 692)	4269975	A.R.	9.50 yd
57	BEL AIR (exc. CONV.)	(S) med. blue (comb. 665, 671, 686, 693)	4269854	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	(G) (R) dark blue (comb. 665, 672, 686, 693)	4269907	A.R.	8.25 yd
57	BEL AIR (exc. CONV.)	(O) dark blue (comb. 665, 672, 686, 693)	4269976	A.R.	9.50 yd

NOTE: To insure receipt of proper material, kindly submit sample and indicate model and trim combination number.
(See Yardage Code pages 1019-1022)

57	BEL AIR (exc. CONV.)	(T) med. turquoise (comb. 666, 673, 687, 694)	4269855	A.R.	10.95 yd
57	BEL AIR (exc. CONV.)	(R) (G) dark turquoise (comb. 666, 673, 687, 694)	4269908	A.R.	8.25 yd
57	BEL AIR (exc. CONV.)	(O) dark turquoise (comb. 666, 673, 687, 694)	4269977	A.R.	9.50 yd
57	BEL AIR-1263F	(S) (T) med. green (comb. 653, 664, 671, 685, 692)	4269853	A.R.	10.95 yd
57	1062F-62FC-63F	(U) charcoal (comb. 660)	4269884	A.R.	11.95 yd
57	1062F-62FC-63F	(U) green (comb. 661)	4269885	A.R.	11.95 yd
57	1062F-62FC-63F	(U) beige (comb. 662)	4269890	A.R.	10.95 yd
57	1062F-62FC-63F	(U) copper (comb. 662)	4269886	A.R.	11.95 yd
57	1062F-62FC-63F	(V) beige (comb. 662)	4269909	A.R.	8.25 yd
57	1062F-62FC-63F-BEL AIR	(T) beige (comb. 662, 667, 674, 681, 688, 695)	4269856	A.R.	10.95 yd
57	1263F	(S) med. green and gray (comb. 653)	4269871	A.R.	11.95 yd
57	1263F	(G) med. green and grey (comb. 653)	4269912	A.R.	8.75 yd
57	1263F-71	(S) black (comb. 651, 652)	4269870	A.R.	11.95 yd

15.520 WEATHERCORD, Door (with filler)

41	1011-19-27,				
52	1007-11-27-69,	(comb. 127, 212, 242, 246, 355, 359)			
53-54	1011-27-37-69 (exc. 1011 WA)	(4 yard length)	3709703	A.R.	3.60
35-47	PASS. (exc. 1007-61-67-69)	(comb. 129, 130, 131, 142),			
48	1007-11-19-27-69	(comb. 152, 153),			
49	1007-08-11-27-69	(comb. 158),			
53-54	1011-27-37-69 (exc. 1011WA)	(comb. 244, 248, 353, 361) (4 yard length)	3709707	A.R.	3.60
48-52	PASS. (exc. CONV., B-A, STA. WAG., SDL.)	(comb. 150, 151, 156, 157, 170, 171, 200, 201, 210, 211, 241-245, 249, 291, 350,			
53-54	1011-1211-27-27B-37-69	354, 358) (4 yard length)	3709708	A.R.	3.60
49-52	STA. WAG.,				
53-54	1062-62F	(comb. 218, 278, 356)	4197570	A.R.	1.05 yd
53-54	1011-27-37-69	(comb. 243, 247, 292, 352, 360) (4 yard length)	3709705	A.R.	3.60
53-54	1062-62F	(comb. 280, 357)	4197229	A.R.	1.05 yd
53	1262F	(comb. 277)	4197038	A.R.	1.05 yd
54-55	1011-11W-19-37-69W (exc. 11A-11D-19D)	dark brown (comb. 307, 505) (4 yard length)	3710698	A.R.	3.60
54	1011W-11WD-69	dark gray (comb. 304, 309) (4 yard length)	3710693	A.R.	3.60
54-55	1011-19-37-69 (exc. 11A)	dark blue (comb. 305, 310, 503, 509) (4 yard length)	3710694	A.R.	3.60
54	1011W-11WD-69	dark green (comb. 306, 311) (4 yard length)	3710695	A.R.	3.60
54	1011WD-69WD	dark tan (comb. 330) (4 yard length)	3710696	A.R.	3.60
54	1011WD-69WD	turquoise (comb. 331) (4 yard length)	3710697	A.R.	3.60
54	1011WA	blue (comb. 332) (4 yard length)	3710690	A.R.	3.60
54	1011WA	green (comb. 333) (4 yard length)	3710691	A.R.	3.60
54-55	1011A-11WA-1211-69W	black (comb. 300, 334, 508) (4 yard length)	3710692	A.R.	3.60
54	1062D-62F	dark green (comb. 323) (4 yard length)	3710688	A.R.	4.75
54	1062D-62F	dark brown (comb. 324) (4 yard length)	3710689	A.R.	4.75
54	1262F	maroon (comb. 322) (4 yard length)	3710699	A.R.	4.75
55	1011A	light blue (comb. 506) (4 yard length)	3713201	A.R.	3.60
55	1011A	light green (comb. 507) (4 yard length)	3713202	A.R.	3.60
55	1011D-19D	tan (comb. 511) (4 yard length)	3721458	A.R.	3.60
55	1011D-19D	turquoise (comb. 513) (4 yard length)	3721459	A.R.	3.60
55	1011-19-37 (exc. 11A)	dark green (comb. 504, 510) (4 yard length)	3721064	A.R.	3.60
55	1011D-19D-1211-19	dark gray (comb. 500, 531, 547, 549) (4 yard length)	3719748	A.R.	3.40
55	1062F-63F	light blue (comb. 514) (4 yard length)	3721454	A.R.	4.75
55	1062F-63F-1263F	dark green (comb. 515, 524) (4 yard length)	3721455	A.R.	4.75
55	1062F-63F-1263F	brown (comb. 502, 516) (4 yard length)	3721456	A.R.	4.75
55	1062DF	beige (comb. 517, 518) (4 yard length)	3721457	A.R.	4.75

NOTE: Yardage for models 1037-67 not serviced separately. See group 14.665 or 14.735.

56	1011-19-37-39-62-63F-1211-63F	black (comb. 560, 564, 567, 573, 578,			
56	1219 (TAXICAB)	588, 609, 610, 616, 626, 630, 650, 651,			
57	1011D-19D-26DF-Ser. 1200	652, 663, 668, 669, 684, 689, 690),			
		(4 yd. length)	3732078	A.R.	4.75
56	1011-19-37-37D-39-62F-62FC-1263F				
57	1011-11A-19-37-62F-62FC-63F-1263F	green (comb. 562, 565, 568, 570, 574,			
	(exc. 1011D-19D)	653, 655, 658, 661) (4 yds. length)	3732076	A.R.	4.75
56	1011A-11D-19D-62-63F	dark turquoise (comb. 569, 572, 577, 587)			
		(4 yard length)	3732082	A.R.	4.75
56-57	1011-11D-19-37-39	dark blue (comb. 566, 575) (4 yard length)	3732080	A.R.	4.75
56	1062DF	beige (comb. 586) (4 yard length)	3732086	A.R.	4.75
56	1011D-19D-62DF	tan (comb. 617, 619, 659, 662, 667, 688),			
57	1011A-11D-19D-62F-62FC-62DF-63F	(4 yd. lengths)	3732084	A.R.	4.75

15.527 LACE, Seaming

33-36	PASS. (exc. CONV., SDL.)	(comb. 25, 26, 38, 39, 47, 48, 50, 51, 52,			
37-38	Ser. 1000 (exc. CONV.)	53, 54, 55, 61, 62, 70, 71, 76),			
39-40	PASS.,				
41	1227B-27P,				
42	1007-11-19-27-27B-69	(comb. 79, 80, 81, 83, 86, 87, 88, 97, 118,			
46-48	1007-69	119, 131, 132),			
48	1011-19-27	(comb. 152, 153)	4163173	A.R.	.30 yd

15.530 LINING—WELL LINING, Top

56	CONV., CORVETTE,				
57	CONV.	black (56 wide)	4164686	A.R.	4.60 yd
52-55	CONV., CORVETTE	tan (56 wide)	4177938	A.R.	4.60 yd
54	CONV.,				
55	CORVETTE	green (56 wide)	4208890	A.R.	4.90 yd
54-55	CONV.	blue (56 wide)	4208897	A.R.	4.90 yd
55	CONV.	green (56 wide)	4241511	A.R.	(15.500)
55	CONV.	gray (56 wide)	4243629	A.R.	4.90 yd
56	CONV.	blue	4257324	A.R.	4.90 yd
56-57	CONV.	tan	4257233	A.R.	4.90 yd
57	CONV.	blue	4269845	A.R.	4.90 yd
57	CONV.	green	4269846	A.R.	4.90 yd
56	CONV.	WELL LINING, blue	4257325	A.R.	8.90 yd
56-57	CONV.	WELL LINING, tan	4257230	A.R.	8.90 yd
57	CONV.	WELL LINING, blue	4269847	A.R.	8.90 yd
57	CONV.	WELL LINING, green	4269848	A.R.	8.90 yd

15.534 WIRE on Binding—CLIP

53-55	CONV.	blue, with cord (⅝ wide)	4208899	A.R.	.85 yd
53-54	CONV.	green with cord (⅝ wide)	4189832	A.R.	.85 yd
54-55	CONV.	tan, with cord (⅝ wide)	4183476	A.R.	.85 yd
54	CONV.	black, with cord (⅝ wide)	4168408	A.R.	.85 yd
53-54	CONV.	blue, less cord (½ wide)	4208891	A.R.	.85 yd
54	CONV.	tan, less cord (½ wide)	4183477	A.R.	.85 yd
54	CONV.	black, less cord (½ wide)	4164702	A.R.	.85 yd
55	CONV.	gray, with cord (⅝ wide)	4243632	A.R.	.85 yd
56	CONV.	blue, with cord (⅝ wide)	4257327	A.R.	.85 yd
52-55	CONV.	CLIP, hidem binding end	4561686	A.R.	(13.342)

15.539 BINDING ASSY., Folding Top Bow

53	CORVETTE	black (wire on binding)	4199268	A.R.	.85 yd
53-55	CORVETTE	tan (wire on binding)	4209760	A.R.	1.35 yd
56-57	CORVETTE	black	3729065	A.R.	1.30
56-57	CORVETTE	white	3729066	A.R.	1.30
56-57	CORVETTE	beige	3729067	A.R.	1.30

COMMERCIAL
BODY PARTS SECTION

Six and Eight Cylinder Models—1929-1957

KEY TO SYMBOLS

The usage of parts listed in this section is designated either by job numbers, chassis symbols, or model abbreviations shown below:

CAB BODIES (Including Cab Over Engine) . . . . . CAB
CAB OVER ENGINE . . . . . COE*
SINGLE UNIT BODIES (Panels, Canopy Express, Suburban Carryall . . . . . SGL. UNIT
SUBURBAN CARRYALL BODY . . . . . SUB.
SUBURBAN CARRYALL BODY (with End Gate) . . . . . SUB. W/END GATE
SUBURBAN CARRYALL BODY (with Panel Doors) SUB. W/DOORS
SUBURBAN PICK-UP . . . . . SUB. PICK-UP
DOUBLE UNIT BODIES (With Cab and Separate Body) DBL. UNIT
PLAIN CHASSIS LESS WINDSHIELD . FFC or FLAT FACE COWL
SERIES 3000 - - - - - - - - - - SER. 3
SERIES 4000-6000 - - - - - - - - - SER. 4-6
ALL ABOVE MODELS . . . . . ALL

***NOTE: COE discontinued after 1st Ser. 1955 Production.**

LOW CAB FORWARD (LCF) start of 2nd Series 1955 Production parts included in the Heavy Duty Truck Parts Catalog (P & A 31).

See Commercial Body Model Identification Sheet on Next Page for Job Numbers and Chassis Symbols. Suburban Carryall Body Parts for the years 1939-57 are now being listed in the "Parts and Accessories Catalog" along with comparable parts. Body parts which are common to Suburban Carryall, Panels and Canopy Express, may be found listed as Single Unit or under corresponding Commercial Body Types.

NOTE: If Body is not of Chevrolet manufacture place orders direct with the manufacturer whose name appears on the Body Name Plate.

QUICK REFERENCE INDEX

Driver's compartment parts (Incl. Cab.) 16.000-16.802

Load compartment parts, as follows:	Single Unit Bodies	Double Unit Bodies
Platform and Sills	17.014-17.030	17.405-17.447
Top	17.060	
Body Front End		17.455-17.462
Body Sides	17.110-17.462	17.505-17.524
Body Rear End		17.560
End Gate	17.185-17.222	17.615-17.635
Curtains	17.270-17.278	

COMMERCIAL BODY MODEL IDENTIFICATION

1937

Job No.	Body Style	W.B.	Model	Cap.	Unit Style
415	Pick-up Box	112	GC	½T.	Dbl.
640	Pick-up Box	122	GD, GE	¾T.	Dbl.
881	Open Express—Pick-up	131	SA, SB	1½T.	Dbl.
869	Panel	112	GC	½T.	Sgl.
871	Panel	131½	SA, SB	1½T.	Sgl.
873	Canopy Express	112	GC	½T.	Sgl.
875	Canopy Express	131	SA, SB	1½T.	Sgl.
643	Platform	122	GD, GE	¾T.	Dbl.
430	Platform	131	SA, SB	1½T.	Dbl.
431	Platform	157	SC, SD	1½T.	Dbl.
433	Platform—Express	157	SC, SD	1½T.	Dbl.
644	Stake Rack—Regular	122	GD, GE	¾T.	Dbl.
496	Stake Rack—Regular	131	SA, SB	1½T.	Dbl.
498	Stake Rack	157	SC, SD	1½T.	Dbl.
499	Stake Rack—Express	157	SC, SD	1½T.	Dbl.
882	Stock Rack	157	SC, SD	1½T.	Dbl.

1938

415	Pick-up Box	112	HC	½T.	Dbl.
640	Pick-up Box	122	HD, HE	¾T.	Dbl.
881	Open Express—Pick-up	131	TA, TB	1½T.	Dbl.
703	Panel	112	HC	½T.	Sgl.
701	Panel	122	HD, HE	¾T.	Sgl.
705	Panel	131	TA, TB	1½T.	Sgl.
707	Canopy Express	112	HC	½T.	Sgl.
709	Canopy Express	131½	TA, TB	1½T.	Sgl.
643	Platform	122	HD, HE	¾T.	Dbl.
430	Platform	131	TA, TB	1½T.	Dbl.
431	Platform	157	TC, TD	1½T.	Dbl.
433	Platform—Express	157	TC, TD	1½T.	Dbl.
644	Stake Rack—Regular	122	HD, HE	¾T.	Dbl.
496	Stake Rack—Regular	131	TA, TB	1½T.	Dbl.
498	Stake Rack—Regular	157	TC, TD	1½T.	Dbl.
499	Stake Rack—Express	157	TC, TD	1½T.	Dbl.
882	Stock Rack	157	TC, TD	1½T.	Dbl.

1939

167	Pick-up Box	113½	JC	½T.	Dbl.
169	Pick-up Box	123¾	JD, JE	¾T.	Dbl.
719	Open Express—Pick-up	133	VA, VB	1½T.	Dbl.
933	Panel	113½	JC	½T.	Sgl.
935	Panel	123¾	JD, JE	¾T.	Sgl.
651	Panel	133	VA, VB	1½T.	Sgl
937	Canopy Express	113½	JC	½T.	Sgl.
649	Suburban Carryall—W/End Gate	113½	JC	½T	Sgl.
939	Suburban Carryall—W/Doors	113½	JC	½T.	Sgl.
653	Canopy Express	133	VA, VB	1½T.	Sgl.
883	Platform	107⅝	VE, VF	1½T.	Dbl.
643	Platform	123¾	JD, JE	¾T.	Dbl.
884	Platform	131⅛	VG, VH	COE	Dbl.
993	Platform—Express	131⅛	VG, VH	COE	Dbl.
430	Platform	133	VA, VB	1½T.	Dbl.
431	Platform	158½	VC, VD	1½T.	Dbl.
433	Platform—Express	158½	VC, VD	1½T.	Dbl.
012	Stake Rack	107⅝	VE, VF	COE	Dbl.
644	Stake Rack—Regular	123¾	JD, JE	¾T.	Dbl.
044	Stake Rack	131⅛	VG, VH	COE	Dbl.
093	Stake Rack—Express	131⅛	VG, VH	COE	Dbl.
496	Stake Rack—Regular	133	VA, VB	1½T.	Dbl.
498	Stake Rack—Regular	158½	VC, VD	1½T.	Dbl.
499	Stake Rack—Express	158½	VC, VD	1½T.	Dbl.
882	Stock Rack	158½	VC, VD	1½T.	Dbl.

1940

233	Pick-up Box	113½	KC	½T.	Dbl.
248	Pick-up Box	123¾	KD, KE	¾T.	Dbl.
719	Open Express—Pick-up	133	WA	1½T.	Dbl.
587	Suburban Carryall—W/Doors	113½	KC	½T.	Sgl.
589	Suburban Carryall—W/End Gate	113½	KC	½T.	Sgl.
933	Panel	113½	KC	½T.	Sgl.
935	Panel	123¾	KD, KE	¾T.	Sgl.
651	Panel	133	KF	1T.	Sgl.
651	Panel	133	WA	1½T.	Sgl.
937	Canopy Express	113½	KC	½T.	Sgl.
653	Canopy Express	133	WA	1½T.	Sgl.
675	Platform	107⅝	WD	COE	Dbl.

1940—(Cont.)

Job No.	Body Style	W.B.	Model	Cap.	Unit Style
674	Platform	123¾	KD, KE	¾T.	Dbl.
676	Platform	131⅛	WE	COE	Dbl.
675	Platform	133	WA	1½T.	Dbl.
676	Platform	158½	WB	1½T.	Dbl.
677	Platform—Express	131⅛	WE	COE	Dbl.
677	Platform—Express	158½	WB	1½T.	Dbl.
787	Stake Rack	107⅝	WD	COE	Dbl.
786	Stake Rack	123¾	KD, KE	¾T.	Dbl.
788	Stake Rack	131⅛	WE	COE	Dbl.
787	Stake Rack	133	WA	1½T.	Dbl.
788	Stake Rack	158½	WB	1½T.	Dbl.
789	Stake Rack—Express	131⅛	WE	COE	Dbl.
789	Stake Rack—Express	158½	WB	1½T.	Dbl.
889	Stock Rack	131⅛	WE	COE	Dbl.
889	Stock Rack	158½	WB	1½T.	Dbl

1941

831	Pick-up Box	115	AK	½T.	Dbl.
832	Pick-up Box	125¼	AL, AM	¾T.	Dbl.
719	Open Express—Pick-up	134½	YR	1½T.	Dbl.
009	Panel	115	AK	½T.	Sgl.
107	Suburban Carryall—W/Doors	115	AK	½T.	Sgl.
023	Suburban Carryall—W/End Gate	115	AK	½T.	Sgl.
015	Panel	125¼	AL, AM	¾T.	Sgl.
021	Panel	134½	AN	1T.	Sgl.
021	Panel	134½	YR	1½T.	Sgl.
013	Canopy Express	115	AK	½T.	Sgl.
023	Canopy Express	134½	YR	1½T.	Sgl.
094	Platform	109⅛	YU	COE	Dbl.
092	Platform	125¼	AL, AM	¾T.	Dbl.
095	Platform	132⅝	YV	COE	Dbl.
094	Platform	134½	YR	1½T.	Dbl.
095	Platform	160	YS	1½T.	Dbl.
096	Platform—Express	132⅝	YV	COE	Dbl.
096	Platform—Express	160	YS	1½T.	Dbl.
787	Stake Rack	109⅛	YU	COE	Dbl.
786	Stake Rack	125¼	AL, AM	¾T.	Dbl.
788	Stake Rack	132⅝	YV	COE	Dbl.
787	Stake Rack	134½	YR	1½T.	Dbl.
788	Stake Rack	160	YS	1½T.	Dbl.
789	Stake Rack—Express	132⅝	YV	COE	Dbl.
789	Stake Rack—Express	160	YS	1½T.	Dbl.
889	Stock Rack	132⅝	YV	COE	Dbl.
889	Stock Rack	160	YS	1½T.	Dbl.

1942

831	Pick-up Box	115	BK	½T.	Dbl.
832	Pick-up Box	125¼	BL, BM	¾T.	Dbl.
719	Open Express—Pick-up	134½	BN	1T.	Dbl.
719	Open Express—Pick-up	134½	MR	1½T.	Dbl.
009	Panel	115	BK	½T.	Sgl.
017	Suburban Carryall—W/Doors	115	BK	½T.	Sgl.
023	Suburban Carryall —W/End Gate	115	BK	½T.	Sgl.
015	Panel	125¼	BL, BM	¾T.	Sgl.
021	Panel	134½	BN	1T.	Sgl.
021	Panel	134½	MR	1½T.	Sgl.
013	Canopy Express	115	BK	½T.	Sgl.
023	Canopy Express	134½	BN	1T.	Sgl.
023	Canopy Express	134½	MR	1½T.	Sgl.
094	Platform	109¼	MV	COE	Dbl.
092	Platform	125¼	BL, BM	¾T.	Dbl.
095	Platform	132⅝	MW	COE	Dbl.
094	Platform	134½	BN	1T.	Dbl.
094	Platform	134½	MR	1½T.	Dbl.
095	Platform	160	MS	1½T.	Dbl.
096	Platform—Express	132⅝	MW	COE	Dbl.
096	Platform—Express	160	MS	1½T.	Dbl.
787	Stake Rack	109⅛	MV	COE	Dbl.
786	Stake Rack	125¼	BL, BM	¾T.	Dbl.
788	Stake Rack	132⅝	MW	COE	Dbl.
787	Stake Rack	134½	BN	1T.	Dbl.
787	Stake Rack	134½	MR	1½T.	Dbl.
788	Stake Rack	160	MS	1½T.	Dbl.
789	Stake Rack—Express	132⅝	MW	COE	Dbl.
789	Stake Rack—Express	160	MS	1½T.	Dbl.
889	Stock Rack	132⅝	MW	COE	Dbl.
889	Stock Rack	160	MS	1½T.	Dbl.

COMMERCIAL BODY MODEL IDENTIFICATION

1946—FIRST DESIGN

Job No.	Body Style	W.B.	Model	Cap.	Unit Style
831	Pick-up Box	115	CK	½T.	Dbl.
719	Open Express—Pick-up	134½	OR	1½T.	Dbl.
009	Panel	115	CK	½T.	Sgl.
021	Panel	134½	OR	1½T.	Sgl.
013	Canopy Express	115	CK	½T.	Sgl.
023	Canopy Express	134½	OR	1½T.	Sgl.
094	Platform	109½	OH	COE	Dbl.
095	Platform	132½	OI	COE	Dbl.
094	Platform	134½	OR, OE	1½, 2T.	Dbl.
095	Platform	160	OS, OF	1½, 2T.	Dbl.
096	Platform—Express	132½	OI	COE	Dbl.
096	Platform—Express	160	OS, OF	1½, 2T.	Dbl.
787	Stake Rack	109½	OH	COE	Dbl.
788	Stake Rack	132½	OI	COE	Dbl.
787	Stake Rack	134½	OR, OE	1½, 2T.	Dbl.
788	Stake Rack	160	OS, OF	1½, 2T.	Dbl.
789	Stake Rack—Express	132½	OI	COE	Dbl.
789	Stake Rack—Express	160	OS, OF	1½, 2T.	Dbl.
889	Stock Rack	132½	OI	COE	Dbl.
889	Stock Rack	160	OS, OF	1½, 2T.	Dbl.

1946—SECOND DESIGN

854	Pick-up Box	115	DP	½T.	Dbl.
852	Pick-up Box	125¼	DR	¾T.	Dbl.
454	Open Express—Pick-up	134½	DS, PJ	1, 1½T.	Dbl.
071	Panel	115	DP	½T.	Sgl.
075	Suburban Carryall—W/Doors	115	DP	½T.	Sgl.
077	Suburban Carryall—W/End Gate	115	DP	½T.	Sgl.
079	Panel	125¼	DR	¾T.	Sgl.
081	Panel	134½	DS, PJ	1, 1½T.	Sgl.
073	Canopy Express	115	DP	½T.	Sgl.
083	Canopy Express	134½	DS, PJ	1, 1½T.	Sgl.
282	Platform	109	PP	COE (2T.)	Dbl.
106	Platform	125¼	DR	¾T.	Dbl.
283	Platform	132½	PR	COE (2T.)	Dbl.
107	Platform	134½	DS, PJ	1, 1½T.	Dbl.
285	Platform	134½	PV	2T.	Dbl.
108	Platform	160	PK	1½T.	Dbl.
286	Platform	160	PW	2T.	Dbl.
284	Platform—Express	132½	PR	COE (2T.)	Dbl.
109	Platform—Express	160	PK	1½T.	Dbl.
287	Platform—Express	160	PW	2T.	Dbl.
264	Stake Rack	109	PP	COE (2T.)	Dbl.
885	Stake Rack	125¼	DR	¾T.	Dbl.
265	Stake Rack	132½	PR	COE (2T.)	Dbl.
886	Stake Rack	134½	DS, PJ, PV	1, 1½, 2T.	Dbl.
887	Stake Rack	160	PK, PW	1½, 2T.	Dbl.
266	Stake Rack—Express	132½	PR	COE (2T.)	Dbl.
888	Stake Rack—Express	160	PK, PW	1½, 2T.	Dbl.
929	Stock Rack	132½	PR	COE (2T.)	Dbl.
929	Stock Rack	160	PK, PW	1½, 2T.	Dbl.

1947

083	Pick-up Box	116	EP	½T.	Dbl.
085	Pick-up Box	125¼	ER	¾T.	Dbl.
087	Open Express—Pick-up	137	ES	1T.	Dbl.
077	Suburban Carryall—W/End Gate	116	EP	½T.	Sgl.
071	Panel	116	EP	½T.	Sgl.
079	Panel	137	ES	1T.	Sgl.
075	Canopy Express	116	EP	½T.	Sgl.
081	Canopy Express	137	ES	1T.	Sgl.
092	Platform	110	QP	COE (2T.)	Dbl.
088	Platform	125¼	ER	¾T.	Dbl.
093	Platform	134	QR	COE (2T.)	Dbl.
089	Platform	137	ES, QJ	1, 1½T.	Dbl.
095	Platform	137	QV	2T.	Dbl.
090	Platform	161	QK	1½T.	Dbl.
096	Platform	161	QW	2T.	Dbl.
094	Platform—Express	134	QR	COE (2T.)	Dbl.
091	Platform—Express	161	QK	1½T.	Dbl.
097	Platform—Express	161	QW	2T.	Dbl.
103	Stake Rack	110	QP	COE (2T.)	Dbl.
098	Stake Rack	125¼	ER	¾T.	Dbl.
104	Stake Rack	134	QR	COE (2T.)	Dbl.
099	Stake Rack	137	ES, QJ, QV	1, 1½T.	Dbl.
100	Stake Rack	161	QK, QW	1½T.	Dbl.
105	Stake Rack—Express	134	QR	COE (2T.)	Dbl.
101	Stake Rack—Express	161	QK, QW	1½, 2T.	Dbl.
102	Stock Rack	161	QR, QK, QW	1½, COE (2T.)	Dbl.

1948

Job No.	Body Style	W.B.	Model	Cap.	Unit Style
083	Pick-up Box	116	FP	½T.	Dbl.
085	Pick-up Box	125¼	FR	¾T.	Dbl.
087	Open Express—Pick-up	137	FS, RJ	1T.	Dbl.
814	Suburban Carryall—W/End Gate	116	FP	½T.	Sgl.
813	Panel	116	FP	½T.	Sgl.
810	Panel	137	FS	1T.	Sgl.
811	Canopy Express	116	FP	½T.	Sgl.
812	Canopy Express	137	FS	1T.	Sgl.
092	Platform	110	RP	COE (2T.)	Dbl.
088	Platform	125¼	FR	¾T.	Dbl.
093	Platform	134	RR	COE (2T.)	Dbl.
089	Platform	137	FS, RJ	1, 1½T.	Dbl.
095	Platform	137	RV	2T.	Dbl.
090	Platform	161	RK	1½T.	Dbl.
096	Platform	161	RW	2T.	Dbl.
094	Platform—Express	134	RR	COE (2T.)	Dbl.
091	Platform—Express	161	RK	1½T.	Dbl.
097	Platform—Express	161	RW	2T.	Dbl.
103	Stake Rack	110	RP	COE (2T.)	Dbl.
098	Stake Rack	125¼	FR	¾T.	Dbl.
104	Stake Rack	134	RR	COE (2T.)	Dbl.
099	Stake Rack	137	FS, RJ, RV	1, 1½T.	Dbl.
100	Stake Rack	161	RK, RW	1½T.	Dbl.
105	Stake Rack—Express	134	RR	COE (2T.)	Dbl.
101	Stake Rack—Express	161	RK, RW	1½, 2T.	Dbl.
102	Stock Rack	161	RR, RK, RW	1½, COE (2T.)	Dbl.

1949

160 (3104)	Pick-up Box	116	GP	½T.	Dbl.
106 (3604)	Pick-up Box	125¼	GR	¾T.	Dbl.
169 (3804)	Pick-up Box	137	GS	1T.	Dbl.
427 (3105)	Panel	116	GP	½T.	Sgl.
431 (3805)	Panel	137	GS	1T.	Sgl.
429 (3107)	Canopy Express	116	GP	½T.	Sgl.
433 (3807)	Canopy Express	137	GS	1T.	Sgl.
435 (3116)	Suburban Carryall—W/End Gate	116	GP	½T.	Sgl.
518 (3608)	Platform	125¼	GR	¾T.	Dbl.
142 (3808)	Platform	137	GS	1T.	Dbl.
142 (4108)	Platform	137	SJ	1½T.	Dbl.
142 (6108)	Platform	137	SV	2T.	Dbl.
143 (4408)	Platform	161	SK	1½T.	Dbl.
143 (6408)	Platform	161	SW	2T.	Dbl.
143 (5408)	Platform	134	SR	COE (2T.)	Dbl.
144 (4418)	Platform—Express	161	SK	1½T.	Dbl.
144 (6418)	Platform—Express	161	SW	2T.	Dbl.
144 (5418)	Platform—Express	134	SR	COE (2T.)	Dbl.
098 (3608)	Stake Rack	125¼	GR	¾T.	Dbl.
982 (3808)	Stake Rack	137	GS	1T.	Dbl.
982 (4108)	Stake Rack	137	SJ	1½T.	Dbl.
982 (6108)	Stake Rack	137	SV	2T.	Dbl.
100 (4408)	Stake Rack	161	SK	1½T.	Dbl.
100 (6408)	Stake Rack	161	SW	2T.	Dbl.
100 (5408)	Stake Rack	134	SR	COE (2T.)	Dbl.
101 (4418)	Stake Rack—Express	161	SK	1½T.	Dbl.
101 (6418)	Stake Rack—Express	161	SW	2T.	Dbl.
101 (5418)	Stake Rack—Express	134	SR	COE (2T.)	Dbl.
102 (4408)	Stock Rack	161	SK	1½T.	Dbl.
102 (6408)	Stock Rack	161	SW	2T.	Dbl.
102 (5408)	Stock Rack	134	SR	COE (2T.)	Dbl.

1950

160 (3104)	Pick-up Box	116	HP	½T.	Dbl.
106 (3604)	Pick-up Box	125¼	HR	¾T.	Dbl.
169 (3804)	Pick-up Box	137	HS	1T.	Dbl.
733 (3105)	Panel	116	HP	½T.	Sgl.
737 (3805)	Panel	137	HS	1T.	Sgl.
735 (3107)	Canopy Express	116	HP	½T.	Sgl.
739 (3807)	Canopy Express	137	HS	1T.	Sgl.
879 (3116)	Suburban Carryall—W/End Gate	116	HP	½T.	Sgl.
875 (3106)	Suburban Carryall W/Panel Doors	116	HP	½T.	Sgl.
844 (3608)	Platform	125¼	HR	¾T.	Dbl.
838 (3808)	Platform	137	HS	1T.	Dbl.
838 (4108)	Platform	137	TJ	1½T.	Dbl.
838 (6108)	Platform	137	TV	2T.	Dbl.
143 (5408)	Platform	134	TR	COE (2T.)	Dbl.
143 (4408)	Platform	161	TK	1½T.	Dbl.
143 (6408)	Platform	161	TW	2T.	Dbl.
144 (5418)	Platform—Express	134	TR	COE (2T.)	Dbl.
144 (4418)	Platform—Express	161	TK	1½T.	Dbl.
144 (6418)	Platform—Express	161	TW	2T.	Dbl.

COMMERCIAL BODY MODEL IDENTIFICATION

1950—(Cont.)

Job No.	Body Style	W.B.	Model	Cap.	Unit Style
098 (3608)	Stake Rack	125¼	HR	¾T.	Dbl.
982 (3808)	Stake Rack	137	HS	1T.	Dbl.
982 (4108)	Stake Rack	137	TJ	1½T.	Dbl.
982 (6108)	Stake Rack	137	TV	2T.	Dbl.
100 (5408)	Stake Rack	134	TR	COE (2T.)	Dbl.
100 (4408)	Stake Rack	161	TK	1½T.	Dbl.
100 (6408)	Stake Rack	161	TW	2T.	Dbl.
101 (5418)	Stake Rack—Express	134	TR	COE (2T.)	Dbl.
101 (4418)	Stake Rack—Express	161	TK	1½T.	Dbl.
101 (6418)	Stake Rack—Express	161	TW	2T.	Dbl.
102 (5408)	Stock Rack	134	TR	COE (2T.)	Dbl.
102 (4408)	Stock Rack	161	TK	1½T.	Dbl.
102 (6408)	Stock Rack	161	TW	2T.	Dbl.

1951

026 (3104)	Pick-up Box	116	JP	½T	Dbl.
028 (3604)	Pick-up Box	125¼	JR	¾T.	Dbl.
030 (3804)	Pick-up Box	137	JS	1T.	Dbl.
833 (3105)	Panel	116	JP	½T.	Sgl.
837 (3805)	Panel	137	JS	1T.	Sgl.
835 (3107)	Canopy Express	116	JP	½T.	Sgl.
839 (3807)	Canopy Express	137	JS	1T.	Sgl.
851 (3116)	Suburban Carryall W/End Gate	116	JP	½T.	Sgl.
841 (3106)	Suburban Carryall W/Panel Doors	116	JP	½T.	Sgl.
915 (3608)	Platform	125¼	JR	¾T.	Dbl.
949 (3808)	Platform	137	JS	1T.	Dbl.
949 (4108)	Platform	137	UJ	1½T.	Dbl.
949 (6108)	Platform	137	UV	2T.	Dbl.
948 (5408)	Platform	134	UR	COE (2T.)	Dbl.
948 (4408)	Platform	161	UK	1½T.	Dbl.
948 (6408)	Platform	161	UW	2T.	Dbl.
144 (5418)	Platform—Express	134	UR	COE (2T.)	Dbl.
144 (4418)	Platform—Express	161	UK	1½T.	Dbl.
144 (6418)	Platform—Express	161	UW	2T.	Dbl.
947 (3608)	Stake Rack	125¼	JR	¾T.	Dbl.
044 (3808)	Stake Rack	137	JS	1T.	Dbl.
044 (4108)	Stake Rack	137	UJ	1½T.	Dbl.
044 (6108)	Stake Rack	137	UV	2T.	Dbl.
045 (5408)	Stake Rack	134	UR	COE (2T.)	Dbl.
045 (4408)	Stake Rack	161	UK	1½T.	Dbl.
045 (6408)	Stake Rack	161	UW	2T.	Dbl.
101 (5418)	Stake Rack—Express	134	UR	COE (2T.)	Dbl.
101 (4418)	Stake Rack—Express	161	UK	1½T.	Dbl.
101 (6418)	Stake Rack—Express	161	UW	2T.	Dbl.

1952

026 (3104)	Pick-up	116	KP	½T.	Dbl.
028 (3604)	Pick-up	125¼	KR	¾T.	Dbl.
174 (3804)	Pick-up	137	KS	1T.	Dbl.
287 (3105)	Panel	116	KP	½T.	Sgl.
295 (3805)	Panel	137	KS	1T.	Sgl.
291 (3107)	Canopy Express	116	KP	½T.	Sgl.
297 (3807)	Canopy Express	137	KS	1T.	Sgl.
293 (3116)	Suburban Carryall W/End Gate	116	KP	½T.	Sgl.
289 (3106)	Suburban Carryall W/Panel Doors	116	KP	½T.	Sgl.
397 (3608)	Platform	125¼	KR	¾T.	Dbl.
949 (3808)	Platform	137	KS	1T.	Dbl.
949 (4108)	Platform	137	VJ	1½T.	Dbl.
949 (6108)	Platform	137	VV	2T.	Dbl.
948 (5408)	Platform	134	VR	COE (2T.)	Dbl.
948 (4408)	Platform	161	VK	1½T.	Dbl.
948 (6408)	Platform	161	VW	2T.	Dbl.
947 (3608)	Stake Rack	125¼	KR	¾T.	Dbl.
044 (3808)	Stake Rack	137	KS	1T.	Dbl.
044 (4108)	Stake Rack	137	VJ	1½T.	Dbl.
044 (6108)	Stake Rack	137	VV	2T.	Dbl.
045 (5408)	Stake Rack	134	VR	COE (2T.)	Dbl.
045 (4408)	Stake Rack	161	VK	1½T.	Dbl.
045 (6408)	Stake Rack	161	VW	2T.	Dbl.

1953

Job No.	Body Style	W. B.	Model	Cap.	Unit Style
794 (3104)	Pick-up	116	H	½T.	Dbl.
796 (3604)	Pick-up	125¼	J	¾T.	Dbl.
798 (3804)	Pick-up	137	L	1T.	Dbl.
523 (3105)	Panel	116	H	½T.	Sgl.
775 (3805)	Panel	137	L	1T.	Sgl.
773 (3107)	Canopy Express	116	H	½T.	Sgl.
777 (3807)	Canopy Express	137	L	1T	Sgl.
781 (3116)	Suburban Carryall W/End Gate	116	H	½T.	Sgl.
709 (3106)	Suburban Carryall W/Panel Doors	116	H	½T.	Sgl.
397 (3608)	Platform	125¼	J	¾T.	Dbl.
949 (3808)	Platform	137	L	1T	Dbl.
949 (4108)	Platform	137	N	1½T.	Dbl.
949 (6108)	Platform	137	V	2T.	Dbl.
948 (5408)	Platform	134	T	COE (2T.)	Dbl.
948 (4408)	Platform	161	P	1½T.	Dbl.
948 (6408)	Platform	161	W	2T.	Dbl.
947 (3608)	Stake Rack	125¼	J	¾T.	Dbl.
044 (3808)	Stake Rack	137	L	1T.	Dbl.
044 (4108)	Stake Rack	137	N	1½T.	Dbl.
044 (6108)	Stake Rack	137	V	2T.	Dbl.
045 (5408)	Stake Rack	134	T	COE (2T.)	Dbl.
045 (4408)	Stake Rack	161	P	1½T.	Dbl.
045 (6408)	Stake Rack	161	W	2T.	Dbl.

1954 and 1955 FIRST SERIES

794 (3104)	Pick-up	116	H	½T.	Dbl.
796 (3604)	Pick-up	125¼	J	¾T.	Dbl.
798 (3804)	Pick-up	137	L	1T.	Dbl.
523 (3105)	Panel	116	H	½T.	Sgl.
775 (3805)	Panel	137	L	1T.	Sgl.
773 (3107)	Canopy Express	116	H	½T.	Sgl.
777 (3807)	Canopy Express	137	L	1T.	Sgl.
781 (3116)	Suburban Carryall w/End Gate	116	H	½T.	Sgl.
709 (3106)	Suburban Carryall w/Panel Doors	116	H	½T	Sgl.
397 (3608)	Platform	125¼	J	¾T.	Dbl.
949 (3808)	Platform	137	L	1T.	Dbl.
949 (4108)	Platform	137	N	1½T.	Dbl.
949 (6108)	Platform	137	V	2T.	Dbl.
948 (5408)	Platform	134	T	COE (2T.)	Dbl.
948 (4408)	Platform	161	P	1½T.	Dbl.
948 (6408)	Platform	161	W	2T.	Dbl.
947 (3608)	Stake Rack	125¼	J	¾T.	Dbl.
044 (3808)	Stake Rack	137	L	1T.	Dbl.
044 (4108)	Stake Rack	137	N	1½T.	Dbl.
044 (6108)	Stake Rack	137	V	2T.	Dbl.
045 (5408)	Stake Rack	134	T	COE (2T.)	Dbl.
045 (4408)	Stake Rack	161	P	1½ T.	Dbl.
045 (6408)	Stake Rack	161	W	2T.	Dbl.

1955 SECOND SERIES

707 (3104)	Pick-up	114	H	½T.	Dbl.
117 (3124)	Suburban Pick-up	114	H	½T.	Dbl.
711 (3204)	Pick-up	123¼	M	½T.	Dbl.
711 (3604)	Pick-up	123¼	J	¾T.	Dbl.
713 (3804)	Pick-up	135	L	1T.	Dbl.
079 (3105)	Panel	114	H	½T.	Sgl.
085 (3805)	Panel	135	L	1T.	Sgl.
083 (3116)	Suburban Carryall w/End Gate	114	H	½T.	Sgl.
081 (3106)	Suburban Carryall w/Panel Doors	114	H	½T.	Sgl.
640 (3608)	Platform	123¼	J	¾T.	Dbl.
622 (3808)	Platform	135	L	1T.	Dbl.
623 (4108)	Platform	130	N	1½T.	Dbl.
559 (4408)	Platform	154	P	1½T.	Dbl.
623 (6108)	Platform	130	V	2T.	Dbl.
559 (6408)	Platform	154	W	2T.	Dbl.
031 (3608)	Stake Rack	123¼	J	¾T.	Dbl.
032 (3808)	Stake Rack	135	L	1T.	Dbl.
032 (4108)	Stake Rack	130	N	1½T.	Dbl.
033 (4408)	Stake Rack	130	P	1½T.	Dbl.
032 (6108)	Stake Rack	130	V	2T.	Dbl.
033 (6408)	Stake Rack	154	W	2T.	Dbl.


COMMERCIAL BODY MODEL IDENTIFICATION

1956


Job No.	Body Style	W.B.	Model	Cap.	Unit Style
506 (3104)	Pick-up	114	3A	½T.	Dbl.
117 (3124)	Sub Pick-up	114	3A	½T.	Dbl.
508 (3204)	Pick-up	123¼	3B	½T.	Dbl.
508 (3604)	Pick-up	123¼	3E	¾T.	Dbl.
510 (3804)	Pick-up	135	3G	1T.	Dbl.
175 (3105)	Panel	114	3A	½T.	Sgl.
181 (3805)	Panel	135	3G	1T.	Sgl.
179 (3116)	Suburban Carryall w/End Gate	114	3A	½T.	Sgl.
177 (3106)	Suburban Carryall w/Doors	114	3E	½T.	Sgl.
335 (3609)	Platform and Stake Rack	123¼	3E	¾T.	Dbl.
336 (3809)	Platform and Stake Rack	135	3G	1T.	Dbl.
337 (4109)	Platform and Stake Rack	130	4A	1½T.	Dbl.
338 (4409)	Platform and Stake Rack	154	4B	1½T.	Dbl.
337 (6109)	Platform and Stake Rack	130	6A	2T.	Dbl.
338 (6409)	Platform and Stake Rack	154	6B	2T	Dbl.

1957


Job No.	Body Style	W.B.	Model	Cap.	Unit Style
506 (3104)	Pick-up	114	3A	½T.	Dbl.
117 (3124)	Sub. Pick-up	114	3A	½T.	Dbl.
844 (3204)	Pick-up	123¼	3B	½T.	Dbl.
844 (3604)	Pick-up	123¼	3E	¾T.	Dbl.
510 (3804)	Pick-up	135	3G	1T.	Dbl.
761 (3105)	Panel	114	3A	½T.	Sgl.
777 (3805)	Panel	135	3G	1T.	Sgl.
099 (3116)	Suburban Carryall w/End Gate	114	3A	½T.	Sgl.
769 (3106)	Suburban Carryall w/Doors	114	3E	½T.	Sgl.
335 (3609)	Platform and Stake Rack	123¼	3E	¾T.	Dbl.
336 (3809)	Platform and Stake Rack	135	3G	1T.	Dbl.
337 (4109)	Platform and Stake Rack	132½	4A	1½T.	Dbl.
338 (4409)	Platform and Stake Rack	156½	4B	1½T.	Dbl.
337 (6109)	Platform and Stake Rack	132½	6A	2T.	Dbl.
338 (6409)	Platform and Stake Rack	156½	6B	2T.	Dbl.




CONVENTIONAL CAB—EXPLODED VIEW




1954 CAB-OVER-ENGINE—INTERIOR




1955 PANEL BODY


16.070 SUN SHADE
16.745 BOW
16.005 GLASS
16.742 PANEL
16.585 PANEL
16.494 DOME LAMP
16.040 WEATHERSTRIP
16.642 MOULDING
16.495 GLASS
16.017 MOULDING
16.464 GLASS
16.470 WEATHERSTRIP
16.041 MOULDING
16.018 MOULDING
16.745 RETAINER
16.017 CAP
16.125 COVER
16.013 MLDG.
16.110 KNOB AND LOCK ASSY.
16.068 MIRROR
16.100 COMPARTMENT
16.115 HINGE
16.140 WEATHERSTRIP
16.110 DOOR
16.120 HANDLE
16.125 COVER
16.120 ASH TRAY
16.111 MOULDING
16.083 GRILLE
16.083 SCREEN
16.469 WEATHERSTRIP
16.135 LINK
16.464 GLASS
16.135 PLATE
16.550 COWL AND DASH
16.130 HANDLE
16.130 HANDLE
16.587 PANEL
16.085 BRACE
16.547 COVER
16.230 RETAINER
3.451 PEDAL
2.012 BUTTON
2.014 BELLOWS
16.547 COVER
FLOOR PAN ASSEMBLY NOT SERVICED
16.603 PANEL

CONVENTIONAL CAB DOOR ASSEMBLY—EXPLODED VIEW



CAB SEAT ASSEMBLY—EXPLODED VIEW


16.179 DEFLECTOR
16.180 GLASS
16.185 MOULDING
16.173 BOLT
16.173 VENTILATOR ASSY
16.174 GLASS
16.200 CHANNEL
16.290 MOULDING
16.183 WEATHERSTRIP
16.190 CHANNEL FILLER
16.353 GASKET UNIT
16.353 SPRING
16.350 HANDLE
16.190 CHANNEL
16.260 REGULATOR
16.341 CONTROL
16.345 WASHER
16.353 RING
LOCK UNIT: NOT SERVICED SEE GROUPS 16.328, 16.365 AND 16.370
16.165 PANEL
16.353 SPRING SEAT
16.330 LOCK
16.353 STOP
16.353 RETAINER
16.166 MOULDING
16.190 CHANNEL
CHANNEL BRACKET—N.S.S.
16.345 HANDLE
16.345 SCREWS
16.270 WASHER
16.345 WASHER
16.270 HANDLE
16.345 WASHER
16.150 DOOR
16.270 SCREWS
16.223 WEATHERSTRIP CUT FROM 3692045
16.166 CLIP
16.167 COVER
16.230 RETAINER

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	16.000 CAB ASSEMBLY—KIT (in prime)				
55-57	SUB PICK-UP	(w/trim, hardware) w/P. R. W. (beige & cardinal red)	3742389	1	650.00
55-57	CAB (Std.) (exc. SUB. PICK-UP) (2nd Ser.)	(w/trim and hardware) (charcoal and gray)	3742385	1	595.00
57	CAB (Std.) (exc. SUB. PICK-UP)	(less seats and adjusters) (charcoal and gray)	3743005	1	515.00
47-53	CAB	CONVERSION KIT, cab assembly	3710935	1	31.25
		CAB SHELLS			
47-55	COE	less doors, trim, hardware and floor pan.	3713908†	1	390.00
47-55	ALL (1st Ser.) (exc. COE)	less doors, trim, hardware and floor pan.	3713907†	1	350.00
	†NOTE: When mounting these cabs on 1947-53 CAB Models, it will be necessary to use one 3710935 Conversion Kit.				
	16.005 GLASS, Windshield				
39-46	ALL	safety (13 15/32 height at inner end x 22 13/16 max. width)	598969	2	10.25
47-53	ALL	safety (15 1/4 x 25 5/8 max. dim.)	3682394	2	13.25
53	ALL	tinted (15 1/4 x 25 5/8 max. dim.)	3704388	2	21.00
54-55	ALL (1st Ser.)	safety (15 9/16 x 51 1/4 max. dim.)	3703002	1	47.85
54-55	ALL (1st Ser.)	tinted (15 9/16 x 51 1/4 max. dim.)	3705581	1	55.85
55	ALL (2nd Ser.)	tinted (18 x 70) (13 wrap around)	3720620	1	97.75
55-57	ALL (2nd Ser.)	safety (18 x 70) (13 wrap around)	3712183	1	82.75
	16.010 CHANNEL ASSY.—FRAME—FILLER, Windshield Glass (in prime)				
39-46	ALL	left (15 height at open end x 23 13/16 width)	598971	1	2.40
39-46	ALL	right (15 height at open end x 23 13/16 width)	598972	1	2.40
36-38	ALL (exc. HIGH ROOF CAB)	FRAME (7 3/4 height x 45 17/32 wide)	602131	1	3.75
ALL	ALL	FILLER (.032 thick x 60 ft. roll)	603954	A.R.	(10.696)
ALL	ALL	FILLER (.047 thick x 40 ft. roll)	603955	A.R.	(10.696)
	16.012 NUT, Windshield, Upper and Lower Frame Anchor				
39-46	ALL	lower center (1/4 x 7/16 x 8 long; 1/8 off flat)	598978	1	.45
39-46	ALL	upper center (1/4 x 7/16 x 8 long—flat)	598979	1	.45
	16.013 MOULDING AND PARTS, Windshield Garnish				
47-53	ALL	left	3689495	1	2.95
47-53	ALL	right	3689496	1	2.95
54-55	ALL (1st Ser.)	(47 7/16 long x 1 wide)	3703532	1	1.95
55-57	ALL (2nd Ser.)	(55 9/32 x 7/8 wide)	3717490	1	1.95
48-53	ALL	REINFORCEMENT, moulding (1/2 long)	3689528	10	.10
55-57	ALL (2nd Ser.)	SPACER, moulding (9/16 x 1 5/32)	3717492	7	.15
54-55	ALL (1st Ser.)	CLIP, spacing (1 3/16 wide x 1 5/16 high)	3703540	1	.05
55-56	ALL (2nd Ser.)	CLIP (3/8 x 3/4 head size)	3717493	7	.10
57	ALL	CLIP (5/16 wide x 5/8 high)	3739540	8	.10
	16.017 MOULDING—REINFORCEMENT—CAP, Windshield Division				
39-46	ALL	outer, w/rubber filler (chrome)	3676579	1	2.50
47-53	ALL	outer (1 1/16 x 16 1/2)	3684809	1	1.85
39-46	ALL	REINFORCEMENT, division moulding (1 13/16 x 2 1/2)	3651622	2	.20
47-53	ALL	REINFORCEMENT, division (7/8 x 15 23/32)	3683715	1	.50
48-53	ALL	CAP, upper	3689450	1	.15
48-53	ALL	CAP, lower	3689452	1	.15

16.018 MOULDING, Windshield Division Inner

39-46	ALL	(15/16 x 13 long)	598975	1	.85
47-53	ALL	(1 1/4 x 14 25/32)	3684697*	1	.95

*NOTE: When using 3684697 on 1948-50 models it will be necessary to cut to size.

16.020 HINGE—SCREW—WASHER—NUT, Windshield Frame

39-46	ALL	left (ident. No. 841)	598841	1	.70
39-46	ALL	right (ident. No. 842)	598842	1	.70
37-46	ALL	SCREW, hinge (No. 10—24 x 1/2 round head)	120221	8	(8.906)
37-46	ALL	WASHER, flat, hinge (No. 10)	120391	8	(8.929)
37-46	ALL	WASHER, lock hinge (No. 10)	120217	8	(8.931)
37-46	ALL	NUT, hinge (No. 10—24)	120361	8	(8.915)

16.040 WEATHERSTRIP, Windshield

37-38	ALL	top, sides and bottom in one piece, rubber (14 x 46 max. dim.)	593380	1	2.10
39-46	ALL	top, sides and bottom in one piece, rubber (17 x 48 max. dim.)	3681322	1	2.65
47-51	ALL	molded in one piece w/division w/strip (for jobs w/reveal mldg.)	3684695	1	6.85
47-55	ALL (1st Ser.) (exc. SUB.)	molded in one piece w/division w/strip			
52-53	SUB	for jobs w/out reveal mldg	3684802	1	6.85
54-55	ALL (1st Ser.)	molded in one piece (w/out deluxe equip.)	3703533	1	6.30
54-55	ALL (1st Ser.) (exc. CAN. EXP.)	molded in one piece (with deluxe equip.)	3703534	1	6.30
55-57	ALL (2nd Ser.)	molded in one piece (w/out deluxe equip.)	3712186	1	6.30
55-57	ALL (w/deluxe equip.) (2nd Ser.) (exc. SUB.)	molded in one piece (with deluxe equip.)	3712244	1	6.30

16.041 MOULDING—CAP, Windshield Reveal

47-51	ALL	left, (68 dev. length)	3684807	1	3.55
47-51	ALL	right, (68 dev. length)	3684808	1	3.55
54-55	ALL (1st Ser.) (exc. CAN. EXP.)	upper, deluxe equip. (35 1/4 O.L.)	3703535	1	2.10
54-55	ALL (1st Ser.) (exc. CAN. EXP.)	lower, deluxe equip. (38 1/4 O.L.)	3703536	1	2.20
54-55	ALL (1st Ser.) (exc. CAN. EXP.)	left, side, deluxe equip. (16 13/16 O.L.)	3703537	1	3.55
54-55	ALL (1st Ser.) (exc. CAN. EXP.)	right, side, deluxe equip. (16 13/16 O.L.)	3703538	1	3.55
55-57	ALL w/deluxe equip. (2nd Ser.)	upper and lower (37 3/4 O.L.)	3716463	1	3.35
55-57	ALL w/deluxe equip. (2nd Ser.)	left, side (29 1/2 dev. length)	3716465	1	3.35
55-57	ALL w/deluxe equip. (2nd Ser.)	right, side (29 1/2 dev. length)	3716466	1	3.35
54-55	ALL (1st Ser.) (exc. CAN. EXP.)	CAP, reveal moulding (3/4 wide x 19/32 high)	3703539	1	.30
55-57	ALL w/deluxe equip. (2nd Ser.)	CAP, reveal moulding (3/4 wide x 9/16 high)	3716467	4	.20

16.045 REGULATOR—BRACKET, Windshield

40-46	ALL	(ctr. to ctr. brkt. attaching holes—3 5/16 operating spindle 60°, Ident. No. CB-301)	3654088	1	4.30
39-46	ALL	BRACKET, windshield regulator (7/16 wide x 2 in. ctr. to ctr. of holes x 5/8 high)	3653708	1	.20

16.050 HANDLE, Windshield Regulator

37-46	ALL	with light brown knob	3654631	1	1.05

16.062 BLADE—INSERT, Windshield Wiper

29-47	ALL	(8 long)	477373	2	(10.146)
47-53	ALL (Adv. design)	(10 long)	3683905	2	.52
54-55	ALL (1st Ser.)	(11 1/4 long) (Trico)	3733355	2	(10.146)
55-57	ALL (2nd Ser.)	(12 long) (Trico)	3733356	2	(10.146)
55-57	ALL	(12 long) (Anco)	3721849	2	(10.146)
54-55	ALL (1st Ser.)	INSERT (11 1/4 long) (rubber w/ret. plate)	561268	2	(10.146)
55-56	ALL (2nd Ser.)	INSERT (12 long) (Trico)	566510	2	(10.146)

16.063 ARM—LINK—ROD, Windshield Wiper

39-46	ALL,				
47-55	FFC	unit, chrome (adjust. from 8⅜ to 10¾)	609563	1	(10.147)
47-53	ALL	left (11⅝ long—chrome)	3697281	1	1.15
47-53	ALL	right (11⅝ long—chrome)	3697282	1	1.15
49-56	ALL	assy. (universal) (adjustable 9¾ to 12¼)	3703494	2	(10.147)
47-53	ALL	LINK, short (9¼ overall length) (w/trans.)	3683915	1	2.75
47-53	ALL	LINK, long (27½ overall length) (w/trans.)	3683909	1	2.75
54	ALL (1st Ser.)	LINK ASSY. (17¾ dev. length)	3703856	2	2.75
55-57	ALL (2nd Ser.)	LINK ASSY., left	3730483	1	2.75
55-57	ALL (2nd Ser.)	LINK ASSY., right	3722488	1	2.75
47-53	ALL	ROD, motor control (4½ long)	3683907	1	.17

16.064 MOTOR—HOUSING—SCREW, Windshield Wiper

39-49	ALL	vacuum	598989	1	6.75
47-53	ALL	vacuum	3683899	1	7.50
54-55	ALL (1st Ser.)	vacuum	3703854	1	9.25
54-55	ALL (1st Ser.)	electric	5047765	1	28.20
55-56	ALL (2nd Ser.)	vacuum	3719515	1	9.75
55-56	ALL	unit, (use when repl. vac. w/elect.)	3729718	1	17.50
57	Ser. 3-4	vacuum	3737493	1	
57	ALL	unit (use when repl. vac. w/elect.) (includes 5047989 motor)	3742845	1	
55-56	ALL	HOUSING, electric 12 volt	5095116	1	(10.150)
55-56	ALL	SCREW, w/lock washer	5095893		(10.151)

16.065 PARTS, Windshield Wiper Motor

55-56	ALL	ADAPTER, motor coordinator (electric, 12 volt)	5097475	1	1.10
57	ALL (exc. FFC)	ADAPTER, aux. coordinator (electric)	4902365	(10.157)	
55-57	ALL	ARMATURE, assy.	5095130	1	(10.150)
39-46	ALL	SPACER, motor shaft, inside (5/16 I.D. x 13/16 O.D. x 13/16 face x 13/16 maximum thickness)	598993	1	.32
39-46	ALL	SPACER, motor shaft, outside (5/16 I.D. x 13/16 O.D. x ¼ maximum thickness)	598994	1	.32
47-53	ALL	SPACER, wiper (¾ I.D. x 1 O.D. x ⅛ thick)	3683911	2	.32
54-55	ALL (1st Ser.)	SPACER, wiper (¾ I.D. x 1 O.D.)	3703859	2	.30
55-57	ALL (2nd Ser.)	SPACER, wiper, left (chromed)	3719901	1	.55
55-57	ALL (2nd Ser.)	SPACER, wiper, right (chromed)	3719902	1	.55
55	ALL	CAM ASSY., drive (use w/elect. w/s wiper)	5096389	1	(10.157)
55-57	ALL	CAM ASSY., drive (use w/elect. w/s wiper)	4900567	1	(10.157)
55-57	ALL (2nd Ser.)	COVER and LINK, wiper motor (w/ elect. wipers)	5097825	1	3.65
55	ALL (2nd Ser.)	COVER and SLIDE, wiper motor switch (w/elect. wipers)	4901090	1	1.30
55-57	ALL	CUSHION, drive arm (use w/elect. w/s wiper)	5095169	1	(10.159)
55-57	ALL	FIELD ASSY., motor	4900532	1	(10.150)
55-57	ALL (2nd Ser.)	GASKET, wiper spacer (15/16 wide x 1 5/16 long x ⅝ thick rubber)	3719798	2	.05
47-55	ALL	GROMMET, wiper suction pipe, rubber (in dash) (1 O.D.)	3711896	1	(9.775)
47-53	ALL	GROMMET, wiper motor control rod, use w/ motor 3683899 (7/16 x ½)	3685792	1	(10.152)
47-53	ALL	GROMMET, wiper link (11/32 I.D. x 19/32 O.D.)	4161287	A.R.	(10.168)
47-53	ALL	GROMMET, wiper control (⅛ I.D. x ⅜ O.D.)	4093397	A.R.	(10.168)
55-57	ALL	KIT, motor brush replacement	4901596	1	(10.150)
55	ALL	KIT, conversion	4900211	1	(10.157)
37-46	ALL (exc. HIGH ROOF CAB)	NUT, wiper motor (5/16—32 hex. chrome)	477378	1	.27
47-57	ALL	NUT (used to attach wiper link)	3683913	2	.17
37-46	ALL	WASHER (5/16 I.D. x 13/16 O.D. leather)	477369	1	.06
47-53	ALL	WASHER, rubber (use w/wiper motor 3683899)	3685793	2	(12.118)
55-57	ALL (2nd Ser.)	WASHER, rubber (3/32 x ⅝) used as electric wiper motor brace bshg.	3719307	1	.10
47-55	ALL (1st Ser.)	BUSHING (wiper motor mounting)	3685794	2	.12
55-57	ALL (2nd Ser.)	BUSHING, (electric wiper motor mounting)	3719306	1	.15
47-55	ALL (1st Ser.)	SEAL, wiper spacer (1 O.D. oblong x ⅝ I.D. oblong x 1/16 thick)	3703860	2	.10
47-53	ALL	RETAINER ASSY. w/spring (2⅛ overall)	4065091	1	(10.158)

54-57	ALL	RETAINER ASSY. w/spring (2¾ overall)	4570135	1	(10.158)
57	ALL	RETAINER (electric)	4902349	1	(10.157)
47-53	ALL	BRACKET, wiper	3683901	1	.37
54-55	ALL (1st Ser.)	BRACKET, wiper (1 wide x 7½ long)	3703122	1	.40
55-56	ALL (2nd Ser.)	BRACKET, wiper (1 wide x 7 5/16 long)	3715500	1	.35
55-57	ALL (2nd Ser.)	BRACKET, wiper motor brace (1 wide x 3 long)	3715502	1	.25
57	Ser. 3-4 (exc. elect.)	BRACKET, mounting	3735367	1	.35
47-53	ALL	BRACE, wiper motor mounting brkt.	3688695	1	.55
55-56	ALL (2nd Ser.)	BRACE, wiper motor (w/out elect. wipers)	3715501	1	.15
55-57	ALL (2nd Ser.)	BRACE, wiper motor (w/elect. wipers) (3½ dev length x 15/16 wide)	3719305	1	.15
57	Ser. 3-4 (exc. elect.)	BRACE	3737492	1	.15
55	ALL (2nd Ser.)	DRIVE ASSY. use w/elect. w/s wiper	5098075	1	(10.157)
55	ALL	SHAFT, drive w/gear	5096385	1	(10.157)
56-57	ALL	SHAFT, drive w/gear	4900556	1	(10.157)
54-55	ALL (1st Ser.)	SUPPORT, electric wiper motor	3710016	1	.30
55-57	ALL (2nd Ser.)	SUPPORT, wiper motor	3715498	1	.60
57	ALL	CAP, w/Pin (electric)	4902339	1	(10.157)
57	ALL	GEAR (electric)	4902338	1	(10.157)
57	ALL	LATCH (electric)	5095155	1	(10.157)
57	ALL	PAWL, lock (electric)	4902345	1	(10.157)
57	ALL	SWITCH UNIT, w/slider (electric)	4902362	1	(10.163)
54-57	ALL	CLIP, electric wiper motor wire assy.	3684663	A.R.	.10
55	ALL (2nd Ser.)	CASE w/brush (12 volt)	5096436	1	(10.150)
55	ALL (2nd Ser.)	SCREW, armature end play, use w/elect. w/s wiper (5/16 x 24 x 5/8)	5098082	1	(10.151)
56	ALL	COVER, mtr. switch and slide. w/elect w/s wiper	4901094	1	(10.163)
55-57	ALL	ARM, switch oscillating	4901598	1	(10.163)
55-56	ALL	SPRING, motor toggle	5905162	2	(10.150)

16.066 CONNECTOR, Windshield Wiper Pipe

Note: For hose and tubing, see groups 8.962 and 8.964.

39-46	ALL	CONNECTOR (use w/aux. wiper) (three-way for 7/32 I.D. hose)	3682929	1	.32
46	UTILITY (exc. COE)	CONNECTOR (three-way for 7/32 I.D. hose and ½ I.D. hydrovac hose connection)	3682291	1	.95
46-57	Ser. 3-4 (w/vac. W/S wiper only)	CONNECTOR (⅛ pipe thd. for 7/32 I.D. hose connection)	3682936	1	.35
46	COE (2-SPD. VAC. SHIFT)	CONNECTOR, three-way (2½ long x ½ pipe thd.)	3684718	1	.70
54-57	COMM., 1½ TON	CONNECTOR (½—14 dryseal w/¼ pipe ext.) (w/out positive vent. w/o elect. wipers)	3707979	1	.75
54-55	COMM., 1½ TON (1st Ser.)	CONNECTOR (two-way 7/16—24 int. thread, ½			
55-57	1½ TON SBC (2nd Ser.)	tapered pipe thread)	3681956	1	.95
55-57	2 TON (2nd Ser.),				
55-57	1½ TON (2-SPD.) (2nd. Ser.),				
55-57	1½ TON w/brake booster (2nd Ser.) (exc. 2-SPD.)	CONNECTOR (⅛—27 pipe thd., 1 1/16 long)	3719364	1	.40
55-56	COMM., 1½ TON 8 cyl. (2nd Ser.) (exc. D-D, brake booster, 2-SPD.),				
57	COMM. 8 cyl.	CONNECTOR (⅜—18 pipe thd. w/¾ pipe			
57	1½ TON 8 cyl. (exc. brake booster)	extension)	3724144	1	.60
56	D-D 8 cyl.,				
56	COMM. 8 cyl. w/brake booster (exc. D-D),				
56	1½ TON 8 cyl. (exc. brake booster, 2-SPD.)	CONNECTOR, hose	3729399	1	.50

16.067 CONTROL ASSY.—KNOB—GASKET—SWITCH—NUT, Windshield Wiper

47-53	ALL	w/knob	3699117*	1	.90
54-55	ALL (1st Ser.)	less knob	3703852	1	1.75
55-57	ALL (2nd Ser.) w/elect. W/S wiper (exc. FFC)	use w/3721652-53-65 or 66 control knob w/elect. wipers	3739691	1	2.75
57	Ser. 3-4 (exc. elect.)		3737827	1	1.75
55-57	ALL (2nd Ser.) (exc. FFC)	use w/3721652-53-65 or 66	3737827	1	2.75
54-55	ALL (1st Ser.)	KNOB (1 1/16 O.D.) (black)	3703853	1	.30
55-56	ALL (w/deluxe equip.)	KNOB, chrome, use w/3721651, 3721650	3721653	1	.70
55-56	ALL (2nd Ser.)	KNOB, black plastic, use w/3721651, 3721650	3721652	1	.35

57	ALL (w/deluxe equip.)	KNOB, control	3735366	1	.95
57	ALL (exc. deluxe equip., SUB. PICK-UP)	KNOB, control	3735365	1	.35
54-55	ALL (1st Ser.)	GASKET (5/8 O.D. x 29/64 I.D.)	2259971	1	.07
55-57	ALL (2nd Ser.)	SWITCH, motor (electric 12 volt)	5098393	1	(10.163)
47-53	ALL	NUT (1/2—24 thd.) (used to attach W/S wiper control knob assy. to cowl panel)	606318	A.R.	(11.253)
54-55	ALL (1st Ser.)	NUT, control	4562132	1	(10.151)
55-57	ALL (2nd Ser.)	NUT, control, round (7/16—28 thd.)	3715087	1	.35

*NOTE: When using 3699117 on 1947-49 models it will be necessary to reverse windshield wiper motor control rod grommet.

16.068 MIRROR, Rear View

37-56	ALL	outside (5 1/16 O.D.) mirror only	3696632‡	1	(10.185)
39-50	ALL	outside, less bracket and arm, black (6 3/16 O.D.)	602073	1	2.25

‡NOTE: Uses 3847308 Arm, 3693400 and 3693401 Brackets for either left or right hand installation.

54-55	ALL	inside, non-glare	986948*	1	(10.185)

*NOTE: Must be used with 987179, bracket, on 55 models.

55-57	ALL (2nd Ser.)	outside mirror (4 x 7 1/2) w/attaching parts	987230	1	7.75
55-57	ALL (2nd Ser.)	outside mirror (4 x 7 1/2)	987262	1	2.75
56	ALL	inside, non-glare	987338	1	(10.185)
56-57	ALL	outside (15 7/8 x 7) (west coast type)	987479	1	14.95
56-57	ALL	outside (15 7/8 x 7) mirror only	3730623	1	9.65
56-57	PICK-UP w/mounted wheel	left, side mtd. wheel carrier	3734936	1	3.05
57	ALL	inside, non-glare	987615	1	(10.185)

16.069 ARM—NUT—PAD—BRACKET—REINFORCEMENT, Rear View Mirror

NOTE: In text below, H = height and L = length.

37-46	ALL	assy. (use w/3696632 mirror)	3676484	1	4.00
36-46	ALL	assy., less bracket (12 1/8 ctr. to ctr., can be extended 7 in.) use w/602073 mirror	602074	1	2.05
47-55	ALL (1st Ser.)	assy., adj. to 24 (use w/3696632)	3847308	A.R.	2.20
51-55	ALL (1st Ser.)	assy., non-adjustable (22 1/2 long) (use w/3696632 mirror)	3696057	A.R.	1.50
47-55	ALL (1st Ser.)	right, non-adj., w/attach. base (7/16 O.D. x 10 1/2 long) (use w/3696632 mirror)	3695368	1	1.60
47-55	ALL (1st Ser.)	left, non-adj., w/attach. base (7/16 dia. x 10 dev. length) (use w/3696632 mirror)	3696059	1	1.30
55-57	ALL (2nd Ser.)	short left (1/2 x 10 1/2 stamped "L")	3717439	1	1.50
55-57	ALL (2nd Ser.)	short right, non-adjustable	3717824	1	1.50
55-57	ALL (2nd Ser.)	left long (18 3/8 long)	3717451	1	1.40
55-57	ALL (2nd Ser.)	right long (18 3/8 long)	3717452	1	1.40
56-57	ALL	inner support	3730630	4	.85
56-57	ALL	outer support (14 1/2 O.L.)	3730631	3	.95
56-57	ALL	outer support (11 O.L.)	3730632	2	.85
37-46	ALL	NUT, spacer (use w/3696632 mirror)	3847036	1	(10.186)
56-57	ALL	NUT, support arm	3730635	5	.30
55-57	ALL (2nd Ser.)	PAD, triangle shape, not used w/long O.S.R.V.	3717438	A.R.	.10
39-46	PICK-UP, PLATFORM	BRACKET, left, type C (H—2 1/2, L—10 13/16) w/arm	599013	1	1.45
39-46	PICK-UP, PLATFORM	BRACKET, right, type C (H—2 1/2, L—10 13/16) w/arm	599014	1	1.45
47-50	ALL	BRACKET, type D (H—1/4, L—1 7/16)	3847310	1	.50
47-55	ALL (1st Ser.)	BRACKET, upper (use w/3847308 arm)	3693400	1	.35
47-55	ALL (1st Ser.)	BRACKET, lower (right angle type) (use with 3847308 arm)	3693401	1	.35
55-57	ALL (2nd Ser.)	BRACKET, upper, use w/long O.S.R.V. mirror L. or R.	3717449	A.R.	.25
55-57	ALL (2nd Ser.)	BRACKET, lower, use w/long O.S.R.V. mirror L. or R.	3717450	A.R.	.20
56-57	ALL	BRACKET, inside (use w/987338 mirror)	987481	1	1.55
56-57	ALL	BRACKET, lower (use w/987479 mirror)	3730626	1	.85
56-57	ALL	BRACKET, upper (use w/987479 mirror)	3730627	1	.30
56-57	ALL	REINFORCEMENT (1 3/8 wide w/3 holes)	3725269	1	.35

16.070 SUNSHADE ASSEMBLY—VISOR—VIEWER

47-53	ALL	left, w/support (5¼ wide x 18 long)	3685637	1	3.85
54-55	ALL (1st Ser.)	left, w/support (5¼ wide x 18 long) dark beige	3711305	1	3.85
55-56	ALL (2nd Ser.)	left, w/support (charcoal and gray)	3729903	1	3.85
55-56	ALL (2nd Ser.)	right w/support (charcoal and gray)	3729904	1	3.85
56	SUB PICK-UP	left, w/support (cardinal red)	3729909	1	3.85
56	SUB PICK-UP	right, w/support (cardinal red)	3729910	1	3.85
56	ALL (exc. SUB PICK-UP)	right, (charcoal gray)	987469	1	3.25
56	ALL (w/deluxe equip.)	left, w/support (forest green)	3729905	1	3.85
56	ALL (w/deluxe equip.)	right, w/support (forest green)	3729906	1	3.85
56	ALL (w/deluxe equip.)	left, w/support (empire blue)	3729907	1	3.85
56	ALL (w/deluxe equip.)	right, w/support (empire blue)	3729908	1	3.85
57	ALL	left, w/support (charcoal and gray)	3738341	1	3.85
57	ALL	right, w/support (charcoal and gray)	3738342	1	3.85
57	ALL (exc. deluxe equip., SUB. PICK-UP)	(gray and charcoal)	987632	1	3.25
57	SUB. PICK-UP	left, w/support (dark blue)	3738345	1	3.85
57	SUB. PICK-UP	right, w/support (dark blue)	3738346	1	3.85
57	SUB. PICK-UP	left, w/support (red)	3738347	1	3.85
57	SUB. PICK-UP	right, w/support (red)	3738348	1	3.85
57	SUB. PICK-UP	(comb. 447),			
57	ALL (w/deluxe equip.) (exc. SUB. PICK-UP)	left, w/support (green)	3738343	1	3.85
57	SUB. PICK-UP	(comb. 447),			
57	ALL (w/deluxe equip.) (exc. SUB. PICK-UP)	right, w/support (green)	3738344	1	3.85
55-57	ALL (2nd Ser.)	VISOR, outside sun, w/attach. parts	987182	1	14.90
ALL	ALL	VIEWER, traffic light	987273	1	(10.201)

16.080 INSTRUMENT PANEL—(in prime)

47-53	ALL (exc. FFC)	for use with jobs with w/shield (⅜ hole for parking brake release rod bracket assy.)	3810819	1	10.95
47-55	FLAT FACE COWL (1st Ser.)	for use with jobs less windshield	3810881	1	11.70
54-55	ALL (1st. Ser.) (exc. FFC)	for use with jobs with windshield	3811693	1	12.90
55-56	ALL (2nd Ser.) (exc. FFC)	for use with jobs with windshield	3728283	1	29.70
55-57	FLAT FACE COWL (2nd. Ser.)	for use with jobs less windshield	3727935	1	24.10
57	ALL (exc. FFC)	for use with jobs w/windshields	3735363	1	29.70

16.081 MOULDING—PLATE, Instrument Panel

47-54	FLAT FACE COWL	upper radio grille (15/16 x 14 13/16)	3709723	1	1.05
47-53	ALL (exc. SUB CARRYALL),				
54-55	FLAT FACE COWL (1st. Ser.)	lower radio grille (¾ x 14 13/16)	3709766	1	.85
47-53	ALL	PLATE, radio control (2 5/16 x 8½)	3684769	1	.45
54-55	ALL (1st. Ser.) (exc. FFC)	PLATE, radio control (1⅜ x 8⅜)	3702156	1	.45
55-57	ALL (2nd. Ser.) (exc. FFC)	PLATE (1 5/16 x 5 3/64)	3715676	1	.40

16.083 GRILLE—PLUG, Radio


47-53	ALL,				
54-55	FLAT FACE COWL (1st. Ser.)	(4⅞ x 14¾)	3684033	1	1.70
47-53	ALL	PLUG (⅜—24) radio control cover plate attach.	3684768	2	.25
55-57	ALL (w/deluxe equipt.) (2nd Ser.)	PLUG (1 13/64 dia.)	3718301	A.R.	.40

16.085 BRACE, Instrument Panel


41-46	ALL	panel to dash (1¼ wide x 16 long)	3656225	1	.35
47-53	ALL (exc. FFC)	panel (3¾ x 18⅛ long w/bolts)	3686719	1	1.50
54-55	ALL (1st. Ser.) (exc. FFC)	panel to dash (18 dev. length)	3704501	1	.75
55-57	ALL (2nd. Ser.) (exc. FFC)		3716180	1	2.95

16.100 BOX, Instrument Panel Compartment

39-46	ALL,				
40-46	FFC	(5¾ x 13¼ opening x 10 deep)	598886	1	2.25
40-46	ALL	(6⅝ x 12 opening x 10¾ deep)	3654001	1	2.25



1954 CAB INSTRUMENT PANEL



1955 CAB INSTRUMENT PANEL

47-49	ALL	(4 7/8 x 14 1/32 opening x 8 3/4 deep)	3676451	1	2.25
50-53	ALL,				
54-55	FFC (1st. Ser.)	(5 7/32 x 14 3/16 opening x 9 1/8 deep)	3704220	1	2.25
54-55	ALL (1st. Ser.) (exc. FFC)	(5 1/2 x 13 3/4 opening x 9 deep)	3701366	1	2.25
55-57	ALL	gray	3730598	1	2.25

SWITCH—LAMP, Instrument Panel Compartment

54-55	ALL (1st. Ser.)		3699662	1	(10.275)
55	ALL (2nd Ser.)		3711670	1	(10.275)
56-57	ALL		1998161	1	(10.275)
56	ALL	LAMP, glove	987436	1	(10.275)
57	ALL	LAMP, glove	987604	1	(10.275)

16.110 DOOR, Instrument Panel Compartment (less knob)

40-46	ALL (exc. FFC)		604462	1	4.50
47-53	ALL,				
54-55	FFC (1st Ser.)	(5 5/16 x 15 1/4)	3698751	1	4.95
54-55	ALL (1st Ser.) (exc. FFC)	(5 15/16 x 15 1/4)	3701367	1	4.50
55-57	ALL (2nd Ser.)	(15 1/8 long) less lock	3717855	1	4.50

KNOB—KEY—CYLINDER—BUMPER—STRIKER—RETAINER, Instrument Panel Compartment Door

40-53	ALL	KNOB and LOCK ASSY., with lock bolt (1 3/32 diameter x 1 3/4 overall length—chrome) (key series 8000-9499)	4099314*	1	2.35
54-56	ALL	KNOB and Lock Assy., w/lock bolt, 1 15/16 ret. (7/8 face dia. x 1 9/16 long—chrome)	3732065	1	(10.266)
54-56	ALL	KNOB, w/lock bolt less cylinder retainer and keys	4099315	1	(10.266)
40-53	ALL,	KNOB, with lock bolt, less cylinder (1 3/32 diam-			
54-55	FFC (1st Ser.)	eter x 1 3/4 overall length—chrome)	4099316	1	(10.266)
47-48	ALL	KEY, blank (round head)	7002238	A.R.	(2.187)
47-57	ALL	KEY, blank (octagon head)	3694624	A.R.	(2.187)
54-57	ALL	CYLINDER, uncoded, less keys	1394994	1	(10.266)
55-57	ALL (2nd Ser.)	BUMPER, door (3/8 O.D. x 1 1/8 O.L.)	4128599	2	(10.263)
54-57	ALL (exc. FFC)	STRIKER, door lock	3701376	1	.20
53-57	ALL (exc. FFC)	RETAINER, cyl. cage	4599106	1	(10.267)

*NOTE: includes knobs, lock, cylinders coded to no specified key number, with plunger, spring, washer and two keys.

16.111 MOULDING, Instrument Panel Compartment

47-49	ALL	(19/32 x 36 5/8 long, chrome)	3685109	1	.55

16.115 HINGE—CHECK, Compartment Door

47-49	ALL	right, w/support (2 7/8 wide x 3 1/8 long)	3683922	1	.70
47-49	ALL	left, w/support (4 wide x 4 5/8 long)	3683921	1	.75
50-53	ALL,				
54	FFC	left, w/support (2 5/16 wide x 3 7/8 long)	3693297	1	.65
50-53	ALL,				
54-55	FFC (1st Ser.)	right, w/support (2 5/16 wide x 3 7/8 long)	3693298	1	.65
54-55	ALL (1st Ser.) (exc. FFC)	(2 3/16 wide x 11 1/8 long)	3701371	1	.95
55-57	ALL (2nd Ser.)	(1 15/16 wide x 11 1/2 long)	3712288	1	.95
54-55	ALL (1st Ser.) (exc. FFC)	CHECK, door	3701373	1	25
55-57	ALL (2nd Ser.)	CHECK, door	3716483	1	.25
55-57	ALL (2nd Ser.)	CHECK, door	3716484	1	.25

16.120 TRAY ASSEMBLY—HANDLE—RETAINER—SNUFFER—NUT, Ash (less handle)

47-53	ALL,				
54-55	FFC (1st Ser.)		3847407	1	2.05
54-55	ALL (1st Ser.) (exc. FFC)		3700818	1	1.80
54-55	ALL (1st Ser.) (exc. FFC)	(w/deluxe equip.)	3700823	1	1.80
55-57	ALL (2nd Ser.)	(comb. 447) (marble gray)	3730595	1	1.80

47-53	ALL,				
54-55	FFC (1st Ser.)	HANDLE (7/16 wide x 25/32 high x 1 1/2 long)	3698544	1	.20
55-57	ALL (2nd Ser.) (exc. FFC)	RETAINER	3712194	1	.45
47-53	ALL,				
54-55	FFC (1st Ser.)	SNUFFER	3707475	1	.20
40-48	ALL	NUT, speed (3/8 x 5/8 for 3/16 diameter pin)	3695282	2	(8.040)

16.125 COVER—GRILLE—GROMMET, Cowl Ventilator

47-50	ALL	side vent., with hinge	3693538	1	1.65
47-53	ALL,				
54-55	FFC (1st Ser.)	top, w/hinge plate	3682919	1	3.25
54-55	ALL (1st Ser.) (exc. FFC)	top, w/hinge plate	3703555	1	3.25
55-57	FFC (2nd Ser.)	top w/hinge plate	3718697	1	4.30
55-57	ALL (2nd Ser.) (exc. FFC)	GRILLE	3713205	1	4.00
55-57	ALL (2nd Ser.) (exc. FFC)	GROMMET, grille locating	3723012	1	.05

16.127 HOSE, Cowl Ventilator Drain

47-55	ALL (1st Ser.)	(5/8 I.D. x 8 dev. length)	3683657	1	.30
55-57	FFC (2nd Ser.)	moulded (5/8 I.D. x 5 1/2 dev. length)	3718735	1	.30

16.130 HANDLE, Cowl Ventilator, with Link

47-53	ALL (exc. FFC)	top (15 overall length)	3682916	1	4.05
47-49	ALL	side (6 overall length)	3691106	1	.90
50	ALL	side (6 11/32 overall length)	3693540	1	.35
54-55	ALL (1st Ser.) (exc. FFC)	top	3701074	1	4.00
55-57	FFC (2nd Ser.)	lower link and brace	3718703	1	4.00

16.135 LINK—WASHER, Cowl Ventilator Adjusting

47-55	FFC (1st Ser.)	upper (6 1/2 O.L.)	3689107	1	.45
47-55	ALL (1st Ser.) (exc. FFC)	upper (11 dev. length)	3689023	1	.55
55-57	FFC (2nd Ser.)	upper (7 1/2 dev. length)	3718702	1	.55
41-55	ALL (1st Ser.)	WASHER, spring, link to hinge plate (5/16 I.D. x 15/32 O.D.)	138485	1	(8.932)

16.140 WEATHERSTRIP, Cowl Ventilator

39-46	ALL	formed in one piece, rubber (3 15/16 x 14 15/16)	3681067	1	.80
47-50	ALL	side vent., formed in one piece	3684389	1	.50
47-53	ALL,				
54-55	FFC (1st Ser.)	top cowl vent, formed in one piece	3682856	1	.80
54-55	ALL (1st Ser.) (exc. FFC)	top cowl vent, formed in one piece	3703560	1	.80
55-57	FFC (2nd Ser.)	top cowl vent, formed in one piece	3718733	1	.80

16.150 DOOR—GUARD UNIT, Front—in Prime (less trim and hardware)

39-46	CAB (exc. COE)	left	603339	1	42.00
39-46	CAB (exc. COE)	right	3666518*	1	42.00

*NOTE: When using 3666518 where lock is in door handle, it will be necessary to plug hole in door with 1394712 case and dust cover along with 4131755 retainer spring.

47-50	ALL (exc. COE)	left	3684147	1	55.45
47-50	ALL (exc. COE)	right	3684148	1	55.45
47-50	COE	left	3686027	1	63.30
47-50	COE	right	3686028	1	63.30
51	ALL (exc. COE)	left	3695437	1	55.45
51	ALL (exc. COE)	right	3695438	1	55.45
51	COE	left	3695569	1	63.30
51	COE	right	3695570	1	63.30
52-55	ALL (1st Ser.) (exc. COE)	left	3810915	1	55.45
52-55	ALL (1st Ser.) (exc. COE)	right	3810916	1	55.45
52-55	COE (1st Ser.)	left	3810917	1	63.30
52-55	COE (1st Ser.)	right	3810918	1	63.30
55-56	ALL (2nd Ser.)	left	3728967	1	61.05
55-56	ALL (2nd Ser.)	right	3728968	1	61.05

57	ALL	left	3739593	1	61.25
57	ALL	right	3739594	1	61.25
55-57	ALL	GUARD UNIT, door edge	987205	1	3.45

16.155 REST UNIT—BASE—MOULDING—PAD—BRACKET, Door Arm

54-55	ALL (w/deluxe equip.) (1st Ser.)	left or right (gray)	3701056	1	4.30
54-55	COMM. CAB PANEL (w/deluxe equip.) (1st Ser.)	left or right (brown)	3712330	1	4.30
54-55	COMM. CAB (w/deluxe equip.) (1st Ser.)	left or right (blue)	2313414	1	4.30
54-55	COMM. CAB (w/deluxe equip.) (1st Ser.)	left or right (green)	2313415	1	4.30
55	SUB. PICK-UP	(red base beige cover)	3718295	2	3.75
56	ALL (exc. SUB. PICK-UP)	left (gray w/charcoal base)	987470	1	3.90
57	SUB. PICK-UP	left or right (gray and charcoal)	987633	1	3.90
55	SUB. PICK-UP	BASE, red plastic (9¾ long) left	3718297	1	1.45
55	ALL (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	BASE, brown plastic (9¾ long) left	3718306	1	1.45
55	ALL (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	BASE, beige plastic (9¾ long) left	3716955	1	1.45
56	ALL (w/deluxe equip.)	BASE, left (green)	3729918	1	1.45
56	ALL (w/deluxe equip.)	BASE, left (blue)	3729919	1	1.45
56-57	ALL (w/deluxe equip.)	BASE, left (charcoal)	3729920	1	1.45
56-57	SUB. PICK-UP	BASE, left (cardinal red)	3729917	1	1.45
57	SUB. PICK-UP	BASE, left (light and dark blue)	3738355	1	1.45
57	SUB. PICK-UP	BASE, left (light and dark green)	3738354	1	1.45
55-57	ALL (w/deluxe equip.) (2nd Ser.)	MOULDING, stainless steel (9¾ long)	3716956	1	.60
54-55	ALL (1st Ser.)	PAD (w/deluxe equip.) (3⅛ wide x 1⅝ thick, 7⅞ long)	3701080	1	3.30
55	ALL (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	PAD, left or right (beige)	3725040	1	3.30
55	PANEL (w/deluxe equip.) (2nd Ser.),	PAD, left			
55	ALL (2nd Ser.) (exc. deluxe equip.)	left or right (black)	3725038	1	3.30
56	ALL (w/deluxe equip.)	PAD, left (green)	3731209	1	3.30
56	ALL (w/deluxe equip.)	PAD, left (blue)	3731210	1	3.30
56	ALL (w/deluxe equip.)	PAD, left (gray)	3731211	1	3.30
56-57	SUB. PICK-UP	PAD, left (oak beige)	3731208	1	3.30
57	ALL	PAD (gray and charcoal)	3727927	1	3.30
57	SUB. PICK-UP	PAD, left (light and dark blue)	3741485	1	3.30
57	SUB. PICK-UP	PAD, left (light and dark green)	3741484	1	3.30
47-55	ALL (1st Ser.)	BRACKET (2¾ wide x 7 1/16 long)	3684383	1	.70

16.160 DOOR, Back (less trim and hardware)

39-46	PANEL	left	3805409	1	39.50
39-46	PANEL	right	3805410	1	39.50
47-55	PANEL, SUB. w/DOORS (1st Ser.)	left	3699473	1	46.50
47-55	PANEL, SUB. w/DOORS (1st Ser.)	right	3699474	1	46.50
55-56	PANEL, SUB. w/DOORS (2nd Ser.)	left	3811491	1	46.50
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	right	3811492	1	46.50
57	PANEL, SUB. w/DOORS	left	3739577	1	46.50

SWITCH, Tail Lamp

37-51	PANELS, SUB. w/DOORS	door half w/plunger	594904	1	(2.447)
37-51	PANELS, SUB. w/DOORS	body half	594905	1	(2.447)

16.165 PANEL—FASTENER—SCREW—WASHER, Door Inside Trim

39-46	ALL (exc. COE)	left (30¼ high x 31¾ wide)	3652901	1	4.80
47-55	ALL (1st Ser.)	left, brown (10⅝ x 31 25/32)	3700543*	1	1.45
47-55	ALL (1st Ser.)	right, brown (10⅝ x 31 25/32)	3700544*	1	1.45
55-57	ALL (2nd Ser.)	left (34⅞ wide x 11 5/16 high)	3727559*	1	3.75
55-57	ALL (2nd Ser.)	right (34⅞ wide x 11 5/16 high)	3727560*	1	3.75
55-57	SUB. PICK-UP	left, red	3722497	1	3.75
55-57	SUB. PICK-UP	right, red	3722498	1	3.75
56-57	SUB. PICK-UP	left, green	3731231	1	4.15
56-57	SUB. PICK-UP	right, green	3731232	1	4.15
56-57	SUB. PICK-UP	left, blue	3731233	1	4.15

56-57	SUB. PICK-UP	right, blue	3731234	1	4.15
56-57	SUB. PICK-UP	left, charcoal	3731235	1	4.15
56-57	SUB. PICK-UP	right, charcoal	3731236	1	4.15
53-55	ALL (1st Ser.)	FASTENER, panel (½ cap O.D.) brown	3707152*	A.R.	.10
55-57	ALL (2nd Ser.)	SCREW, ov. hd. cr. rec. self locking mach. ¼—20 x ⅝	3727561	26	.05
55	ALL (2nd Ser.)	WASHER, lock (⅝ dia. w/8 internal teeth)	3721700	A.R.	.05

*NOTE: May be repainted to match existing color.

16.166 MOULDING—CLIP, Side Door Trim Panel

47-55	ALL (1st Ser.)	left (10 7/16 x 31 27/32)	3686119	1	1.70
47-55	ALL (1st Ser.)	right (10 7/16 x 31 27/32)	3686120	1	1.70
51-55	ALL (1st Ser.)	CLIP (11/16 x 15/16)	3697673	2	.10

16.167 COVER, Door Inner Panel

47-55	ALL (1st Ser.) (exc. COE)	left, side door (4¾ x 16 3/16)	3810919	1	.65
47-55	ALL (1st Ser.) (exc. COE)	right, side door (4¾ x 16 3/16)	3810920	1	.65
47-57	PANEL, SUB. w/DOORS	rear door (5¼ x 5¼)	3807284	A.R.	.30
55-57	ALL (2nd Ser.)	left, side (5 7/32 x 6)	3812265	1	.35
55-57	ALL (2nd Ser.)	right, side (5 7/32 x 6)	3812266	1	.35
55-57	PANEL, SUB. w/DOORS (2nd Ser.)		3811513	1	.30

16.170 SCREW, Sheet Metal Attaching

37-39	ALL,				
48-56	COMM.	No. 8—32 x ½ binding head	3654597*	A.R.	.05

*NOTE: Use 111633 in place of 3654597 when attaching top lining panel retainers and the w/shield header cover panel only.

16.173 VENTILATOR ASSY., Front Door

51-55	ALL (1st Ser.)	left, less glass	3695655	1	15.50
51-55	ALL (1st Ser.)	right, less glass	3695656	1	15.50
54-55	COMM. CAB, SGL. UNIT (w/deluxe equip.) (1st Ser.)	left, w/glass (chromed)	3712505	1	20.50
54-55	COMM. CAB, SGL. UNIT (w/deluxe equip.) (1st Ser.)	right w/glass (chromed)	3712506	1	20.50
55-56	ALL (2nd Ser.)	right, w/tinted glass (black enameled)	3717834	1	19.50
55-57	ALL (2nd Ser.) (exc. SUB.)	left, less glass (black enameled)	3717831	1	15.50
55-57	ALL (2nd Ser.) (exc. SUB.)	right, less glass (black enameled)	3717832	1	15.50
55-57	ALL (w/deluxe equip.) (exc. SUB.)	left, less glass (chrome)	3717829	1	17.50
55-57	ALL (w/deluxe equip.) (exc. SUB.)	right, less glass (chrome)	3717830	1	17.50

16.174 GLASS, Front Door Ventilator

51-55	ALL (1st Ser.)		3695478	2	3.00
51-55	ALL (1st Ser.)	tinted	3704387	2	4.00
55-56	ALL (2nd Ser.)	tinted	3712199	2	3.75
55-57	ALL (2nd Ser.)		3716620	2	2.75

16.175 FRAME ASSY.—SASH ASSY.—WEATHERSTRIP—RIVET, Front Door Ventilator

51-55	ALL (1st Ser.)	w/division channel, left	3699713	1	6.75
51-55	ALL (1st Ser.)	w/division channel, right	3699714	1	6.75
55-57	ALL (2nd Ser.) (exc. SUB PICK-UP)	right, glass frame (black enamel)	4158400	1	5.65
55-57	ALL (2nd Ser.) (exc. SUB PICK-UP)	left, glass frame (black enamel)	4158401	1	5.65
55-57	ALL (w/deluxe equip.) (2nd Ser.)	right, glass frame (chromed)	4158402	1	6.40
55-57	ALL (w/deluxe equip.) (2nd Ser.)	left, glass frame (chromed)	4158403	1	6.40
54-55	COMM. CAB, SGL. UNIT (w/deluxe equip.)	SASH ASSY., left (chromed)	3712507	1	5.25
54-55	COMM. CAB, SGL. UNIT (w/deluxe equip.)	SASH ASSY., right (chromed)	3712508	1	5.25
51-55	ALL (1st Ser.)	SASH ASSY., left, glass	3695497	1	3.70
51-55	ALL (1st Ser.)	SASH ASSY., right, glass	3695498	1	3.70
51-55	ALL (1st Ser.)	WEATHERSTRIP, glass, left	3696027	1	2.00
51-55	ALL (1st Ser.)	WEATHERSTRIP, glass, right	3696028	1	2.00

55-57	ALL (2nd Ser.)	WEATHERSTRIP, glass, left	3716603	1	1.90
55-57	ALL (2nd Ser.)	WEATHERSTRIP, glass, right	3716604	1	1.90
51-55	ALL (1st Ser.)	RIVET, channel to vent. frame hinge (1/8)	3695553	2	.05
51-55	ALL (1st Ser.)	RIVET, door window front glass run attaching (C'sunk 1/8 x 1/4)	443587	12	(10.669)

16.176 HANDLE—BRACKET—PIN—SPRING—WASHER—PLATE—RIVET—STOP, Front Door Ventilator

51-55	ALL (1st Ser.)	locking, left	3695415	1	.85
51-55	ALL (1st Ser.)	locking, right	3695416	1	.85
55-57	ALL (2nd Ser.)	locking, left	3716649	1	.85
55-57	ALL (2nd Ser.)	locking, right	3716650	1	.85
51-55	ALL (1st Ser.)	BRACKET, w/stud, left	3695537	1	.60
51-55	ALL (1st Ser.)	BRACKET, w/stud, right	3695538	1	.60
54-55	COMM. CAB (1st Ser.)	BRACKET, w/stud (chromed)	3712517	1	.85
54-55	COMM. CAB (1st Ser.)	BRACKET, w/stud (chromed)	3712518	1	.85
51-57	ALL	PIN, locking hdle. retaining (3/32 dia. x 1/2 long)	3697476	2	.05
55-57	ALL (2nd Ser.)	SPRING, pivot	3716643	2	.25
51-55	ALL	WASHER, vent. locking handle (7/16)	3696038	2	(10.824)
55-56	ALL (2nd Ser.)	WASHER, lower support friction (fiber)	4162192	4	(10.660)
55-57	ALL (2nd Ser.)	WASHER, pivot spring seat washer (steel)	4162193	2	(10.660)
51-55	ALL (1st Ser.)	PLATE, locking handle striker	3695420	2	.30
55-57	ALL (2nd Ser.)	PLATE, locking handle striker (3/4 x 1 1/4)	3716655	2	.30
51-55	ALL (1st Ser.)	RIVET, support	4172393	8	(10.660)
55-57	ALL (2nd Ser.)	STOP, pivot shaft (lower—1/16 thick)	4167943	2	(10.660)

16.179 DEFLECTOR, Front Door Ventilator Rain

51-55	ALL (1st Ser.)	left	3696155	1	.45
51-55	ALL (1st Ser.)	right	3696156	1	.45

16.180 GLASS, Front Door

39-40	ALL	safety (15 3/4 x 26 21/32 max. dim.)	598754	2	9.25
41-46	ALL	safety (14 3/4 x 25 1/2 max. dim.)	3657494	2	9.25
47-50	ALL	safety (16 3/8 x 28 5/16 max. dim.)	3684164	2	10.50
51-55	ALL (1st Ser.)	safety (16 7/8 x 18 1/4 max. dim.)	3695550	2	7.75
51-55	ALL (1st Ser.)	tinted (16 7/8 x 18 1/4 max. dim.)	3704389	2	9.00
55-56	ALL (2nd Ser.)	tinted (18 9/32 x 18 19/32 max. dim.)	3712203	2	9.00
55-57	ALL (2nd Ser.)	safety (18 9/32 x 18 19/32 max. dim.)	3712202	2	7.75

16.181 FRAME, Door Window Glass (Upper and Sides)

41-46	ALL	(16 9/32 high x 26 3/4 wide)	3657495	2	2.40
47-50	ALL	(17 5/8 x 28 11/16)	3684175	2	2.40
55-57	ALL (2nd Ser.)	painted (18 5/8 x 20 1/8 wide)	3712293	2	2.95
55-57	ALL (2nd Ser.) (exc. SUB.)	chromed (18 5/8 x 20 1/8 wide)	3718299	2	4.65

16.183 FILLER—WEATHERSTRIP, Door Window Glass

46-48	ALL	rubber (25 ft. roll cut to size)	3847051	A.R.	.90
46-48	ALL	WEATHERSTRIP, rubber (50 ft. roll cut to size)	3847413	A.R.	.20
47-55	ALL (1st Ser.)	WEATHERSTRIP, rubber (50 ft. roll)	3847608	A.R.	.30
55-57	ALL (2nd Ser.)	WEATHERSTRIP, (18 1/4 long) left	3726491*	2	.70
55-57	ALL (2nd Ser.)	WEATHERSTRIP, (18 1/4 long) right	3726492*	2	.70

*NOTE: 1 each required on L.H. door—1 each required on R.H. door.

16.185 MOULDING—CLIP—BOLT, Front Door Window Reveal

47-51	ALL,				
54-55	ALL (w/deluxe equip.) (1st Ser.)	left (dev. length 77 1/2) (st. steel)	3684847	1	3.80
47-51	ALL,				
54-55	ALL (w/deluxe equip.) (1st Ser.)	right (dev. length 77 1/2) (st. steel)	3684848	1	3.80
47-53	ALL,				
54-55	ALL (w/out deluxe equip.) (1st Ser.)	left (dev. length 77 1/2) (painted)	3683403	1	3.15
47-53	ALL,				
54-55	ALL (w/out deluxe equip.) (1st Ser.)	right (dev. length 77 1/2) (painted)	3683404	1	3.15

55-57	ALL (w/deluxe equip.) (2nd Ser.)	left (dev. length 120) (st. steel)	3716469	1	4.45
55-57	ALL (w/deluxe equip.) (2nd Ser.)	right (dev. length 120) (st. steel)	3716470	1	4.45
55-57	ALL (w/deluxe equip.) (2nd Ser.)	CLIP (39/64 x 45/64)	3721320	22	.10
55-57	ALL (w/deluxe equip., 8 cyl.) (2nd Ser.)	BOLT, tee (#10—24 x 3/8)	3721708	2	.05

16.190 CHANNEL, Door Glass Sash and Parts

37-40	ALL	(2 x 25 13/32 overall length)	598690*	2	1.10
41-46	ALL	(2 x 25 13/32 overall length)	3657491	2	1.40
47-50	ALL	left, (28 inch long to hole centers)	3684169	1	1.80
47-50	ALL	right, (28 inch long to hole centers)	3684170	1	1.80
47-50	ALL	left, rear guide (15/16 x 20 29/32)	3809865†	1	1.30
47-50	ALL	right, rear guide (15/16 x 20 29/32)	3809866†	1	1.30
47-50	ALL	left, front guide (29/32 x 20 29/32)	3685369	1	1.30
47-50	ALL	right, front guide (29/32 x 20 29/32)	3685370	1	1.30
51-55	ALL (1st Ser.)	left, rear guide (23/32 x 19 3/4)	3695555	1	1.05
51-55	ALL (1st Ser.)	right, rear guide (23/32 x 19 3/4)	3695556	1	1.05
51-55	ALL (1st Ser.)	lower (1 7/16 x 17)	3695551	2	.95
55-57	ALL (2nd Ser.)	left, lower (18 1/4 O.L.)	3712295	1	1.40
55-57	ALL (2nd Ser.)	right, lower (18 1/4 O.L.)	3712296	1	1.40
55-57	ALL (2nd Ser.)	left, rear guide (2 1/4 x 22)	3717865	1	1.05
55-57	ALL (2nd Ser.)	right, rear guide (2 1/4 x 22)	3717866	1	1.05
51-55	ALL (1st Ser.)	BRACKET, left rr. guide channel (1/4 thick x 2 5/16 long)	3721781	1	.30
51-55	ALL (1st Ser.)	BRACKET, right rr. guide channel (1/4 thick x 2 5/16 long)	3721782	1	.30
55-57	ALL (2nd Ser.)	WEATHERSTRIP, channel (17 5/8 long w/lip)	3712299	2	.80
54-55	ALL (1st Ser.)	LOCK (1 7/8 long w/two 13/64 dia. holes)	3718644	2	.10
49-50	ALL	NUT, rear guide channel (10-32 stmpd.-1 3/8 x 1/2)	3694071	4	.05
41-52	ALL	WASHER (used as a sash channel spacer) (15/64 I.D. x 3/8 O.D. x 3/64 thick)	3657497	8	.02
47-55	ALL (1st Ser.)	BUMPER, door window stop	4131052	4	(10.716)
55-57	ALL (2nd Ser.)	BUMPER, door window stop (1 5/16 x 1 5/16 x 1/2)	4609684	2	(10.716)
47-55	ALL	FILLER, channel (.047 thick x 40 ft. roll)	603955	A.R.	(10.696)
47-57	ALL	FILLER, channel (.032 thick x 60 ft. roll)	603954	A.R.	(10.696)

†NOTE: When using 3809865-66 on 1947-49 Jobs it will be necessary to use 3694071 nut.

16.200 CHANNEL—UNIVERSAL, Door Glass Run

39-46	ALL	lock side (5/8 wide x 28 5/8 long x 9/16 high, fabric lined)	598746	2	1.10
47-50	ALL	side door (88 5/8 long)	3684434	1	3.35
51-55	ALL (1st Ser.)	side door (U shape 32 7/16 long)	3695445	2	.95
51-55	ALL (1st Ser.)	left, side door (5/8 x 50 1/4) (w/retainers)	3699865	1	2.05
51-55	ALL (1st Ser.)	right, side door (5/8 x 50 1/4) (w/retainers)	3699866	1	2.05
55-57	ALL (2nd Ser.)	left, rear, side door (complete w/retainers)	3715345	1	2.05
55-57	ALL (2nd Ser.)	right rear, side door (complete w/retainers)	3715346	1	2.05
55-57	ALL (2nd Ser.)	side door front glass (37 1/2 long)	3716600	2	3.20
40-46	ALL	UNIVERSAL, lock side (1/2 wide x 36 long)	609528	A.R.	(10.701)

16.223 WEATHERSTRIP, Door Header

39-46	ALL	felt (5/8 wide x 27 long x 1/4 high)	598757	2	.18
47-49	ALL	rubber (9/16 wide x 1 1/8 high, 25 ft. roll)	3847443	A.R.	(16.225)
47-56	SUB. w/END GATE (1st Ser.)	rubber (60 ft. roll, cut size)	3692045	A.R.	(10.694)

16.225 WEATHERSTRIP—CLIP, Front Door Opening

47-49	ALL (1st type)	hinge, upper, lower and sides (rubber 25 ft. roll) (use with flat retainer)	3847443	A.R.	.25
47-55	ALL (1st Ser.)	bottom (32 11/16 long—w/lip)	3700548	2	.85
49-55	ALL (2nd type) (1st Ser.)	door opening, use with channel type retainer (24 ft. roll)	3692458	A.R.	.30
54-55	COMM. CAB (w/deluxe equip.) (1st Ser.)	door opening side, blue (112 1/4 long)	3712346	2	2.70
54-55	COMM. CAB (w/deluxe equip.) (1st Ser.)	door opening side, green (112 1/4 long)	3712348	2	2.70
54-55	COMM. CAB (w/deluxe equip.) (1st Ser.)	door opening side, brown (112 1/4 long)	3712349	2	2.70
55-57	ALL (2nd Ser.)	left, snap on type (163 dev. length)	3715635	1	9.55
55-57	ALL (2nd Ser.)	right, snap on type (163 dev. length)	3715636	1	9.55
55-57	ALL (2nd Ser.)	CLIP, retaining (1/2 x 1/2)	3721232	4	.05

16.227 WEATHERSTRIP, Back Door

39-46	PANEL JOBS	door outer (7/8 wide x 23 31/32 high x 93 long).	470519	1	2.95
47-56	PANEL, SUB. w/DOORS (1st Ser.)	door center and outer (60 ft. roll)	3692045	A.R.	(10.694)
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	left	3737509	1	8.90
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	right	3728374	1	13.50

16.230 RETAINER, Front Door Opening Weatherstrip

47-49	ALL (1st type)	left, lock pillar (5/8 wide x 55 long)	3685651	1	.95
47-49	ALL (1st type)	right, lock pillar (5/8 wide x 55 long)	3685652	1	.95
47-55	ALL (1st Ser.) (exc. COE)	lower, side door (13/16 x 32 1/8)	3683674	2	.40
47-49	ALL (1st type)	left, hinge pillar (5/8 wide x 54 1/2 long)	3685649*	1	.95
47-49	ALL (1st type)	right, hinge pillar (5/8 wide x 54 1/2 long)	3685650*	1	.95
47-55	ALL (1st Ser.)	bottom (1 wide x 34 1/16 long—channel)	3693500	2	.55
49-55	ALL (2nd type) (1st Ser.)	left, door opening—upper (1/2 wide—channel shape)	3691189	1	.80
49-55	ALL (2nd type) (1st Ser.)	right, door opening—upper (1/2 wide—channel shape)	3691190	1	.80
49-55	ALL (2nd type) (1st Ser.)	left, body hinge pillar (9/16 wide—channel shape)	3691191†	1	.95
49-55	ALL (2nd type) (1st Ser.)	right, body hinge pillar (9/16 wide—channel shape)	3691192†	1	.95
49-55	COE (2nd type) (1st Ser.)	side door lower (9/16 wide—channel shape)	3694020	2	.40
49-55	ALL (2nd type) (1st Ser.)	left or right, body lock pillar—lower (9/16 wide—channel shape)	3691287	2	.80
55-57	ALL (2nd Ser.)	(30 5/8 long)	3715639	2	.40

*NOTE: When using 3685649-50 on COE it will be necessary to cut lower end 1 1/32 below 3rd hole.

†NOTE: When using 3691191-2 on COE it will be necessary to cut approx. 7" from lower end.

16.231 SCREW, Door Weatherstrip Retainer

47-56	ALL	SCREW, metal, retainer (8—32 x 1/2)	3654597	A.R.	(16.170)

16.260 REGULATOR, Door Window

40-46	ALL	left (ctr. of spring to ctr. of roller—12 7/8, two arm)	594279	1	4.30
40-46	ALL	right (ctr. of spring to ctr. of roller—12 7/8, two arm)	594280	1	4.30
47-50	ALL	left (ctr. of spring to ctr. of roller—14, two arm)	3676433	1	6.45
47-50	ALL	right (ctr. of spring to ctr. of roller—14, two arm)	3676434	1	6.45
51-54	ALL	left (ctr. of spring to ctr. of roller—13, single arm)	3695521	1	4.90
51-54	ALL	right (ctr. of spring to ctr. of roller—13, single arm)	3695522	1	4.90
55-57	ALL (2nd Ser.)	left (double arm)	3716623	1	5.90
55-57	ALL (2nd Ser.)	right (double arm)	3716624	1	5.90

16.261 CAM, Door Window Regulator Upper Guide

47-52	ALL	(1 x 22 3/4 long) (cut to size)	4099974	A.R.	(11.046)
55-57	ALL (2nd Ser.)	(15 5/32 long) rail	3715659	2	.25

16.270 HANDLE—SCREW—WASHER, Door Window Regulator

39-46	ALL	(4 1/8 O.L., with light brown knob)	3654632	2	2.10
47-57	ALL	(5 O.L., with black knob)	3702164	2	2.05
47-49	ALL	SCREW, handle to regulator	3654595	2	(11.591)
47-53	ALL	SCREW, hdle. to reg. (headless set 1/4—20 x 3/8)	3687995*	2	.05
47-57	ALL (2nd Ser.)	SCREW, hdle. to reg. (headless set 1/4—20 x 19/32)	3718951*	2	.10
47-57	ALL	WASHER, under handle (fiber 15/32 I.D. x 1 7/8 O.D.)	3686121	2	.10

*NOTE: Part No. 3687995 and 3718951 (47-53) are used with each other to attach production handle.

16.280 WASHER, Door Window Regulator Handle Escutcheon Plate

39-46	ALL	fibre (5/8 I.D. x 7/8 O.D. x 1/16 thick)	598875	4	.05


16.290 MOULDING, Door Window Garnish

47-50	ALL	left, side (14 41/64 x 27 13/16 opening)	3684481	1	5.95
47-50	ALL	right, side (14 41/64 x 27 13/16 opening)	3684482	1	5.95
51-55	ALL (exc. DELUXE) (1st Ser.)	left, side (14 41/64 x 27 13/16 opg.) (painted)	3700585	1	3.60
51-55	ALL (exc. DELUXE) (1st Ser.)	right, side (14 41/64 x 27 13/16 opg.) (painted)	3700586	1	3.60
51	ALL (DELUXE)	left, side (14 41/64 x 27 13/16 opg.) (st. steel)	3695977	1	5.95
51	ALL (DELUXE)	right, side (14 41/64 x 27 13/16 opg.) (st. steel)	3695978	1	5.95
55-57	ALL (2nd Ser.)	left, side (52 1/2 dev. length)	3712205	1	3.10
55-57	ALL (2nd Ser.)	right, side (52 1/2 dev. length)	3712206	1	3.10

WEATHERSTRIP, Garnish Moulding Door Window

47-55	ALL (1st Ser.)	used on door glass inner (cut to size)	4102157	A.R.	(10.710)

16.310 NUT—CLIP, Door Window Garnish Moulding



3695964

55-57	ALL (2nd Ser.)	"U" shape (No. 10-12)	3718300	4	.05
51-52	ALL	CLIP, to door	3695964	4	.05
55-57	ALL (2nd Ser.)	CLIP (5/8 thick x 1 long)	3718303	8	.05

16.320 HINGE, Front Door

39-46	ALL	lower	603344	2	1.77
39-46	ALL	upper	603345	2	1.65
47-55	COE (1st Ser.)	left, upper	3847527	1	2.85
47-55	COE (1st Ser.)	right, upper	3847528	1	2.85
47-55	COE (1st Ser.)	left, lower	3689133	1	5.05
47-55	COE (1st Ser.)	right, lower	3689134	1	5.05
47-55	ALL (1st Ser.) (exc. COE)	left, lower	3688765*	1	4.15
47-55	ALL (1st Ser.) (exc. COE)	right, lower	3688766*	1	4.15
47-55	ALL (1st Ser.) (exc. COE)	left, upper	3688763	1	4.25
47-55	ALL (1st Ser.) (exc. COE)	right, upper	3688764	1	4.25
55-57	ALL (2nd Ser.)	left, upper	3716441	1	4.70
55-57	ALL (2nd Ser.)	right, upper	3716442	1	4.70
55-57	ALL (2nd Ser.)	left, lower	3722703	1	4.15
55-57	ALL (2nd Ser.)	right, lower	3722704	1	4.15

*NOTE: When using 3688765-6 on 1947 models with 1" wide hinge stop, 3688763-4 must also be used.

HINGE, Back Door

39-46	SGL. UNIT		603668	4	1.49
47-55	PANEL, SUB. w/DOORS (1st Ser.)	upper	3847451	2	2.85
47-55	PANEL, SUB. w/DOORS (1st Ser.)	lower	3847452	2	2.85
55-57	PANEL, SUB. w/DOORS	upper	3718476	1	2.85
55-57	PANEL, SUB. w/DOORS	lower	3718477	1	2.85

16.323 PIN—SPACER—BUSHING—SPRING, Door Hinge

37-38	869-71-701-3-5	back door hinge,			
39-46	ALL	front door hinge,			
47-53	COE	front door hinge, upper (9/32 x 3)	598653	4	.10
39-56	SGL. UNIT	back door hinge (11/32 x 2 3/8)	471209	4	.10
47-55	ALL (1st Ser.) (exc. COE)	side door hinge (5/16 x 2 3/16)	3847685	4	.10

55-57	ALL (2nd Ser.)	side door hinge (11/32 x 2 1/2)	3716453	4	.15
55-57	SUB. w/END GATE (2nd Ser.)	SPACER, hinge pillar hole lower (2 1/2 x 3 7/32)	3717710	2	.55
55-57	SUB. w/END GATE (2nd Ser.)	SPACER, hinge pillar hole upper (9/32 thick—2 3/16 x 2 1/2)	3717711	2	.45
55-57	ALL (2nd Ser.)	BUSHING, side door hinge pin (nylon)	4150462	8	.10
47	ALL	SPRING, left dr. upper hinge (acts like dr. check link) (1st type "W" shape)	3690291	1	.35
47	ALL	SPRING, right dr. upper hinge (acts like dr. check link.) (1st type "W" shape)	3690292	1	.35
47-55	ALL (1st Ser.)	SPRING, unit, (acts like dr. check link) (2nd type "C" shape)	3690447	2	.60
55-57	ALL (2nd Ser.)	SPRING, hinge check link	3716456	2	.25

16.325 BOLT—GROMMET, Door Hinge

47-55	ALL (1st Ser.)	upper hinge assy., upper and lower to body hinge pillar (3/8—24 x 7/8)	3685462	A.R.	(10.463)
55	ALL (2nd Ser.)	upper and lower hinge assy. to hinge pillar (3/8—16 x 1)	3716457	6	.15
55	ALL (2nd Ser.)	lower hinge to hinge pillar, Rd. Hd. Slotted (3/8—16 x 1)	3716458	2	.15
55	ALL (2nd Ser.)	upper and lower hinge assy. (self locking) (3/8—16 x 1 1/4)	3716460	12	.15
55-57	ALL (2nd Ser.)	upper and lower hinge assy. to hinge pillar (3/8—24 x 3/4)	3722312	A.R.	.15
55-57	ALL (2nd Ser.)	upper and lower hinge assy. (self locking) (3/8—24 x 3/4)	3722811	12	.15
47-55	PANEL, SUB. w/DOORS (1st Ser.)	GROMMET (used on rear door body and door half hinge) (1/8 x 2 3/8 I.D.)	3807777*	A.R.	.30

*NOTE: When using 3807777, four grommets are used on rear door body half hinge, and four grommets on the rear door half hinge.

16.328 CYLINDER and PARTS, Door Safety Lock

NOTE: Lock parts listed below are used on late 1942 jobs having lock mounted in pillar.

42	COMM., MR,				
46-51	ALL	(less keys and tumblers) side door, back door	1394993	A.R.	(10.550)
42-53	PANEL, SUB. w/DOORS				
42-46	ALL	LOCK ASSY. R.H. (complete w/keys),			
47-55	PANEL, SUB. w/DOORS (1st Ser.)	back door	1393155	1	(10.548)
47-51	ALL	LOCK ASSY., R.H. (complete w/keys)	3684820	1	2.60
41-51	ALL	RETAINER UNIT, side,			
41-46	SGL. UNIT (exc. CAN. EXP.),				
47-53	PANEL, SUB. w/DOORS	rear	1394715*	1	(10.551)
42-56	ALL	RETAINER UNIT (12 retainers)	601261	A.R.	(10.553)
41-51	ALL	CASE, w/dust cover, side,			
41-46	SGL. UNIT (exc. CAN. EXP.),				
47-53	PANEL, SUB. w/DOORS	rear	1394712	1	(10.552)
42-46	ALL	SHAFT, side,			
46	SUB. w/END GATE,				
47-49	PANEL,				
50-53	PANEL, SUB. w/DOORS	rear	605325	1	(10.554)
42-56	ALL	SPRING UNIT (144 springs)	601260	A.R.	(10.553)
47-55	PANEL, SUB. w/DOORS (1st Ser.)	SPRING, retainer back door	3807283	1	.15
42-46	ALL	SPRING, retainer side door	4131755	1	(10.551)
47-51	ALL	SPRING, retainer side door safety lock (1 3/4 wide x 3 1/4 long)	3676359	1	.10
42-57	ALL	TUMBLER UNIT (copper)	601256	A.R.	(10.553)
42-57	ALL	TUMBLER UNIT (nickel)	601257	A.R.	(10.553)
42-57	ALL	TUMBLER UNIT (black)	601258	A.R.	(10.553)
42-57	ALL	TUMBLER UNIT (yellow)	601259	A.R.	(10.553)
47-55	ALL	KEY, blank (octagon head)	3694624	A.R.	(2.187)

*NOTE: UNIT 1394715 consists of 1 clip, washer and spring.

16.330 LOCK, Front Door

39-42	ALL	right (w/locking handle)	3658536	1	3.60
39-46	ALL	left	3683067	1	3.60

42-46	ALL	right (w/lock in door)	3683068†	1	3.60
47-51	ALL	left (3⅜ x 4¼)	3684167	1	5.50
47-51	ALL	right (3⅜ x 4¼)	3684168	1	5.50
52-55	ALL (1st Ser.)	left	3698813	1	3.45
52-55	ALL (1st Ser.)	right	3698814	1	3.45
55-56	ALL (2nd Ser.)	left	3721959	1	3.20
55-56	ALL (2nd Ser.)	right	3721960	1	3.20
57	ALL	left	3736703	1	3.20
57	ALL	right	3736704	1	3.20

†NOTE: Also listed in Back Door section of this group.

LOCK—SUPPORT, Back Door

46	SGL. UNIT	right (w/lock in door)	3683068*	1	3.25
47-55	PANEL, SUB. w/DOORS (1st Ser.)	right	3808817	1	3.60
55-56	PANEL, SUB. w/DOORS (2nd Ser.)	right	3811512	1	3.60
57	PANEL, SUB. w/DOORS	right	3737265	1	3.60
47-57	PANEL, SUB. w/DOORS	SUPPORT, left, lock outer (1½ x 5½)	3712131	1	.40

*NOTE: When 3683068 is used on SGL. UNIT back door, it is also necessary to use and countersink two 120387—5/16 plain washers, and cut off remote control.

16.332 ROD—SPRING—CATCH—PIN—LEVER—GROMMET, Back Door Vertical Lock

39-46	SGL. UNIT	upper (5/16 x 24 long, w/notched end)	3804715	1	.62
39-46	SGL. UNIT	lower (5/16 x 18¾ long, w/notched end)	3804716	1	.62
47-55	PANEL, SUB. w/DOORS (1st Ser.)	upper and lower (23 long)	3807240	2	.60
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	upper (½ x 19⅛ long, w/notched end)	3811503	1	.40
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	lower (½ x 24½ long, w/notched end)	3811504	1	.45
37-46	SGL. UNIT	SPRING (2¼ long)	466851	1	.12
47-57	PANEL, SUB. w/DOORS	SPRING, lock	3807241	1	.15
47-57	PANEL, SUB. w/DOORS (2nd Ser.)	SPRING, lock catch upper, left	3712149	1	.20
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	SPRING, lock catch lower, left	3712127	1	.20
47-55	PANEL, SUB. w/DOORS (1st Ser.)	CATCH—upper (w/spring)	3806961	1	2.70
47-55	PANEL, SUB. w/DOORS (1st Ser.)	CATCH—lower (w/spring)	3806962	1	2.70
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	CATCH—upper, left (w/spring)	3712111	1	2.50
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	CATCH—lower, left (w/spring)	3712112	1	2.50
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	PIN, lock catch lower spring anchor	3712150	1	.20
47-57	PANEL, SUB. w/DOORS	LEVER, w/shaft	3807146	1	2.60
50-57	PANEL, SUB. w/DOORS	GROMMET, rod anti-rattle (5/32 I.D.)	3696468	2	.10

16.333 HANDLE, Back Door Inside Lock

42-46	SGL. UNIT	(4 long, ctr. to ctr. of 5/16—24 tapped holes)	3804730	1	1.77
47-57	PANEL, SUB. w/DOORS	rear door, inside handle (1¾ x 3¾)	3807362	1	.70

16.335 STRIKER—SPACER—SHIM, Front Door Lock

39-46	ALL	(base 1 13/32 x 1½ x 17/32 high, w/teeth)	598777	2	.55
47-51	ALL	left (2 1/32 x 5 7/16)	3684235	1	.75
47-51	ALL	right (2 1/32 x 5 7/16)	3684236	1	.75
52-56	ALL	left (1¾ x 5 7/16)	3698843	1	.70
52-56	ALL	right (1¾ x 5 7/16)	3698844	1	.70
57	ALL	left (1 13/16 x 5 7/16)	3736711	1	.90
57	ALL	right (1 13/16 x 5 7/16)	3736712	1	.90
52-57	ALL	SPACER (¾ x 1⅜) (serrated)	3698848	A.R.	.15
47-48	ALL	SHIM (1⅛ wide x 1⅞ long)	3689312	A.R.	.10

STRIKER—SEAL, Back Door Lock

37-46	SGL. UNIT	left (base 1 7/32 x 1½ x 17/32 high, with teeth)	469577	1	.40
47-54	PANEL, SUB. w/DOORS (1st Ser.)	center (1½ x 1 7/16)	3807481	1	.60
47-55	PANEL, SUB. w/DOORS (1st Ser.)	lower (2 x 2¼)	3807114	1	.50
47-57	PANEL, SUB. w/DOORS (2nd Ser.)	upper (1 9/16 x 2¾)	3812439	1	.55
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	lower (2 1/16 x 2⅝)	3712145	1	.75
56-57	PANEL, SUB. w/DOORS,				
57	PANEL, SUB. w/DOORS	left	3736712	1	.90
56-57	SUB. w/END GATE	SEAL, lower (use w/tail lamp link pivot bracket)	3730618	1	.50

16.340 LINK, Front Door Lock Remote Control Connecting

39-46	ALL	(5/8 wide x 11 11/16 long)	598912	2	.15

16.341 CONTROL—SPRING—RIVET, Door Lock Remote

39-46	ALL	(1 in. diameter x 1 1/8 thick)	598907	2	1.10
47-51	ALL	left, w/link	3690223	1	1.70
47-51	ALL	right, w/link	3690224	1	1.70
52-55	ALL (1st Ser.)	left	3698877	1	1.70
52-55	ALL (1st Ser.)	right	3698878	1	1.70
55-57	ALL (2nd Ser.)	left	3715353	1	1.70
55-57	ALL (2nd Ser.)	right	3715354	1	1.70
39-46	ALL	SPRING, control, left (1 5/16 O.D.—1 3/4 coil)	3661465	1	.10
39-46	ALL	SPRING, control, right (1 5/16 O.D.—1 3/4 coil)	3661466	1	.10
55	ALL (2nd Ser.)	RIVET (1/4 dia. x 3/8 long) use w/3712243-4 Assy.	3712222	2	.05

16.345 HANDLE—WASHER—SCREW, Door Lock Remote Control

39-46	ALL	(5 long, chrome)	3654593	2	1.25
47-57	ALL		3707582	2	1.40
47-55	ALL (1st Ser.)	WASHER, rubber (7/16 I.D.) used as side door trim panel to inner panel spacer for remote control handle	3686114	4	(10.517)
39-42	ALL	WASHER, handle	598875	2	(16.280)
47-55	ALL	WASHER, under handle (fiber 15/32 I.D. x 1 1/8 O.D.)	3686121	2	(16.270)
47-53	ALL	SCREW, remote control handle (headless set 1/4—20 x 3/8)	3687995*	2	(16.270)
47-55	ALL (2nd Ser.)	SCREW, remote control handle, headless set (1/4—20 x 19/32)	3718951*	2	(16.270)

*NOTE: Part Nos. 3687995 and 3718951 (47-53) are used with each other to attach production handle.

16.350 HANDLE ASSEMBLY, Door, Lock Outside (and Parts)

39-42	ALL	front right and back door, less lock cylinder and shaft (6 x 3 17/32 overall length, chrome)	3654591	1	2.95
52-57	ALL	front and rear less cylinder	3698881*	2	3.10
37-46	ALL	FERRULE	4125630	A.R.	(10.537)
39-46	ALL	GROMMET, ferrule	4082057	A.R.	(10.538)
37-46	ALL	SCREW (1/4—28 x 17/32 clutch head),			
47-55	PANEL, SUB. w/DOORS	rear door lock handle	3654594	2	(10.540)
47-57	ALL	FILLER, used as GASKET on side door outside handle (.032 thick) (cut to size)	603954	A.R.	(10.696)

*NOTE: To install L.H. locking mechanism use 3700318, 3700319 and 7003044.

16.353 PARTS, Front Door Outside Handle

52-55	ALL (1st Ser.)	BUTTON, push—L.H. (2 3/4 O.L.)	3698883	1	.85
55-57	ALL (2nd Ser.)	BUTTON, push—L.H. (3 O.L.)	3716907	1	.85
52-57	ALL,				
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	SPRING, push button (7/8 O.D. x 2 long)	3698885	2	.15
52-57	ALL,				
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	SEAT, push button spring (1 O.D.)	3698886	2	.10
52-57	ALL,				
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	STOP, push button (1 O.D.)	3698887	2	.10
52-57	ALL,				
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	GASKET UNIT, contains 2 gaskets	3700098	2	.15
55-57	ALL (2nd Ser.)	SHIELD UNIT, door handle	987245	1	2.95
52-55	ALL	RETAINER, push button spring	4168353	4	(10.529)
52-57	ALL	RING, push button	4168356	4	(10.529)

16.360 HANDLE, Door, Outside (non locking type)

39-46	ALL	left—on jobs to 1941 (5 1/4 x 4 13/16 overall length, chrome) Used on right side on Jobs w/pillar lock. Used on PANELS—Back door (Lock in door)	3654589	A.R.	3.45

47-51	ALL	left	3686255	1	4.70
47-51	ALL	right	3686256	1	4.70
47-55	PANEL, SUB. w/DOORS (1st Ser.)	used on back door (5 x 7½ overall)	3808852	1	4.90

16.365 CYLINDER, Door Outside Handle Lock

52-55	ALL (1st Ser.)	w/shaft (less tumblers)	3700318	2	1.20
55-57	ALL (2nd Ser.)	uncoded, less tumblers, springs, and retainers	3725655	1	.85
55-57	PANEL, SUB w/DOORS (2nd Ser.)	uncoded, less tumblers, springs, and retainers (R.H, rr. dr.)	3725654	1	.85

NOTE: Component parts of door safety lock used on late 1942 jobs are listed in Group 16.328.

16.370 SLEEVE—CAP, Door Outside Handle Lock Cylinder

52-57	ALL	left	3700319	1	.30
52-57	ALL	right	3700320	1	.30
52-57	ALL	CAP, push button	7003044	2	(10.552)

16.385 PAWL—SPACER, Door Lock Outside Handle

37-42	ALL	(5/16 x 5/32 x 19/32 long)	601199	A.R.	.10
37-46	ALL	SPACER (5/16 I.D. x 17/32 O.D. x 3/16 thick)	369035	A.R.	.10

16.392 LEVER—SCREW, Front Door Inside Locking

41-46	ALL	(5/8 high x 1 21/32 long, chrome)	3658537	1	.75
41-46	ALL	SCREW (No. 6—32 x 3/8 clutch fillister head, 5/16 diameter)	3658538	1	.10

16.400 BUMPER—PACKING—SHOE, Door

37-46	ALL (exc. HIGH ROOF CAB)	front door, body hinge pillar (rubber)	3681070	4	(10.587)
37-39	ALL	front door, body hinge pillar, upper	4063520	2	(10.587)
37-46	ALL	body lock pillar (5/8 x 7/8 x 1 7/16)	3681078	4	.25
47-57	PANEL, SUB. w/DOORS	rubber (1¼ dia.)	3807289	1	(0.829)
47-55	ALL (1st Ser.)	(use w/door lock striker) (9/16 dia. x ½ long)	3711168	4	.10
55-57	ALL (2nd Ser.)	front door upper and lower (¾ dia. x 7/8 long)	3720167	4	.10
55-57	SUB. (2nd Ser.)	upper (5/8 x 1), on door	3812260	2	.15
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	left rear door (½ x 1½) (2 holes)	3717042	2	.15
37-46	ALL (exc. OPEN CAB)	PACKING, door dovetail bumper (rubber)	3681079	4	(10.578)
37-46	ALL (exc. OPEN CAB)	SHOE, door dovetail bumper	4220099	4	(10.581)

16.405 BUMPER, Door Dovetail

37-46	SGL. UNIT	back door, w/casing and shoes	3806246	1	1.35
47-55	PANEL, SUB. w/DOORS (1st Ser.)	w/casing (use w/L.H. back door)	3807343	1	1.50

NOTE: Casing and bumper for side doors on 1947-52 models included in striker, Group 16.335.

16.420 PLATE, Door Dovetail Bumper Wedge

37-46	SGL. UNIT	back door (1 1/16 wide x 2⅜ x ¾ high)	463145	1	.55
37-46	ALL	front door (1 1/16 wide x 3⅛ long x ¾ high, weld-on type)	474884	2	.35
47-55	PANEL, SUB. w/DOORS (1st Ser.)	back door bumper wedge (1 1/16 x 2⅛)	3807344	1	.35

16.430 CHECK, Door

47-55	PANEL (1st Ser.)	left back door	3808379	1	4.05
47-55	PANEL (1st Ser.)	right back door	3808380	1	4.05
50-55	SUB. w/DOORS (1st Ser.)	left	3809761	1	3.05
50-55	SUB. w/DOORS (1st Ser.)	right	3809762	1	3.05
55-57	PANEL (2nd Ser.)	left	3734371	1	4.05
55-57	PANEL (2nd Ser.)	right	3734372	1	4.05
55-57	SUB. w/DOORS (2nd Ser.)	left	3718519	1	3.25
55-57	SUB. w/DOORS (2nd Ser.)	right	3718520	1	3.25

16.437 RETAINER—PIN—BUMPER, Door Check Link Retaining

37-46	ALL	door check pin, spring steel (hairpin type)	595056	2	.02
46	ALL	PIN, link (1/4 x 1 25/32 long)	3681749	2	.10
47-57	PANEL	BUMPER, rear door check	3718490	2	.20

16.440 BRACKET, Door Check

37-46	ALL	body (1 3/8 x 3 long x 11/16 high)	596409	2	.40

16.450 HANDLE—REINFORCEMENT, Body Side Assist

47-55	COE	(7 5/8 long ctr. hole to ctr. hole)	3699192	2	2.75
47-55	COE	REINFORCEMENT (9 5/8 x 1 1/4 with 3/8 hole)	3686326	2	.70

16.464 GLASS, Rear Corner Window

47-55	CAB (1st Ser.)	left (7 1/4 x 13 3/4) (stamped "C")	3684689	1	7.95
47-55	CAB (1st Ser.)	right (7 1/4 x 13 3/4) (stamped "C")	3684690	1	7.95
53-55	CAB (1st Ser.)	left, tinted (7 1/4 x 13 3/4)	3704391	1	8.75
53-55	CAB (1st Ser.)	right, tinted (7 1/4 x 13 3/4)	3704392	1	8.75

GLASS, Back Window (safety)

42-46	CAB	on jobs without moulding (9 1/16 x 27 3/16)	3665231	1	7.75
39-46	PANEL JOBS	back door (8 3/4 x 15 5/8)	471468	2	3.50
47-55	CAB, CANOPY EXPRESS (1st Ser.)	back window (10 7/16 x 31 9/32)	3682304	1	8.25
53-55	CAB, CANOPY EXPRESS (1st Ser.)	back window, tinted (10 7/16 x 31 9/32)	3704390	1	8.00
55-57	CAB (2nd Ser.)	back window (10 11/16 x 35 1/8)	3712184	1	12.25
55-56	CAB (2nd Ser.)	back window (tinted) (10 11/16 x 35 1/8)	3712201	1	13.30
55-57	CAB (2nd Ser.)	w/P.R.W.	3712185	1	38.50
55-56	CAB (2nd Ser.)	w/P.R.W. (tinted)	3712200	1	45.75
47-55	PANEL, SUB. w/DOORS (1st Ser.)	left rear door (9 5/8 x 19 7/16)	3806969	1	6.90
47-55	PANEL, SUB. w/DOORS (1st Ser.)	right rear door (9 5/8 x 19 7/16)	3806970	1	6.90
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	left rear door (10 1/2 x 18 1/2)	3811509	1	7.20
55-57	PANEL, SUB. w/DOORS (2nd Ser.)	right rear door (10 1/2 x 18 1/2)	3811510	1	7.20
53-55	SUB. w/DOORS (1st Ser.)	left, rear door (tinted) (9 5/8 x 19 7/16)	3704383	1	6.65
53-55	SUB. w/DOORS (1st Ser.)	right, rear door (tinted) (9 5/8 x 19 7/16)	3704384	1	6.65
55	SUB. w/DOORS (2nd Ser.)	left, rear door (tinted) (10 1/2 x 18 1/2)	3719693	1	7.45
55	SUB. w/DOORS (2nd Ser.)	right, rear door (tinted) (10 1/2 x 18 1/2)	3719694	1	7.45

16.469 WEATHERSTRIP—RETAINER, Rear Corner Window

47-55	CAB	rubber (50 ft. roll)	3847414	A.R.	.30
47-55	CAB	RETAINER, rubber (50 ft. roll)	3847415	A.R.	.15

16.470 WEATHERSTRIP, Back Window Glass

47-53	SUB. W/END GATE	rubber (15/32 base x 1 1/2 high)	4070069	A.R.	(11.207)
39-46	PANEL	moulded in one piece (13/16 x 5/8 x 9 5/8 wide 16 3/8 long)	3806252	2	.90
39-42	CAB	moulded in one piece (19/32 x 29/32 x 10 1/2 wide x 28 1/2 long) (used on jobs with die cast moulding)	599071	1	2.10
47-57	PANEL, SUB. w/DOORS	back window (one piece)	3807535	2	2.05
42-57	CAB	back window (rubber 50 ft. roll)	3847414	A.R.	(16.469)

16.471 RETAINER, Back Window Glass Weatherstrip

47-57	CAB	back window (rubber 50 ft. roll)	3847415	A.R.	(16.469)

16.475 MOULDING—CLIP, Back Window Glass

39-46	CAB	one piece (10 3/8 x 28 1/2) (not used on jobs having rubber moulding)	3667017	1	2.70
47-51 54	PANEL, SGL. UNIT (exc. CAN. EXPRESS)	left (1/2 wide x 53 3/4 dev. length)	3807421	1	1.90
47-51 54	PANEL, SGL. UNIT (exc. CAN. EXPRESS)	right (1/2 wide x 53 3/4 dev. length)	3807422	1	1.90
55-57	CAB (w/deluxe equip.) (2nd Ser.)	left, lower reveal	3716477	1	1.70
55-57	CAB (w/deluxe equip.) (2nd Ser.)	right, lower reveal	3716478	1	1.70

55-57	CAB (w/deluxe equip.) (2nd Ser.)	left, upper reveal	3716481	1	1.70
55-57	CAB (w/deluxe equip.) (2nd Ser.)	right, upper reveal	3716482	1	1.70
47-48	PANEL	CLIP, reveal moulding	4114230	A.R.	(10.708)
48-55	PANEL (w/deluxe equip.) (1st Ser.)	CLIP, reveal moulding	2121310	20	(10.252)

16.494 LAMP ASSEMBLY—RETAINER—BRACKET—SCREW, Dome

47-55	ALL (1st Ser.)	body assy. (less glass and switch) (2 7/8 x 6 3/4)	5937080	1	3.95
55-57	ALL (2nd Ser.)	body (less glass w/switch) (2 3/4 x 7)	3716558	1	2.85
55-57	SGL. UNIT (2nd Ser.)	RETAINER	3812496*	1	.65
55-57	SGL. UNIT (2nd Ser.)	BRACKET, retainer attaching	3812497*	1	.05
47-55	ALL (1st Ser.)	SCREW (8—32 x 3/8)	924552	A.R.	(2.736)

*NOTE: When replacing 3812496 Retainer, first fasten Bracket to top bow by welding or sheet metal screws, then fasten Retainer to Bracket.

16.495 LENS, Dome Lamp and Parts

54-55	ALL (1st Ser.)	(2 x 4 3/32)	5942293	1	.65
55-57	ALL (2nd Ser.)	(1 9/16 x 5 29/32)	3716560	1	.80
47-53	SUB,				
54	CAB (w/deluxe equipt.)	DOOR ASSY., chrome	5945297	1	2.70
37-46	SGL. UNIT	SWITCH	4102342	1	(11.935)
37-46	SGL. UNIT	PLATE, switch	4002769	1	(11.938)
47-55	ALL (1st Ser.),				
55	PANEL, SUB. (2nd Ser.)	CLIP, dome lamp wire assy.	3684663	A.R.	(16.065)

16.507 PILLAR—BRACE, Front Body Hinge

47-53	ALL (exc. COE)	left	3692943*	1	4.89
47-53	ALL (exc. COE)	right	3692944*	1	4.89
54-55	ALL (1st Ser.) (exc. COE)	left	3700481	1	4.95
54-55	ALL (1st Ser.) (exc. COE)	right	3700482	1	4.95
55-57	ALL (2nd Ser.)	left	3722707	1	12.50
55-57	ALL (2nd Ser.)	right	3722708	1	12.50
55-57	ALL (2nd Ser.) (exc. FFC)	BRACE, left, hinge pillar to cowl compart. side pnl	3716153	1	.45
55-57	ALL (2nd Ser.) (exc. FFC)	BRACE, right, hinge pillar to cowl compart. side pnl	3716154	1	.45

*NOTE: When installing 3692943-4 on 1947-49 models, use 3809673-4 side rail (Group 16.553).

16.520 PILLAR, Body Lock

47-51	CAB	left	3809237	1	5.15
47-51	CAB	right	3809238	1	5.15
52-53	CAB	left	3698839	1	5.48
52-53	CAB	right	3698840	1	5.48
54-55	CAB (1st Ser.)	left	3703551	1	5.50
54-55	CAB (1st Ser.)	right	3703552	1	5.50
55-56	CAB (2nd Ser.)	left	3715653	1	7.50
55-56	CAB (2nd Ser.)	right	3715654	1	7.50
55-57	CAB w/P.R.W. (2nd Ser.)	left	3719583*	1	18.75
55-57	CAB w/P.R.W. (2nd Ser.)	right	3719584*	1	18.75

*NOTE: (Includes rear upr. inner side panel).

16.536 PANEL, Front Door Lock

39-46	ALL	left (w/lock in door)	3666691	1	2.45
39-46	ALL	right (w/lock in door)	3666692	1	2.45

16.544 PAN—SPACER, Front Toe

41-46	ALL (exc. COE)	(10 3/4 x 34 long)	3693869	1	7.00
47	COMM., SUB. w/END GATE,				
48-53	1 TON	SPACER, frt. fender skirt to toe panel	3686945	1	(8.153)

16.545 PAN—PANEL—BRACKET—SILL, Floor

37-38	ALL	metal (16¾ x 34⅞ long, rectangular hole for 4 speed transmission)	594993	1	2.80
41-46	½ TON	metal (19¾ x 34⅞ long, ctr. of master cylinder inspection hole from left side 10⁹⁄₁₆, with round hole for 3 speed transmission)	3681279	1	3.90
41-46	AL, AM, BL, BM, DR	metal (19¾ x 34⅞ long, ctr. of master cylinder inspection hole from left side 5¹⁄₁₆, with round hole for 3 speed transmission)	3681281	1	2.80
41-46	COMM., UTILITY (exc. ½ TON, COE, PX)	metal (19¾ x 34⅞ long, ctr. of master cylinder inspection hole from left side 5¹⁄₁₆, with rectangular hole for 4 speed transmission)	3681275	1	5.05
47-55	COE	right floor side (11¼ x 25¹³⁄₁₆)	3686336	1	3.35
47-55	COE	left floor side (12½ x 22⅜)	3686333	1	5.25
48-55	FFC (4-SPD.) (1st Ser.)	PANEL (7⅛ x 52⅛)	3687363*	1	3.55
55-57	ALL (2nd Ser.)	PANEL	3713237	1	25.20
56-57	PANEL	PANEL (17¾ x 29²⁷⁄₃₂)	3730116	1	3.90
56-57	UTIL. (exc. FFC)	PANEL	3724103	1	25.20
48-55	FFC (1st Ser.)	BRACKET (floor panel to dash and toe panel)	3687088	2	.20
55	FFC (2nd Ser.)	SILL, L.H. front cross (23⅛ long)	3729947	1	5.30
55	FFC (2nd Ser.)	SILL, R.H. front cross (23⅛ long)	3729948	1	5.30
55-57	ALL (2nd Ser.)	SILL, rear (68⁵⁄₁₆ long)	3719321	1	5.30
55-57	SGL. UNIT, COWL with W/S (2nd Ser.)	SILL, w/extensions	3811675	1	7.55
55-57	ALL (2nd Ser.) (exc. FFC)	SILL, left front cross	3729943	1	5.30
55-57	ALL (2nd Ser.) (exc. FFC)	SILL, right front cross	3729944	1	5.30
56-57	UTIL. (exc. FFC)	SILL, left front cross	3723877	1	5.30
56-57	UTIL. (exc. FFC)	SILL, right front cross	3723878	1	5.30
56-57	ALL	SILL, left front cross	3724853	1	5.30
56-57	ALL	SILL, right front cross	3724854	1	5.30

*NOTE: When using 3687363 on 1948-51 ½, ¾ TON, 1952 COMM. (exc. D-D) it will be necessary to cut hole for brake lever.

RETAINER—STUD, Floor Pan

47-55	COE	special lock stud	3686475*	A.R.	.15
47-55	COE	STUD, ¼ special lock	3686472*	A.R.	.20

*NOTE: (8) required to attach PAN 3686333, (10) required to attach PAN 3686336.

16.546 PLATE—REINFORCEMENT—SUPPORT, Toe or Floor Board

41-46	ALL (exc. COE)	upper, toe pan (4¹¹⁄₁₆ x 7¹¹⁄₁₆ long, with brake pedal cutout 2⁵⁄₁₆ deep)	3657109	1	.32
41-46	ALL (exc. COE)	lower, toe pan (1²³⁄₃₂ x 7⅜ long)	3657133	1	.25
47-57 54-56	½ TON (PICK-UP, SGL. UNIT) (2nd design), ¾ TON (PICK-UP) (2nd Ser.)	floor board shield (6½ x 7)	3806850	1	.30
48-55	FFC (exc. H.T.) (1st Ser.)	REINFORCEMENT, floor panel	3687382	1	.45
55-57	ALL (2nd Ser.)	REINFORCEMENT, floor panel (52 long)	3717529*	1	1.35
55-57	ALL (2nd Ser.)	REINFORCEMENT, at rr. mtg. bolt area on floor pan	3722365	2	1.35
55-57	SUB. (2nd Ser.)	REINFORCEMENT, floor panel aux. seat outer.	3812244	2	.25
55-57	ALL (2nd Ser.) (exc. D-D)	REINFORCEMENT, toe panel	3717525	2	.25
55-57	ALL (2nd Ser.)	SUPPORT, left floor panel rear rnfct.	3723291	1	1.25
55-57	ALL (2nd Ser.)	SUPPORT, right floor panel rear rnfct.	3723292	1	1.25
55-57	PANEL (2nd Ser.)	SUPPORT, floor cover panel	3811671	2	.45

*NOTE: May be cut to desired length for PANEL, SUB.

16.547 COVER, Inspection and Parts (Battery—Oil Filler—Brake Cylinder—Transmission—Steering Gear—Parking Brake)

40-46	ALL (exc. COE)	battery inspection (4½ x 11)	3652966	1	.45
47-55	ALL (1st Ser.)	battery inspection (9¾ x 12½)	3683383	1	3.35
47-55	COE	floor pan oil filler hole (7 x 12¾)	3686339*	1	2.00
54-55	COMM. w/H.T. (1st Ser.) (exc. FFC)	floor pan oil level gauge (5⁷⁄₃₂ dia.)	3711865	1	.55
55-57	COMM. w/H.T. (2nd Ser.) (exc. FFC)	floor pan oil level gauge (4⅞ dia.)	3712752	1	.55

39-57	ALL (exc. COE),				
55-57	½ TON PICK-UP (exc. M) (2nd Ser.)	brake main cylinder	592865	1	(12.541)
47-55	½, ¾ TON (1st Ser.) (exc. FFC, D-D) (3-SPD)	trans. (15¾ x 20¼)	3697605	1	2.50
48-55	1 TON, UTIL., (1st Ser.) (exc. COE)	trans. (15¾ x 20¼)	3697608	1	2.25
48-55	½, ¾ TON (4-SPD.) (1st Ser.) (exc. FFC, D-D)	trans. (15¾ x 20)	3697607	1	1.95
48-55	1 TON, UTIL. (1st Ser.) (exc. KS, L, D-D, COE)	parking brake floor hole (2½ x 3⅜ x 4⅜)	3694127	1	.25
54-55	COMM. w/H.T. (1st Ser.) (exc. FFC)	trans. (15¾ x 34⅞)	3711864	1	2.50
54-55	COMM. (FFC) w/H.T. (1st Ser.)	trans. (15¾ x 34⅞)	3711863	1	2.50
55	ALL (4-SPD.) (2nd Ser.) (exc. H,)	trans. (16½ x 20½)	3712753	1	3.10
55-57	COMM. (3-SPD.) (2nd Ser.) (exc. FFC)	trans. (16½ x 20⅜)	3712750	1	3.65
55-57	COMM. w/H.T. (2nd Ser.) (exc. FFC)	trans. (16½ x 20⅜ w/4" starter hole)	3712751	1	3.65
55-57	½ TON (4-SPD.) (2nd Ser.)	trans. (16½ x 20½) (w/out parking brake slot)	3712754	1	3.10
56-57	FFC w/H.T.	trans. floor pan	3730309	1	5.45
56-57	COMM., UTIL. (4-SPD.) (exc. ½ TON)	trans. floor pan	3730308	1	3.10
56-57	FFC (3-SPD.)	trans. floor pan	3730310	1	4.25
56-57	FFC (exc. ½ TON, H.T.)	assy., trans. floor pan	3730307	1	6.55
55-56	COMM., UTIL. (2nd Ser.)	trans. floor pan starter hole (oblong—2 7/16			
57	COMM., UTIL. (exc. FFC)	x 3 3/32 x 1 1/32 thk.)	3726650	1	.20
56-57	FFC (exc. ½ TON, H.T.)	PANEL, trans. floor pan cover filler (small) (7¾ long)	3727750	1	.45
56-57	FFC (exc. H.T.)	PANEL, trans. floor pan cover filler (large) (6 9/64 x 7¾ x 4 37/64 dia. hole)	3727751	1	.55
56-57	½ TON (FFC) (4-SPD.)	PANEL, trans. flr. pan cover filler (medium)	3735543	1	.95
56-57	FFC (4-SPD.)	RETAINER, trans. floor pan cover seal	3730675	1	.55
56-57	FFC (4-SPD.)	SEAL, trans. floor pan cover	3730674	1	2.10
47-55	ALL (1st Ser.)	LATCH, battery cover (11⅛ dev. length)	3683401	2	.25

*NOTE: One retainer 3686475 group 16.545 required to attach cover assy.

16.548 LATCH, Toe Board or Toe Pan

47-55	COE	oil filler cover (1 3/32 x ¼ dia. w/handle)	3686897	1	.30

16.549 COVER—RETAINER—INSULATOR, Engine

47-55	COE	engine (12 wide x 28¼ long)	3686239	1	7.10
47-55	COE	RETAINER, engine cover (12 wide x 27½ long)	3686343	1	2.85
47-55	COE	INSULATOR, engine cover (bonded felt)	3686313	1	1.75

16.550 COWL ASSY., w/Dash

47-53	COE	windshield type, with instrument panel, body hinge pillar, toe panel, top and side rails	3703030	1	79.60
47-55	FFC (1st Ser.)	less instrument panel	3709411	1	109.20
47-50	ALL (exc. COE, FFC)	with instrument panel, body hinge pillar, side vents, toe panel, upper and side rails	3696433	1	110.60
51-53	ALL (exc. COE, FFC)	with instrument panel, body hinge pillar, side vents, toe panel, upper and side rails	3696815	1	110.60
54-55	ALL (1st Ser.) (exc. COE, FFC)	with instrument panel, body hinge pillar, side vents, toe panel, upper and side rails	3709413	1	128.80
54-55	COE	with instrument panel, body hinge pillar, top and side rails	3811705	1	98.30
55	FFC (2nd Ser.)	less instrument panel	3716669	1	151.20
55-56	ALL (2nd Ser.) (exc. FFC)	with instrument panel, body hinge pillar, toe panel, upper and side rails	3732953	1	200.00
56	FFC	less instrument panel	3732951	1	162.40
57	ALL	(less glass)	3742381	1	213.00
57	FFC	(less instrument panel)	3742379	1	164.50

16.551 PANEL—COVER—RAIL—SEAL, Cowl Side

47-55	ALL (1st Ser.) (exc. COE, FFC)	left inner	3696023	1	4.85
47-55	ALL (1st Ser.) (exc. COE, FFC)	right outer	3705892	1	5.05
47-55	ALL (1st Ser.) (exc. COE, FFC)	left outer	3705891	1	5.05

47-55	ALL (1st Ser.) (exc. COE)	right inner	3809358	1	4.85
55-56	ALL (2nd Ser.) (exc. FFC)	left, plenum side	3736473*	1	7.55
55-56	ALL (2nd Ser.) (exc. FFC)	right, plenum side	3736474*	1	7.55
55-57	ALL (2nd Ser.) (exc. FFC)	left, outer	3711915	1	5.05
55-57	ALL (2nd Ser.) (exc. FFC)	right, outer	3711916	1	5.05
55-57	ALL (2nd Ser.) (exc. FFC)	left, cowl side cover	3716155	1	1.70
55-57	ALL (2nd Ser.) (exc. FFC)	right, cowl side cover	3716156	1	1.70
55-57	ALL (2nd Ser.) (exc. FFC)	left, cowl side air outlet	3716113	1	1.70
55-57	ALL (2nd Ser.) (exc. FFC)	right, cowl side air outlet	3716114	1	1.50
47-55	ALL (1st Ser.)	COVER, right inner panel (7 x 11⅜)	3684403	1	.40
55-57	FFC (2nd Ser.)	COVER, inner panel (5 5/16 x 19⅜)	3717543	2	.85
47-55	ALL (1st Ser.) (exc. COE)	RAIL, left (at front lower corner of cowl)	3684031	1	2.80
47-55	ALL (1st Ser.) (exc. COE)	RAIL, right (at front lower corner of cowl)	3684032	1	2.80
47-55	ALL (1st Ser.)	SEAL, inner panel (1 high x 13 13/16 long) sponge rubber	3692302	2	.40

*NOTE: 3725219-20 Hinge pillar filler panel and 3725221-22 Front Fender rear reinforcement to hinge pillar bracket must be used on these models.

16.553 RAIL, Windshield

47-53	ALL	upper	3809231	1	4.55
47-49	ALL,				
50-53	ALL (exc. COE.)	left	3809673	1	2.45
47-49	ALL,				
50-53	ALL (exc. COE.)	right	3809674	1	2.45
54-55	ALL (1st Ser.)	upper	3703442	1	5.05
54-55	ALL (1st Ser.)	left	3700477	1	3.65
54-55	ALL (1st Ser.)	right	3700478	1	3.65
55-57	ALL (2nd Ser.)	upper	3811391	1	5.05

16.578 PANEL, Body Hinge Pillar

47-53	ALL	left, outer upper	3807227	1	.65
47-53	ALL	right, outer upper	3807228	1	.65
54-55	ALL (1st Ser.)	left, outer upper	3700837	1	.65
54-55	ALL (1st Ser.)	right, outer upper	3700838	1	.65
55-57	ALL (2nd Ser.) (exc. FFC)	left, outer upper	3711551	1	1.70
55-57	ALL (2nd Ser.) (exc. FFC)	right, outer upper	3711552	1	1.70
55-56	ALL (2nd Ser.) (exc. FFC) (1st Design)	left, side filler	3711919	1	.75
55-56	ALL (2nd Ser.) (exc. FFC) (1st Design)	right, side filler	3711920	1	.75
55-56	ALL (2nd Ser.) (exc. FFC) (1st Design)	left, lower filler	3711921	1	.55
55-56	ALL (2nd Ser.) (exc. FFC) (1st Design)	right, lower filler	3711922	1	.55
56-57	ALL (2nd Design)	left	3725219	1	.95
56-57	ALL (2nd Design)	right	3736472	1	1.00

16.585 PANEL, Roof outer—w/upper back and partial pillar cover

47-53	CAB	w/qtr. windows (less inner panels)	3693099	1	53.20
47-53	CAB	w/out qtr. windows (less inner panels)	3693001	1	53.20
54-55	CAB (1st Ser.) (w/deluxe equip.)	w/qtr. windows (less inner panels)	3703682	1	55.80
54-55	CAB (1st Ser.)	w/out qtr. windows (less inner panels)	3702951	1	55.80
55-56	CAB (2nd Ser.)	top	3711525	1	17.75
55-57	CAB (2nd Ser.)	top filler	3711933	1	2.05
55-57	CAB (2nd Ser.)	body top header	3722812	1	20.00
55-57	CAB (2nd Ser.) (exc. P.R.W.)	curved rr. upr. inner corner filler (9¾ dev. length)	3712243	2	.45
55-57	CAB (2nd Ser.)	REINFORCEMENT, left front corner	3718273	1	1.95
55-57	CAB (2nd Ser.)	REINFORCEMENT, right front corner	3718274	1	1.95
55-57	CAB w/P.R.W. (2nd Ser.) (exc. SUB. PICK-UP)	REINFORCEMENT, left rr. corner header pnl.	3718275	1	.75
55-57	CAB w/P.R.W. (2nd Ser.) (exc. SUB. PICK-UP)	REINFORCEMENT, right rr. corner header pnl.	3718276	1	.75
55-56	CAB, ½ TON PNL., SUB (w/deluxe equip.) (2nd Ser.)	WEATHERSTRIP, body top header pnl. (132¼ long) (beige)	3716931	A.R.	3.60
56	ALL (w/deluxe equip.)	WEATHERSTRIP, body top header panel (green)	3730172	1	3.60
56	ALL (w/deluxe equip.)	WEATHERSTRIP, body top header panel (blue)	3730174	1	3.60

57	SUB. PICK-UP	WEATHERSTRIP, body top header panel (dark green)	3738371	1	3.60
57	SUB. PICK-UP	WEATHERSTRIP, body top header panel (dark blue)	3738372	1	3.60
57	SUB. PICK-UP	WEATHERSTRIP, body top header panel (dark red)	3738373	1	3.60
57	CABS	WEATHERSTRIP, body top header panel (charcoal)	3730176	1	3.60

16.587 PANEL—COVER, Cab Back—Outer

47-55	CAB (1st Ser.)	lower (less inner panels)	3693000*	1	19.60
55-57	CAB (2nd Ser.) (exc. P.R.W.)	standard	3711555	1	50.00
55-57	CAB w/P.R.W. (2nd Ser.)		3711556	1	50.00
47-48	CAB	COVER, gas tank filler neck hole	2258045*	1	1.40

*NOTE: When using 3693000 on 1947-48 Jobs, it will be necessary to plug gas tank filler neck hole with 2258045.

16.589 PANEL, Rear Upper Inner Lining, (Metal)

NOTE: See Group 16.742 for top lining panel.

47-55	CAB (1st Ser.)	left, inner (w/qtr. window)	3809365	1	4.50
47-55	CAB (1st Ser.)	right, inner (w/qtr. window)	3809366	1	4.50
47-55	CAB (1st Ser.)	left, inner (w/out qtr. window)	3809173	1	4.50
47-55	CAB (1st Ser.)	right, inner (w/out qtr. window)	3809174	1	4.50
47-55	CAB (1st Ser.)	center (use with or w/o qtr. windows)	3701351	1	7.10
55-57	CAB (2nd Ser.) (exc. P.R.W.)	standard	3711549	1	10.90
55-57	CAB (2nd Ser.) w/P.R.W.		3711939	1	3.30

16.592 PANEL, Rear Lower Inner Lining, (Metal)

49-55	CAB (1st Ser.)	left	3690039	1	.75
49-55	CAB (1st Ser.)	right	3690040*	1	.75
55-57	CAB (2nd Ser.)	left	3711937	1	2.05
55-57	CAB (2nd Ser.)	right	3711938	1	2.05
55-57	CAB w/P.R.W. (2nd Ser.)	upper inner lower	3711940	1	5.30

*NOTE: When using 3690040 on conventional cabs with vacuum power brake installation it will be necessary to punch 1" dia. hole $4\frac{1}{32}$ from bottom and $3\frac{15}{16}$ from front.

16.600 STEP ASSEMBLY—FILLER—SUPPORT—MOULDING, Door Opening

55-56	CAB (2nd Ser.) (1st Design)	left	3711907	1	6.55
55-56	CAB (2nd Ser.) (1st Design)	right	3711908	1	6.55
56-57	CAB (2nd Design)	left	3730009	1	6.55
56-57	CAB (2nd Design)	right	3730010	1	6.55
55-57	CAB (2nd Ser.)	FILLER, left rear	3711909	1	1.70
55-57	CAB (2nd Ser.)	FILLER, right rear	3711910	1	1.70
55-57	CAB (2nd Ser.) (exc. ½ TON PICK-UP)	FILLER, left rear	3811341	1	1.70
55-57	CAB (2nd Ser.) (exc. ½ TON PICK-UP)	FILLER, right rear	3811342	1	1.70
55-57	CAB (2nd Ser.) (exc. FFC)	FILLER, left front	3711911	1	.40
55-57	CAB (2nd Ser.) (exc. FFC)	FILLER, right front	3711912	1	.40
55-57	FFC w/W.S. (2nd Ser.)	SUPPORT, left rear cross sill to step	3719345	1	.60
55-57	FFC w/W.S. (2nd Ser.)	SUPPORT, right rear cross sill to step	3719346	1	.60
55-56	UTIL. (2nd Ser.)	MOULDING, left step panel	3721659	1	3.65
55-56	UTIL. (2nd Ser.)	MOULDING, right step panel	3721660	1	3.65
55-56	UTIL. (2nd Ser.)	MOULDING, left step panel	3737741*	1	4.95
55-56	UTIL. (2nd Ser.)	MOULDING, right step panel	3737742*	1	4.95

*To be used only when 1957 front fenders are used on 1955-56 models shown.

16.603 PANEL, Front Door Sill

39-46	ALL (exc. COE)	left	598655	1	2.00
39-46	ALL (exc. COE)	right	598655	1	2.00
48-55	COE	left	3809349	1	2.95
48-55	COE	right	3809350	1	2.95
47-55	CAB (1st Ser.) (exc. COE)	left ($5\frac{13}{16}$ wide x $43\frac{9}{16}$ long)	3692809†	1	2.00
47-55	CAB (1st Ser.) (exc. COE)	right ($5\frac{13}{16}$ wide x $43\frac{9}{16}$ long)	3692810†	1	2.00

†NOTE: When using on 1947-48 models it will be necessary to rework rear end.

16.642 MOULDING, Roof Drip

47-55	SGL. UNIT (1st Ser.)	left, rear (1 1/16 wide x 13 1/4 long)	3807265	1	.30
47-55	SGL. UNIT (1st Ser.)	right, rear (1 1/16 wide x 13 1/4 long)	3807266	1	.30
47-55	SGL. UNIT (1st Ser.)	left, front (7/8 wide x 13 3/16 long)	3807331	1	.30
47-55	SGL. UNIT (1st Ser.)	right, front (7/8 wide x 13 3/16 long)	3807332	1	.30
47-55	CAB (1st Ser.)	left	3684289*	1	2.00
47-55	CAB (1st Ser.)	right	3684290*	1	2.00

*NOTE: When using on 1947-48 COE it will be necessary to cut off 9 9/16 at rear end of moulding.

16.670 SEAT ASSEMBLY, Auxiliary

54-55	SGL. UNIT (1st Ser.) (exc. SUB.)	with cushion assy. and att. parts (brown)	3707732	1	65.25
54-55	SUB. (1st Ser.)	with cushion assy. and att. parts (gray and maroon)	3707731	1	74.75
54-55	SUB. (1st Ser.)	with cushion assy. and att. parts (brown)	3713524	1	72.40
54-55	PANEL (w/deluxe equip.) (1st Ser.)	with cushion assy. and att. parts (brown)	3713525	1	72.40
55	PANEL (2nd Ser.)	complete, beige and black cushions	3721559	1	72.40
55	SUB. CARRYALL (2nd Ser.)	complete, beige and black cushions	3721463	1	74.75
56	PANEL	complete, gray and black cushions	3730834	1	72.40
56	SUB. CARRYALL	complete, gray and black cushions	3731115	1	74.75
57	SUB. CARRYALL	complete, gray cushions	3741617	1	87.50

16.674 ATTACHING PARTS, Auxiliary Seat

47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	BRACKET, lower seat hinge (4 5/8 long)	3807346	2	.45
47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	BRACKET, upper seat hinge ("U" shape—1 7/16 x 1 21/32)	3809079	2	.25
47-57	SUB.	BRACKET, seat attaching ("U" shape—1 x 1 1/8 x 1 1/2)	3808360	4	.50
54-55	COE (w/Unison Seat)	BRACKET, right, supt. channel and seat back spring,			
54-55	ALL (w/Unison Seat) (1st Ser.) (exc. COE)	right or left, supt. channel and seat back spring	3700858	A.R.	2.50
55-57	PANEL (2nd Ser.)	BRACKET, lower	3811684	2	.35
55-57	PANEL (2nd Ser.)	BRACKET, upper (1 11/16 long)	3812455	2	.40
47-55	PANEL (1st Ser.)	SUPPORT, seat, rear	3807531	1	.95
55-57	PANEL (2nd Ser.)	SUPPORT, seat, rear	3812454	1	.95
52-57	SUB.	SUPPORT, seat cushion frame (7/8 O.D. tubing x 8 1/4 dev. length)	3810381	2	1.10
54-55	ALL (w/Unison Seat) (1st Ser.)	SUPPORT, left back ("U" shape, 2 holes—1 3/8 x 1 7/16 x 3 1/4)	3700867	1	.30
54-55	ALL (w/Unison Seat) (1st Ser.)	SUPPORT, right back ("U" shape, 2 holes—1 3/8 x 1 7/16 x 3 1/4)	3700868	1	.30
47-55	SGL. UNIT (1st Ser.) (exc. SUB.),				
57	SGL. UNIT (exc. SUB.)	CUSHION, seat support (cut in two pieces)	367314	1	(1.270)
47-57	SGL. UNIT (1st Ser.) (exc. SUB.)	SLEEVE, seat hinge (7/16 O.D. x 5/16 I.D. x 1 15/16 long)	3807347†	3	.15
47-53	SGL. UNIT (exc. SUB.)	BOLT, seat hinge sleeve (5/16—18 x 2 1/2) (use w/sleeve 3807347)	180091	2	(8.900)
47 55	SGL. UNIT (1st Ser.)	UNIT, bolt and acorn nut, chrome (use as seat back hinge)	3692843*	2	.20
39-55	SUB.	PLATE, seat attaching	465901	A.R.	(16.686)
52-57	SUB.	PLATE, leg, mat protector (1 7/8 x 7 1/2 w/2 holes)	3810691	1	.15

†NOTE: When using 3807347 on 1949 jobs it is necessary to cut off 9/32". When using 3807347 as seat back hinge spacer, cut to required length.

*NOTE: 3692843 consists of 1—bolt and 1—chrome acorn nut.

16.679 FRAME ASSEMBLY—SKIRT—PLUG—BOLT—TRAY, Seat

47-55	SUB. (1st Ser.)	driver seat	3807837	1	27.55
47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	driver seat cushion bottom	3807518	1	7.05
47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	driver seat back	3807519	1	7.15
47-51	SUB.	auxiliary seat cushion	3808357	1	10.90
47-51	SUB.	auxiliary seat back	3807851	1	10.90
51-53	COE		3695737	1	23.35
51-55	CAB (1st Ser.) (exc. COE)		3695736	1	21.80
47-57	SUB.	center	3737911	1	38.90

47-56	SUB.	rear	3807874	1	44.25
52-57	SUB.	auxiliary seat cushion	3810378	1	10.90
52-56	SUB.	auxiliary seat back	3810379	1	10.90
54-55	ALL (w/Unison Seat) (1st Ser.)	driver seat back panel, w/insulator	3707299	1	4.25
54-55	ALL (w/Unison Seat) (1st Ser.)	driver seat back—tubing	3700928	1	5.55
54-55	SGL. UNIT (1st Ser.) (exc. SUB.)	auxiliary seat back	3809176	1	7.15
54-55	SGL. UNIT (1st Ser.) (exc. SUB.)	auxiliary seat cushion	3808747	1	7.45
55-57	SGL. UNIT (2nd Ser.)	auxiliary seat cushion	3812456	1	12.05
55-56	SGL. UNIT (2nd Ser.) (exc. SUB.)	driver and auxiliary seat back	3739627	1	9.85
55-57	SGL. UNIT (2nd Ser.) (exc. SUB.)	driver's seat	3811680	1	7.10
55-56	SUB. (2nd Ser.)	driver's seat	3811871	1	29.70
57	SUB. CARRYALL	driver's seat	3737909	1	29.75
57	SUB. CARRYALL	auxiliary seat back	3737910	1	12.45
57	SUB. CARRYALL	rear	3737912	1	44.25
57	PANEL	driver and auxiliary seat back panel welding assy.	3739627*	1	11.00
47-55	CAB (1st Ser.)	SKIRT, right—cushion frame (24¼ dev. length)	3676374	1	1.15
47-55	CAB (1st Ser.)	SKIRT, left—cushion frame (24¼ dev. length)	3683999	1	1.15
55-57	ALL (w/deluxe equip.)	PLUG, left (cushion frame)	3730373	1	.20
55-57	ALL (w/deluxe equip.)	PLUG, right (cushion frame)	3730374	1	.20
55-57	CAB (2nd Ser.)	BOLT, shoulder bolt hex head (1 7/16 O.L.)	3716468	1	.25
56-57	ALL	TRAY, utility tool (behind seat)	987493	1	8.95

NOTE: See group 16.720 for 1955 (2nd Ser.) seat frame assembly.

*NOTE: Also released in Parts and Accessories Catalog.

16.680 SEAT UNIT, Driver's Seat Complete

47-53	SUB.	w/attach. parts	3695757	1	92.71
54-55	SUB. (1st Ser.)	w/attach. parts (gray & maroon)	3707730	1	92.75
54-55	SUB. (1st Ser.)	w/attach. parts (brown)	3713523	1	92.75
55	SUB. (2nd Ser.)	beige and black	3721562	1	92.75
56	SUB. CARRYALL	(gray and black)	3730802	1	98.75
57	SUB. CARRYALL	gray	3741619	1	98.75

16.682 ADJUSTER ASSY. AND PARTS, Driver's Seat

47-50	CAB	left (1½ x 18⅝) (w/hdl.)	3676375	1	9.25
47-50	CAB	right (1½ x 18⅝)	3676378	1	8.90
47-53	SGL. UNIT (exc. SUB.)	less handle w/support	3807527	1	8.95
54-55	ALL (w/Unison Seat) (1st Ser.)	less handle w/support	3700849	1	8.95
51-55	CAB (1st Ser.)	left (guide 1¾ x 17½) (w/handle)	3695759	1	9.25
51-55	CAB (1st Ser.)	right (guide 1¾ x 17½)	3695761	1	8.75
55-57	CAB (2nd Ser.) (exc. PANEL, SUB.)	left, w/handle	3720183	1	9.25
55-57	CAB (2nd Ser.) (exc. PANEL, SUB.)	right, less handle	3720184	1	8.50
55-57	PANEL (2nd Ser.)	left, w/handle	3812359	1	9.25
55-57	PANEL (2nd Ser.)	right, less handle	3812360	1	8.85
55-57	SUB. (2nd Ser.) (exc. SUB.—PICK-UP)	w/handle	3812361	1	9.25
55-57	SUB. (2nd Ser.) (exc. SUB.—PICK-UP)	less handle	3812362	1	8.75
47-50	CAB,				
47-55	SGL. UNIT (exc. SUB.), (1st Ser.),				
54-55	All (w/Unison Seat) (1st Ser.)	SPRING, seat adjuster return (7 11/16 free length)	3685105	2	.35
47-55	SUB. (1st Ser.)	SPRING, seat adjuster return (9 3/16 free length)	3808400	2	.30
47-50	ALL,				
51-53	SGL. UNIT	SPRING, use w/handle 3676389 or 3807415	3658835	1	(8.081)
51-55	CAB (1st Ser.)	SPRING, seat adjuster return (12½ free length)	3698449	2	.35
51-55	CAB (1st Ser.)	SPRING, operating hdle. and lock bar (5¼ free length)	3698208*	2	.15
55-57	CAB (2nd Ser.)	SPRING, seat adjuster return (11 51/64 free lgth.)	3719849	1	.40
55-57	CAB (2nd Ser.)	SPRING, seat adjuster locking rod	3721898	1	.25
55-57	SUB (2nd Ser.)	GUARD, seat adjuster—rear (4 13/32 long)	3812465	2	3.85
47-50	CAB	CABLE ASSY.	3684044	1	1.40
47-55	SGL. UNIT (exc. SUB.),				
54-55	ALL (w/Unison Seat) (1st Ser.)	HANDLE, center of hole to end (2⅞ long)	3807415	1	.35
47-50	CAB	HANDLE, left (4⅝ long)	3676389	1	.35
47-55	SUB. (1st Ser.)	HANDLE, drivers seat adjuster	3808290	1	.50
55	CAB (2nd Ser.)	HANDLE, extension (2¾ x 5 11/16)	3726047	1	.65
55-57	PANEL (2nd Ser.)	HANDLE, extension (2¾ x 4 7/64)	3812175	1	.40

47-50	CAB,				
49-55	SGL. UNIT, (1st Ser.),				
54-55	ALL (w/Unison Seat) (1st Ser.)	PIN, seat adjuster handle (5/16 dia. x 1 3/8 O.L.)	3682715	1	.10
47-55	SUB. (1st Ser.)	TRACK ASSY., left, drivers seat support, w/ adjuster	3808155	1	9.25
47-55	SUB. (1st Ser.)	TRACK ASSY., right drivers seat support	3808156	1	8.45
51-55	CAB (1st Ser.)	ROD, seat adjuster locking (5/32 dia. x 48 7/8 O.L.)	3695782	1	.45
55-57	CAB (2nd Ser.)	ROD, seat adjuster locking (39 35/64 O.L.)	3720200	1	.35
51-55	CAB (1st Ser.)	SUPPORT, locking rod (rubber) (5/8 largest dia. x 2 1/16 O.L.)	3695783	1	.10
47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	CUSHION, seat rr. support bumper,			
57	PANEL	aux. seat rr. support bumper (cut to size, 4 x 1 1/2 x 3/16 thk., w/two 1/2 holes)	367314	A.R.	(1.270)
47-52	SGL. UNIT (exc. SUB.)	SPACER, seat back hinge (cut to size)	3807347	A.R.	(16.674)

*NOTE: When using 3698208 on early 1951 models it may be necessary to relocate hole in seat riser.

16.686 ATTACHING PARTS, Driver's Seat

39-56	SUB.	PLATE, seat attaching—on platform	465901	9	.20
		Unison Seat			
54-55	ALL (1st Ser.) (exc. COE)	BRACKET, left support (18 5/8 from bend to end)	3700859	1	2.25
54-55	ALL (1st Ser.) (exc. COE)	BRACKET, right support (19 5/16 from bend to end)	3700860	1	2.25
54-55	COE (1st Ser.)	BRACKET, left front support	3700877	1	.55
54-55	COE (1st Ser.)	BRACKET, right front support	3700878	1	.30
54-55	COE (1st Ser.)	REINFORCEMENT, rear bracket to floor pan (two 3/8 holes—3/32 x 1 1/4 x 3 11/16)	3700888	1	.15
55-57	CAB (2nd Ser.)	REINFORCEMENT, seat adjuster to floor panel (6 1/2 x 7 5/32)	3715312	2	.70
55-57	SUB. (2nd Ser.)	REINFORCEMENT, auxiliary seat	3735379	1	.65
54-55	ALL (1st Ser.)	LINK, back hinge (1 x 4 7/16)	3700897	1	.25
54-55	ALL (1st Ser.)	BUSHING, back hinge link (1 dia.)	3700898	1	.25
54-55	ALL (1st Ser.)	WASHER, back hinge link (1 dia.)	3700899	2	.25
54-55	ALL (1st Ser.)	WASHER, back hinge link (curved)	3704901	1	.25

16.700 PAD, Cowl Side Trim—Universal

39	COE.,				
41-46	ALL	right and left	609526	1	(14.630)

16.714 BELT-ADAPTER, Seat

56	ALL	unit	987480	1	(14.875)
57	ALL	unit	987690	1	(14.875)
56	ALL	ADAPTER, unit belt	987531	1	(14.875)

16.715 CUSHION—BAG—PUMP—VALVE, Seat

38	CAB	passenger	597876	1	17.80
38	CAB	driver	597847	1	17.80
39-46	CAB (exc. COE)		605329	1	43.15
39-46	COE		605330	1	43.15
47-53	SGL. UNIT (exc. SUB.)	driver and auxiliary	3809803	1	21.10
47-53	SUB.	driver	3808443	1	39.45
47-53	SUB.	auxiliary	3810372	1	26.00
47-53	SUB.	center	3808425	1	39.45
47-53	SUB.	rear	3808456	1	50.65
47-53	CAB		3696814	1	54.65
54-55	SGL. UNIT (1st Ser.) (exc. SUB.)	driver and auxiliary (brown, w/welt)	3707701	1	22.45
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(brown cover, birch white facings)	3713466	1	54.65
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(green)	3713468	1	54.65
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(blue)	3713472	1	54.65
54-55	CAB (1st Ser.)	(brown w/welt)	3707886	1	54.65
54-55	CAB (1st Ser.)	(gray cover, maroon facings)	3707888	1	54.65
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (brown)	3707293	1	25.00
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (gray and maroon)	3707294	1	25.00
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (brown, w/welt)	3707297	1	27.55
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (gray and maroon)	3707298	1	27.55

54-55	SUB. (1st Ser.)	driver (gray and maroon)	3707703	1	39.50
54-55	SUB. (1st Ser.)	auxiliary (gray and maroon)	3707705	1	26.00
54-55	SUB. (1st Ser.)	center (gray and maroon)	3707706	1	39.50
54-55	SUB. (1st Ser.)	driver (brown)	3713477	1	39.50
54-55	SUB. (1st Ser.)	auxiliary (brown)	3713479	1	26.00
54-55	SUB. (1st Ser.)	center (brown)	3713480	1	39.50
54-55	SUB. (1st Ser.)	rear (brown)	3713481	1	50.55
54-55	PANEL (w/deluxe equip.) (1st Ser.)	driver and auxiliary (brown)	3713475	1	22.70
55	CAB (2nd Ser.) (exc. SUB. PICK-UP)	black and beige, imitation leather and fabric	3721056	1	62.70
55	CAB (2nd Ser.) (exc. SUB. PICK-UP) (w/ foam rubber seats)	black and beige, imitation leather and fabric	3721062	1	72.30
55	CAB (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	brown and beige, imitation leather and nylon	3725021	1	72.30
55	CAB (w/deluxe equip., w/foam rubber seats) (2nd Ser.) (exc. SUB. PICK-UP)	brown and beige, imitation leather and nylon	3721060	1	86.85
55	CAB (2nd Ser.) (exc. SUB. PICK-UP)	black and beige, air cushion seat	3723043	1	72.30
55	CAB (2nd Ser.) (exc. SUB. PICK-UP) (w/ deluxe equipt.)	brown and beige, air cushion seat	3723044	1	86.85
55-56	SUB. (2nd Ser.)	driver (beige and black)	3721448	1	41.10
55	SUB. (2nd Ser.)	auxiliary (beige and black)	3721450	1	27.55
55	SUB. (2nd Ser.)	rear (beige and black)	3721453	1	52.60
55	PANEL (2nd Ser.)	driver and auxiliary (beige)	3721446	1	27.55
55-57	SUB. PICK-UP	imitation leather and nylon, red and beige	3721058	1	83.40
55-56	SUB. PICK-UP	red and beige, air cushion seat	3723045	1	86.85
56	PANEL	driver and auxiliary (gray and black)	3730771	1	29.75
56	PANEL	driver & auxiliary (hvy. duty trim) (gray & black)	3739474	1	31.45
56	SUB. CARRYALL	driver (gray and black)	3730773	1	41.10
56	SUB. CARRYALL	auxiliary (gray and black)	3730775	1	27.55
56	SUB. CARRYALL	center (gray and black)	3730776	1	41.10
56	SUB. CARRYALL	rear (gray and black)	3730778	1	52.60
56	CAB (w/deluxe equip.) (2nd Ser.) (w/foam rbr. seats) (exc. SUB. PICK-UP)	(charcoal and gray) (synthetic fabric)	3731366	1	86.85
56	CAB (exc. SUB. PICK-UP)	(black and gray)	3730767	1	62.70
57	CAB (exc. SUB. PICK-UP)	gray	3741277	1	65.75
57	CAB (w/deluxe equip.) (exc. SUB. PICK-UP)	charcoal and gray (foam rubber)	3741477	1	86.85
57	SUB. CARRYALL	driver and center seat (gray)	3741371	1	49.50
57	SUB. CARRYALL	auxiliary (gray)	3741373	1	29.50
57	SUB. CARRYALL	rear (gray)	3741375	1	55.75
57	PANEL	driver and auxiliary (gray)	3741369	1	31.50
55-57	CAB (2nd Ser.)	BAG, rubber w/air cush. seat (w/deluxe equip.)	3718985	1	22.70
55-57	CAB (2nd Ser.)	PUMP, used on air cushion seat	3722306	2	3.15
54-55	ALL (w/Unison Seat) (1st Ser.)	VALVE, driver seat cushion	3701098	2	.55

16.716 SPRING and FRAME ASSEMBLY and PARTS, Seat Cushion

47-55	CAB (1st Ser.)		3696078	1	24.05
54	ALL (w/Unison Seat)		3701103	1	2.75
55-57	CAB (2nd Ser.)		3724888	1	31.75
55-56	CAB (2nd Ser.) (w/air cushion seat)	w/panel	3723312	1	24.05
47-57	CAB (2nd Ser.)	CLIP, trim retaining	369725	A.R.	.05
55-57	CAB (2nd Ser.)	WASHER, Spring and Frame assy. (13/32 I.D. x 3/4 O.D. x 3/16 thick)	3706737	2	(7.371)
55-57	CAB (2nd Ser.)	VALVE, black rubber	3719847	2	.30
55-57	CAB (2nd Ser.)	RETAINER	3719848	2	.30

16.717 TRIM—CLOTH, Seat Cushion

41-46	CAB		3683600	1	9.15
47-53	SGL. UNIT (exc. SUB.)	driver and auxiliary	3808200	1	6.00
47-53	SUB.	driver	3807836	1	10.05
47-51	SUB.	auxiliary	3807850	1	5.25
47-53	SUB.	center	3807876	1	10.05
47-53	SUB.	rear	3807875	1	11.20
47-53	CAB		3693858	1	12.50
52-53	SUB.	auxiliary	3810377	1	4.85

54-55	SGL. UNIT (1st Ser.)	driver and auxiliary (brown, w/o welt)	3811573	1	6.00
54-55	CAB (1st Ser.)	(brown, w/o welt)	3811571	1	12.10
54-55	CAB (1st Ser.)	(gray and maroon)	3811201	1	12.10
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (brown, w/o welt)	3811567	1	8.35
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (gray and maroon)	3700907	1	8.35
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (brown, w/o welt)	3811569	1	10.05
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (gray and maroon)	3700909	1	10.05
54-55	SUB. (1st Ser.)	driver (gray and maroon)	3811196	1	10.05
54-55	SUB. (1st Ser.)	auxiliary (gray and maroon)	3811198	1	5.35
54-55	SUB. (1st Ser.)	center (gray and maroon)	3811197	1	10.05
54-55	SUB. (1st Ser.)	rear (gray and maroon)	3811199	1	11.20
54-55	SUB. (1st Ser.)	driver (brown)	3811307	1	10.05
54-55	SUB. (1st Ser.)	center (brown)	3811310	1	10.05
54-55	SUB. (1st Ser.)	rear (brown)	3811312	1	11.20
54-55	PANEL (w/deluxe equip.) (1st Ser.)	driver and auxiliary (brown)	3811575	1	7.75
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(maroon and beige)	3811552	1	16.95
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(blue)	3811554	1	16.95
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(brown and white)	3811556	1	16.95
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(green)	3811558	1	16.95
55-56	CAB (2nd Ser.)	imitation leather (black and beige)	3716945	1	14.40
55	CAB (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	imitation leather (brown and beige)	3718315	1	27.30
55	SUB. (2nd Ser.)	driver (beige and black)	3811804	1	14.40
55	SUB. (2nd Ser.)	auxiliary (beige and black)	3811806	1	8.35
55	SUB. (2nd Ser.)	center (beige and black)	3812273	1	13.75
55	SUB. (2nd Ser.)	rear (beige and black)	3811802	1	18.00
55	PANEL (2nd Ser.)	driver and auxiliary (beige and black)	3811823	1	8.90
55-57	SUB. PICK-UP	imitation leather (red and beige)	3718313	1	24.75
56	SUB. CARRYALL	driver (gray and black)	3729331	1	14.40
56	SUB. CARRYALL	auxiliary (gray and black)	3729333	1	8.35
56	SUB. CARRYALL	center (gray and black)	3729334	1	13.75
56	SUB. CARRYALL	rear (gray and black)	3729336	1	18.00
56	PANEL	driver and auxiliary (gray and black)	3729339	1	8.90
56	PANEL	driver & auxiliary (hvy. duty ctn. cloth) (gray and black)	3737022	1	10.05
56	ALL (w/deluxe equip.)	charcoal and gray	3730371	1	27.30
56	ALL (w/deluxe equip.)	blue (synthetic fabric)	3730370	1	27.30
56	ALL (w/deluxe equip.)	green (synthetic fabric)	3730369	1	27.30
56	COMM., UTIL. (exc. SUB. PICK-UP)	black and gray (synthetic fabric)	3729329	1	14.40
57	CAB w/deluxe equip.	charcoal and gray (foam rubber seat)	3738335	1	27.30
57	CAB (exc. deluxe equip., SUB. PICK-UP)	gray synthetic fabric	3738844	1	19.25
57	SUB. PICK-UP	green	3738336	1	27.30
57	SUB. PICK-UP	blue	3738337	1	27.30
57	SUB. CARRYALL	driver's and center seat (gray synthetic fabric)	3738840	1	15.25
57	SUB. CARRYALL	gray synthetic fabric (rear)	3738842	1	18.00
57	SUB. CARRYALL	gray synthetic fabric (auxiliary)	3738848	1	12.60
57	PANEL	driver and auxiliary seat (gray synthetic fabric)	3738846	1	11.45
55-56	ALL (exc. SUB. PICK-UP) (2nd Ser.)	CLOTH, side facing, ctn. resin coated (black)	3718948	A.R.	5.60 yd.

16.720 CUSHION, Seat Back

39-46	CAB		605333	1	30.75
47-53	SUB.	driver and center	3807825	1	32.25
47-51	SUB.	auxiliary	3807839	1	21.70
47-53	SUB.	rear	3807864	1	37.25
47-53	SGL. UNIT	driver and auxiliary	3807752	1	17.85
47-53	CAB		3693896	1	43.15
52-53	SUB.	auxiliary	3810366	1	21.70
54-55	SGL. UNIT (exc. SUB.) (1st Ser.)	driver and auxiliary	3707700	1	16.70
54-55	CAB (1st Ser.)	(brown)	3707887	1	43.15
54-55	CAB (1st Ser.)	(gray and maroon)	3707889	1	43.15
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(brown cover, birch white facings)	3713467	1	45.45
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(green)	3713469	1	45.45
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(maroon cover, beige facings)	3713471	1	45.45
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (brown)	3707291	1	18.10
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (gray and maroon)	3707292	1	18.10

54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (brown)	3707295	1	24.10
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (gray and maroon)	3707296	1	24.10
54-55	SUB. (1st Ser.)	driver and center (gray and maroon)	3707702	1	32.15
54-55	SUB. (1st Ser.)	auxiliary (gray and maroon)	3707704	1	21.75
54-55	SUB. (1st Ser.)	driver and center (brown)	3713476	1	32.15
54-55	SUB. (1st Ser.)	auxiliary (brown)	3713478	1	21.75
54-55	SUB. (1st Ser.)	rear (brown)	3713482	1	37.90
54-55	PANEL (w/deluxe equip.) (1st Ser.)	driver and auxiliary (brown)	3713474	1	19.50
55	CAB. (2nd Ser.) (exc. SUB. PICK-UP)	imitation leather and fabric (black and beige) (includes frame)	3721057	1	46.60
55	CAB (w/deluxe equip.) (2nd Ser.)	imitation leather and nylon (brown and beige) (includes frame)	3721061	1	63.85
55	SUB. (2nd. Ser.)	driver and center seat (black and beige)	3721447	2	33.95
55	SUB. (2nd Ser.)	auxiliary (black and beige)	3721449	1	22.85
55	SUB. (2nd Ser.)	rear (black and beige)	3721452	1	41.25
55	PANEL (2nd Ser.)	driver and auxiliary (black and beige)	3721445	1	19.50
55-57	SUB. PICK-UP	imitation leather and nylon (red and beige)	3721059	1	59.25
56	SUB. CARRYALL	auxiliary (gray and black)	3730774	1	25.00
56	PANEL	driver and auxiliary (gray and black)	3730770	1	19.50
56	PANEL	driver and auxiliary (hvy. duty trim) (gray and black)	3739472	1	25.00
56	SUB. CARRYALL	driver and center (gray and black)	3730772	1	33.95
56	SUB. CARRYALL	rear (gray and black)	3730777	1	45.70
56	ALL (w/deluxe equip.)	charcoal and gray (synthetic fabric)	3731372	1	63.85
56	ALL (w/deluxe equip.)	blue (synthetic fabric)	3731373	1	63.85
56	ALL (w/deluxe equip.)	green (synthetic fabric)	3731374	1	63.85
56	CAB. (exc. SUB. PICK-UP)	gray and blk. (synthetic fabric)	3730768	1	46.60
57	ALL (w/deluxe equip.)	charcoal and gray (foam rbr. seats)	3741481	1	63.85
57	CAB (exc. SUB. PICK-UP)	gray (use w/P.R.W.)	3741279	1	49.75
57	SUB. PICK-UP	blue	3741482	1	63.85
57	SUB. PICK-UP	green	3741483	1	63.85
57	SUB. CARRYALL	driver and center (gray)	3741372	A.R.	36.85
57	SUB. CARRYALL	gray	3741374	1	27.25
57	SUB. CARRYALL	gray (rear)	3741376	1	48.75
57	PANEL	driver and auxiliary (gray)	3741370	1	21.25

16.724 TRIM—CLIP, Seat Back

40-46	SUB.	rear seat	3806825	1	9.95
40-46	CAB		3659273	1	7.30
47-53	SGL. UNIT (exc. SUB.)	driver and auxiliary	3807509	1	5.10
47-53	SUB.	driver and center	3807830	1	9.15
47-51	SUB.	auxiliary	3807844	1	6.00
47-53	SUB.	rear	3807868	1	11.60
47-53	CAB		3808752	1	10.85
52-53	SUB.	auxiliary	3810371	1	6.00
54-55	SGL. UNIT (1st Ser.) (exc. SUB.)	driver and auxiliary (brown)	3811572	1	5.10
54-55	CAB (1st Ser.)	(brown, w/o welt)	3811570	1	10.85
54-55	CAB (1st Ser.)	(gray and maroon)	3811200	1	10.85
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (brown, w/o welt)	3811566	1	8.35
54-55	ALL (w/Unison Seat) (1st Ser.)	driver (gray and maroon)	3700908	1	8.35
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (brown, w/o welt)	3811568	1	10.05
54-55	ALL (w/Unison Seat) (1st Ser.)	passenger (gray and maroon)	3700910	1	10.05
54-55	SUB. (1st Ser.)	driver and center (gray and maroon)	3811187	1	9.15
54-55	SUB. (1st Ser.)	auxiliary (gray and maroon)	3811188	1	6.00
54-55	SUB. (1st Ser.)	rear (gray and maroon)	3811189	1	11.60
54-55	SUB. (1st. Ser.)	rear (brown)	3811311	1	11.60
54-55	PANEL (w/deluxe equip.) (1st Ser.)	driver and auxiliary (brown)	3811574	1	6.75
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(maroon and beige)	3811551	1	16.05
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(blue)	3811553	1	16.05
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(brown and white)	3811555	1	16.05
54-55	COMM. (w/deluxe equip.) (1st Ser.)	(green)	3811557	1	16.05
55	CAB (2nd Ser.) (exc. SUB. PICK-UP)	imitation leather (black and beige)	3716944	1	13.80
55	CAB (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	imitation leather (brown and beige)	3718319	1	29.75
55	SUB. (2nd Ser.)	driver and center seat (black and beige)	3811803	2	12.50
55	SUB. (2nd Ser.)	auxiliary seat (black and beige)	3811805	1	7.65

55	SUB. (2nd Ser.)	rear (black and beige)	3811801	1	16.70
55	PANEL (2nd Ser.)	driver and auxiliary (black and beige)	3811822	1	8.45
55-57	SUB. PICK-UP	imitation leather (red and beige)	3718317	1	29.75
56	SUB. CARRYALL	driver and center (gray and black)	3729330	1	12.50
56	SUB. CARRYALL	auxiliary (gray and black)	3729332	1	7.65
56	SUB. CARRYALL	rear (gray and black)	3737542	1	16.70
56	PANEL	driver and auxiliary (gray and black)	3729338	1	8.45
56	PANEL	driver and auxiliary (hvy. duty trim) gray and black)	3737023	1	9.50
56	ALL (w/deluxe equip.)	green (synthetic fabric)	3730364	1	29.75
56	ALL (w/deluxe equip.)	blue (synthetic fabric)	3730365	1	29.75
56	ALL (w/deluxe equip.)	charcoal and gray (synthetic fabric)	3730366	1	29.75
56	COMM., UTIL.	# 1 gray and black	3729328	1	13.80
57	ALL (w/deluxe equip.)	charcoal and gray (foam rbr. seat)	3738330	1	29.75
57	ALL (exc. deluxe equip., SUB. PICK-UP)	gray synthetic fabric	3738845	1	16.70
57	SUB. PICK-UP	blue	3738332	1	29.75
57	SUB. PICK-UP	green	3738331	1	29.75
57	SUB. CARRYALL	gray synthetic fabric	3738841	1	13.25
57	SUB. CARRYALL	rear (gray synthetic fabric)	3738843	1	16.70
57	SUB. CARRYALL	gray synthetic fabric	3738849	1	9.05
57	PANEL	driver and auxiliary (gray synthetic fabric)	3738847	1	9.50
55-57	CAB (2nd Ser.)	CLIP, to seat back trim panel	3717416	5	.05

16.742 PANEL—PAD, Top Lining (Fiber Board)

NOTE: See Groups 16.589 and 16.592 for rear upper and lower lining panel.

39-46	CAB,				
47-55	ALL (1st Ser.) (exc. SUB.)	universal (cut to stencil on back)	3694283†	A.R.	3.85
47-50	SUB. (1st type)	front, front half	3808406	1	1.50
47-50	SUB. (1st type)	rear	3809777	1	1.50
47-50	SUB. (1st type)	front, rear half	3807982	1	2.75
47-50	SUB. (1st type)	center, front	3807984	1	2.70
47-49	SUB. (1st type)	center, rear	3807986	1	2.70
50-53	SUB. (2nd type)	front, front half	3693576*	1	1.50
50-55	SUB. (1st Ser.) (2nd type)	front, rear half	3811286*†	1	2.50
50-55	SUB. (1st Ser.) (2nd type)	center, front half	3811287*†	1	2.70
50-55	SUB. (1st Ser.) (2nd type)	center, rear half	3811288*†	1	2.70
50-55	SUB. (1st Ser.) (2nd type)	rear	3811289*†	1	1.55
54-55	ALL (1st Ser.)	front	3711307	1	2.20
54-55	SUB. (1st Ser.)	front, front half	3711390	1	1.65
54-55	SGL. UNIT (1st Ser.) (exc. SUB.)	front, front half	3811333	1	1.65
55-56	CAB (w/deluxe equip.) (2nd Ser.) (exc. SUB. PICK-UP)	PAD, black	3730047†	1	3.65
56-57	1 TON PANEL	PADS, use #2-3-4-5-6 (marble gray)	3730030	A.R.	3.65
57	CAB. (w/deluxe equip.), (exc. SUB. PICK-UP)	PAD, black	3738375†	1	4.75
57	1 TON PANEL	PAD, gray (used as No. 3-4-5-6 pads)	3738972	1	3.65

*NOTE: 2nd type parts are required on 1950 Jobs where installation of panels is from rear to front instead of front to rear as on 1st type.

†NOTE: May be repainted to match interior trim.

16.745 BOW, Top

47-49	CAB	(2 wide x ¾ thick x 56½ dev. length)	3682897	1	.90

RETAINER—MOULDING, Top Lining Panel

47-55	CAB (1st Ser.)	rear (¾ x 18¼ dev. length)	3685664	1	1.30
47-49	CAB	center (1 1/32 x 54 dev. length)	3685663	1	1.30
47-50	SGL. UNIT,				
51-55	SGL. UNIT (1st Ser.) (exc. SUB.)	center (developed length 52)	3807558	1	1.15
47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	side (1 1/16 x 8 23/32)	3809272	2	.25
47-55	SGL. UNIT (1st Ser.) (exc. SUB.)	rear (54 developed length)	3807795	1	1.20
47-55	SUB. (1st Ser.)	front center	3693583	1	1.40
47-55	SUB. (1st Ser.)	front rear	3693578	1	1.40
50-55	SUB. (1st Ser.)	center	3693575	1	1.40

50-55	CAB (1st Ser.)	center (1 wide x 50½ O.L.)	3693339	1	1.30
47-55	SUB. (1st Ser.)	MOULDING, left—top lining panel side	3693581	1	2.20
47-55	SUB. (1st Ser.)	MOULDING, right—top lining panel side	3693582	1	2.20
50-55	SUB. (1st Ser.)	MOULDING, top lining panel rear	3693586	1	1.40

16.760 IMITATION LEATHER—INSULATOR, Cushion and Back

38-46	ALL	dark brown (50 wide)	3692690	A.R.	5.78 yd
36-57	ALL	INSULATOR, felt (35" x 25 yds. long)	121126	A.R.	(15.492)

16.800 MAT, Toe and Floor Board

37-46	ALL (exc. COE)	universal (rubber w/felt base)	609590	1	5.95
41-46	COE	left (molded 3681273)	3681273	1	4.25
41-46	COE	right (molded 3681274)	3681274	1	4.25
47-55	COE	left (molded 3709645)	3709645	1	4.60
47-55	COE	right (molded 3709646)	3709646	1	4.60
47-53	SUB.	under pass. seat (molded 3810690)	3810690	1	5.40
47	ALL (exc. COE) (4-SPD.),				
48-52	COMM. (3-SPD.) (exc. 1 TON)	universal type (molded 3695053)	3695053	1	8.35
48-49	ALL (4-SPD.) (exc. COE, FFC)	(molded 3695051)	3695051	1	8.60
50-55	½ TON (3-SPD.) (1st Ser.) (exc. SUB.),				
53-55	1 TON (HVY. DUTY) (1st Ser.),				
54-55	COMM. (1st Ser.) (exc. FFC)	black ribbed rubber	3716701	1	8.60
50-51	½, ¾ TON (4-SPD.) (exc. SUB.),				
52-55	COMM. (4-SPD.) (1st Ser.) (exc. SUB.)	black	3718013	1	8.60
50-51	1 TON, UTIL. (exc. COE),				
52-55	UTIL. (1st Ser.) (exc. COE)	(molded 3709659)	3709659	1	7.85
52-53	SUB. (3-SPD.)	(molded 3698175)	3698175	1	10.55
54-55	SUB. (1st Ser.)	under pass. seat (molded 3810590)	3810590	1	2.65
54-55	COMM. CAB (1st Ser.) (exc. 4-SPD.)	blue (molded 3712345)	3712345	1	8.60
54-55	COMM. CAB (1st Ser.) (exc. 4-SPD.)	green (molded 3712343)	3712343	1	8.60
54-55	COMM. CAB (1st Ser.) (exc. 4-SPD.)	brown (molded 3712347)	3712347	1	8.60
54-55	COMM. CAB (4-SPD.) (1st Ser.)	blue (molded 3712339)	3712339	1	8.60
54-55	COMM. CAB (4-SPD.) (1st Ser.)	green (molded 3712337)	3712337	1	8.60
54-55	COMM. CAB (4-SPD.) (1st Ser.)	brown (molded 3712341)	3712341	1	8.60
55-56	ALL (4-SPD.) (2nd Ser.)	black	3724107	1	8.60
55-56	COMM. (w/del. equip.) (2nd Ser.) (exc. 4-SPD.)	black	3716179	1	8.60
55-56	SUB. (2nd Ser.)	black, under passenger seat	3737419	1	2.65
55-56	SUB. PICK-UP (3-SPD.)	red	3720159	1	10.55
55-56	SUB. PICK-UP (4-SPD.)	red	3724109	1	10.55
57	SUB. CARRYALL	black (under pass. seat)	3737419	1	
57	ALL (4-SPD.) (exc. FFC)	black	3737403	1	8.60
57	ALL (exc. 4-SPD., FFC)	black	3737401	1	8.60

16.802 MAT—FASTENER—SCREW, Dash Panel

47-53	ALL	front (23 x 53 11/16)	3693009	1	5.50
54-55	ALL (1st Ser.) (exc. FFC)		3702869	1	5.50
55-57	COMM., UTIL. (FFC) (2nd Ser.)		3724079	1	4.00
55-57	ALL (2nd Ser.) (exc. FFC)		3724077	1	3.80
47-55	ALL (1st Ser.)	FASTENER (9/16 head dia. x 1 3/8 long)	3692752	A.R.	(15.282)
55-56	ALL (2nd Ser.)	FASTENER (rubber 1 1/16 long)	3714200	9	.05
57	ALL	FASTENER (plastic 1 1/32 dia. x 1 3/8 long)	3730562	9	
38-49	ALL,				
48-55	COMM. (1st Ser.)	SCREW, dash panel mat fastener (8—32 x ½)	3654597	A.R.	(16.170)

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	17.014 SILL ASSEMBLY—BRACKET, Cross				
55	SGL. UNIT, COWL and W/S (2nd Series)	w/extensions	3811675	1	(16.545)
55-56	SGL. UNIT (2nd Ser.)	front	3811346	A.R.	6.75
55-57	1 TON PANEL (2nd Ser.)	center (48⅛" length)	3734396	1	3.75
57	SGL. UNIT		3734395	A.R.	6.75
55-57	½ TON PANEL (2nd Ser.)	BRACKET, floor board rnfct	3808656	A.R.	.30
	17.030 IRON, Floor Board Wear				
37-57	SGL. UNIT, PLATFORM	(144 11/16 long) (universal)	3709944	A.R.	2.05
37-57	SGL. UNIT, PLATFORM	(109⅜ long) front and rear outer (univ.)	3847382	A.R.	1.35
37-57	SGL. UNIT, PLATFORM	(92 3/32 long) (universal)	3709943	A.R.	1.25
	NOTE: Floor Board Wear Irons are of universal length, less holes.				
	17.060 TOP ASSEMBLY—WASHER				
47-53	½ TON SGL. UNIT (exc. SUB.)		3810869*	1	140.00
47-53	1 TON SGL. UNIT		3810874*	1	155.00
47-53	SUB.		3810875	1	140.00
54-55	½ TON SGL. UNIT (1st Ser.) (exc. SUB.)		3810644*	1	140.00
54-55	1 TON SGL. UNIT (1st Ser.)		3810646*	1	155.00
54-55	SUB. (1st Ser.)		3810876	1	140.00
55-56	½ TON PANEL (2nd Ser.)		3730055†	1	155.00
55-57	1 TON PANEL (2nd Ser.)		3730057†	1	180.00
55-57	SUB. (2nd Ser.)		3738118†	1	160.00
57	½ TON PANEL	gray trim panels	3738116	1	160.00
57	SUB.	gray trim panels	3738118	1	160.00
55-57	PANEL (2nd Ser.)	WASHER (1 x 1 13/32)	3811745	A.R.	.05
	*NOTE: On Canopy Express jobs it will be necessary to remove the striker.				
	†NOTE: May be painted to match existing trim.				
	17.110 SIDE ASSEMBLY, Body				
47-51	½ TON PANEL	left	3809749	1	111.00
47-51	½ TON PANEL	right	3809750	1	111.00
47-51	1 TON PANEL	left	3809799	1	122.75
47-51	1 TON PANEL	right	3809800	1	122.75
47-51	SUB.	left	3809877	1	146.50
47-51	SUB.	right	3809878	1	146.50
52-55	½ TON PANEL (1st Ser.)	left	3810605	1	121.50
52-55	½ TON PANEL (1st Ser.)	right	3810606	1	121.50
52-55	1 TON PANEL (1st Ser.)	left	3810607	1	155.00
52-55	1 TON PANEL (1st Ser.)	right	3810608	1	155.00
55-57	1 TON PANEL (2nd Ser.)	left	3730033	1	211.75
55-57	1 TON PANEL (2nd Ser.)	right	3730034	1	219.50
52-55	SUB. (1st Ser.)	left	3810277	1	146.50
52-55	SUB. (1st Ser.)	right	3810278	1	146.50
55-57	½ TON PANEL	left	3730059	1	176.50
55-57	½ TON PANEL	right	3730060	1	185.00
55-57	SUB. (2nd Ser.)	left	3812473	1	199.50
55-57	SUB. (2nd Ser.)	right	3812474	1	206.50
55-57	SUB. (2nd Ser.)	left, upper inner	3811967	1	29.50
55-57	SUB. (2nd Ser.)	right, upper inner	3811968	1	29.50
		BODY SIDE PARTS			
55	SGL. UNIT (2nd Ser.)	BUMPER, (11/16 O.D. x ½ O.L.)	4128599	2	(10.263)
55	SGL. UNIT (2nd Ser.) (1st type)	COVER, left inner pnl. rear (w/flange)	3812033	1	.40
55	SGL. UNIT (2nd Ser.) (1st type)	COVER, right inner pnl. rear (w/flange)	3812034	1	.40
55-57	SGL. UNIT (2nd Ser.) (2nd type)	COVER, inner pnl. (flat)	3812010	A.R.	.40
55-57	SGL. UNIT (2nd Ser.)	DOOR, gas tank filler	3811952	1	1.50
55-57	SGL. UNIT (2nd Ser.)	PANEL, wheel house	3811421	2	5.00
37-55	SGL. UNIT (1st Ser.)	WASHER, body side (5/16)	3688003	A.R.	(8.143)

17.112 PANEL—MOULDING—SPACER, Body Side and Top Front and Rear Trim

47-55	SUB. (1st Ser.)	front (fiber-board—6 wide x 35 3/32 O.L.)	3711128*	1	.55
47-55	SUB. (1st Ser.)	rear—L. (fiber-board—6 wide x 40 15/16 O.L.)	3711129*	1	.55
47-55	SUB. (1st Ser.)	rear—R. (fiber-board—6 wide x 40 15/16 O.L.)	3711130*	1	.55
55-57	SUB. (2nd Ser.)	left, top side	3811405	1	6.15
55-57	SUB. (2nd Ser.)	right, top side	3811406	1	6.15
55-57	SUB. (2nd Ser.)	top rear	3811407	1	3.70
55-57	SGL. UNIT (2nd Ser.)	top front	3811413	1	27.45
49-54	SUB.	MOULDING (1 x 6 1/4)	3809378*	2	.35
55	1 TON PANEL (2nd Ser.)	SPACER, top front trim pnl. to bow	3812259	2	.10

*NOTE: May be repainted to match color of other trim panels.

17.116 MOULDING, Body Side and Top Trim Panel

47-55	SUB. (1st Ser.)	front	3809192	2	1.45
47-55	SUB. (1st Ser.)	left, rear	3809193	1	1.55
47-55	SUB. (1st Ser.)	right, rear	3809194	1	1.55
55-57	SUB. (2nd Ser.)	left, top rear	3812043	1	.95
55-57	SUB. (2nd Ser.)	right, top rear	3812044	1	.95
55-57	SUB. (2nd Ser.)	top, front	3812046	2	.75
55-57	PANEL (2nd Ser.)	left, top	3812055	1	.75
55-57	PANEL (2nd Ser.)	right, top	3812056	1	.75

17.136 GLASS, Side Windows and Parts

47-52	SUB. (1st type)	front side window—front	3808195	2	4.75
47-55	SUB.	front side window—rear	3810692	2	7.75
52-55	SUB. (2nd type) (1st Ser.)	front side window—front	3810689	2	4.75
47-52	SUB (1st type)	rear side window—front (13 1/8 width)	3808197	2	4.50
47-55	SUB (1st Ser.)	rear side window—rear	3810704	2	7.50
52-55	SUB. (2nd type) (1st Ser.)	rear side window—front (13 11/16 top, 13 9/16 bottom)	3810694	2	4.50
53-55	SUB. (1st Ser.)	front side window—front (tinted)	3704378	2	5.25
53-55	SUB. (1st Ser.)	front side window—rear (tinted)	3704379	2	8.10
53-55	SUB. (1st Ser.)	rear side window—rear (tinted)	3704381	2	8.10
55-57	SUB. (2nd Ser.)	rear side window, stationary (15 3/4 x 27 1/16)	3812001	2	9.75
55-57	SUB. (2nd Ser.)	rear side window, sliding (16 1/2 x 20 7/8)	3812002	2	7.95
55-57	SUB. (2nd Ser.)	front side, stationary (19 1/2 x 23 1/2)	3812003	2	8.95
55-57	SUB. (2nd Ser.)	front side, sliding (16 11/16 x 18 5/32)	3812004	2	6.75
47-52	SUB. (1st type)	CATCH, side window glass	3808751	4	1.05
52-55	SUB. (2nd type) (1st Ser.)	CATCH, side window glass (plastic coated at end)	3811305	4	.60
55-56	SUB. (2nd Ser.)	CATCH, side window glass	3812063	4	.85
57	SUB.	CATCH, side window glass	3730917	4	.85
52-57	SUB.	HANDLE, side window sliding glass	3810696	4	.40
55	ALL (w/deluxe equip.) (2nd Ser.)	CLIP, reveal upper and lower (39/64 x 45/64)	3721320	24	(16.185)
39-46	SUB.	REGULATOR, left front side window	594279	1	(16.260)
39-46	SUB.	REGULATOR, right front side window	594280	1	(16.260)
47-55	SUB.	FILLER, frt. side window channel to reveal mldg. (rubber 3/8 x 17/32 x 54 3/4)	3810720	2	.65
55-57	SUB. (2nd Ser.)	FILLER, side window glass run rear (30 1/2 long)	3812365	2	1.90
47-55	SUB. (1st Ser.)	RETAINER, frt. side window garnish mldg.	3810710	2	.50
47-55	SUB. (1st Ser.)	RETAINER, rear side window garnish mldg.	3810711	2	.50
55-57	SUB. (2nd Ser.)	RETAINER, left—front side window glass	3720519	1	15.70
55-57	SUB. (2nd Ser.)	RETAINER, right—front side window glass	3720520	1	15.70
55-57	SUB. (2nd Ser.)	RETAINER, left—rear side window glass	3720521	1	16.25
55-57	SUB. (2nd Ser.)	RETAINER, right—rear side window glass	3720522	1	16.25
55-57	SUB. (2nd Ser.)	BRACKET, rr. side window guide (w/felt pad).	3721026	2	.85
55-57	SUB. (2nd Ser.)	GUTTER, rear side window	3811991	2	6.10
55-57	SUB. (2nd Ser.)	GUTTER, front side window	3811995	2	5.90
55-57	SUB. (2nd Ser.)	SEAL, left rear sliding glass lower (14 1/16 long)	3812127	1	.70
55-57	SUB. (2nd Ser.)	SEAL, right rear sliding glass lower (14 1/16 long)	3812128	1	.70
55-57	SUB. (2nd Ser.)	SEAL, left front sliding window glass lower (11 5/8 long)	3812139	1	.60
55-57	SUB. (2nd Ser.)	SEAL, right front sliding window glass lower (11 5/8 long)	3812140	1	.60

55-57	SUB. (2nd Ser.)	SEAL, left side window stationary (16¼ long)	3812133	2	.70
55-57	SUB. (2nd Ser.)	SEAL, right side window stationary (16¼ long)	3812134	2	.70

CHANNEL—MOULDING—WEATHERSTRIP, Side Windows

39	SUB.	glass run (U shape ½ wide 36 long)	609528	A.R.	(10.701)
40-46	SUB.	glass run (U shape 84$\frac{1}{16}$ long)	3801109	4	1.40
47-55	SUB. (1st Ser.)	glass run (U shape 92½ long)	3807860	4	3.15
47-52	SUB. (1st type)	left sliding window—w/handle	3808249	2	(11.008)
47-52	SUB. (1st type)	right sliding window—w/handle	3808250	2	(11.008)
47-53	SUB.	right and left stationary window	4070069	A.R.	(11.207)
52-55	SUB. (2nd type) (1st Ser.)	stationary window—less handle	3810712	4	1.95
55-57	SUB. (2nd Ser.)	rear glass run, sliding (U shape 75⅝ long)	3812020	2	2.80
55-57	SUB. (2nd Ser.)	left, stationary w/seal (15¼ long)	3812421	1	2.80
55-57	SUB. (2nd Ser.)	right, stationary w/seal (15¼ long)	3812422	1	2.80
47-55	SUB. (1st Ser.)	MOULDING, garnish—left front side window	3808023	1	3.15
47-55	SUB. (1st Ser.)	MOULDING, garnish—right front side window	3808024	1	3.15
47-55	SUB. (1st Ser.)	MOULDING, garnish—left rear side window	3808025	1	2.65
47-55	SUB. (1st Ser.)	MOULDING, garnish—right rear side window	3808026	1	2.65
47-55	SUB. (1st Ser.)	MOULDING, reveal—left front side window	3810751	1	1.70
47-55	SUB. (1st Ser.)	MOULDING, reveal—right front side window	3810752	1	1.70
47-55	SUB. (1st Ser.)	MOULDING, reveal—left rear side window	3810753	1	1.70
47-55	SUB. (1st Ser.)	MOULDING, reveal—right rear side window	3810754	1	1.70
55-57	SUB. (2nd Ser.)	MOULDING, garnish—left front side window	3811461	1	3.10
55-57	SUB. (2nd Ser.)	MOULDING, garnish—right front side window	3811462	1	3.10
55-57	SUB. (2nd Ser.)	MOULDING, garnish—left rear side window	3811463	1	3.20
55-57	SUB. (2nd Ser.)	MOULDING, garnish—right rear side window	3811464	1	3.20
55-57	SUB. (2nd Ser.)	MOULDING, garnish—left front lower side window	3812021	1	2.85
55-57	SUB. (2nd Ser.)	MOULDING, garnish—right front lower side window	3812022	1	2.85
55-57	SUB. (2nd Ser.)	MOULDING, garnish—left rear lower side window	3812023	1	3.00
55-57	SUB. (2nd Ser.)	MOULDING, garnish—right rear lower side window	3812024	1	3.00
47-54	SUB.	WEATHERSTRIP, front window—rear and rear window—front	4070069	4	(11.207)
55-57	SUB. (2nd Ser.)	WEATHERSTRIP, rear of side rear window	3812417	1	4.85
55-57	SUB. (2nd Ser.)	WEATHERSTRIP, front side window	3812415	2	4.60

17.160 PILLAR—PLATE—MOULDING—PLUG, Body Side Rear and Rear Hinge

47-55	SUB. (1st Ser.)	left	3810311	1	5.75
47-55	SUB. (1st Ser.)	right	3810312	1	5.75
47-55	PANEL (1st Ser.)	left	3810305	1	5.50
47-55	PANEL (1st Ser.)	right	3810306	1	5.50
52-55	SGL. UNIT (1st Ser.) (exc. SUB. w/END GATE)	left	3810271	1	6.15
52-55	SGL. UNIT (1st Ser.) (exc. SUB. w/END GATE)	right	3810272	1	6.15
55-57	SUB. (2nd Ser.)	left	3811449	1	14.00
55-57	SUB. (2nd Ser.)	right	3811450	1	14.00
55-57	PANEL (2nd Ser.)	left	3811427	1	9.50
55-57	PANEL (2nd Ser.)	right	3811428	1	9.50
55-57	SUB. w/DOORS (2nd Ser.)	PLATE, pillar cover (2⅛ x 4⅛)	3812097	2	.20
48-55	SUB. (1st Ser.)	MOULDING, left—inside pillar (steel)	3810137	1	1.05
48-55	SUB. (1st Ser.)	MOULDING, right—inside pillar (steel)	3810138	1	1.05
50-55	SUB. w/END GATE (1st Ser.)	PLUG, slot (⅞ x 3¼)	3809858	4	.40

17.166 PANEL, Body Lower Rear

47-50	½ TON PANEL, SUB. w/DOORS		3809557	1	13.15
47-50	1 TON PANEL		3809573	1	13.15
47-50	½ TON CAN. EXP., SUB. w/END GATE.		3809668	1	19.60
51-55	½ TON PANEL, SUB. w/DOORS (1st Ser.)		3810034	1	13.15
51-55	1 TON PANEL (1st Ser.)		3810150	1	13.15

51-55	½ TON CAN. EXP., SUB. w/END GATE (1st Ser.)		3810035	1	19.60
55-57	PANEL, SUB. w/DOORS (2nd Ser.)		3811374	1	19.60
55-57	SUB. w/END GATE (2nd Ser.)		3811336	1	27.45

17.185 GATE ASSEMBLY, End

47-55	CANOPY EXPRESS	with upper half hinges	3808090	1	71.65
47-55	SUB. (1st Ser.)	lower half	3807954	1	63.55
47-55	SUB. (1st Ser.)	upper half	3808211	1	47.15
55-57	SUB. (2nd Ser.)	with lower half hinges	3811730	1	57.75
55-57	SUB. (2nd Ser.)	with upper half hinges	3811515	1	46.75

WEATHERSTRIP—PLUG, End Gate

47-54	CAN. EXP., SUB. (1st Ser.)	lower,			
47-54	SUB. (1st Ser.)	upper (60 ft. roll)	3692045	A.R.	(10.694)
55-57	SUB. (2nd Ser.)	end gate, 1 piece clip on w/moulded lower corners	3811534	1	15.65
55-56	SUB. (2nd Ser.)	PLUG, upr. dr. access hole	142024	4	(8.973)

17.190 GLASS—WEATHERSTRIP, Upper End Gate

40-46	SUB.		471468	2	(16.464)
47-55	SUB. (1st Ser.)		3807916	1	11.50
55	SUB. (2nd Ser.)	(tinted)	3719691	1	18.35
55-57	SUB. (2nd Ser.)		3811969	1	15.75
40-46	SUB.	WEATHERSTRIP	3806252	2	(16.470)
47-57	SUB.	WEATHERSTRIP	3807917	1	2.60
55-57	SUB. (2nd Ser.)	WEATHERSTRIP, clip on type	3811524	1	11.35

17.198 LOCK and PARTS, End Gate

47-55	SUB. (1st Ser.)	inside w/handle	3808248	1	7.25
55-57	SUB. (2nd Ser.)	left (2½ x 3¾)	3811723	1	2.75
55-57	SUB. (2nd Ser.)	right (2½ x 3¾)	3811724	1	2.75
55-57	SUB. (2nd Ser.)	CONTROL, end gate lock	3811727	1	4.25
55-57	SUB. (2nd Ser.)	ROD, remote control conn. link—R.H. (23½ long)	3727634	1	.45
39-46	SUB.	SPRING	3800426	4	.15
41-46	SUB.	GUIDE, control rod	3800451	2	.35
47-55	CAN. EXP., SUB. (1st Ser.)	CATCH (1 15/32 wide x 2¼ with ⅜ hole)	3808352	2	.80

17.200 STRIKER—PLATE—SPACER, End Gate Lock

47-55	SUB. (1st Ser.)	upper	3808340	1	.55
47-55	CAN. EXP., SUB. (1st Ser.)	lower	3808072	2	.60
55-57	SUB. (2nd Ser.)	PLATE, end gate striker	3812255	2	.65
55-57	SUB. (2nd Ser.)	PLATE, striker adjuster (1¼ x 2⅛)	4650524	2	(10.571)
55-57	SUB. (2nd Ser.)	SPACER, lock striker (1¼ x 2⅛)	4650496	2	.10

17.202 SUPPORT—SPRING—BUMPER, End Gate

39-46	SUB.	upper	471750	1	2.35
47-55	SUB. (1st Ser.)	upper	3808753	2	2.35
55-57	SUB. (2nd Ser.)	upper	3811744	2	2.35
47-55	SUB. (1st Ser.)	SPRING, lower	3808707	2	.15
39	SUB.	SPRING, support cam—upper	4121855	1	(12.204)
47-55	CAN. EXP., SUB. (1st Ser.),				
55-57	SUB. (2nd Ser.)	BUMPER, upr. and lwr. gate (¾ x 1½ w/2 holes)	3808825	A.R.	.25
55-57	SUB. (2nd Ser.)	BUMPER, upr. dr. support assy. (59/64 x 2 21/64)	3812466	2	.30
55-57	SUB. (2nd Ser.)	BUMPER, left upper on rear pillar	3812201	1	.70
55-57	SUB. (2nd Ser.)	BUMPER, right upper on rear pillar	3812202	1	.70

17.204 HANDLE, End Gate Lock

41-42	SUB.	lower (less cyl., shaft)	3654591	1	(16.350)
46	SUB.	lower (with cyl., keys—uncoded)	609908	1	(12.247)
47-55	SUB. (1st Ser.)	upper (w/cyl., keys—uncoded)	3683746	1	4.70
47-55	CAN. EXP., SUB. (1st Ser.)	inside (3¾ overall w/⅜ hole)	3808350	2	.70
47-57	SUB. (2nd Ser.)	insert and shank (less cyl.)	4156733	1	(12.246)

PARTS, End Gate Lock Handle

47-57	SUB.	UNIT, upper end gate locking handle repair	3692798*	1	(12.250)
55-57	SUB.	GASKET, outside handle	4650704	1	(12.247)
32-49	SGL. UNIT	SCREW, handle safety	3654594	1	(10 540)
32-46	SGL. UNIT	FERRULE	4125630	1	(10.537)
38-46	SGL. UNIT	GROMMET, ferrule	4082057	1	(10.538)
55-57	SUB. (2nd Ser.)	CYLINDER, lift gate (w/2 keys coded to no specific key number)	3692500	1	(12.248)
55-57	SUB. (2nd Ser.)	SPRING, three coils	4260035	1	(12.247)
41-42	SUB.	PAWL, locking handle	601199	1	(16.385)
47-55	CAN. EXP., SUB (1st Ser.)	SHAFT, inside handle (⅜ dia. x 4⅜)	3808351	2	.40

*NOTE: Consists of: 1 bushing (threaded), 1 wave washer, 1 pin, 1 spring, and 1 escutcheon washer.

17.208 HINGE, End Gate

40-46	SUB.	upper , left—hinge and link assy.	3800497	1	2.80
40-46	SUB.	upper, right—hinge and link assy.	3800498	1	2.80
40-46	SUB.	upper, left—housing assy.	3800507	1	.65
40-46	SUB.	upper, right—housing assy.	3800508	1	.65
47-55	CAN. EXP., SUB. (1st Ser.)	lower half on body	3808361	2	2.30
47-55	CAN. EXP., SUB. (1st Ser.)	left lower	3807971	1	3.60
47-55	CAN. EXP., SUB. (1st Ser.)	right lower	3807972	1	3.60
47-50	SUB.	left upper	3809089	1	6.50
47-50	SUB.	right upper	3809090	1	6.50
51-55	SUB. (1st Ser.)	left upper	3808047	1	6.50
51-55	SUB. (1st Ser.)	right upper	3808048	1	6.50
55-57	SUB. (2nd Ser.)	lower half on body	3811749	2	3.05
55-57	SUB. (2nd Ser.)	left, upper half	3811957	1	3.85
55-57	SUB. (2nd Ser.)	right, upper half	3811958	1	3.85
55-57	SUB. (2nd Ser.)	left, upper gate	3811717	1	3.60
55-57	SUB. (2nd Ser.)	right, upper gate	3811718	1	3.60

PARTS, End Gate Hinge

39	SUB.	PIN, lower hinge	598653	2	(16.323)
40-50	SUB.	PIN, upper door hinge link	3800503	4	.10
51-55	SUB. (1st Ser.)	PIN, hinge link upper (5/16 dia. x 1⅝ O.L.)	3808064	2	.10
51-55	SUB. (1st Ser.)	WASHER, hinge link pin (11/32 I.D. x ⅝ O.D.)	3808065	4	.04
48-55	CAN. EXP., SUB. (1st Ser.),				
55-57	SUB. (2nd Ser.)	STUD (⅜ O.D. x 3½ long x ¼—20 thd.)	3808508	2	.30
51-55	SUB. (1st Ser.)	HOUSING, hinge, left upper)	3808067	1	1.05
51-55	SUB. (1st Ser.)	HOUSING, hinge, right upper	3808068	1	1.05
51-55	SUB. (1st Ser.)	SPACER, hinge link (½ O.D. x 9/16)	3808066	2	.11
55-57	SUB. (2nd Ser.)	PLATE, left—top rear rail hinge hole cover	3812051	1	.65
55-57	SUB. (2nd Ser.)	PLATE, right—top rear rail hinge hole cover	3812052	1	.65
55-57	SUB. w/DOORS (2nd Ser.)	PLATE, left—top rear rail hinge hole cover	3812049	1	.55
55-57	SUB. w/DOORS (2nd Ser.)	PLATE, right—top rear rail hinge hole cover	3812050	1	.55

17.222 CHAIN—CABLE—STOP—REEL—GROMMET—GUIDE—RETAINER, End Gate

39-55	CAN. EXP., (1st Ser.),				
41-46	SUB.	(30 in. long)	3808143	2	.60
47-55	SUB. (1st Ser.)	CABLE, lower	3808614	2	1.60
55-57	SUB. (2nd Ser.)	CABLE (49 13/64 long)	3811539	2	1.80
52-55	SUB. (1st Ser.)	STOP, left, end gate cable	3810563	1	(12.195)
52-55	SUB. (1st Ser.)	STOP, right, end gate cable	3810564	1	(12.195)
55-56	SUB. (2nd Ser.)	STOP, left, end gate cable	3811537	1	.75
55-56	SUB. (2nd Ser.)	STOP, right, end gate cable	3811538	1	.75
57	SUB.	STOP, left, end gate cable	3731121	1	.75
57	SUB.	STOP, right, end gate cable	3731122	1	.75
47-57	SUB.	REEL, cable (with tape)	3812098	2	(17.635)
55-57	SUB.	GROMMET, end gate cable cushion (3/8 I.D. x 1 O.D.)	3708378	2	(7.388)
55-57	SUB. (2nd Ser.)	GUIDE, end gate cable	3811946	2	.65
47-55	SUB.	RETAINER, left cable	3809675	1	.25
47-55	SUB.	RETAINER, right cable	3809676	1	.25
47-57	SUB. (2nd Ser.)	RETAINER, left end gate cable	3812363	1	.25
47-57	SUB. (2nd Ser.)	RETAINER, right end gate cable	3812364	1	.25
55-57	SUB. (2nd Ser.)	RETAINER, end gate remote control	3811729	1	.40

17.230 COVER, Tool Box

47-55	SGL. UNIT (exc. SUB.) (1st Ser.)		3806763	1	3.15

17.270 CURTAIN ASSEMBLY, Side

47-55	1/2 TON CAN. EXP. (1st Ser.)	left	3807659	1	21.50
47-55	1/2 TON CAN. EXP. (1st Ser.)	right	3807660	1	21.50
47-55	1 TON CAN. EXP. (1st Ser.)	left	3807813	1	22.50
47-55	1 TON CAN. EXP. (1st Ser.)	right	3807814	1	22.50

17.274 CURTAIN ASSEMBLY, Back

40-46	CAN. EXP.		3801079	1	6.92
47-55	CAN. EXP. (1st Ser.)		3807677	1	20.00

17.278 STRAP, Curtain Roll-up

47-55	CAN. EXP. (1st Ser.)	w/fasteners (12 in. long)	467383	A.R.	.35

YEAR	MODEL	PART NAME	PART NO.	NO. USED	LIST PRICE
	17.405 SILL ASSEMBLY, Platform Cross				
	NOTE: Intermediate cross-members, where referred to by number, are numbered from the front.				
40-46	½ TON PICK-UP BOX	front	3806542	1	1.78
40-53	PLATFORM (exc. ¾ TON)	front, rear and intermediate	3806581	A.R.	5.55
54-57	PLATFORM (exc. ¾ TON)	rear (universal)	3713952	1	8.70
34-36	OPEN EXPRESS	No. 4 intermediate,			
40-46	½ TON PICK-UP BOX	No. 2 intermediate,			
40-46	¾ TON PICK-UP BOX	No. 3 intermediate	3807901	1	1.09
40-46	½ TON PICK-UP BOX	No. 3 intermediate	3806545	1	2.60
47-53	½ TON PICK-UP BOX	rear	3810032	1	5.30
54-55	½ TON PICK-UP BOX (1st Ser.)	rear	3810714	1	5.90
54-57	¾ TON PLATFORM	rear (universal)	3713954	1	8.70
54-57	¾ TON PLATFORM	center	3713955	2	6.45
54-55	¾, 1 TON PICK-UP BOX (1st Ser.)	rear	3810717	1	5.90
54-57	1 TON, UTILITY (PLATFORM)	center	3713953	A.R.	6.45
55-57	PICK-UP BOX (2nd Ser.)	rear	3712021	1	8.10
55-57	½ TON PICK-UP BOX (1st Ser.),				
55-57	SUB. PICK-UP	No. 3 (49½ long)	3712090	1	3.90
54-57	PICK-UP BOX	all sills	3716515	A.R.	3.65
	17.438 IRON, Platform Floor Board Wear				
37-47	¾ TON PLATFORM,				
37-46	PICK-UP BOX,				
47-57	PLATFORM (1st Ser.)	(92 5/32 long) (universal)	3709943*	A.R.	(17.030)
47-57	PLATFORM (1st Ser.)	(144 11/16 long) (universal)	3709944*	A.R.	(17.030)
47-57	PLATFORM	(109 43/64 long) (universal)	3847382*	A.R.	(17.030)
	*NOTE: Part Nos. 3709943, 3709944 and 3847382 Floor Board Wear Iron are of universal length, less holes.				
	17.442 RAIL, Platform Side Rub				
40-53	¾ TON PLATFORM	left, with pockets	3809933	1	8.15
40-53	¾ TON PLATFORM	right, with pockets	3809934	1	8.15
54-57	¾ TON PLATFORM	left (97 9/16 long)	3811739	1	11.25
54-57	¾ TON PLATFORM	right (97 9/16 long)	3811740	1	11.25
54-55	L, N, V (PLATFORM),				
56-57	Ser. 3G, 4A, 6A (PLATFORM)	left (115 9/16 long)	3810989	1	9.95
54-55	L, N, V (PLATFORM),				
56-57	Ser. 3G, 4A, 6A (PLATFORM)	right (115 9/16 long)	3810990	1	9.95
54-55	P, T, W (PLATFORM),				
56-57	Ser. 4B, 6B (PLATFORM)	left (150 9/16 long)	3810991	1	18.00
54-55	P, T, W (PLATFORM),				
56-57	Ser. 4B, 6B (PLATFORM)	right (150 9/16 long)	3810992	1	18.00
	17.445 RAIL, Platform Rear Rub w/Pockets				
54-55	J (PLATFORM)				
56-57	¾ TON (PLATFORM)		3811648	1	14.25
54-55	L, N, P, R, T, V, W (PLATFORM),				
56-57	1 TON, UTIL. (PLATFORM)		3811592	1	15.25
	17.447 BOLT, Platform Mounting				
37-46	PICK-UP BOX	(⅜—16 x 6½ carriage)	458394	A.R.	.20
55-57	SUB. PICK-UP	(⅜—16 x 7½ carriage)	3812166	A.R.	.25

17.455 PANEL, Body Front End

40-46	PICK-UP BOX		3800261	1	8.70
47-53	½, ¾ TON PICK-UP		3810042	1	8.70
54-57	PICK-UP BOX		3810404	1	8.70
55-57	SUB. PICK-UP BOX	left, front end filler, (plastic)	3812185	1	13.15
55-57	SUB. PICK-UP BOX	right, front end filler, (plastic)	3812186	1	13.15

17.462 POCKET, Front End Stake

47-56	PLATFORM		463068	1	.38

17.485 RACK ASSEMBLY, Stake

47-53	STAKE RACK	front	3807305	1	38.80
47-53	STAKE RACK (w/134, 161 WB)	left, front side	3807315	1	22.85
47-53	STAKE RACK (w/134, 161 WB)	right, front side	3807316	1	22.85
48-53	STAKE RACK (w/137 WB)	left, front side	3808987	1	22.85
48-53	STAKE RACK (w/137 WB)	right, front side	3808988	1	22.85
40-53	STAKE RACK (w/134, 161 WB)	left, rear side	3800839	1	22.85
40-53	STAKE RACK (w/134, 161 WB)	right, rear side	3800840	1	22.85
48-53	STAKE RACK (w/137 WB)	left, rear side	3808989	1	21.95
48-53	STAKE RACK (w/137 WB)	right, rear side	3808990	1	21.95
54-57	STAKE RACK (exc. ¾ TON)	front	3811035	1	40.15
54-57	¾ TON	front	3811034	1	30.25
54-57	¾ TON	left, front side	3811047	1	16.25
54-57	¾ TON	right, front side	3811048	1	16.25
54-55	L, N, V PLATFORM,				
56-57	Ser. 3G, 4A, 6A (PLATFORM)	left, front side	3811049	1	23.40
54-55	L, N, V PLATFORM,				
56-57	Ser. 3G, 4A, 6A (PLATFORM)	right, front side	3811050	1	23.40
54-55	P, T, W PLATFORM,				
56-57	Ser. 4B, 6B (PLATFORM)	left, front side	3811051	1	23.40
54-55	P, T, W PLATFORM,				
56-57	Ser. 4B, 6B (PLATFORM)	right, front side	3811052	1	23.40
54-57	¾ TON	left, rear side	3811067	1	16.25
54-57	¾ TON	right, rear side	3811068	1	16.25
54-55	L, N, V PLATFORM,				
56-57	Ser. 3G, 4A, 6A (PLATFORM)	left, rear side	3811069	1	22.55
54-55	L, N, V PLATFORM,				
56-57	Ser. 3G, 4A, 6A (PLATFORM)	right, rear side	3811070	1	22.55
54-55	P, T, W PLATFORM,				
56-57	Ser. 4B, 6B (PLATFORM)	left, rear side	3811071	1	23.40
54-55	P, T, W PLATFORM,				
56-57	Ser. 4B, 6B (PLATFORM)	right, rear side	3811072	1	23.40

17.500 GATE ASSEMBLY, Side Stake

40-53	UTIL. PLATFORM		3800825	2	13.20
54-55	P, T, W (PLATFORM)				
56-57	Ser. 4B, 6B (PLATFORM)		3811062	2	16.50

17.505 SIDE ASSEMBLY—BRACE—ROD—PAD—SCREW, Body

41-53	½ TON PICK-UP	left	3810803	1	20.00
41-53	½ TON PICK-UP	right	3810860*	1	20.00
41-53	¾ TON PICK-UP	left	3810805†	1	22.70
41-53	¾ TON PICK-UP	right	3690610†	1	22.70
47-53	1 TON PICK-UP	left	3810807	1	29.40
47-53	1 TON PICK-UP	right	3690478	1	29.40
54-55	½ TON PICK-UP (1st Ser.)	left	3810429	1	22.25
54-55	½ TON PICK-UP (1st Ser.)	right	3810430	1	22.25

*NOTE: On 1941-48 Jobs it will be necessary to redrill holes for fender.
On 1947-48 Jobs it will be necessary to cut 2⅞ hole for gasoline filler neck.

†NOTE: On 1941-46 Jobs, it is necessary to redrill holes for attaching rear fender. When using 3690610 on 1947-48 Jobs, cut a 3⅞ hole in front side of panel for gasoline filler neck.

54-55	¾ TON PICK-UP (1st Ser.)	left	3810431	1	25.20
54-55	¾ TON PICKUP (1st Ser.)	right	3810432	1	25.20
54-55	1 TON PICK-UP (1st Ser.)	left	3810505	1	31.65
54-55	1 TON PICK-UP (1st Ser.)	right	3810506	1	31.65
55-57	H, Ser. 3A (2nd Ser.) (exc. SUB.)	left	3812511	1	33.30
55-57	H, Ser. 3A (2nd Ser.) (exc. SUB.)	right	3812512	1	33.30
55-57	M, Ser. 3B, ¾ TON PICK-UP (2nd Ser.)	left	3812513	1	37.50
55-57	M, Ser. 3B, ¾ TON PICK-UP (2nd Ser.)	right	3812514	1	37.50
55-57	1 TON PICK-UP (2nd Ser.)	left	3812515	1	47.60
55-57	1 TON PICK-UP (2nd Ser.)	right	3812516	1	47.60
55-57	SUB. PICK-UP	left, outer (plastic laminate)	3812151	1	89.85
55-57	SUB. PICK-UP	right, outer (plastic laminate)	3812152	1	89.85
55-57	SUB. PICK-UP	left, inner	3811881	1	50.40
55-57	SUB. PICK-UP	right, inner	3811882	1	50.40
55-57	SUB. PICK-UP	BRACE, outer panel front	3812349	2	2.05
55-57	SUB. PICK-UP	BRACE, outer panel rear	3812351	2	2.05
55-57	SUB. PICK-UP	ROD, outer panel, front and center	3811909	4	.75
55-57	SUB. PICK-UP	ROD, outer panel, rear brace	3812086	2	.75
55-57	SUB. PICK-UP	PAD, outer panel brace, frt. and rr.	3812354	4	.15
55-56	SUB. PICK-UP	SCREW, attaches outer and inner pnl. (5/16—18 x ¾)	457013	6	(8.913)

17.507 MOULDING, Body Side Outer Panel (chrome) and Parts

55-57	SUB. PICK-UP	top	3812121	2	4.45
55-57	SUB. PICK-UP	left, front center	3812307	1	4.80
55-57	SUB. PICK-UP	right, front center	3812308	1	4.80
55-57	SUB. PICK-UP	left, front upper	3812309	1	4.45
55-57	SUB. PICK-UP	right, front upper	3812310	1	4.45
55-57	SUB. PICK-UP	left, front lower	3812311	1	1.70
55-57	SUB. PICK-UP	right, front lower	3812312	1	1.70
57	SUB. PICK-UP	left, upper	3738567	1	7.85
57	SUB. PICK-UP	right, upper	3738568	1	7.85
57	SUB. PICK-UP	left, lower	3738569	1	7.85
57	SUB. PICK-UP	right, lower	3738570	1	7.85
57	SUB. PICK-UP	left, rear inner	3739231	1	2.10
57	SUB. PICK-UP	right, rear inner	3739232	1	2.10
57	SUB. PICK-UP	left, rear outer	3739233	1	2.10
57	SUB. PICK-UP	right, rear outer	3739234	1	2.10
57	SUB. PICK-UP	EMBLEM, assy., left	3739115	1	3.65
57	SUB. PICK-UP	EMBLEM, assy., right	3739116	1	3.65
57	SUB. PICK-UP	PLATE, name	3739142	1	2.05
57	SUB. PICK-UP	RETAINER	3740764	1	.10
55-57	SUB. PICK-UP	SCREW, stainless steel (¼—20 x 1)	3812341	16	.10
55-57	SUB. PICK-UP	WASHER, cad. or zinc plated	3812306	A.R.	.10

17.515 STAKE, Rack

53	J, L, N, V, P,				
55-57	¾ TON (PLATFORM)	(1¾ x 2¼ x 46¾ long)	463736	A.R.	1.25

17.522 FASTENER—WASHER—BOLT—BRACKET—SPRING, Stake Rack

47-56	STAKE RACK	corner, left, front and rear (2½ x 3 15/16 x 1¼ high)	457561	2	.50
47-56	STAKE RACK	corner, right, front and rear (2½ x 3 13/16 x 1⅛ high)	457562	2	.50
47-56	STAKE RACK	flat (2½ x 4 15/16 x 3/16 thick) (used on left side rack at center and rear)	457563	2	.45
47-56	STAKE RACK	flat (2½ x 4 15/16 x 3/16 thick) (used on right side rack at center and rear and on rear rack)	457564	3	.45
47-56	STAKE RACK	WASHER, round grip (11/32 I.D. x 23/32 O.D.)	464281	A.R.	.02
51-57	STAKE RACK	BOLT, latch	3807996	3	1.15
51-57	STAKE RACK	BRACKET, latch bolt	3807995	3	.25
51-57	STAKE RACK	SPRING, latch bolt (½ wide x 3 9/32 O.L.)	3808309	3	.15

17.524 HINGE—PIN—RETAINER, Stake Gate

47-56	STAKE RACK		457559	16	.45
47-56	STAKE RACK	PIN, gate hinge (2 3/16 wide x 4 3/4 long overall)	463752	8	.25
47-56	STAKE RACK	RETAINER, hinge pin	463753	8	.10

17.560 RACK ASSEMBLY, Rear End Stake

40-53	3/4 TON PLATFORM	left	3800875	1	12.10
40-53	3/4 TON PLATFORM	right	3807936	1	12.10
40-53	PLATFORM EXPRESS (w/STAKE RACK)	left	3800869	1	13.20
40-53	PLATFORM EXPRESS (w/STAKE RACK)	right	3807944	1	13.20
54-55	3/4 TON PLATFORM,				
56-57	STAKE RACK	left	3811079	1	13.20
54-55	3/4 TON PLATFORM,				
56-57	STAKE RACK	right	3811080	1	13.20
54-57	1, 1 1/2, 2 TON PLATFORM	left	3811081	1	16.50
54-57	1, 1 1/2, 2 TON PLATFORM	right	3811082	1	16.50

17.565 STEP UNIT, Rear

54-57	PLATFORM		986980	1	9.50

17.615 GATE ASSEMBLY—EMBLEM—INSERT, End

41-46	PICK-UP BOX		3801850	1	20.65
47-53	PICK-UP BOX		3806856	1	21.45
54-57	PICK-UP BOX (exc. SUB.)		3810424	1	22.85
55-57	SUB. PICK-UP		3812200	1	25.05
55-57	SUB. PICK-UP	outer cover, plastic	3812159	1	36.05
55-57	SUB. PICK-UP	EMBLEM, chrome	3812101	1	1.85
55-57	SUB. PICK-UP	INSERT, red deflector sheeting	3812102	1	.50

17.625 BRACKET—TRUNNION, End Gate Hinge

40-51	PLATFORM EXPRESS	(on platform)	3800954	4	1.10
47-53	PICK-UP BOX	(3 7/8 wide x 3 3/8 long x 1 7/8 high)	3806884*	2	.50
54-57	PICK-UP BOX	TRUNNION (1 9/32 dia.)	3810706	2	.30

LOCK and PARTS

55-57	SUB. PICK-UP	HANDLE w/lock—left	3724221	1	7.95
55-57	SUB. PICK-UP	HANDLE w/lock—right	3724222	1	7.95
55-57	SUB. PICK-UP	STRIKER, left	3812223	1	.70
55-57	SUB. PICK-UP	STRIKER, right	3812224	1	.70
55-57	SUB. PICK-UP	SPRING	4158482	2	.25
55-57	SUB. PICK-UP	CLIP, lock, spring	4147584	2	(10.474)

*NOTE: When using 3806884 on 1934-39 PICK-UP BOX, the two bolt holes must be slotted approx. 1/8 inch towards centerline of part. Rework part for difference in height.

17.635 CHAIN ASSY., End Gate and Parts

47-53	PICK-UP BOX	left (23 1/4 long)	3801845	1	1.55
47-53	PICK-UP BOX	right (23 1/4 long)	3801846	1	1.55
54-57	PICK-UP BOX (exc. SUB.)	left (23 11/16 O.L.)	3810823	1	1.55
54-57	PICK-UP BOX (exc. SUB.)	right (23 11/16 O.L.)	3810824	1	1.55
47-48	PICK-UP BOX	BOLT, chain (5/16—18 x 2)	126380	2	(8.903)
47-56	PICK-UP BOX	WASHER, chain bolt	3688003	2	(8.143)
54-57	PICK-UP BOX (exc. SUB.)	COVER, chain (1 1/16 x 13)	3810750	2	.30
55-57	SUB. PICK-UP	COVER, end gate cable	3812105	2	4.35
55-57	SUB. PICK-UP	GUIDE, left, end gate cable	3725393	1	1.80
55-57	SUB. PICK-UP	GUIDE, right, end gate cable	3725394	1	1.80
55-57	SUB. PICK-UP	RETAINER, end gate cable	3733599	2	2.50
55-57	SUB. PICK-UP	REEL, cable (with tape)	3812098	2	2.35
55-57	SUB. PICK-UP	BRACKET, end gate cable tape reel (1 13/32 x 5 7/8)	3811746	2	.85
55-57	SUB. PICK-UP	PLATE, cable retainer inner	3812464	2	.25
55-57	SUB. PICK-UP	PLATE, cable retainer outer	3812463	2	.25
55-57	SUB. PICK-UP	SCREW, cable guide and ret. plate (5/16—18 x 5/8)	3812336	8	.05
55-57	SUB. PICK-UP	CABLE, (23 21/32 long)	3811876	2	1.55

SUPPLEMENTARY DATA

As an additional convenience this section includes charts of the more active parts, together with other information consolidated for quick reference.

This data supplements the regular parts listing, still shown in the usual group location, and the chart or table form used will serve to facilitate the finding of parts. Use of the dimensional and other distinguishing data will provide a means of identifying mixed stock, matching parts from submitted samples, etc.

INDEX

Title	Page No.
MAJOR PASSENGER FRONT AND REAR END PARTS	1096
*MAJOR TRUCK FRONT END PARTS	1102
PASSENGER FRONT DOOR LOCK HANDLE AND PARTS	1104
REAR COMPARTMENT HANDLE AND LOCKING PARTS	1105
*MAJOR EXHAUST SYSTEM PARTS	1106
*GENERATOR CHART	1113
*TRUCK REAR AXLE SHAFT CHART	1116
*BEARING CHART	1117
CONV. FOLDING TOP MOTOR AND PUMP CHART	1124
PAINT COMBINATION CHART	1125
TWO-TONE COLOR COMBINATIONS	1129
TRIM COMBINATION CHART	1134

*NOTE: Includes Heavy Duty and Low Cab Forward Truck Data.

1947-57 GRILLE PARTS (Passenger)

YEAR	Assy. 1.266	Rnfct. Assy. 1.266	Deflector 1.266	HORIZONTAL MOULDING			Moulding Side 1.268	VERTICAL MOULDING			Park. Lamp Panel 1.266
				Upper 1.268	Center 1.268	Lower 1.268		Center 1.268	Inter. 1.268	Outer 1.268	
1947	3847456-R 3690280-Ctr. 3847455-L			3687410							
1948	3847456-R 3690280-Ctr. 3847455-L			3687410				3687150			
1949		3688406		3688269	3688271	3693966		3688381	3688382	3688384-R 3688383-L	
1950		3692600 3694926*		3688269	3688271	3693966			3692604-R 3692603-L	3688384-R 3688383-L	
1951		3694926*	3694928-Ctr. 3694933-Lwr.	3699630	3694927	3694930	3699644-R 3699643-L				
1952		3694926*	3699636-Ctr. 3694933-Lwr.	3699630	3699632	3694930	3699644-R 3699643-L	3699633	3699638-R 3699637-L	3699652-R 3699651-L	
1953		3701630*	3697859-Ctr. 3697860-Lwr.	3703145	3703146	3703147	3703150-R 3703149-L	3703148		3703152-R 3703151-L	
1954		3701630*		3705305	3705306		3705308-R 3705307-L	3705313	3705312-R 3705311-L	3705310-R 3705309-L	
1955	3709690	3710500		3711156		3711158	3711162-R 3711161-L				
1956	3721025	3721537		3721984		3720864	3721988-R 3721987-L				3731830-R 3731829-L
1957	3737253 3738775†			3730805	3729340⊕		3730804-R 3730803-L				

*Header Bar Reinforcement. †Gold finish Bel Air. ⊕Includes Park. Lamp Panel.

1947-57 FRONT END PARTS (Passenger)

YEAR	HOOD					HEAD LAMP			PARKING LAMP		FENDER	
	Top Panel 8.000	Top Moulding 8.015	Ornament 8.055	Emblem 8.055	Name Plate 8.055	Assy. 2.725	Sealed Beam 2.727	Moulding 2.728	Assy. 2.585	Lens 2.589	Fender 8.130	Cap Extension 8.131
1947-48	3684112-R 3684111-L	3664608-Frt. 3684363-Rr.	3684376	3687425		925185	456795† 193142⊕	5932799	928516-R 928515-L	5936810-R 5936809-L	3684118-R 3684117-L	3663518-R 3663517-L
1949	3699626-R 3699625-L	3688255-Frt. 3701990-Rr.	3688253	3693312		925795	456795† 193142⊕	5941285	928541	5938155	3690632-R 3690631-L	
1950	3699626-R 3699625-L	3688255-Frt. 3701990-Rr.	3688253	3693312		925795	456795† 193142⊕	5941285	928560	5939299	3690632-R 3690631-L	
1951	3699626-R 3699625-L	3688255-Frt. 3701990-Rr.	3695337	3695332		925795	456795† 193142⊕	5941285	928648-R 928647-L	*	3694962-R 3694961-L	
1952	3699626-R 3699625-L	3688255-Frt. 3701990-Rr.	3699491	3699646		925795	456795† 193142⊕	5941285	928760-R 928759-L	5943032	3694962-R 3694961-L	
1953	3705346-R 3705345-L	3701989-Frt. 3701990-Rr.	3701859	3702726		897495	456795† 193142⊕	5942827	897381	5943220	3705128-R 3705127-L	
1954	3705346-R 3705345-L	3701989-Frt. 3701990-Rr.	3701859	3705033		897584	456795† 193142⊕	5944987	897469	5942343	3704394-R 3704393-L	
1955	3709629		3709685	3709624		897832	456796†	5946027	897686	5945859	3718466-R 3718465-L	3710380-R 3710379-L
1956	3731750		3731752 3721309-6 cyl. 3722456-"V" 3722453-8 cyl.			898075	5947212§	5947173	898094-R 898093-L	5947140	3722786-R 3722785-L	3720914-R 3720913-L
1957	3741079		3733685‡ 3731673▲	3733232	3732940-6 cyl.‡ 3732934-6 cyl.▲ 3733212-8 cyl.‡ 3733210-8 cyl.▲	898527	5947212§	5948142	898317	5947754	3729320-R 3729319-L	

*NOTE—For either Right or Left use 5939934 with Cast Type Lamp Frame and 5940853 with Stamped Type Lamp Frame.
⊕NOTE—Glass reflector. †NOTE—Clearview §NOTE—T-3 Safety Aim. ‡Chrome. ▲Gold.

1947-57 FRONT BUMPER PARTS (Passenger)

YEAR	Face Bar 7.831	Bumper Guard 7.828	Bumper Bracket 7.869	License Guard 7.799	ATTACHING BAR			Bolt 7.874	Filler Panel 1.287
					Outer 7.836	Inner 7.836	Intermediate 7.836		
1947-48	3681219	3681918-R 3681917-L			3681256-R 3681255-L	3681254-R 3681253-L		3695906	3684052
1949	3698606-R 3698604-Ctr. 3698605-L	3698612-R 3698611-L		3690351	3692452-R 3692451-L	3688286-R 3688285-L	3689380-R 3689379-L	3695906	3688439
1950	3698606-R 3698604-Ctr. 3698605-L	3692626-R 3692625-L		3692622	3692452-R 3692451-L	3688286-R 3688285-L	3689380-R 3689379-L	3695906	3688439
1951-52	3698606-R 3698604-Ctr. 3698605-L	3698608-R 3698607-L		3698613	3692452-R 3692451-L	3688286-R 3688285-L	3689380-R 3689379-L	3695906	3694899
1953	3697342-R 3704887-Ctr. 3697341-L	3697478-R 3697477-L			3697696-R 3697695-L	3697694-R 3697693-L	3697698-R 3697697-L	3695906	3697958
1954	3704532-R 3704887-Ctr. 3704531-L	3704518-R 3704517-L			3704568-R 3704567-L	3697694-R 3697693-L	3704566-R 3704565-L	3695906	3705125
1955	3707508-R 3707509-Ctr. 3707507-L	3709698-R 3709697-L			3715928-R† 3715927-L†	3707815-R* 3707816-L*		3716509 3695906	3709997
1956	3707508-R 3720822-Ctr. 3707507-L	3720271-L 3720272-R			3720832-R† 3720831-L†	3720826-R* 3720825-L*		3716509	3731826
1957	3730524-R 3730522-Ctr. 3730523-L	3730528-R 3730527-L	3734114-R▲ 3734113-L▲ 3738268-R▼ 3738267-L▼		3734112-R 3734111-L	3732366-R 3732365-L	3734110-R 3734109-L	3716509	3729344

*NOTE—Group 7.869. †Brace. ▲Inner. ▼Outer.

1947-57 REAR BUMPER PARTS (Passenger)

YEAR	Face Bar 7.831	Bumper Guard 7.828	Guard Bar Assy. 7.828	ATTACHING BAR		Bracket 7.869	Bolt 7.874	Deflector 7.833
				Outer 7.836	Inner 7.836			
1947-48	3681220	3681917-R 3681918-L		3681300-R 3681299-L	3681298-R 3681297-L		3695906	3681679
1949	3698602-R 3698600-Ctr. 3698601-L	3698611-R 3698612-L	3690084	3688294-R 3688293-L	3688292-R 3688291-L		3695906	3688583
1950	3698602-R 3698600-Ctr. 3698601-L	3692646-R 3692645-L		3688294-R 3688293-L	3688292-R 3688291-L		3695906	3688583
1951-52	3698602-R 3698600-Ctr. 3698601-L	3698610-R 3698609-L		3695022-R 3695021-L	3695020-R 3695019-L		3695906	3695903
1953	3697344-R 3697689-Ctr. 3697343-L	3697852-L 3697851-L	3697823	3697912-R 3697911-L	3697988-R 3697987-L		3695906	3702008
1954	3697344-R 3697689-Ctr. 3697343-L	3705426-R 3705425-L	3705421	3697912-R 3697911-L	3697988-R 3697987-L		3695906	3702008
1955	3707484-R 3707479-Ctr. 3707483-L	3708594-R 3708593-L		3715932-R 3715931-L	3707816-R* 3707815-L*		3711155 3716509	
1956	3721484-R 3719462-Ctr. 3721483-L	3722238-R 3722237-L		3726240-R 3726239-L	3721228-R* 3721227-L*		3716509 3723172	
1957	3729318-R 3729316-Ctr. 3729317-L	3734390-R 3734389-L		3734952-R 3734951-L	3734954-R 3734953-L	3733168-R 3733167-L	3716509	

*NOTE—Group 7.869.

1946-48 REAR BODY PARTS (Passenger)

Stln. denotes Styleline; Fltln. denotes Fleetline

YEAR AND MODEL	Deck Lid 12.181	Fender 8.203	REAR QUARTER					
			Side Outer Panel Assy.		Side Outer Lower Rear Corner Panel		Outer Panel Sections	
			Right 12.940	Left 12.940	Right 12.942	Left 12.942	Right 12.944	Left 12.944
1946-48								
Cpes.	4147955	Use	4148080	4148081				
Convertible	4147955	609658-R	4160999	4161000				
2 Dr. Sedan	4149870	609657-L	4148082	4148083	4146802	4146803	4550601	4550602
4 Dr. Sport Sedan	4149870	On All	4148084	4148085	4146802	4146803	4550601	4550602
4 Dr. Fltln. Sedan	4161992	1946 48					4550601	4550602
Aerosedan	4149869	Models	4148088	4148089	4147127	4147128		

1946-48 DECK LID AND REAR LIGHT PARTS (Passenger)

YEAR AND MODEL	DECK LID		LICENSE LAMP			TAIL AND STOP LAMP		
	Emblem 12.182	Handle 12.246	Assy. w/Brkt. 2.700	Socket 2.714	Lens Gasket 2.707	Assy. 2.679	Rim 2.681	Lens 2.682
1946-48								
Pass. (exc. 4-Dr. Fltln., Aerosedan)	3664044	4125644	606365	5932806	5932762	927566-R 927565-L	5931381	5937794
4-Dr. Fltln. Sedan	4129242* 4129243*	4125644	606365	5932806	5932762	927190-R 927189-L	5931381	5930830-R 5930829-L
Aerosedan	4129242* 4129243*	4125645	606365	5932806	5932762	927566-R 927565-L	5931381	5937794

*NOTE—1947-48 Emblem is obtainable by ordering 3685099 (Fleetline) or 4129242 (F) and 4129243 (Fleetline).

1949-57 REAR BODY PARTS (Passenger)

Stln. denotes Styleline; Fltln. denotes Fleetline

YEAR AND MODEL	Deck Lid 12.181	Back Lower Comp. Panel 12.966	Gas Tank Comp. Door 12.944	REAR QUARTER					
				Side Outer Panel Assy.		Side Outer Panel		Outer Extension	
				Right 12.940	Left 12.940	Right 12.940	Left 12.940	Right 12.944	Left 12.944
1949									
Stln. Coupes	4180876	4584491	Use 4583006 On All 1949 Models	4565074	4584723	4585715	4585716		
Stln. 2 Dr. Sedan	4180870	4584477		4581017	4581018	4585728	4585729		
Stln. 4 Dr. Sedan	4180870	4584477		4581053	4581054	4571218	4571219		
Fltln. 2 Dr. Sedan	4180873	4584482		4581073	4581074	4585703	4585704		
Fltln. 4 Dr. Sedan	4180873	4584482		4581033	4581034	4571717	4571718		
Convertible	4180876	4584491		4566982	4566983	4559871	4559872		
1950									
Stln. Coupes	4180876	4584491	Use 4583006 On All 1950 Models	4565074	4584723	4585715	4585716		
Stln. 2 Dr. Sedan	4180870	4584477		4581017	4581018	4585728	4585729		
Stln. 4 Dr. Sedan	4180870	4584477		4581053	4581054	4571218	4571219		
Fltln. 2 Dr. Sedan	4180873	4584482		4581073	4581074	4585703	4585704		
Fltln. 4 Dr. Sedan	4180873	4584482		4581033	4581034	4571717	4571718		
Convertible	4180876	4584491		4584203	4584204	4584348	4584349		
Bel Air	4180876	4584491		4582252	4582253	4582258	4582259		
1951									
Stln. Coupes	4180876	4588360	Use 4587976 On All 1951 Models	4611678	4611679	4588081	4588082	4586855	4586856
Stln. 2 Dr. Sedan	4180870	4588360		4611930	4611931	4588168	4588169	4586857	4586858
Stln. 4 Dr. Sedan	4180870	4588360		4611932	4611933	4586788	4586789	4586857	4586858
Fltln. 2 Dr. Sedan	4180873	4588359		4611493	4611494	4588102	4588103	4586853	4586854
Fltln. 4 Dr. Sedan	4180873	4588359		4588138	4588139	4585441	4585442	4586853	4586854
Convertible	4180876	4588360		4190946	4190947	4593060	4593061	4586855	4586856
Bel Air	4180876	4588360		4190948	4190949	4593074	4593075	4586855	4586856
1952									
Stln. Coupes	4180876	4588360	Use 4587976 On All 1952 Models	4611678	4611679	4588081	4588082	4586855	4586856
Stln. 2 Dr. Sedan	4180870	4588360		4611930	4611931	4588168	4588169	4586857	4586858
Stln. 4 Dr. Sedan	4180870	4588360		4611932	4611933	4586788	4586789	4586857	4586858
Fltln. 2 Dr. Sedan	4180873	4588359		4611493	4611494	4588102	4588103	4586853	4586854
Convertible	4180876	4588360		4190946	4190947	4593060	4593061	4586855	4586856
Bel Air	4180876	4588360		4190948	4190949	4593074	4593075	4586855	4586856

1949-57 REAR BODY PARTS (Passenger) (Continued)

Stln. denotes Styleline; Fltln. denotes Fleetline

YEAR AND MODEL	Deck Lid 12.181	Back Lower Comp. Panel 12.966	Gas Tank Comp. Door 12.944	REAR QUARTER					
				Side Outer Panel Assy.		Side Outer Panel		Outer Extension	
				Right 12.940	Left 12.940	Right 12.940	Left 12.940	Right 12.944	Left 12.944
1953									
Bus., Club Coupe	4199993	4629827	Use	4196466	4196467	4196464	4196465	4611988	4611989
2 Dr. Sedan	4199992	4629827	4597951	4191845	4191846	4191843	4191844	4611976	4611977
4 Dr. Sedan	4199992	4629827	On All	4191863	4191864	4191861	4191862	4611976	4611977
Sport Coupe	4199993	4629827	1953	4197300	4197301	4197302	4197303	4611988	4611989
Convertible	4199993	4629827	Models	4197306	4197307	4197308	4197309	4611988	4611989
1954									
Club Cpe.	4199992	4629827	Use	4191845	4191846	4191843	4191844	4611976	4611977
2 Dr. Sedan	4199992	4629827	4597951	4191845	4191846	4191843	4191844	4611976	4611977
4 Dr. Sedan	4199992	4629827	On All	4191863	4191864	4191861	4191862	4611976	4611977
Spt. Cpe.	4199993	4629827	1954	4197300	4197301	4197302	4197303	4611988	4611989
Convertible	4199993	4629827	Models	4197306	4197307	4197308	4197309	4611988	4611989
1955									
Bus., Club Coupe	4244934	4666681	Use	4652045	4652046	4652061	4652062	4640266	4640267
2 Dr. Sedan	4244934	4666681	4647431	4652045	4652046	4652061	4652062	4640266	4640267
4 Dr. Sedan	4244934	4666681	On All	4651563	4651564	4651575	4651576	4640266	4640267
Spt. Cpe.	4244934	4666681	1955	4651438	4678082	4678077	4678078	4640266	4640267
Convertible	4244934	4666681	Models	4651162	4651163	4651654	4651655	4640266	4640267
1956									
Bus., Club Coupe	4244934	4666681		4244835	4244836	4244837	4244838	4661314*	4661315*
2 Dr. Sedan	4244934	4666681		4244835	4244836	4244837	4244838	4661314*	4661315*
4 Dr. Sedan	4244934	4666681		4244817	4244818	4244819	4244820	4661314*	4661315*
Spt. Cpe.	4244934	4666681		4255867	4255868	4255871	4255872	4661314*	4661315*
Spt. Sedan	4244934	4666681		4255869	4255870	4255873	4255874	4661314*	4661315*
Convertible	4244934	4666681		4673377	4673378	4673381	4673382	4661314*	4661315*
1957									
Bus., Club Coupe	4259606	4666681	Use			4699985	4699986	4678518	4678519
2 Dr. Sedan	4259606	4666681	3732837			4699985	4699986	4678518	4678519
4 Dr. Sedan	4259606	4666681	On All			4699989	4699990	4678518	4678519
Spt. Cpe.	4259606	4666681	1957			4693698	4693699	4678518	4678519
Spt. Sedan	4259606	4666681	Models			4678083	4678084	4678518	4678519
Conv.	4259606	4666681				4694743	4694744	4678518	4678519

*NOTE—Group 12.946.

1949-57 DECK LID AND REAR LIGHT PARTS (Passenger)

Stln. denotes Styleline; Fltln. denotes Fleetline

YEAR AND MODEL	DECK LID		LICENSE LAMP				TAIL AND STOP LAMP		
	Name Plate	Emblem 12.182	Handle 12.246	Ass.y w/o Brkt. 2.700	Cover 2.706	Lens 2.709	Assy. 2.679	Rim 2.681	Lens 2.682
1949 All Models		3688052	4167893	927656	5937942	5938832	927578-R 927577-L	5937864-R 5937863-L	5937861
1950 Pass. (exc. 2-Dr., 4-Dr. Fltln.)		[3694841 "Power"]	4578807	927656	5937942	5938832	927756-R 927755-L	5937864-R 5937863-L	5939421
2-Dr., 4-Dr. Fltln.		[3694842 "Glide"]	4579256	927656	5937942	5938832	927756-R 927755-L	5937864-R 5937863-L	5939421
1951 Pass. (exc. 2-Dr., 4-Dr. Fltln.)			3695335 3695666†	927655	5940619	5940480	927812-R 927811-L	5940062	5940038
2-Dr., 4-Dr., Fltln.			3695664 3695666†	927655	5940619	5940480	927812-R 927811-L	5940062	5940038
1952 Pass. (exc. 2-Dr. Fltln.		[Sta. 3697660 Wag. "Chevrolet"]	3699617 3699721†	927655	5940619	5940480	927812-R 927811-L	5940062	5940038
2-Dr. Fltln.			3699708 3699723†	927655	5940619	5940480	927812-R 927811-L	5940062	5940038
1953 All Models		[Sta. 3697660 Wag. "Chevrolet"]	3702729 3702732†	897463*	5943380	5935947	928427	5944281	5943403-Upr. 5943406-Ctr. 5943404-Lwr.
1954 All Models		#[3707970 "Chevrolet"] [3707971 "Power Glide"]	3705031	897463*	5942309	5935947	897627	5941746	5941679-Upr. 5941699-Lwr.
1955 All Models			3709914	897701			897604	5945612	5945878-Upr. 5945880-Lwr.
1956 All Models			3722231§ 3722450††	898058-R 898057-L			898072-R 898071-L		5947161
1957	3733212 3733210▼		3736103-6 Cyl.♦ 3733178-8 Cyl. 3735241-8 Cyl.▼	898309	5945084	5947970	898424-R 898423-L		5948104

*897463 includes Bracket. †Powerglide Models. #Sta. Wag. 3697660 "Chevrolet". §8 Cyl. ††6 Cyl. ▼Gold. ♦Bel Air.

1947-57 WHEEL PARTS (Passenger)

YEAR	FRONT AND REAR ASSY.			HUB CAP FRONT AND REAR	COVER PANEL	
	16 x 4.50K 5.803	15 x 5K 5.803	14 x 5J 5.803	5.858	RIGHT 8.175	LEFT 8.175
1947	3693214	3689039		3658374		
1948	3693214	3689039		3658374		
1949		3687980		3694318	3693334	3693333
1950		3687980		3694318	3693334	3693333
1951		3687980		3696493	3695982	3695982
1952		3687980		3696493	3695982	3695982
1953		3687980		3696493	3705104	3705103
1954		3714744		3707030^	3705104	3705103
1955		3714744		3716713#		
1956		3714744		3721966†		
1957			3735591	3731847†		

^NOTE: For Bel Air Series, use Part. No. 3708308. #NOTE: For Bel Air Series, use Part No. 3715378. †NOTE: For Bel Air Series, use Part No. 3722302 (1956), 3732696 (1957.)

TRUCK FRONT END PARTS (Hood, Fender and Grille Parts)

MODEL	HOOD 8.000	FENDER 8.130	GRILLE 1.266	GRILLE MOULDINGS 1.268								
				(HORIZONTAL)			(VERTICAL)			(OUTER)		
				Upper	Lower	Center	Upper	Inner	Outer	Upper	Lower	Side
COMMERCIAL 1947-53	3701465-L 3701466-R	3672657-L 3672658-R	3693744									
1954-55 (1st Ser.)	3701465-L 3701466-R	3700181-L* 3700182-R*		3700339	3700439	3700451-L 3700452-R	3700511		3700405-L† 3700406-R†			
1955-56 (2nd Ser.) (exc. D-D)	3726267	3731789-L 3731790-R	3721044	3713211	3711978	3713212		3713213-L 3713214-R	3713217-L 3713218-R	3713238	3713242	3713245-L 3713246-R
1957	3726267	3741207-L 3741208-R	3741314 3741315▲	3734173 3736622▲	3734175 3736624▲	3733605 3736663▲	3735742 3736631▲ 3735401# 3736626▲#					3734177-L 3736627-L▲ 3734178-R 3736628-R▲
UTILITY (exc. COE, LCF) 1947-53	3701401-L 3701402-R	3682481-L 3682482-R	3847354									
1954-55 (1st Ser.)	3701401-L 3701402-R	3700209-L 3700210-R		3700341	3700267	3700377-L 3700378-R	3700591		3700269-L† 3700270-R†			
1955-56 (2nd Ser.)	3726267	3723627-L** 3723628-R**				3730811			3730557-L†† 3719318-R†† 3730557-L§ 3730558-R§			
1957	3726267	3741219-L 3741220-R				3730811			3730557-L 3730558-R			
COE 1947-53	3676235	3683963-L 3683964-R	3847358	3685981					3700269-L† 3700270-R†			
1954-55	3700243	3700573-L 3700574-R		3700905	3700588	3700377-L 3700378-R	3700591		3700269-L† 3700270-R†			
HEAVY DUTY 1955 LCF	3726269	3725245-L 3725246-R				3730811			3730557-L 3719318-R			
1956 Ser. 5-7-9	3726269	3721263-L 3721264-R				3730811			3730557-L 3730558-R			
1957 Ser. 5-7-9	3726269	3741229-L 3741230-R				3730811			3730557-L 3730558-R			
1956 Ser. 8-10 (exc. SBC)	3726267	3721311-L 3721312-R				3730811			3730557-L 3730558-R			
1957 Ser. 8-10 (exc. SBC)	3731339	3741233-L 3741234-R				3730811			3730557-L 3730558-R			
1956 Ser. 8-10 (SBC)	3726267	3725109-L 3725110-R				3730811			3730557-L 3730558-R			
1957 Ser. 8-10 (SBC)	3731339	3741237-L 3741238-R				3730811			3730557-L 3730558-R			

*Except D-D Models. †Group 1.266. ††1955 Models only. §1956 Models only. **Except FFC Models. ▲Chromed—w/Deluxe Equip. ▼Except Ser. 5 w/A.T. #Lower moulding.

TRUCK LAMP AND BUMPER PARTS

MODEL	LAMP				BUMPER				ATTACHING BAR	
	Parking 2.585	Assy. 2.725	Sealed Beam 2.727	Moulding 2.728	Face Bar (Front) 7.831	Bolt 7.874	Filler Panel 1.287	Bracket w/Support 7.796	Inner 7.836	Outer 7.836
COMMERCIAL										
1947-53	928513	897438	193142 456795§ 5947206♦	5941285	*	3695906	3684145†	3847439	3701949-L† 3701950-R†	3701951-L† 3701952-R†
1954-55 (1st Ser.)	897429	897438	193142 456795§ 5947206♦	5941285	*	3695906	3701226†	3705102	3701949-L† 3701950-R†	3701951-L† 3701952-R†
1955 (2nd Ser.)	897801‡	897838‡† 898148▼	454643 456796# 5947212▲	5948214‡	3713797† 3711983▼	3695906	3730934-U† 3730387†	3719567		3719079-L† 3719080-R†
1956	898328 897801▼	898249	5947212▲	5941285▼ 5948214‡	3713797† 3711983▼	3695906	3730934-U† 3730387†	3719567		3719079-L† 3719080-R†
1957	897163	898621 898619▼	5947212▲	5948490	3713797† 3711983▼	3695906	3736024-U 3736336	3733251†		3719079-L 3719080-R
UTILITY (exc. COE, LCF)										
1947-53	928513	897438	193142 456795§ 5947206♦	5941285	3700600	3695906	3684324	3847439		3683314
1954-55 (1st Ser.)	897429 897801‡	897438	193142 456795§ 5947206♦	5941285	3700600	3695906	3701085			3683314
1955 (2nd Ser.)	897801‡	897838‡	454643 456796# 5947212▲	5948214‡	3711983	3695906				3719113-L 3719114-R
1956	898328 897801▼	898249	5947212▲	5948214‡ 5941285▼	3711983	3695906	3730450			3719113-L 3719114-R
1957	897163	898621	5947212▲	5948490 5948489††	3711983	3695906	3731523			3719113-L 3719114-R
COE										
1947-53	928513	897440	193142 456795§ 5947206♦	5941285	3700600	3695906	3684324	3847439		3684837
1954-55	897429	897440	193142 456795§ 5947206♦	5941285	3700600	3695906	3701085			3684837
HEAVY DUTY										
1955 LCF	897801	897838	454643 456796# 5947212▲	5948214	3711983	3695906	3724473		3719111-L 3719112-R	3717688£
1956 Ser. 5	898328	898249	5947212▲	5948214	3711983	3695906	3734069⊕ 3735369%		3719111-L 3719112-R	3717688£
1957 Ser. 5	897163	898621	5947212▲	5948490	3711983	3695906	3734069⊕ 3735369%		3719111-L 3719112-R	3717688£
1956 Ser. 7-9	898328	898249	5947212▲	5948214	3711983	3695906	3721767 3730712@			3726895£ 3726896£
1957 Ser. 7-9	897163	898621	5947212▲	5948490	3711983	3695906	3721767 3730712@			3726895£ 3726896£
1956 Ser. 8-10	898328	898249	5947212▲	5948214	3711983	3695906	3736379-Upr. 3721910-Lwr. 3730563@			3726895£ 3726896£
1957 Ser. 8-10	897163	898621	5947212▲	5948490	3711983	3695906	3736379-Upr. 3721910-Lwr. 3730563@			3726895£ 3726896£

*½, ¾ Ton (exc. D-D) use 3700438; 1 Ton (exc. D-D) use 3700437; D-D (48-53) use 3690266; D-D (54-55—1st Ser.) use 3701353. †Except D-D models. §Clear View (6 volt). #Clear View (12 volt) ‡12 volt. ⊕Exc. P.T. ▼D-D only. @Air Intake Panel. ♦T-3 Safety Aim (6 volt). ▲T-3 Safety Aim (12 volt). £Group 7.869 %w/P.T. ††Chromed, w/deluxe equip.

PASSENGER FRONT DOOR LOCK HANDLE AND PARTS

DESCRIPTION	Group No.	1949 Pass. (1st Type)	1949-50 Pass. (2nd Type)	1951-52 Pass.	1953-54 Pass. (Exc. 1037-67, STA. WAG.)	1953-54 Conv., Spt. Cpe.	1953-54 Sta. Wag.	1955 Pass.	1955 Conv., Spt. Cpe.	1956 Pass.	1956 Conv., Spt. Cpe.	1957 Pass.	1957 Spt. Sed.	1957 Conv., Spt. Cpe.
HANDLE, Locking, less cyl.	10.527	R. 4168322 L. 4168323	R. 4168322 L. 4168323	R. 4168322 L. 4168323	R. 4150568 L. 4150569	R. 4150572 L. 4150573	R. 4150570 L. 4150571	R. 4156542 L. 4156543	R. 4156544 L. 4156545	R. 4156542 L. 4156543	R. 4156544 L. 4156545	R. 4234330 L. 4234331	R. 4156542 L. 4156543	R. 4156544 L. 4156545
WASHER, Spring Seat	10.529	4168349	4168349	4168349	4168349	4168349	4168349	4157515	4157515	4157515	4157515	4157515	4157515	4157515
WASHER, Spring Stop	10.529	4173130	4173130	4173130	4173130	4173130	4173130							
RETAINER, Button Spring	10.529	4168353	4168353	4168353	4168353	4168353	4168353	4157519	4157519	4157519	4157519	4157519	4157519	4157519
SPRING, Button Push	10.529	4173131	4173131	4173131	4173131	4173131	4173131	4156547	4156547	4156547	4156547	4156547	4156547	4156547
RING, Push Button	10.529	4168356	4168356	4168356	4168356	4168356	4168356	4156548	4156548	4156548	4156548	4156548	4156548	4156548
BUTTON, Push w/Shaft	10.529							4156554	4156554	4156554	4156554	4156554	4159112	4156554
SUPPORT, w/Lever	10.529												R. 4159706 L. 4159707	
PAWL	10.531							7006852	7006088	7006852	7008064	7006852	7008064	7006088
GASKET UNIT	10.538	†3692246	3692246	3692246	3704007	3704007	3704007	R. 3719304 L. 3719303	R. 3719304 L. 3719303					
CYLINDER	10.550	3697875	3697875	3697875	3697875	3697875	3697875	3716757	3716757	3716757	3716757	3716757	3716757	3716757
HOUSING	10.551											7010851	7010851	7010851
RETAINER	10.551				R. 4601481 L. 4601482	R. 4601975 L. 4601976	R. 4601481 L. 4601482	4646566-2 dr. 4646567-4 dr.	4646568	4646566-2 dr. 4646567-4 dr.	4646568			
SLEEVE, Shaft Ret.	10.552	7001021	7002210	7003043	7003043	7003043	7003043							
CAP, Shaft Ret.	10.552	7001022	7002226	7003044	7003044	7003044	7003044							
WASHER, Shaft Ret.	10.552	7001024	7001043	7001043	7001043	7001043	7001043							
RING, Shaft Ret.	10.552	4584716	4584716	4584716	4584716	4584716	4584716							
CASE, w/Dust Cover	10.552							7006091	7006091	7006091	7006091			
TUMBLER UNITS, Copper	10.553	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256
Nickel	10.553	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257
Black	10.553	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258
Yellow	10.553	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259
SPRING UNIT	10.553	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260
RETAINER UNIT	10.553	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261
SHAFT	10.554	7001075	7003040	7003040	7003040	7003040	7003040							

*Fits all Closed to 1948. Used with STA. WAG. 1946-48. †Pass. exc. 1061.

REAR COMPARTMENT HANDLE AND LOCKING PARTS

DESCRIPTION	Group No.	1949 Pass. (exc. Sta. Wag.)	1950 Closed (exc. (Fltin.)	1950 Fleetline	1951 Fltin. w/P.G.	1951 Styleline w/P.G.	1951 Fleetline (exc. P.G.	1951 Styleline (exc. P.G.)	1952 1007 w/P.G.	1952 Styleline w/P.G.	1952 1007 (exc. P.G.)	1952 Styleline (exc. P.G.)	1953 Pass. w/P.G.	1953 Pass. (exc. P.G.)	1954 Pass.	1955 Pass.	1956 Pass.	1957 Pass.
HANDLE, Less Cyl.—6 cyl. 8 cyl.	12.246	4167893	4578807	4579256	3695666	3695666	3695664	3695335	3699723	3699721	3699708	3699617	3702732	3702729	3705031	3709914	3722450 3722231	3722450* 3733178†
HANDLE, w/Cyl. & Keys	12.247	4563164																
SPRING, Tension	12.247	4043224	4043224	4043224														
PIN	12.247	4045949	4045949	4045949														
HOUSING, w/Cyl. & Keys	12.247		4571890	4579373														
HOUSING, Less Parts	12.247		4170868	4173545														
LOCK ASSY., 2 Keys	12.242				4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732	4648732
GASKET	12.242				4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931	4587931
CYLINDER, Less Tumbler & Keys	12.248	3692523	513612	513612	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944	3697944
CASE, Cylinder	12.249				7003013	7003013	7003013	7003013	7003013	7003013	7003013	7003013	7003013	7003013	7003013	7006850	7006850	7006850
CAP, Cylinder Case	12.249				7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014	7003014
CASE & SPRING, Cyl.	12.249	3692522	3692522	3692522														
SPRING, Cylinder Tension	12.249	4043224	4043224	4043224														
SPRING, Cylinder Coil	12.249				7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087	7001087
TUMBLER SET, Copper	12.249	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256	601256
Nickel	12.249	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257	601257
Black	12.249	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258	601258
Yellow	12.249	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259	601259
SPRING SET	12.249	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260	601260
RETAINER SET	12.249	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261	601261
RETAINER, Lock Cylinder	12.249				4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513	4602513
KEY BLANK, Round Head	12.251																	
KEY BLANK, Octagon Head	12.251	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3694624	3594624
SHAFT	12.252	3692541	513580	3694652	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048	7003048
PAWL	12.254	4167906	4167906	4167906														
SLEEVE	12.254	4689183																

*For Bel Air use 3736103 †For Bel Air use 3735241

MAJOR EXHAUST SYSTEM PARTS

The following pages include a part number listing of Major Exhaust System parts for passenger and truck models 1947 through 1956. Additional exhaust system parts may be found in the following groups:

3.610 Flange, Exhaust Pipe Packing
3.616 Spring—Exhaust Pipe Support
3.704 Strap—Bolt—Bracket—Support—Insulator—Retainer, Muffler
3.707 Washer—Grommet—Bolt, Muffler Support and Bracket
3.709 Insulator—Bolt—Grommet—Washer, Tail Pipe Bracket

		Muffler	Muffler Alumi-nized	Exhaust Pipe	Tail Pipe	Exhaust Pipe to Muffler Clamp	Muffler to Tail Pipe Clamp	Exhaust Pipe Packing	Tail Pipe Bracket with Clamp
1947	Group→	3.701	3.701	3.609	3.705	3.708	3.708	3.611	3.706
Pass. exc. Conv.		3659201	—	3657963	3687978	3693811	3693812	593606	3685789
Convertible		3659201	—	3659737	3687994	3693811	3693812	593606	3685789
½ Ton Comm.		3656598	—	3684108	3683656	3657043	370585	593606	3656791
¾ Ton Comm.		3656598	—	3684108	3657135	3657043	370585	593606	3656925
1 Ton exc. Panel		3656598	—	3684108	3684840	3657043	370585	593606	3657005
1 Ton Panel		3656598	—	3684108	3656962	3657043	370585	593606	3656925
1½ Ton Truck		3656598	—	3684108	3684840	3657043	370585	593606	3657005
2 Ton Truck		3656598	—	3684108	3684840	3657043	370585	593606	
2 Ton Truck w/2 Spd. Axle		3656598	—	3685035	3692278	3657043	370585	593606	
School Bus Chassis 161″ W.B.		3656598	—	3684108	3684293	3657043	370585	593606	**
School Bus Chassis 199″ W.B.		3656598	—	3684108	3683464	3657043	370585	593606	*
COE		3656598	—	3685035	3684840	3657043	370585	593606	
COE w/2 Spd. Axle		3656598	—	3685035	3692278	3657043	370585	593606	none used
1948									
Pass. exc. Conv.		3659201	—	3657963	3687978	3693811	3693812	593606	3658199
Convertible		3659201	—	3659737	3687994	3693811	3693812	593606	3658199
½ Ton Comm.		3656598	—	3684108	3683656	3657043	370585	593606	3656791
¾ Ton Comm. exc. D.D.		3656598	—	3684108	3657135	3657043	370585	593606	3656925
¾ Ton Dubl-Duti		3656598	—	3687496	3687617	3657043	370585	593606	3656925
1 Ton exc. Panel, D.D.		3656598	—	3684108	3684840	3657043	370585	593606	3657005
1 Ton Panel		3656598	—	3684108	3656962	3657043	370585	593606	3656925
1 Ton Dubl-Duti		3656598	—	3687496	3689136	3657043	370585	593606	3689126
1½ Ton Truck 137″ W.B.		3656598	—	3684108	3684840	3657043	370585	593606	3657005
1½ Ton Truck 161″ W.B.		3656598	—	3684108	3684840	3657043	370585	593606	
2 Ton Truck		3656598	—	3684108	3684840	3657043	370585	593606	
School Bus Chassis 161″ W.B.		3656598	—	3684108	3684293	3657043	370585	593606	**
School Bus Chassis 199″ W.B.		3656598	—	3684108	3683464	3657043	370585	593606	*
COE		3656598	—	3685035	3684840	3657043	370585	593606	
COE w/2 Spd. Axle		3656598	—	3685035	3692278	3657043	370585	593606	none used

*Use 3656925—Rear
3683468—4th & 5th Cross Member
3656900—6th Cross Member

**Use 3684224—Rear
3683468—4th and 5th Cross Member
3684226—Ahead of 5th Cross Member

MAJOR EXHAUST SYSTEM PARTS—Continued

1949 Group→	Muffler 3.701	Muffler Aluminized 3.701	Exhaust Pipe 3.609	Tail Pipe 3.705	Exhaust Pipe to Muffler Clamp 3.708	Muffler to Tail Pipe Clamp 3.708	Exhaust Pipe Packing 3.611	Tail Pipe Bracket with Clamp 3.706
Pass. exc. Conv.	3698040	3698038	3700499 3696701	3697600††	3693811	3693812	3692831	3690052
Convertible	3698039	—	3690589	3697601	3693811	3693812	3692831	3690052
½ Ton Comm.	3656598	—	3691277	3683656	3657043	370585	593606	3656791
¾ Ton Comm. exc. D.D.	3656598	—	3691277	3657135	3657043	370585	593606	3656925
¾ Ton Dubl-Duti	3656598	—	3687496	3687617	3657043	370585	593606	3656925
1 Ton exc. Panel, D.D.	3656598	—	3691277	3684840	3657043	370585	593606	3657005
1 Ton Panel	3656598	—	3691277	3656962	3657043	370585	593606	3656925
1 Ton Dubl-Duti	3656598	—	3687496	3689136	3657043	370585	593606	3689126
1½ Ton Truck 137″ W.B.	3656598	—	3691277	3692278	3657043	370585	593606	3657005
1½ Ton Truck 161″ W.B.	3656598	—	3691277	3692278	3657043	370585	593606	none used
2 Ton Truck	3656598	—	3691277	3692278	3657043	370585	593606	none used
School Bus Chassis 161″ W.B.	3656598	—	3691277	3684293	3657043	370585	593606	**
School Bus Chassis 199″ W.B.	3656598	—	3691277	3683464	3657043	370585	593606	*
COE	3656598	—	3685035	3692278●	3657043	370585	593606	none used

1950

Pass. exc. Conv. P.G.	3698040	3698038	3700499 3696701	3697600††	3693811	3693812	3692831	3690052
Conv. exc. P.G.	3698039	—	3690589	3697601	3693811	3693812	3692831	3690052
Pass. w/P.G. exc. Conv.	3698041	3698713	3693548	3697602⊕	3694837	3719436	3692831	3693035
Conv. w/P.G.	3698042	—	3693598	3697601	3694837	3693812	3692831	3690052
½ Ton Comm.	3693710	3704250	3693712	3696806	3693550	3689542	3692831	3689581
¾ Ton Comm. exc. D.D.	3693710	3704250	3693712	3696161	3693550	3689542	3692831	3689585
¾ Ton Dubl-Duti	3693710	3704250	3693714	3692824	3693550	3689542	3692831	3689585
1 Ton exc. Panel, D.D.	3693710	3704250	3693712	3715243	3693550	3689542	3692831	3689583
1 Ton Panel	3693710	3704250	3693712	3689574	3693550	3689542	3692831	***
1 Ton Dubl-Duti	3693710	3704250	3693714	3692825	3693550	3689542	3692831	3705874
1½ Ton Truck 137″ W.B.	3693710	3704250	3693712	3692828	3693550	3689542	3692831	none used
1½ Ton Truck 161″ W.B.	3693710	3704250	3693712	3692828	3693550	3689542	3692831	none used
2 Ton Truck	3693710	3704250	3693715	3692828	3693550	3689542	3692831	none used
School Bus Chassis 161″ W.B.	3693710	3704250	3693712	3689575	3693550	3689542	3692831	3705874
School Bus Chassis 199″ W.B.	3693710	3704250	3693715	3689579	3693550	3689542	3692831	3689585
COE	3693710	3704250	3693714	3692828	3693550	3689542	3692831	none used

*Use 3656925—Rear
3683468—4th & 5th Cross Member
3656900—6th Cross Member

**Use 3684224—Rear
3683468—4th and 5th Cross Member
3684226—Ahead of 5th Cross Member

††For Aluminized Tail Pipe Use 3698043

●Short Tail Pipe—For Long Tail Pipe Use 3684840

***Use 3689581 Front
3689585 Rear

⊕For Aluminized Tail Pipe Use 3701862

MAJOR EXHAUST SYSTEM PARTS—Continued

1951 Group→	Muffler 3.701	Muffler Alumi-nized 3.701	Exhaust Pipe 3.609	Tail Pipe 3.705	Exhaust Pipe to Muffler Clamp 3.708	Muffler to Tail Pipe Clamp 3.708	Exhaust Pipe Packing 3.611	Tail Pipe Bracket with Clamp 3.706
Pass. exc. Conv., P G.	3698040	3698038	3700499	3697600†	3693811	3693812	593606	3696881
Convertible exc. P.G.	3698039	—	3697054	3697601	3693811	3697073	593606	3696881
Pass. w/P.G. exc. Conv.	3698041	3698713	3701055	3697602	3694837	3719436	3696990	3696885
Conv. w/P.G.	3698042	—	3697058	3697601	3694837	3697073	3696990	3696881
½ Ton Comm. Sgl. Unit	3693710	3704250	3693712	3696806	3693550	3689542	3692831	3689581
½ Ton Comm. exc. Sgl. Unit	3693710	3704250	3693712	3696178	3693550	3689542	3692831	3696179
¾ Ton Comm. exc. D.D.	3693710	3704250	3693712	3696161	3693550	3689542	3692831	3696162
¾ Ton Dubl-Duti	3693710	3704250	3693714	3692824	3693550	3689542	3692831	3689585
1 Ton exc. Panel, D.D.	3693710	3704250	3693712	3715243	3693550	3689542	3692831	3689583
1 Ton Panel	3693710	3704250	3693712	3689574	3693550	3689542	3692831	***
1 Ton Dubl-Duti	3693710	3704250	3693714	3692825	3693550	3689542	3692831	3705874
1½ Ton Truck	3693710	3704250	3693712	3692828	3693550	3689542	3692831	none used
2 Ton Truck	3693710	3704250	3693715	3692828	3693550	3689542	3692831	none used
School Bus Chassis 161″ W.B.	3693710	3704250	3693712	3689575	3693550	3689542	3692831	3705874
School Bus Chassis 199″ W.B.	3693710	3704250	3693715	3689579	3693550	3689542	3692831	3689585
COE	3693710	3704250	3693714	3692828	3693550	3689542	3692831	none used

1952

Pass. exc. Conv., P.G.	3698040	3698038	3700499	3697600†	3693811	3693812	593606	3696881
Convertible exc. P.G.	3698039	—	3697054	3697601	3693811	3697073	593606	3696881
Pass. w/P.G. exc. Conv.	3698041	3698713	3701055	3697602§	3694837	3719436	3696990	3696885
Conv. w/P.G.	3698042	—	3697058	3697601	3694837	3697073	3696990	3696881
Station Wagon (exc. P.G.)	3698040	3698038	3700499	3701130	3693811	3693812	593606	3696881
Station Wagon w/P.G.	3698041	—	3701055	3701131	3694837	3719436	3696990	3696885
½ Ton Comm. Sgl. Unit	3693710	3704250	3693712	3696806	3693550	3689542	3692831	3689581
½ Ton Comm. exc. Sgl. Unit	3693710	3704250	3693712	3696178	3693550	3689542	3692831	3696179
¾ Ton Comm. exc. D.D.	3693710	3704250	3693712	3696161	3693550	3689542	3692831	3696162
¾ Ton Dubl-Duti	3693710	3704250	3693714	3692824	3693550	3689542	3692831	3689585
1 Ton exc. Panel, D.D.	3693710	3704250	3693712	3715243	3693550	3689542	3692831	3689583
1 Ton Panel	3693710	3704250	3693712	3689574	3693550	3689542	3692831	***
1 Ton Dubl-Duti	3693710	3704250	3693714	3692825	3693550	3689542	3692831	3705874
1½ Ton Truck	3693710	3704250	3693712	3692828	3693550	3689542	3692831	none used
2 Ton Truck	3693710	3704250	3693715	3692828	3693550	3689542	3692831	none used
School Bus Chassis 161″ W.B.	3693710	3704250	3693712	3689575	3693550	3689542	3692831	3705874
School Bus Chassis 199″ W.B.	3693710	3704250	3693715	3689579	3693550	3689542	3692831	3689585
COE	3693710	3704250	3693714	3692828	3693550	3689542	3692831	none used

†For Aluminized Tail Pipe Use 3698043

***Use 3689581 Front 3689585 Rear

§3701862 Aluminized Tail Pipe

MAJOR EXHAUST SYSTEM PARTS—Continued

1953 Group→	Muffler 3.701	Muffler Alumi-nized 3.701	Exhaust Pipe 3.609	Tail Pipe 3.705	Exhaust Pipe to Muffler Clamp 3.708	Muffler to Tail Pipe Clamp 3.708	Exhaust Pipe Packing 3.611	Tail Pipe Bracket with Clamp 3.706
Pass. exc. Conv., Sta. Wag., Sdl.	3698041	3698713	3701055	3697963*	3694837	3719436	3696990	3697973
Convertible	3698714	—	3697058	3697976	3694837	3703167	3696990	3697973
Sdl.	3698041	3698713	3704564	3697963*	3694837	3719436	593606	3697973
Pass. exc. Conv., Sta. Wag.	3698041	3698713	3701055	3697963*	3694837	3719436	3696990	3697973
Station Wagon	3698041	3698713	3701055	3701620	3694837	3719436	3696990	3697973
½ Ton Comm. Sgl. Unit	3693710	3704250	3693712	3696806	3693550	3689542	3692831	3689581
½ Ton Comm. exc. Sgl. Unit	3693710	3704250	3693712	3696178	3693550	3689542	3692831	3696179
¾ Ton Comm. exc. D.D.	3693710	3704250	3693712	3696161	3693550	3689542	3692831	3696162
¾ Ton Dubl-Duti	3693710	3704250	3693714	3692824	3693550	3689542	3692831	3689585
1 Ton exc. Panel, D.D.	3693710	3704250	3693712	3715243	3693550	3689542	3692831	3689583
1 Ton Panel	3693710	3704250	3693712	3689574	3693550	3689542	3692831	3689585
1 Ton Dubl-Duti	3693710	3704250	3693714	3692825	3693550	3689542	3692831	3705874
1½ Ton Truck	3693710	3704250	3693712	3692828	3693550	3689542	3692831	none used
2 Ton Truck	3693710	3704250	3693715	3692828	3693550	3689542	3692831	none used
School Bus Chassis 161″ W.B.	3693710	3704250	3693712	3689575	3693550	3689542	3692831	3705874
School Bus Chassis 199″ W.B.	3693710	3704250	3693715	3689579	3693550	3689542	3692831	3689585
School Bus Chassis 212″ W.B.	3693710	3704250	3693715	3701287	3693550	3689542	3692831	3689585
COE	3693710	3704250	3693714	3692828	3693550	3689542	3692831	none used
1954								
Pass. exc. Conv., Sta. Wag.	3704989	3704991	3701055	3704898	3694837	3710288	3696990	3697973
Convertible	3698714	—	3697058	3697976	3694837	3703167	3696990	3697973
Pass. exc. Conv., Sta. Wag.	3704989	3704991	3701055	3704998**	3694837	3710288	3696990	3697973
Station Wagon	3704989	3704991	3701055	3704999	3694837	3710288	3696990	3697973
½ Ton Comm. Sgl. Unit	3693710	3704250	3693715	3696806	3693550	3689542	3692831	3689581
½ Ton Comm. exc. Sgl. Unit	3693710	3704250	3693715	3705359	3693550	3689542	3692831	3696179
¾ Ton Comm. exc. D.D.	3693710	3704250	3693715	3696161	3693550	3689542	3692831	3696162
¾ Ton Dubl-Duti	3693710	3704250	3693714	3692824	3693550	3689542	3692831	3689585
1 Ton exc. Panel, D.D.	3693710	3704250	3693715	3715243	3693550	3689542	3692831	3689583
1 Ton Panel	3693710	3704250	3693715	3689574	3693550	3689542	3692831	3689585
1 Ton Dubl-Duti	3693710	3704250	3693714	3692825	3693550	3689542	3692831	3705874
1½ Ton Truck	3693710	3704250	3693715	3692828	3693550	3689542	3692831	none used
2 Ton Truck	3693710	3704250	3693715	3692828	3693550	3689542	3692831	none used
School Bus Chassis 161″ W.B.	3693710	3704250	3693715	3705873	3693550	3689542	3692831	3705874
School Bus Chassis 199″ W.B.	3693710	3704250	3693715	3705867	3693550	3689542	3692831	3689585
School Bus Chassis 212″ W.B.	3693710	3704250	3693715	3705870	3693550	3689542	3692831	3689585
COE	3693710	3704250	3693714	3692828	3693550	3689542	3692831	none used

*3698719 Aluminized Tail Pipe **3704998 Aluminized Tail Pipe

MAJOR EXHAUST SYSTEM PARTS—Continued

1955 Group→	Muffler 3.701	Muffler Alumi-nized 3.701	Exhaust Pipe 3.609	Tail Pipe 3.705	Exhaust Pipe to Muffler Clamp 3.708	Muffler to Tail Pipe Clamp 3.708	Exhaust Pipe Packing 3.611	Tail Pipe Bracket with Clamp 3.706
Pass. exc. Conv., Sta. Wag., 6 Cyl.	3704989	3704991	3714333	3718815	3694837	3689542	3696990	3710121
Conv., 6 Cyl.	3711286	—	3710078	3718816	3684837	3689542	3696990	3710121
Pass. exc. Conv., Sta. Wag., 8 Cyl.	3714330	—	3714331	3718815	3694837	3689542	3709586§	3710121
Sta. Wag. 6 Cyl.	3704989	3704991	3714333	3718817	3694837	3689542	3696990	3710121
Sta. Wag. 8 Cyl.	3714330	—	3714331	3718817	3694837	3689542	3709586§	3710121
Conv. 8 Cyl.	3711286	—	3710081	3718816	3694837	3689542	3709586§	3710121
½ Ton Comm. Sgl. Unit (1st Ser.)	3693710	3704250	3732326	3696806	3693550	3689542	3692831	3689581
½ Ton Comm. Sgl. Unit exc. 3200 (2nd Ser.)	3693710	3704250	3732326	3719802	3693550	3689542	3692831	3716702
½ Ton Comm. exc. Sgl. Unit (1st Ser.)	3693710	3704250	3732326	3705359	3693550	3689542	3692831	3696179
½ Ton Comm. exc. Sgl. Unit, 3200 (2nd Ser.)	3693710	3704250	3732326	3719802	3693550	3689542	3692831	3716702
½ Ton Comm. exc. 3100 (2nd Ser.)	3693710	3704250	3732326	3719084	3693550	3689542	3692831	3720513
¾ Ton (exc. D-D) (1st Ser.)	3693710	3704250	3732326	3696161	3693550	3689542	3692831	3696162
¾ Ton (exc. D-D) (2nd Ser.)	3693710	3704250	3732326	3719084	3693550	3689542	3692831	3720513
¾ Ton Dubl-Duti (1st Ser.)	3693710	3704250	3732326	3692824	3693550	3689542	3692831	3689585
¾ Ton Dubl-Duti (2nd Ser.)	3693710	3704250	3721273	3720676	3693550	3689542	3692831	3720513
1 Ton exc. Panel, D-D (1st Ser.)	3693710	3704250	3732326	3715243	3693550	3689542	3692831	3689583
1 Ton exc. Panel (2nd Ser.)	3693710	3704250	3732326	3715243	3693550	3689542	3692831	3716577
1 Ton Panel (1st Ser.)	3693710	3704250	3232326	3689574	3693550	3689542	3692831	3689585
1 Ton Panel (2nd Ser.)	3693710	3704250	3732326	3715244	3693550	3689542	3692831	3720513
1 Ton Dubl-Duti (1st Ser.)	3693710	3704250	3732326	3692825	3693550	3689542	3692831	3705874
1½ Ton Truck	3693710	3704250	3732326	3692828	3693550	3689542	3692831	none used
2 Ton Truck	3693710	3704250	3732326	3692828	3693550	3689542	3692831	none used
School Bus Chassis 161″ W.B. (1st Ser.)	3693710	3704250	3732326	3705873	3693550	3689542	3692831	3705874
School Bus Chassis 161″ W.B. (2nd Ser.)	3693710	3704250	3732326	3715379	3693550	3689542	3692831	3716589*
School Bus Chassis 199″ W.B. (1st Ser.)	3693710	3704250	3732326	3705867	3693550	3689542	3692831	3689585
School Bus Chassis 199″ W.B. (2nd Ser.)	3693710	3704250	3732326	3714605	3693550	3689542	3692831	3716589*
School Bus Chassis 212″ W.B. (1st Ser.)	3693710	3704250	3732326	3705870	3693550	3689542	3692831	3689585
School Bus Chassis 212″ W.B. (2nd Ser.)	3693710	3704250	3732326	3714605	3693550	3689542	3692831	3716589*
COE (1st Ser.)	3693710	3704250	3732326	3692828	3693550	3689542	3692831	none used
LCF	3693710	3704250	3725672 3708723†	3692828	3693550	3689542	3709586§	none used

§3711569 Flange Gasket, also used with 8 Cyl.

*3716589 used on Front and Front Intermediate. Use 3717195 as Rear and 3717196 as Intermediate and Rear Intermediate.

†Crossover pipe w/flanges.

MAJOR EXHAUST SYSTEM PARTS—Continued

1956 Group→	Muffler 3.701	Muffler Alumi-nized 3.701	Exhaust Pipe 3.609	Tail Pipe 3.705	Exhaust Pipe to Muffler Clamp 3.708	Muffler to Tail Pipe Clamp 3.708	Exhaust Pipe Packing 3.611	Tail Pipe Bracket with Clamp 3.706
Pass. exc. Conv., Sta. Wag., 6 cyl.	3704989	3704991	3714333	3726110	3694837	374217	3696990	3726134
Conv., 6 cyl.	3711286		3710078	3726133	3694837	374217	3696990	3726134
Pass. exc. Conv., Sta. Wag., 8 cyl.	3714330		3714331	3726110	3694837	374217	3709586	3726134
Sta. Wag., 6 cyl.	3704989	3704991	3714333	3726131	3694837	374217	3696990	3726134
Sta. Wag., 8 cyl.	3714330		3714331	3726131	3694837	374217	3709586	3726134
Conv., 8 cyl.	3711286		3710081	3726133	3694837	374217	3709586	3726134
Sta. Wag. (9 Pass.), 6 cyl.	3704989	3704991	3714333	3726132	3694837	374217	3709586	3726134
Sta. Wag. (9 Pass.), 8 cyl.	3714330		3714331	3726132	3694837	374217	3709586	3726134
½ Ton Comm. Sgl. Unit (exc. 3200)	3693710	3704250	3732326	3722262	3693550	3689542	3692831*	3716702
½ Ton Comm. (exc. Sgl. Unit, 3200)	3693710	3704250	3732326	3719802	3693550	3689542	3692831*	3716702
½ Ton Comm. (exc. 3100)	3693710	3704250	3732326	3719084	3693550	3689542	3692831*	3720513
¾ Ton (exc. D-D, 3608-09)	3693710	3704250	3732326	3719084	3693550	3689542	3692831*	3720513
¾ Ton Dubl-Duti	3693710	3704250	3721273	3720676	3693550	3689542	3692831	3720513†
¾ Ton Stake	3693710	3704250	3732326	3692828	3693550	3689542	3692831*	3720513
1 Ton Panel	3693710	3704250	3732326	3715244	3693550	3689542	3692831*	3720513§
1 Ton (exc. 3805-09)	3693710	3704250	3732326	3715243	3693550	3689542	3692831*	3716577
1 Ton Stake	3693710	3704250	3732326	3692828	3693550	3689542	3692831*	3716589
1½ Ton (exc. SBC)	3693710	3704250	3732326	3692828	3693550	3689542	3692831*	none used
1½ Ton SBC	3693710	3704250	3732326	3715379	3693550	3689542	3692831*	⊕
2 Ton (exc. LCF, SBC)	3693710	3704250	3732326	3692828	3693550	3689542	3692831*	none used
2 Ton School Bus Chassis	3693710	3704250	3732326	3714605#	3693550	3689542	3692831*	⊕
LCF	3693710	3704250	3725672 3708723▲	3692828		3689542	3709586	none used
2½ Ton (Ser. 7)	3724300		3732864 3708723▲	3692828		3689542	3709586	none used
2½ Ton (Ser. 8)	3724300		3725672% 3708723▲	3692828		3689542	3709586	none used **
2½ Ton (Ser. 9)	3730022		3732976 3727505▲	3692828	1345732	3689542		none used
2½ Ton (Ser. 10)	3730022		3730025 3727505▲	3692828	1345732	3689542		none used **

** On SBC use 3731882 frame bracket and 3716589 tail pipe clamp bracket.
% Cut 13" from muffler end.
▲ Crossover pipe w/flanges.
NOTE—On 6700 Models cut 26" from front end and reslot.
§ NOTE—Use 3716589 for front bracket.
⊕ NOTE—3716589 used on Front and Front Intermediate. Use 3717195 as Rear and 3717196 as Intermediate and Rear Intermediate.
* NOTE—For 8 cyl. models use 3709586.
† NOTE—On 3500-3700 models use 3717195 for front bracket.

MAJOR EXHAUST SYSTEM PARTS—Continued

1957 Group →	Muffler 3.701	Muffler Alumi-nized 3.701	Exhaust Pipe 3.609	Tail Pipe 3.705	Exhaust Pipe to Muffler Clamp 3.708	Muffler to Tail Pipe Clamp 3.708	Exhaust Pipe Packing 3.611	Tail Pipe Bracket with Clamp 3.706
Pass. exc. Conv., Sta. Wag., 6 cyl.	3704989	3704991	3714333	3733079	3694837	377916	3696990	Use 3733081-L & 3733082-R
Conv., 6 cyl.	3711286	—	3710078	3733073	3694837	377916	3696990	
Pass. exc. Conv., Sta. Wag., 8 cyl.	3714330	—	3741253	3733079	3694837	377916	3711569	
Sta. Wag., 6 cyl.	3704989	3704991	3714333	3733075	3694837	377916	3696990	
Sta. Wag., 8 cyl.	3714330	—	3741253	3733075	3694837	377916	3696990	
Conv., 8 cyl.	3711286	—	3733069	3733073	3694837	377916	3711569	
Sta. Wag. (9 Pass.), 6 cyl.	3704989	3704991	3714333	3733077	3694837	377916	3696990	
Sta. Wag. (9 Pass.), 8 cyl.	3714330	—	3741253	3733077	3694837	377916	3711569	
½ Ton Comm. Sgl. Unit (exc. 3200)	3693710	3704250	3732326	3722262	3693550	3689542	3737679	3720513
½ Ton Comm. (exc. Sgl. Unit, 3200)	3693710	3704250	3732326	3719802	3693550	3689542	3737679	3720513
½ Ton Comm. (exc. 3100)	3693710	3704250	3732326	3719084	3693550	3689542	3737679	3720513
¾ Ton (exc. D-D, 3608-09)	3693710	3704250	3732326	3719084	3693550	3689542	3737679	3720513
¾ Ton Dubl-Duti	3693710	3704250	3722324	3720676	3693550	3689542	3737679	3720513
¾ Ton Stake	3693710	3704250	3732326	3692828	3693550	3689542	3737679	3720513
1 Ton Panel	3693710	3704250	3732326	3722405	3693550	3689542	3737679	3716589
1 Ton (exc. 3805-09)	3693710	3704250	3732326	3715243	3693550	3689542	3737679	3716577
1 Ton Stake	3693710	3704250	3732326	3692828	3693550	3689542	3737679	3716577
1½ Ton (exc. SBC)	3693710	3704250	3732326	3692828	3693550	3689542	3737679	3717196
1½ Ton SBC	3693710	3704250	3732326	3715379	3693550	3689542	3737679	3716589
Ser. 6 (6 cyl.)	3741399	3704250	3732326	3692828	3693550	3689542	3737679	3737637
Ser. 6 (8 cyl.)	3741399	3704250	3732326	3714605#	3693550	3689542	3737679	3737637
LCF	3741413	3704250	3741414 3737608▲	3692828	3693550	3689542	3737679	—
2½ TON (Ser. 7)	3741413	—	3741416 3737608▲	3692828	3693550	3689542	3737679	—
2½ Ton (Ser. 8)	3741413	—	3741418 3737608▲	3692828	3693550	3689542	3737679	3716589
2½ Ton (Ser. 9)	3741399	—	3732976	3692828	1345732	3689542	1345198	—
2½ Ton (Ser. 10)	3741399	—	3730025	3692828	1345732	3689542	1345198	3716589

**On SBC use 3731882 frame bracket and 3716589 tail pipe clamp bracket.

% Cut 13" from muffler end.

▲ Crossover pipe w/flanges.

NOTE—On 6700 Models cut 26" from front end and reslot.

§ NOTE—Use 3716589 for front bracket.

⊕ NOTE—3716589 used on Front and Front Intermediate. Use 3717195 as Rear and 3717196 as Intermediate and Rear Intermediate.

* NOTE—For 8 cyl. models use 3709586.

†NOTE—On 3500-3700 models use 3717195 for front bracket.

1956 6 CYLINDER PASSENGER GENERATORS

Model	Generator Group No. 2.275	Amp.	Bracket Group No. 2.277	Brace Group No. 2.317	Belt Group No. 1.066	Pitch Line Length	Generator Pulley Assy. Group No. 2.274
All (exc. P/S)	1100326	25	3836756	3836330	3709713	40.55	3710286
All (exc. P/S)	1102042	30	3725671	3836330	3709713	40.55	3710286
All (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3707090	3713378	42.50	1927039
All P/S	1102041	39	3725274	3720581	3713313	41.33	3712554
All (Service)	1100326	25	3836756	3836330	3709713	40.55	1931102

1956 8 CYLINDER PASSENGER GENERATORS

All (exc. P/S)	1100321	25	3734869	3704884	3704972	54.21	3710286
All (exc. P/S)	1102042	30	3734869	3704884	3704972	54.21	3710286
All (Spec. equip.) (exc. P/S)	1106981	Low Cut-in 40	3713377	3704884	3714366	55.50	1927039
All P/S	1102041	30	3725274	3704884	3712555	54.71	3712554
All (Service)	1100321	25	3734869	3704884	3718618	53.84	1931102
Corvette	1102043	30	3736569	3704884	3712555	54.71	3712554

1956 6 CYLINDER TRUCK GENERATORS

Comm. (exc. P/S)	1100326	25	3836756	3836330	3711686	41.20	3711766
Utility (exc. P/S)	1100326	25	3836756	3836330	3718614	42.33	1932824
Comm. (exc. P/S)	1102042	30	3725671	3836330	3711686	41.20	3711766
Utility (exc. P/S)	1102042	30	3725671	3836330	3718614	42.33	1932824
Comm. & Utility (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3707090	3719612	43.50	1932310
Comm. & Utility (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3707090	3723186	44.50	1932311
Comm. P/S (exc. D-D)	1102041	30	3725274	3720581	3724313	42.00	3711766
Utility P/S (exc. D-D)	1102041	30	3725274	3720581	3718614	42.23	3711685
Comm. P/S (exc. D-D) (Spec. equip.)	1106982	40	3714376	3724318	3724316	45.97	1932310
Utility P/S (Spec. equip.)	1106982	40	3714376	3724318	3720578	46.50	1931569

1957 6 CYLINDER PASSENGER GENERATORS

All (exc. P/S)	1100326	25	3836756	3836330	3709713	40.55	3710286
All (exc. P/S)	1102042	30	3725671	3836330	3709713	40.55	3710286
All (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3707090	3713378	42.50	1927039
All P/S	1102041	30	3725274	3720581	3713313	41.33	3712554
All (Service)	1100326	25	3836756	3836330	3709713	40.55	1931102

1957 8 CYLINDER PASSENGER GENERATORS

All (exc. P/S)	1100321	25	3734869	3704884	3704972	54.21	3710286
All (exc. P/S)	1102042	30	3734869	3704884	3704972	54.21	3710286
All (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3704884	3714366	55.50	1927039
All P/S	1102041	30	3735274	3704884	3712555	54.71	3712554
All (Service)	1100321	25	3734869	3704884	3718618	53.84	1931102
Corvette	1102043	30	3736569	3704884	3712555	54.71	3712554

1957 6 CYLINDER TRUCK GENERATORS

Model	Generator Group No. 2.275	Amp.	Bracket Group No. 2.277	Brace Group No. 2.317	Belt Group No. 1.066	Pitch Line Length	Generator Pulley Assy. Group No. 2.274
Comm. (exc. P/S)	1100326	25	3836756	3836330	3711686	41.20	3711766
Utility (exc. P/S)	1100326	25	3836756	3836330	3718614	42.33	1932824
Comm. (exc. P/S)	1102042	30	3725671	3836330	3711686	41.20	3711766
Utility (exc. P/S)	1102042	30	3725671	3836330	3718614	42.33	1932824
Comm. & Utility (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3707090	3719612	43.50	1932310
Comm. & Utility (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3707090	3723186	44.50	1932311
Comm. P/S (exc. D-D)	1102041	30	3725274	3720581	3724313	42.00	3711766
Utility P/S (exc. D-D)	1102041	30	3725274	3720581	3718614	42.23	3711685
Comm. P/S (exc. D-D) (Spec. equip.)	1106982	40	3714376	3724318	3724316	45.97	1932310
Utility P/S (Spec. equip.)	1106982	40	3714376	3724318	3720578	46.50	1931569

1956 8 CYLINDER TRUCK GENERATORS

Comm. (exc. D-D, P/S)	1100326	25	3836756	3704884	3723329	55.33	3711766
D-D (exc. P/S)	1100326	25	3836756	3722098	3722088	57.00	3711766
1½ Ton (exc. P/S)	1100326	25	3836756	3704884	3722088	57.00	1932824
Comm. (exc. D-D, P/S)	1102042	30	3725671	3704884	3723329	55.33	3711766
D-D (exc. P/S)	1102042	30	3725671	3722098	3722088	57.00	3711766
1½ Ton (exc. P/S)	1102042	30	3725671	3704884	3722088	57.00	1932824
½, 1, 1½ Ton (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3714365	3725974	56.00	1932310
Ser. 5 (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3725971	3714365	3732540	56.07	1935356
½, 1, 1½ Ton (Spec. equip.) (exc. P/S)	1106981	40 Heavy Duty	3713377	3714365	3725973	58.50	1932311
Ser. 5 (Spec. equip.) (exc. P/S)	1106981	40 Heavy Duty	3725971	3714365	3732535	58.50	1935357
Comm. P/S (exc. D-D)	1102041	30	3725274	3704884	3723329	55.33	3711766
1½ Ton P/S	1102041	30	3725274	3704884	3724500	55.77	3711685
Ser. 5-7 P/S	1102041	30	3725274	3719105	3731055	54.34	3711685
Comm. P/S (exc. D-D) (Spec. equip.)	1106982	40	3713377	3714365	3725974	56.00	1932310
1½ Ton P/S	1106982	40	3713377	3714365	3722088	57.00	1931569
Ser. 5-7 P/S	1106982	40	3732057	3732058** 3731269††	3731987	55.00	1931569* 1935358†
Ser. 9-10 (exc. P/S)	1102042	30	3725671	3728661	3731357	57.50	3731348
Ser. 9-10 (exc. P/S)	1106981	40 Low Cut-in	3725971	3728662	3731358	56.54	1935356
Ser. 9-10 (exc. P/S)	1106981	40 Heavy Duty	3725971	3728662	3731359	59.00	1935357
Ser. 9-10 P/S	1102056	30	3725274	3728661	3731358	56.54	3731349
Ser. 9-10 P/S	1106982	40	3725971	3728662	3731357	57.50	1935358
Ser. 7 (exc. P/S)	1100326	25	3836756	3719105	3719612§ 3724500	43.50 55.77	1932824
Ser. 7 (exc. P/S)	1102042	30	3725671	3719105	3719612§ 3724500	43.50 55.77	1932824
Ser. 7 (exc. P/S)	1106981	40 Low Cut-in	3713377	3731269	3719612§ 3731268	43.50 54.00	1932310
Ser. 7 (exc. P/S)	1106981	40 Heavy Duty	3713377	3731269	3719613 3719612§	56.50 43.50	1932311
Ser. 5-6-8 (exc. P/S)	1100326	25	3836756	3704884	3722088	57.00	3731348

*Ser. 5 †Ser. 7 **Rear ††Front §Fan to drive pump

1956 8 CYLINDER TRUCK GENERATORS—Continued

Model	Generator Group No. 2.275	Amp.	Bracket Group No. 2.277	Brace Group No. 2.317	Belt Group No. 1.066	Pitch Line Length	Generator Pulley Assy. Group No. 2.274
Ser. 5-6-8 (exc. P/S)	1102042	30	3725671	3704884	3722088	57.00	3731348
Ser. 4-6-8 (exc. P/S)	1106981	40 Low Cut-in	3713377	3714365	3725974	56.00	1932310
Ser. 6-8 (exc. P/S)	1106981	40 Heavy Duty	3713377	3714365	3725973	58.50	1932311
Ser. 4-6-8 P/S	1102041	30	3725274	3704884	3724500	55.77	3731349
Ser. 4-6-8 P/S	1106982	40	3713377	3714365	3722088	57.00	1931569
Ser. 8 P/S (W/A.O.H.B.)	1100326	25	3836756	3704884	3722088	57.00	1932824

1957 8 CYLINDER TRUCK GENERATORS

Comm. (exc. D-D, P/S)	1100326	25	3836756	3704884	3723329	55.33	3711766
D-D (exc. P/S)	1100326	25	3836756	3722098	3722088	57.00	3711766
1½ Ton (exc. P/S)	1100326	25	3836756	3704884	3722088	57.00	1932824
Comm. (exc. D-D, P/S)	1102042	30	3725671	3704884	3723329	55.33	3711766
D-D (exc. P/S)	1102042	30	3725671	3722098	3722088	57.00	3711766
1½ Ton (exc. P/S)	1102042	30	3725671	3704884	3722088	57.00	1932824
½, 1, 1½ Ton (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3713377	3714365	3725974	56.00	1932310
Ser. 5 (Spec. equip.) (exc. P/S)	1106981	40 Low Cut-in	3725971	3714365	3732540	56.07	1935356
½, 1, 1½ Ton (Spec. equip.) (exc. P/S)	1106981	40 Heavy Duty	3713377	3714365	3725973	58.50	1932311
Ser. 5 (Spec. equip.) (exc. P/S)	1106981	40 Heavy Duty	3725971	3714365	3732535	58.50	1935357
Comm. P/S (exc. D-D)	1102041	30	3725274	3704884	3723329	55.33	3711766
1½ Ton P/S	1102041	30	3725274	3704884	3725974	55.77	3711685
Ser. 5-7 P/S	1102041	30	3725274	3719105	3731065	54.34	3711685
Comm. P/S (exc. D-D) (Spec. equip.)	1106982	40	3713377	3714365	3725974	56.00	1932310
1½ Ton P/S	1106982	40	3713377	3714365	3722088	57.00	1931569
Ser. 5-7 P/S	1106982	40	3734442	3734440** 3731269††	3731984	55.00	1931569* 1935358†
Ser. 9-10 (exc. P/S)	1102042	30	3725671	3728661	3731357	57.50	3731348
Ser. 9-10 (exc. P/S)	1106981	40 Low Cut-in	3725971	3728662	3731358	56.54	1935356
Ser. 9-10 (exc. P/S)	1106981	40 Heavy Duty	3725971	3728662	3731359	59.00	1935357
Ser. 9-10 P/S	1102056	30	3725274	3728661	3731358	56.54	3731349
Ser. 9-10 P/S	1106982	40	3725971	3728662	3731357	57.50	1935358
Ser. 7 (exc. P/S)	1100326	25	3836756	3719105	3719612§ 3725974	43.50 55.77	1932824
Ser. 7 (exc. P/S)	1102042	30	3725671	3719105	3719612§ 3725974	43.50 55.77	1932824
Ser. 7 (exc. P/S)	1106981	40 Low Cut-in	3713377	3731269	3719612§ 3731065	43.50 54.34	1932310
Ser. 7 (exc. P/S)	1106981	40 Heavy Duty	3713377	3731269	3722088 3719612§	57.00 43.50	1932311
Ser. 5-6-8 (exc. P/S)	1100326	25	3836756	3704884	3722088	57.00	3731348
Ser. 5-6-8 (exc. P/S)	1102042	30	3725671	3704884	3722088	57.00	3731348
Ser. 4-6-8 (exc. P/S)	1106981	40 Low Cut-in	3713377	3714365	3725974	56.00	1932310
Ser. 6-8 (exc. P/S)	1106981	40 Heavy Duty	3713377	3714365	3725973	58.50	1932311
Ser. 4-6-8 P/S	1102041	30	3725274	3704884	3725974	55.77	3731349
Ser. 4-6-8 P/S	1106982	40	3713377	3714365	3722088	57.00	1931569
Ser. 8 P/S (W/A.O.H.B.)	1100326	25	3836756	3704884	3722088	57.00	1932824

*Ser. 5 † Ser. 7 **Rear ††Front §Fan to drive pump

TRUCK MODEL AXLE SHAFT USAGE AND INTERCHANGEABILITY CHART

TRUCK MODEL	Part No. and Location	Diff. Splines	Hub Attach.	Shaft O.L. (Inches)	Axle Type	Used-With Diff. Spider	Used-With Side Gear	Replaces Discontinued Axle Shaft	Remarks
1940-47 1½ Ton (exc. 2 Spd.)	3652293 L 3652294 R	10 10	Bolt Bolt	34.25 40.65	Sgl. Spd. Sgl. Spd.	370429 370429	370445 370445		These Axles can also be replaced with Splined Axles 3685191-2, by using Splined Hub 3685195 and Installation Parts Kit 3689081 (See footnote)
1942-47 All H.D. & 2 Ton exc. 2 Spd. w/Mech. Shift	3682461 L 3682462 R	16 16	Bolt Bolt	36.5 40.75	Sgl. Spd. Two Spd.	370429 3682505	3661874 3682526	3661877 3661878	These Axles can also be replaced with Splined Axles (Sgl. Spd. 3702227-8) (2 Spd. 3702228-30) by using Splined Hub 3685195 and Installation Parts Kit 3689081 (See footnote)
1948-53 All 1½ Ton	3685191 L 3685192 R	10 10	Spline (20) Spline (20)	34.25 40.65	Sgl. Spd. Sgl. Spd.	370429 370429	370445 370445		See Note on Parts 3652293-4 for additional usage
1948 to late 51 (11-27) All 2 Ton, exc. as shown below	3702227 L	16	Spline (20)	36.5	Sgl. Spd. Two Spd.	370429 3682505	3661874 3682526	3685193 3702205	Hardened Splines See Note on Part 3682461 for additional usage
	3702228 R	16	Spline (20)	41.0	Sgl. Spd. Two Spd.	370429 3682505	3661874 3682526	3685194 3702206	Hardened Splines See Note on Part 3682462 for additional usage
1948 to late 51 (11-27) 2 Spd. only converted to heavier Diff. Spider 3699589	3702230 R	16	Spline (20)	40.0	Two Spd.	2295617	3682526	3702208	Hardened Splines
1951 (11-28) thru 53 2 Ton	3702219 L	27	Spline (20)	36.5	Sgl. Spd. Two Spd.	370429 3682505	3697746 3698942	3697017 3702201	Hardened Splines
1951 (11-28) thru 53 2 Ton (exc. 2 Spd.)	3702220 R	27	Spline (20)	41.0	Sgl. Spd.	370429	3697746	3697018 3702202	Hardened Splines
1951 (11-28) thru 53 2 Spd. only	3702222 R	27	Spline (20)	40.0	Two Spd. Two Spd.	3682505 2295617	3698942 3698942	3697018 3702204	Hardened Splines
1954-55 2 Ton	3702295 L	29	Spline (40)	36.75	All	370429	3702292		Increased capacity
1954-55 2 Ton (exc. 2 Spd.)	3702296 R	29	Spline (40)	41.25	Sgl. Spd.	370429	3702292		Increased capacity
1954-55 2 Spd. only (1st Ser.)	3702298 R	29	Spline (40)	40.0	Two Spd.	2295617	3703724		Increased capacity
1955-56 1½ Ton (exc. 2 Spd.)	3714735 R & L	27	Spline (20)	37.45	Sgl. Spd.	370429	3697746		
1955 2 Ton (hvy. duty) (exc. 2 Spd.) 1956 Ser. 5-6-7-8 TANDEM, SBC (hvy. duty) (exc. 2 Spd.)	3711457 L 3711458 R	29 29	Spline (29) Spline (29)	38.15 40.55	Sgl. Spd. Sgl. Spd.	3702248 3702248	3708818 3708818		
1955-56 2 Spd. (exc. Ser. 9-10) 1955-56 2 Ton (Reg. Prod.) (exc. LCF)	3709890 R & L	29	Spline (40)	39.45	Sgl. Spd. Two Spd.	3702248	3708818 L 3708820 R		
1956 Ser. 9-10 (exc. Tandem, SBC)	3730536	16	Bolt	41.65	Sgl. Spd. Two Spd.	2308260 2308236	2303349 L* 2303348 R*		
1957 Ser. 9-10 (exc. Tandem, SBC)	3730536	16	Bolt	41.65	Sgl. Spd. Two Spd.	2308260 2308236	2303349 L* 2303348 R*		

* 2 Spd. Axle only.

NOTE: Kit 3689081 consists of: 1 Spacer, 1 Cap, 1 Gasket, 1 Seal, 5 Bolts, and 5 Washers.

Rear Axle Assemblies are stamped with the model and date of manufacture code on the right side of the Differential Carrier. The month and day of manufacture are indicated by numerals, i.e. 11-28 appearing after the year and model letters establishes that the Axle Assembly was produced on November 28.

BEARING CHART

ARRANGED IN ALPHABETICAL ORDER

*See parts book listing for distinction between the two bearings specified for 1935 Q models.

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
AXLE BEARINGS—REAR					
AXLE SHAFT BEARINGS—Group 5.855					
Inner Race					
1946-53	UTILITY	144527	Roller	Hy D12051-12051 Z	2
1946-57	¾, 1 TON	188930	Roller	Hy D11786-11786 Y	2
1954-57	1½ TON (exc. 2-SPD.)	144527	Roller	Hy D12051-12051 Z	2
1954-57	2 TON	7450320	Roller	Hy B12235 YK	2
1954-57	1½ TON 2-SPD.	7450320	Roller	Hy B 12235 YK	2
1956-57	ALL 15,000 Lb. axle	7450320	Roller	Hy B12235 YK	AR
1956-57	ALL 18,000 Lb. axle (cone)	427053	Roller	Timken 47686	2
1956-57	ALL 18,000 Lb. axle (cup)	187313	Roller	Timken 47620	2
1957	ALL 16,000 Lb. axle (cone)	443384	Roller	Timken 495-AX	2
1957	ALL 16,000 Lb. axle (cup)	125670	Roller	Timken 493	2
Outer Race and Roller Assy.					
1946-57	½ TON	111121	Roller	Hy OR-1502	2
1946-54	PASS.	111119	Roller	Hy OR-1500	2
1946-53	UTILITY	144525	Roller	Hy B11786-11786 Y	2
1954-57	1½ TON (exc. 2-SPD.)	144525	Roller	Hy B11786-11786 Y	2
1954-57	1½ TON 2-SPD.	7450323	Roller	Hy KA 119502	2
1946-57	¾, 1 TON	188932	Roller	Hy B11630-11630 Z	2
1954-57	2 TON	7450323	Roller	Hy KA 11950 Z	2
1955-56	PASS.	3729375	Ball	ND RW507SY-1BC	2
1956-57	ALL 15,000 Lb. axle	7450323	Roller	Hy KA 119502	2
1956-57	ALL 18,000 Lb. axle (cone)	443386	Roller	Hy A 127418	2
1956-57	ALL 18,000 Lb. axle (cup)	443696	Roller	Timken 39520	2
1957	ALL 16,000 Lb. axle (cone)	443386	Roller	Hy A 127418	2
1957	ALL 16,000 Lb. axle (cup)	443696	Roller	Timken 39520	2
1957	PASS., CORVETTE	3739109	Ball	.....	2
DIFFERENTIAL SIDE—Group 5.536					
1946-54	PASS. (exc. FA, FD)	127861	Roller	Hy A11360-11360 Z	2
1946-53	UTILITY	148399	Roller	Hy A11820-11820-Z	2
1954-56	2 TON (prod.) (exc. LCF)	7450326	Roller	Hy KC 11948 Y	2
1954-57	1½ TON (exc. 2-SPD.)	148399	Roller	Hy A11820-11820-Z	2
1946-55	½ TON	7450385	Roller	Hy KA-11445-Y	2
1946-57	¾, 1 TON	188930	Roller	Hy D11786-11786Y	2
1946	ALL 2-SPD. (Mech. Shift) (Inner race)	115231	Roller	Timken X3984	2
1946-55	ALL 2-SPD. (Outer race) (1st Ser.)	135495	Roller	Timken M3920	2
1946-55	ALL 2-SPD. (Vac. Shift) (Inner race and roller) (1st Ser.)	435973	Roller	Timken X3994	2
1955	PASS.	7450385	Roller	Hy KA 11445 Y	2
1955-57	ALL 15,000 Lb. axle (2-SPD.) (right)	144527	Roller	KD-12051-Z	AR
1955-57	ALL 15,000 Lb. axle (2-SPD.) (left)	7450358	Roller	A-21018-Z	1
1956	PASS., ½ TON	7450385	Roller	Hy KC 11445-Y	2
1956	ALL 15,000 Lb. axle	144527	Roller	KD-12051-Z	AR
1956-57	ALL 18,000 Lb. axle (exc. 2-SPD.) (cone, left)	125704	Roller	Timken 567-A	1
1956-57	ALL 18,000 Lb. axle (exc. 2-SPD.) (cone, right)	121701	Roller	Timken 480	1
1956-57	ALL 18,000 Lb. axle (2-SPD.) (cone, left)	190161	Roller	Timken 56425	1
1956-57	ALL 18,000 Lb. axle (2-SPD.) (cone, right)	450547	Roller	Timken 497	1

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
AXLE BEARINGS—REAR (Continued)					
	DIFFERENTIAL SIDE—Group 5.536 (Continued)				
1956-57	ALL 18,000 Lb. axle (exc. 2-SPD.) (cup, left)	120554	Roller	Timken 563	1
1956-57	ALL 18,000 Lb. axle (exc. 2-SPD.) (cup, right)	121529	Roller	Timken 473	1
1956-57	ALL 18,000 Lb. axle (2-SPD.) (cup, left)	125670	Roller	Timken 493	1
1956-57	ALL 18,000 Lb. axle (2-SPD.) (cup, right)	190160	Roller	Timken 56650	1
1957	ALL 16,000 Lb. axle (exc. 2-SPD.) (Cone)	435973	Roller	Timken 3994	2
1957	ALL 16,000 Lb. axle (2-SPD.) (Cone, left)	441653	Roller	Timken 42381	1
1957	ALL 16,000 Lb. axle (2-SPD.) (Cone, right)	178810	Roller	Timken 495-A	1
1957	ALL 16,000 Lb. axle (exc. 2-SPD.) (Cup)	135495	Roller	Timken 3920	2
1957	ALL 16,000 Lb. axle (2-SPD.) (Cup, left)	178809	Roller	Timken 42584	1
1957	ALL 16,000 Lb. axle (2-SPD.) (Cup, right)	125670	Roller	Timken 493	1
	PINION SHAFT—FRONT—Group 5.447				
1946-54	PASS., ½ TON	954780	Ball	ND 5306-W X1730A	1
1946-55	UTILITY (1st Ser.)	954237	Ball	ND H-5310A	1
1946-56	¾, 1 TON (w/Spacer)	†442093	Roller	Hy. A305396	1
1946-53	ALL (2-SPD.) (Inner Race w/Roller)	147905	Roller	Timken 3875	1
1954-55	2 SPD. (Inner Race w/Roller) (1st Ser.)	455271	Roller	Timken HM 801346	1
1946-53	ALL (2-SPD.) (Outer Race)	128248	Roller	Timken 3820	1
1954-55	2-SPD. (Outer Race) (1st Ser.)	455272	Roller	Timken HM 801310	1
1955-57	PASS., ½ TON	7450373	Roller	Hy A 200267 Z	1
1956-57	1½ TON (2-SPD.)	†442093	Roller	Hy A 305396	1
1955-57	UTILITY (2nd Ser.) (prod.) (exc. LCF)	954237	Ball	ND H5310 A	1
1956-57	ALL 15,000 Lb. axle	442093	Roller	Hy A 305396	AR
1956-57	ALL 18,000 Lb. axle (Cone)	117186	Roller	Timken 55200	2
1956-57	ALL 18,000 Lb. axle (Cup)	107323	Roller	Timken 55437	2
1957	ALL 16,000 Lb. axle (exc. 2-SPD.) (Cone)	127809	Roller	Timken 55175	1
1957	ALL 16,000 Lb. axle (2-SPD.) (Cone)	173454	Roller	.....	1
1957	ALL 16,000 Lb. axle (exc. 2-SPD.) (Cup)	107323	Roller	Timken 55437	1
1957	ALL 16,000 Lb. axle (2-SPD.) (Cup)	173105	Roller	Timken 59412	1
	†NOTE: Spacer w/brg. No. 442093 cannot be used with any other bearings.				
	PINION SHAFT—REAR—Group 5.484				
1946-54	PASS., ½ TON	125630	Roller	Hy OR-1506	1
1946-55	UTILITY (exc. 2-SPD.) (1st Ser.)	144553	Roller	Hy U-1306-1306TA	1
1946-57	COMM. (exc. ½ TON)	189436	Roller	Hy U-5205TM	1
1946	ALL 2-SPD. (Mech. Shift) (Inner race w/roller)	115267	Roller	Timken 455	1
1946-53	ALL 2-SPD. (Vac. Shift) (Inner race w/roller)	189638	Roller	Timken49585	1
1946	ALL 2-SPD. (Mech. Shift) (Outer race)	111335	Roller	Timken 453X	1
1946-53	ALL 2-SPD. (Vac. Shift) (Outer race)	189637	Roller	Timken M49520	1
1954-55	2-SPD. (Vac. Shift) (Inner Race w/Roller) (1st Ser.)	454020	Roller	Timken HM 807046	1
1954-55	2-SPD. (Vac. Shift) (Outer race) (1st Ser.)	451981	Roller	Timken HM 807010	1
1955-57	PASS., ½ TON	7450371	Roller	Hy B 200279 Z	1
1955-57	UTILITY (2nd Ser.) (prod.) (exc. LCF)	144553	Roller	Hy U1306-1306TA	1
1956-57	ALL 15,000 Lb. axle	7450382	Roller	Hy R 5206YS	AR
1956-57	ALL 18,000 Lb. axle	189826	Roller	Hy UY-1307-TM	1
1957	ALL 16,000 Lb. axle (exc. 2-SPD.)	144553	Roller	Hy U-1306-1306TA	1
1957	ALL 16,000 Lb. axle (2-SPD.) (Cone)	450515	Roller	Timken 65237	1
1957	ALL 16,000 Lb. axle (2-SPD.) (Cup)	187095	Roller	Timken 65500	1

BEARING CHART—Continued

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
AXLE BEARINGS—REAR (Continued)					
CLUTCH THROWOUT BEARING (and Collar Assy.)—Group 0.799					
1946-55	ALL (1st Ser.)	909422	Ball	ND CT-22	1
1955-57	COMM. (2nd Ser.)	909422	Ball	ND CT-22	1
1955	UTILITY (2nd Ser.)	900018	Ball	ND CT-24F	1
1955-57	PASS. w/4BC, dual 4BC	900018	Ball	ND CT-24F	1
1957	PASS., UTILITY (exc. 4BC)	909422	Ball	ND CT-22	1
1957	Ser. 7-8	900018	Ball	ND CT-24F	1
1956	Ser. 9-10	3729039	Ball	.....	1
1957	Ser. 9-10	900545	Ball	ND 900545	1
GENERATOR BEARINGS—Group 2.306					
1946-47	ALL (exc. 1106976-81-82)	954378	Ball	ND 3203S1446	1
1955-57	W/1106976-81-82 Drive End	908604	Ball	ND 8604X1C	1
1955-57	W/1106981-6976 Commutator End	954685*	Ball	ND WC8503X1C	1
*NOTE: Group 2.298.					
PROPELLER SHAFT BEARING—FRONT—Group 5.436					
1946-47	AN, BN, DS, ES (Dbl. Row)	905207	Ball	ND 5207	1
1946-47	UTILITY (exc. YU, MU, OH, PP, QP) (Dbl. Row)	905207	Ball	ND 5207	1
1946-57	¾, 1 TON (exc. DS, ES) (Sgl. Row)	954257	Ball	NDX 88107	1
1948-57	UTILITY (exc. RP, SP, TP, UP, VP) (Sgl. Row)	954257	Ball	NDX 88107	1
1956-57	Ser. 7-8, SBC	954257	Ball	NDX 88107	1
1956-57	Ser. 9-10 (exc. TANDEM, SBC)	954178	Ball	.....	1
STEERING GEAR MAST JACKET BEARING—Group 6.521					
1946-48	PASS. (exc. JB)	264887	Ball	.....	1
1947-55	COMM., UTILITY (1st Ser.)	5660233	Ball	.....	1
1949-54	PASS. (exc. P/S)	5660233	Ball	.....	1
1953-54	ALL P/S	5666970	Ball	.....	1
1955	PASS.	5667238	Ball	.....	1
1955-57	COMM., UTILITY (2nd Ser.) (exc. SBC)	5668232	Ball	.....	1
1955-57	SBC (2nd Ser.)	5670037	Ball	.....	1
1956	PASS.	5667238	Ball	.....	1
1956-57	Ser. 7-8-9-10	5668232	Ball	.....	1
1957	PASS.	3738884	Ball	.....	1
STEERING GEAR WORM THRUST BEARING—Group 6.530					
1946-54	ALL PASS. (exc. P/S)	261866	Roller	.....	2
1947-55	COMM., 1½ TON (exc. SBC) (1st Ser.)	179291	Roller	Hy 10790-S	2
1947-55	2 TON, SBC (1st Ser.)	270266	Roller	Hy 10899-R	2
1955-57	PASS.	5666693	Ball	.....	2
1955-57	COMM. (2nd Ser.) (exc. D-D)	179291	Roller	Hy 10790-S	2
1955-57	UTILITY (2nd Ser.) (exc. LCF)	178480	Roller	Hy 10983-R	2
1955-57	D-D, LCF (2nd Ser.)	270266	Roller	Hy 10899-R	2
1956-57	Ser. 7-8-9-10	178480	Roller	Hy 10983-R	2

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
STEERING GEAR WORM THRUST BEARING—Group 6.527					
	Outer Race				
1946-54	PASS. (exc. P/S)	259782	Roller	Tim. X-6-A Bower 6	2
1947-55	COMM., 1½ TON (exc. SBC) (1st Ser.)	179290	Roller	Hy 10790-Z	1
1947-55	2 TON, SBC (1st Ser.)	270267	Roller	Hy 10899-RX	1
1955-57	PASS.	5666683	Ball	.....	2
1955-57	COMM. (2nd Ser.) (exc. D-D)	179290	Roller	Hy 10790-Z	1
1955-57	D-D, LCF (2nd Ser.)	270267	Roller	Hy 10899-RX	1
1955-57	UTILITY (2nd Ser.) (exc. LCF)	178479	Roller	Hy 10983-Z	1
1956-57	Ser. 7-8-9-10	178479	Roller	Hy 10983-Z	1
TRANSMISSION BEARINGS					
	COUNTERSHAFT—3-SPEED TRANSMISSION—Group 4.422				
1946-57	ALL (exc. hvy. duty) (not used w/bushed type counter gear)	435847	Roller	Hy 7450056	50
1954-57	COMM. (hvy. duty)	3709328	Roller		80
	COUNTERSHAFT—4-SPEED TRANSMISSION—Group 4.422				
1946-47	ALL (exc. LT) (Rear)	121856	Roller	Hy ORB-1207	1
1946-57	ALL (exc. LT) (Front)	142260	Roller	Hy ORB-1207	1
1948-57	ALL (Rear)	901604	Ball	ND 43308-L1A	1
	COUNTERSHAFT—5-SPEED TRANSMISSION—Group 4.422				
1956-57	Ser. 5-6-7-8 (Front)	954369	Ball	ND 43207-X1A	1
1956-57	Ser. 5-6-7-8 (Rear)	901604	Ball	ND 43308-L1A	1
1956-57	Ser. 9-10 (Front) (Spicer)	131293	Roller	.....	1
1956-57	Ser. 9-10 (Rear) (Spicer)	954129	Ball	ND 47308-X1A	1
1957	Ser. 9-10 (Front) (New Process)	457140	Ball	.....	1
	MAIN DRIVE GEAR—3-SPEED TRANSMISSION—Group 4.355				
1946-57	ALL (exc. hvy. duty)	954388	Ball	ND 43207	1
1954-57	ALL (hvy. duty)	954869	Ball	ND 43307-L1A	1
1957	PASS. (close ratio)	900533	Ball	ND 497207VL1250V	1
	MAIN DRIVE GEAR—4-SPEED TRANSMISSION—Group 4.355				
1946-47	ALL (exc. LT)	954373	Ball	ND 3209L	1
1948-57	ALL	954358	Ball	ND 41209	1
	MAIN DRIVE GEAR—5-SPEED TRANSMISSION—Group 4.355				
1956-57	Ser. 5-6-7-8	457162	Ball	.....	1
1956-57	Ser. 9-10 (Spicer)	954129	Ball	ND 47308-X1A	1
1957	Ser. 9-10 (New Process)	954128	Ball	.....	1
	MAIN SHAFT PILOT—3-SPEED TRANSMISSION—Group 4.352				
1946-57	ALL (exc. Hvy. Duty) (Front)	435844	Roller (3/16" x 33/64")	Hy 7450057 (a)	14
1954-57	COMM., (Hvy. Duty) (Front)	7450010	Roller	Hy 7450060 (d)	A.R.
1953-57	ALL (exc. Hvy. Duty) (Rear)	7450247		.....	24

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
TRANSMISSION BEARINGS (Continued)					
MAIN SHAFT PILOT—4-SPEED TRANSMISSION—Group 4.352					
1946-47	ALL (exc. LT)	141854	Roller	Hy 93424-C	1
1948-57	ALL	7450010	Roller (7/32" x 3/4")	Hy 7450060(d)	A.R.
MAINSHAFT PILOT—5-SPEED TRANSMISSION—Group 4.352					
1956-57	Ser. 5-6-7-8	457067	Roller	.....	14
1956-57	Ser. 9-10 (Spicer)	3726701	Roller	.....	14
1957	Ser. 9-10 (New Process)	457067	Roller	.....	14
MAIN SHAFT REAR—3-SPEED TRANSMISSION—Group 4.408					
1946-54	ALL (exc. Hvy. Duty)	954168	Ball	ND 43305	1
1950-54	PASS. w/P.G.	903205	Ball	ND 3205	1
1954-57	COMM. (Hvy. Duty)	903307	Ball	ND 330X1A	1
1955-57	ALL (exc. O./D. hvy. duty) in trans. case; O./D. in overdrive adaptor	954886	Ball	ND 43306	1
1955-57	PASS. w/P.G. rear brg., O./D. output shaft	954862	Ball	ND 43206	1
MAIN SHAFT REAR—4-SPEED TRANSMISSION—Group 4.408					
1946-47	ALL (exc. LT)	903307	Ball	ND 330X1A	1
1948-57	ALL	954869	Ball	ND 43307L1A	1
MAIN SHAFT REAR—5-SPEED, POWERMATIC TRANSMISSION—Group 4.408					
1956-57	Ser. 5-6-7-8 (5-SPD.)	901604	Ball	ND 43308L1A	1
1956-57	Ser. 5-6-7-8-9-10 w/Powermatic	903011	Ball	.....	1
1956-57	Ser. 9-10 (5-SPD.) (Spicer)	954116	Ball	ND 41309X1A	1
1957	Ser. 9-10 (5-SPD.) (New Process)	954202	Ball	ND 41308X1A	1
WHEEL BEARINGS—FRONT					
BEARING ASSEMBLY, Front Wheel Inner—Group 6.311					
1946-52	COMM. (exc. ½ TON)	*909026	Ball	ND 909026	2
1946-50	1½ TON (exc. SBC)	*909026	Ball	ND 909026	2
1946-49	2-TON, SBC (1st design)	173241	Roller	KA-11410-Z	2
1946-54	PASS., ½ TON	*909052	Ball	ND 909552	2
1949-50	2-TON, SBC (2nd design)	7450131	Roller	KA-11424-Z	2
1951-53	UTILITY	7450131	Roller	KA-11424-Z	2
1953-57	¾, 1, 1½ TON (exc. SBC)	*909046	Ball	ND 909545	2
1954-57	SBC- 2 TON	7450335	Roller	.....	2
1954-57	1½ TON (hvy. duty) (exc. SBC)	7450335	Roller	.....	2
1955-57	PASS.	909040	Ball	ND 909040	2
1955-57	½ TON	*909052	Ball	ND 909552	2

*Consists of cone, cup, and separator.

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
WHEEL BEARINGS—FRONT (Continued)					
BEARING ASSEMBLY, Front Wheel Outer—Group 6.313					
1946-54	PASS., ½ TON	909001	Ball	ND 909501	2
1946-50	¾, 1, 1½ TON (exc. SBC)	909025	Ball	ND 909525	2
1946-49	2-TON, SBC (1st design)	173238	Roller	Hy 11020-Z	2
1949-50	2-TON, SBC (2nd design)	7450034	Roller	KA-11035-Z	2
1951-52	¾, 1 TON	909025	Ball	ND 909525	2
1951-53	UTILITY	7450034	Roller	KA-11035-Z	2
1953-57	¾, 1, 1½ TON (exc. SBC)	*909045	Ball	ND 909545	2
1954-57	1½ TON (hvy. duty) (exc. SBC)	7450336	Roller	.....	2
1954-55	SBC, 2 TON	7450336	Roller	.....	2
1955	PASS.	909041	Ball	ND 909041	2
1955-56	½ TON	909001	Ball	ND 909501	2
1956-57	PASS.	909001	Ball	ND 909501	2
BALL AND SEPARATOR ASSY.—INNER BEARING—Group 6.318					
1946-57	PASS., ½ TON	909702	Ball	ND 909702	2
1946-57	¾, 1, 1½ TON (exc. UJ, UK, VJ, VK, SBC)	909726	Ball	ND 909726	2
1955-57	PASS.	909740	Ball	ND 909740	2
1955-57	½ TON	909702	Ball	ND 909702	2
BALL AND SEPARATOR ASSY.—OUTER BEARING—Group 6.319					
1946-54	PASS., ½ TON	909701	Ball	ND 909701	2
1946-57	¾, 1, 1½ TON (exc. UJ, UK, VJ, VK, SBC)	909725	Ball	ND 909725	2
1955	PASS. (Cone)	909541	Ball	ND 909541	2
1955-57	½ TON	909701	Ball	ND 909701	2
1956-57	Pass.	909701	Ball	ND 909701	2
INNER BEARING, Inner Race—Group 6.314					
1946-54	PASS., ½ TON	909552	Ball	ND 909552	2
1946-50	¾, 1, 1½ TON (exc. SBC)	909526	Ball	ND 909526	2
1951-52	¾, 1 TON	909526	Ball	ND 909526	2
1953-57	¾, 1, 1½ TON (exc. SBC)	909546	Ball	ND 909546	2
1955-57	PASS.	909540	Ball	ND 909540	2
1955-57	½ TON	909552	Ball	ND 909552	2
1956-57	Ser. 7-8-9-10 (Cone)	189638	Roller	Timken 49585	2
INNER BEARING, Outer Race—Group 6.316					
1946-54	PASS., ½ TON	909602	Ball	ND 909602	2
1946.57	¾, 1, 1½ TON (exc. UJ, UK, VJ, VK, SBC)	909626	Ball	ND 909626	2
1955-57	PASS.	909640	Ball	ND 909640	2
1955-57	½ TON	909602	Ball	ND 909602	2
1956-57	Ser. 7-8-9-10 (Cup)	189637	Roller	Timken 49520	2

*Consists of cone, cup, and separator.

BEARING CHART—Continued

Year	Models	Part Number	Bearing Type	Manufacturer's Part Number	Number Per Car
WHEEL BEARINGS—FRONT (Continued)					
	OUTER BEARING, Inner Race—Group 6.315				
1946-54	PASS., ½ TON	909501	Ball	ND 909501	2
1946-50	¾, 1, 1½ TON (exc. SBC)	909525	Ball	ND 909525	2
1951-52	¾, 1 TON	909525	Ball	ND 909525	2
1953-57	¾, 1, 1½ TON (exc. SBC)	909545	Ball	ND 909545	2
1955	PASS.	909541	Ball	ND 909541	2
1955-57	½ TON	909501	Ball	ND 909501	2
1956-57	PASS.	909501	Ball	ND 909501	2
1956-57	Ser. 7-8-9-10 (Cone)	131277	Roller	Timken 3379	2
	OUTER BEARING, Outer Race—Group 6.317				
1946-54	PASS., ½ TON	909601	Ball	ND 909601	2
1946-57	¾, 1, 1½ TON (exc. UJ, UK, VJ, VK, SBC)	909625	Ball	ND 909625	2
1955	PASS.	909641	Ball	ND 909641	2
1955-57	½ TON	909601	Ball	ND 909601	2
1956-57	PASS.	909601	Ball	ND 909601	2
1956-57	Ser. 7-8-9-10 (Cup)	121485	Roller	Timken 3320	2
WHEEL HUB BEARING—REAR—GROUP 5.855					
	Inner				
1946-53	UTILITY (3 -SPD.)	144527	Roller	Hy KD12051-Z	2
1946-57	¾, 1 TON	189930	Roller	Hy D11786	2
1954-57	1½ TON (exc. 2-SPD.)	144527	Roller	Hy KD12051-Z	2
1954-57	1½ TON 2-SPD.	7450320	Roller	Hy B12235-YK	2
1954-57	2 TON	7450320	Roller	Hy B12235-YK	2
1955-57	PASS. (assy.)	3729375	Roller	ND RW507BSY-IBC	2
1956-57	ALL 15,000 Lb. axle	7450320	Roller	Hy B12235-YK	2
1956-57	ALL 18,000 Lb. axle (Cone)	427053	Roller	Timken 47686	2
1956-57	ALL 18,000 Lb. axle (Cup)	187313	Roller	Timken 47620	2
1957	ALL 16,000 Lb. axle (Cone)	443384	Roller	Timken 495-AX	2
1957	ALL 16,000 Lb. axle (Cup)	125670	Roller	Timken 493	2
	Outer				
1946-53	UTILITY	144525	Roller	Hy KB-11786-Y	2
1954-56	1½ TON (exc. 2-SPD.)	144525	Roller	Hy KB-11786-Y	2
1946-56	¾, 1 TON	188932	Roller	Hy B-11630	2
1954-56	1½ TON 2-SPD.	7450323	Roller	Hy KA 11950-Z	2
1954-56	2 TON	7450323	Roller	Hy KA11950-Z	2
1946-54	PASS. (race)	111119	Roller	Hy OR1500	2
1946-56	½ TON (race)	111121	Roller	Hy OR1502	2
1955-56	PASS. (assy.)	3729375	Roller	ND RW507BSY-IBC	2
1956-57	ALL 15,000 Lb. axle	7450323	Roller	Hy KA11950-Z	AR
1956-57	ALL 18,000 Lb. axle (Cone)	443386	Roller	Hy A127418	2
1956-57	ALL 18,000 Lb. axle (Cup)	443696	Roller	Timken 39520	2
1957	ALL 16,000 Lb. axle (Cone)	443386	Roller	Hy A127418	2
1957	ALL 16,000 Lb. axle (Cup)	443696	Roller	Timken 39520	2

SERVICE BREAKDOWN CHART FOR CONVERTIBLE FOLDING TOP HYDRAULIC MOTOR AND PUMP ASSEMBLIES

The following Hydraulic Motor and Pump Assemblies are used in 1949-57 Convertibles:

The following chart shows the component parts serviced for each assembly. Assembly numbers are stamped on the hydraulic motor name plate.

	DESCRIPTION	Group No	MOTOR AND PUMP ASSEMBLY NOS.								
				1949-50	1951-52	1953-54	1955		1956		1957
					4594191	4603742	4664980		4683708		4711912
MOTOR PARTS	Motor Assembly	14.481	1108572	1108572	4632640	4632640	4632641 4688307	1st type 2nd type	4688307		4714988
	Head Assembly (Holder w/Brush)	14.482			3698768	3698768	4632642		4632642		
	Washer (Field Term. Stud, Ins.)	2.059	1861076	1861076	1861076	1861076	120217		120217		
	Brush (At Field)	14.482									
	Brush	14.482	1906918	1906918							
	Band Assy. (Motor Head)	2.070	817114	817114	817114	817114					
	Switch (Solenoid)	14.483	001463	001463	4594599	4619381	4650796		4678145		4697213
	Mounting	14.486	4149788	4149788							
	Holder (Brush)	2.052	810226	810226	810226	810226	1926618 1926617	Insulated Ground	1926618 1926617	Insulated Ground	1926618 Insulated 1926617 Ground
	Lead (Brush Ground)	2.055	813554	813554	813554	813554	1926605		1926605		1926605
PUMP PARTS	Pump Assembly	14.481	5453599	5453599	3701147	4632631	4632632				
	Valve	14.482	4162275	5453526							
	Washer (Valve)	14.482		5453525							
	Spring (Valve)	14.482	4162285	5453524			4666765	2nd type	4666765		
	Gasket (Valve Plug)	4.651	043234	043234	043234	043234					
	Spring & Plate Unit	14.482					4666389	2nd type	4666389		4666389
RESERVOIR PARTS	Reservoir	14.486	5453509	5453509	3698104	4632636	4653616 4666391	1st type 2nd type	4666391		4666391
	Bail (Reservoir)	14.486	4161897	4161897							
	Gasket (Reservoir)	14.486	4161896	4161896							
	Pin (Drive Gear)	14.482			3698097	3698097	3698097		3698097		
	Seal (Motor Shaft)	14.482			3698098	3698098	3698098		3698098		3698098
	Seal (End Plate)	14.486			3698099	3698099	3698099 4666395	1st type 2nd type	4666395		4666395
	Seal (Reservoir Pipe)	14.482			3698110	4632635					
	Nut (Retaining)	14.482			3698101	4632639	3698101		3698101		
	Grommet	14.482			3698109	3698109	3698109		3698109		3698109
	Screw	14.482			3698108	3698108	3698108		3698108		

1949-52 PAINT COMBINATION CHART

An Index of Paint Combination Numbers as shown on Body Name Plates, Identifying the Corresponding DuPont Numbers of Particular Colors Included Therein.

		BODY		STRIPING		WHEELS	
Comb. No.	Year	Color	Duco No.	Color	Duco No.	Color	Dulux
385	1949	Mayland Black	2532122	Argent Silver	2894202	Black	505
386	1949	Oxford Maroon	20739638	Argent Silver	2894202	Oxford Maroon	512
387	1949	Monaco Blue	20739277	Argent Silver	2894202	Monaco Blue	553
388	1949	Grecian Grey	2537869	Mayland Black	2532122	Grecian Grey	551
389	1949	Vista Grey	20736307	Argent Silver	2894202	Vista Grey	550
390	1949	Liveoak Green	20736777	Argent Silver	2894202	Liveoak Green	538
391	1949	Satin Green	25339814	French White	28953561	Satin Green	543
392	1949	Ice Green	28755255	Argent Silver	2894202	Ice Green	554
395	1949	Texas Ivory	25352626	Mayland Black	2532122	Texas Ivory	552
423	1950	Mayland Black	2532122	Argent Silver	2894202	Black	505
424	1950	Oxford Maroon	20739638	Argent Silver	2894202	Oxford Maroon	512
425	1950	Grecian Grey	2537869	Mayland Black	2532122	Grecian Grey	551
426	1950	Crystal Green	28755255	Argent Silver	2894202	Crystal Green	554
427	1950	Falcon Grey	28155501	Argent Silver	2894202	Falcon Grey	563
428	1950	Windsor Blue	28655498	French White	28953561	Windsor Blue	564
429	1950	Mist Green	25355504	Mayland Black	2532122	Mist Green	565
430	1950	Rodeo Beige	28155505	French White	28953561	Rodeo Beige	566
431	1950	Moonlite Cream	25339829	Mayland Black	2532122	Moonlite Cream	562
437	1950	Grecian Grey	2537869	Argent Silver	2894202	Empire Red	567
442	1951	Mayland Black	2532122	Argent Silver	2894202	Black	505
443	1951	Burgundy Red	28285638	Argent Silver	2894202	Burgundy Red	580
444	1951	Thistle Grey	25370397	Mayland Black	2532122	Thistle Grey	579
445	1951	Fathom Green	28655658	Argent Silver	2894202	Fathom Green	577
446	1951	Shadow Grey	28655659	Argent Silver	2894202	Shadow Grey	578
447	1951	Trophy Blue	28155656	Argent Silver	2894202	Trophy Blue	575
448	1951	Aspen Green	28155657	Mayland Black	2532122	Aspen Green	576
449	1951	Aztec Tan	25355647	French White	28953561	Aztec Tan	574
450	1951	Moonlight Cream	25339829	Mayland Black	2532122	Moonlight Cream	562
465	1952	Onyx Black	2532247	Argent Silver	2894202	Black	505
466	1952	Birch Grey	25355987	Onyx Black	2532247	Birch Grey	600
467	1952	Dusk Grey	28655988	Argent Silver	2894202	Dusk Grey	608
469	1952	Spring Green	25355989	Onyx Black	2532247	Spring Green	602
470	1952	Emerald Green	28655976	Argent Silver	2894202	Emerald Green	601
472	1952	Admiral Blue	28655991	Argent Silver	2894202	Admiral Blue	609
477	1952	Twilight Blue	25355992	Onyx Black	2532247	Twilight Blue	604
478	1952	Sahara Beige	25355979	Onyx Black	2532247	Sahara Beige	603
479	1952	Regal Maroon	20755986	Argent Silver	2894202	Regal Maroon	599
481	1952	Cherry	25355994	Argent Silver	2894202	Cherry	606
482	1952	Honeydew	25355993	Onyx Black	2532247	Honeydew	605
483	1952	Saddle Brown	28655978	Argent Silver	2894202	Saddle Brown	607

1953 PAINT COMBINATION CHART

Comb. No.	MODEL USAGE	BODY		WHEEL COLOR		WHEEL STRIPING	
		Color	Duco No.	Color	Dulux No.	Color	Duco No.
480	1011W-27-37-67-69W, 1211-27-27B-69-71	Onyx Black	2532247	Black	505	Argent Silver	2894202
480	Bel Air	Onyx Black	2532247	Driftwood Grey	623	None	
490	1011W-27-67-69W, 1211-27-27B-69-71	Driftwood Grey	25357335	Driftwood Grey	623	Onyx Black	2532247
490	1011WD-67D-69WD	Driftwood Grey	25357335	Driftwood Grey	623	None	
496	1011W-27-69W, 1211-27-27B-69-71	Dusk Grey	28655988	Dusk Grey	608	Argent Silver	2894202
496	1011WD-69WD	Dusk Grey	28655988	Driftwood Grey	623	None	
498	1200, 1000 (exc. Bel Air)	Surf Green	25357332	Surf Green	620	Onyx Black	2532247
498	Bel Air	Surf Green	25357332	Campus Cream	624	None	
499	1011W-27-62-62F-69W, 1200 Series	Woodland Green	28657333	Woodland Green	621	Argent Silver	2894202
499	1011WD-69WD	Woodland Green	28657333	Campus Cream	624	None	
501	1011W-27-69W, 1211-27-27B-69-71	Regatta Blue	28657497	Regatta Blue	639	Argent Silver	2894202
501	1011WD-69WD	Regatta Blue	28657497	Driftwood Grey	623	None	
503	1011W-27-37-67-69W, 1211-27-27B-69	Horizon Blue	25357331	Horizon Blue	619	Onyx Black	2532247
503	Bel Air	Horizon Blue	25357331	Driftwood Grey	623	None	
504	1011W-27-62-62F-69W, 1200 Series	Sahara Beige	25355979	Sahara Beige	603	Onyx Black	2532247
504	1011WD-69WD	Sahara Beige	25355979	Sahara Beige	603	None	
505	1011W-27-69W, 1211-27-27B-69-71	Madeira Maroon	28157334	Madeira Maroon	622	Argent Silver	2894202
505	1011WD-69WD	Madeira Maroon	28157334	Sahara Beige	603	None	
506	1067	Target Red	25357344	Target Red	626	Argent Silver	2894202
506	1067D	Target Red	25357344	Driftwood Grey	623	None	
507	1067	Campus Cream	25357211	Campus Cream	624	Onyx Black	2532247
507	1067D	Campus Cream	25357211	Campus Cream	624	None	
508	1067D	Sungold	25357336	Driftwood Grey	623	None	
509	1000 (exc. Bel Air), 1211-27-27B-62F-69	Saddle Brown	28655978	Saddle Brown	607	Argent Silver	2894202
509	Bel Air	Saddle Brown	28655978	Sahara Beige	603	None	

1954 PAINT COMBINATION CHART

540	1011W-11WA-69W-1211-69W-71	Onyx Black	2532247	Onyx Black	505	Argent Silver	2894202
540	1011WD-37D-67D-69WD	Onyx Black	2532247	Onyx Black	505	None	
541	1011W-11WA-69W-1211-69W-71	Surf Green	25357332	Surf Green	620	Onyx Black	2532247
541	1011WD-69WD	Surf Green	25357332	Surf Green	620	None	
542	1011W-11WA-62F-69W, 1211-69W-71	Bermuda Green	28157601	Bermuda Green	645	Argent Silver	2894202
542	Bel Air	Bermuda Green	28157601	Bermuda Green	645	None	
543	1011W-11WA-69W-1211-69W-71	Horizon Blue	25357331	Horizon Blue	619	Onyx Black	2532247
543	1011WD-37D-67D-69WD	Horizon Blue	25357331	Horizon Blue	619	None	
544	1011W-11WA-69W-1211-69W-71	Biscayne Blue	28157600	Biscayne Blue	646	Argent Silver	2894202
544	1011WD-69WD	Biscayne Blue	28157600	Biscayne Blue	646	None	
545	1011W-62F-69W-1211-62F-69W	Shoreline Beige	25357602	Shoreline Beige	647	Onyx Black	2532247
545	1011WD-62D-69WD	Shoreline Beige	25357602	Shoreline Beige	647	None	
546	1011W-62F-69W-1211-69W	Saddle Brown	28655978	Saddle Brown	607	Argent Silver	2894202
546	1011WD-37D-67D-69WD	Saddle Brown	28655978	Saddle Brown	607	None	
547	1011W-11WA-69W-1211-69W-71	India Ivory	25357337	India Ivory	628	Onyx Black	2532247
547	1011WD-37D-67D-69WD	India Ivory	25357337	India Ivory	628	None	
548	1011W-69W-1211-69W-71	Shadow Gray	28657631	Shadow Gray	654	Argent Silver	2894202
548	1011WD-69WD	Shadow Gray	28657631	Shadow Gray	654	None	
549	1011W-69W-1211-62F-69W	Morocco Red	25357750	Morocco Red	658	Argent Silver	2894202
549	1011WD-69WD	Morocco Red	25357750	Morocco Red	658	None	
550	SDL.	Romany Red	25354741	Romany Red	506	Argent Silver	2894202
550	Conv.	Romany Red	25354741	Romany Red	506	None	
551	Conv.	Fiesta Cream	25357604	Fiesta Cream	650	None	
552	Conv.	Turquoise	25357605	Turquoise	651	None	
553	Conv.	Pueblo Tan	25357606	Pueblo Tan	652	None	

1955 PAINT COMBINATION CHART

Comb. No.	MODEL USAGE	BODY		WHEEL COLOR		WHEEL STRIPING	
		Color	Duco No.	Color	Dulux No.	Color	Duco No.
585 585	1011-11A-19-1211-11B-19-71 1011D-19D-37D-67D	Onyx Black Onyx Black	2532247 2532247	Black Black	505 505	Argent Silver None	2894202
586 586	1011-11A-19-1200 Series 1011D-19D-67D	Sea Mist Green Sea Mist Green	25357950 25357950	Sea Mist Green Sea Mist Green	670 670	Onyx Black None	2532247
587 587	1011-11A-19-62F-63F-1200 Series 1011D-19D-37D-62DF	Neptune Green Neptune Green	28157951 28157951	Neptune Green Neptune Green	671 671	Argent Silver None	2894202
588 588	1011-11A-19-1211-11B-19-71 1011D-19D-67D	Skyline Blue Skyline Blue	25358001 25358001	Skyline Blue Skyline Blue	680 680	Onyx Black None	2532247
589 589	1011-11A-19-62F-63F-1211-11B-19-71 1011D-19D-37D-62DF	Glacier Blue Glacier Blue	28157921 28157921	Glacier Blue Glacier Blue	676 676	Argent Silver None	2894202
590 590	1011-19-1211-11B-19-71 1011D-19D	Copper Maroon Copper Maroon	28158099 28158099	Copper Maroon Copper Maroon	678 678	Argent Silver None	2894202
591 591	1011-19-62F-63F-1211-11B-19 Bel Air	Shoreline Beige Shoreline Beige	25357602 25357602	Shoreline Beige Shoreline Beige	647 647	Onyx Black None	2532247
592 592	1011-19-62F-63F-1211-11B-19-63F 1067D	Autumn Bronze Autumn Bronze	28158009 28158009	Autumn Bronze Autumn Bronze	672 672	Argent Silver None	2894202
593 593	1011-11A-19-1211-11B-19-71 1011D-19D	India Ivory India Ivory	25358458 25358458	India Ivory India Ivory	689 689	Onyx Black None	2532247
594 594	1011-19-1211-11B-19-71 1011D-19D	Shadow Gray Shadow Gray	28657631 28657631	Shadow Gray Shadow Gray	654 654	Argent Silver None	2894202
596	Conv.	Gypsy Red	25357953	Gypsy Red	673	None	
598	1062DF-67D	Regal Turquoise	28157955	Regal Turquoise	675	None	
626	Conv.	Coral	25357990	Coral	679	None	
630	Spt. Cpe.	Harvest Gold	25358456	Harvest Gold	698	None	
683	1011-11A-19-1211-11B-19-71 1011D-19D	Cashmere Blue Cashmere Blue	25358455 25358455	Cashmere Blue Cashmere Blue	699 699	Onyx Black None	2532247

1956 PAINT COMBINATION CHART

687	All Models	Onyx Black	2532247	Black	505	Argent Silver	2894202
688 688	150, 210 Series 1011D-19D-37D-39D-62DF-67D	Pinecrest Green Pinecrest Green	25358897 25358897	Pinecrest Green Pinecrest Green	716 716	Onyx Black None	2532247
690 690	150, 210 Series 1011D-19D-37D-39D-67D	Sherwood Green Sherwood Green	28659525 28659525	Sherwood Green Sherwood Green	717 717	Argent Silver None	2894202
691 691	150, 210 Series 1011D-19D-37D-39D-62DF-67D	Nassau Blue Nassau Blue	25358752 25358752	Nassau Blue Nassau Blue	718 718	Onyx Black None	2532247
692 692	1011-19-37-39-1271 1011D-19D-37D-39D-67D	Harbor Blue Harbor Blue	28158812 28158812	Harbor Blue Harbor Blue	719 719	Argent Silver None	2894202
693 693	1011-11A-19-37-39 1011D-19D-37D-39D-62DF-67D	Dusk Plum Dusk Plum	28159238 28159238	Dusk Plum Dusk Plum	728 728	Argent Silver None	2894202
694 694	150, 210 Series 1011D-19D-37D-39D-62DF-67D	Indian Ivory India Ivory	25358458 25358458	India Ivory India Ivory	689 689	Onyx Black None	2532247
695 695	150 (exc. 1271), 210 Series 1011D-19D-37D-39D-62DF-67D	Crocus Yellow Crocus Yellow	25358763 25358763	Crocus Yellow Crocus Yellow	725 725	Onyx Black None	2532247
697 697	150 (exc. 1263F), 210 Series 1011D-19D-37D-39D-62DF-67D	Matador Red Mataodr Red	25359446 25359446	Matador Red Matador Red	738 738	Onyx Black None	2532247
698 698	210 Series—1211-11B-19 1011D-19D-37D-39D-62DF-67D	Twilight Turquoise Twilight Turquoise	25358920 25358920	Twilight Turquoise Twilight Turquoise	723 723	Argent Silver None	2894202
749 749	150 (exc. 1271-63F), 210 Series Bel Air (exc. 1064DF)	Tropical Turquoise Tropical Turquoise	25359787 25359787	Tropical Turquoise Tropical Turquoise	757 757	Argent Silver None	2894202
750	150 (exc. 1271) Series	Calypso Cream	25390209	Calypso Cream	790	Onyx Black	2532247
752 752	210 Series Bel Air Series	Inca Silver Inca Silver	88756303 88756303	Inca Silver Inca Silver	759 759	Onyx Black None	2532247

1957 PAINT COMBINATION CHART

Comb. No.	MODEL USAGE	BODY		WHEEL	COLOR
		Color	Duco No.	Color	Dulux No.
793	150, 210, Bel Air	Onyx Black	253-2247	Black	505
794	150 (ex. 1529), 210, Bel Air (ex. 2409-29)	Imperial Ivory	885-59931	Imperial Ivory	799
795	150, 210, Bel Air	Larkspur Blue	253-90114	Larkspur Blue	808
796	150, 210, Bel Air	Harbor Blue	281-58812	Harbor Blue	719
797	150, 210, Bel Air	Surf Green	253-90147	Surf Green	807
798	150, 210, Bel Air	Highland Green	286-59775	Highland Green	822
799	150 (ex. 1508), 210, Bel Air	Tropical Turquoise	253-59787	Tropical Turquoise	757
800	150 (ex. 1508), 210, Bel Air	Colonial Cream	253-58094	Colonial Cream	809
801	Bel Air Conv.	Canyon Coral	253-90645	Canyon Coral	821
802	150, 210, Bel Air	Matador Red	253-59446	Matador Red	738
803	Bel Air Conv.	Coronado Yellow	253-90620	Coronado Yellow	819
804	210, Bel Air	Inca Silver	887-56303	Inca Silver	759
805	2124-09-19-29, Bel Air	Sierra Gold	286-59894	Sierra Gold	742
806	150 (ex. 1508), 210, Bel Air	Adobe Beige	253-59895	Adobe Beige	760
821	Bel Air Conv.	Dusk Pearl	887-90354	Dusk Pearl	812
823	Bel Air Conv.	Laurel Green	281-90596	Laurel Green	806

1949-52 TWO-TONE COLOR COMBINATIONS

Comb. No.	Year	BODY LOWER PANEL Color	Duco No.	BODY UPPER PANEL Color	Duco No.	STRIPING Color	Duco No.	WHEELS Color	Dulux
393	1949	Satin Green	25339814	Liveoak Green	20736777	Argent Silver	2894202	Liveoak Green	538
394	1949	Grecian Grey	2537869	Vista Grey	20736307	Argent Silver	2894202	Vista Grey	550
396	1949	Liveoak Green	20736777	(Sta. Wag.)		Argent Silver	2894202	Liveoak Green	538
397	1949	Oxford Maroon	20739638	(Sta. Wag.)		Argent Silver	2894202	Oxford Maroon	512
432	1950	Grecian Grey	2537869	Falcon Grey	28155501	Mayland Black	2532122	Grecian Grey	551
433	1950	Mist Green	25355504	Crystal Green	28755255	Mayland Black	2532122	Mist Green	565
434	1950	Mist Green	25355504	Mayland Black	2532133	Mayland Black	2532122	Mist Green	565
435	1950	Windsor Blue	28655498	Grecian Grey	2537869	French White	28953561	Windsor Blue	564
436	1950	Moonlite Cream	25339829	Falcon Grey	28155501	Mayland Black	2532122	Moonlite Cream	562
438	1950	Grecian Grey	2537869	Empire Red	25339896	Argent Silver	2894202	Empire Red	567
439	1950	Oxford Maroon	20739638	(Sta. Wag.)		Argent Silver	2894202	Oxford Maroon	512
440	1950	Rodeo Beige	28155505	(Sta. Wag.)		French White	28953561	Rodeo Beige	566
441	1950	Crystal Green	28755255	(Sta. Wag.)		Argent Silver	2894202	Crystal Green	554
451	1951	Thistle Grey	2537869	Shadow Grey	28655659	Mayland Black	2532122	Thistle Grey	579
452	1951	Aspen Green	28155657	Fathom Green	28655658	Mayland Black	2532122	Aspen Green	576
453	1951	Moonlight Cream	25339829	Mayland Black	2532122	Mayland Black	2532122	Moonlight Cream	562
454	1951	Trophy Blue	28155656	Thistle Grey	25370397	Argent Silver	2894202	Trophy Blue	575
455	1951	Shadow Grey	28655659	Thistle Grey	25370397	Argent Silver	2894202	Shadow Grey	578
456	1951	Fathom Green	28655658	Aspen Green	28155657	Argent Silver	2894202	Fathom Green	577
457	1951	Aztec Tan	25355647	(Sta. Wag.)		French White	28953561	Aztec Tan	574
458	1951	Fathom Green	28655658	(Sta. Wag.)		Argent Silver	2894202	Fathom Green	577
468	1952	Birch Grey	25355987	Dusk Grey	28655988	Onyx Black	2532247	Birch Grey	600
471	1952	Spring Green	25355989	Emerald Green	28655976	Onyx Black	2532247	Spring Green	602
473	1952	Twilight Blue	25355992	Admiral Blue	28655991	Onyx Black	2532247	Twilight Blue	604
474	1952	Emerald Green	28655976	Spring Green	25355989	Argent Silver	2894202	Emerald Green	601
484	1952	Twilight Blue	25355992	Birch Grey	25355987	Onyx Black	2532247	Twilight Blue	604
485	1952	Spring Green	25355989	Birch Grey	25355987	Onyx Black	2532247	Spring Green	602
486	1952	Saddle Brown	28655978	Sahara Beige	25355979	Argent Silver	2894202	Saddle Brown	607
487	1952	Regal Maroon	20755986	Sahara Beige	25355979	Argent Silver	2894202	Regal Maroon	599
488	1952	Sahara Beige	25355979	Saddle Brown	28655978	Onyx Black	2532247	Sahara Beige	603
489	1952	Birch Grey	25355987	Onyx Black	2532247	Onyx Black	2532247	Birch Grey	600
491	1952	Regal Maroon	20755986	Onyx Black	2532247	Argent Silver	2894202	Regal Maroon	599
492	1952	Bittersweet	25355995	Beach White	25357044	Bittersweet	25355995	Beach White	611
493	1952	Honeydew	25355993	Onyx Black	2532247	Onyx Black	2532247	Honeydew	605
494	1952	Admiral Blue	28655991	Birch Grey	25355987	Argent Silver	2894202	Admiral Blue	609

1953 TWO TONE COLOR COMBINATIONS

Comb. No.	MODEL USAGE	UPPER BODY		LOWER BODY		WHEEL COLOR		WHEEL STRIPING	
		Color	Duco No.	Color	Duco No.	Color	Dulux No.	Color	Duco No.
497	1211-27-27B-69, 1027	Dusk Grey	28655988	Driftwood Grey	25357335	Driftwood Grey	623	Onyx Black	2532247
500	1011W-27-37-62-62F-69W, 1211-27-27B-62F-69	W'dland Green	28657333	Surf Green	25357332	Surf Green	620	Onyx Black	2532247
500	1011WD-37D-69WD	W'dland Green	28657333	Surf Green	25357332	Campus Cream	624	None	
502	1211-27-27B-69, 1027	Regatta Blue	28657497	Horizon Blue	25357331	Horizon Blue	619	Onyx Black	2532247
510	1011W-37-69W	India Ivory	25357337	Horizon Blue	25357331	Horizon Blue	619	Onyx Black	2532247
510	1011WD-37D-69WD	India Ivory	25357337	Horizon Blue	25357331	Driftwood Grey	623	None	
511	1011W-37-69W	India Ivory	25357337	Regatta Blue	28657497	Regatta Blue	639	Argent Silver	2894202
511	1011WD-37D-69WD	India Ivory	25357337	Regatta Blue	28657497	Driftwood Grey	623	None	
512	1011W-37-69W	Campus Cream	25357211	W'dland Green	28657333	W'dland Green	621	Argent Silver	2894202
512	1011WD-37D-69WD	Campus Cream	25357211	W'dland Green	28657333	Campus Cream	624	None	
513	1011W-37-69W	W'dland Green	28657333	Campus Cream	25357211	Campus Cream	624	Onyx Black	2532247
513	1011WD-37D-69WD	W'dland Green	28657333	Campus Cream	25357211	Campus Cream	624	None	
514	1011W-27-37-62-62F-69W, 1211-27-27B-62F-69	Saddle Brown	28655978	Sahara Beige	25355979	Sahara Beige	603	Onyx Black	2532247
514	1011WD-37D-69WD	Saddle Brown	28655978	Sahara Beige	25355979	Sahara Beige	603	None	
515	1011W-37-69W	Sahara Beige	25355979	Saddle Brown	28655978	Saddle Brown	607	Argent Silver	2894202
515	1011WD-37D-69WD	Sahara Beige	25355979	Saddle Brown	28655978	Sahara Beige	603	None	
516	1011WD-37D-69WD	India Ivory	25357337	Sungold	25357336	Driftwood Grey	623	None	
517	1011W-69W	Target Red	25357344	India Ivory	25357337	Target Red	626	Argent Silver	2894202
517	1011WD-69WD	Target Red	25357344	India Ivory	25357337	Driftwood Grey	623	None	

1954 TWO TONE COLOR COMBINATIONS

554	1011W-62F-69-W 1211-69W	Shoreline Beige	25357602	Bermuda Green	28157601	Bermuda Green	645	Argent Silver	2894202
554	Bel Air	Shoreline Beige	25357602	Bermuda Green	28157601	Bermuda Green	645	None	
555	1011W-11WA-69W	India Ivory	25357337	Surf Green	25357332	Surf Green	620	Onyx Black	2532247
555	1011WD-69WD	India Ivory	25357337	Surf Green	25357332	Surf Green	620	None	
556	1011W-11WA-62F-69W	India Ivory	25357337	Horizon Blue	25357331	Horizon Blue	619	Onyx Black	2532247
556	Bel Air	India Ivory	25357337	Horizon Blue	25357331	Horizon Blue	619	None	
557	1011W-11WA-69W-1211-69W	India Ivory	25357337	Biscayne Blue	28157600	Biscayne Blue	646	Argent Silver	2894202
557	1011WD-37D-69WD	India Ivory	25357337	Biscayne Blue	28157600	Biscayne Blue	646	None	
558	1011W-69W-1211-69W	Bermuda Green	28157601	Shoreline Beige	25357602	Shoreline Beige	647	Onyx Black	2532247
558	1011WD-37D-69WD	Bermuda Green	28157601	Shoreline Beige	25357602	Shoreline Beige	647	None	
559	1011W-62F-69W	Shoreline Beige	25357602	Saddle Brown	28655978	Saddle Brown	607	Argent Silver	2894202
559	1062D	Shoreline Beige	25357602	Saddle Brown	28655978	Saddle Brown	607	None	
560	1011W-11WA-69W-1211-69W	India Ivory	25357337	Onyx Black	2532247	Onyx Black	505	Argent Silver	2894202
560	1011WD-37D-69WD	India Ivory	25357337	Onyx Black	2532247	Onyx Black	505	None	
561	1011WA	India Ivory	25357337	Romany Red	25354741	Romany Red	506	Argent Silver	2894202
561	1037D	India Ivory	25357337	Romany Red	25354741	Romany Red	506	None	
562	1011WA	Bermuda Green	28157601	Fiesta Cream	25357604	Fiesta Cream	650	Onyx Black	2532247
562	1011WD-37D-69WD	Bermuda Green	28157601	Fiesta Cream	25357604	Fiesta Cream	650	None	
563	1011WD-37D-69WD	India Ivory	25357337	Turquoise	25357605	Turquoise	651	None	
564	1011WD-37D-69WD	Shoreline Biege	25357602	Pueblo Tan	25357606	Pueblo Tan	652	None	
565	1262F	Morocco Red	25357750	Shoreline Beige	25357602	Shoreline Beige	647	Onyx Black	2532247
566	1262F	Shoreline Beige	25357602	Morocco Red	25357750	Morocco Red	658	Argent Silver	2894202

1955 TWO TONE COLOR COMBINATIONS

Comb. No.	MODEL USAGE	UPPER BODY		LOWER BODY		WHEEL COLOR		WHEEL STRIPING	
		Color	Duco No.	Color	Duco No.	Color	Dulux No.	Color	Duco No.
599	1011-19-62F-63F-1211-19-63F	Sea Mist Green	25357950	Neptune Green	28157951	Neptune Green	671	Argent Silver	2894202
599	1011D-19D	Sea Mist Green	25357950	Neptune Green	28157951	Neptune Green	671	None	
600	1011-19-1211-19	Skyline Blue	25358001	Glacier Blue	28157921	Glacier Blue	676	Argent Silver	2894202
600	1011D-19D	Skyline Blue	25358001	Glacier Blue	28157921	Glacier Blue	676	None	
601	Spt. Cpe.	Neptune Green	28157951	Shoreline Beige	25357602	Shoreline Beige	647	None	
602	1011-11A-19-1211-1219	India Ivory	25358458	Skyline Blue	25358001	Skyline Blue	680	Onyx Black	2532247
602	1011D-19D-37D	India Ivory	25358458	Skyline Blue	25358001	Skyline Blue	680	None	
603	1062F-63F	Autumn Bronze	28158009	Shoreline Beige	25357602	Shoreline Beige	647	Onyx Black	2532247
604	1062DF-67D	Neptune Green	28157951	Sea Mist Green	25357950	Sea Mist Green	670	None	
605	1011-11A-19	India Ivory	25358458	Sea Mist Green	25357950	Sea Mist Green	670	Onyx Black	2532247
606	1011-19-1263F	Shoreline Beige	25357602	Autumn Bronze	28158009	Autumn Bronze	672	Argent Silver	2894202
606	1011D-19D-37D-62DF	Shoreline Beige	25357602	Autumn Bronze	28158009	Autumn Bronze	672	None	
607	1011-11A-19	Glacier Blue	28157921	Shoreline Beige	25357602	Shoreline Beige	647	Onyx Black	2532247
608	1011A	India Ivory	25358458	Onyx Black	2532247	Black	505	Argent Silver	2894202
608	1011D-19D-37D-67D	India Ivory	25358458	Onyx Black	2532247	Black	505	None	
610	1062F-63F	Glacier Blue	28157921	Skyline Blue	25358001	Skyline Blue	680	Onyx Black	2532247
610	Conv.	Glacier Blue	28157921	Skyline Blue	25358001	Skyline Blue	680	None	
612	1011D-19D-37D-67D	India Ivory	25358458	Regal Turquoise	28157955	Regal Turquoise	675	None	
613	1011-19-1211-11B-19	Shoreline Beige	25357602	Neptune Green	28157951	Neptune Green	671	Argent Silver	2894202
613	1011D-19D-37D	Shoreline Beige	25357602	Neptune Green	28157951	Neptune Green	671	None	
614	1011-11A-19-62F-63F-1211-19	Shoreline Beige	25357602	Glacier Blue	28157921	Glacier Blue	676	Argent Silver	2894202
614	1011D-19D-37D-62DF	Shoreline Beige	25357602	Glacier Blue	28157921	Glacier Blue	676	None	
615	1037D-62DF-67D	Shoreline Beige	25357602	Gypsy Red	25357953	Gypsy Red	673	None	
617	1011A	India Ivory	25358458	Gypsy Red	25357953	Gypsy Red	673	Argent Silver	2894202
624	1011-19-1211-11B-19	India Ivory	25358458	Shadow Gray	28657631	Shadow Gray	654	Argent Silver	2894202
624	1011D-19D	India Ivory	25358458	Shadow Gray	28657631	Shadow Gray	654	None	
627	1011D-19D-37D-64DF-67D	Shadow Gray	28657631	Coral	25357990	Coral	679	None	
628	1011A	Onyx Black	2532247	India Ivory	25358458	India Ivory	689	Onyx Black	2532247
628	1011D-19D-37D	Onyx Black	2532247	India Ivory	25358458	India Ivory	689	None	
629	Conv.	India Ivory	25358458	Coral	25357990	Coral	679	None	
631	1011A	India Ivory	25358458	Harvest Gold	25358456	Harvest Gold	698	Onyx Black	2532247
631	1011D-19D-37D-67D	India Ivory	25358458	Harvest Gold	25358456	Harvest Gold	698	None	
682	1011-11A-19-62F-63F-1211-19	India Ivory	25358458	Cashmere Blue	25358455	Cashmere Blue	699	Onyx Black	2532247
682	1011D-19D-37D-62DF-64DF-67D	India Ivory	25358458	Cashmere Blue	25358455	Cashmere Blue	699	None	
684	1011-19-62F-63F-1263F	India Ivory	25358458	Navajo Tan	28158457	Navajo Tan	700	Onyx Black	2532247
684	1011D-19D-37D-62DF-64DF-67D	India Ivory	25358458	Navajo Tan	28158457	Navajo Tan	700	None	
685	1011D-19D-37D-64DF-67D	India Ivory	25358458	Dusk-Rose	28658459	Dusk-Rose	690	None	

1956 TWO TONE COLOR COMBINATIONS

BECAUSE THERE ARE VARIOUS COLOR SEPARATIONS ON THE 1956 MODELS, THE FOLLOWING CHART WILL SERVE MERELY AS AN INDICATOR AS TO THE COLOR COMBINATIONS AND THEIR RESPECTIVE IDENTIFICATION NUMBERS

Comb. No.	MODEL USAGE	UPPER BODY		LOWER BODY		WHEEL COLOR		WHEEL STRIPING	
		Color	Duco No.	Color	Duco No.	Color	Dulux No.	Color	Duco No.
696	150, 210 Series	Crocus Yellow	25358763	Onyx Black	2532247	Crocus Yellow	725	Onyx Black	2532247
696	Bel Air Series	Crocus Yellow	25358763	Onyx Black	2532247	Crocus Yellow	725	None	
700	Bel Air Series	Sierra Gold	28659894	Adobe Beige	25359895	Sierra Gold	742	None	
701	150, 210 Series	India Ivory	25358458	Onyx Black	2532247	Onyx Black	505	Argent Silver	2894202
701	Bel Air Series	India Ivory	25358458	Onyx Black	2532247	Onyx Black	505	None	
702	150, 210 Series	Sherwood Green	28659525	Pinecrest Green	25358897	Pinecrest Green	716	Onyx Black	2532247
702	Bel Air Series	Sherwood Green	28659525	Pinecrest Green	25358897	Pinecrest Green	716	None	
703	1011-19-37-39	Harbor Blue	28158812	Nassau Blue	25358752	Harbor Blue	719	Argent Silver	2894202
703	Bel Air Series (exc. 1062DF)	Harbor Blue	28158812	Nassau Blue	25358752	Harbor Blue	719	None	
705	150, 210 Series	India Ivory	25358458	Pinecrest Green	25358897	Pinecrest Green	716	Onyx Black	2532247
705	Bel Air Series	India Ivory	25358458	Pinecrest Green	25358897	Pinecrest Green	716	None	
706	150, 210 Series	India Ivory	25358458	Sherwood Green	28659525	Sherwood Green	717	Argent Silver	2894202
706	Bel Air Series (exc. 1062DF)	India Ivory	25358458	Sherwood Green	28659525	Sherwood Green	717	None	
707	150, 210 Series	India Ivory	25358458	Nassau Blue	25358752	Nassau Blue	718	Onyx Black	2532247
707	Bel Air Series	India Ivory	25358458	Nassau Blue	25358752	Nassau Blue	718	None	
708	210 Series	India Ivory	25358458	Dusk Plum	28159238	Dusk Plum	728	Argent Silver	2894202
708	Bel Air Series	India Ivory	25358458	Dusk Plum	28159238	Dusk Plum	728	None	
710	210 Series	India Ivory	25358458	Twilight Turquoise	25358920	Twilight Turquoise	723	Argent Silver	2894202
710	Bel Air Series	India Ivory	25358458	Twilight Turquoise	25358920	Twilight Turquoise	723	None	
711	150, 210 Series	India Ivory	25358458	Matador Red	25359446	Matador Red	738	Onyx Black	2532247
711	1011D-19D-67D	India Ivory	25358458	Matador Red	25359446	Matador Red	738	None	
715	1037D-39D-62DF-64DF	Matador Red	25359446	Dune Beige	25359144	Matador Red	738	None	
717	210 Series	Crocus Yellow	25358763	Laurel Green	28159423	Laurel Green	730	Argent Silver	2894202
717	Bel Air Series	Crocus Yellow	25358763	Laurel Green	28159423	Laurel Green	730	None	
721	210 Series (exc. 1011A)	India Ivory	25358458	Dawn Gray	28159692	Dawn Gray	755	Onyx Black	2532247
721	Bel Air Series	India Ivory	25358458	Dawn Gray	28159692	Dawn Gray	755	None	
754	210 Series	India Ivory	25358458	Tropical Turquoise	25359789	Tropical Turquoise	757	Argent Silver	2894202
754	Bel Air Series	India Ivory	25358458	Tropical Turquoise	25359789	Tropical Turquoise	757	None	
755	150 Series	Calypso Cream	25390209	Onyx Black	2532247	Calypso Cream	790	Onyx Black	2532247
756	150, 210 Series (exc. 1271)	Grecian Gold	28190317	Calypso Cream	25390209	Grecian Gold	794	Onyx Black	2532247
756	Bel Air Series	Grecian Gold	28190317	Calypso Cream	25390209	Calypso Cream	790	None	
757	210 Series	Inca Silver	88756303	Imperial Ivory	88559931	Imperial Ivory	799	Onyx Black	2532247
757	Bel Air Series	Inca Silver	88756303	Imperial Ivory	88559931	Inca Silver	759	None	
763	1039D-1062DF-1037D	Matador Red	25359446	Adobe Beige	25359895	Matador Red	738	None	

1957 TWO TONE COLOR COMBINATIONS

BECAUSE THERE ARE VARIOUS COLOR SEPARATIONS ON THE 1957 MODELS, THE FOLLOWING CHART WILL SERVE MERELY AS AN INDICATOR AS TO THE COLOR COMBINATIONS AND THEIR RESPECTIVE IDENTIFICATION NUMBERS

Comb. No.	MODEL USAGE	UPPER BODY		LOWER BODY		WHEEL COLOR	
		Color	Duco No.	Color	Duco No.	Color	Dulux No.
807	150 (ex. 1508), 210, Bel Air (ex. Conv.)	India Ivory	253-58458	Onyx Black	253-2247	Black	505
808	150 (ex. 1508), 210, Bel Air (ex. Conv.)	Imperial Ivory	885-59931	Inca Silver	887-56303	Inca Silver	759
809	150 (ex. 1508), Bel Air (ex. Conv.) 210	—— Harbor Blue	—— 281-58812	Harbor Blue Larkspur Blue	281-58812 253-90114	Harbor Blue Larkspur Blue	719 808
810	150 (ex. 1508), 210, Bel Air (ex. Conv.)	India Ivory	253-58458	Larkspur Blue	253-90114	Larkspur Blue	808
811	150 (ex. 1508), 210, Bel Air (ex. Conv.)	India Ivory	253-58458	Tropical Turquoise	253-59787	Tropical Turquoise	757
812	150 (ex. 1508) 210 Bel Air (ex. Conv.)	—— Surf Green Surf Green	—— 253-90147 253-90147	Surf Green Highland Green Highland Green	253-90147 286-59775 286-59775	Surf Green Surf Green Highland Green	807 807 822
813	150 (ex. 1508), 210, Bel Air (ex. Conv.)	India Ivory	253-58458	Surf Green	253-90147	Surf Green	807
814	210, Bel Air (ex. Conv.)	India Ivory	253-58458	Coronado Yellow	253-90620	Coronado Yellow	819
815	150 (ex. 1508), Bel Air (ex. Conv.) 210	—— Colonial Cream	—— 253-58094	Colonial Cream Onyx Black	253-58094 253-2247	Colonial Cream Black	809 505
816	150 (ex. 1508), Bel Air (ex. Conv.) 210	—— Colonial Cream	—— 253-58094	Colonial Cream India Ivory	253-58094 253-58458	Colonial Cream Colonial Cream	809 809
817	210, Bel Air (ex. Conv.)	India Ivory	253-58458	Canyon Coral	253-90645	Canyon Coral	821
818	2124-09-19-29, Bel Air (ex. Conv.)	Adobe Beige	253-59895	Sierra Gold	286-59894	Sierra Gold	742
819	150 (ex. 1508), 210, Bel Air (ex. Conv.)	India Ivory	253-58458	Matador Red	253-59446	Matador Red	738
820	210 Bel Air (ex. Conv.)	Colonial Cream ——	253-58094 ——	Laurel Green Laurel Green	281-90596 281-90596	Colonial Cream Laurel Green	809 806
822	210 Bel Air (ex. Conv.)	Dusk Pearl ——	887-90354 ——	Imperial Ivory Dusk Pearl	885-59931 887-90354	Dusk Pearl Dusk Pearl	812 812

TRIM COMBINATION CHART

NOTE: If trim is not listed under group in which it is used, refer to yardage material group 15.500.

Comb. No.	Material	Models
	1947	
129	Greyish Tan Pile Fabric	1200 (exc. Sdl.)
130	Grey Striped Pile Fabric	1011-19-27-27B
131	Tan Novelty Bedford Cord	1011-19-27-27B
132	Tan Striped Fabric	1007-69
137	Blue-Grey Imitation Leather	Sdl.
143	Tan Leather	Conv.
144	Blue Leather	Conv.
145	Red Leather	Conv.
146	Tan Leather	Conv.
147	Blue Leather	Conv.
148	Red Leather	Conv.
149	Tan Imitation Leather	Sta. Wag.
	1948	
137	Blue-Black Imitation Leather	Sdl.
144	Blue Leather	Conv.
145	Red Leather	Conv.
149	Tan Imitation Leather	Sta. Wag.
150	Gray Striped Pile Fabric	1211-19-27-27B
151	Tan Striped Pile Fabric	1011-19-27
152	Tan Novelty Bedford Cord	1011-19-27-1211-19-27 27B
153	Tan Striped Fabric	1007-69
155	Green Leather	Conv.
	1949	
156	Tan Striped Pile Fabric	1200 (exc. Sdl.)
157	Tan Striped Pile Fabric	1007-8-11-27-69
158	Tan Striped Cloth	1007-8-11-27-69
160	Red Leather	Conv.
161	Blue Leather	Conv.
162	Green Leather	Conv.
163	Brown Imitation Leather	Sdl.
166	Brown Imitation Leather	Sta. Wag.
167	Black Leather	Conv.
	1950	
170	Grey Striped Cloth	1200 (exc. Sdl.)
171	Grey Striped Broadcloth	1000 (exc. Conv., B-A)
172	Imitation Leather	1269 (Taxi Cab)
175	Red Leather—Grey Pile Cord	Conv.
176	Green Leather—Grey Pile Cord	Conv.
177	Blue Leather—Grey Pile Cord	Conv.
179	Black Leather—Grey Pile Cord	Conv.
185	Red Leather—Grey Pile Cord	Bel Air
186	Green Leather—Grey Pile Cord	Bel Air
187	Blue Leather—Grey Pile Cord	Bel Air
189	Black Leather—Grey Pile Cord	Bel Air
195	Red Leather—Tan Bedford Cord	Conv.
196	Green Leather—Tan Bedford Cord	Conv.
197	Blue Leather—Tan Bedford Cord	Conv.
199	Black Leather—Tan Bedford Cord	Conv.
163	Brown Imitation Leather	Sdl.
166	Brown Imitation Leather	Sta. Wag.
	1951	
200	Grey Striped Cloth	1200 (exc. Sdl.)
201	Grey Striped Broadcloth	1000 (exc. Conv. B-A, Sta. Wag.)
205	Red Leather	Conv.
206	Green Leather	Conv.
207	Blue Leather	Conv.
209	Black Leather	Conv.
185	Red Leather—Grey Pile Cord	Bel Air
186	Green Leather—Grey Pile Cord	Bel Air
187	Blue Leather—Grey Pile Cord	Bel Air
189	Black Leather—Grey Pile Cord	Bel Air

Comb. No.	Material	Models
	1951	
163	Brown Imitation Leather	Sdl.
202	Tan Imitation Leather	Sta. Wag.
172	Grey Imitation Leather	Taxi Cab
	1952	
210	Light Grey Pattern Cloth	1200 (exc. Sdl.)
211	Light Grey Chevron Cloth Dark Grey Broadcloth	1000 (exc. Conv., B-A, Sta. Wag.)
212	Light Blue Chevron Cloth Dark Blue Broadcloth	1000 (exc. Conv., B-A, Sta. Wag.)
213	Light Green Chevron Cloth	1000 (exc. Conv., B-A, Sta. Wag.)
224	Tan and Brown Leather	Conv.
225	Red Leather	Conv.
226	Light and Dark Green Leather	Conv.
227	Light and Dark Blue Leather	Conv.
229	Black Leather	Conv.
234	Tan Leather—Brown Cloth	Bel Air
235	Red Leather—Grey Cloth	Bel Air
236	Green Leather—Green Cloth	Bel Air
237	Blue Leather—Blue Cloth	Bel Air
239	Black Leather—Grey Cloth	Bel Air
240	White Leather—Coral Cloth	Bel Air
216	Dark Grey Imitation Leather	Sdl.
218	Tan Imitation Leather	Sta. Wag.
214	Grey Imitation Leather	Taxi Cab
	1953	
241	Light Grey—Dark Grey Pattern Cloth	1000 (exc. Conv., Sta. Wag.)
242	Light Blue—Dark Blue Pattern Cloth	1000 (exc. Conv., Sta. Wag.)
243	Light Green—Dark Green Pattern Cloth	1000 (exc. Conv., Sta. Wag.)
244	Light Tan—Brown Pattern Cloth	1000 (exc. Conv., Sta. Wag.)
249	Light Grey Pattern Cloth	1200 (exc. Sta. Wag., Sdl.)
245	Light Grey Ladder Pattern & Plain Cloth	1011 WD, 1069 WD
246	Light Blue Ladder Pattern & Plain Cloth	1011 WD, 1069 WD
247	Light Green Ladder Pattern & Plain Cloth	1011 WD, 1069 WD
248	Light Tan Ladder Pattern & Plain Cloth	1011 WD, 1069 WD
254	Light Tan Pattern Cloth / Tan Imitation Leather	1037 D
256	Light Green Pattern Cloth / Light Green Imitation Leather	1037 D
257	Light Blue Pattern Cloth / Light Blue Imitation Leather	1037 D
258	Yellow & White Pattern Cloth / White Imitation Leather	1037 D
259	Black & White Pattern Cloth / White Imitation Leather	1037 D
284	Brown—Tan Imitation Leather	1067
285	Red Imitation Leather	1067
286	Dark Green—Light Green Imitation Leather	1067
287	Dark Blue—Light Blue Imitation Leather	1067
264	Brown—Tan Imitation Leather	1067 D
265	Red—White Imitation Leather	1067 D
266	Dark Green—Light Green Imitation Leather	1067 D
267	Dark Blue—Light Blue Imitation Leather	1067 D
268	Yellow—White Imitation Leather	1067 D
269	Black—White Imitation Leather	1062, 1062 F

TRIM COMBINATION CHART—Continued

NOTE: If trim is not listed under group in which it is used, refer to yardage material group 15.500.

1953—Cont.

Comb. No.	Material	Models
278	Beige—Brown Imitation Leather	1062, 1062 F 1262 F
280	Beige—Green Imitation Leather	1062, 1062 F
277	Light Green Imitation Leather	1262 F
276	Beige Imitation Leather	1271

1954

300	Light Grey Pattern Cloth	1200 (exc. Sta. Wag., Sdl.)
332	Light Blue—White Imitation Leather	1011 WA
333	Light Green—White Imitation Leather	1011 WA
334	Black—White Imitation Leather	1011 WA
304	Light Grey Pattern—Dark Grey Plain Cloth	1011 W-69 W
305	Light Blue Pattern—Dark Blue Plain Cloth	1011 W-69 W
306	Light Green Pattern—Dark Green Plain Cloth	1011 W-69 W
307	Light Tan Pattern—Dark Brown Plain Cloth	1011 W-69 W
309	Dark Grey Pattern Cloth—Light Grey Imitation Leather	1011 WD-69 WD
310	Dark Blue Pattern Cloth—Light Blue Imitation Leather	1011 WD-69 WD
311	Dark Green Pattern Cloth—Light Green Imitation Leather	1011 WD-69 WD
330	Beige Pattern Cloth—Dark Tan Imitation Leather	1011 WD-69 WD
331	Turquoise Pattern Cloth—White Imitation Leather	1011 WD-69 WD
325	Red—White Imitation Leather	Conv.
326	Dark Green—Light Green Imitation Leather	Conv.
327	Dark Blue—Light Blue Imitation Leather	Conv.
328	Beige—Tan Imitation Leather	Conv.
329	Black—White Imitation Leather	Conv.
337	Turquoise—White Imitation Leather	Conv.
314	Dark Blue Pattern Cloth—Light Blue Imitation Leather	Spt. Cpe.
315	Dark Green Pattern Cloth—Light Green Imitation Leather	Spt. Cpe.
316	Red Pattern Cloth—White Imitation Leather	Spt. Cpe.
317	Turquoise Pattern Cloth—White Imitation Leather	Spt. Cpe.
318	Beige Pattern Cloth—Tan Imitation Leather	Spt. Cpe.
319	Black Pattern Cloth—White Imitation Leather	Spt. Cpe.
323	Green—Straw Imitation Leather	1062 D-62 F
324	Beige—Straw Imitation Leather	1062 D-62 F
322	Maroon—Beige Imitation Leather	1262 F
303	Grey Imitation Leather	1271
371	Green Imitation Leather	1262 F

1955

500	Light Grey Pattern Cloth	1200 (exc. Sta. Wag., Sdl.)
547	Light Grey—Black Imitation Leather	1211
506	Light Blue—Beige Imitation Leather	1011A
507	Light Green—Beige Imitation Leather	1011A
508	Black—Ivory Imitation Leather	1011A
503	Light Blue Pattern—Dark Blue Plain Cloth	1011-19
504	Light Green Pattern—Dark Green Plain Cloth	1011-19

1955—Cont.

Comb. No.	Material	Models
505	Light Tan Pattern—Dark Brown Plain Cloth	1011-19
509	Dark Blue Pattern Cloth—Light Blue Imitation Leather	1011D-19D
510	Dark Green Pattern Cloth—Light Green Imitation Leather	1011D-19D
511	Dark Brown Pattern Cloth—Beige Imitation Leather	1011D-19D
513	Turquoise Pattern Cloth—Ivory Imitation Leather	1011D-19D
531	Dark Grey Pattern Cloth—Coral Imitation Leather	1011D-19D
549	Dark Gray Pattern Cloth—Ivory Imitation Leather	1011D-19D
525	Red—Beige Imitation Leather	Conv.
526	Dark Green—Light Green Imitation Leather	Conv.
527	Dark Blue—Light Blue Imitation Leather	Conv.
528	Brown—Beige Imitation Leather	Conv.
533	Dark Grey—Coral Imitation Leather	Conv.
537	Turquoise—Ivory Imitation Leather	Conv.
551	Dark Gray—Ivory Imitation Leather	Conv.
519	Beige Pattern Cloth—Light Blue Imitation Leather	Spt. Cpe.
520	Beige Pattern Cloth—Light Green Imitation Leather	Spt. Cpe.
521	Beige Pattern Cloth—Red Imitation Leather	Spt. Cpe.
522	Beige Pattern Cloth—Turquoise Imitation Leather	Spt. Cpe.
532	Grey Pattern Cloth—Coral Imitation Leather	Spt. Cpe.
550	Gray Pattern Cloth—Ivory Imitation Leather	Spt. Cpe.
514	Light Blue—Beige Imitation Leather	1062F-63F
515	Dark Green—Light Green Imitation Leather	1062F-63F
516	Brown—Beige Imitation Leather	1062F-63F
517	Beige Pattern Cloth—Beige Imitation Leather	1062DF
518	Beige Pattern Cloth—Light Blue Imitation Leather	1062DF
502	Straw—Brown Imitation Leather	1263F
524	Dark Green—Light Green Imitation Leather	1263F
501	Straw—Brown Imitation Leather	Sdl.

1956

560	Gold Dotted Black Cloth Gold Striped Imitation Leather	1200 (exc. Sta. Wag., Sdl.)
567	Black Ivory Imitation Leather	1011A
568	Green Ivory Imitation Leather	1011A
569	Turquoise Ivory Imitation Leather	1011A
564	Charcoal Pattern Cloth—Starfrost	1011-19-37-39
565	Green Pattern Cloth—Starfrost	1011-19-37-39
566	Blue Pattern Cloth—Starfrost	1011-19-37-39
573	Charcoal Pattern Cloth Ivory Imitation Leather	1011D-19D
574	Green Pattern Cloth Green Imitation Leather	1011D-19D
575	Blue Pattern Cloth Blue Imitation Leather	1011D-19D
577	Turquoise Pattern Cloth Turquoise Imitation Leather	1011D-19D
578	Charcoal Pattern Cloth Yellow Imitation Leather	1011D-19D
617	Copper Pattern Cloth Tan Imitation Leather	1011D-19D

TRIM COMBINATION CHART—Continued

1956—Cont.

Comb. No.	Material	Models
626	Charcoal Pattern Cloth Cream Imitation Leather	1011D 1019D
602	Charcoal—Ivory Imitation Leather	Conv.
603	Turquoise—Ivory Imitation Leather	Conv.
604	Charcoal—Yellow Imitation Leather	Conv.
605	Red—Ivory Imitation Leather	Conv.
606	Medium Green—Light Green Imitation Leather	Conv.
607	Medium Blue—Light Blue Imitation Leather	Conv.
621	Copper—Tan Imitation Leather	Conv.
631	Charcoal Imitation Leather Cream Imitation Leather	Conv.
579	Charcoal Pattern Cloth Ivory Imitation Leather	Spt. Cpe., Spt. Sedan
610	Charcoal Pattern Cloth Ivory Imitation Leather	1062DF
629	Red Taupe Pattern Cloth Red Imitation Leather	1062 DFC (Replaces 586)
630	Charcoal Yellow Pattern Cloth Cream Imitation Leather	1062 DFC
611	Charcoal Pattern Cloth Ivory Imitation Leather	1064DF
632	Charcoal Yellow Pattern Cloth Cream Imitation Leather	1064 DF
633	Red Taupe Pattern Cloth Red Imitation Leather	1064 DF
580	Medium Green Pattern Cloth Light Green Imitation Leather	Spt. Cpe., Spt. Sedan
590	Medium Green Pattern Cloth Light Green Imitation Leather	1064DF
581	Medium Blue Pattern Cloth Light Blue Imitation Leather	Spt. Cpe., Spt. Sedan
591	Light Blue Pattern Cloth Light Blue Imitation Leather	1064DF
627	Charcoal Yellow Pattern Cloth Cream Imitation Leather	Spt. Cpe. Spt. Sedan
628	Red Taupe Pattern Cloth Red Imitation Leather	Spt. Cpe. (Replaces 583) Spt. Sedan
593	Red Pattern Cloth Red Imitation Leather	1064DF
584	Medium Turquoise Pattern Cloth—Light Turquoise Imitation Leather	Spt. Cpe., Spt. Sedan
587	Medium Turquoise Pattern Cloth—Light Turquoise Imitation Leather	1062DF
594	Medium Turquoise Pattern Cloth—Light Turquoise Imitation Leather	1064DF
585	Charcoal Pattern Cloth Yellow Imitation Leather	Spt. Cpe., Spt. Sedan
588	Charcoal Pattern Cloth Yellow Imitation Leather	1062DF
595	Charcoal Pattern Cloth Yellow Imitation Leather	1064DF
618	Tan Pattern Cloth Copper Imitation Leather	Spt. Cpe., Spt. Sedan
619	Tan Pattern Cloth Copper Imitation Leather	1062DF
620	Tan Pattern Cloth Copper Imitation Leather	1064DF
570	Medium Green Imitation Leather—Starfrost	1062F-62FC-63F
572	Medium Turquoise Imitation Leather—Starfrost	1062F-62FC-63F
609	Charcoal Imitation Leather—Starfrost	1062F-62F-C-63F
562	Medium Green—Gold Striped Imitation Leather	1263F
616	Charcoal Gray—Gold Striped Imitation Leather	1263F
615	Charcoal Gray—Gold Striped Imitation Leather	1271

1957

Comb. No.	Material	Models
650	Black and Gray Cloth Black Imitation Leather	1211-11B-1219
651	Black and Gray Im. Leather Black Imitation Leather	1271
652	Black and Gray Im. Leather Black Imitation Leather	1263F
653	Green and Grey Im. Leather Med. Met. Green Im. Leather	1263F
654	Charcoal Cloth Ivory Imitation Leather	1011-19-37-39
655	Medium Green Cloth Light Green Imitation Leather	1011-19-37-39
656	Medium Blue Cloth Light Blue Imitation Leather	1011-19-37-39
657	Charcoal Imitation Leather Ivory Imitation Leather	1011A
658	Med. Met. Green Im. Leather Light Green Imitation Leather	1011A
659	Beige Imitation Leather Met. Copper Imitation Leather	1011A
660	Charcoal Imitation Leather Ivory Imitation Leather	1062F-63F-62FC
661	Met. Med. Green Im. Leather Light Green Imitation Leather	1062F-63F-62FC
662	Met. Copper Imitation Leather Beige Imitation Leather	1062F-63F-62FC
663	Black and Silver Cloth Silver Imitation Leather	1011D-19D
664	Black and Green Cloth Med. Met. Green Im. Leather	1011D-19D
665	Black and Blue Cloth Medium Blue Im. Leather	1011D-19D
666	Black and Turquoise Cloth Med. Turquoise Im. Leather	1011D-19D
667	Black and Copper Cloth Beige Imitation Leather	1011D-19D
668	Black and Yellow Cloth Yellow Imitation Leather	1011D-19D
669	Black and Red Cloth Red Imitation Leather	1011D-19D
670	Black and Silver Cloth Silver Imitation Leather	1037D-39D
671	Black & Dark Green Pat. Cloth Med. Met. Green Im. Leather	1037D-39D
672	Black and Dark Blue Cloth Medium Blue Im. Leather	1037D-39D
673	Black & Dark Turquoise Cloth Med. Turquoise Im. Leather	1037D-39D
674	Black and Copper Cloth Beige Imitation Leather	1037D-39D
675	Black and Yellow Cloth Yellow Imitation Leather	1037D-39D
676	Black and Red Cloth Red Imitation Leather	1037D-39D
677	Met. Silver Imitation Leather Ivory Imitation Leather	1067D
678	Med. Met. Green Im. Leather Light Green Imitation Leather	1067D
679	Medium Blue Im. Leather Light Blue Imitation Leather	1067D
680	Med. Turquoise Im. Leather Ivory Imitation Leather	1067D
681	Met. Copper Imitation Leather Beige Imitation Leather	1067D
682	Met. Silver Imitation Leather Yellow Imitation Leather	1067D
683	Met. Silver Imitation Leather Red Imitation Leather	1067D
684	Black and Silver Cloth Silver Met. Imitation Leather	1062DF
685	Black and Dark Green Cloth Med. Met. Green Im. Leather	1062DF
686	Black and Dark Blue Cloth Medium Blue Im. Leather	1062DF
687	Black & Dark Turquoise Cloth Med. Turquoise Im. Leather	1062DF
688	Black and Copper Cloth Beige Imitation Leather	1062DF

TRIM COMBINATION CHART—Continued

1957—Cont.

689	Black and Yellow Cloth Yellow Imitation Leather	1062DF
690	Black and Red Cloth Red Imitation Leather	1062DF
691	Black and Silver Cloth Silver Imitation Leather	1064DF
692	Black and Dark Green Cloth Medium Green Im. Leather	1064DF
693	Black and Dark Blue Cloth Medium Blue Im. Leather	1064DF

1957—Cont.

694	Black & Dark Turquoise Cloth Medium Turquoise Im. Leather	1064DF
695	Black and Copper Cloth Beige Imitation Leather	1064DF
696	Black and Yellow Cloth Yellow Imitation Leather	1064DF
697	Black and Red Cloth Red Imitation Leather	1064DF